

(47)

24 May (6)

Lobo - cut on back infested
am. with screw worms. Flushed out
with Hydrogen Peroxide, applied
Lm - 70. Picked out 3 worms.
Oral Tetracycline (250 mg) B.I.D.

pm No increase in size of
wound, ~~was~~ Flushed out
with Hydrogen Peroxide, applied
Lm - 70. Picked out 4 worms.
Oral Tetracycline (250 mg) B.I.D.

25 May (6)

Lobo - wound same size -
no sign of increase of
am. worms. Flushed with Hydrogen
Peroxide. Applied Lm - 70.
Picked out 2 worms. Oral
Tetracycline (250 mg) B.I.D.

P.M. No increase in size of
wound, no sign of
more worms. Flushed out
with Hydrogen Peroxide,
Applied Lm - 70. Oral
Tetracycline (250 mg) B.I.D.

(48)

26 MAY

LOBO

AM. Wound doing well. Stopped using L.W. - 70. Antibiotic out rx. Flushed with Peroxide. Bacitracin - Neomycin out in wound. $1\frac{1}{2}$ cc Streptomycin. Sprayed around wound with S.W.C.

PM LOBO

Flushed with Peroxide. Bacitracin Neomycin out, in wound $1\frac{1}{2}$ cc Streptomycin. Sprayed around wound with S.W.C.

27 May

LOBO

A.M. Looks good. Flushed with Hydrogen Peroxide. Bacitracin - Neomycin out (CORTISPORIN) in wound.

LOBO - Wound doing well. Flushed with Hydrogen Peroxide. Applied Bacitracin - Neomycin (Cortisporin®) to wound.

(49)

Rusty - Removed ticks from left & right eyelids. Applied Raxaban & ophthalmic oint.

Dede - Removed ticks from left and right eyelids. Applied ophthalmic oint.

Major - 7cc DWP for hookworms. Fecal proofer may, stool bloody.

28 MAY

AM LOBO - DOING FINE - FLUSHED WITH HYDROGEN PEROXIDE; APPLIED BACITRACIN - NEOMYCIN OINT TO WOUND.

PM LOBO - DOING FINE - FLUSHED WITH HYDROGEN PEROXIDE; APPLIED BACITRACIN - NEOMYCIN OINT TO WOUND.

29 MAY

AM LOBO Doing very well. Wound closing, no sign of infection. FLUSHED WITH HYDROGEN PEROXIDE. APPLIED TOPAZONE.

50

30 MAY 67

AM LOBO - LOOKS GOOD. FLUSHED WITH PEROXIDE,
APPLIED BACITRACIN - NEOMYCIN OINT.

PM LOBO - LOOKS GOOD. FLUSHED WITH
FURACIN SOLUTION. APPLIED BACITRACIN -
NEOMYCIN OINT.

31 MAY 67

AM LOBO - LOOKS GOOD, FLUSHED WITH
FURACIN SOLUTION. APPLIED BACITRACIN - NEOMYCIN
OINT

PM. LOBO - DOING WELL. FLUSHED WITH
FURACIN SOLUTION. APPLIED BACITRACIN - NEOMYCIN
OINT.

1 JUNE 67

MIKES - THROAT LOOKS GOOD. 500 mg
TETRACYCLINE BID.

LOBO - LOOKS good. Flushed with
Furacin solution; applied Tetracycline
oint. to wound. AIC. for
field 3 JUNE, 67.

51

Buster - (Fueck-up) bloody stool,
but stool sample is negative.

7 JUNE. 67

TREATED -

<u>SATAN</u>	<u>DUKE</u>	<u>BOBO</u>	61X8
<u>COUNT</u>	<u>HOOBO</u>	<u>LOBO</u>	6A71
<u>SKIP</u>	<u>BOBO</u> 10X9	<u>TUFFY</u>	

FOR HOOKWORMS. FECALS WERE
POSITIVE (ANCYLOSTOMO CANINUM)

TWO BLOOD SAMPLES POSITIVE FOR
MICROFILARIA. WILL LEAVE FOR TON SAN
NIGHT ON 8 JUNE, '67, to 936th VET.
DET.

SATAN
PRINCE

17 June '67

TEST	TAKING FROM	BLOOD SAMPLES	FOR KNOTTS
	KEECHIE	PIRATE	
	REX (05X4)	HEIDE	
	REX (09X8)	LOBO	6A71
	MARIUS		

(52)

8 JUNE '67

ALL DOGS OK. PRINCE &
SATAN DEPARTED FOR TSIO.

LOGO- (38X2) HOOKWORMS (POS. Fecal) 6.5 cc
D.W.P.

BLACY- 6 CC Blood for counts
Test.

9 JUNE '67

ALL DOGS OK. Records all
up to date.

MICE - DERMATIS - COULD BE CAUSED
BY FLEAS. DANE SOL. BATHS. Tetracycline
& Penicillin. Poor Appetite - 1 1/2 cc
Aqua - B W. (Afe well
this afternoon.

10 JUNE '67

MICE - RASH disappearing slowly.
Tetracycline F. I.D.

53

11 June 67

Mike - Rash disappeared. Dog
well

12 June 67

Mike - OK. cleared for
field

13 June '67

all dogs OK.

14 June

All DOGS OK -

Gave Rabies vaccine -
Chuck Embryo Oregon - to Dodge.
(SN 184403)

- 1 Puffy
- 2 Rex 05114
- 3 Rex 05118
- 4 Flip
- 5 Browne
- 6 Pirate
- 7 Count
- 8 Major
- 9 Manous
- 10 Bond

- 11 Sheep Bobo
- 12 Bobo
- 13 Rusty
- 14 Kurt
- 15 Blackie
- 16 hobo
- 17 hobo
- 18 Mikes
- 19 Duke
- 20 Champ

SHEP - POSSIBLE CAUSE OF DEATH - STOMACH
MAY HAVE ROTATED - CAUSING BLOATING
AND DEATH. OR STOMACH MAY HAVE
TELESKOPED OVER INTESTINE AND
CONTRACTED - CAUSING BLOATING - SHOCK,
AND THEN DEATH

(57)

25 June '67

SKIP - (EO RABIES vaccine -
Ft. Dodge (sw 184403)

26 JUNE '67

SHEP- 8x92 - died last night
in field - dog bloated before
death, and in pain. Handler
attempted to revive - 3:00 AM -
found dog dead.

Upon arrival to English
next morning, informed 1st Bde
HQ that dog was dead,
and need Trans. to Aitche
for body and self. Told to
wait. Handler was ill, reported
to aid station, evacuated to
hosp. Dog buried on P.M., 26
June, in sanitary fill upon
orders from major at
S-2, 1st Bde HQ, English.

27 June '67

I reported to English, attempted
to locate dog to exhume
body and return it to

(58)

Antche - failed to do so because area dog buried in had been covered by bulldozer. Returned to Base, and wrote out statement for personnel who had buried Shep to sign, this was carried to English to 1/8, Base by Sgt. Costello on 28 June.

all dogs OK

28 June '67

Sgt. Costello returned with signed statements and McHughes, dog handler. Capt. Stevenson, J.C., will sign death certificate for Shep.

all dogs OK.

29 June '67

St. Bilko Sharp wound between eyes. No sign of debris. Fleeced with Hydrogen Peroxide. Applied Monomer out.

(59)

Lobo - 3882 - Punji stake wound
on left shoulder. Slight penetration
along skin line. Flushed with
furam's Hydrogen Peroxide, 400,000
C. Prospan Penicillin.

JSP.

30 June

Lobo - 3882 - wound doing
well - no infection or swelling.
Flushed with H. Peroxide - applied
Tropozon to wound. No more
antibiotics.

Stupid - Looks OK - wound
closed. No infection or
swelling. OK for field.

Stool Samples to Sayari
in morning.

60

5 July-67 —

TUFFY - PUNTI STAKE WOUND IN Rt.
AM - Rear LEG - CONSIDERABLE SWELLING -
FLUSHED WITH HYDROGEN PEROXIDE
AND FURACIN SOLUTION. FILLED
WITH BAC.-NEO. COAT. AMT. 600,000
U. PROCAINE PENICILLIN. TETRACYCLINE
(250 mg) T.I.D.

MIKES. - SHRAPNEL WOUND IN LFT.
foreleg. Runs 2 1/2 inches up leg under
skin. COULD STILL BE DEBRIS IN
WOUND. 400,000 U. PROCAINE PENICILLIN.
Flushed with Peroxide. Applied
"COATSPOREIN" TO WOUND.

P.M. - TUFFY - Still Swollen. ~~Applied~~ ^{Flushed}
with peroxide & furacin solutions. 1
Tetracycline (250 gr.) T.I.D.

MIKES - PROBEO TO TRY AND
LOCATE SHRAPNEL - results negative.
Flushed with furacin, peroxide.
Vet. B. IV for appetite.

(61)

Blackley - Dermatitis - fungal -
on neck. Rx. application:
of Panalog oint., T.I.D.

6 July '67

TUFFY - SWELLING SUBSIDED - FLUSHED
AM. WITH PEROXIDE. APPLIED NEOMYCIN -
BACITRACIN OINT. 1 TETRACYCLINE
TAB. T.I.D. (250 mg).

MICKS - LOOKS GOOD. FLUSHED
WITH PEROXIDE. APPLIED FURACIN
POWDER.

PM. TUFFY - LOOKS BETTER. FLUSHED
WITH PEROXIDE. APPLIED NEOMYCIN -
BACITRACIN OINT., 1 TETRACYCLINE
TAB T.I.D. (250 mg)

7 July '67

TUFFY - LOOKS MUCH BETTER.
LITTLE SWELLING. FLUSHED WITH
AM. PEROXIDE; APPLIED BACITRACIN -
NEOMYCINE OINT. 1 TETRACYCLINE
TAB (250 mg) T.I.D.

(2)

MIKES - ABOUT SAME - SERUM
STILL RUNNING FROM WOUND.
Am No swelling - 1 cc Vit. B
+ Ascorbic Acid IM. for
APPETITE. FURACIN POWDER
ON wound.

RESULTS OF FECALS TAKEN 1 July.

1. BOBO	neg	9. REX (05X4)	neg
2. BOBO	neg	10. REX (05X8)	neg
3. BROWNIE	neg	11. SGT. BICKO	neg
4. CHARLIE	neg		
5. COUNT	neg	12. FLIP - HOOKS	
6. DUICE (7X82)	neg	13. PIRATE - HOOKS	
7. HONDO	neg	14. RUSTY - HOOKS	
8. MASOR	neg	15. SICIP - HOOKS	
		16. TIRAN - HOOKS	

TUFFY - LOOKS GOOD. FLUSHED
WITH PEROXIDE - Neo. - Bacitracin
Oint. 1 Tetracycline (200 mg) BID.
Will take off Tetracycline
tomorrow

63

8 July.

AM

Mikes - Temp. 103 - large amount of serum extracted from wound. Flushed and applied Furacin powder. 500,000 u Penicillin ~~z~~ (procaine)

Blackie - cut on pad from fight. Cleaned and applied Furacin powder. 1 Tetracycline tablet. (250mg).

Tuffy - looks very good. Wound clean, dry. No excretion from wound. No swelling. Flushed with peroxide. Applied Bacitracin Neomycin oint. 1 Tetracycline Tab. (250 mg) BID.

Prate - Collar Band. Ointment to wound, 7cc OAP for Hookworms.

TIRAN - 7cc OAP for Hookworms.

(64)

PM.

MIKES - Took two X-RAYS of area around wound. Revealed piece of shrapnel about size of B.B. in leg above elbow. Almost too small to operate on. Will wait for a couple of weeks - if wound still open - then will surgically remove shrapnel.

9 July '67

MIKES - wound closed - opened and started small amount of serum. Flushed and applied Topozone.

10 July '67

Mikes - looks good. - wound closed - Applied Topozone.

FLIP } DWP for Hookworms -
RUSTY } Fecal Pos.



SICIP - Dehydrated - didn't eat for 7 days. Attempted to give fluids I.V. - found hemotones

(65)

on both legs. Loss of weight. Vomiting one day. Poor urination.

Buster - Lump on leg - unidentified. Will remove by surgery on 11 July - P.M.

11 July - 67 -

Leo - Loss of weight - some dehydration. Conjunctivitis both eyes. Tetracain out in both eyes. 1" 2 cc Aqua B for appetite.

Mary - Bloody stool 1 day. Gums & eyes look good. Observe.

Miles - looks very good. applied Topozone.

Mary - bloody stool again. 6.5 cc ROP for hookworms.

~~12 July~~

BUSTER - 4:30 PM - BREATHING STILL VERY RAPID AND LABORED.

5:30 PM. - BREATHING MOMENTARILY HALTED - HAD EPINEPHRINE READY.

6:30 PM - BREATHING NOW NORMAL - ABOUT 34/MIN.

10:30 PM - COMING OUT OF ANESTHESIA - ATTEMPTING TO WALK. CONDITION NOW SATISFACTORY

66

12 July 67

3:30 PM BUSTER - REMOVED A SMALL TUMOR-LIKE MASS LOCATED IN THE SUB-Q of the ELBOW AREA OF THE RT. FORE-LEG - 1/150 gr. of PROPANE SUB Q; 1 1/2 CC THORAZINE I.M.; 8 CC PENOBARBITOL; SHAVED, WASHED, & DISINFECTED AREA - 1" INCISION & DISECTED OUT A SMALL MASS ABOUT SIZE OF A PEANUT. - SUTURED WITH 0 SILK - LABORED BREATHING IN MID-OPERATION - GIVEN 1 CC OF PENTYLENE & ETTRAZOL. HANDLER WILL OBSERVE UNTIL DOG OUT OF ANESTHESIA.

13 July 67

BUSTER - TISSUE AROUND INCISION SWOLLEN - SOME FLUID RUNNING OUT. FLUSHED WITH FURACIN. - 600,000 U PROCAIN PENICILLIN.

14 July 67

BUSTER - SWELLING SUBSIDED. FLUSHED WITH FURACIN SOLUTION - 1 TETRACYCLINE TAB (250 mg) B.I.D.

(67)

MIKES - wound now completely
healed. O.K. for field.

15 July '67

Buster - wound still slightly
swollen - 1 suture too tight -
removed. Flushed with furazolidone
solution. 650,000 U Procaine Pen.

Comer } slight lacerations
hex 0518 } from dog fight. Flushed
with peroxide and applied
Bac. - Neomycin oint.

16 July '67

Buster - still swollen. Flushed
with furazolidone - 650,000 U P.
Penicillin.

Blackie - Bloody stool. 6.5 cc
DWP for Hookworms.

(68)

17 July '67

Buster Swelling subsided a bit.
Flushed with Furacin Solution.
600,000 U Procaine Penicillin.

18 July '67

BUSTER - Swelling down
more. Flushed with Furacin
solution, 400,000 U Potassium
Penicillin.

INSTITUTING FEED CHART TODAY - (NOW)
much of RATIONS EACH DOG ATE.

20 July

BUSTER waiting for examination
by vet.

21 July '67

Buster - still some swelling.
Flushed with Furacin solution.
Applied cortisone oint and
bandaged wound.

AM. - Vet removed dressing and

(69)

examined wound. Applied Furacin powder and re-banded.

TREATED sentry dog for Sgt. Schrank with hookworms. 7.5 cc DNP sub Q.

22 July '67

Buster looking good. Applied Baotracin - Neomycin oint and banded.

Treated another sentry dog for Schrank - Hookworms. 6 cc DNP sub Q.

23 July '67

Buster - looks good - applied furacin powder and re-banded. Swelling gone completely. Dog should be OK for field by 30 July.

Dogs Receiving Rubies Vaccine (CEO, Ft Dodge)
in June, '87

- | | |
|-------------|------------------------|
| 1. TUFFY | 25. ICEECHI |
| 2. REX 0988 | 26. ICEECHI |
| 3. REX 05X4 | |

4. BROWNIE

5. PIRATE

6. FLIP

7. COUNT

8. MAJOR

9. MARLUS

10. HONOO

11. SHEP

12. BOBO

13. RUSTY

14. KURT

15. BLACKIE

16. LOBO 6A71

17. LOBO 3X82

18. MIKES

19. DUICE

20. CHAMP

21. BOBO

22. BUSTER

23. GOMER

24. TIRAN

IKRIM - TSN ON TDY for
MEDICAL CARE

PRINCE - TSN ON TDY for
MEDICAL CARE.

SATAN

Sgt. BICKO

CHARLIE

DUICE

HELOE

RECEIVED SHOTS
ON 18 MARCH
AT 42ND S.D. PLT.

TOTAL - 33 DOGS

DOGS IN PLT. - 33

(54)

15 JUNE '67

MILES - ABSCESS FROM THORN - OPENED AND
REMOVED THORN. DOING O.K. Put on
Bactracin - Neomycin oint.

16 JUNE '67

MILES - ABSCESSES doing well. applied
Vio-streptom.

Received results of serology tests
for -

Rex	05X4 (neg)	Keechue	(neg)
Rex	05X8 (neg)	Blacky	(neg)
Lobo	6A71 (neg)	Heidi	(neg)
Pirate	(neg)		

17 JUNE '67

All DOGS O.K.

18 June '67

All Dogs O.K.
of kennels +
mosquito control.

Weekly disinfecting
area sprayed for

55

19 June '67

All Dogs OK.

BUSTER - RABIES VACCINATION -
CEO ; FT. DODGE.

20 June '67

TIRAW } RABIES CEO VACCINE -
GOMER } FT DODGE.

All dogs OK.

21 June '67

All Dogs OK.

KEECHIE - CEO RABIES VACCINE -
FT Dodge - 184403

22 June '67

All Dogs OK.

56

23 JUNE 67

BOSTER - CONJUNCTIVITIS IN LEFT
EYE - PREVIOUSLY TREATED FOR
ULCER and CONJUNCTIVITIS IN
LEFT eye. CORTISONE oint 2'
2cc BAC TOLOVET

SKIP - Needs to be
given Rabies Vaccine

PRINCE } in TSN for
Kaim } med. care. Should
receive shots
then.

all other dogs up
to date on shots.
will receive DHL
in October.

24 June 67

Disinfected kennels. All dogs O.K.
1 OVP for Hookworms to Senty
Dog (Sgt. Shank)

7

24 July '67

BUSTER - WOUND LOOKS VERY GOOD.
WILL LEAVE BANDAGE OFF.
APPLIED FURACIN POWDER.

Will take blood on 30 or
31 July for knotts TESTS IN
SAISON. Fecals on any following
blood. Presumably have all 29
days in kennels. Can get 100%
on 1st trap for 1st time.

BLACKIE - BARE SPOT GROWN IN
SIZE. PROBABLY FUNGUS. 1/2 cc
MENCORTEN FOR IRRITATION. PANALOG
ON WOUND. WILL TRY TO
GET HOLD OF SOME MYCOSTATIN.

25 July '67

BUSTER - Looks very good. Applied
ULO-STRINGENT TO WOUND.

BLACKIE - PANALOG OINT. ON
SPOT ON BACK OF NECK.

71

26 July '67

Buster - wound looks very good,
Applied vis. stungent.

27 July '67

Buster - O.K. for field.

Krim - returned from T.S.W.,
Cpl. Crawley six. 20 days
Ang. before taking to field.
Wound needs no treatment,
It may show signs of
opening.

PRICE } returned from T.S.W.
Satan } Knotts Def.

28 July '67

All Dogs OK.

29 July '67

Disinfected kennels. All
dogs OK.

30 July '67

all dogs OK.

31 July '67

Taking blood

Today

- | | | |
|-----|----------------------|------|
| 1. | KURT- | 6A92 |
| 2 | Rusty - | 6A97 |
| 3 | Bob Dulce | 7X82 |
| 4 | Slup | 7X65 |
| 5 | marino | 6A65 |
| 6. | Champ | 6A99 |
| 7 | Buster | 8X99 |
| 8 | MIKES | 9X20 |
| 9 | Bobo (fatso) | 10X8 |
| 10 | Bobo | 61X8 |
| 11 | Heide | 3X27 |
| 12 | TIRAN | 8X73 |
| 13. | Buster | 8X99 |
| 14. | Browne | 61X3 |
| 15 | Mago | 4X83 |
| 16 | HWOOD | 15X3 |
| 17 | Lobo | 38X2 |
| 18 | Rex | 05X4 |
| 19 | Rex | 09X8 |
| 20 | Blackie | 06X8 |
| 21 | Charlie | 3X83 |

(23)

22 Duke 6A24
23 Count 6A98
24 Gomer 20X4

6 Aug '67

Returned from Sayer. Results of
knotts and fecals to be
mailed here.

Heidi - 7.4 cc DNP for Hook's -
Bloody stool. Vomiting yesterday.
Under observation.

Buster - 7.4 cc DNP for Hook's -
Bloody stool - Poor appetite -
1 1/2 cc Aqua B.

7 Aug '67

Buster - stool loose and bloody.
Dio-sol m for diarrhea. (Itab/solus.).
Will observe appetite today.

Kami - bloody stool - observe for
one day - 5.2 cc DNP for Hook's.
1 1/2 cc Aqua B for appetite

(79)

8 Aug '67

All dogs OK.

P.M. - DUKE - COUGHING - INDUCED by
tapping ribs. No RALES IN LUNG ARE -
Som WHEEZING IN THROAT - RX -
Tetratals BID (1 1/2) (375 mg) ✓

9 Aug '67

DUKE - COUGH SEEMS MUCH LESS
VARS. Will CONTINUE TETRATALS BID (1 1/2)
(375 mg) ✓

COUNT - Bloody stool. 7.4
cc DWP for Hooks.

10 AUG '67

DUKE - TETRATALS BID (375 mg)

KEECHIE - Bloody stool AND TICHS.
Will POWDER TRANQUILIZERS IN
FOOD AND ATTEMPT TO REMOVE
TICHS AND GIVE DWP for
HOOKS. - 9:30 AM - Very rowdy.
Handler put on choke chain
and leash and muzzle. removed
Ticks from his ears and neck.
7.6 cc DWP.

(75)

11 ~~July~~ Aug '67

DUKE - COUGHS VARY SELDOM
Now. Tetracycline BID (375 mg)

LOBO (6471) Toenail on rt front
foot badly split. Trimmied and
taped.

12 ~~July~~ Aug '67

DUKE - Seems O.K. ; will
continue Tetracycline BID (375 mg)
until 14 AUG. 67.

CHAMP. LACERATION BELOW RT EYE
from dog fight. Flushed with
peroxide. LIDOCAINE - 1 suture with
O SILK. 650,000 U P. Penicillin

13 ~~July~~ Aug '67

CHAMP. Some swelling around
wound. Furacin powder. 650,000 U
PROCAINE PENICILLIN.

DUKE - TETRATAB - (375 mg) BID

KRIM - 2 UNIPET

(70)

14 ~~July~~ ^{Aug} '67

Duke - TETRACYCLINE B.I.D. (375mg)
Treatment ends today.

Champ - Looks good. Still
some swelling. Furacin solution
flush. 600,000 + PROCAINE
PENICILLIN.

MAJOR - Small PUNZI STAKE
wound on REAR LEG. No
infection. Flushed with peroxide
and Furacin solution.

15 ~~July~~ ^{Aug} '67

Champ - Furacin solution - No
strangit.

16 ~~July~~ ^{Aug} '67. Still swelled. Will
give medication + 600,000 +
P. Penicillin

MAJOR } departed for 10 DAY PERIOD
BUSTER } to PANTHLET.
SKIP }

77

17 ~~Aug~~ Aug 67

Champ. - still some swelling.
Tetracycline B.I.D. will 98P
remove stretch tomorrow.

Duke - departed for field. (Paw Tmct)

RECEIVED RESULTS OF KNOTT'S TESTS DONE
3 AUG '67

- 1. TIRAN 8X73 (N)
- 2. REX 09X8 (N)
- 3. CHAMP — (N)
- 4. PIRATE 8X71 (N)
- 5. GOMER 20X4 (N)
- 6. MIKES 9X20 (N)
- 7. HONOO 15X3 (N)
- 8. HAZOR 4X83 (N)
- 9. BLAKIE 06X8 (N)
- 10. REX 05X4 (N)
- 11. MARIUS 6X65 (N)
- 12. RUSTY 6A97 (N)
- 13. SKIP 7X65 (N)
- 14. CHARLIE 3X83 (N)
- 15. BROWNIE 01X3 (N)
- 16. BOBO 61X8 (N)
- 17. BUSTER 8X99 (N)

- 18. DUKE 7X82 (+ GIMMITS)
- 19. COUNT 6A98 (N)
- 20. LOBO 3X82 (N)
- 21. KURT 6A92 (N)
- 22. BOBO 10X9 (N)
- 23. HEI01 3X20 (N)
- 24. FLIP 29X4 (N)
- 25. DUKE 6A24 (N)

DUKE (7X82) BEING RECALLED
FROM FIELD - WILL BE
SHIPPED TO SAIGON TO
936th VET. DET. ASAP.

(N) = negative

(78)

18 ~~July~~ ^{Aug} '67

Champ - removed stitches and applied no stuzent. heals good.

19 ~~July~~ ^{Aug} '67

Champ - applied vco-stuzent. No swelling.

20 ~~July~~ ^{Aug} '67

CHAMP - Looks good - Treatment attempted.

21 ~~July~~ ^{Aug} '67

all dogs ok.

22 ~~July~~ ^{Aug} '67

All dogs ok, HAVE TO CHECK INTO TDY ORDERS FOR Sgt. Hooper. DUKE STILL HAS NOT DEPARTED FOR SAIGON; WILL NOT DO SO UNTIL ORDERS BROUGHT THROUGH FOR BUZ.

HAVE TO BUILD PEN FOR DUCKS AND CHICKENS BEING USED FOR TRAINING AIDS.

79

THE FOLLOWING DOGS NEED LEPTO SHOTS -

- 1 BOBO - 6188-
- 2 BOBO - 10X9
- 3 BROWNIE - 01X3
- 4 BUSTER - 8X99
- 5 CHAMP - 6A99
- 6 COUNT - 6A98
- 7 DUKE - 7X82
- 8 FLIP - 29X4
- 9 HOWDO - 15X3
- 10 HEIDE - 3X27
- 11 GOMER - 20X4
- 12 KURT - 6A92

~~KEVIN~~

- 13 MARIUS - 6A65
- 14 MIKE - 9X20
- 15 PIRATE - 8X71
- 16 REX - 09X8
- 17 REX - 05X4
- 18 RUSTY - 6A97
- 19 SATAN - 4A73
- 20 SKIP - 7X65
- 21 TIRAN - 8X73
- 22 TUFFY - 9X48

22 dogs need
lepto shots. Will
get vaccine when I
take stud samples
to TSN 1st Sept.

(80)

Aug
23 ~~July~~ '67

HAVE 21 DOGS IN KENNELS - ALL OK.

Aug
24 ~~July~~ '67

SATAN - SLIGHT PERMATIS ON STOMACH
and LOWER CHEST. WASH WITH SELEEN and
TETRACYCLINE BID. (250 mg)

CHARLIE - PUNCTURE WOUND ON RT.
NEAR ~~the~~ FOOT. SLIGHTLY SWOLLEN and
INFECTED. FLUSHED WITH PEROXIDE -
Applied Bacitracin - Neomycin oint.

Aug
25 ~~July~~ '67

CHARLIE - FOOT LOOKS GOOD. Washed
with Pusohex - Flushed with Furacin
solution - Applied Bacitracin oint.

Satan - condition coming along
good. will cont. Tetracycline
til 27.

26 Aug '67

Satan - doing OK. Tetracycline
BID.

(87)

CHARLIE - DOING FINE - TERMINATE
TREATMENT 28 AUG 67. FLUSHED WITH
GURACIN SOLUTION. APPLIED BACITRACIN -
NEOMYCIN OINT. TETRACYCLINE BID.
(250 mg)

KURT } DOG FIGHT - SUPERFICIAL
MANUS } LACERATIONS AND ABRASIONS.
FLUSHED WITH PEROXIDE -
600,000 U PROCAINE PENICILLIN.
OBSERVE.

Duke - DX82 - DEPARTED FOR
TSN TODAY FROM UNIC. VIA
CARGO BIRO. NO CAGE.

29 AUG 67

SATAN - TREATMENT TERMINATED.
RELEASED FOR DUTY.

CHARLIE - TREATMENT TERMINATED
RELEASED FOR DUTY.

KURT - WOUNDS OK. LEFT FRONT
FOOT SLIGHTLY SWOLLEN - PROBABLY
SPRAINED. UNDER OBSERVATION.

(2)

MARUS - RELEASED FOR DUTY.

28 Aug '67 -

All dogs OK. RECEIVED 8
CRATES
of PRIME. (220 CASES).
Now HAVE 290 DAYS RATIONS.

29 Aug '67

Browner - Bloody stool. 5.4 cc.
DWP for Hookworms.

30 Aug '67 -

In field -

31 Aug '67

Keedni - dog fight - scratches
and puncture around muzzle -
cleaned and applied Bacitracin:
200,000 U Procaine Penicillin.

Maji - Hookworms - Bloody stool.
9.0 cc DWP, sub-Q.

(85)

1 Sept '67

KEECHIE - OIC - released for
duty

MIKES - BLOODY STOOL. VOMITING -
Hook worms. 9.0 cc D.A.P. 2 cc
U. B complex w/ ASCORBIC ACID.

LOBO - Nose and eyes running.
Eyes red - especially low under
cornea. Loss of Appetite - tried
easily in field fast two
days; wouldn't scout. also
coughing. Rx ointment in
eyes; + Tetracycline B.I.D.

2 Sept. '67 - ~~the~~

LOBO - much better. Tetracycline
B.I.D.

TIRAN - Very listless, dehydrated.
Very weak - seems in pain when
moving. Eyes bloodshot. Abdomen
tense, back arched and sore in

(84)

Kidney area. SUSPECT LEPTOSPIROSIS.
1000 CC 5% Dextrose Sub Q.
.05 gr. injectable Tetracycline. IM.
750,000 U Procaine Penicillin. IM
1000 C Kaochi given orally to
protect. Stomach and intestinal
tract.

Pon 1000 cc Ringers Sol Lactated.
.05 gram INJECTABLE Tetracycline. IM.

3 Sept.

TRAM - Appears to be much better.
Alert and active. Some Urine
in cage - clear and yellow.

AM. Stool Normal. Still Very Dehydrated
1000 cc Ringers Sol Lactated
Sub-Q. .05 gr. INJECTABLE Tetracycline
IM. 750,000 U Procaine Penicillin.
IM. 1000 C KAOPECTATE.

PM. IMPROVED 100% over yesterday
Dog lively - much less dehydrated.
.05 gr INJECTABLE Tetracycline.

(85)

4 Sept. '67

LOBO - 3882 - screw worms in wound
on front foot. Lin-90 & SWC
bombs in wound. Pulled out 9
worms. 950,000 v P. Penicillin;
Bac. - Neomycin out in wound and
bandaged.

AM

TIRAN - Looks very good. Still a
little dehydrated. Stool good -
Umi normal. Dog very active.
950,000 v Procaine Penicillin,

pm.

LOBO - No more worms in wound.
Claw nearly flushed with peroxide.
Bac. - Neomycin out in wound.
1 Tetraolene T.10. (250 mg)

TIRAN - Looks very good. Very little
dehydration. appetite good. Stool
and Umi normal. 1 Tetraolene
T.10. (250 mg)

(86)

5 Sept. 67

TIRAN - looks good. Still a bit of dehydration. Stool and urine normal. Appetite excellent.
1 Tebatal T.I.D. (250mg)

LOBO - wound doing very well. Closing nicely. Flushed with H. peroxide. Applied Bacitracin - Neomycin oint.

6 Sept. '67

TIRAN - OK. Treatment terminated but will keep under close observation 'til 9 Sept. HAVE INSTRUCTED HANDLERS TO CONTINUE checking stool and urine.

LOBO - doing well. Wound closing well from inside, flushed with furacin solution. Applied Bacitracin - Neomycin oint.
1 Tebatal (250mg) T.I.D. Will release on 9 Sept. 67.

(87)

7 Sept. 67
All Dogs OK

8 Sept 67
all Dogs OK

9 Sept '67
All Dogs OK


10 Sept 67
all Dogs OK

11 Sept. 67
Charlie - Bloody stool, diarrhea.
5.6 cc DNP for Hookworms.
10cc Kaopectate orally for
diarrhea.

12 Sept 67
all Dogs OK

13 Sept '67
all Dogs OK

~~14 Sept~~



14 Sept '67

PRINCE - Bloody stool - 6.8 cc
DNP FOR HOOKS.

Blood Samples on 19 Sept.
All dogs to be recalled from
field.

15 Sept '67

all dogs OK

16 Sept '67

Lobo - 6A91

Counting &

DNP for

Backout.

bloody stool -

Diarrhea. 7.5 cc

Hookworms. 2

17 Sept '67

all Dogs OK.

18 Sept '67

all Dogs OK.

19 Sept '67

all Dogs OK

(87)

20 Sept

NEED PREVENTIVE MEASURES AGAINST
TICKS. SPRAY (PARIO BOMB) EFFECTS
UNSATISFACTORY

21 Sept

EXCEPT FOR TICK INFESTATION,
ALL DOGS OK.

22 Sept

5% MALATHION OIP FOR ALL
DOGS.

23 Sept 67

MALATHION SUCCESSFUL. KILLS
ALL TICKS. WILL USE ON
BI-WEEKLY BASIS FOR TICK
PREVENTION.

24 Sept 67

~~People~~ DISINFECTED KENNELS.
ALSO USED MALATHION IN
SOLUTION TO COMBAT TICKS
IN KENNELS.

(90)

25 Sept '67

All Dogs OK

26 Sept 67

Results of fecals and
blood (ICNOTTS TEST)

FLIP	29X4	(ICNOTTS NEG)
MIKE	9X20	(NEG)
LEX	25X4	(NEG)
Left Bulko	8X00	(neg)
Prince	06X0	(neg)
lex	09X8	(neg)
Count	6A98	(neg)
Charlie	3X83	(neg)
Champ	6A99	(neg)
TIRAN	8X73	(neg)
BOBO	10X9	(Neg)
Hondo	15X3	(neg)
MARCO	6A65	(neg)
Duke	6A92	(neg)
Saman	4A93	(neg)
Brownie	01X3	(neg)
KRIM	6X05	(neg)

MASOR 4X83 (neg)
KEECHIE 84X7 (neg)

Reels

PRINCE	(0680)	(Hooks)
MARIUS	(2A64)	(Hooks)
CHARLES	(3103)	(Hooks)
MASOR		(Hooks)
KRIM	6X05	(neg)
Dex	09X8	(neg)
Robert	3X82	(neg)
Rusty	6A17	(neg)

(90)

29 Sept 6)

DHL - TISSUVAR-4 (SER NO 68109)

Lot # 54555 - PITMAN MOORE -

2cc to following -

1. Rex 09X8
2. Rex 05X4
3. TIRAN 9X73
4. Flip 29X4 HOT SPOT
5. Sgt. BILKO 8X00
6. Bobo 61X8
7. ~~CHARLIE~~ TUFFY 9X48
8. Count 6A98
9. PRINCE 06X0
10. BROWNIE 81X3
11. HONDO 3X27
12. Bobo 10X9
13. CHAMP 6A99
14. MIKES 9X20
15. MARIUS 6A65
16. Rusty 6A97
17. DUKE 7X82
18. PIRATE 8X71
19. Kobo 38X2
- 20
- 21

(2)

30 Sept '67
All dogs O.K.

1 Oct 67
All Dogs O.K.

Will be shipping
Hondo, Rex (0988), Marvins, Bobo
(1089) to Saigon in a
lateral transfer to the 212
M.P. Co.

2 Oct 67
ALL DOGS O.K.

3 Oct 67
ALL DOGS OK

4 Oct 67
ALL DOGS O.K. GOMER-
TISOUAX-4 (0144) 681107
2 e.c. SUB-Q.