

ORIGINAL

~~SECRET~~

HEADQUARTERS
1st Battalion (Rein), 13th Marines
Fleet Marine Force, Pacific
FPO San Francisco, California 96602

442167

G/TTC/pac
6 September 1967
Sen 00512/4267

~~██████████~~ (Unclassified Upon Removal of Enclosure (1))

From: Commanding Officer
To: Commanding General, 3rd Marine Division

Subj: Command Chronology for period 1 August 1967 to 31 August 1967 (U)

Ref: (a) MCO 5750.2
(b) FMFPacO 5750.8

Encl: ✓(1) Command Chronology

1. In accordance with the provisions of references (a) and (b), enclosure (1) is submitted herewith.

F. J. Coyle
F. J. COYLE

*1st Bn/13th Marines
Command Chronology*

GROUP 4
DOWNGRADED AT 3 YEAR INTERVALS;
DECLASSIFIED AFTER 12 YEARS

ORIGINAL

~~SECRET~~

Page 1 of 14 pages

Copy No 1 of 15 copies

Aug 1967

SECRET

HEADQUARTERS
1st Battalion (Rein), 13th Marines
Fleet Marine Force, Pacific
APO San Francisco, California 96602

Command Chronology

1 August 1967 to 31 August 1967

Index

- Part I - Organizational Data
- Part II - Narrative Summary
- Part III - Sequential Listing of Significant Events
- Part IV - Logistic Summary Report (Unclass)

SECRET

SECRETORGANIZATIONAL DATA1. DesignationCommander

1st Battalion, 13th Marines (--) (Rein) Major T. J. COYLE

Subordinate UnitsAdministrative ControlHeadquarters Battery, 1st Battalion
13th MarinesCaptain G. D. BLACK
1 August
1stLt R. W. DUNN Jr.
2 August - 31 August

5th 155 Provisional Gun Battery (SP)

Major R. M. BLACK

2nd Platoon, 5th 155 Gun Battery (SP)

Captain E. E. PARKER

3rd Platoon, 5th 155 Gun Battery (SP)

Captain K. O. W. STEEN

Operational ControlHeadquarters Battery, 1st Battalion,
13th MarinesCaptain G. D. BLACK
1 August
1stLt R. W. DUNN Jr.
2 August - 31 AugustBattery "A" (Rein), 1st Battalion,
13th Marines

Captain D. L. PARDEE

Battery "C" (Rein), 1st Battalion,
13th Marines

Captain F. X. FARRINGTON

Mortar Battery, 1st Battalion,
13th MarinesCaptain E. M. ASANOVICH
1 AugustDetachment Mortar Battery, 1st
Battalion, 13th Marines1stLt J. O. FOX
2 August - 31 AugustBattery "I" (--), 3rd Battalion,
12th MarinesCaptain D. O. GALLAGHER
2 August - 31 August2. LocationHeadquarters Battery, 1st Battalion,
13th Marines

Khe Sanh, RVN

Battery "A" (Rein), 1st Battalion,
13th Marines

Khe Sanh, RVN

Battery "C" (Rein), 1st Battalion,
13th Marines

Khe Sanh, RVN

SECRET

SECRET

Mortar Battery, 1st Battalion,
13th Marines

Kho Sanh, RVN
1 August 1967

Detachment Mortar Battery, 1st
Battalion, 13th Marines

Kho Sanh, RVN
2 August - 31 August

Battery "I" (-), 3rd Battalion,
12th Marines

Kho Sanh, RVN
2 August - 31 August

5th 155 Provisional Gun Battery (SP)

Neac Muc, RVN

2nd Platoon, 5th 155 Gun Battery (SP)

Cam Lo, RVN

3rd Platoon, 5th 155 Gun Battery (SP)

Benang, RVN

3. Staff Officers

Executive Officer

Major R. W. GIBBELL

S-1

1stLt H. F. CURTIS

S-2

2ndLt J. M. RAPP

S-3

Captain L. R. BLIMON

S-4

Captain J. L. HINKELSON

4. Average Monthly Strength

	USMC		USM	
	OFF	ENL	OFF	ENL
Hq Btry, 1st Bn, 13th Mar	15	169	3	3
Btry "A" (+), 1st Bn, 13th Mar	7	108	0	1
Btry "C" (+), 1st Bn, 13th Mar	7	110	0	2
Mortar Btry, 1st Bn, 13th Mar	3	70	0	1
Btry "I" (-), 3rd Bn, 12th Mar	2	48	0	1
5th 155 Prov Gun Btry (SP)	6	123	0	2
2nd Plt, 5th 155 Gun Btry (SP)	2	44	0	1
3rd Plt, 5th 155 Gun Btry (SP)	2	40	0	1

SECRET

SECRETCOMPLAINT'S NARRATIVE

During the month of August 1967, 1st Battalion (-) (Rein), 13th Marines operations were characterized by a centralized control of artillery support; a continuing effort to improve the coordination and defense of the Khe Sanh Combat Base and outposts, and the Lang Vei Special Forces Camp; and the logistical support of the batteries OPCON this Battalion.

On 1 August 1967, 3rd MarDiv message 011315Z Aug67 was received directing Mortar Battery, 1st Battalion, 13th Marines to detach four 4.2" mortars and proceed to Phu Bai, OPCON 12th Marines. During the movement, 12th Marines message 011745Z Aug67 was received further directing Mortar Battery, 1st Battalion, 13th Marines (-) OPCON 3rd Battalion, 12th Marines. The move was completed on 2 August 1967 leaving one 4.2" mortar and one 107mm howtar with fire control personnel and equipment on Hill 861 in support of Khe Sanh Combat Base, RVN. On 11 August 1967, one 4.2" mortar was returned to Hill 861 from Mortar Battery (-), 1st Battalion, 13th Marines at Phu Bai, leaving three 4.2" mortars at Phu Bai and employing two 4.2" mortars and one 107mm Howtar at Khe Sanh, RVN.

During the same period, Battery "I" (-), 3rd Battalion, 12th Marines arrived on 2 August 1967 at Khe Sanh, RVN with four 105mm howitzers OPCON 1st Battalion, 13th Marines. Three howitzers were helo-lifted to Hill 881S. One 105mm howitzer was emplaced with Battery "A", 1st Battalion, 13th Marines. The added range provided by positioning 105mm howitzers on Hill 881S enabled several lucrative targets to be attacked which would otherwise have been beyond our range capabilities. On 30 August 1967 the 105mm howitzer emplaced with Battery "A" was returned to the detachment of Battery "I" (-), 3rd Battalion, 12th Marines at Camp Carroll, RVN.

With the tactical and technical assumption of control by the Battalion Fire Direction Center on 10 August 1967, an improvement in coordination between Regimental FSCC and the firing units was established. During this same period, a major revision of the counter mortar/rocket fires and defensive fires was undertaken by the FSCC resulting in an improved defensive plan for both Khe Sanh and Lang Vei.

By 18 August 1967, survey was completed for all firing batteries and hills 881S, 861 and 950. This allowed the technical firing to be transferred to survey charts and further permitted the establishment of a battalion observation post of Hill 950. On the 20th and 23rd of August, Batteries "I", "G", and "K" conducted High Burst Registrations. Position VE's were determined using meteorological data obtained from Camp Carroll.

The formal supply records of Battery "K", 4th Battalion, 12th Marines were transferred from 1st Battalion, 13th Marines to TOSS, Okinawa on 20 August 1967.

The advance party from 2nd Battalion, 94th Artillery, U. S. Army arrived on 23 August to make preparation for the employment of two 175mm Guns at Khe Sanh, RVN. Gun positions were selected, survey requirements established, and coordination problems were discussed.

SECRET

SECRET

Classes on forward observation procedures were conducted by 3rd Battalion on 25 and 30 August 1967. Formal classroom instruction on target location, selection of ammunition and fuze combinations, and adjustment of fire techniques was conducted followed by a firing demonstration of various shell and fuze combinations. Students then participated in adjusting fire on several targets with the instructor critiquing each round fired. Students participating were from 3rd Battalion, 26th Marines, "B" Company 3rd Recon Battalion, "A" Company 3rd Antitank Battalion, and "C" Company 3rd Engineer Battalion.

Personnel from 1st Battalion 13th Marines attended classes conducted on the 27th of August by 3rd Battalion G-3 on the operation and care of the star-lite scope in preparation for its use at Kho Sanh, RVN.

During the month, improvement of the bunkering and drainage of the battalion area continued. Cement firing pads were constructed for two 105mm howitzer and two 155 howitzer firing positions to allow more rapid shifting of trails during the monsoon season.

Ammunition expenditure for the month of August is as follows:

OBS*	MISSIONS		AMMUNITION EXPENDED			
	UNOE	H&I	105	155	4.2"	TOTAL
376	5	7153	15992	1973	68	18053

* observed missions include recon by fire, prep fires, orientation and marking rounds, and targets of opportunity.

Noteworthy fire missions during August are:

Date	Observer	Surveillance	
		KIA (Confirmed)	KIA (Probable)
18Aug67	Recon Team	3	3
18Aug67	Btry "C" 6	0	15
21Aug67	Air Observer	5	0
23Aug67	Air Observer	26	30
24Aug67	Air Observer	5	5
25Aug67	Recon Team	1	34
31Aug67	Air Observer	3	0
	Total	43	87

* This recon team became surrounded. An artillery box lasting 10 hours was fired around the recon team. The team was successfully extracted the following morning.

Friendly casualties during the month are:

KIA	KIA
0	14

SECRET

SECRETSEQUENCE OF EVENTS

- 1 August 1967 Received 3rd Marine message 003815Z Aug 67 directing Mortar Battery, 1st Battalion, 13th Marines to detach four 4.2" mortars to Phu Bai, RVN OPCON 12th Marines.
- 2 August 1967 Mortar Battery (-), 1st Battalion, 13th Marines arrived Phu Bai under OPCON 12th Marines.
- 2 August 1967 Battery "IF" (-), 3rd Battalion, 12th Marines arrived Lhe Sanh, RVN. Four 105mm howitzers OPCON 1st Battalion, 13th Marines.
- 2 August 1967 Received 12th Marines message 010745Z Aug 67 directing Mortar Battery (-), 1st Battalion, 13th Marines OPCON 3rd Battalion, 12th Marines upon arrival Phu Bai.
- 3 August 1967 1st Battalion, 13th Marines supplies arrived from Dong Ha, RVN by convoy. Battalion supplies at Lhe Sanh, RVN are 70 per cent. Remaining supplies are at Dong Ha, RVN.
- 4 August 1967 Three 105mm howitzers of Battery "I" (-), 3rd Battalion, 12th Marines helo-lifted to Hill 8626, the fourth 105mm howitzer remaining with Battery "IA" (+), 1st Battalion, 13th Marines.
- 5 August 1967 Captain W. B. BEALL assumed duties as 1st Battalion, 13th Marines Senior Liaison Officer.
- 7 August 1967 Headquarters Battery, 1st Battalion, 13th Marines Mess opened.
- 8 August 1967 Commanding Officer, 1st Battalion (-), (Acin), 13th Marines inspected Battery "IF" (+), Battery "OF" (+), and Mortar Battery (Rear), 1st Battalion, 13th Marines.
- 10 August 1967 1st Battalion, 13th Marines Fire Direction Center assumed tactical and technical control of the artillery fire of the battalion.
- 10 August 1967 1st Battalion, 13th Marines staff participated in Regimental change of command ceremony. Col J. J. RADLEY relieved by Col P. M. LOWME as Commanding Officer HHC-26.
- 11 August 1967 Two 4.2" mortars received from Mortar Battery (-), 1st Battalion, 13th Marines at Phu Bai to join rear element located on Hill 861. Two 4.2" mortars and one 107mm mortar located on Hill 861.

SECRET

SECRET

- 13 August 1967 Headquarters Battery, 1st Battalion, 13th Marines opened Enlisted Club.
- 18 August 1967 Survey completed for the firing batteries located at Khe Sanh. Hill 950, 8848, and 861 survey completed in preparation for battalion observation posts.
- 20 August 1967 1st Battalion, 13th Marines Fire Direction Center registered Battery "L" and Battery "G".
- 20 August 1967 Formal supply records of Battery "K", 4th Battalion, 12th Marines transferred to TOSS.
- 23 August 1967 1st Battalion, 13th Marines Fire Direction Center registered Battery "A", Battery "C", and Battery "I".
- 23 August 1967 Advance Party from 2nd Battalion, 14th Artillery, U. S. Army arrived Khe Sanh for liaison with 1st Battalion, 13th Marines in preparation for the deployment of two 175mm Guns to Khe Sanh, RVN.
- 25 August 1967 1st Battalion, 13th Marines Fire Direction Center conducted classes on forward observation procedures for supporting units of A-1-26.
- 27 August 1967 Personnel from Headquarters Battery, Battery "L", and Battery "G", 1st Battalion, 13th Marines attended classes on the operation and care of the "star-lite" scope conducted by 3rd MarDiv G-3 section.
- 30 August 1967 1st Battalion, 13th Marines Fire Direction Center conducted classes on forward observation procedures for 3rd Battalion, 26th Marines.
- 30 August 1967 One 105mm howitzer from Battery "I" (-), 3rd Battalion, 12th Marines returned from Khe Sanh, RVN to Detachment Battery "I", 3rd Battalion, 12th Marines located at Camp Carroll, RVN.

SECRET

7

ZNY EEEEE

R.280700Z AUG 67

FM HQ BTRY FIRST BN THIRTEENTH MARINES
TO CG THIRD MARDIV
INFO RLT TWO SIX (FWD) ~~-----~~

Has Been Sent

BT

UNCLAS E F T O SECTION ONE OF TWO SECTIONS

LOGISTIC SUMMARY REPORT

AWM CG THIRD MARDIV MSG. 201125Z AUG 67

B. DIVO 4000.6A

- ENCL (1) STATUS OF COMMUNICATIONS/ELECTRONIC EQUIPMENT
(2) STATUS OF ENGINEER EQUIPMENT AND ENGINE GENERATORS
(3) STATUS OF MOTOR TRANSPORT EQUIPMENT
(4) STATUS OF ORDNANCE EQUIPMENT

1. SUPPLY SITUATION. THE PRIMARY SUPPLY ACTIVITIES CONSISTED OF MOVING THE MAJORITY OF THE SUPPLIES TO KHE SANH, WAREHOUSING THE SUPPLIES AND PROVIDING LOGISTICAL SUPPORT TO THE FIRING BATTERIES WHICH CAME UNDER OPCON OF THIS UNIT.

A. SEVENTY PERCENT OF THE SUPPLIES ARE PRESENTLY LOCATED IN KHE SANH. THE REMAINDER IS STORED IN THE TWELFTH MARINES AREA IN DONG HA. SIXTEEN OF THE PALLETS IN DONG HA WILL BE MOVED TO KHE SANH ON FIRST AVAILABLE SHIPPING.

PAGE TWO UNCLAS E F T O

B. THE PRESENT WAREHOUSING LESS THAN SATISFACTORY DUE TO A HIGH LEVEL OF BROKEN PALLETS RESULTING FROM REPEATED HANDLING DURING THE SERIES OF MOVES FROM OKINAWA TO KHE SANH. WAREHOUSING IS ADEQUATE TO GAIN ACCESS TO ALL STOCKS.

C. SPARE PARTS AND GENERAL SUPPLY ITEMS ARE BEING PROVIDED TO THE FIRING BATTERIES IN THE KHE SANH AREA. THERE WERE NO 155 HOW TOWED SPARE PARTS IN KHE SANH. TWENTY-SIX OF FORTY-EIGHT 02 PRIORITY REQUISITIONS WERE FILLED ON A WALK-THROUGH. ALSO, WALK-THROUGH REQUISITIONS SOLVED A CRITICAL SHORTAGE ON UTILITIES FOR THE FIRING BATTERIES WHICH CAME UNDER OPCON OF THIS UNIT.

2. N/A

3. CLASS II AND IV

A. THE CLASS II TYPE I, CLASS II TYPE II AND CLASS IV LEVELS ARE SATISFACTORY. THERE IS ONE MAJOR END ITEM ON REQUISITION.

B. N/A

C. CRITICAL ITEMS

ITEM

FSN

STATUS

HANDSET M-100

5965-092-0972

NON-CRITICAL

STAKE BALENS WIRE 6'

5665-262-9914

NON-CRITICAL

BATTERY 32V

6100-037-2554

NOT RATED

WIRE ED 1/11 (40500)

5100-100-7793

NON-CRITICAL

WIRE WD 1/11 (40500)

5100-226-8812

NON-CRITICAL

WIRE WD 1/11 (40500)

5100-226-8812

NON-CRITICAL

EFTO

PAGE THREE UNCLAS E F T O

ELECTROLYTE ACID	5810-249-9354	SHORT NON-CRITICAL
PATCH TIRE VULVANIZING	2604-204-3198	SHORT NON-CRITICAL
COMPASS MAGNETIC	6005-846-7618	SHORT NON-CRITICAL
LAMP INCANDESCENT	6240-635-9800	NON-CRITICAL
BODY ARMOR UPPER TORSO	8470-576-4193	NON-CRITICAL
BODY ARMOR UPPER TORSO	8470-576-4194	NON-CRITICAL
BODY ARMOR UPPER TORSO	8470-576-4195	NON-CRITICAL
GREEN TCWEL	7210-227-1524	SHORT CON-CRITICAL
GREEN UNDERCLOTHING ALL SIZES	SHORT NON-CRITICAL	
ACETYLENE 6830-264-6755	SHORT CRITICAL	
OXYGEN 6830-169-0800	SHORT CRITICAL	
LIGHTWEIGHT UTILITIES ALL SIZES	SHORT NON-CRITICAL	
TIRES AND TUBES 100X20 2610-540-4724	NON-CRITICAL	
TIRES AND TUBES 900X20 2610-204-4008	NON-CRITICAL	
TIRES AND TUBES 750X10 2610-569-0815	NOT RATED	
VALVE CORE FOR AUTOMOTIVE INNER TUBES	NON-CRITICAL	
SOCKS BLACK CUSHION SOLE 8440-543-7777	SHORT NON-CRITICAL	
MAGAZINE M--16 1005-056-2237	NOT RATED	
DOG TAGS 8466-242-4804	NON-CRITICAL	
SAND BANS 8105-965-2509	NON-CRITICAL	
PLANAR TRIODE 5960-902-0468	NOT RATED	

PAGE FOUR 32Y6 UNCLAS E F T O

(1) DISCUSSION OF CRITICAL ITEMS

ACETYLENE AND OXYGEN ARE REQUIRED FOR THE CUTTING TORCH WHICH IS A COMPONENT OF THE 5 TON WRECKER.

REQUISITION SUBMITTED 28AUG67.

4. N/A

5. N/A

6. MAINTENANCE SITUATION. THIS UNIT HAS JUST ARRIVED IN RVN AND AS YET IS NOT EXPERIENCING ANY MAJOR MAINTENANCE DIFFICULTIES. THERE ARE PRESENTLY FIVE MAJOR END ITEMS DEADLINED FOR WHICH REPAIR PARTS HAVE BEEN REQUISITIONED ON AN 02 PRIORITY.

7. N/A

8. OTHER MAJOR ITEMS OF EQUIPMENT. SEE ENCLOSURES (1) THROUGH (4).

9. SERVICES SITUATION

10. ICE CREAM IS PROVIDED ABOUT TWICE WEEKLY HOWEVER IT IS NOT VERY PALATABLE.

11. THIS UNIT PROVIDES ITS OWN ELECTRICITY.

12. A 4-HOLE WAS BUILT BY THE SEABEES.

13. SERVICES, SIGNIFICANT PROBLEM AREAS

14. THERE IS NO LAUNDRY IN KHE SANH.

15. ICE IS NOT AVAILABLE THROUGH THE LOGISTICAL SUPPORT UNIT.

16. N/A

17. N/A

18. TRANSPORTATION. THIS UNIT HAS NO INTERNAL TRANSPORTATION.

PROBLEMS HOWEVER HEAVY TRUCK COMMITMENTS LAID ON FROM OUTSIDE THE

PAGE 10 OF 14 PAGES

EFTO

PAGE FIVE 3276 UNCLAS E F T O
 BATTALION CAUSES HEAVIER THAN NORMAL USE OF TRUCKS AND DRIVERS.
 THERE IS NO MOTOR TRANSPORT PLATOON ASSIGNED TO SUPPORT
 THE MANY MOTOR TRANSPORT REQUIREMENTS IN KHE SANH.

14. N/A

15. MISCELLANEOUS

A. LOGISTIC PERSONNEL

BILLET	RANK/NAME	DATE
S-4	CAPT J.L. MIKHELSON	0C167
SUPPLY O	1ST LT S.J. FREDDY	MAR68
MTO	1ST LT T.J. HEDG	APR68
LOG CHIEF	SHORT/CRTITION	
SUPPLY CHIEF	GYSST C.B. MILLS	MAR68
MT CHIEF	SSGT F.D. DRAKE	FEB68

B. STATISTICAL DATA ON PRE REQ REQUISITIONS

- (1) 131
- (2) 180
- (3) 311
- (4) 49
- (5) 262

C. NO OTHER SIGNIFICANT PROBLEMS OR ACCOMPLISHMENTS DURING
 THE REPORTING PERIOD.

PAGE SIX 3276 UNCLAS E F T O

ENCLOSURE (1)

STATUS OF COMMUNICATIONS/ELECTRONICS EQUIPMENT

T/A	ITEM	T/E	SP	ALLOW	OH	OR	NORS	NORM
	AN/MTC-1	NR						
	AN/UGC-20	NR						
	AN/TRC-97	NR						
22040	AN/MRC-83	5	0	5	2	3	0	
	AN/UGC-6	NR						
	AN/MRC-63	NR						
	AN/TRS-37	NR						
	AN/GRC-48	NR						
	AN/TPS-34	NR						
	TT/333A	NR						
	AN/GGC-3	NR						
	AN/TPS822	NR						
22783	AN/TGC-14A	1						HAVE 1 PGC-1 IN LIEU OF AN/TGC-14A
	AN/TPN-7	NR						
22101	AN/PRC-25	15	0	16	16	0	0	
	AN/UPS-1	NR						

EFTO

PAGE SEVEN 32Y6 UNCLAS E F T O

AN/TRN-14 NR

TWO AN/MRC-83 NORS AS A RESULT OF CG NINTH MAB MSG 070025Z AUG67.
 ANTENNA LEAD-IN ASSY, FSN 5985-572-6146 RETURNED TO MCSC BARSTOW
 AND REQUISITION SUBMITTED FOR REPLACEMENT ITEMS.

ENCLOSURE (2)

STATUS OF ENGINEER EQUIPMENT AND ENGINE GENERATORS

T/A	ITEM	T/E SP ALLOW OH OR NORS NORM
	TD-15 TRACTOR	NR
	TD-24 TRACTOR	NR
	TD-18-182 TRACTOR	NR
	M-64 EIMCO TRACTOR	NR
	TD-18-181 TRACTOR	NR
	GENERATOR 60HZ 30 KW PU-482	NR
	GENERATOR 60HZ 30KW PU-590	NR
	GENERATOR 60HZ 60KW PU-651	NR
	MRS-300 TRACTOR	NR
	MRS-200 TRACTOR	NR
	6000 LB ROUGH TERRAIN FORKLIFT	NR
	3000 LB ROUGH TERRAIN FORKLIFT	NR

BT

TOD 281450Z/AUG67/bwc

NNNN

EFTO

ZNY LABEL
 R 200700Z AUG67
 FM HQ BTRY FIRST BN THRECEMTH MARINES
 TO CG THIRD MARDIV
 INFO ZEN/RLT TWO SIX (FIVE)
 BT
 UNCLAS T O SECTION TWO OF TWO SECTIONS

How Bees Saw

EFTO
 PU-346 GENERATOR 3 KW 400 CYCLE NR
 PU-587 GENERATOR 4 KW 400 CYCLE NR
 GENERATOR 60 KW PU-598 NR
 20820 GENERATOR 60 HZ 20 KW PU-2391 0 0 0 0 0
 20930 GENERATOR PU-348 A/C 1 0 1 1 0 0
 PU-278 NR

ENCLOSURE (3)

STATUS OF MOTOR TRANSPORT EQUIPMENT

T/A	ITEM	T/E	SP	ALLOW	OK	OR	NORS	NORM
	TRUCK CARGO M-36	NR						
51120	TRUCK M-35 SERIES	2	0		3	3	0	0
	TRUCK AMBULANCE M743	NR						
	TRUCK DUMP M-51 SERIES	NR						
	CARRIER AMPHIB M-76	NR						
	TRUCK CRASH/RESCUE MB-1	NR						

EFTO

PAGE TWO 32Y6 UNCLAS E F T O

TRUCK CRAS RESCUE MB-5
 TRUCK REFUELER ME-1A
 22040 AN/MC-83
 51590 TRUCK UTILITY M442A1
 TRUCK FIRE M-530
EFTO TRUCK TANKER M-49
 TRUCK TANKER M-50
 TRUCK REFUELER MC1A
 TRUCK UTILITY M-38A1
 AN/MRC-109
 TRUCK TRACTOR M-52

NR

NR

5

6

NR

1

NR

NR

NR

NR

REPAIR PARTS TO REMOVE ITEMS LISTED NORS HAVE BEEN REQUISITIONED
 ON AN 02 PRIORITY.

ENCLOSURE (4)

STATUS OF ORDNANCE EQUIPMENT

T/A	ITEM	T/C SP ALLOW	ON	OR	NORS	NORM
	M-16 RIFLE	NR				
61380	M-14 RIFLE	132	0		0	0
60620	M-60 MACHINE GUN	4	0		0	0

PAGE THREE 32Y6 UNCLAS E F T O

60650 M-2 MACHINE GUN
 M-51 VTR
 M-53 155 HOW SP
 M-55 8" HOW SP
 M-48 TANK
 M-109 155 HOW SP
 M-114 155 HOW TOWED
 LVTP5A1 COMD
 LVTP5A1
 LVTE1
 LVTR1A1

4

NR

NR

NR

NR

NR

NR

NR

NR

NR

NR

BT

TDD 281512 z/ROG 67/low

NNNN

EFTO