

DECLASSIFIED

DEBRIEFER RE TIME 2055 DATE 15 JUN
 SQUADRON 21 CALL SIGN 51 MSN # 151 FLT CODE 332
 T/O 1900 LAND 2000 TOTAL TIME 1.4

PILOTS A/C
LANCE C4 1
 DASC Parker PSK TIME 1925
 CONTROLLER 570 TIME 1925
 TYPE CONTROLLER ASRT
 TYPE MISSION FPD

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1940-50</u>	<u>EN BURKE</u> <u>BF</u>	<u>BT 049530'</u> <u>BT 050534</u>	<u>3</u>

TGT TERRAIN -R TGT WX 1500 VISIBILITY 10
 REL ANGLE PASSES 3 INTERVAL MIN ALT 14.8
 REL ALT 14.1
 ENROUTE ALT 14.5 RETURN ALT 19.5 TARGET AIRSPEED 290
 ORDNANCE 60/14 EXPENDED ALL JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE #1)
 BDA blank % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 7th Reab MC OPERATION Victory Dragon
 (LEAVE BLANK)
 ENROUTE WX

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DECLASSIFIED

DECLASSIFIED

DEBRIEFER WOOD TIME 2055 DATE JUNE 69
 SQUADRON 211 CALL SIGN HBS16 MSN # 6516 FLT CODE FS2
 T/O 1935 LAND 2035 TOTAL TIME 1.0

PILOTS

A/C

WOOD CF03 DASC AN HON TIME 2000
 CONTROLLER 70 TIME 2000
 TYPE CONTROLLER WASRT
 TYPE MISSION TAD

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2005</u>	<u>BUNKERS BTOST 533 BF</u>	<u>BTOS1533'</u>	<u>3</u>
	<u>EN LOC.</u>		
	<u>BTOS6526</u>	<u>BTOS6526</u>	

TGT TERRAIN R TGT WX 1500 VISIBILITY 10
 REL ANGLE — PASSES 2 INTERVAL — MIN ALT 14.1
 ENROUTE ALT 14.5 RETURN ALT 135 TARGET AIRSPEED 290
 ORDNANCE 6024 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 44% ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED ROIC MARINES OPERATION Victory Dragon
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE YES ☒ NO FILE FORM WITH BARREL
 (B) AIRBURST YES ☒ NO FILE FORM WITH BARREL
 (C) A/C HIT YES ☒ NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES ☒ NO CIRCLE ONE/COORD
 (E) BDA REPORTED YES ☒ NO IF ADDITIONAL CIRCLE
 (F) ABORT YES ☒ NO A/C MALFUNCTION/NO DROP
 (G) DIVERT YES ☒ NO GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DECLASSIFIED

DEBRIEFER HUGGIN, G.C. TIME 2030 DATE 1 June 69
 SQUADRON 211 CALL SIGN HB 512 MSN # 6512 FLT CODE 352
 T/O 1915 LAND 2015 TOTAL TIME 1.0

PILOTS

A/C

HUGGIN, G.C. CF06

BASE

TIME

CONTROLLER Birmingham TIME 1945

TYPE CONTROLLER ASRT

TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1950</u>	<u>Known Enemy Posit</u> <u>EL</u>	<u>YD531104</u>	<u>1</u>

TGT TERRAIN R TGT WX 1.00 VISIBILITY 10+
 REL ANGLE Level PASSES 2 INTERVAL — MIN ALT 19,500
 REL ALT 19,500
 ENROUTE ALT 26,500 RETURN ALT 13,500 TARGET AIRSPEED 2901 AS
 ORDNANCE 6 D2Y EXPENDED all JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) ?
 BDA — blks % — ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 101st A.B. OPERATION Kentucky Mountain
 (LEAVE BLANK)

ENROUTE WX Overcast, bottoms 13-21,000; Tops UNK

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 (B) AIRBURST YES NO FILE FORM WITH BARREL
 (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
 (F) ABORT YES NO A/C MALFUNCTION/NO DROP
 (G) DIVERT YES NO GIVE REASON BELOW

REMARKS:

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER RK TIME 1145 DATE 1 JUN 69
 SQUADRON 211 CALL SIGN 014 MSN # 6014 FLT CODE 152
 T/O 1040 LAND 1130 TOTAL TIME 1.6

PILOTS A/C
NORDELL CF 6
LANGE 27
 DASC Helix Cont. TIME 1045
 CONTROLLER Bulk 37 TIME 1045
 TYPE CONTROLLER TACIA
 TYPE MISSION LZP

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1108-16</u>	<u>LZP</u>	<u>13T 163 009</u>	<u>4</u>

TGT TERRAIN MT TGT WX 5.00 VISIBILITY 7
 REL ANGLE 20 PASSES 10 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 10.5 RETURN ALT 7.5 TARGET AIRSPEED 450
 ORDNANCE 16012/409 EXPENDED ALL JETTISONED NONE
 ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) _____
 BDA 100 % 100 % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE 7

UNIT SUPPORTED 101st AB OPERATION LAMAR PLAIN
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: LZP - FRIENDLY NO FACTOR
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER COURTNEY TIME 1100 DATE 1 June 69
 SQUADRON 211 CALL SIGN 020 MSN # 6020 FLT CODE 153
 T/O 0940 LAND 1045 TOTAL TIME 2.2

PILOTS A/C
FORALBERG 3
COURTNEY 11

DASC VANDY TIME 0955
 CONTROLLER KAT KILL TIME 0956
 TYPE CONTROLLER AVIATION
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1005</u> <u>1015</u>	<u>BUNKERS</u> <u>BF</u>	<u>X0935667</u>	<u>TI</u>

TGT TERRAIN Mount TGT WX 10 0 VISIBILITY 10m1
 REL ANGLE 20 PASSES 6 MIN ALT 600
 INTERVAL 30 REL ALT 1050

ENROUTE ALT 16500 RETURN ALT 15500 TARGET AIRSPEED 750

ORDNANCE 202A/409 EXPENDED ALL JETTISONED —

ORDNANCE/RTB — DUDS (SEE NOTE # 1) —

BDA 20 % 80 % ADDITIONAL 6 LARGE BUNKERS
1 FIRE

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 3rd M.D. OPERATION VIRGINIA ROSE
 (LEAVE BLANK)

ENROUTE WX 10 0

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS Ordnance was proper for this target. Friendly were 2000 meters

DEBRIEFER TIME 1030 DATE 1 June 69
 SQUADRON 211 CALL SIGN H8450 MSN # 6450 FLT CODE 152
 T/O 0817 LAND 1012 TOTAL TIME 3.8

PILOTS
Richards
Bircher
 A/C
1
24

DASC Dong Ha / DANANG TIME 0840 / 0930
 CONTROLLER SW99-3451 0845 / 0935
 TYPE CONTROLLER TACAN
 TYPE MISSION LTP / CAS

TOT DESCRIPTION COORDINATES PROVINCE
 * ① ② 0850/0900 LTP ① XD800634 1
 ③ 0940/0951 Bunkers NVA Location ② XD823667
BT 008548

TGT TERRAIN Hilly / FLAT TGT WX 2500 / 1000 VISIBILITY 4000 / 900
 REL ANGLE 20° PASSES 8 / 12 INTERVAL 30 sec MIN ALT 6000
 ENROUTE ALT 16.5 RETURN ALT 17.5 TARGET AIRSPEED 450

ORDNANCE 16 DIA EXPENDED 15 DIA / 4 D9 JETTISONED NONE

ORDNANCE / RTB 1 DIA DUDS (SEE NOTE # 1)

BD ① 95/95 ② 100/100 % ADDITIONAL ③ 10' Trench Line Dest., 1

③ 90/90
Bunker Dest., 1 Bunker Dam., 1 structure DAM

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED 31 MP / 15 DIA OPERATION Virginia Ridge

ENROUTE WX 1800 DV @ (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: Good Ord.
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON

RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER BROSTRAND TIME 0915 DATE JUNE 1 1968
 SQUADRON 211 CALL SIGN HQ 150 MSN # 6150 FLT CODE 152
 T/O 0805 LAND 0855 TOTAL TIME 1.6

PILOTS A/C

BROSTRAND CF 5
BEYMER 8

DASC DANANG TIME 0815
 CONTROLLER HOST G TIME 0820
 TYPE CONTROLLER TACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0820/34</u>	<u>BUNKER 3 / HOSTILES</u>	<u>BT 007547</u>	
	<u>BF</u>		

TGT TERRAIN FLAT TGT WX 1200 VISIBILITY 10
 REL ANGLE 30° PASSES 8 INTERVAL 30+ MIN ALT 1500
 ENROUTE ALT 10.5 RETURN ALT 1.5 TARGET AIRSPEED 450
 ORDNANCE 4D3YDC / 2D2YDC EXPENDED ALL JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1) 0
 BDA 90 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED UNKNOWN / 1ST M.D. OPERATION PIPESTONE CANYON
 (LEAVE BLANK)

ENROUTE WX ALL KINDS

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	<u>YES</u>	NO	GIVE REASON BELOW

REMARKS: GOOD ORDNANCE FOR TGT FRIENDLIES
1000 m. W (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—
—

DEBRIEFER Reed TIME 1050 DATE 1 June 69
 SQUADRON 211 CALL SIGN 18 156 MSN # 6156 FLT CODE 152
 T/O 0920 LAND 1041 TOTAL TIME 2.8

PILOTS A/C
Reed CF 10 DASC Don Ha TIME 0939
McNally CF 17 CONTROLLER BARKY 17 TIME 0945
 TYPE CONTROLLER TACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1001/1014</u>	<u>ENEMY POSITION</u> <u>EL</u>	<u>YD 310314</u>	<u>1</u>

TGT TERRAIN Hilly TGT WX 200 VISIBILITY 10+
 REL ANGLE 20° PASSES 8 INTERVAL 30' MIN ALT 680
 ENROUTE ALT 16500 RETURN ALT 17500 TARGET AIRSPEED 450

ORDNANCE 8 D2A, 409 EXPENDED ALL JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE # 1)
 BDA 100 % 90 % ADDITIONAL 80% (EL A 02)

SECONDARY EXPLOSIONS 2 NUMBER 2 SIZE 1 LARGE 1 MED.
 UNIT SUPPORTED 1st Bn = 5th Div. 308 M.D. OPERATION Apache Snow
 ENROUTE WX 150 1800 (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☒	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3. ORDNANCE EFFECTIVENESS

DECLASSIFIED

DEBRIEFER DUD TIME 1515 DATE 1 JUNE 69
 SQUADRON 211 CALL SIGN HB 576 MSN # 6576 FLT CODE 152
 T/O 1407 LAND 1502 TOTAL TIME 1.8

PILOTS	A/C	DASC	TIME
<u>DANE</u>	<u>3</u>	<u>DNG</u>	<u>1415</u>
<u>COURTNEY</u>	<u>5</u>	CONTROLLER <u>HOSTAGE JIM</u>	TIME <u>1420</u>
		TYPE CONTROLLER <u>TACA</u>	
		TYPE MISSION <u>DAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1430-1445</u>	<u>HOOTCHES/BUNKERS</u>	<u>AT 895545</u>	<u>III 3</u>
	<u>8 BL</u>		

TGT TERRAIN FLAT TGT WX 4.00 VISIBILITY 10+
 REL ANGLE 30° PASSES 9 INTERVAL 30" MIN ALT 1500
 ENROUTE ALT 8.5 RETURN ALT 8.5.5 TARGET AIRSPEED 450
 ORDNANCE 12 D-2W/Y EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100 % 90 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1ST MAR DIV. OPERATION —
 ENROUTE WX 1-00 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: ORDNANCE SUITED TO TGT.
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—
—

DECLASSIFIED

DEBRIEFER M. J. Z TIME 1440 DATE 1 JUNE 69
 SQUADRON 241 CALL SIGN HB MSN # 6160 FLT CODE 152
 T/O 1345 LAND 1430 TOTAL TIME 1.6

PILOTS A/C
KERZIM CF 01 DASC DANAWA TIME 1350
FURAS CF 11 CONTROLLER Ho Toca Tim TIME 1355
 TYPE CONTROLLER TACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1400/10</u>	<u>BUA TIRA</u> <u>BF</u>	<u>ZC 205570</u>	<u>III 3</u>

TGT TERRAIN MOUNT. TGT WX 1400 VISIBILITY 7
 REL ANGLE 30° PASSES 8 INTERVAL 3" MIN ALT 1500'
 ENROUTE ALT 8.5 RETURN ALT 11.5 TARGET AIRSPEED 450
 ORDNANCE 1202W/y EXPENDED ALL JETTISONED NONE
 ORDNANCE/RTB NONE DUDS (SEE NOTE #1) NONE
 BDA 100% / 100% ADDITIONAL 1 BUA TIRA DESTROYED +
1 BUA TIRA DANAWA, 25 meters trench destroyed

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 1 MAJ DIV. OPERATION OVER
 ELROUTE WX _____
 (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DECLASSIFIED

DEBRIEFER Rooke TIME 1230 DATE 15 JUNE
 SQUADRON 24 CALL SIGN GRN8 MSN # 6158 FLT CODE 152
 T/O 1140 LAND 1220 TOTAL TIME 1.4

PILOTS A/C
Rooke CP 7 DASC DANANG TIME 1145
Wellman 22 CONTROLLER HORME I TIME 1148
 TYPE CONTROLLER TACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1148/59</u>	<u>SUSP ENEMY BASE CAMP</u>	<u>AT 796600</u>	<u>3</u>
	<u>EC</u>		

TGT TERRAIN Hilly TGT WX 1000 VISIBILITY 10+
 REL ANGLE 30° PASSES 8 INTERVAL 30sec MIN ALT 600
 ENROUTE ALT 8.5 RETURN ALT 3.5 TARGET AIRSPEED 450
 ORDNANCE 12 D2 WY EXPENDED DN JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 90 % 90 % ADDITIONAL NONE

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1st MAR DIV OPERATION —
 ENROUTE WX 1800 (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2. ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3. ORDNANCE EFFECTIVENESS —
—
—
—

DECLASSIFIED

DEBRIEFER MCL TIME 1650 DATE 1 June 69
 SQUADRON 2N CALL SIGN M24 MSN # 0976 FLT CODE 152
 T/O 1505 LAND 1630 TOTAL TIME 28

PILOTS

A/C

Russ CF 07 DASC Willyboro TIME 1530
Wood 22 CONTROLLER NAIL 166 TIME 1535
 TYPE CONTROLLER TACA
 TYPE MISSION ST

TOT	DESCRIPTION	COORDINATES	PROVINCE
1544-46	TP	XD 721005	LAOS
	TP	1616 10636	

TGT TERRAIN Flat TGT WX 1.00 VISIBILITY 15+
 REL ANGLE 30° PASSES 2 INTERVAL 30 MIN ALT 3000
 REL ALT 4200

ENROUTE ALT 20.5 RETURN ALT 21.5 TARGET AIRSPEED 450

ORDNANCE 12/024 EXPENDED 10/024 JETTISONED 2/024

ORDNANCE/RTB — DUDS (SEE NOTE # 1) —

BDA 100 % 100 % ADDITIONAL no further

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 7th A.F OPERATION —
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DECLASSIFIED

DEBRIEFER 211 TIME 1455 1 JUNE 69
 SQUADRON 211 CALL SIGN M 22 MSN # 0958 FLT CODE 152
 T/O 1308 LAND 1424 TOTAL TIME 39

PILOTS

A/C

<u>HALLIDAY</u>	<u>CF 24</u>	DASC <u>Hillsboro</u>	TIME <u>1320</u>
<u>HUDSON</u>	<u>12</u>	CONTROLLER <u>MAIL 12</u>	TIME <u>1325</u>
<u>McANALLY</u>	<u>08</u>	TYPE CONTROLLER <u>TACA</u>	
		TYPE MISSION <u>ST.</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1330-35</u>	<u>Storage Area</u>	<u>XD 978016</u>	<u>LAOS</u>
	<u>SP</u>	<u>1617 10650</u>	

TGT TERRAIN hilly TGT WX 1200 VISIBILITY 10
 REL ANGLE 30° PASSES 3 INTERVAL 30 MIN ALT 3000
 REL ALT 4200

ENROUTE ALT 20.5 RETURN ALT 19.5 TARGET AIRSPEED 450

ORDNANCE 18/024 EXPENDED ALL JETTISONED —

ORDNANCE/RTB — DUDS (SEE NOTE #1) —

BDA 100 % 100 % ADDITIONAL 100% w/ 100 ft.

50% w/ 50 ft. none further

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 7th A.F. OPERATION —
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DECLASSIFIED

DEBRIEFER FIAS TIME 1810 DATE 1 JUNE 68
 SQUADRON 211 CALL SIGN MN 25 MSN # 0978 FLT CODE 152
 T/O 1630 LAND 1755 TOTAL TIME 2.8

PILOTS A/C
DSEQUERA 1F 8 DASC HILLSBORO TIME 1655
FIAS 11 CONTROLLER WALC 07 TIME 1700
 TYPE CONTROLLER TACA
 TYPE MISSION ST

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1715-17</u>	<u>STORAGE AREA</u>	<u>XD 497784</u>	<u>LAPS G</u>
	<u>SP</u>	<u>10624</u>	
		<u>1659</u>	

TGT TERRAIN MTS TGT WX 150 VISIBILITY 5
 REL ANGLE 30 PASSES 2 INTERVAL 30 MIN ALT 6000
 ENROUTE ALT 205 RETURN ALT 33.5 TARGET AIRSPEED 450
 ORDNANCE 1202Y EXPENDED ALL JETTISONED NONE
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA 100 % 100 % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 7th AF OPERATION _____
 ENROUTE WX 200 OP (LEAVE BLANK)

(A) HOSTILE FIRE	YES <u>NO</u>	FILE FORM WITH BARREL
(B) AIRBURST	YES <u>NO</u>	FILE FORM WITH BARREL
(C) A/C HIT	YES <u>NO</u>	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES <u>NO</u>	CIRCLE ONE/COORD
(E) BDA REPORTED	YES <u>NO</u>	IF ADDITIONAL CIRCLE
(F) ABORT	YES <u>NO</u>	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES <u>NO</u>	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DECLASSIFIED

DEBRIEFER HUTSON TIME 1705 DATE 1 JUNE 69
 SQUADRON 211 CALL SIGN 580 MSN # 6580 FLT CODE 152
 T/O 1555 LAND 1655 TOTAL TIME 1.0

PILOTS HUTSON A/C 06 BIRMINGHAM
 DASC AN HON ASRT TIME
 CONTROLLER CHULAI TIME
 TYPE CONTROLLER ASRT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
	<u>No</u>	<u>Drop</u>	

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 REL ALT _____
 ENROUTE ALT 20.5 RETURN ALT 21.5 TARGET AIRSPEED _____
 ORDNANCE 12 D24 EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB ALL DUDS (SEE NOTE # 1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____
 (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES	☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☐ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	☐ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES	☐ NO	IF ADDITIONAL CIRCLE
(F) ABORT	☒ YES	☐ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	☒ YES	☐ NO	GIVE REASON BELOW

REMARKS: NEITHER OF 3 ASRT'S COULD USE 580
 (REFERENCE NOTE #3)
1 IFR CONDITIONS, 2 NO TGT ALTERNATE DUE TO MED EVMC
3 NO TARGETS No Tgts

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DECLASSIFIED

DEBRIEFER AMZ TIME 1700 DATE 15 JUN 69
 SQUADRON 711 CALL SIGN HB MSN # 6240 FLT CODE 162
 T/O 1535 LAND 1640 TOTAL TIME 1.1

PILOTS A/C
LENZIM CF 15
 DASC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT DESCRIPTION COORDINATES PROVINCE

1 FS

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 MIN ALT _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ REL ALT _____
 ENROUTE ALT _____ RETURN ALT _____ TARGET AIRSPEED _____
 ORDNANCE _____ EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____
 (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) A/C HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2. ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3. ORDNANCE EFFECTIVENESS _____

DEBRIEFER EB3 TIME 1645 D. 2 June 69
 SQUADRON 211 CALL SIGN 573 MSN # 6573 FLT CODE 152
 T/O 1530 LAND 1630 TOTAL TIME 1.4

PILOTS

A/C

DORDELL CF 7
BURCHER 11

DASC Da Nang TIME 1557
 CONTROLLER Has Gush TIME 1600
 TYPE CONTROLLER TACA
 TYPE MISSION CRB

TOT

DESCRIPTION

COORDINATES

PROVINCE

1605/10 Enemy Concentration AT 895315 RVN L
EL

TGT TERRAIN Flat TGT WX 4.00 VISIBILITY Good 9+
 MIN ALT 1200'
 REL ANGLE 30° PASSES 6 INTERVAL 30 sec REL ALT 3000'

ENROUTE ALT 10.5 RETURN ALT 5.5 TARGET AIRSPEED 450 KTS

ORDNANCE 100 DIA 409 EXPENDED All JETTISONED 0

ORDNANCE/RTB — DUDS (SEE NOTE # 1) —

BDA 100 % 100 % ADDITIONAL 1 Bunker dest. 3 dams.
1 Hoach dest 3 dam 50m trench
dest

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0

UNIT SUPPORTED 1st MAR DIV OPERATION —
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER RKC TIME 2035 DA 2 JUN 69
 SQUADRON 211 CALL SIGN SZI MSN # 6521 FLT CODE 352
 T/O 1910 LAND 2020 TOTAL TIME 1.2

PILOTS LANGUE A/C CF 08 CHU CAI
 DASC ASRT TIME 1915
 CONTROLLER #44 TIME ASRT
 TYPE CONTROLLER ASRT
 TYPE MISSION TPQ

TOT 1940 DESCRIPTION RCKT Site COORDINATES BS 459950 PROVINCE af
AA

TGT TERRAIN -R TGT WX -0 VISIBILITY -9+
 REL ANGLE - PASSES 1 INTERVAL - MIN ALT -14.5
 REL ALT 19.5
 ENROUTE ALT 14.5 RETURN ALT 19.5 TARGET AIRSPEED 290 IND
 ORDNANCE 6024 EXPENDED AW JETTISONED DOWN
 ORDNANCE/RTB - DUDS (SEE NOTE #1) -
 BDA - AW - % - ADDITIONAL -

SECONDARY EXPLOSIONS - NUMBER - SIZE -
 UNIT SUPPORTED AmCML OPERATION General Park
 (LEAVE BLANK)
 ENROUTE WX -

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: -
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -
 RECOVERABLE - FUZE (DELAY/ARM DELAY) -

NOTE #2: ECM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -
-
-
-

DEBRIEFER JOM TIME 1945 DA 2 June 69
 SQUADRON 211 CALL SIGN #B515 MSN # 6515 FLT CODE 152
 T/O 1825 LAND 1930 TOTAL TIME 1.1

PILOTS McAnally A/C 3
 DASC _____ TIME _____
 CONTROLLER WANGHOA TIME 1845
 TYPE CONTROLLER ASRT
 TYPE MISSION TPQ

TOT 1850 DESCRIPTION INFIL Route COORDINATES AT 869549 PROVINCE 3
20

TGT TERRAIN R TGT WX 0 VISIBILITY 9+
 MIN ALT 1401
 REL ANGLE Level PASSES 1 INTERVAL _____ REL ALT 14.1
 ENROUTE ALT 18.5 RETURN ALT 13.5 TARGET AIRSPEED 290
 ORDNANCE 6 D2Y EXPENDED All JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
 BDA Wb % 3 ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 1st M. D. OPERATION _____
 (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD _____
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE _____
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER MOL TIME 1700 DATE 2 June 69
 SQUADRON 21 CALL SIGN M 24 MSN # 0977 FLT CODE 152
 T/O 1506 LAND 1624 TOTAL TIME 26

PILOTS

A/C

GRAHAM CF 15 DASC Helix TIME 1520
HALLIDAY 10 CONTROLLER Wank 27 TIME 1530
 TYPE CONTROLLER TACA
 TYPE MISSION OAS

TOT DESCRIPTION COORDINATES PROVINCE
1525-45 Enemy Pos EL BS 480783 4
" " BS 474784
" " " "
" " " "
" " " "

TGT TERRAIN Level TGT WX 1400 VISIBILITY 5
 REL ANGLE 30° PASSES 6 INTERVAL 30 MIN ALT 2000
 ENROUTE ALT 14.5 RETURN ALT 19.5 TARGET AIRSPEED 450
 ORDNANCE 12/024 EXPENDED 12 JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 90 % 40 % ADDITIONAL 8-10 bunkers damaged & exposed

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED AmCAL OPERATION Geneva Park
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: S.T. Diverted in-country due to wx
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS adequate for tgt

DEBRIEFER LT Rivers TIME 2110 DA 2 June 69
 SQUADRON 24 CALL SIGN H-B MSN # 6523 FLT CODE 352
 T/O 1955 LAND 2054 TOTAL TIME 1.0

PILOTS

A/C

Rivers CF 06 DASC _____ TIME _____
 CONTROLLER 44 LAI #44 TIME 2000
 TYPE CONTROLLER ASRT
 TYPE MISSION TPQ

TOT DESCRIPTION COORDINATES PROVINCE
2070 RPT SITE BS 506996 #
AA

TGT TERRAIN UNK TGT WX UNK VISIBILITY UNK
 MIN ALT 14.5
 REL ANGLE LEVER PASSES 1 INTERVAL _____ REL ALT 14.5

ENROUTE ALT 16.5 RETURN ALT 20.0 TARGET AIRSPEED 290

ORDNANCE 6000 EXPENDED all JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED AMCAL OPERATION Geneva Park

ENROUTE WX N/A (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER FILAS TIME 0910 DATE 2 JUN 69
 SQUADRON 211 CALL SIGN HB 153 MSN # 6153 FLT CODE 152
 T/O 0741 LAND 0857 TOTAL TIME 2.4

PILOTS A/C
DANE CF 11 DASC DA NAM 6 TIME 0750
FILAS 7 CONTROLLER BILK 23 TIME 0805
 TYPE CONTROLLER TACA
 TYPE MISSION OAS

TOT DESCRIPTION COORDINATES PROVINCE
0825-35 SUSPECTED ENEMY BASE CAMP YD811028 RM 2 4
BEC

TGT TERRAIN Hilly TGT WX 0 VISIBILITY 8
 REL ANGLE 30 PASSES 4 INTERVAL 30 MIN ALT 2000
 ENROUTE ALT 14.5 RETURN ALT 15.5 TARGET AIRSPEED 450

ORDNANCE 12 024 01 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA — % — ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 101st A.B. OPERATION Kentucky Hunter
 ENROUTE WX — (LEAVE BLANK)

(A) HOSTILE FIRE	YES	☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☒ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☒ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	☒ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	☒ NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	☒ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	☒ NO	GIVE REASON BELOW

REMARKS: — (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—
—

DEBRIEFER RK1 TIME 1320 DATE 2 JUN 69
 SQUADRON 211 CALL SIGN 459 MSN # 6459 FLT CODE 152
 T/O 1135 LAND 1300 TOTAL TIME 2.8

PILOTS A/C
REED CP1 DASC HEUX TIME 1215
LANGU 12 CONTROLLER WU1835 TIME 1218
 TYPE CONTROLLER TIA
 TYPE MISSION TDAS

TOT DESCRIPTION COORDINATES PROVINCE
1228-41 KNOWN GN Loc 35 795 270
EL

TGT TERRAIN 14145 TGT WX 5.00 VISIBILITY 5
 REL ANGLE 20 PASSES 8 INTERVAL 30 MIN ALT 600
 REL ALT 1100
 ENROUTE ALT 21.5 RETURN ALT 8.5 TARGET AIRSPEED 450
 ORDNANCE 16012/409 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100 % 50 % ADDITIONAL —
2 BUNKER DEST

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED AMCAL OPERATION IRON MT.
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE YES ☒ NO FILE FORM WITH BARREL
 (B) AIRBURST YES ☒ NO FILE FORM WITH BARREL
 (C) A/C HIT YES ☒ NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES ☒ NO CIRCLE ONE/COORD
 (E) BDA REPORTED YES ☒ NO IF ADDITIONAL CIRCLE
 (F) ABORT YES ☒ NO A/C MALFUNCTION/NO DROP
 (G) DIVERT YES ☒ NO GIVE REASON BELOW

REMARKS: FRIENDLY 6 CLICKS AWAY
— SLICKS NO GOOD DUE TO WX —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—
—

DEBRIEFER W TIME 0835 DA 2 June 69
 SQUADRON 211 CALL SIGN NB 011 MSN # 6011 FLT CODE 152
 T/O 0710 LAND 0826 TOTAL TIME 2.6

PILOTS
Brush A/C CF 16
Wellman 12

DASC Bill TIME 0730
 CONTROLLER Bill TIME 0735
 TYPE CONTROLLER TACA
 TYPE MISSION L20

TOT 0800-10 DESCRIPTION Lt Prep COORDINATES YD 833012 PROVINCE 2

TGT TERRAIN Flat TGT WX 0 VISIBILITY 10+
 REL ANGLE 30° PASSES 6 INTERVAL 30 sec MIN ALT 1800 REL ALT 3000
 ENROUTE ALT 125 RETURN ALT 155 TARGET AIRSPEED 450
 ORDNANCE 12024/W EXPENDED all JETTISONED —
 ORDNANCE/RTB None DUDS (SEE NOTE # 1) None
 BDA 100 % 100 % ADDITIONAL None

SECONDARY EXPLOSIONS None NUMBER — SIZE —
 UNIT SUPPORTED 2nd BN 101st ABN OPERATION Kentucky Jump
 ENROUTE WX 10V00 (LEAVE BLANK) ✓

(A) HOSTILE FIRE YES ☒ NO ☐ FILE FORM WITH BARREL
 (B) AIRBURST YES ☒ NO ☐ FILE FORM WITH BARREL
 (C) A/C HIT YES ☒ NO ☐ FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES ☒ NO ☐ CIRCLE ONE/COORD
 (E) BDA REPORTED YES ☒ NO ☐ IF ADDITIONAL CIRCLE
 (F) ABORT YES ☒ NO ☐ A/C MALFUNCTION/NO DROP
 (G) DIVERT YES ☒ NO ☐ GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER NCL TIME 1605 DATE 2 JUNE 69
 SQUADRON 24 CALL SIGN 43593 MSN # 6593 FLT CODE 152
 T/O 1305 LAND 1539 TOTAL TIME 5.2

PILOTS

A/C

McAulley CE 05
WOOD 22

DASC NANDY TIME 1450
 CONTROLLER Scaworthy 978 TIME 1455
 TYPE CONTROLLER TACA
 TYPE MISSION DAS

TOT

DESCRIPTION

COORDINATES

PROVINCE

1455-1504 50 cal site XD 943653 1
2 NVA AA

TGT TERRAIN Willy TGT WX 0 VISIBILITY 20
 MIN ALT 1300
 REL ANGLE 30° PASSES 9 INTERVAL 30 REL ALT 3000
 ENROUTE ALT 28.5 RETURN ALT 23.5 TARGET AIRSPEED 450
 ORDNANCE 6/024 2/08 2/07 EXPENDED All JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 80 % 80 % ADDITIONAL 4 bunkers dest

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 3rd MAC DIV OPERATION Virginia Ridge
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER POW TIME 0815 DATE 2 June 69
 SQUADRON 211 CALL SIGN HB151 MSN # 6151 FLT CODE 152
 T/O 0652 LAND 0810 TOTAL TIME 14

PILOTS

A/C

Wyrick D.B. CFI
Beem J.C. 3

DASC D.H. TIME 0710
 CONTROLLER SW98-1 TIME 0712
 TYPE CONTROLLER TACA
 TYPE MISSION CAS

TOT 0720/30 DESCRIPTION Enemy Pos COORDINATES XD971660 PROVINCE Taiwan
EL

TGT TERRAIN hilly TGT WX 0 VISIBILITY 10+
 REL ANGLE 10° PASSES 6 INTERVAL 30 MIN ALT 600
 REL ALT 1050
 ENROUTE ALT 16.5 RETURN ALT 13.5 TARGET AIRSPEED 350
 ORDNANCE 8 D32 EXPENDED 7 D32 JETTISONED —
 ORDNANCE/RTB 1 D32 DUDS (SEE NOTE #1) —
 BDA 90 % 90 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3rd MAR DIV OPERATION Virginia Ridge
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	<u>YES</u>	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	<u>NO</u>	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—
—

DEBRIEFER FILAS TIME 1950 DATE 2 JUN 69
 SQUADRON 211 CALL SIGN H8519 MSN # 6519 FLT CODE 352
 T/O 1840 LAND 1940 TOTAL TIME 1.0

PILOTS A/C
FILAS CF 1 DASC DA NANG TIME 1843
 CONTROLLER DA NANG TIME 1855
 TYPE CONTROLLER ASRT
 TYPE MISSION TRQ

TOT DESCRIPTION COORDINATES PROVINCE
1905 STAGING AREA X0896469 RVN F 1
EL

TGT TERRAIN R TGT WX 4.00 VISIBILITY 5
 REL ANGLE 0 PASSES 1 INTERVAL — MIN ALT 22.5
 ENROUTE ALT 14.5 RETURN ALT 19.5 TARGET AIRSPEED 290 IAS
 ORDNANCE 602Y EXPENDED MC JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 40% % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 4 MAR REB M.O OPERATION Virginia Ridge
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—
—

DEBRIEFER MA-DEYMER TIME 1030 DATE 1
 SQUADRON 211 CALL SIGN 015 MSN # 6015 FLT CODE 152
 T/O 0922 LAND 1003 TOTAL TIME 1.4

PILOTS

A/C

Nichols
BERNARD

08
10

DASC

Helix

TIME

0919

CONTROLLER

Helix 16

TIME

0925

TYPE CONTROLLER

FACTORIA

TYPE MISSION

CAS

TOT

DESCRIPTION

COORDINATES

PROVINCE

0935-45BANKERSBT 133262THBF

TGT TERRAIN

Hills

TGT WX

0

VISIBILITY

10+

REL ANGLE

30°

PASSES

8

INTERVAL

30sec

REL ALT

1800'

ENROUTE ALT

10500

RETURN ALT

8,500'

TARGET AIRSPEED

450

ORDNANCE

12 D2Y

EXPENDED

ALL

JETTISONED

—

ORDNANCE/RTB

—

DUDS (SEE NOTE # 1)

—

BDA

100 %80 %

ADDITIONAL

2 BANKERS, 20 metersTRACED

SECONDARY EXPLOSIONS

NONE

NUMBER

—

SIZE

—

UNIT SUPPORTED

America

OPERATION

—

ENROUTE WX

From Hill

(A) HOSTILE FIRE

YES

NO

FILE FORM WITH BARREL

(B) AIRBURST

YES

NO

FILE FORM WITH BARREL

(C) A/C HIT

YES

NO

FILE FLASH REPORT WITH BARREL

(D) RECON INSERT/EXTRACT

YES

NO

CIRCLE ONE/COORD

(E) BDA REPORTED

YES

NO

IF ADDITIONAL CIRCLE

(F) ABORT

YES

NO

A/C MALFUNCTION/NO DROP

(G) DIVERT

YES

NO

GIVE REASON BELOW

REMARKS: 1500 METERS FROM FRIENDLY. MOST

(REFERENCE NOTE #3)

EFFECTIVE TYPE OF ORDNANCE.

NOTE #1: DUD REPORT LOCATION

REASON

RECOVERABLE

FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED

TIME

HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER HUTSON TIME 0945 DATE 2 JUNE 69
 SQUADRON 211 CALL SIGN 157 MSN # 6157 FLT CODE 152
 T/O 0840 LAND 0935 TOTAL TIME 1.7

PILOTS REED A/C OF 05 DASC HELIX TIME 0830
HUTSON 22 CONTROLLER HELIX 13 TIME 0835
 TYPE CONTROLLER TACA
 TYPE MISSION RTS LEP

TOT 0905-15 DESCRIPTION LEP COORDINATES BT 207 031 PROVINCE 41
UN

TGT TERRAIN Mount Maroon SGT WX 0 VISIBILITY 7
 REL ANGLE 30 PASSES 6 INTERVAL 30 MIN ALT 2000
 REL ALT 3000
 ENROUTE ALT 10.5 RETURN ALT 7.5 TARGET AIRSPEED 450
 ORDNANCE 4D3/2D2 DL EXPENDED ALL JETTISONED —
 ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) NONE
 BDA 100 % 100 % ADDITIONAL NO FURTHER

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED Americal OPERATION _____
 (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES	☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☐ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	☐ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES	☐ NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	☐ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	☐ NO	GIVE REASON BELOW

REMARKS: ONE EXTENDER DID NOT FUNCTION
 (REFERENCE NOTE #3)
TACA SAID BOMB ACTUALLY DELAYED

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Mel TIME 1325 DATE 2 JUNE 69
 SQUADRON 2U CALL SIGN M21 MSN # 0953 FLT CODE 152
 T/O 1135 LAND 1300 TOTAL TIME 28

PILOTS

A/C

Brostrand CF 17
Rivers 24

DASC Hillsboro TIME 1153
 CONTROLLER FL TIME 4000
 TYPE CONTROLLER FL/Pilot
 TYPE MISSION S.T.

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1200-30</u>	<u>Storage Area</u>	<u>XD 720001</u>	<u>LAOS</u>
	<u>SP</u>	<u>1616 10636</u>	

TGT TERRAIN MTS TGT WX 300 VISIBILITY 5
 REL ANGLE 20° PASSES 3 INTERVAL 30 MIN ALT 3000 REL ALT 4000
 ENROUTE ALT 18.5 RETURN ALT 24.5 TARGET AIRSPEED 450
 ORDNANCE 12/024 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 7th A.F. OPERATION — (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Flt Leader controlled - unable to locate
Playboy before bingo fuel - also unable to contact
NALL 166 - radio problems.

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—
—

DEBRIEFER COURTNEY TIME 1000 DATE 2 JUNE 69
 SQUADRON 211 CALL SIGN 6159 MSN # 6159 FLT CODE 15R
 T/O 0910 LAND 0935 TOTAL TIME 1.2

PILOTS

A/C

LEAZINE 23
COURTNEY 0

DASC HELIK TIME 0920
 CONTROLLER BLK 13 TIME 0921
 TYPE CONTROLLER A/B TACA
 TYPE MISSION L2P

TOT 0927 DESCRIPTION L2P COORDINATES BT 232 031 PROVINCE TH
0937

TGT TERRAIN MOUNT. TGT WX CLR VISIBILITY UNLIM
 REL ANGLE 30° PASSES 8 INTERVAL 30 MIN ALT 1500
 REL ALT 3000
 ENROUTE ALT 14.500 RETURN ALT 12.500 TARGET AIRSPEED 750
 ORDNANCE 402WDC/403WDC ALL JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE #1) -

BDA 100% 50% ADDITIONAL NONE

SECONDARY EXPLOSIONS - NUMBER - SIZE -

UNIT SUPPORTED 101ST AB OPERATION LAMER PLAIN
 (LEAVE BLANK)

ENROUTE WX CLR

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: GOOD DED FOR MISSION
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -

RECOVERABLE - FUZE (DELAY/ARM DELAY) -

NOTE #2: ECM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -

DEBRIEFER WARREN TIME 1730 DATE 2 June
 SQUADRON 211 CALL SIGN AB 6467 MSN # 6467 FLT CODE 152
 T/O 1530 LAND 1725 TOTAL TIME 3.8

PILOTS A/C
WARREN CF 16 DASC VANDY TIME 1625
MUGGIN 23 CONTROLLER TRAIL 62 TIME 1630
 TYPE CONTROLLER TACA
 TYPE MISSION QAS

TGT	DESCRIPTION	COORDINATES	PROVINCE
<u>1630-45</u>	<u>TRUOP</u> <u>TS</u>	<u>XD 935227</u>	<u>SVN 11/1</u>

TGT TERRAIN LVL TGT WX 0 VISIBILITY 10
 REL ANGLE 20° PASSES 4 INTERVAL 30 SEC MIN ALT 600
 REL ALT 1050
 ENROUTE ALT 18.5 RETURN ALT 15.5 TARGET AIRSPEED 450
 ORDNANCE 16 DIA 409 EXPENDED ALL JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE #1)
 BDA 100 %/100 % ADDITIONAL 5 KBA

SECONDARY EXPLOSIONS NO NUMBER SIZE
 UNIT SUPPORTED 3 ARVN OPERATION
 ENROUTE WX 0 3 ALL clouds (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION XD 935227 REASON DIDN'T
RETRAD
 RECOVERABLE ? FUZE (DELAY/ARM DELAY) 2.2

NOTE #2: ECM ENCOUNTERED No TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS OK

DEBRIEFER R.D. TIME 1815 DA 3 June
 SQUADRON 00 CALL SIGN 45252 MSN # 6252 FLT CODE 1.82
 T/O 1215 LAND 1305 TOTAL TIME 1.6

PILOTS	A/C	DASC <u>4048</u>	TIME <u>1218</u>
<u>Roberts</u>	<u>10</u>	CONTROLLER <u>RIS 18</u>	TIME <u>1220</u>
<u>Smith</u>	<u>11</u>	TYPE CONTROLLER <u>7210</u>	
		TYPE MISSION <u>0073</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1235/50</u>	<u>10.10 bush</u>	<u>AT 818326</u>	<u>RUMI</u>
	<u>TS</u>		

TGT TERRAIN hilly TGT WX 10/10 VISIBILITY 10000
 REL ANGLE 70 PASSES 6 INTERVAL 30 SEC MIN ALT 1600' BSL
 ENROUTE ALT 10.5 RETURN ALT 9.5 TARGET AIRSPEED 140 KTS
 ORDNANCE 400 11 1184 EXPENDED all JETTISONED
 ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) 0
 BDA 100 % unknown ADDITIONAL 1 sustained fire

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED ARVN OPERATION
 ENROUTE WX 0 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	<u>YES</u>	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: 9000 ft and it's would have been better
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON

RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER HUTSON TIME 1115 DA 3 JUNE 69
 SQUADRON 2H CALL SIGN 232 MSN # 6232 FLT CODE 152
 T/O 0950 LAND 1005 TOTAL TIME 2.6

PILOTS A/C
Rutherford CE 6 DASC Don HA TIME 1010
HUTSON 12 CONTROLLER BARKEY 20 TIME 1015
 TYPE CONTROLLER TAKA
 TYPE MISSION CAK

TOT DESCRIPTION COORDINATES PROVINCE
1000-32 Enemy POSIT 4D 345352 TC 1
EC

TGT TERRAIN Rolling TGT WX 07 VISIBILITY 7
 REL ANGLE 20° PASSES 6 INTERVAL 30 MIN ALT 600
 REL ALT 1850
 ENROUTE ALT 175 RETURN ALT 165 TARGET AIRSPEED 450
 ORDNANCE 1601A - 409 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) 4
 BDA 90 % 90 % ADDITIONAL NO FURTHER

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3rd MAR DIV 101st AB OPERATION —
 ENROUTE WX 0 7-10 (LEAVE BLANK) APACRE S 200

(A) HOSTILE FIRE	YES	☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☐ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	☐ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES	☐ NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	☐ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	☐ NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION 4D 345352 REASON WIRES BROKE
BOMBS WENT SUCH
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—
—

DEBRIEFER 101 TIME 1500 DA 3 June 1969
 SQUADRON 211 CALL SIGN 258 MSN # 60258 FLT CODE 152
 T/O 1315 LAND 1430 TOTAL TIME 2.6

PILOTS A/C
McAnally 15
GRAHAM 17
 DASC Dona Ha TIME 1335
 CONTROLLER Barby 17 TIME 1355
 TYPE CONTROLLER TACA
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1400-4908 Enemy Posit YD 347347 1
EC

TGT TERRAIN Hilly TGT WX 400 VISIBILITY 10
 REL ANGLE 100° PASSES 10 INTERVAL 30 sec MIN ALT 1000
 ENROUTE ALT 16.5 RETURN ALT 15.5 TARGET AIRSPEED 450
 ORDNANCE 4D24 4D7 EXPENDED All JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA Unk % — ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1st brig 5th AF B OPERATION Arach Snow
 ENROUTE WX — (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: good ordnance all 250 meters to
Arach (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—
—

DEBRIEFER FILAS TIME 1515 DATE 3 JUN 69
 SQUADRON 211 CALL SIGN H8266 MSN # 6266 FLT CODE 182
 T/O 1340 LAND 1500 TOTAL TIME 2-6

PILOTS A/C
WARREN CF 6 DASC DONG HA TIME 1400
FILAS 16 CONTROLLER BARKY TIME 1410
 TYPE CONTROLLER TACA
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1420-30 TRUOPS 40347347 RVN/I
TS

TGT TERRAIN Hilly TGT WX ① VISIBILITY 8
 REL ANGLE 20° PASSES 9 INTERVAL 30 MIN ALT 1000
 ENROUTE ALT 18.5 RETURN ALT 19.5 TARGET AIRSPEED 450
 ORDNANCE 1601A/409 EXPENDED 1401A/409 JETTISONED —
 ORDNANCE/RTB 201A DUDS (SEE NOTE #1) 7
 BDA 100 % 75 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 101st A.B. OPERATION Roach Snow
 ENROUTE WX — (LEAVE BLANK)

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 (B) AIRBURST YES NO FILE FORM WITH BARREL
 (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD —
 (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE —
 (F) ABORT YES NO A/C MALFUNCTION/NO DROP
 (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION 40347347 REASON ARMING
WIRES WENT WITH ORDNANCE
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER Evans TIME 1625 DATE 3 June 68
 SQUADRON 211 CALL SIGN HAR MSN # 6276 FLT CODE 152
 T/O 1508 LAND 1610 TOTAL TIME 0102

PILOTS A/C
WYBICK CF11 DASC VANDY TIME 1515
Evans 12 CONTROLLER PAK KY 16 TIME 1520
 TYPE CONTROLLER TACA
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1535-45 TROOPS IN CNCT YD347347 0
TS

TGT TERRAIN HILLY TGT WX 05.0 # VISIBILITY 6
 MIN ALT 600
 REL ANGLE 20 PASSES 10 INTERVAL 30 REL ALT 1000
 ENROUTE ALT 16.5 RETURN ALT 15.5 TARGET AIRSPEED 450
 ORDNANCE 16 DIA / 409 EXPENDED all JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) 4
 BDA 100 % 75 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 5th Army DIV 101st AB OPERATION Apache Snow
 (LEAVE BLANK)
 ENROUTE WX SCAT TITMS

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION YD 347347 REASON UNK
 RECOVERABLE NO FUZE (DELAY/ARM DELAY) 4/2 SEC

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—
—

DEBRIEFER MA RYMER TIME 1745 DATE 31 June 69
 SQUADRON 211 CALL SIGN 282 MSN # 6282 FLT CODE 152
 T/O 1621 LAND 1732/28 TOTAL TIME 2.3

PILOTS

A/C

BYRONER 24
MULLIN 1

DASC Doug H TIME 1640
 CONTROLLER BARKY 16 TIME 1642
 TYPE CONTROLLER FACIA
 TYPE MISSION CAS

TOT 1647-120 DESCRIPTION BUNKERS COORDINATES VD 350346 PROVINCE ID
BF

TGT TERRAIN Hills TGT WX 300 VISIBILITY 10+
 REL ANGLE 30 PASSES 11 INTERVAL 30s MIN ALT 1800'
 ENROUTE ALT 185 RETURN ALT 195 TARGET AIRSPEED 450 KTS
 ORDNANCE 20 D15 EXPENDED 411 JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100 % E.O. % ADDITIONAL 1 SECONDARY 1V.0/5100

SECONDARY EXPLOSIONS gray-black NUMBER 1 SIZE 2000'
 UNIT SUPPORTED 101st A.B. OPERATION Apache Son
 ENROUTE WX C6 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☐ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	☐ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES	☐ NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	☐ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	☐ NO	GIVE REASON BELOW

REMARKS: TARGET RIGHT FOR ADVANCE, TROOPS
200 METERS (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS DELAYED FUZING
WOULD HAVE BEEN OK

DEBRIEFER 1809 TIME 1805 D. 3 Dec 69
 SQUADRON 311 CALL SIGN 10284 MSN # 6284 FLT CODE 152
 T/O 1652 LAND 1758 TOTAL TIME 2.2

PILOTS A/C
McAnally 23
Huggin 7
 DASC Doug Ha TIME 1710
 CONTROLLER Barky TIME 1715
 TYPE CONTROLLER ACA
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1720-34 Enemy Bankers YD350886 1
BF

TGT TERRAIN Hilly TGT WX 100 VISIBILITY 10
 REL ANGLE 30° PASSES 10 INTERVAL 30Sec MIN ALT 1500
 ENROUTE ALT 16.5 RETURN ALT 15.5 TARGET AIRSPEED 450
 ORDNANCE 20 DIW EXPENDED A11 JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100% 50% ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1619 5th B. 101st A.B. OPERATION Apache Snow
 ENROUTE WX — (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Friendlies 200 meters excellence
ordnance for target (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—
—

DEBRIEFER _____ TIME _____ DAY _____
 SQUADRON 211 CALL SIGN 292 MSN # 6292 FLT CODE 152
 T/O 1825 LAND 1940 TOTAL TIME 26

PILOTS

A/C

Reed CF 22
Wood 10

DASC Vandri TIME 1850
 CONTROLLER SW 9716 TIME 1855
 TYPE CONTROLLER TACA
 TYPE MISSION CAS

TOT

DESCRIPTION

COORDINATES

PROVINCE

1910-15TROOPS IN CONTACTXD 8503601TS

TGT TERRAIN H TGT WX 800 VISIBILITY 10+
 REL ANGLE 20° PASSES 2 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 20.5 RETURN ALT 21.5 TARGET AIRSPEED 450
 ORDNANCE 1801A 409 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS N NUMBER — SIZE —
 UNIT SUPPORTED 3rd Recon OPERATION Cameron Falls
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	☒ YES	☐ NO	FILE FORM WITH BARREL <u>30 (M)</u>
(B) AIRBURST	☒ YES	☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	☒ YES	☐ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	☒ YES	☐ NO	CIRCLE ONE/COORD <u>—</u>
(E) BDA REPORTED	☒ YES	☐ NO	IF ADDITIONAL CIRCLE
(F) ABORT	☒ YES	☐ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	☒ YES	☐ NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS Good For Tgt

DEBRIEFER HUTSON TIME 0840 DATE 3 JUNE 69
 SQUADRON 211 CALL SIGN 212 MSN # 6212 FLT CODE 2.6/152
 T/O 0710 LAND 0830 TOTAL TIME 2.6 152 ↗

PILOTS A/C
RUTHERFORD CE 03 DASC Dono HA TIME 0745
HUTSON 08 CONTROLLER SW 97-1 TIME 0750
 TYPE CONTROLLER TACA
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
0751-0801 ENEMY POSIT 4D047626 TC 1
EC

TGT TERRAIN ROLLING TGT WX 07 VISIBILITY 7
 REL ANGLE 20 PASSES 6 INTERVAL 30 MIN ALT 1000
 ENROUTE ALT 16.5 RETURN ALT 17.5 TARGET AIRSPEED 450
 ORDNANCE 4D9 16D1/A EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100 % 100 % ADDITIONAL NO FURTHER

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3rd MAR OPERATION VIRGINIA RIDGE
 ENROUTE WX 0 7-10 (LEAVE BLANK)

(A) HOSTILE FIRE	☒ YES	☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	☐ YES	☒ NO	FILE FORM WITH BARREL
(C) A/C HIT	☐ YES	☒ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	☐ YES	☒ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES	☐ NO	IF ADDITIONAL CIRCLE
(F) ABORT	☐ YES	☒ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	☐ YES	☒ NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—
—

DEBRIEFER T. J. T. L. H. R. TIME DA 3 June
 SQUADRON 211 CALL SIGN 110 204 MSN # 6204 FLT CODE 152
 T/O 0550 LAND 0225 TOTAL TIME 02

PILOTS A/C
TOETHEHER CF 15 DASC DOUG HA TIME 0615
LAVERE CF 17 CONTROLLER 54 98-22 TIME 0620
 TYPE CONTROLLER T. J. C. A.
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
0650-0700 ENEMY POSIT 110417626 11 R
EC

TGT TERRAIN 11.11 TGT WX 02 VISIBILITY 7
 REL ANGLE 30° PASSES 6 INTERVAL 30 MIN ALT 200
 REL ALT 30
 ENROUTE ALT 16.5 RETURN ALT 12.5 TARGET AIRSPEED 450
 ORDNANCE 401/4024 EXPENDED 407/1024 JETTISONED 200
 ORDNANCE/RTB 3024 DUDS (SEE NOTE # 1) 200
 BDA 95% 95% ADDITIONAL none

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 3 MAH DIL OPERATION VIRGINIA BRIDGE
 (LEAVE BLANK)
 ENROUTE WX

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED 20 TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS on

DEBRIEFER _____ TIME _____ DATE 3 May
 SQUADRON 211 CALL SIGN HO 718 MSN # 6218 FLT CODE 152
 T/O 0800 LAND 0915 TOTAL TIME 2.6

PILOTS A/C
TOTTHER U 10 DASC DONG 172 TIME 0816
LONGE U 11 CONTROLLER 177-1 TIME 0820
 TYPE CONTROLLER TAC
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
0843-49 FAIRLY LOC YD047626 F-LOA 75
EC

TGT TERRAIN 1/1 TGT WX 0 VISIBILITY 7
 REL ANGLE 10° PASSES 6 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 185 RETURN ALT 195 TARGET AIRSPEED 450
 ORDNANCE 1601A/409 EXPENDED 216 JETTISONED none
 ORDNANCE/RTB none DUDS (SEE NOTE #1) _____
 BDA 100 % 100 % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 300 DIV OPERATION VIRGINIA RIDGE
 (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER HUGGIN TIME 1105 DATE 3 June
 SQUADRON 211 CALL SIGN HB226 MSN # 6226 FLT CODE 152
 T/O 0930 LAND 1055 TOTAL TIME 2.8

PILOTS

A/C

Lenzini CF16
HUGGIN CF22

DASC Dong Ha TIME 0950
 CONTROLLER SW 95-5 TIME 0955
 TYPE CONTROLLER TACA
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1035/1035 Enemy Position YD 050 428 I
EL

TGT TERRAIN hilly TGT WX 0 VISIBILITY 1000m
 REL ANGLE 200 PASSES 4 INTERVAL 30m MIN ALT 1000'
 ENROUTE ALT 16500 RETURN ALT 23,500 TARGET AIRSPEED 450
 ORDNANCE 160DIA/409 EXPENDED all JETTISONED —
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3rd M.D. OPERATION Virginia Ridge
 ENROUTE WX clear (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: TACA BDA
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—
—

DEBRIEFER WOOD TIME 1500 DATE 3 JUNE
 SQUADRON 211 CALL SIGN H8260 MSN # 6260 FLT CODE 152
 T/O 1370 LAND 1440 TOTAL TIME 2.6

PILOTS

A/C

NEED CF03 DASC VANDY TIME 1350
WOOD CF 08 CONTROLLER SW989 TIME 1355
 TYPE CONTROLLER SMITH YANCE TACA
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1400-11 MORTAR PIT BUNKERS YD054674 RVN II
EL

TGT TERRAIN ROLLING HILLS TGT WX 800 VISIBILITY 10+
 REL ANGLE 20° PASSES 10 INTERVAL 30 MIN ALT 600'
 ENROUTE ALT 18.5 RETURN ALT 21.5 TARGET AIRSPEED 450
 ORDNANCE 16 DIA/409 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100% 100% ADDITIONAL 6 BUNKERS DEST
2 BUNKERS DAMAGED 1 MORTAR PIT DAM.

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3RD MAE DIV OPERATION Virginia Ridge
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS COULD HAVE USED SLICKS
BUT S/N OK

DEBRIEFER 02 TIME 0750 DATE 3 June 69
 SQUADRON 211 CALL SIGN H8 216 MSN # 6216 FLT CODE 152
 T/O 0742 LAND 0850 TOTAL TIME 22

PILOTS Ruback A/C 24
Bircher 1

DASC Damang TIME 0755
 CONTROLLER H8 216 TIME 0800
 TYPE CONTROLLER TAC
 TYPE MISSION CAS

TOT 0825/0 DESCRIPTION minefield COORDINATES 85004599 PROVINCE 3
ML

TGT TERRAIN Flat TGT WX 0 VISIBILITY 3100 ft
 MIN ALT 3000
 REL ANGLE 30° PASSES 19 INTERVAL 30 sec REL ALT 3000'
 ENROUTE ALT 10.5 RETURN ALT 5.5 TARGET AIRSPEED 450
 ORDNANCE 20 DIU/Y EXPENDED All JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE # 1) -
 BDA 100 % 100 % ADDITIONAL 2 secondary duds

SECONDARY EXPLOSIONS yes NUMBER 2 SIZE small
 UNIT SUPPORTED 1st DIV, 1st M.D. OPERATION Piratom Canyon
 (LEAVE BLANK)
 ENROUTE WX 0

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Aero 7D duds would have been
a more effective area wdn. for
mines. (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER W TIME 0945 DATE 3 June 69
 SQUADRON 211 CALL SIGN HB 230 MSN # 6230 FLT CODE 152
 T/O 0945 LAND 1030 TOTAL TIME 1.6

PILOTS A/C
Rooke CF 23 DASC Panang TIME 0953
Willman 7 CONTROLLER 14-8 TIME 0955
 TYPE CONTROLLER TACA
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1000-17 50 cal S&W / humbros ZC 150480 3
AA

TGT TERRAIN Hilly TGT WX 0 VISIBILITY 157
 REL ANGLE 30°V PASSES 7 INTERVAL 30 Sec MIN ALT 1800'
 ENROUTE ALT 105 RETURN ALT 7.5 TARGET AIRSPEED .67
 ORDNANCE 2001Y EXPENDED all JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 90 % 90 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1st MAR Div OPERATION —
 ENROUTE WX 0 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED NO TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS Excellent

DEBRIEFER 12 TIME 1305 D 2 June 69
 SQUADRON 211 CALL SIGN 12-18 MSN # 6019 FLT CODE 152
 T/O 1140 LAND 1250 TOTAL TIME 2.4

PILOTS

A/C

Lt Col J. J. J. J. CF 11
11. J. J. J. CF 12

DASC Bulk loaded TIME 1150
 CONTROLLER R. J. J. TIME 1151
 TYPE CONTROLLER 700 2
 TYPE MISSION CAS

TGT

DESCRIPTION

COORDINATES

PROVINCE

1210/1151 Suspected Enemy 1st Bn. YD 316045 R. J. J.
EL

TGT TERRAIN 1173 TGT WX 400 VISIBILITY 2000
 REL ANGLE 20° PASSES 6 INTERVAL 35 MIN ALT 800' 1122
 ENROUTE ALT 12.5 RETURN ALT 13.5 TARGET AIRSPEED 450 KTS
 ORDNANCE 120² Y DC EXPENDED all JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) 0
 BDA 100 % 80 % ADDITIONAL 4 Fortified stone chst.

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0

UNIT SUPPORTED 3rd 101st A.B. OPERATION Kentucky S. J. J.
 (LEAVE BLANK)

ENROUTE WX 0

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS:

(REFERENCE NOTE #3)

Friendly 1000m at 12-

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS Good and

DEBRIEFER Rook2 TIME 1330 DATE 2 JUNE 69
 SQUADRON 2N CALL SIGN #HB023 MSN # 1023 FLT CODE 152
 T/O 1210 LAND 1315 TOTAL TIME 2.2

PILOTS A/C
Rook2 CR 16
~~Rook2~~ ~~8~~
RICHARDS 8
 DASC - TIME
 CONTROLLER BLK-38 TIME 1240
 TYPE CONTROLLER TACA
 TYPE MISSION CAS

TGT DESCRIPTION COORDINATES PROVINCE
1240/50 Enemy Loc 4D317045 2
EL

TGT TERRAIN Hilly TGT WX 400 VISIBILITY 10+
 REL ANGLE 20° PASSES 8 INTERVAL 2000 MIN ALT 1000'
 ENROUTE ALT 14.5 RETURN ALT 13.5 TARGET AIRSPEED 400

ORDNANCE 12D24DC EXPENDED All JETTISONED -

ORDNANCE/RTB - DUDS (SEE NOTE #1) 2 D24DC

BDA 100% 80% ADDITIONAL 4 Fortifications DEST
2 Secondary Explosions (Small)

SECONDARY EXPLOSIONS YES NUMBER 2 SIZE Small

UNIT SUPPORTED 1st AB OPERATION Kentucky Hunger
 (LEAVE BLANK) ✓

ENROUTE WX 1000

(A) HOSTILE FIRE YES ☒ NO ☐ FILE FORM WITH BARREL
 (B) AIRBURST YES ☒ NO ☐ FILE FORM WITH BARREL
 (C) A/C HIT YES ☒ NO ☐ FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES ☒ NO ☐ CIRCLE ONE/COORD
 (E) BDA REPORTED YES ☒ NO ☐ IF ADDITIONAL CIRCLE
 (F) ABORT YES ☒ NO ☐ A/C MALFUNCTION/NO DROP
 (G) DIVERT YES ☒ NO ☐ GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION 4D317045 REASON Failed to
ARM
 RECOVERABLE WAB FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS SAKE + Naps would have
been better

DEBRIEFER Reed TIME 1850 DATE 4 June 69
 SQUADRON 211 CALL SIGN H8256 MSN # 6256 FLT CODE 152
 T/O 1725 LAND 1840 TOTAL TIME 2.6

PILOTS

A/C

Reed CF15 DASC Dong Ha TIME 1755
Huggin CF21 CONTROLLER SW FANG TIME 1800
 TYPE CONTROLLER TAC A
 TYPE MISSION DAS

TOT DESCRIPTION COORDINATES PROVINCE
1805/1815 COOKS IN TREE LINE 4D 282768 1
TS

TGT TERRAIN Flat TGT WX 3.00 VISIBILITY 10+
 REL ANGLE 30°/20° PASSES 14 INTERVAL 30 MIN ALT 1200
 REL ALT 3000/3000=2200
 ENROUTE ALT 18500 RETURN ALT 17500 TARGET AIRSPEED 450
 ORDNANCE 16 D7 / 4 D24 EXPENDED 13 D7 JETTISONED 3 D7
 ORDNANCE/RTB ALL DUDS (SEE NOTE #1)
 BDA 90 % 90 % ADDITIONAL PROBABLE KBA'S will report
After sweep of ARVN

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED ARVN OPERATION _____
 ENROUTE WX ☐ (LEAVE BLANK)

(A) HOSTILE FIRE	YES <u>NO</u>	FILE FORM WITH BARREL
(B) AIRBURST	YES <u>NO</u>	FILE FORM WITH BARREL
(C) A/C HIT	YES <u>NO</u>	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES <u>NO</u>	CIRCLE ONE/COORD
(E) BDA REPORTED	YES <u>NO</u>	IF ADDITIONAL CIRCLE
(F) ABORT	YES <u>NO</u>	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES <u>NO</u>	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER W. B. BERNARD TIME 1800 DATE 4 June 69
 SQUADRON 211 CALL SIGN 263 MSN # 6263 FLT CODE 152
 T/O 1655 LAND 1755 TOTAL TIME 2.0

PILOTS A/C
WARREN 11 DASC VANDY TIME 1630
BERNARD 12 CONTROLLER TIME
 TYPE CONTROLLER FACIA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1-</u>			

No Drop

TGT TERRAIN TGT WX VISIBILITY
 REL ANGLE PASSES INTERVAL MIN ALT
 ENROUTE ALT FL 185 RETURN ALT FL 195 TARGET AIRSPEED
 ORDNANCE 20DIY EXPENDED JETTISONED 20DIY
 ORDNANCE/RTB DUDS (SEE NOTE # 1)
 BDA % % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED OPERATION
 ENROUTE WX (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: SCRAMBLED ON A PRIORITY MISSION TO VANDY WHO
(REFERENCE NOTE #3)
COULD NOT USE VS. DIVERTED TO AN HOA ASRT BUT UN-
ABLE TO DROP DUE TO WX. (CB) No Tgt

NOTE #1: DUD REPORT LOCATION REASON
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER WOOD TIME 1120 DATE 4 JUNE 69
 SQUADRON 211 CALL SIGN HB231 MSN # 6231 FLT CODE 1S2
 T/O 1010 LAND 1105 TOTAL TIME 1.8

PILOTS

A/C

WOOD
RESD

CF24
CF01

DASC HEUX CONT. TIME 1015
 CONTROLLER BULK 03 TIME 1020
 TYPE CONTROLLER TACA
 TYPE MISSION CAS

TOT

DESCRIPTION

COORDINATES

PROVINCE

1030-45 SO CAL SITE & BUNKERS BT202122

AA

TGT TERRAIN Hilly TGT WX 10:00 VISIBILITY 10+
 REL ANGLE 30° PASSES 7 INTERVAL 30 MIN ALT 2200
 ENROUTE ALT 8.5 RETURN ALT 5.5 TARGET AIRSPEED 450
 ORDNANCE 2001A/4 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) 2
 BDA 100% 100% ADDITIONAL 1 SUSTAIN FIRE, 3 BUNKERS DEST

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1ST OF 101ST AB OPERATION LAMAR PLAIN
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS:

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION BT202122 REASON UNKNOWN
LOW YIELD EXPLOSIONS NOTED
 RECOVERABLE NO FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS GOOD

DEBRIEFER Wallace TIME 1300 DATE 4 June 69
 SQUADRON 211 CALL SIGN HB MSN # 6241 FLT CODE 152
 T/O 1203 LAND 1254 TOTAL TIME 1.8

PILOTS A/C
WALLACE AF 07
HUTSON 10
 DASC _____ TIME _____
 CONTROLLER BILK 03 TIME 1210
 TYPE CONTROLLER TACA
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1235/45 EN LOCATION BT 205740 RUEH/E
EC

TGT TERRAIN Hilly TGT WX 0 VISIBILITY 15
 REL ANGLE 20 PASSES 8 INTERVAL 30 MIN ALT 000
 REL ALT 1800

ENROUTE ALT 10.5 RETURN ALT 9.5 TARGET AIRSPEED 450

ORDNANCE 16 DIA/409 EXPENDED ALL JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____

BDA 100% 75% ADDITIONAL 5 Hoovehies DEST

3 Large Sec Fuses, 4 Small Fuses

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 1ST/101st AB OPERATION LAMAR PLAINS
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Dr. P. Reis TIME 1010 DATE 4 June 69
 SQUADRON 211 CALL SIGN HAB MSN # 6225 FLT CODE 152
 T/O 0930 LAND 1053 TOTAL TIME 2.8

PILOTS

A/C

McAWAY CF22
RIVERS 23

DASC Dong HA TIME 0945
 CONTROLLER BARKY 15 TIME 0950/1010
 TYPE CONTROLLER TACA
 TYPE MISSION CAS

TGT 0950 1008 DESCRIPTION RECON EXTRACT COORDINATES XD 995640 PROVINCE 1
1016-26 BUNKERS YD 342321

TGT TERRAIN HILLY TGT WX 4.0 # VISIBILITY 7
 REL ANGLE 20 PASSES 10 INTERVAL 30 MIN ALT 600
 REL ALT 1050

ENROUTE ALT 16.5 RETURN ALT 15.5 TARGET AIRSPEED 450

ORDNANCE 16 DIA/4 D9 EXPENDED all JETTISONED —

ORDNANCE/RTB — DUDS (SEE NOTE #1) —

BDA 100% 85% ADDITIONAL 1 BUNK DEST, 1 BUNK DAM

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 3rd MANDIV 101st OPERATION Virginia Ridge
 (LEAVE BLANK)

ENROUTE WX 17.0 #

(A) HOSTILE FIRE YES ☒ NO ☐ FILE FORM WITH BARREL
 (B) AIRBURST YES ☒ NO ☐ FILE FORM WITH BARREL
 (C) A/C HIT YES ☒ NO ☐ FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES ☒ NO ☐ CIRCLE ONE/COORD XD 995640
 (E) BDA REPORTED YES ☒ NO ☐ IF ADDITIONAL CIRCLE
 (F) ABORT YES ☒ NO ☐ A/C MALFUNCTION/NO DROP
 (G) DIVERT YES ☒ NO ☐ GIVE REASON BELOW

REMARKS: ASTEN CAW FOR RECON EXT. DONG HA
ORIGINATED TO BARKY 15
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS WRONG ORD FOR TETS. FOR CAP
SHOULD HAVE GUNS/RTS FOR THE BUNKERS
SHOULD HAVE BEEN ORN

DEBRIEFER TIME 1600 DATE 4 JUNE 69
 SQUADRON 211 CALL SIGN HB 253 MSN # 6253 FLT CODE 132
 T/O 1420 LAND 1542 TOTAL TIME 2.8

PILOTS	A/C	DASC <u>DONE HA</u>	TIME <u>1445</u>
<u>DANE</u>	<u>3</u>	CONTROLLER <u>CATRILLER-10</u>	TIME <u>1455</u>
<u>BEM</u>	<u>8</u>	TYPE CONTROLLER <u>TAC(A)</u>	
		TYPE MISSION <u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1500-1511</u>	<u>BUNKER COMPLEX</u>	<u>YD 037694</u>	<u>IL</u>
	<u>BF</u>		

TGT TERRAIN ROLLING TGT WX 10.99 10+ VISIBILITY 10+
 REL ANGLE 30° PASSES 8 INTERVAL 30" MIN ALT 600'
 ENROUTE ALT 16.5 RETURN ALT 19.5 TARGET AIRSPEED 450
 ORDNANCE 16D-1A 4D-9 EXPENDED ALL JETTISONED
 ORDNANCE/RTB NONE DUDS (SEE NOTE #1)
 BDA 100 % / 100 % ADDITIONAL 5 BUNKERS DESTROYED
1 SECONDARY FIRE

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 108TH ARBY GRP OPERATION Virginia Ridge
 ENROUTE WX LINE OF THUNDERSTORMS ALONG COAST-TOP3
TO 35m

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: ORD SUITED TO TGT.
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER W TIME 0845 DATE 4 June 69
 SQUADRON 211 CALL SIGN HB 203 MSN # 6203 FLT CODE 152
 T/O 0705 LAND 0828 TOTAL TIME 2.8

PILOTS A/C
Ruttenford CF6
Wittman CF10

DASC Dang Ha TIME 0730
 CONTROLLER SW 18-2 TIME 0735
 TYPE CONTROLLER TACA
 TYPE MISSION DAS

TOT DESCRIPTION COORDINATES PROVINCE
0756-0802 General Marshalling Area X1 83838.3 1
EC

TGT TERRAIN Hilly TGT WX 1500 VISIBILITY 7
 REL ANGLE 20° PASSES 2 INTERVAL 30.6 MIN ALT 800'
 ENROUTE ALT 185 RETURN ALT 17.5 REL ALT 10.50 TARGET AIRSPEED 450
 ORDNANCE 16 DIA/409 EXPENDED all JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3rd Mar Div OPERATION Cameron Falls
 ENROUTE WX D (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION None REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED None TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS Excellent

DECLASSIFIED

DEBRIEFER HUGGIN TIME 0905 DATE 4 June 69
 SQUADRON 211 CALL SIGN HB209 MSN # 6209 FLT CODE 152
 T/O 0735 LAND 0845 TOTAL TIME 2.4

PILOTS

A/C

PADIOS 03
HUGGIN 08

DASC Double/Drum TIME 0750/0805
 CONTROLLER Trailer Park TIME 0810
 TYPE CONTROLLER TACA
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
0815-0820 Fortified Village AT901528 3
VL

TGT TERRAIN Level TGT WX 0 VISIBILITY 7+
 MIN ALT 600 AGL
 REL ANGLE 20° PASSES 8 INTERVAL 300 REL ALT 1050 AGL

ENROUTE ALT 16,500 RETURN ALT 15,500 TARGET AIRSPEED 450

ORDNANCE 10DIA/4D9 EXPENDED all JETTISONED —

ORDNANCE/RTB — DUDS (SEE NOTE #1) —

BDA 90 % 90 % ADDITIONAL 2 sec fires, 1 bunker, &
2 structures Dect

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 2/6 MAR 1ST M.D. OPERATION OPER HILLS
 (LEAVE BLANK)

ENROUTE WX 10

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: TACA BDA
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DECLASSIFIED

DEBRIEFER WOOD TIME 0635 DATE 5 JUNE 69
 SQUADRON 211 CALL SIGN HB 269 MSN # 6269 FLT CODE 152
 T/O 0510 LAND 0620 TOTAL TIME 1.2

PILOTS A/C
WOOD CE 01 DASC VANDY TIME 0530
 CONTROLLER VANDY 19 TIME 0535
 TYPE CONTROLLER 745RT
 TYPE MISSION TPQ

TOT DESCRIPTION COORDINATES PROVINCE
05405 NVA TS YD 252 801

TGT TERRAIN R TGT WX 0 VISIBILITY 9+
 REL ANGLE — PASSES 1 INTERVAL — MIN ALT 15.0
 REL ALT 15.0
 ENROUTE ALT 20.5 RETURN ALT 15.5 TARGET AIRSPEED 290
 ORDNANCE 10DIWN EXPENDED All JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA — % — ADDITIONAL —

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 101ST A.B. OPERATION Kentucky Bluffs
 (LEAVE BLANK)

ENROUTE WX _____
 (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 (B) AIRBURST YES NO FILE FORM WITH BARREL
 (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
 (F) ABORT YES NO A/C MALFUNCTION/NO DROP
 (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3. ORDNANCE EFFECTIVENESS _____

DEBRIEFER RUTHERFORD TIME 1040 DA 5 JUNE 1969
 SQUADRON 211 CALL SIGN 222 MSN # 6222 FLT CODE 152
 T/O 0930 LAND 1033 TOTAL TIME 2.2

PILOTS A/C
RUTHERFORD, AB 1 DASC VICESEMP TIME 0935
REEM, J 10 CONTROLLER BIG-19 TIME 0945
 TYPE CONTROLLER TARA
 TYPE MISSION DAS

TOT DESCRIPTION COORDINATES PROVINCE
0950/1005 ENEMY POSITION ZC 180340 F 4
EC

TGT TERRAIN MOUNTAINS TGT WX CLEAR VISIBILITY UNLIMITED
 REL ANGLE 20 PASSES 6 INTERVAL 30 sec MIN ALT 600 REL ALT 1000
 ENROUTE ALT 14.5 RETURN ALT 8.5 TARGET AIRSPEED 450
 ORDNANCE 16 DIA / 409 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % UNK. % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED Amesical OPERATION —
 ENROUTE WX — (LEAVE BLANK)

(A) HOSTILE FIRE YES ☒ NO ☐ FILE FORM WITH BARREL
 (B) AIRBURST YES ☒ NO ☐ FILE FORM WITH BARREL
 (C) A/C HIT YES ☒ NO ☐ FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES ☒ NO ☐ CIRCLE ONE/COORD —
 (E) BDA REPORTED YES ☒ NO ☐ IF ADDITIONAL CIRCLE —
 (F) ABORT YES ☒ NO ☐ A/C MALFUNCTION/NO DROP —
 (G) DIVERT YES ☒ NO ☐ GIVE REASON BELOW —

REMARKS: COULD HAVE USED SLICK ORDNANCE MORE EFFECTIVELY
(REFERENCE NOTE #3)
TGT WAS IN A SMALL VALLEY AND WAS HARD TO KEEP IN
SIGHT ON LOW LEVEL RUNS HIGH DIVE WOULD HAVE BEEN BETTER

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—
—

DEBRIEFER MA Palmer TIME 1935 D. 5 June 69
 SQUADRON 211 CALL SIGN 262 MSN # 6262 FLT CODE 152
 T/O 1815 LAND 1915 TOTAL TIME 2.0

PILOTS A/C
Palmer 22 DASC JAKE TIME 1817
Halliday 12 CONTROLLER JAKE B TIME 1818
 TYPE CONTROLLER TACA
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1838-1900 ENEMY POSITION BS498853 I 4
EL

TGT TERRAIN LVL TGT WX 400 VISIBILITY 7
 REL ANGLE 20° PASSES 10 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 9.5 RETURN ALT 6.5 TARGET AIRSPEED 450
 ORDNANCE 40918 DIA EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) 1 DIA
 BDA 90% 40% ADDITIONAL 16 STRUCTURES DESTROYED

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED AMERICAN OPERATION —
 ENROUTE WX Φ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION BS498853 REASON ARMING WIRE
DID NOT COME BACK SUSPECT RACK
 RECOVERABLE NO FUZE (DELAY/ARM DELAY) ARM (A)

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS GOOD

DECLASSIFIED

DEBRIEFER RE TIME 1430 DA 5 Jun 69
 SQUADRON 211 CALL SIGN HB 240 MSN # 6240 FLT CODE 152
 T/O 1325 LAND 1425 TOTAL TIME 2.0

PILOTS A/C
Richards 23
Conway 17
 DASC VANDU TIME 1340
 CONTROLLER STU TIME 1345
 TYPE CONTROLLER TACCA
 TYPE MISSION DASC

TOT DESCRIPTION COORDINATES PROVINCE
1300/SS Bunker, North Pit YD 947622 1
BF

TGT TERRAIN Hilly TGT WX 4.00 VISIBILITY 4.00
 REL ANGLE 20 PASSES 5 MIN ALT 6000
 INTERVAL 3000 REL ALT 10500
 ENROUTE ALT 16.5 RETURN ALT 19.5 TARGET AIRSPEED 450
 ORDNANCE 16 DIA 409 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1)
 BDA 20% 100% ADDITIONAL 1 Bunker Dest,
1 Mortar Pit Dest

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3 Marines OPERATION Virginia
 (LEAVE BLANK)
 ENROUTE WX 1000V

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: Bombs ok. Cordat. Napalm not
needed. (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION YD 947622 REASON UNK
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—
—

DECLASSIFIED

DEBRIEFER WJ TIME 1340 DATE 5-1-68
 SQUADRON 21 CALL SIGN H-134 MSN # 100-1 FLT CODE 100
 T/O 171 LAND 1 TOTAL TIME 2.00

PILOTS A/C
WJ C-3
WJ 11
 DASC WJ TIME 11:00
 CONTROLLER WJ TIME 11:00
 TYPE CONTROLLER TACA
 TYPE MISSION DRS

TOT DESCRIPTION COORDINATES PROVINCE
171 TS 4, 10, 10 RVB
171 TS 4, 10, 10 RVB
171 TS 4, 10, 10 RVB
171 TS 4, 10, 10 RVB
171 TS 4, 10, 10 RVB

TGT TERRAIN 1 TGT WX 1 VISIBILITY 7
 REL ANGLE 0 PASSES 10 INTERVAL 10 MIN ALT 2000
 REL ALT 2000
 ENROUTE ALT 1000 RETURN ALT 1000 TARGET AIRSPEED 1000
 ORDNANCE 2 EXPENDED 1 JETTISONED 1
 ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) 0
 BDA 100% 100% ADDITIONAL 2 KBA (C)

SECONDARY EXPLOSIONS NO NUMBER 1 SIZE 1
 UNIT SUPPORTED 2-10-10 OPERATION MASS BAY
 ENROUTE WX 1-1 25 (LEAVE BLANK)

(A) HOSTILE FIRE YES (NO) FILE FORM WITH BARREL
 (B) AIRBURST YES (NO) FILE FORM WITH BARREL
 (C) A/C HIT YES (NO) FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES (NO) CIRCLE ONE/COORD
 (E) BDA REPORTED YES (NO) IF ADDITIONAL CIRCLE
 (F) ABORT YES (NO) A/C MALFUNCTION/NO DROP
 (G) DIVERT YES (NO) GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION 1000 REASON 1000
 RECOVERABLE 1000 FUZE (DELAY/ARM DELAY) 1000

NOTE #2: ECM ENCOUNTERED 1000 TIME 1000 HOW DIRECTED 1000

NOTE #3: ORDNANCE EFFECTIVENESS 1000
1000
1000
1000

DEBRIEFER FILAS TIME 1245 DATE 5 JUNE 69
 SQUADRON 211 CALL SIGN HB 232 MSN # 6232 FLT CODE 152
 T/O 1118 LAND 1233 TOTAL TIME 24

PILOTS A/C
DANE 7 DASC DONG HA TIME 1145
FILAS 12 CONTROLLER CK-14 TIME 1150
 TYPE CONTROLLER TACA
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1155-1240 ROCKETS (8-10) YD 249752 #
READY TO FIRE

TGT TERRAIN FLAT TGT WX 0 VISIBILITY 15+
 REL ANGLE 20° PASSES 4 INTERVAL 30" MIN ALT 600
 ENROUTE ALT 165 RETURN ALT 19.5 TARGET AIRSPEED 450
 ORDNANCE 16.D-1A 4 D-9 EXPENDED ALL JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE #1)
 BDA 80% 80% ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 101ST A.B. OPERATION Kontak's Hammer
 ENROUTE WX 0 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: ORD NOT SUITED - COULD HAVE USED
SLICKS OR ROCKETS BETTER
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER HUTSON TIME 0245 DA 35 JUNE 69
 SQUADRON 211 CALL SIGN 267 MSN # 6267 FLT CODE 352
 T/O 0113 LAND 0229 TOTAL TIME 216

PILOTS A/C
PADIOS OF 03 DASC DANANG TIME 0120
HUTSON 08 CONTROLLER HOSING LON 0125
 TYPE CONTROLLER ICMA
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
0145-0203 SO CAL SITE AT 863560 3
AA

TGT TERRAIN ROLLING TGT WX 0 10 VISIBILITY 10
 MIN ALT 2500
 REL ANGLE 30 PASSES 6 INTERVAL 30 REL ALT 3500
 ENROUTE ALT 125 RETURN ALT 7.5 TARGET AIRSPEED 450
 ORDNANCE 4022A 16D1 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) —
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS YES NUMBER 1 SIZE 2
 UNIT SUPPORTED 1ST MAR DIV OPERATION —
 (LEAVE BLANK)
 ENROUTE WX 0 10

(A) HOSTILE FIRE	YES	☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☐ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	☐ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES	☐ NO	IF ADDITIONAL CIRCLE
(F) ABORT	☒ YES	☐ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	☒ YES	☒ NO	GIVE REASON BELOW

REMARKS: DIVERTED FROM PRIMARY DUE TO GROUND
FAC AND LOCATION OF PRIENLIES
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER Rookz TIME 1245 DATE 5 JUNE
 SQUADRON 211 CALL SIGN HB 234 MSN # 6234 FLT CODE 152
 T/O 1153 LAND 1235 TOTAL TIME 1.4 (R)

PILOTS A/C
Rookz CP 3 DASC DANANG TIME 1158
RIVERS 11 CONTROLLER Has Item TIME 1200
 TYPE CONTROLLER TACA
 TYPE MISSION DAS

TOT DESCRIPTION COORDINATES PROVINCE
12070 Enemy Loc AT 999 43P TH 3
EC

TGT TERRAIN Hilly TGT WX 0 VISIBILITY 10+
 MIN ALT 1500
 REL ANGLE 30° PASSES 8 INTERVAL 30sec REL ALT 3000
 ENROUTE ALT 10.5 RETURN ALT 7.5 TARGET AIRSPEED 450
 ORDNANCE 20 D14 EXPENDED 11 JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE # 1) 2 D1
 BDA 90 % 90 % ADDITIONAL 400 meters TREE LINE

SECONDARY EXPLOSIONS - NUMBER - SIZE -
 UNIT SUPPORTED 1st MAR DIV OPERATION -
 (LEAVE BLANK)
 ENROUTE WX 0 10+

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION AT 999 43P REASON Unit
 RECOVERABLE None FUZE (DELAY/ARM DELAY) -

NOTE #2: ECM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -
-
-
-

DEBRIEFER Edwards TIME 1325 DA 5 June 69
 SQUADRON 211 CALL SIGN HB236 MSN # 6236 FLT CODE 152
 T/O 1200 LAND 1315 TOTAL TIME 2.6

PILOTS A/C
Edwards 24
Wood 22

DASC Danang TIME 1210
 CONTROLLER Hos 44c-1 TIME 1220
 TYPE CONTROLLER 7ACA
 TYPE MISSION DAS

TOT DESCRIPTION COORDINATES PROVINCE
1235-45 Trail Area AT998442 RVN 3
R.D.

TGT TERRAIN Mnt TGT WX 4.0 VISIBILITY 10+
 REL ANGLE 30° PASSES 10 INTERVAL 30 MIN ALT 2000
 REL ALT 3000
 ENROUTE ALT 10.5 RETURN ALT 7.5 TARGET AIRSPEED 450
 ORDNANCE 2001Y EXPENDED All JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 75 % 75 % ADDITIONAL 200 meter Tree Line

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1 Mar. Div OPERATION —
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—
—

DEBRIEFER Edwards TIME 2200 D. 5 June
 SQUADRON 211 CALL SIGN AB 268 MSN # 6268 FLT CODE 352
 T/O 2035 LAND 2150 TOTAL TIME 2.6

PILOTS A/C
Dane 23
Edwards 07

DASC Vandy TIME 2110
 CONTROLLER M TIME 2110
 TYPE CONTROLLER ASST
 TYPE MISSION TPQ

TOT DESCRIPTION COORDINATES PROVINCE
2130-40 Assembly Area BT052 541 3
Bunker BF

TGT TERRAIN R TGT WX 4.0 @ VISIBILITY 97
 REL ANGLE Lead PASSES 1 INTERVAL --- MIN ALT 14.5
 ENROUTE ALT 14.5 RETURN ALT 17.5 TARGET AIRSPEED 290
 ORDNANCE 16 D1 Y EXPENDED ALL JETTISONED ---
 ORDNANCE/RTB --- DUDS (SEE NOTE # 1) ---
 BDA UNK % --- % --- ADDITIONAL ---

SECONDARY EXPLOSIONS --- NUMBER --- SIZE ---
 UNIT SUPPORTED ROK M OPERATION Victory Dragon
 (LEAVE BLANK)
 ENROUTE WX ---

(A) HOSTILE FIRE	YES	☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☐ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	☐ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	☐ NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	☐ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	☒ YES	☐ NO	GIVE REASON BELOW

REMARKS: Could not use Sick Ord to
to proximity of (REFERENCE NOTE #3) TPQ
Direct

NOTE #1: DUD REPORT LOCATION --- REASON ---
 RECOVERABLE --- FUZE (DELAY/ARM DELAY) ---

NOTE #2: ECM ENCOUNTERED --- TIME --- HOW DIRECTED ---

NOTE #3: ORDNANCE EFFECTIVENESS ---

DEBRIEFER BM TIME 1840 DATE 5 May 69
 SQUADRON 211 CALL SIGN HB258 MSN # 6258 FLT CODE LS2
 T/O 1740 LAND 1825 TOTAL TIME 1.5

PILOTS A/C
McAnally 1
B. Kelly 8
 DASC TIME
 CONTROLLER Lopez 1745
 TYPE CONTROLLER STACH
 TYPE MISSION DAS

TOT DESCRIPTION COORDINATES PROVINCE
1758 1811 Troops & Barkers BT 201498 3
BF

TGT TERRAIN Flat TGT WX 0 VISIBILITY 10
 REL ANGLE 20° PASSES 10 INTERVAL 3050 MIN ALT 800
 ENROUTE ALT 14.5 RETURN ALT 7.5 TARGET AIRSPEED 450
 ORDNANCE 16 DIA 909 EXPENDED 411 JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA 100% 100% ADDITIONAL 2 KBA 3 struct
Destroyed &

SECONDARY EXPLOSIONS Yes NUMBER 1 SIZE Medium
 UNIT SUPPORTED ARVN OPERATION _____
 (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☒ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☒ NO ☐	GIVE REASON BELOW

REMARKS: good ordnance at 3 miles troops & barkers
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER B. Taul TIME 1800 DATE 6 June
 SQUADRON 211 CALL SIGN HB 259 MSN # 6259 FLT CODE 152
 T/O 1500 LAND 1605 TOTAL TIME 2.2

PILOTS A/C
RADIOS CEB DASC UANDY TIME 1515
BLASTFND 10 CONTROLLER SW TIME 1517
 TYPE CONTROLLER TRCA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
1523-27	HOSTILE FIRE SUPPRESSION	YD024365	1
	FOR EMERG.		
	RESUPPLY EC		

TGT TERRAIN MOUNT. TGT WX 2500 VISIBILITY 5
 REL ANGLE 10° PASSES 10 INTERVAL 304 MIN ALT 300'
 ENROUTE ALT 18.5 RETURN ALT 17.5 TARGET AIRSPEED 450
 ORDNANCE 16D1A/409 EXPENDED ALL JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1) 0
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 9th MAR 3rd M.O. OPERATION Cameron Falls
 (LEAVE BLANK)
 ENROUTE WX MISC.

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: FRIENDLIES 200 m. @ 3:00 - 5:00 LOW CLOUDS
AND FRIENDLIES FRIENDLIES NECESSITATED A 10° DELIVERY
RIGHT ORDNANCE FOR TARGET.

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—
—

DEBRIEFER W TIME 1900 DA 6 June 69
 SQUADRON 211 CALL SIGN HB 277 MSN # 6277 FLT CODE 152
 T/O 1733 LAND 1837 TOTAL TIME 2.2

PILOTS A/C
Brush CF 10 DASC Vandy TIME 1750
Wetteman 21 CONTROLLER SW 98-18 TIME 1752
 TYPE CONTROLLER TACA
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1800-1809 Bunker Complex YD025365 1
BF

TGT TERRAIN Hilly TGT WX 8000 VISIBILITY 10
 REL ANGLE 20° PASSES 8 INTERVAL 30Sec MIN ALT 600'
 REL ALT 1050

ENROUTE ALT 18.5 RETURN ALT 23.5 TARGET AIRSPEED 450

ORDNANCE 1601A 789 EXPENDED all JETTISONED -

ORDNANCE/RTB Name DUDS (SEE NOTE # 1) Name

BDA 95% 95% ADDITIONAL -

5 Bunkers destroyed
4 " damaged

SECONDARY EXPLOSIONS Name NUMBER - SIZE -

UNIT SUPPORTED 3rd Mar Bde OPERATION Cameron FALL
 (LEAVE BLANK)

ENROUTE WX -

(A) HOSTILE FIRE	YES	☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☒ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☒ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	☒ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES	☒ NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	☒ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	☒ NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -

RECOVERABLE - FUZE (DELAY/ARM DELAY) -

NOTE #2: ECM ENCOUNTERED No TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS Excellent

DECLASSIFIED

DEBRIEFER R. B. TIME 1005 DATE 6 June 69
 SQUADRON 211 CALL SIGN HB 213 MSN # 6213 FLT CODE 152
 T/O 0945 LAND 0955 TOTAL TIME 2.3

PILOTS	A/C	DASC	TIME
<u>Halliday</u>	<u>24</u>	<u>W. J. J.</u>	<u>0905</u>
<u>Birch</u>	<u>11</u>	<u>W. J. J.</u>	<u>0907</u>
		TYPE CONTROLLER	<u>TACA</u>
		TYPE MISSION	<u>L2P</u>

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0915/26</u>	<u>27 pwp</u>	<u>YD 025355</u>	<u>RUN T/I</u>
	<u>un</u>		

TGT TERRAIN MTS TGT WX 35 @ 000 VISIBILITY 7
 MIN ALT 900' AGL
 REL ANGLE 10° PASSES 6 INTERVAL 30 SEC REL ALT 1500' AGL
 ENROUTE ALT 16.5 RETURN ALT 7.5 TARGET AIRSPEED 450 KTS
 ORDNANCE 200' Y EXPENDED all JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1) _____
 BDA 70 % 50 % ADDITIONAL Nothing

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 300 mtds. OPERATION Comerons Falls
 (LEAVE BLANK)
 ENROUTE WX 800 V @

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	<u>YES</u>	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS GOOD FOR TARGET
But poor for weather.

DECLASSIFIED

DEBRIEFER RK1 TIME 0010 D 6 JUN 69
 SQUADRON 211 CALL SIGN 270 MSN # 6270 FLT CODE 352
 T/O 1000 2220 LAND 1000 2353 TOTAL TIME 3.0

PILOTS A/C
LENZINI CP 1 DASC WANDY TIME 1000 2240
WANDY 8 CONTROLLER SW 98 TIME 2245
 TYPE CONTROLLER TACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2325-2330</u>	<u>Recon Tm in Contact</u>	<u>XD 870 460</u>	

TGT TERRAIN MT TGT WX 3500000 VISIBILITY 1 1/2 miles
 REL ANGLE 10 PASSES 4 INTERVAL 30 MIN ALT 600
 REL ALT 1000
 ENROUTE ALT 20.5 RETURN ALT 19.5 TARGET AIRSPEED 450
 ORDNANCE 801A/409 EXPENDED 801A/409 JETTISONED —
 ORDNANCE/RTB 801A DUDS (SEE NOTE # 1) 209
 BDA 50 % 50 % ADDITIONAL

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3rd Recon OPERATION W.P. 2
 (LEAVE BLANK)
 ENROUTE WX

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: ORBITED FOR 20 MINUTES; A SPOOKY WAS DROPPING
1 OR 2 PUMPS OVER TARGET; NO TARGET MARKING, CONTROLLER
HAD TO CALL "PICKLE" - S.W. REALLY "HANGING IT OUT"

NOTE #1: DUD REPORT LOCATION XD 870 460 REASON BAD RACK/FUSE
 RECOVERABLE NO FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS WOULD HAVE BEEN EFFECTIVE IF
WE COULD HAVE UTILIZED IT.

DEBRIEFER To White TIME 0905 DATE 6 June
 SQUADRON 211 CALL SIGN H0 579 MSN # 65-79 FLT CODE 152
 T/O 0754 LAND 0900 TOTAL TIME 2.2

PILOTS	A/C	DASC	TIME
<u>TOETNER</u>	<u>CF 23</u>	<u>BILK</u>	<u>0809</u>
<u>DEEM</u>	<u>CF 15</u>	CONTROLLER	TIME
		<u>BILK 34</u>	<u>0810</u>
		TYPE CONTROLLER	
		<u>JACA</u>	
		TYPE MISSION	
		<u>L2P</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0820-30</u>	<u>L2P</u>	<u>YD454048</u>	<u>2 CORPS</u>

TGT TERRAIN Hilly TGT WX 10.0 VISIBILITY 7+
 REL ANGLE 30° PASSES 6 INTERVAL 30 MIN ALT 2000
 ENROUTE ALT 185 RETURN ALT 135 TARGET AIRSPEED 450
 ORDNANCE 802y0C/407 EXPENDED 2LL JETTISONED none
 ORDNANCE/RTB none DUDS (SEE NOTE #1) none
 BDA 90% 40% ADDITIONAL no Fucker

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 300E 101st A.D. OPERATION Attacking a bunker
 ENROUTE WX 8 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: DIVERTED BY JOIRIDE FROM LAS
MISSION TO BILK FOR L2P.
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS OK

DEBRIEFER TIME DATE 6 June 69
 SQUADRON 211 CALL SIGN 285 MSN # 6255 FLT CODE 132
 T/O 1435 LAND 1520 TOTAL TIME 16

PILOTS A/C
HALLIDAY EF-06 DASC Helix TIME 1440
FICAS CF-03 CONTROLLER Helix TIME 1445
 TYPE CONTROLLER TACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1448/58</u>	<u>TROOPS</u>	<u>BS 414810</u>	<u>4</u>
	<u>TS</u>		

TGT TERRAIN R TGT WX 5.0 d VISIBILITY 7+
 MIN ALT 2.5
 REL ANGLE 30 PASSES 10 INTERVAL 30 REL ALT 3.5
 ENROUTE ALT 12.5 RETURN ALT 7.5 TARGET AIRSPEED 450
 ORDNANCE 20 DIZ EXPENDED ACC JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE #1)
 BDA 100 % 50 % ADDITIONAL 1 KBA (C)

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED Amcal OPERATION Geneva Park
 (LEAVE BLANK)
 ENROUTE WX

(A) HOSTILE FIRE	☒ YES ☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	☒ YES ☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	☒ YES ☐ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	☒ YES ☐ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES ☐ NO	IF ADDITIONAL CIRCLE
(F) ABORT	☒ YES ☐ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	☒ YES ☐ NO	GIVE REASON BELOW

REMARKS: Good ORDNANCE FOR TGT.
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON

RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER TIME 1609 DATE 6 June 69
 SQUADRON 211 CALL SIGN HB 261 MSN # 6261 FLT CODE 152
 T/O 1505 LAND 1555 TOTAL TIME 1.6

PILOTS A/C
Brush CF 21 DASC Helix TIME 1572
Wellman 11 CONTROLLER Helix-41 TIME 1521
 TYPE CONTROLLER TACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
1526-34	Enemy Location EC	AS 922957	21

TGT TERRAIN Hilly TGT WX 800 VISIBILITY 10
 REL ANGLE 30° PASSES 6 INTERVAL 30 sec MIN ALT 1800
 REL ALT 3000

ENROUTE ALT 8.5 RETURN ALT 7.5 TARGET AIRSPEED 450

ORDNANCE 2001Y EXPENDED all JETTISONED

ORDNANCE/RTB DUDS (SEE NOTE # 1)

BDA 100 % 100 % ADDITIONAL 3 structures

destroyed - 1 Secondary explosion

SECONDARY EXPLOSIONS yes NUMBER 1 SIZE 100'

UNIT SUPPORTED Americal OPERATION

ENROUTE WX 80-100 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON

RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED no TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS Excellent

DEBRIEFER COURTNEY TIME 1800 DATE 6 JAN 69
 SQUADRON 211 CALL SIGN 6299 MSN # 6299 FLT CODE 152
 T/O 1200 LAND 1320 TOTAL TIME 2.8

PILOTS A/C
OSGUEIRA 2
COURTNEY 23

DASC HEXIX TIME 1250
 CONTROLLER HEXIX 93 TIME 1254
 TYPE CONTROLLER TACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1255</u> <u>1305</u>	<u>enemy position</u> <u>EC</u>	<u>BT 196182</u>	<u>TH</u>

TGT TERRAIN FLAT TGT WX 60P VISIBILITY 7 miles
 REL ANGLE 30° PASSES 8 INTERVAL 30 MIN ALT 600
 REL ALT 3000
 ENROUTE ALT 20500 RETURN ALT 17500 TARGET AIRSPEED 450
 ORDNANCE 20 DUW/1 EXPENDED All JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100 % 100 % ADDITIONAL 4 STRUCTURES Dest
2 DAMAGED

SECONDARY EXPLOSIONS NO NUMBER — SIZE —
 UNIT SUPPORTED AMERICAN DIV OPERATION —
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: CAP THEN DIVERT TO
HEXIX FOR DCS
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS ORD OK

DEBRIEFER Edwards TIME 0900 DATE 6 June C
 SQUADRON 211 CALL SIGN HB203 MSN # 6203 FLT CODE LS2
 T/O 0730 LAND 0850 TOTAL TIME 2.6

PILOTS A/C
Rutherford 7
Edwards 10
 DASC _____ TIME _____
 CONTROLLER B-17 TIME 0945
 TYPE CONTROLLER TACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0745-1830</u>	<u>Troops in Open</u>	<u>205/25/77</u>	<u>4</u>
	<u>Troop INSERT</u>	<u>RT 204814</u>	

TGT TERRAIN Mnt TGT WX 700 VISIBILITY 10+
 REL ANGLE 20 PASSES 6 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 6.5 RETURN ALT 5.5 TARGET AIRSPEED 450
 ORDNANCE 1801A 409 EXPENDED 1409A 409 JETTISONED _____
 ORDNANCE/RTB 2 DIA DUDS (SEE NOTE #1) _____
 BDA Unk % ADDITIONAL To be passed on

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED Americal OPERATION _____
 ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	☒ YES	NO	CIRCLE ONE/COORD <u>205/25/77</u>
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Good ORD & Fuzillies 1500' meters
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

P. DEBRIEFER BROSTRAND TIME 1815 DATE 6 JUN 69
 SQUADRON 211 CALL SIGN HB 273 MSN # 6273 FLT CODE 152
 T/O 1650 LAND 1801 TOTAL TIME 2.7

PILOTS A/C
ADIOS CF 3
BROSTRAND 2

DASC DONG HA TIME 1710
 CONTROLLER ATKIL 40 1715
 TYPE CONTROLLER ZACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
1730-35	<u>YD024670</u>	<u>BUNKERS</u>	<u>1</u>
		<u>BF</u>	

TGT TERRAIN HILLY TGT WX 1208 VISIBILITY 5
 REL ANGLE 0° PASSES 6 INTERVAL 30+ MIN ALT 1200'
 ENROUTE ALT 18.5 RETURN ALT 11.5 TARGET AIRSPEED 400
 ORDNANCE 20 D14 EXPENDED 1801 JETTISONED 0
 ORDNANCE/RTB 2 D14 DUDS (SEE NOTE #1) 0
 BDA 75% 80% ADDITIONAL 4 BUNKERS DEST.

SECONDARY EXPLOSIONS 0 NUMBER 3 SIZE 200
 UNIT SUPPORTED 108th ARTIL. OPERATION Virginia Ridge
 ENROUTE WX MISC. (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: WRONG ORDNANCE FOR TARGET
 (REFERENCE NOTE #3)
HST FLT SCRAMBLED FOR SAME TARGET 2 HOURS EARLIER (6267)
HAD DIA/D9 - IDEAL. WHY THEN SCRAMBLE SLICKS ???

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Rookes TIME 1700 DATE 6 JUNE 69
 SQUADRON 241 CALL SIGN HB 269 MSN # 6269 FLT CODE 152
 T/O 1537 LAND 1645 TOTAL TIME 2.2

PILOTS A/C
Rookes CF15 DASC DEUC HA TIME 1500
VACAVALLY 1 CONTROLLER SW98-12 TIME 1602
 TYPE CONTROLLER TACAB
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1610/20</u>	<u>MENTOR POSITION</u> <u>EL</u>	<u>XD975659</u>	<u>1</u>

TGT TERRAIN Hilly TGT WX 400 VISIBILITY 10+
 MIN ALT 600
 REL ANGLE 20° PASSES 8 INTERVAL 30sec REL ALT 1200
 ENROUTE ALT 14.5 RETURN ALT 13.5 TARGET AIRSPEED 450
 ORDNANCE 16 DIA 409 EXPENDED ALL JETTISONED -
 ORDNANCE/RTB NONE DUDS (SEE NOTE #1) 2
 BDA 100 % 100 % ADDITIONAL 1 SEC FIRE
1 KBA

SECONDARY EXPLOSIONS - NUMBER - SIZE -
 UNIT SUPPORTED 4th MARINES 3rd MD OPERATION Virginia Ridge
 (LEAVE BLANK)
 ENROUTE WX -

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: Good ord. for wx from 1000 meters
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION XD975659 REASON unk
 RECOVERABLE unk FUZE (DELAY/ARM DELAY) 2sec Y

NOTE #2: ECM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -
-
-
-

DEBRIEFER WOOD TIME 1500 DATE 6 JUNE 69
 SQUADRON 211 CALL SIGN H B 267 MSN # 6267 FLT CODE 152
 T/O 1535 LAND 1640 TOTAL TIME 2.2

PILOTS A/C
LENZINI CF 22 DASC DONG HA TIME 1550
WOOD CF 17 CONTROLLER CHICKEN TIME 1555
 TYPE CONTROLLER TACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1600-11</u>	<u>MORTAR & BUNKERS</u>	<u>YD 024670</u>	<u>1</u>
	<u>EL</u>		

TGT TERRAIN Rolling Hills TGT WX 4000 VISIBILITY 10+
 REL ANGLE 10° PASSES 10 INTERVAL 30 MIN ALT 1000'
 ENROUTE ALT 14.5 RETURN ALT 15.5 TARGET AIRSPEED 450
 ORDNANCE 4024-407 EXPENDED All JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100 % 100 % ADDITIONAL 1 MORTAR PSI Dest

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 108 ARTY G 82nd m.o. OPERATION Virginia Ridge
 ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD _____
(E) BDA REPORTED	YES ☐ NO ☒	IF ADDITIONAL CIRCLE _____
(F) ABORT	YES ☐ NO ☒	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS GOOD ORDNANCE FOR
WEAT HER

DEBRIEFER 24 TIME 1040 DATE 6 June 69
 SQUADRON 2H CALL SIGN HB251 MSN # 6251 FLT CODE 152
 T/O 1227 LAND 1340 TOTAL TIME 2.6

PILOTS

A/C

Davis 24
Blicker 11

DASC Davis H.A. TIME 1745
 CONTROLLER W.R. McCall TIME 1250
 TYPE CONTROLLER T.M.A.
 TYPE MISSION FM 3

TOT

DESCRIPTION

COORDINATES

PROVINCE

1300/12 mountain peak YD 624670 RUN I
EL

TGT TERRAIN hilly TGT WX 40 @ VISIBILITY 19+
 MIN ALT 1000' REL
 REL ANGLE 20° PASSES 6 INTERVAL 3030 REL ALT 2000' REL
 ENROUTE ALT 18.5 RETURN ALT 19.5 TARGET AIRSPEED 450
 ORDNANCE 200' X EXPENDED 1/1 JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1) 0
 BDA 90 % 90 % ADDITIONAL Nothing further

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0
 UNIT SUPPORTED 3rd DIV OPERATION Virginia Ridge
 (LEAVE BLANK)
 ENROUTE WX / @ V @

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER T. H. H. H. H. TIME 6 DATE 6 June
 SQUADRON 211 CALL SIGN NO 243 MSN # 6243 FLT CODE 152
 T/O 1130 LAND 1300 TOTAL TIME 3.0

PILOTS A/C
T. H. H. H. H. CF 21 DASC VADY TIME 1145
BEEM CF 12 CONTROLLER 30/48-9 TIME 1150
 TYPE CONTROLLER T. H. H. H. H.
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
1220-25	Bunker site BF	XD 901638	I. CORP

TGT TERRAIN Hilly TGT WX 6.00 VISIBILITY 7+
 REL ANGLE 10° PASSES 4 INTERVAL 30 MIN ALT 800
 REL ALT 1000

ENROUTE ALT 185 RETURN ALT 215 TARGET AIRSPEED 450

ORDNANCE 16 DIA/409 EXPENDED 14 DIA/409 JETTISONED none

ORDNANCE/RTB 2 DIA DUDS (SEE NOTE #1) 2

BDA 95% 95% ADDITIONAL 2 BUNKERS DAM.
1 GUN PIT DAMAGED

SECONDARY EXPLOSIONS None NUMBER — SIZE —

UNIT SUPPORTED 4 MAR 3rd M.D. OPERATION Virginia Ridge
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: T. H. H. H. H. REPORT. 0 1300
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS DIA against Bunkers
did not all that good.

DEBRIEFER 1000 TIME 1115 DATE 6 JUNE 69
 SQUADRON 211 CALL SIGN HB-217 MSN # 6217 FLT CODE 152
 T/O 0930 LAND 1054 TOTAL TIME 2.8

PILOTS	A/C	DASC	TIME
<u>DANE</u>	<u>22</u>	<u>VANDY</u>	<u>0945</u>
<u>WOOD</u>	<u>7</u>	CONTROLLER	TIME
		<u>SW97-3</u>	<u>0955</u>
		TYPE CONTROLLER	
		<u>TAC(A)</u>	
		TYPE MISSION	
		<u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1015-1025</u>	<u>TROOPS ON RIDGELINE</u>	<u>XD 881-585</u>	<u>1</u>
	<u>TS</u>		

TGT TERRAIN HILLY² TGT WX 400400 VISIBILITY 15+
 REL ANGLE 10° PASSES 12 INTERVAL 30" MIN ALT 2000'
 ENROUTE ALT 14.5 RETURN ALT 17.5 TARGET AIRSPEED 450
 ORDNANCE 4D-22A 4D-7 EXPENDED 4022A 307 JETTISONED —
 ORDNANCE/RTB 1D-7 DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 4TH MARINES OPERATION Virginia Ridge
 ENROUTE WX OVCD (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: ORIGINAL CONTROLLER HAD TOO MUCH AIR
ON STATION, SO WE WERE DIVERTED. (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—
—

DECLASSIFIED

DEBRIEFER TIME 1100 DATE 15 June 69
 SQUADRON 211 CALL SIGN HR 211 MSN # 6211 FLT CODE 152
 T/O 0830 LAND 1057 TOTAL TIME 5.0

PILOTS 2 A/C 3
 6
 DASC Don Ha TIME 0850
 CONTROLLER SAS 724 TIME 0855
 TYPE CONTROLLER TACH
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>002025</u>	<u>Enemy 2 rps</u> <u>ES</u>	<u>X0035648</u>	<u>1</u>

TGT TERRAIN Hilly TGT WX 3.5 M VISIBILITY 1000
 REL ANGLE 20 PASSES 6 INTERVAL 300 MIN ALT 6500
 ENROUTE ALT 18.5 RETURN ALT 19.5 TARGET AIRSPEED 450
 ORDNANCE 16 DIA 409 EXPENDED All JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE # 1)
 BDA 90% 90% ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 3rd m.p. OPERATION Virginia Ridge
 ENROUTE WX (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Ordnance For Mission - First Part of HOP
was a CAP for inserts and extractions. Inserted American
BEAU in DMZ, extracted DARK LEAF TEAM from DMZ and inserted SAMPLE CASE TEAM
NU KESHAN KAESHAN. Tanked with BASKETBALL BETWEEN 2ND 13⁰⁰ EXT. INSERT THEN
DROPPED WITH SW 98.6 AFTER COMPLETION OF CAP.

NOTE #1: DUD REPORT LOCATION REASON
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DECLASSIFIED

DEBRIEFER Fleming TIME 0830 DA 7 June 1969
 SQUADRON 211 CALL SIGN M21 MSN # 0908 FLT CODE 1C1
 T/O 0706 LAND 0818 TOTAL TIME 2.3

PILOTS
BYRKS
HUGGINS
 A/C
C-F3
C-F25

DASC HILLFORD TIME 0720
 CONTROLLER ELT LEADER TIME 0735
 TYPE CONTROLLER FLT LEADER PILOT
 TYPE MISSION ST

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0735/41</u>	<u>TRUCK PARK</u>	<u>XD6710 0820</u>	<u>F</u>
<u>2335/</u>	<u>TP</u>	<u>1620-10701</u>	

*Fleming
0845
called
steover*

TGT TERRAIN R TGT WX 35 VISIBILITY 10X
 REL ANGLE 45 PASSES 2 INTERVAL 45 MIN ALT 4500
 REL ALT 8500

ENROUTE ALT 16.5 RETURN ALT 17.5 TARGET AIRSPEED 450

ORDNANCE 1202 X EXPENDED ALL JETTISONED ---

ORDNANCE/RTB --- DUDS (SEE NOTE #1) ---

BDA 100 % 100 % ADDITIONAL 50 meter RANGE

SECONDARY EXPLOSIONS --- NUMBER --- SIZE ---

UNIT SUPPORTED 7th AF OPERATION ---
 (LEAVE BLANK)

ENROUTE WX ---

(A) HOSTILE FIRE	YES ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☒	GIVE REASON BELOW

REMARKS: ---
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION --- REASON ---
 RECOVERABLE --- FUZE (DELAY/ARM DELAY) ---

NOTE #2: ECM ENCOUNTERED --- TIME --- HOW DIRECTED ---

NOTE #3: ORDNANCE EFFECTIVENESS ---

DEBRIEFER Wittford TIME 0925 DA 7 Jun 69
 SQUADRON 211 CALL SIGN 012 MSN # 6012 FLT CODE 152
 T/O 0820 LAND 0910 TOTAL TIME 1.6

PILOTS

A/C

BLASTARD 21
WITT FORD 10

DASC VKESQUAO TIME 0925
 CONTROLLER WELX 04 TIME 0935
 TYPE CONTROLLER TAC
 TYPE MISSION DA3

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0845/55</u>	<u>ENEMY pos</u> <u>EC</u>	<u>BS 870240</u>	<u>IS</u>

TGT TERRAIN HILL TGT WX 4.90 VISIBILITY ONLY 9+
 REL ANGLE 20 PASSES 7 INTERVAL 30 sec MIN ALT 600
 ENROUTE ALT 105 RETURN ALT 5.5 TARGET AIRSPEED 450
 ORDNANCE 8 D2A/401 EXPENDED ALL JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE #1)
 BDA 100 % 80 % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED AMCAL OPERATION Iron MT
 ENROUTE WX (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS Could have used 500th clicks
1 day + more effective job. Friends were
4 clicks away.

DECLASSIFIED

DEBRIEFER FILAS TIME 1050 DATE 7 JUN 69
 SQUADRON Z11 CALL SIGN H8022 MSN # 6022 FLT CODE 152
 T/O 0937 LAND 1036 TOTAL TIME 2.0

PILOTS A/C
LENZINI CF 6 DASC DANANG TIME 0943
FILAS 7 CONTROLLER BICK 29 TIME 1000
 TYPE CONTROLLER TACA
 TYPE MISSION OAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1010-20</u>	<u>SUSPECTED ENEMY LOC</u>	<u>20142062</u>	<u>RVN ID</u>
	<u>EC</u>		

TGT TERRAIN MTS TGT WX 100 VISIBILITY 8
 REL ANGLE 30 PASSES 6 INTERVAL 30 MIN ALT 2000
 ENROUTE ALT 145 RETURN ALT 13.5 TARGET AIRSPEED 400
 ORDNANCE 120240C EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100% 100% ADDITIONAL 1 BUNKER DES

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 5th BRIGADE 101st A.B. OPERATION Q cache
 ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☒ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☒ NO ☐	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DECLASSIFIED

DEBRIEFER HALLIDAY TIME 1020 DA 7 Jun 69
 SQUADRON 211 CALL SIGN HB 018 MSN # 6018 FLT CODE 152
 T/O 0908 LAND 1006 TOTAL TIME 2.0

PILOTS

A/C

HALLIDAY CF 22
REFD CF 24

DASC BILL TIME 0918
 CONTROLLER BILL 34 TIME 0920
 TYPE CONTROLLER TACA
 TYPE MISSION 17P

TOT

DESCRIPTION

COORDINATES

PROVINCE

0925.35 L 7 P 4D 464049 TR
UN

TGT TERRAIN MNTNS TGT WX 35000 VISIBILITY 5

REL ANGLE 30° PASSES 5 INTERVAL 30 MIN ALT 1500
 REL ALT 2500

ENROUTE ALT 14.5 RETURN ALT 13.5 TARGET AIRSPEED 450

ORDNANCE 4D34/4D24 EXPENDED ALL JETTISONED —

ORDNANCE/RTB — DUDS (SEE NOTE # 1) —

BDA 80% 60% ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 101ST AIRBORNE OPERATION APACHE SNOW
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE

YES

NO

FILE FORM WITH BARREL

(B) AIRBURST

YES

NO

FILE FORM WITH BARREL

(C) A/C HIT

YES

NO

FILE FLASH REPORT WITH BARREL

(D) RECON INSERT/EXTRACT

YES

NO

CIRCLE ONE/COORD

(E) BDA REPORTED

☒ YES

NO

IF ADDITIONAL CIRCLE

(F) ABORT

YES

NO

A/C MALFUNCTION/NO DROP

(G) DIVERT

YES

NO

GIVE REASON BELOW

REMARKS: —

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS GOOD

DEBRIEFER LT Rivers TIME 1145 DATE 7 June 69
 SQUADRON 211 CALL SIGN HAB MSN # 6016 FLT CODE 152
 T/O 1050 LAND 1130 TOTAL TIME 1.4

PILOTS

A/C

McANALLY CF 11
Rivers 15

DASC HELIX TIME 1145
 CONTROLLER HELIX 23 TIME 1148
 TYPE CONTROLLER TACA
 TYPE MISSION OAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1105-</u>	<u>SUSP. VC Loc.</u>	<u>BT 351072</u>	<u>4</u>
<u>11</u>	<u>EC</u>		

TGT TERRAIN HILLY TGT WX 3500 φ VISIBILITY 7
 MIN ALT 1500
 REL ANGLE 30 PASSES 8 INTERVAL 30 REL ALT 3000
 ENROUTE ALT 8.5 RETURN ALT 5.5 TARGET AIRSPEED 450
 ORDNANCE 2001Y (DC) EXPENDED all JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED AMCAL OPERATION —
 ENROUTE WX 3.5 φ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: GOOD OLD FOR TARGET
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER MA [unclear] TIME 2030 DATE 7 JUNE 69
 SQUADRON 211 CALL SIGN W596 MSN # 6596 FLT CODE 352
 T/O 1840 LAND 2011 TOTAL TIME 3.0

PILOTS A/C
Picior 21 DASC Doug Ha TIME 1902
BEYMER 12 CONTROLLER 50 98-15 TIME 1905
 TYPE CONTROLLER FACCA 7429
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1915-25</u>	<u>Mortar Position</u> <u>EL</u>	<u>XD885650</u>	<u>I I</u>

TGT TERRAIN Mountains TGT WX 60-0 VISIBILITY 10+
 REL ANGLE 30° PASSES 6-7 MIN ALT 1800
 INTERVAL 2 min REL ALT 3000
 ENROUTE ALT 165 RETURN ALT 175 TARGET AIRSPEED 450
 ORDNANCE 4D8/2D7/6D2 EXPENDED A11 JETTISONED none
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
 BDA 100 % 100 % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 3RD MARINE Recon Batt OPERATION Virginia Ridge
 (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	☒ YES ☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	☒ YES ☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	☒ YES ☐ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	☒ YES ☐ NO	CIRCLE ONE/COORD _____
(E) BDA REPORTED	☒ YES ☐ NO	IF ADDITIONAL CIRCLE _____
(F) ABORT	☒ YES ☐ NO	A/C MALFUNCTION/NO DROP _____
(G) DIVERT	☒ YES ☐ NO	GIVE REASON BELOW _____

REMARKS: Hostile fire reported by controller not seen
by pilots
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER R. B. TIME 1600 DATE 24 June 69
 SQUADRON 211 CALL SIGN 572 MSN # 6572 FLT CODE 132
 T/O 1545 LAND 1535 TOTAL TIME 1.6

PILOTS	A/C	DASC	TIME
<u>W. H. 106</u>	<u>22</u>	<u>Da 1120</u>	<u>1455</u>
<u>Bunker</u>	<u>7</u>	CONTROLLER <u>1600</u>	TIME <u>1553</u>
		TYPE CONTROLLER <u>1600</u>	
		TYPE MISSION <u>100-3</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1603/07</u>	<u>Bunker Canyon</u>	<u>BT020500</u>	<u>RD 1</u>
	<u>BF</u>		

TGT TERRAIN Flat TGT WX 2000 VISIBILITY 2000
 REL ANGLE 20° PASSES 6 INTERVAL 3000 MIN ALT 600' NGI
 ENROUTE ALT 10.5 RETURN ALT 5.5 TARGET AIRSPEED 450kts
 ORDNANCE 802A109 EXPENDED 011 JETTISONED 0
 ORDNANCE/RTB --- DUDS (SEE NOTE # 1) ---
 BDA 100% 100% ADDITIONAL 1500' 1000' 1000'

SECONDARY EXPLOSIONS --- NUMBER --- SIZE ---
 UNIT SUPPORTED 1st. 2nd. 1st. 0. OPERATION Peperstone Canyon
 ENROUTE WX 11 (4) (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS:

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION --- REASON ---RECOVERABLE --- FUZE (DELAY/ARM DELAY) ---NOTE #2: ECM ENCOUNTERED --- TIME --- HOW DIRECTED ---NOTE #3: ORDNANCE EFFECTIVENESS ---

DEBRIEFER RUTHERFORD TIME 1530 DATE 7 June
 SQUADRON 211 CALL SIGN 462 MSN # 6462 FLT CODE 152
 T/O 1350 LAND 1510 TOTAL TIME 28

PILOTS

A/C

RUTHERFORD 17 DASC VICESQUAD TIME 1355
BEEM 6 CONTROLLER WSTAKE BULL TIME 1440
 TYPE CONTROLLER TAC-4
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1450/1501</u>	<u>EN. PGJ</u>	<u>BT 005555</u>	<u>I 3</u>
	<u>EC</u>		

TGT TERRAIN FLAT TGT WX 6000 VISIBILITY OVER 9+
 REL ANGLE 20° PASSES 4 INTERVAL 30 sec MIN ALT 600'
 REL ALT 1000'
 ENROUTE ALT 18.5 RETURN ALT 4.5 TARGET AIRSPEED 450
 ORDNANCE 16 DIA/409 EXPENDED YES JETTISONED NO
 ORDNANCE/RTB NO DUDS (SEE NOTE # 1) NO
 BDA 100 % 100 % ADDITIONAL NO

SECONDARY EXPLOSIONS NO NUMBER NO SIZE NO
 UNIT SUPPORTED 5TH MARINES 1st M.D. OPERATION Pipe Stone Canyon
 (LEAVE BLANK)
 ENROUTE WX 8000

(A) HOSTILE FIRE	☒ YES	☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	☒ YES	☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	☒ YES	☐ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	☒ YES	☐ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES	☐ NO	IF ADDITIONAL CIRCLE
(F) ABORT	☒ YES	☐ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	☒ YES	☐ NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS Could have used high time
ordnance just as effectively

DEBRIEFER RE TIME 1540 DA 7 June 69
 SQUADRON 211 CALL SIGN H8570 MSN # 6570 FLT CODE 152
 T/O 1428 LAND 1525 TOTAL TIME 2.0

PILOTS A/C
Nordell CF 08
REED CF 23
 DASC UTCS. 5
DANANG ASRT TIME 1440
 CONTROLLER TIME
 TYPE CONTROLLER ASRT
 TYPE MISSION TPO

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1458</u>	<u>ENEMY POSITION</u> <u>EC</u>	<u>AT 850518</u>	<u>3</u>

TGT TERRAIN R TGT WX 0 VISIBILITY 7
 REL ANGLE PASSES 1 INTERVAL MIN ALT 24000
 REL ALT 24000

ENROUTE ALT 14500 RETURN ALT 9500 TARGET AIRSPEED 290 INDICATED

ORDNANCE 1202X EXPENDED 1202X JETTISONED

ORDNANCE/RTB DUDS (SEE NOTE # 1)

BDA % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED SHARINUS 1st M. D. OPERATION
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES <u>NO</u>	FILE FORM WITH BARREL
(B) AIRBURST	YES <u>NO</u>	FILE FORM WITH BARREL
(C) A/C HIT	YES <u>NO</u>	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES <u>NO</u>	CIRCLE ONE/COORD
(E) BDA REPORTED	YES <u>NO</u>	IF ADDITIONAL CIRCLE
(F) ABORT	YES <u>NO</u>	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES <u>NO</u>	GIVE REASON BELOW

REMARKS: WINGMAN LOST TRANSMITTER AND 6570 WENT TO
DANANG ASRT FOR TPO. (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON

RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DECLASSIFIED

DEBRIEFER PA 005 TIME 0900 D. 6/7/69
 SQUADRON 211 CALL SIGN HB450 MSN # 6450 FLT CODE 152
 T/O 0743 LAND 0850 TOTAL TIME 2.2

PILOTS	A/C	DASC <u>DA NANG</u>	TIME <u>0810</u>
<u>PADIOS</u>	<u>8</u>	CONTROLLER <u>HOT KING</u>	TIME <u>0815</u>
<u>COURTNEY</u>	<u>17</u>	TYPE CONTROLLER <u>TACA</u>	
		TYPE MISSION <u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0800</u>			
<u>30</u>	<u>CAVE, ENEMY POSIT.</u>	<u>AT 802451</u>	<u>3</u>
	<u>EC</u>		

TGT TERRAIN MTS TGT WX 0 VISIBILITY 10
 REL ANGLE 10° PASSES 10 INTERVAL 30 MIN ALT 600
 REL ALT 1050
 ENROUTE ALT 14.5 RETURN ALT 5.5 TARGET AIRSPEED 450
 ORDNANCE 16 DIA / 4D9 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) 6
 BDA 95 % 95 % ADDITIONAL —

SECONDARY EXPLOSIONS No NUMBER — SIZE —
 UNIT SUPPORTED 1 MAR DIV 5 MAR OPERATION —
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES	☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☒ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☒ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	☒ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES	☒ NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	☒ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	☒ NO	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION AT 802451 REASON SNAKEYE FINS
NOT OPENING
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3. ORDNANCE EFFECTIVENESS —
—
—
—

DECLASSIFIED

DEBRIEFER HUTSON TIME 2100 DA 7 JUNE 69
 SQUADRON 211 CALL SIGN 520 MSN # 6520 FLT CODE 452
 T/O 1915 LAND 2045 TOTAL TIME 1.5N

PILOTS HUTSON A/C CP 08
 DASC DANANG TIME 2015
 CONTROLLER #64 TIME 2015
 TYPE CONTROLLER ASST
 TYPE MISSION TPA

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2025</u>	<u>HARBOR SITE</u> <u>SV</u>	<u>AT 896 395</u>	<u>3</u>

TGT TERRAIN R TGT WX IFR 4.00 VISIBILITY 4
 REL ANGLE — PASSES 1 INTERVAL — MIN ALT 14.0
 ENROUTE ALT 235 RETURN ALT 14.5 TARGET AIRSPEED 290
 ORDNANCE 1001W/4 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100% % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 5th MAR 1st OPERATION —
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) A/C HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES NO	GIVE REASON BELOW

REMARKS: DIVERTED FROM MILKY TO DANANG DUE
TO IFR WX AND NO FLIGHT FOLLOWING CAPABILITY
ALSO *MILKY WANTED D2'S VICE D1'S

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—
—

DEBRIEFER TIME 2200 DATE 7 JUNE 1969
 SQUADRON VMA 211 CALL SIGN HB 516 MSN # 6516 FLT CODE 352
 T/O 1950 LAND 2145 TOTAL TIME 1.9

PILOTS A/C
SAEGER, H.F. CF 6

 DASC NA TIME
 CONTROLLER DANANG TIME 2130
 TYPE CONTROLLER ASRT
 TYPE MISSION TPQ-10

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2130</u>	<u>HARBOR COMPLEX</u>	<u>AT 904394</u>	<u>3</u>
	<u>SY</u>		

TGT TERRAIN SL TGT WX 400 VISIBILITY 4
 REL ANGLE LEVEL PASSES 2 INTERVAL MIN ALT 13,800
 REL ALT 13,800
 ENROUTE ALT 15000 RETURN ALT 15000 TARGET AIRSPEED 290 IAS
 ORDNANCE 10 DAY/20MM EXPENDED 10 DAY JETTISONED NA
 ORDNANCE/RTE NA DUDS (SEE NOTE #1) NONE
 BDA ON TGT % % ADDITIONAL

SECONDARY EXPLOSIONS UNK NUMBER SIZE
 UNIT SUPPORTED 5th MAR 1st A.D. OPERATION
 (LEAVE BLANK)
 ENROUTE WX 11 @ Layer to 14,000 16 @

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☒	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☒ NO ☐	GIVE REASON BELOW

REMARKS: VICE SQUAD DIRECTED DIVERT TO
DANANG ASRT (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON

RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS 200 METER STICK

DEBRIEFER RUB TIME 2015 DATE 7 June 69
 SQUADRON 211 CALL SIGN CF 518 MSN # 6518 FLT CODE 152
 T/O 1855 LAND 1955 TOTAL TIME 1.0

PILOTS A/C
BURCHER 03
 DASC Danang Abort TIME 1900
 CONTROLLER #53 TIME
 TYPE CONTROLLER
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1930</u>	<u>Harbor site</u> <u>SY</u>	<u>AT 896394</u>	<u>RUN 2</u>

TGT TERRAIN R TGT WX 4.0 @ V @ VISIBILITY 5
 MIN ALT 14.5
 REL ANGLE 0 PASSES 1 INTERVAL REL ALT 14.5'

ENROUTE ALT 13.5 RETURN ALT 13.5 TARGET AIRSPEED 290 Kts.

ORDNANCE 1001WY EXPENDED all JETTISONED 0

ORDNANCE/RTB DUDS (SEE NOTE # 1)

BDA % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED 5th Marines 1st Bn. OPERATION
 (LEAVE BLANK)

ENROUTE WX @ V @

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON

RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER _____ TIME _____ DA _____
 SQUADRON 201 CALL SIGN 245 MSN # 6245 FLT CODE 122
 T/O 1300 LAND 1410 TOTAL TIME 1.2

PILOTS _____ A/C _____
TR CF05 DASC _____ TIME _____
 _____ CONTROLLER _____ TIME _____
 _____ TYPE CONTROLLER _____
 _____ TYPE MISSION _____

TOT	DESCRIPTION	COORDINATES	PROVINCE
	<u>Test</u>		

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 ENROUTE ALT _____ RETURN ALT _____ TARGET AIRSPEED _____
 ORDNANCE _____ EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____
 ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) A/C HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES NO	GIVE REASON BELOW

REMARKS : _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Edwards TIME 1310 DATE 7 June
 SQUADRON 211 CALL SIGN HB 458 MSN # 6458 FLT CODE 152
 T/O 1145 LAND 1300 TOTAL TIME 2.6

PILOTS A/C
Edwards 03
Wellman 10
 DASC Doug HA TIME 1210
 CONTROLLER SW 98-8 TIME 1220
 TYPE CONTROLLER TACA
 TYPE MISSION ≠ CAS

TOT DESCRIPTION COORDINATES PROVINCE
1230 EC on Ridge line X0886663 /
1230 EC

TGT TERRAIN Mnt TGT WX 400 VISIBILITY 7
 REL ANGLE 10° PASSES 9 INTERVAL 30 MIN ALT 200'
 ENROUTE ALT 18.5 RETURN ALT 19.5 TARGET AIRSPEED 450
 ORDNANCE 16 DIA 409 EXPENDED 15 DIA 409 JETTISONED —
 ORDNANCE/RTB 1 DIA DUDS (SEE NOTE # 1) —
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 3rd Recon OPERATION HURRMITZ Mnt
 ENROUTE WX 700 (LEAVE BLANK)

(A) HOSTILE FIRE ☒ YES NO FILE FORM WITH BARREL
 (B) AIRBURST ☒ YES NO FILE FORM WITH BARREL
 (C) A/C HIT ☒ YES NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT ☒ YES NO CIRCLE ONE/COORD
 (E) BDA REPORTED ☒ YES NO IF ADDITIONAL CIRCLE
 (F) ABORT ☒ YES NO A/C MALFUNCTION/NO DROP
 (G) DIVERT ☒ YES NO GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS Outstanding Tgt CRD - Friendly's
WITHIN 75 meters

DEBRIEFER HALLIDAY TIME 1.0 DA 8 Jun 69
 SQUADRON 211 CALL SIGN HB 225 MSN # 6225 FLT CODE 112
 T/O 0904 LAND 1004 TOTAL TIME 1.0

PILOTS A/C

HALLIDAY, BGT CF 05

DASC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>TEST</u>			

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 ENROUTE ALT _____ RETURN ALT _____ TARGET AIRSPEED _____
 ORDNANCE _____ EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____
 ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) A/C HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD _____
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE _____
(F) ABORT	YES NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES NO	GIVE REASON BELOW

REMARKS: LOCAL TEST
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Rutledge TIME 1500 DATE 8 Jun
 SQUADRON 211 CALL SIGN 157 MSN # 6157 FLT CODE 152
 T/O 1350 LAND 1450 TOTAL TIME 2.0

PILOTS A/C
Rutledge 3
Wood 21
 DASC ~~WES~~ DANANG TIME 1355
 CONTROLLER ~~HOSTAGE~~ BULL TIME 1405
 TYPE CONTROLLER TACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1420/30</u>	<u>EN BUNK</u> <u>BF</u>	<u>BT 032537</u>	<u>3</u>

TGT TERRAIN FLAT TGT WX 60 @ 10 VISIBILITY 9+
 REL ANGLE 30 PASSES 6 INTERVAL 3000 MIN ALT 1500
 ENROUTE ALT 8.5 RETURN ALT 5.5 TARGET AIRSPEED 450
 ORDNANCE 203/602 EXPENDED ALL JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE #1)
 BDA 100 % 100 % ADDITIONAL 2 BUNK DEST. 2 BUNK
DAMAGED, 20 M OF TREE LINE DEST.

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 1ST M.D. OPERATION Pipestone Canyon
 ENROUTE WX 60 @ 10 (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS Excellent ordnance for the
target.
friendly within 1000 meters

DEBRIEFER Edwards TIME 0155 DATE 8 June 69
 SQUADRON 211 CALL SIGN H8578 MSN # 6578 FLT CODE 352
 T/O 0025 LAND 0135 TOTAL TIME 2.5

PILOTS	A/C	DASC	TIME
<u>WARREN</u>	<u>23</u>	<u>DAVANG</u>	<u>0035</u>
<u>Edwards</u>	<u>21</u>	CONTROLLER <u>Hostage "1"</u>	TIME <u>0040</u>
		TYPE CONTROLLER <u>ZACA</u>	
		TYPE MISSION <u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0110-20</u>	<u>Troops</u>	<u>BT010547</u>	<u>3</u>
	<u>TS</u>		

TGT TERRAIN Level TGT WX 9000 VISIBILITY 10+
 REL ANGLE 30 PASSES 4 INTERVAL 30 MIN ALT 2000
 ENROUTE ALT 8.5 RETURN ALT 7.5 TARGET AIRSPEED 450
 ORDNANCE 8DIY/407 EXPENDED 8DIY JETTISONED —
 ORDNANCE/RTB 407 DUDS (SEE NOTE # 1) —
 BDA 90% 100% ADDITIONAL —

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 1st MAR Div OPERATION Prairie Canyon
 ENROUTE WX 80-10000 (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS Very good Tgt ORO
Friendly 900 meters

DEBRIEFER W TIME 0930 DATE 8 June 69
 SQUADRON 211 CALL SIGN NB 589 MSN # 6589/80 FLT CODE 152
 T/O 0750 LAND 0930 TOTAL TIME 3.0

PILOTS A/C
Reed CF 11
Willeman 2
 DASC Vandy TIME 0805
 CONTROLLER SW 91-2 TIME 0806
 TYPE CONTROLLER TACA
 TYPE MISSION LZ Prep

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0837-0846</u>	<u>LZ Prep</u> <u>W</u>	<u>XD 862648</u>	<u>1</u>

TGT TERRAIN Hilly TGT WX 1080 VISIBILITY 7
 REL ANGLE 10° PASSES 4 INTERVAL 30 MIN ALT 600'
 REL ALT 1000'
 ENROUTE ALT 20.5 RETURN ALT 21.5 TARGET AIRSPEED 450
 ORDNANCE 6027/408/207 EXPENDED 6027/408 JETTISONED
 ORDNANCE/RTB 207 DUDS (SEE NOTE # 1) None
 BDA 80 % 50 % ADDITIONAL

SECONDARY EXPLOSIONS None NUMBER SIZE
 UNIT SUPPORTED Recon OPERATION Heckler mt
 (LEAVE BLANK)
 ENROUTE WX

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: Seems like rockets are very effective
for LZ Prep. Controller was asked twice if he wanted
D-8's dropped & he replied in the affirmative &
he had approval as there were.
 NOTE #1: DUD REPORT LOCATION None REASON

RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED None TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS Snake and nape
would have been far more
effective for this target

DUD
 DEBRIEFER COURTNEY TIME 1730 DATE 8 June 69
 SQUADRON 211 CALL SIGN 467 MSN # 6467 FLT CODE 15R
 T/O 1410 LAND 1516 TOTAL TIME 2.2

PILOTS A/C
DANE 22
COURTNEY 17

DASC U.S. TIME 1415
 CONTROLLER TRAIL 6B TIME 1435
 TYPE CONTROLLER A/B F-4E TRAC
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1445</u>	<u>Enemy Pos. Y</u>	<u>40153755</u>	<u>FI</u>
<u>1450</u>	<u>EC</u>		

TGT TERRAIN FLAT TGT WX 600 VISIBILITY 10 miles
 REL ANGLE 20° PASSES 6 INTERVAL 30 MIN ALT 600
 REL ALT 1050

ENROUTE ALT 16500 RETURN ALT 19500 TARGET AIRSPEED 450

ORDNANCE 800A/409 EXPENDED All JETTISONED -

ORDNANCE/RTB - DUDS (SEE NOTE #1) -

BDA 100% 100% ADDITIONAL 1 BUNKER Det

SECONDARY EXPLOSIONS - NUMBER - SIZE -

UNIT SUPPORTED 302 M.D. OPERATION Maro Bay

ENROUTE WX Light Scattered (LEAVE BLANK)

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) A/C HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES NO	GIVE REASON BELOW

REMARKS: Good test for ord
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -

RECOVERABLE - FUZE (DELAY/ARM DELAY) -

NOTE #2: ECM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS FRIENDLYS NO

FACTOR

DEBRIEFER DOB TIME 1245 DATE 8 Oct 69
 SQUADRON 211 CALL SIGN HR457 MSN # 6457 FLT CODE 132
 T/O 1130 LAND 1230 TOTAL TIME 2.0

PILOTS	A/C	DASC	TIME
<u>W. D. Smith</u>	<u>12</u>	<u>Waddy</u>	<u>1140</u>
<u>B. J. Smith</u>	<u>6</u>	CONTROLLER <u>30.98-11</u>	TIME <u>1143</u>
		TYPE CONTROLLER <u>7092</u>	
		TYPE MISSION <u>803</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1145</u> <u>1304</u>	<u>NVA Phuc</u> <u>TS</u>	<u>XD 845133</u>	<u>RUPT JT</u>

TGT TERRAIN WTS TGT WX 450 VISIBILITY 1000
 MIN ALT 200' B22
 REL ANGLE 10° PASSES 6 INTERVAL 30-32 REL ALT 800' B22
 ENROUTE ALT 16.5 RETURN ALT 17.5 TARGET AIRSPEED 450 KTS
 ORDNANCE 8022 40? EXPENDED all JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1)
 BDA 100% 100% ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 3rd 12th OPERATION See Remarks
 (LEAVE BLANK)
 ENROUTE WX 1100

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER 10 Ruens TIME 1430 DATE 8 June 69
 SQUADRON 24 CALL SIGN HK MSN # 6023 FLT CODE 152
 T/O 1255 LAND 1406 TOTAL TIME 2.4

PILOTS A/C
GRAHAM CF 22 DASC Don H A TIME 1315
Ruens 12 CONTROLLER CF 1101 TIME 1320
 TYPE CONTROLLER TASA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1325-</u>	<u>UC Pass</u>	<u>40047716</u>	<u>D</u>
<u>33</u>	<u>EC</u>		

TGT TERRAIN FLAT TGT WX 4.5 VISIBILITY 7
 REL ANGLE 20 PASSES 8 INTERVAL 30 MIN ALT 1000
 REL ALT 2000

ENROUTE ALT 10.5 RETURN ALT 15.5 TARGET AIRSPEED 450

ORDNANCE 12027 EXPENDED all JETTISONED ---

ORDNANCE/RTB --- DUDS (SEE NOTE # 1) ---

BDA 90% 100% ADDITIONAL 1 Sec Fire, 1 Sec Exp.
(SEC EXP WAS A ROCKET CACHE)

SECONDARY EXPLOSIONS ✓ NUMBER 1 SIZE Small

UNIT SUPPORTED 108th ARTB OPERATION Virginia Ridge
 (LEAVE BLANK)

ENROUTE WX 16.0

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☒ NO ☐	GIVE REASON BELOW

REMARKS: Divert from BILK to AUGER to Don H A
BEFORE FOUND A TARGET
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION --- REASON ---

RECOVERABLE --- FUZE (DELAY/ARM DELAY) ---

NOTE #2: ECM ENCOUNTERED --- TIME --- HOW DIRECTED ---

NOTE #3: ORDNANCE EFFECTIVENESS ---

DEBRIEFER 12 TIME 1030 DATE 8 June 69
 SQUADRON 211 CALL SIGN ABOZ1 MSN # 6021 FLT CODE 152
 T/O 0929 LAND 1030 TOTAL TIME 20

PILOTS A/C
12 7
RICHARDS 22
 DASC VADU TIME 0945
 CONTROLLER SW 98-7 TIME 0955
 TYPE CONTROLLER TACA
 TYPE MISSION DAS

TOT DESCRIPTION COORDINATES PROVINCE
1000/01 Road Seeding X0 798365 1
MN

TGT TERRAIN FLAT TGT WX 30 QD VISIBILITY DNRE 90
 REL ANGLE 10° PASSES 4 INTERVAL 30 sec MIN ALT 1000
 ENROUTE ALT 16.5 RETURN ALT 13.5 TARGET AIRSPEED 350
 ORDNANCE 12 D2Q EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3rd MD OPERATION Cameron Falls
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—
—

DEBRIEFER LT J. J. Jones TIME 1650 DATE 8 JUNE 69
 SQUADRON 24 CALL SIGN 148 MSN # 6043 FLT CODE 152
 T/O 1600 LAND 1635 TOTAL TIME 1.2

PILOTS

A/C

MCANALLY CE 15
Rivens 24

DASC HELIX TIME 1602
 CONTROLLER HELIX 27 TIME 1603
 TYPE CONTROLLER TACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1605-</u>	<u>Susp. VC Loc.</u>	<u>BS 410808</u>	<u>4</u>
<u>20</u>	<u>EC</u>		

TGT TERRAIN HILLY TGT WX 05 VISIBILITY 7
 REL ANGLE 30 PASSES 9 MIN ALT 1500
 INTERVAL 30 REL ALT 3000
 ENROUTE ALT 5.5 RETURN ALT 4.5 TARGET AIRSPEED 450
 ORDNANCE 12 224 EXPENDED all JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 95% 90% ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED Am CAL OPERATION Geneva Park
 (LEAVE BLANK)
 ENROUTE WX 07

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Good old for ref.
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—
—

DEBRIEFER Brush TIME 1420 DA 8 Jun 67
 SQUADRON 211 CALL SIGN AB019 MSN # 6019 FLT CODE 152
 T/O 1238 LAND 1355 TOTAL TIME 2.6

PILOTS	A/C	DASC	TIME
<u>Brush</u>	<u>23</u>	<u>Vic Squad</u>	<u>1241</u>
<u>Ellas</u>	<u>24</u>	CONTROLLER <u>Birmingham</u>	TIME <u>1300</u>
		TYPE CONTROLLER <u>ASRT #8</u>	
		TYPE MISSION <u>TPQ</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1310/1323</u>	<u>Known Enemy Location</u>	<u>YD204015</u>	<u>2</u>
	<u>EC</u>		

TGT TERRAIN Mtns TGT WX 4.20 VISIBILITY 7
 REL ANGLE — PASSES 2 INTERVAL — MIN ALT 18.19
 ENROUTE ALT 12.5 RETURN ALT 19.5 TARGET AIRSPEED 290
 ORDNANCE 12D2Y EXPENDED 1102Y JETTISONED —
 ORDNANCE/RTB 102Y DUDS (SEE NOTE #1) —
 BDA — % — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 101st Airborne OPERATION Arade Snow
 ENROUTE WX DUU (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—
—

DEBRIEFER AO TIME 1510 DATE 8 June 1969
 SQUADRON 211 CALL SIGN HB 463 MSN # 6463 FLT CODE LS2
 T/O 1405 LAND 1451 TOTAL TIME 1.6

PILOTS

A/C

Oseguera CF 6
Sager CF 17

DASC DANANG TIME 1410
 CONTROLLER CONDOR TIME 1412
 TYPE CONTROLLER TAG TACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1420-33</u>	<u>Enemy Position</u>	<u>AT 9843</u>	<u>RVN 3</u>
	<u>EC</u>	<u>AT 980430</u>	

TGT TERRAIN MTS TGT WX 0 VISIBILITY 10
 REL ANGLE 20 PASSES 8 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 8.5 RETURN ALT 9.5 TARGET AIRSPEED 450
 ORDNANCE 802A-40-9 0-20 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 90% 90 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1st Recon OPERATION —
 ENROUTE WX 100 0 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: GOOD ORD. FOR MISSION - 300 meters
from Friendlies
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER MCL TIME 1700 DATE 8 June 69
 SQUADRON 211 CALL SIGN M25 MSN # 0959 FLT CODE 152
 T/O 1505 LAND 1620 TOTAL TIME 26

PILOTS

A/C

Brostrand CF 07
Huggins 11

DASC Hillsboro TIME 1525
 CONTROLLER NAL 24 TIME 1535
 TYPE CONTROLLER TACA
 TYPE MISSION S.T.

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1545-48</u>	<u>TP</u>	<u>X0434475</u>	<u>LAOS C</u>
	<u>TP</u>	<u>1642-10621</u>	

TGT TERRAIN Hilly TGT WX 140 @ VISIBILITY 10
 REL ANGLE 45° PASSES 2 INTERVAL 15 MIN ALT 6000
 REL ALT 8500
 ENROUTE ALT 20.5 RETURN ALT 21.5 TARGET AIRSPEED 450
 ORDNANCE 12/024 EXPENDED All JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA — % — % ADDITIONAL 100% in tgt area
No further

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 7th A.F. OPERATION —
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: diverted from primary tgt due to wx
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER MOZ TIME 1510 DATE 8 JUNE 69
 SQUADRON 211 CALL SIGN M 23 MSN # 0949 FLT CODE 152
 T/O 1322 LAND 1452 TOTAL TIME 3.0

PILOTS

A/C

WARREN CF 28 DASC Hillbemo TIME 1345
BEYMER 21 CONTROLLER Misty 41 TIME 1350
 TYPE CONTROLLER TACT
 TYPE MISSION ST

TOT	DESCRIPTION	COORDINATES	PROVINCE
1400-410	Truck	XD 395425	LAOS F
	mv	1640 10618	

TGT TERRAIN Mts TGT WX 0 VISIBILITY 7
 REL ANGLE 30° PASSES 6 INTERVAL 30 MIN ALT 3000
 REL ALT 4500
 ENROUTE ALT 12.5 RETURN ALT 17.5 TARGET AIRSPEED 450
 ORDNANCE 12/024 EXPENDED AN JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE #1) -
 BDA 100% 100% ADDITIONAL no further

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 9th A.F. OPERATION _____
 (LEAVE BLANK)
 ENROUTE WX 1300

(A) HOSTILE FIRE	<u>YES</u>	<u>NO</u>	FILE FORM WITH BARREL
(B) AIRBURST	<u>YES</u>	<u>NO</u>	FILE FORM WITH BARREL
(C) A/C HIT	<u>YES</u>	<u>NO</u>	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	<u>YES</u>	<u>NO</u>	CIRCLE ONE/COORD
(E) BDA REPORTED	<u>YES</u>	<u>NO</u>	IF ADDITIONAL CIRCLE
(F) ABORT	<u>YES</u>	<u>NO</u>	A/C MALFUNCTION/NO DROP
(G) DIVERT	<u>YES</u>	<u>NO</u>	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER MA BEYMER TIME 0900 DATE 9 JUNE 69
 SQUADRON 211 CALL SIGN 152 MSN # 6152 FLT CODE 152
 T/O 0843 LAND 0848 TOTAL TIME 2.2

PILOTS A/C
DICKERSON 3 DASC HELIX TIME
BEYMER 5 CONTROLLER HELIX 25 TIME 0810
 TYPE CONTROLLER FAC (CA) TACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0920-29</u>	<u>BUNKERS</u> <u>BE</u>	<u>BS 686916</u>	<u>4</u>

TGT TERRAIN FLAT TGT WX 0 VISIBILITY 10+
 REL ANGLE 30° PASSES 6 INTERVAL 30 sec MIN ALT 1800
 ENROUTE ALT 14500 RETURN ALT 9500 TARGET AIRSPEED 450
 ORDNANCE 4D2 4D3 EXPENDED A11 JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 90 % 50 % ADDITIONAL 2 STRUCTURES Dist

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED American OPERATION Memna Park
 (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS RIGHT ORDNANCE

DEBRIEFER PBW TIME 0645 DATE 9 June 1969
 SQUADRON 211 CALL SIGN HBO42 MSN # 6042 FLT CODE 152
 T/O 1740 LAND 1840 TOTAL TIME 2.0

PILOTS A/C
W. Rich 0612 DASC Helix TIME 0742
River 06 CONTROLLER Bill 03 TIME 1745
 TYPE CONTROLLER LACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1815/1825</u>	<u>Bunker</u> <u>BF</u>	<u>BT 206124</u>	<u>Laos</u>

TGT TERRAIN Hilly TGT WX 200 VISIBILITY 107
 REL ANGLE 30 PASSES 6 INTERVAL 3 MIN ALT 1500
 ENROUTE ALT 105 RETURN ALT 11.5 TARGET AIRSPEED 450
 ORDNANCE 12 DUW/4 EXPENDED all JETTISONED No
 ORDNANCE/RTB No DUDS (SEE NOTE #1)
 BDA 100% 100% ADDITIONAL 2 Bunker Destroyers

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 1st 101st AB OPERATION Lamar Plain
 (LEAVE BLANK)
 ENROUTE WX

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) A/C HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES NO	GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON

RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER TIME 0955 D. 9 June 68
 SQUADRON 211 CALL SIGN HB 450 MSN # 6450 FLT CODE 152
 T/O 0750 LAND 0940 TOTAL TIME 3.6

PILOTS A/C
Graham CF 12
Wetman 20
 DASC Danang TIME 0855
 CONTROLLER Rumchee TIME 0857
 TYPE CONTROLLER TACA
 TYPE MISSION CAS LZP

TOT DESCRIPTION COORDINATES PROVINCE
0900-15 LZ Prep BT 063534 3

TGT TERRAIN Flat TGT WX 500 VISIBILITY 10
 REL ANGLE 20° PASSES 6 INTERVAL 30 sec MIN ALT 600
 ENROUTE ALT 165 RETURN ALT 9.5 TARGET AIRSPEED 450
 ORDNANCE 8D2A/409 EXPENDED all JETTISONED —
 ORDNANCE/RTB none DUDS (SEE NOTE #1)
 BDA 100% 100% ADDITIONAL 3 Bunkers destroyed
2 Secondary Fires.

SECONDARY EXPLOSIONS None NUMBER SIZE
 UNIT SUPPORTED 2nd ROK OPERATION Victory Dragon
 (LEAVE BLANK)
 ENROUTE WX

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 (B) AIRBURST YES NO FILE FORM WITH BARREL
 (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
 (F) ABORT YES NO A/C MALFUNCTION/NO DROP
 (G) DIVERT YES NO GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED None TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS High dive could
have been utilized. Troops were
1000 meters away.

DECLASSIFIED

DEBRIEFER COURTNEY TIME 1900 D. 9 JUN 69
 SQUADRON 211 CALL SIGN 566 MSN # 6566 FLT CODE 152
 T/O 1712 LAND 1830 TOTAL TIME 2.6

PILOTS

A/C

NORDECC 20
COURTNEY 7

DASC VANDY TIME 1730
 CONTROLLER WANDER TIME 1734
 TYPE CONTROLLER A/B FAC 72CA
 TYPE MISSION CAS

TOT

DESCRIPTION

COORDINATES

PROVINCE

1740 WEMY POSIT 10 028636 IL
1755 EC

TGT TERRAIN Mountain TGT WX CLEAR VISIBILITY 60 mi
 REL ANGLE 20 PASSES 8 INTERVAL 30 MIN ALT 600
 REL ALT 1050
 ENROUTE ALT 16500 RETURN ALT 15000 TARGET AIRSPEED 150
 ORDNANCE 802A/409 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 80% 100% ADDITIONAL SECONDARY

SECONDARY EXPLOSIONS 1 SECOND NUMBER 1 SIZE UNKNOWN
 UNIT SUPPORTED 2 AND 3000 M. O. OPERATION Virginia Ridge
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS:

Good PRO FOR A/C
FRUITS 200 METERS

NOTE #1: DUD REPORT LOCATION

REASON

RECOVERABLE

FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED

TIME

HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DECLASSIFIED

DECLASSIFIED

DEBRIEFER Ruth Jones TIME 1810 DATE 9 June
 SQUADRON 211 CALL SIGN 020 MSN # 6020 FLT CODE 102
 T/O 1705 LAND 1805 TOTAL TIME 20

PILOTS		A/C		
<u>Wintersford</u>		<u>11</u>	DASC <u>Janor</u>	TIME <u>1710</u>
<u>Beem</u>		<u>21</u>	CONTROLLER <u>SW 97-10</u>	TIME <u>1730</u>
			TYPE CONTROLLER <u>TGA</u>	
			TYPE MISSION <u>BOB</u>	<u>OAS</u>

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1735/40</u>	<u>en TRANS. ROUTE</u>	<u>XD 721368</u>	<u>SR</u>
	<u>RD</u>		

TGT TERRAIN Hilly TGT WX 3000 VISIBILITY UNO 9+
 REL ANGLE 10 PASSES 2 INTERVAL 3 sec MIN ALT 600
 ENROUTE ALT 16.5 RETURN ALT 15.5 TARGET AIRSPEED 450
 ORDNANCE 12 D2QA EXPENDED 423 JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA 100 % 100 % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 3rd PI. D. OPERATION Commando Falls
 (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DECLASSIFIED

DEBRIEFER Brooks TIME 1415 DATE 9 May 69
 SQUADRON 211 CALL SIGN HB 458 MSN # 6458 FLT CODE 152
 T/O 1150 LAND 1400 TOTAL TIME 24.4

PILOTS A/C
Brooks CF 11
Reymen 12
 DASC VANDY TIME 1315
 CONTROLLER SW 98-12 TIME 1320
 TYPE CONTROLLER TACA
 TYPE MISSION car/cas

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1325</u>	<u>SO CAL SITE</u>	<u>XD 857669</u>	<u>I I</u>
<u>1335</u>	<u>AA</u>		

TGT TERRAIN Hilly TGT WX 20 @ VISIBILITY 10+
 REL ANGLE 10° PASSES 8 INTERVAL 30sec MIN ALT 600'
 ENROUTE ALT 20.5 RETURN ALT 15.5 TARGET AIRSPEED 450
 ORDNANCE 4D9 8 D2A EXPENDED ALL JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE # 1) -
 BDA 100 % 100 % ADDITIONAL NONE

SECONDARY EXPLOSIONS - NUMBER - SIZE -
 UNIT SUPPORTED 4th MAR 300 ft. D. OPERATION Herkinor MT
 (LEAVE BLANK)
 ENROUTE WX 1500

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -
 RECOVERABLE - FUZE (DELAY/ARM DELAY) -

NOTE #2: ECM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS Right ord for TGT, 20 @
would not permit anything steeper than 10°
Laurel's 800 meter

DEBRIEFER Redmund TIME 0330 D. 9 June 69
 SQUADRON 211 CALL SIGN HB 557 MSN # 6557 FLT CODE 352
 T/O 0215 LAND 0315 TOTAL TIME 2.0

PILOTS A/C
LT COL RUTHERFORD CF 6 DASC RED DANN TIME 0220
LT BROSTRAND CF 8 CONTROLLER HOST V TIME 0225
 TYPE CONTROLLER TACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0250-0301</u>	<u>ENEMY POSIT</u>	<u>AT 985550</u>	<u>3</u>
	<u>EC</u>		

TGT TERRAIN HILLY TGT WX 0 VISIBILITY 10
 REL ANGLE 30° PASSES 4 INTERVAL 60 MIN ALT 1500'
 ENROUTE ALT 8.5 RETURN ALT 7.5 TARGET AIRSPEED 450
 ORDNANCE 8DIY/4D7/4D22 EXPENDED 8DIY JETTISONED 4D7/2022
 ORDNANCE/RTB 2022 DUDS (SEE NOTE #1) —
 BDA 90 % 90 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED UNKNOWN 1ST M.D. OPERATION —
 ENROUTE WX 0 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: -2 NO DROP - JETTISONED TER'S AND FLARES
(REFERENCE NOTE #3)
DUE TO RT TER TWISTING IN FLT - POINTING OUT
AT 2:00 - ONE LUG UNDONE. ~~WER~~

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS We didn't drop the D-7's but they
would have been the wrong ordnance for the Tgt
should have been aircraft labeled with D 7's or D 2's
Friendlies were 600 miles

DEBRIEFER MCL TIME 1650 DATE 9 June 69
 SQUADRON 24 CALL SIGN M 25 MSN # 0958 FLT CODE 151
 T/O 1510 LAND 1625 TOTAL TIME 26

PILOTS

A/C

Edwards 06 DASC Hillsboro TIME 1525
Rivers 22 CONTROLLER NAC 152 TIME 1540
 TYPE CONTROLLER ASRT (An-104)
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1600-05</u>	<u>NVA POS</u>	<u>AT 954372</u>	<u>3</u>
	<u>EC</u>		

TGT TERRAIN MTS TGT WX 0 VISIBILITY 10
 REL. ANGLE Level PASSES 1 INTERVAL — MIN ALT 14000
 ENROUTE ALT 18.5 RETURN ALT 7.5 TARGET AIRSPEED 290

ORDNANCE 12024 EXPENDED — REMAINDER —

ORDNANCE/RTE — DUDS (SEE NOTE #1) —

BDA UNK % — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 5th MARINES 1ST BN OPERATION — (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	<u>MCL</u>	YES	<u>NO</u>	FILE FORM WITH BARREL
(B) AIRBURST	<u>1655</u>	YES	<u>NO</u>	FILE FORM WITH BARREL
(C) A/C HIT	<u>WRECK</u>	YES	<u>NO</u>	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT		YES	<u>NO</u>	CIRCLE ONE/COORD
(E) BDA REPORTED		YES	<u>NO</u>	IF ADDITIONAL CIRCLE
(F) ABORT		YES	<u>NO</u>	A/C MALFUNCTION/NO INFO
(G) DIVERT		<u>YES</u>	<u>NO</u>	GIVE REASON BELOW

REMARKS: Diverted in-country - wingman lost
radio over tgt (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER 100 TIME 0930 DA 9 June 69
 SQUADRON 211 CALL SIGN H0554 MSN # 6554 FLT CODE 152
 T/O 0830 LAND 0935 TOTAL TIME 2.2

PILOTS A/C
Oseguera 15 DASC DNG TIME 0840
Sadger 10 CONTROLLER Hostage Inter TIME 0900
 TYPE CONTROLLER TACA
 TYPE MISSION OAS

TOT DESCRIPTION COORDINATES PROVINCE
0905 Fortified Villa Bunker BT 007548 RVA
0915 Tree line BT 036546 RVA

TGT TERRAIN level TGT WX 0 VISIBILITY 50
 REL ANGLE 30° PASSES 8 INTERVAL 30 MIN ALT 1500
 REL ALT 3000

ENROUTE ALT 20.5 RETURN ALT 13.5 TARGET AIRSPEED 450

ORDNANCE 12 D2X EXPENDED all JETTISONED —

ORDNANCE/RTB — DUDS (SEE NOTE # 1) —

BDA 90% 90% ADDITIONAL 2³ bunkers Destroyed
1 bunker destroyed 1 small Secondary

SECONDARY EXPLOSIONS Yes NUMBER 1 SIZE small (5 meters)

UNIT SUPPORTED 1st MAR DIV OPERATION Pipestone Canyon
 (LEAVE BLANK)

ENROUTE WX 0

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Good Ord. for Target
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS Good Ord. for Target
300-500 meters from perimeter

DEBRIEFER MAJ CCKERSON TIME 1320 D. 9 JUN 69
 SQUADRON 211 CALL SIGN HB 154 MSN # 6154 FLT CODE 152
 T/O 1212 LAND 1306 TOTAL TIME 1.8

PILOTS	A/C	DASC	TIME
<u>DICKERSON</u>	<u>CF 15</u>	<u>BILKE</u>	<u>1215</u>
<u>WELLMAN</u>	<u>CF 5</u>	CONTROLLER <u>BILKE 33</u>	TIME <u>1220</u>
		TYPE CONTROLLER <u>TACA</u>	
		TYPE MISSION <u>DAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1230/42</u>	<u>SUS BN LOCATION</u>	<u>YC 296 917</u>	<u>RR/I</u>
	<u>EC</u>		

TGT TERRAIN MOUNTAINS TGT WX 200 VISIBILITY 15
 REL ANGLE 30° PASSES 6 INTERVAL 30 sec MIN ALT 1500 AGL
 ENROUTE ALT 18.5 RETURN ALT 21.5 TARGET AIRSPEED 480
 ORDNANCE 402 403 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 70 % 70 % ADDITIONAL 1 BUNKER DUT

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 101st A.B OPERATION Roache Snow
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES	☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☒ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☒ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	☒ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	☒ NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	☒ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	☒ NO	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—
—

DEBRIEFER 211 TIME 1445 DATE 2 June 69
 SQUADRON 211 CALL SIGN 115022 MSN # 6022 FLT CODE 182
 T/O 1235 LAND 1135 TOTAL TIME 2.0

PILOTS	A/C	DASC	TIME
<u>McAuliffe</u>	<u>21</u>	<u>Bulk</u>	<u>1050</u>
<u>Richter</u>	<u>17</u>	CONTROLLER <u>Bulk 33</u>	TIME <u>1052</u>
		TYPE CONTROLLER <u>7714</u>	
		TYPE MISSION <u>APB LRP</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1055/1110</u>	<u>12 prep</u>	<u>YD 371025</u>	<u>ROBI</u>

TGT TERRAIN MTS. TGT WX 80 @ 1500 VISIBILITY 6000
 REL ANGLE 30° PASSES 2 INTERVAL 30-3 MIN ALT 15000'
 ENROUTE ALT 16.5 RETURN ALT 19.5 TARGET AIRSPEED 460 KTS.
 ORDNANCE 405 402 EXPENDED all JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE # 1)
 BDA 70 % 80 % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 3rd Bn. 101st AB. OPERATION Pinch Point
 ENROUTE WX (LEAVE BLANK)

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) A/C HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES NO	GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIETER MCL TIME 1520 DATE 9 June 69
 SQUADRON 24 CALL SIGN M24 MCN # 0952 FLT CODE 152
 T/A 1405 LAID 1500 TOTAL TIME 1.8

PILOTS

A/C

DANE CF 21 DASC Hillsboro TIME 1415
WOOD 17 CONTROLLER Covey 215 TIME 1420
 TYPE CONTROLLER TAC
 TYPE MISSION ST

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1425-35</u>	<u>Storage Area</u>	<u>XC934147</u>	<u>LAGS</u>
	<u>Transshipment Point</u>	<u>1530 10648</u>	
		<u>10648</u>	

TGT TERRAIN Hilly TGT WX 800 VISIBILITY 10+
 REL. ANGLE 30° PASSES 6 INTERVAL 30 MIN ALT 3000
 ENROUTE ALT 16.5 RETURN ALT 21.5 TARGET AIRSPEED 450
 ORDNANCE 12/024 EXPENDED AN TRILLIONED -
 ORDNANCE/RTB - DUDS (SEE NOTE #1) -
 BDA 150 % 100 % ADDITIONAL no further

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 7th AF OPERATION _____
 (LEAVE BLANK!)

ENROUTE WX _____

(A) HOSTILE FIRE	<u>YES</u>	<u>NO</u>	FILE FORM WITH BARREL
(B) AIRBURST	<u>YES</u>	<u>NO</u>	FILE FORM WITH BARREL
(C) A/C HIT	<u>YES</u>	<u>NO</u>	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	<u>YES</u>	<u>NO</u>	CIRCLE CNE/COORD
(E) BDA REPORTED	<u>YES</u>	<u>NO</u>	IF ADDITIONAL CIRCLE
(F) ABORT	<u>YES</u>	<u>NO</u>	A/C MALFUNCTION/NO DROT
(G) DIVERT	<u>YES</u>	<u>NO</u>	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER COTNEY TIME 1230 D. 9 June 68
 SQUADRON 211 CALL SIGN MAN 22 MSN # 0938 FLT CODE 132
 T/O 1130 LAND 1237 TOTAL TIME 2.2

PILOTS

A/C

Col Graham G
Col Cotney 22

DASC Line BEO TIME 1155
 CONTROLLER Col Cotney 1200
 TYPE CONTROLLER A/B TRCA
 TYPE MISSION 5012

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1204</u>	<u>SUPPLY DUMP</u>	<u>XC 032065</u>	<u>LAOS</u>
<u>1207</u>	<u>SP</u>	<u>1523 10626</u>	

TGT TERRAIN Mount TGT WX 2.00 VISIBILITY 2 mi
 REL ANGLE 45 PASSES 2 INTERVAL 30 MIN ALT 8000
 REL ALT 12000
 ENROUTE ALT 22500 RETURN ALT 21500 TARGET AIRSPEED 450
 ORDNANCE 1200 W EXPENDED ALL JETTISONED ALL
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100% 50 METERS ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 7th A.E. TIGAR OPERATION —

ENROUTE WX OVERCAST 20000 (LEAVE BLANK)

(A) HOSTILE FIRE NO YES ☐ NO ☐ FILE FORM WITH BARREL
 (B) AIRBURST NO YES ☐ NO ☐ FILE FORM WITH BARREL
 (C) A/C HIT NO YES ☐ NO ☐ FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT NO YES ☐ NO ☐ CIRCLE ONE/COORD
 (E) BDA REPORTED NO YES ☐ NO ☐ IF ADDITIONAL CIRCLE
 (F) ABORT NO YES ☐ NO ☐ A/C MALFUNCTION/NO DROP
 (G) DIVERT NO YES ☐ NO ☐ GIVE REASON BELOW

REMARKS: STEEL TIGAR
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS STEEL TIGAR

DEBRIEFER HUTSON TIME 0930 D. 9 JUNE 69
 SQUADRON 211 CALL SIGN 012 MSN # 6012 FLT CODE 152
 T/O 0815 LAND 0900 / 0930 TOTAL TIME 2.0

PILOTS A/C
TOETICHER CF 24 DASC HELIX TIME 0825
HUTSON 07 CONTROLLER HELIX 31 TIME 0830
 TYPE CONTROLLER TACA
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
0840-47 BS 787232 ↔ SUSPECTED ENEMY POSIT 5
EC

TGT TERRAIN Hilly TGT WX 07 VISIBILITY 7
 REL ANGLE 20 PASSES 6 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 12.5 RETURN ALT 6.5 TARGET AIRSPEED 450
 ORDNANCE ED2A 409 EXPENDED 402A 209 JETTISONED NONE
 ORDNANCE/RTB 402A 209 DUDS (SEE NOTE # 1) NONE
 BDA 100 % 25 % ADDITIONAL NO FURTHER
#2 DID NOT DROP

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED Armical OPERATION Iron MT.
 (LEAVE BLANK)
 ENROUTE WX 130 0 7

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD _____
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE _____
(F) ABORT	YES ☐ NO ☒	A/C MALFUNCTION/NO DROP _____
(G) DIVERT	YES ☐ NO ☐	GIVE REASON BELOW _____

REMARKS: #2 UNABLE TO DROP ANY ORDNANCE - AWAITING
CAUSE
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER B. [redacted] TIME 1815 D. 9 June
 SQUADRON 271 CALL SIGN HB596 MSN # 6596 FLT CODE 152
 T/O 16010 LAND 1805 TOTAL TIME 2 3.8

PILOTS A/C
BROSTRAND CF 5
ELAS 15
 DASC VICE SQD TIME 1615
 CONTROLLER HELIX 37 TIME 1728
 TYPE CONTROLLER TALP
 TYPE MISSION LAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1740-50</u>	<u>SUS MORTARS</u>	<u>B5 783345</u>	<u>5</u>
	<u>EL</u>		

TGT TERRAIN HILLY TGT WX 0 VISIBILITY 10
 REL ANGLE 30° PASSES 6 INTERVAL 307 MIN ALT 1500'
 ENROUTE ALT 18.5 RETURN ALT 15.5 TARGET AIRSPEED 450
 ORDNANCE 602Y/207/408 EXPENDED 602Y/207 JETTISONED —
 ORDNANCE/RTB 408 DUDS (SEE NOTE #1) —
 BDA 100 % 70 % ADDITIONAL 2 503R MORTARS DESTROYED

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED AMERICAN OPERATION Iron MT.
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	<u>YES</u>	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER Rutherford TIME 0705 DATE 10 JUNE 69
 SQUADRON 211 CALL SIGN 018 MSN # 6018 FLT CODE 152
 T/O 0630 LAND 0700 TOTAL TIME 10

PILOTS A/C
RUTHERFORD 5 DASC VICESQUAD TIME 0635
BIRCHER 23 CONTROLLER --- TIME ---
 TYPE CONTROLLER ---
 TYPE MISSION ---

TOT DESCRIPTION COORDINATES PROVINCE
NA
NO DROP

TGT TERRAIN --- TGT WX --- VISIBILITY ---
 REL ANGLE --- PASSES --- INTERVAL --- MIN ALT ---
 REL ALT ---
 ENROUTE ALT 14.5 RETURN ALT 15.2 TARGET AIRSPEED ---
 ORDNANCE 802A 409 EXPENDED --- JETTISONED ---
 ORDNANCE/RTB ALL DUDS (SEE NOTE # 1) ---
 BDA --- % --- % ADDITIONAL ---

SECONDARY EXPLOSIONS --- NUMBER NA SIZE ---
 UNIT SUPPORTED --- OPERATION ---
 (LEAVE BLANK)
 ENROUTE WX ---

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 (B) AIRBURST YES NO FILE FORM WITH BARREL
 (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
 (F) ABORT YES NO A/C MALFUNCTION/NO DROP
 (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: LEADER (CF 5) COULD NOT GET GEAR UP HAD TO
ABORT AFTER 30 MINUTES OF TRYING
A/c Malfunction

NOTE #1: DUD REPORT LOCATION --- REASON ---
 RECOVERABLE --- FUZE (DELAY/ARM DELAY) ---

NOTE #2: ECM ENCOUNTERED --- TIME --- HOW DIRECTED ---

NOTE #3: ORDNANCE EFFECTIVENESS ---

DEBRIEFER MCL TIME 1455 DATE 10 June 69SQUADRON 211 CALL SIGN M-24 MSN # 0949 FLT CODE 152T/O 1313 LAND 1410 TOTAL TIME 30

PILOTS

A/C

<u>Longini</u>	<u>CE 12</u>	DASC <u>Hillsboro</u>	TIME <u>1320</u>
<u>Besmer</u>	<u>17</u>	CONTROLLER <u>Covey 225</u>	TIME <u>1325</u>
<u>Richards</u>	<u>20</u>	TYPE CONTROLLER <u>TACA</u>	
		TYPE MISSION <u>S.T.</u>	

TOT

DESCRIPTION

COORDINATES

PROVINCE

1334-44 Storage Area XB187987 LAOS
1522 10606

TGT TERRAIN M TGT WX 2000 VISIBILITY 7REF. ANGLE 45° PASSES 6 INTERVAL 45 MIN ALT 3500ENROUTE ALT 20.5 RETURN ALT 21.5 TARGET AIRSPEED 450ORDNANCE 18/020/4 EXTENDED M TRILLIONED —ORDNANCE/RTB — DUDS (SEE NOTE #3) —BDA — % — % ADDITIONAL 15090 n ft - no betterSECONDARY EXPLOSIONS — NUMBER — SIZE —UNIT SUPPORTED 7th A.F. OPERATION (LEAVE BLANK!)ENROUTE WX —

(A) HOSTILE FIRE	<u>YES</u>	<u>NO</u>	FILE FORM WITH BARREL
(B) AIRBURST	<u>YES</u>	<u>NO</u>	FILE FORM WITH BARREL
(C) A/C HIT	<u>YES</u>	<u>NO</u>	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	<u>YES</u>	<u>NO</u>	CIRCLE ONE/COORD
(E) BDA REPORTED	<u>YES</u>	<u>NO</u>	1. ADDITIONAL CIRCLE
(F) ABORT	<u>YES</u>	<u>NO</u>	A/C MALFUNCTION/NO DROP
(G) DIVERT	<u>YES</u>	<u>NO</u>	GIVE REASON BELOW

REMARKS: —

REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —RECOVERABLE — FUZE (DELAY/ARM DELAY) —NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER 09 TIME 0930 DATE 10 June 69
 SQUADRON 211 CALL SIGN HB 013 MSN # 6013 FLT CODE 152
 T/O 0705 LAND 0810 TOTAL TIME 2.2

PILOTS A/C
BROSTRAND CE 17
BEEM CE 12
 DASC HEIX TIME 0710
 CONTROLLER HEIX 17 TIME 0720
 TYPE CONTROLLER TAA
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
0745-52 Susp Enen. Pos B8 722254 IV 5
EC

TGT TERRAIN Hilly TGT WX 1000 VISIBILITY 10
 REL ANGLE 30/20 PASSES 3 INTERVAL 30 SCL MIN ALT 1800
 ENROUTE ALT 11.5 RETURN ALT 8.5 TARGET AIRSPEED 450
 ORDNANCE #D3YDC 400VX EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 60 % ADDITIONAL No Further

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED American OPERATION Iron Mt.
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Fires 800 meters.
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER W2 TIME 1940 DATE 10 JUN 69
 SQUADRON 211 CALL SIGN HB MSN # 6529 FLT CODE 132
 T/O 1844 LAND 1920 TOTAL TIME .6

PILOTS A/C
NORDEEL CF 07 DASC CHU LAI #44 TIME
 CONTROLLED ASBAT TIME 1850
 TYPE CONTROLLER ASBAT
 TYPE MISSION TPQ

TOT DESCRIPTION COORDINATES PROVINCE
1900 ROCKET POSITION BS 463989 RVN/I/IV
EL

TGT TERRAIN MTS TGT WX Q VISIBILITY 95
 REL ANGLE Level PASSES 1 INTERVAL — MIN ALT 14.5
 REL ALT 14.5
 ENROUTE ALT 14.5 RETURN ALT 14.5 TARGET AIRSPEED 290
 ORDNANCE 602WY EXPENDED ALL JETTISONED —
 ORDNANCE/RTB NONE DUDS (SEE NOTE #1) NO
 BDA TPQ % — ADDITIONAL Blank

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED AMERICAL OPERATION Demna Park
 (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER FIL TIME 1845 DA 10 JUN 69
 SQUADRON 211 CALL SIGN HB 525 MSN # 6525 FLT CODE 152
 T/O 1753 LAND 1827 TOTAL TIME .6

PILOTS A/C
FILAS CF 12 DASC DA NANG TIME 1755
 CONTROLLER CAULAN ASRT TIME 1800
 TYPE CONTROLLER ASRT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1810</u>	<u>RKT Pos</u>	<u>BS 460950</u>	<u>RUN 1/1</u>
	<u>BL</u>		

TGT TERRAIN Hilly TGT WX 0 VISIBILITY 8
 MIN ALT 14.5
 REL ANGLE 0 PASSES 1 INTERVAL 1 REL ALT 14.5
 ENROUTE ALT 14.5 RETURN ALT 11.5 TARGET AIRSPEED 290 IAS
 ORDNANCE 602W/4 EXPENDED All JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA Unk % ? ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED American OPERATION Stimulus Pkts
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—
—
—

DEBRIEFER Reed TIME 1725 DA 10 June 69
 SQUADRON 211 CALL SIGN 48577 MSN # 6597 FLT CODE 152
 T/O 1625 LAND 1700 CF 23 TOTAL TIME 1.4
 1625 1720 CF 06
 PILOTS A/C
Reed CF 23 DASC Vices 7 TIME 1630
Wood CF 06 CONTROLLER TIME
 TYPE CONTROLLER
 TYPE MISSION

TOT	DESCRIPTION	COORDINATES	PROVINCE

No Drop

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 ENROUTE ALT 16500 RETURN ALT 15.3 TARGET AIRSPEED _____
 ORDNANCE 602 207 408 EXPENDED _____ JETTISONED 602 207
 ORDNANCE/RTB 408 DUDS (SEE NOTE # 1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____
 (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: CAP HOP WAS ADDED AFTER TO WHEN LEAD A/C
Lost ALL STATIC INSTRUMENTS. (REFERENCE NOTE #3) A/C Malfunction
(EL)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER PYTKO TIME 1810 DATE 10 JUN 69
 SQUADRON 211 CALL SIGN HBO21 MSN # 6021 FLT CODE 182
 T/O 1705 LAND 1800 TOTAL TIME 20

PILOTS

A/C

PYTKO CF-8
HOTSON CF-30

DASC BILK TIME 1715
 CONTROLLER BILK-23 TIME 1725-35
 TYPE CONTROLLER AB FAE TAC
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1725-35</u>	<u>BUNKERS-BASE CAMP</u> <u>EC</u>	<u>2C 165935</u>	<u>IC/RVM</u>

TGT TERRAIN MTN TGT WX 2.9 VISIBILITY 7+
 REL ANGLE 30° PASSES 8 INTERVAL 30 MIN ALT 3500
 REL ALT 5000
 ENROUTE ALT 165 RETURN ALT 17.5 TARGET AIRSPEED 450
 ORDNANCE 8 DAY 4D-7 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100% 75% ADDITIONAL 3 HOOTCHES & 3 BUNKERS
DESTROYED

SECONDARY EXPLOSIONS NONE NUMBER SIZE
 UNIT SUPPORTED 24 BRIG, 101st AB OPERATION Kentucky Mountain
 ENROUTE WX 10/10 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: ORDNANCE OK FOR TARGET ART
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON

RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER WOOD TIME 1500 DA
 SQUADRON 211 CALL SIGN H8023 MSN # 6023 FLT CODE 152
 T/O 1355 LAND 1455 TOTAL TIME 2.0

PILOTS A/C
REED CE 05 DASC AUGER TIME 1410
WOOD CE 07 CONTROLLER BICK23 TIME 1413
 TYPE CONTROLLER TACA
 TYPE MISSION DAS

TOT DESCRIPTION COORDINATES PROVINCE
1415-30 HOOTCHES BUNKER 2C 033934 2
BL

TGT TERRAIN MT TGT WX 0 VISIBILITY 15+
 REL ANGLE 300 PASSES 8 INTERVAL 300 MIN ALT 2000
 ENROUTE ALT 16.5 RETURN ALT 17.5 TARGET AIRSPEED 450
 ORDNANCE 12D24 EXPENDED All JETTISONED —

ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100% 75% ADDITIONAL 2 BUNKER DEST
1 HOOTCH DEST. 2 BUNKERS UNCOVERED

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 2ND BRW 101ST A.B OPERATION Kontachay Shaper
 (LEAVE BLANK)

(A) HOSTILE FIRE YES ☒ NO ☐ FILE FORM WITH BARREL
 (B) AIRBURST YES ☒ NO ☐ FILE FORM WITH BARREL
 (C) A/C HIT YES ☒ NO ☐ FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES ☒ NO ☐ CIRCLE ONE/COORD
 (E) BDA REPORTED YES ☒ NO ☐ IF ADDITIONAL CIRCLE
 (F) ABORT YES ☒ NO ☐ A/C MALFUNCTION/NO DROP
 (G) DIVERT YES ☒ NO ☐ GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS GOOD

DECLASSIFIED

DEBRIEFER W TIME 1355 DATE 10 June 69
 SQUADRON 211 CALL SIGN HP459 MSN # 6459 FLT CODE 152
 T/O 1210 LAND 1340 TOTAL TIME 3.0

PILOTS Brush A/C CF 11 DASC Vice Squad TIME 1215
Wellman 22 CONTROLLER None TIME
 TYPE CONTROLLER TPC/AC
 TYPE MISSION CAP

TOT DESCRIPTION COORDINATES PROVINCE

No Drop

TGT TERRAIN — TGT WX — VISIBILITY —
 REL ANGLE — PASSES — INTERVAL — MIN ALT —
 REL ALT —
 ENROUTE ALT 245 RETURN ALT 135 TARGET AIRSPEED —
 ORDNANCE 802A/409 EXPENDED None JETTISONED 409
 ORDNANCE/RTB 802A DUDS (SEE NOTE # 1) None
 BDA None & ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED — OPERATION —
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE YES NO NO FILE FORM WITH BARREL
 (B) AIRBURST YES NO NO FILE FORM WITH BARREL
 (C) A/C HIT YES NO NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES NO NO CIRCLE ONE/COORD —
 (E) BDA REPORTED YES NO NO IF ADDITIONAL CIRCLE —
 (F) ABORT YES NO NO A/C MALFUNCTION/NO DROP
 (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: after 1 hr 15 min #2 a/c lost his
radius (REFERENCE NOTE #3) A/C Malfunction

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DECLASSIFIED

DEBRIEFER MCL TIME 1200 DATE 10 June
 SQUADRON 211 CALL SIGN MAG 22 MEN # 0933 FLT CODE 152
 T/O 1030 LAND 1125 TOTAL TIME 1.8

PILOTS

A/C

HALLIDAY CF 17 DASC HILLSBORO TIME 1040
RIVERS 21 CONTROLLER QUEY 248 TIME 1045
 TYPE CONTROLLER TACA
 TYPE MISSION S.T.

TOT DESCRIPTION COORDINATES PROVINCE
1055 - SUSP TRK PANK / STORAGE AREA XC934147 1022 10652 LAOS
1100 MV 1530 10648

TGT TERRAIN F AGT IN 450 VISIBILITY 7
 REL. ANGLE 45° PASSED 2 INTERVAL 30 MIN ALT 6000
 ENROUTE ALT 20.5 RETURN ALT 21.5 TARGET AIRSPEED 450
 ORDNANCE 121024 EXPIRED ALL DEFERRED
 ORDNANCE/ATE _____ DUDS (SEE NOTE #1) _____
 BDA 100 % 100 % ADDITIONAL none further

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 7th A.F. OPERATION _____ (LEAVE BLANK!)

ENROUTE WX NA

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOP	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVER	YES	NO	GIVE REASON BELOW

REMARKS: _____ (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM/FLAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBR UEFER MCL TIME 1630 DATE 10 June 69SQUADRON 24 CALL SIGN M26 MSN # 0959 FLT CODE 152T/O 1510 LAID 1613 TOTAL TIME 22

PILOTS

A/C

<u>Wyrick</u>	<u>CF 15</u>	DASC <u>Hullbaco</u>	TIME <u>1520</u>
<u>wellman</u>	<u>21</u>	CONTROLLER <u>Coy 275</u>	TIME <u>1525</u>
		TYPE CONTROLLER	<u>TACA</u>
		TYPE MISSION	<u>ST</u>

TOT

DESCRIPTION

COORDINATES

PROVINCE

<u>1540-44</u>	<u>Truck & Storage Area</u>	<u>XE955432</u>	<u>LAOS</u>
	<u>MV</u>	<u>1545 10649</u>	

TGT TERRAIN H TGT WX 800 VISIBILITY 10+REF. ANGLE 45 PASSES 2 INTERVAL 30 MIN ALT 8000ENROUTE ALT 18-5 RETURN ALT 175 TARGET AIRSPEED 450ORDNANCE 12/020/4 EXPENDED AN IF (UNIONED) -ORDNANCE/PTE - DUDS (SEE NOTE #1) -BDA 100 % 100 % ADDITIONAL 1 Secondary explSECONDARY EXPLOSIONS yes NUMBER 1 SIZE yellowUNIT SUPPORTED 7th A.F. OPERATION (LEAVE BLANK)ENROUTE WX -

(A) HOSTILE FIRE	<u>YES</u>	<u>NO</u>	FILE FORM WITH BARREL
(B) AIRBURST	<u>YES</u>	<u>NO</u>	FILE FORM WITH BARREL
(C) A/C HIT	<u>YES</u>	<u>NO</u>	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	<u>YES</u>	<u>NO</u>	CIRCLE ONE/COORD
(E) PDA REPORTED	<u>YES</u>	<u>NO</u>	IF ADDITIONAL CIRCLE
(F) ABORT	<u>YES</u>	<u>NO</u>	A/C MALFUNCTION/NO DROP
(G) DIVERT	<u>YES</u>	<u>NO</u>	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)NOTE #1: D/D REPORT LOCATION - REASON -RECOVERABLE - FUZE (DELAY/ARM DELAY) -NOTE #2: ECM ENCOUNTERED - TIME - HOW DIRECTED -NOTE #3: ORDNANCE EFFECTIVENESS -

DEBRIEFER Edwards TIME 0330 DA 10 June 69
 SQUADRON 211 CALL SIGN HB 570 MSN # 6570 FLT CODE 351
 T/O 0215 LAND 0315 TOTAL TIME 20

PILOTS A/C
DANE 15
Edwards 11
 DASC DNG TIME 0220
 CONTROLLER Hostage TIME 0225
 TYPE CONTROLLER TACA
 TYPE MISSION CAS

TOT 0235/58 DESCRIPTION FORTIFIED V.I. COORDINATES AT884527 PROVINCE 3
VL

TGT TERRAIN Level TGT WX 1100 VISIBILITY 10+
 REL ANGLE 30° PASSES 8 INTERVAL 30 MIN ALT 2000
 ENROUTE ALT 12.5 RETURN ALT 7.5 TARGET AIRSPEED 450
 ORDNANCE 1601Y EXPENDED Acc JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE # 1)
 BDA 80 % 80 % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 5TH MAR 1ST M.D. OPERATION
 ENROUTE WX 0 10+ (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: Good tgt ORD Feinler 2500 netty
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON

RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER X TIME 2110 DA 10 June 69
 SQUADRON 211 CALL SIGN HB537 MSN # 6537 FLT CODE 352
 T/O 1923 LAND 2051 TOTAL TIME 1.5

PILOTS

A/C

Oseguera CF 22

DASC ~~BRADY~~ TIME
 CONTROLLER DANANG TIME 2005
 TYPE CONTROLLER ASRT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2010</u> <u>2015</u>	<u>Troops in Contact</u> <u>TS</u>	<u>BTO37539</u>	<u>RVN</u>

TGT TERRAIN R TGT WX 0 VISIBILITY 15
 REL ANGLE 0 PASSES 1 INTERVAL - MIN ALT 14.1
 ENROUTE ALT 14.1 RETURN ALT 19.5 TARGET AIRSPEED 290
 ORDNANCE 6020/1 EXPENDED all JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE #1) -
 BDA WMD % - ADDITIONAL -

SECONDARY EXPLOSIONS - NUMBER - SIZE -
 UNIT SUPPORTED 1st MGR Reg. OPERATION Pipestone Canyon
 ENROUTE WX 0 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: AN HOA ASRT EQUIPMENT down. Diverted
to DANANG ASRT
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -

RECOVERABLE - FUZE (DELAY/ARM DELAY) -

NOTE #2: ECM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -

DEBRIEFER MCL TIME 1300 DATE 10 June 69SQUADRON 211 CALL SIGN 13559 MSN # 6559 FLT CODE 152T/O 1127 LAND 1233 TOTAL TIME 22

PILOTS

A/C

<u>Radio</u>	<u>CE 08</u>	DASC <u>DANANG</u>	TIME <u>1135</u>
<u>ELIAS</u>	<u>06</u>	CONTROLLER <u>Hostage King</u>	TIME <u>1200</u>
		TYPE CONTROLLER <u>TACA</u>	
		TYPE MISSION <u>CAS</u>	

TOT

DESCRIPTION

COORDINATES

PROVINCE

<u>1205-15</u>	<u>Bunkers</u>	<u>BT002552</u>	<u>3</u>
	<u>BF</u>		

TGT TERRAIN F TGT WX 0 VISIBILITY 8REF. ANGLE 30° PASSES 6 INTERVAL 30 MIN ALT 2000ENROUTE ALT 105 RETURN ALT 9.5 TARGET AIRSPEED 450ORDNANCE 12/02X ENGAGED ALL MISSED -ORDNANCE/VTB - DLS (SEE NOTE #1) -BDA 90 % 90 % ADDITIONAL 1 Bunker dest1 " damaged50 meters from lineSECONDARY EXPLOSIONS - NUMBER - SIZE -UNIT SUPPORTED 5th Marines OPERATION Pipestone Canyon
(LEAVE BLANK)ENROUTE WX -

(A) HOSTILE FIRE

☒ YES

NO

FILE FORM WITH BARREL 5th A. 30 CAL (L)

(B) AIRBURST

☒ YES

NO

FILE FORM WITH BARREL

(C) A/C HIT

☒ YES

NO

FILE FLASH REPORT WITH BARREL

(D) RECON INSERT/EXTRACT

☒ YES

NO

CIRCLE ONE/COORD

(E) BDA REPORTED

☒ YES

NO

IF ADDITIONAL (CIRCLE)

(F) ABORT

☒ YES

NO

A/C MALFUNCTION/NO DROP

(G) DIVERT

☒ YES

NO

GIVE REASON BELOW

REMARKS: -

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -RECOVERABLE - FUZE (DELAY/ARM DELAY) -NOTE #2: ECM ENCOUNTERED - TIME - HOW DIRECTED -NOTE #3: ORDNANCE EFFECTIVENESS -

DEBRIEFER RUTH RECON TIME 0905 DA 10 JUNE
 SQUADRON 211 CALL SIGN 451 MSN # 6451 FLT CODE 182
 T/O 0735 LAND 0855 TOTAL TIME 2.8

PILOTS	A/C	DASC	TIME
<u>RUTHERFORD</u>	<u>10</u>	<u>2006 HA</u>	<u>0735</u>
<u>SAEGGER</u>	<u>21</u>	CONTROLLER <u>SW VICTOR</u>	TIME <u>0855</u>
		TYPE CONTROLLER <u>SW TACA</u>	
		TYPE MISSION <u>AS L2P</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0810/25</u>	<u>L2 PREP</u> <u>W N</u>	<u>40 166.314</u>	<u>11</u>

TGT TERRAIN MOUNT. TGT WX CLD 0 VISIBILITY 8000 9+
 REL ANGLE 16° PASSES 6 INTERVAL 3200 MIN ALT 600 REL ALT 1000
 ENROUTE ALT 16.5 RETURN ALT 17.5 TARGET AIRSPEED 450
 ORDNANCE 802A/409 EXPENDED JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE # 1)
 BDA 90 % 85 % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 3RD RECON OPERATION MASS GRAY
 (LEAVE BLANK)
 ENROUTE WX

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☒ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☒ NO ☐	GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS Could have used High
dud ordnance more effectively

DEBRIEFER H. J. [unclear] TIME 1105 DATE 10 Jun 69
 SQUADRON 211 CALL SIGN HB157 MSN # 6157 FLT CODE 152
 T/O 0910 LAND 0947 TOTAL TIME 3.2

PILOTS A/C
Lt Col Graham CF05 DASC Helix Cont. TIME 0830
HUGGIN CF15 CONTROLLER Helix 39 TIME 0940
 TYPE CONTROLLER TACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0750-0930</u>	<u>Sur En Posit</u>	<u>B5905230</u>	<u>V</u>
	<u>Troop in contact</u>	<u>B5700300</u>	<u>II</u>

TGT TERRAIN Rolling TGT WX 0 VISIBILITY 10.9+
 REL ANGLE 20° PASSES 14 INTERVAL 30sec MIN ALT 1050 AGL
 ENROUTE ALT 13,500 RETURN ALT 4500 TARGET AIRSPEED 450
 ORDNANCE 8 D2A/209/2amm EXPENDED all JETTISONED —
 ORDNANCE/RTE — DUDS (SEE NOTE #1) —
 BDA 70 / 70 % ADDITIONAL —
100 / 70

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED Amer Cal OPERATION Troop ATT.
 ENROUTE WX 0 (LEAVE BLANK)

(A) HOSTILE FIRE	☒ YES ☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	☒ YES ☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	☒ YES ☐ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	☒ YES ☐ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES ☐ NO	IF ADDITIONAL CIRCLE
(F) ABORT	☒ YES ☐ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	☒ YES ☐ NO	GIVE REASON BELOW

REMARKS: TACA will pass more info.
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME 7 HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER TIME 1710 DA 10 JUNE 69
 SQUADRON 211 CALL SIGN HB 467 MSN # 6467 FLT CODE 152
 T/O 1535 LAND 1655 TOTAL TIME 2.6

PILOTS A/C
McANALLY CF 11
BREM CF 12
 DASC VANDY TIME 1600
 CONTROLLER SW 97-9 TIME 1605
 TYPE CONTROLLER TALP
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1610-25</u>	<u>H+I</u> <u>BL</u>	<u>XD853691</u>	<u>I I</u>

TGT TERRAIN Hilly TGT WX 0 VISIBILITY 10
 REL ANGLE 10° PASSES 6 INTERVAL 30 MIN ALT 600
 REL ALT 1000

ENROUTE ALT 165 RETURN ALT 135 TARGET AIRSPEED 450

ORDNANCE BDA 409 EXPENDED OLL JETTISONED —

ORDNANCE/RTB — DUDS (SEE NOTE # 1) —

BDA 100 % 100 % ADDITIONAL —
NO FURTHER

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 4th MAR 3rd Bn OPERATION Herkmt
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: SENT LTR FOR RECON EXTRACT
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER LT RIVERS TIME 0820 DATE 10 June 68
 SQUADRON 211 CALL SIGN HQ MSN # 6159 FLT CODE 153
 T/O 0700 LAND 0805 TOTAL TIME 2.2

PILOTS A/C
HANUDAY CF 6 DASC ONE HA TIME 0715
RIVERS 11 CONTROLLER SW 98-1 TIME 0720
 TYPE CONTROLLER TACA
 TYPE MISSION CAS

TCT	DESCRIPTION	COORDINATES	PROVINCE
<u>0725-</u>	<u>VC Loc.</u>	<u>XD971660</u>	<u>1</u>
<u>30</u>	<u>EC</u>		

TGT TERRAIN HILLY TGT WX 07 VISIBILITY 7
 REL ANGLE 10 PASSES 2 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 18.5 RETURN ALT 3.5 TARGET AIRSPEED 350
 ORDNANCE 8D32 EXPENDED all JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100% 100% ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3rd MANDIV OPERATION Virginia Ridge
 ENROUTE WX 07 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS FRIENDLY 1800 M / GOOD
ORD

DEBRIEFER Huggins TIME 0752 DATE 10 June 69
 SQUADRON 211 CALL SIGN H8153 MSN # 6153 FLT CODE 152
 T/O 0635 LAND 0740 TOTAL TIME 2.2

PILOTS A/C

Lt Col Graham CF08
Huggins CF21

DASC Dong H2 TIME 0650
 CONTROLLER SW.98-1 TIME 0655
 TYPE CONTROLLER THCA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0708-12</u>	<u>Ridge Line</u> <u>TS</u>	<u>XD971660</u>	<u>#</u>

TGT TERRAIN Hilly TGT WX 5000 VISIBILITY 7
 REL ANGLE 130° PASSES 2 INTERVAL 1 min MIN ALT 2000' AGL
 REL ALT 3000

ENROUTE ALT 14,500 RETURN ALT 15,500 TARGET AIRSPEED 350

ORDNANCE 8 D32 EXPENDED all JETTISONED

ORDNANCE/RTB DUDS (SEE NOTE #1)

BDA 100 % 100 % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED 3rd MAR DIV OPERATION Ving Ridge
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON

RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS