

DEBRIEFER Reed TIME 1830 DATE 1 July 69
 SQUADRON 211 CALL SIGN H8021 MSN # 6021 FLT CODE 152

T/O 1715 LAND 1820 TOTAL TIME 1.1

PILOTS Reed A/C CE12 DASH VIC55 TIME 1725
 CONTROLLER DA NANG ASPCT TIME 1725
 TYPE CONTROLLER ASPT
 TYPE MISSION TPO

TOT DESCRIPTION COORDINATES PROVIDENCE
1730/1810 AT881/665 TPO CALIBRATION FOR 3
DEACG ASPT

TGT TERRAIN R TGT WK 12.00 VISIBILITY 10+
 REL ANGE 14.0 PASSES 2 INTERVAL — MIN ALT 14.0
 ENROUTE ALT 14000 RETURN ALT 9500 REL ALT 14000 TGT A/SPD 200 JND
 ORDNANCE 6 D2 W/4 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1st M.D. OPERATION P. pest one Canyon
 (LEAVE BLANK)

ENROUTE WK —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: TPO CALIBRATION FOR DA NANG ASPT.
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER _____ TIME _____ DATE _____
 SQUADRON 211 CALL SIGN 239 MSN # 6239 FLT CODE 142

T/O 1610 LAND 1705 TOTAL TIME 1.8

PILOTS Ulan A/C DF 10 DASC _____ TIME _____
it " " CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT DESCRIPTION COORDINATES PROVIDENCE

TGT TERRAIN _____ TGT WK _____ VISIBILITY _____

REL ANGE _____ PASSES _____ INTERVAL _____ MIN ALT _____

ENROUTE ALT _____ RETURN ALT _____ REL ALT _____ TGT A/SPD _____

ORDNANCE _____ EXPENDED _____ JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____

ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARRIL
(B) AIRBURST	YES	NO	FILE FORM WITH BARRIL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) FMA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) SBOET	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW ELIMATED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

②
 TIME 1835 DATE 1 JULY
 SQUADRON 211 CALL SIGN HB598 MSN # 6598 FLT CODE 152
 T/C 1722 LAND 1825 TOTAL TIME 2.2
 PILOTS A/C
 ROOKE 11 DASC TRAIL TIME 1745
 FILAS 3 CONTROLLER TRAIL 35 TIME 1748
 TYPE CONTROLLER BACA
 TYPE MISSION BACA/CAS

TOT DESC PTION COORDINATES PROVINCE
 1752-1800 TROOPS IN CONTACT 40345303 RVN F
 TS

TGT TERRAIN MTS TGT WY 250 VISIBILITY 7
 REL ANGLE 30° PASSES 4 INTERVAL 30° MIN ALT 2000
 REL ALT 3000
 ENROUTE ALT 19.5 RETURN ALT 13.5 TARGET AIRSPEED 450
 ORDNANCE 408/207/6024 EXPENDED 6024 JETTISONED
 ORDNANCE/MTB 107/428 DUDS (SEE NOTE #1)
 BDA 100 % 100 % ADDITIONAL 1 BUNKER DEST

SECONDARY EXPLOSIONS NUMBER STATE
 UNIT SUPPORTED 101 ARVN OPERATION (LEAVE BLANK!)
 ENROUTE WY 8010-0

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRCRAFT	YES NO	FILE FORM WITH BARREL
(C) A/C HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABOVE	YES NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS ord ok Brandlein 700 meters

DEBRIEFER Willman TIME 0920 DATE 1 Feb 69
 SQUADRON 211 CALL SIGN 48152 MSN # 6952 FLT CODE 152

T/O 0856 LAND 0903 TOTAL TIME 2.2

PILOTS RADIOS A/C CF 11 DASC Donna TIME 0910
Willman 17 CONTROLLER Barky 15 TIME 0915
 TYPE CONTROLLER FACA
 TYPE MISSION DAIS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0929/36</u>	<u>ROCKET/LAUNCHER SITE</u>	<u>YD 147767</u>	<u>1</u>
	<u>EL</u>		

TGT TERRAIN Flat TGT WX 8.00 VISIBILITY 15
 REL ANGE 20° PASSES 7 INTERVAL 30.5sec MIN ALT 600'
 ENROUTE ALT 14.5 RETURN ALT 17.5 REL ALT 1050 TGT A/SPD 450
 ORDNANCE 16DIA/409 EXPENDED 15DIA/409 JETTISONED —
 ORDNANCE/RTB 1 DIA DUDS (SEE NOTE # 1) None
 BDA 90 % 90 % ADDITIONAL —
5 Rocket Sites DEST.

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 2nd ARVAL OPERATION — (LEAVE BLANK)
 ENROUTE WX 100140 15

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH B
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Trinitite no factor
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED 710 TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DESIGNER LAWRENCE TIME 2140 DATE 1 July 1969
 SQUADRON 211 CALL SIGN HB MSN # 6530 FLT CODE 352

T/C 2025 LAND 2124 TOTAL TIME 1.0

PILOTS LAWRENCE A/C CF 12

DASC ANHOA TIME 2040
 CONTROLLER ANHOA*62 TIME 2040
 TYPE CONTROLLER ASRT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2050</u>	<u>ENEMY LOCAL</u>	<u>BT146518</u>	<u>3</u>
	<u>EC</u>		

TGT TERRAIN FLAT TGT WX 10.00 VISIBILITY 5
 REL ANGE LEVEL PASSES 1 INTERVAL — MIN ALT 14.1
 ENROUTE ALT 16.5 RETURN ALT 17.5 REL ALT 14.1 TGT A/SPD 290
 ORDNANCE 6 AZW/Y EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED ROK MC OPERATION Victory Dragon
 ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DRO
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW EFFECTED —

NOTE #3: ORDNANCE EFFECTIVENESS ?

DEBRIEFER Brash TIME 2150 DATE 1 July 69
 SQUADRON 211 CALL SIGN H3534 MSN # 6534 FLT CODE 352

T/O 2038 LAND 2138 TOTAL TIME 10

PILOTS Brash A/G 7 DASC Kir Squad TIME 2042
 CONTROLLER Birmingham TIME 2050
 TYPE CONTROLLER ABRT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2100</u>	<u>Enemy location</u>	<u>Y1742885</u>	<u>2</u>
	<u>EC</u>		

TGT TERRAIN R TGT WX Clear VISIBILITY 7
 REL ANGE level PASSES 1 INTERVAL — MIN ALT 20M
 ENROUTE ALT 20.5 RETURN ALT 21.5 REL ALT 20M TGT A/SPT 290
 ORDNANCE 602W14 EXPENDED AM JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA Unk % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 101st AB OPERATION Kentucky Jumper
 ENROUTE WX — (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOFT	YES	NO	A/C MALFUNCTION/NO DROF
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW ELIMINATED —

NOTE #3: ORDNANCE EFFECTIVENESS —

OPERATOR RKL TIME 1800 DATE 1 JUL 69
 SQUADRON 211 CALL SIGN 070 MSN # 6020 FLT CODE 152
 T/O 1715 LAND 1750 TOTAL TIME 1.2
 PILOTS HUGHES A/C 18/21 DASC 441X TIME 1718
Lange 21 CONTROLLER 441X TIME 1720
 TYPE CONTROLLER FAC(A)
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
1727/38	STRUCT + BUNKERS	BS 500753	4
	AL		

TGT TERRAIN FLAT TGT WX 900 VISIBILITY 10 MILES
 REL ANGE 30 PASSES 8 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 7.5 RETURN ALT 8.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 12 D2 W/V EXPENDED 10 D2 W/V JETTISONED —
 ORDNANCE/RTB 2 D2 W/V DUDS (SEE NOTE #1) —
 BDA 100 % 75 % ADDITIONAL 8 STRUCTURES DEST
1 LARGE BUNKER DEST

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED DMCA OPERATION GENEVA PARK
 ENROUTE WX 900 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☐ NO	FILE FLASH REPORT WITH E
(D) RECON INSERT/EXTRACT	YES	☐ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES	☐ NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	☐ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	☐ NO	GIVE REASON BELOW

REMARKS: GOOD ORDNANCE FOR TARGET
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW LIECTED —

NOTE #3: ORDNANCE EFFECTIVENESS GOOD

DEBRIEFER WARREN TIME 1215 DATE 1 July 69
 SQUADRON 211 CALL SIGN HB 454 MSN # 6454 FLT CODE 132
 T/O 0940 LAND 1205 TOTAL TIME 40
 PILOTS WARREN A/C CF 5 DASC AG 14 TIME 136
BIRCHER 21 CONTROLLER UGUY 26 TIME 1140
 TYPE CONTROLLER FAC
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1140-45</u>	<u>TROOPS</u>	<u>BT 389 035</u>	<u>TH</u>
	<u>TS</u>		

TGT TERRAIN MTX TGT WK 0 VISIBILITY 8
 REL ANGE 20 PASSES 8 INTERVAL 30 sec MIN ALT 600'
 ENROUTE ALT 16.5 RETURN ALT 19.5 REL ALT 1300' TGT A/SPD 450
 ORDNANCE 409 16 PIA EXPENDED ALL JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1) 0
 BDA 100 % 20 % ADDITIONAL 1BU DES

SECONDARY EXPLOSIONS 0 NUMBER - SIZE -
 UNIT SUPPORTED AMCL OPERATION - (LEAVE BLANK)
 ENROUTE WK 0 20

(A) HOSTILE FIRE	YES <u>NO</u>	FILE FORM WITH BARREL
(B) AIRBURST	YES <u>NO</u>	FILE FORM WITH BARREL
(C) A/C HIT	YES <u>NO</u>	FILE FLASH REPORT WITH R
(D) RECON INSERT/EXTRACT	YES <u>NO</u>	CIRCLE ONE/COORD
(E) BDA REPORTED	YES <u>NO</u>	IF ADDITIONAL CIRCLE
(F) ABORT	YES <u>NO</u>	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES <u>NO</u>	GIVE REASON BELOW

REMARKS: DIVERT FROM CAP

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW ELLECTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____

UNCLASSIFIED BIRCHER TIME 2115 DATE July 69
 SQUADRON 211 CALL SIGN #8522 MSN # 6522 FLT CODE 152
 TAI 1910 LAND 2045 TOTAL TIME 16

PILOTS A/C
BIRCHER CF 05 DASC Wandy TIME 1930
 CONTROLLER #7 TIME
 TYPE CONTROLLER ASRT
 TYPE MISSION TPQ

TOT 2015 DESCRIPTION Bunker COORDINATES YD127740 PROVINCE RUH
BF

TGT TERRAIN -R TGT WX 4.90 VISIBILITY 6.94
 REL ANGLE 0 PASSES 1 INTERVAL — MIN ALT 14.1
 REL ALT 14.1

ENROUTE ALT 22.5 RETURN ALT 23.5 TARGET AIRSPEED

ORDNANCE 6D2WY EXPENDED All JETTISONED 0

ORDNANCE/WTE 0 DUG (SEE NOTE #1)

BDA Land % ADDED: —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 3rd MAR DIV OPERATION IRQUIR GROVE
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIR BURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) ALCON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: TUL REPORT LOCATION — REASON —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: WCM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER MR Berner TIME 2140 DATE 1 July
 SQUADRON 911 CALL SIGN 528 MSN # 6528 FLT CODE 452

TIC 3005 LAND 2125 TOTAL TIME 13

PILOTS Beymer A/C 04

DASC TIME
 CONTROLLER Am. Hca TIME 2050
 TYPE CONTROLLER PORT
 TYPE MISSION TTC

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2105</u>	<u>Enemy Position</u> <u>EC</u>	<u>2C 113 447</u>	<u>13</u>

TGT TERRAIN Hills TGT WK 400 VISIBILITY 10+

REL ANGE LEVEL PASSES 1 INTERVAL MIN ALT 14100

ENROUTE ALT 185 RETURN ALT 75 REL ALT 14.1 TGT A/SPD 290

ORDNANCE 6 D2W/T EXPENDED JETTISONED

ORDNANCE/RTB DUDS (SEE NOTE # 1)

BDA % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED 1st M.D. OPERATION

ENROUTE WK (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: OPERATIONAL DISCREPANCY SHEET ATTACHED
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON

RECOVERABLE FUSE DELAY/ARM DELAY

NOTE #2: ECM ENCOUNTERED TIME HOW LIECTED

NOTE #3: ORDNANCE EFFECTIVENESS

TIME 1630 DATE 1 July 69
 SQUADRON 211 CALL SIGN THE MSN # 0974 FLT CODE 152
 T/G 1515 LAND 1625 TOTAL TIME 2.4

PILOTS

A/C

~~OSEGUERA~~
GERMAN 6
OSEGUERA 17
 DASC _____ TIME _____
 CONTROLLER ANITA TIME 1530
 TYPE CONTROLLER ASRT
 TYPE MISSION TRO

TOT

DESCRIPTION

COORDINATES

PROVINCE

No DROP

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 ENROUTE ALT 24.5 RETURN ALT 24.5 TARGET AIRSPEED _____
 ORDNANCE 1202Y/X EXPENDED None JETTISONED _____
 ORDNANCE/RTB 1202Y/X DUL 1 (SEE NOTE #1) _____
 BDA _____ % _____ % ADDITIONAL _____

No drop

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____ (LEAVE BLANK)

ENROUTE WX cloudy

(A) HOSTILE FIRE	YES	☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☒ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☒ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	☒ NO	CIRCLE ONE/COUNT
(E) BDA REPORTED	YES	☒ NO	IF ADDITIONAL CIRCLE
(F) ABORT	☒ YES	☒ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	☒ NO	GIVE REASON BELOW

REMARKS: Abort - Weather
 (REFERENCE NOTE #3)

NOTE #1: DTD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: EGM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER RUTHERFORD TIME 1615 DATE 1 July 1969
 SQUADRON 211 CALL SIGN man 29 MSN # 0964 FLT CODE _____

T/O 1535 LAND 1605 TOTAL TIME 1.0

PILOTS A/C
RUTHERFORD/COURTNEY 7/1
 DASC VICESQVAD TIME 1540
 CONTROLLER AN HOB TIME 1545
 TYPE CONTROLLER TPQ
 TYPE MISSION _____

TOT DESCRIPTION COORDINATES PROVIDENCE

~~_____~~
~~_____~~
~~_____~~
~~_____~~

TGT TERRAIN UNK TGT WK 24000 VISIBILITY UNK

REL ANGE _____ PASSES _____ INTERVAL _____ MIN ALT _____

ENROUTE ALT _____ RETURN ALT _____ REL ALT _____ TGT A/SPD _____

ORDNANCE 12 22w/4 EXPENDED _____ JETTISONED _____

ORDNANCE/RTB 12 22w/4 DUDS (SEE NOTE # 1) _____

BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____

ENROUTE WK _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH R
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ADOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: DIVERTED BY BARREL FROM ST TO TPQ, UNABLE TO
 (REFERENCE NOTE #3)

WORK TPQ BECAUSE OF THUNDERSTORMS GIVING TO 240/200 ALL ALONG CORST

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER WOOD TIME 1130 DATE 1 July 69
 SQUADRON 211 CALL SIGN HB 156 MSN # 6156 FLT CODE 152

T/O 0937 LAND 1123 TOTAL TIME 3.4

PILOTS DICKERSON A/C CF 24 DASC VANDY TIME 0953
WOOD CF 19 CONTROLLER SH 98-3 TIME 0955
 TYPE CONTROLLER TACA
 TYPE MISSION DAS

TOT DESCRIPTION COORDINATES PROVIDENCE
0955 1045 Recon CAP I

NO DROP

TGT TERRAIN --- TGT WX --- VISIBILITY ---

REL ANGE --- PASSES --- INTERVAL --- MIN ALT ---

ENROUTE ALT 14.5 RETURN ALT 13.5 REL ALT --- TGT A/SPD ---

ORDNANCE 16 DIA 4.09 EXPENDED --- JETTISONED ---

ORDNANCE/RTB 16 DIA 4.09 DUDS (SEE NOTE # 1) ---

BDA --- % --- % ADDITIONAL ---

SECONDARY EXPLOSIONS --- NUMBER --- SIZE ---

UNIT SUPPORTED --- OPERATION --- (LEAVE BLANK)

ENROUTE WX ---

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH F
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Diverted from CAS to CAP
 (REFERENCE NOTE #3)

By VANDY DASC No tgts

NOTE #1: DUD REPORT LOCATION --- REASON ---

RECOVERABLE --- FUSE DELAY/ARM DELAY ---

NOTE #2: ECM ENCOUNTERED --- TIME --- HOW DIRECTED ---

NOTE #3: ORDNANCE EFFECTIVENESS ---

DEBRIEFED 2015 TIME 2015 DATE 1 July 69
 SQUADRON 211 CALL SIGN 6526 MSN # 6526 FLT CODE 952

T/O 1920 LAND 2055 TOTAL TIME 1.5

PILOTS Covey A/C 9

DASC UAVOY TIME 2000
 CONTROLLER UAVOY TIME 2000
 TYPE CONTROLLER RSET
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2010</u>	<u>TROOP CASUALTY</u>	<u>X0999236</u>	<u>I</u>
	<u>TS</u>		

TGT TERRAIN Mount TGT WX CLR VISIBILITY UNLIMITED
 REL ANGE 4000 PASSES 1 INTERVAL — MIN ALT 21500
 ENROUTE ALT 24500 RETURN ALT 23500 REL ALT 21500 TGT A/SPD 890
 ORDNANCE 602W EXPENDED — JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA — 4mb % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3rd MAR DIV OPERATION — (LEAVE BLANK)
 ENROUTE WX CLAR

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH E
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(F) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: TPQ (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW ELLECTED —

NOTE #3: ORDNANCE EFFECTIVENESS TPQ

DEBRIEFER 1800 TIME 0815 DATE 1 July 69
 SQUADRON 211 CALL SIGN H350 MSN # 6150 FLT CODE 152

T/O 0710 LAND 0806 TOTAL TIME 1.8

PILOTS HAMMETT A/C CF03 DASC DANANG TIME 0720
WOOD 18 CONTROLLER Hest. York TIME 0725
 TYPE CONTROLLER BACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0740/50</u>	<u>Villet Bunickers</u>	<u>AT 855545</u>	<u>IB</u>
	<u>✓L</u>		

TGT TERRAIN FLAT TGT WX 1000 VISIBILITY 10+
 REL ANGE 20° PASSES 12 INTERVAL 30sec MIN ALT 600'
 ENROUTE ALT 10.5 RETURN ALT 3.5 REL ALT 1050 TGT A/SPD 450
 ORDNANCE 1601A 409 D20 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100 % 100 % ADDITIONAL 100m TRENCH & TREES
4 HOOTCHES dest

SECONDARY EXPLOSIONS 0 NUMBER — SIZE —
 UNIT SUPPORTED 4TH MAF MAC DIV OPERATION Pipestone Canyon
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES	<u>NO</u>	FILE FORM WITH BARREL
(B) AIRBURST	YES	<u>NO</u>	FILE FORM WITH BARREL
(C) A/C HIT	YES	<u>NO</u>	FILE FLASH REPORT WITH F
(D) RECON INSERT/EXTRACT	YES	<u>NO</u>	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	<u>NO</u>	IF ADDITIONAL CIRCLE
(F) ABOFT	YES	<u>NO</u>	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	<u>NO</u>	GIVE REASON BELOW

REMARKS: FRIENDLIES AT 5 & 1 1000m
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW LIECTED —

NOTE #3: ORDNANCE EFFECTIVENESS HARD ORDNANCE COULD
HAVE BEEN USED. B

DEBRIEFER REED TIME 0940 DATE 1 July 69
 SQUADRON 211 CALL SIGN HB 450 MSN # 6450 FLT CODE 152

T/O 0935 LAND 0935 TOTAL TIME 4.0

PILOTS
REED A/C CF 12 DASC DANANG TIME 0905
LENZINI A/C CF 07 CONTROLLER COMPASS 7-0 TIME 0908
 TYPE CONTROLLER FAC(A)
 TYPE MISSION CRISP

TOT DESCRIPTION COORDINATES PROVIDENCE
0910/0125 LOGZONE PREP 175/16-77 Approx 3
UN BT 050 596

TOT TERRAIN Mount TGT WK 04 VISIBILITY 10 F
 REL ANGE 20° PASSES 8 INTERVAL 30' MIN ALT 600
 ENROUTE ALT 20500 RETURN ALT 9500 REL ALT 1050 TGT A/SPD 450
 ORDNANCE 8 DIA 409 EXPENDED ALL JETTISONED ALL
 ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) —
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1st RECON OPERATION Pipestone Canyon
 ENROUTE WK 100 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) FIREBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH F
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA RECORDED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOFT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: COORDINATES NOT GIVEN BY CONTROLLER BECAUSE
 (REFERENCE NOTE #3)

of Classified NATURE of THE RECON INSERT.

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS Good

DEBRIEFER Taether TIME 0900 DATE 1 May
 SQUADRON 211 CALL SIGN HP042 MSN # 6042 FLT CODE 152

T/O 0745 LAND 0845 TOTAL TIME 2.0

PILOTS A/C
TOETTER CF 08 DASC ONE TIME 0755
BEEM CF 06 CONTROLLER Host P TIME 0800
 TYPE CONTROLLER Faca
 TYPE MISSION CS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0919-26</u>	<u>BUNKER COMPLEX</u>	<u>BT 866 563</u>	<u>3 CORPS</u>
	<u>BF</u>		

TGT TERRAIN FLAT TGT WX 120 0 VISIBILITY 2+
 REL ANGE 30° PASSES 4 INTERVAL 30 MIN ALT 20
 ENROUTE ALT 14.5 RETURN ALT 11.5 REL ALT 3.0 TGT A/SPD 450
 ORDNANCE 20 DI V/W EXPENDED ALL JETTISONED none
 ORDNANCE/RTB none DUDS (SEE NOTE # 1) none
 BDA 100 % 100 % ADDITIONAL _____

SECONDARY EXPLOSIONS 0 NUMBER - SIZE -

UNIT SUPPORTED 1 MAR DIV OPERATION Pipestone Canyon
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH F
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: FACA WILL PASS ON FEATHER
 (REFERENCE NOTE #3)

BDA

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DESIGNER LAWRENCE TIME 1325 DATE 1 July 1969
 SQUADRON 211 CALL SIGN HA458 TSN # 6458 FLT CODE 152

T/O 1135 LAND 1310 TOTAL TIME 3.2

PILOTS LAWRENCE A/C CF 9 DASC D.D. TIME 1240
WELLMAN CF 4 CONTROLLER HostC. TIME 1248
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1247-55</u>	<u>Bunkers</u>	<u>ATP50550</u>	<u>3</u>
	<u>BF</u>		

TGT TERRAIN FLAT TGT WK 350 VISIBILITY 10
 REL ANGE 20° PASSES 6 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 18.5 RETURN ALT 9.5 REL ALT 1050 TGT A/SPD 450
 ORDNANCE 1601A 409 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 85 % 90 % ADDITIONAL 1 bunk. dest.
1 bunk. dam.

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1ST MARDIV OPERATION Pipestone Canyon
 (LEAVE BLANK)
 ENROUTE WK —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH F
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: friendly 1000 ft at 2
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW LITECTED —

NOTE #3: ORDNANCE EFFECTIVENESS good.

DEBRIEFER BEEM TIME 1500 DATE 1 JULY 69
 SQUADRON 211 CALL SIGN HB 462 MSN # 6462 FLT CODE 152

T/O 1355 LAND 1450 TOTAL TIME 1.8

PILOTS Miller A/C CF 8 DASC DANANG TIME 1310
BEEM CF 20 CONTROLLER Host Bull TIME 1315
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1315-1325</u>	<u>NVA IN TREES</u>	<u>BT 975412</u>	<u>B</u>
	<u>TS</u>		

TGT TERRAIN Hilly TGT WX 300 VISIBILITY 2M Rain
 REL ANGE 20° PASSES 6 INTERVAL 30 sec MIN ALT 600
 ENROUTE ALT 14.5 RETURN ALT 9.5 REL ALT 1000 TGT A/SPD 450
 ORDNANCE 16 DIA 409 EXPENDED A I L JETTISONED —
 ORDNANCE/RTE None DUDS (SEE NOTE # 1) —
 BDA 90 % 90 % ADDITIONAL 2 KBA

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1st major OPERATION Pipestone Canyon
 ENROUTE WX — (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH R
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Previous no action
 (REFERENCE NOTE #3)

Weather precluded any other ordnance

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER Edwards TIME 2200 DATE 1 July 69
 SQUADRON 211 CALL SIGN #8584 MEN # 6584 FLT CODE 351

T/O 2110 LAND 2150 TOTAL TIME 1.4

PILOTS Edwards McNALLY A/C 24 21
 DASC DNA TIME 2115
 CONTROLLER POSTAGE TIME 2120
 TYPE CONTROLLER EACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2130-38</u>	<u>VC Vill</u>	<u>AT9705A</u>	<u>3</u>
	<u>✓</u>		

TGT TERRAIN Flat TGT WX CUOK VISIBILITY 10
 REL ANGE 300 PASSES 8 INTERVAL 3050 MIN ALT 2000
 ENROUTE ALT 8.5 RETURN ALT 5.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 16DIY 4D22A EXPENDED 16DIY JETTISONED -
 ORDNANCE/RTB 4D22 DUDS (SEE NOTE #1) -
 BDA 100% 100% ADDITIONAL 4 Bankers destroyed
100 meters tree line

SECONDARY EXPLOSIONS - NUMBER - SIZE -
 UNIT SUPPORTED 1st Div 1st P. OPERATION Pipestone Canyon
 ENROUTE WX Clear (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Friendlies 800 meters 3 October
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -

RECOVERABLE - FUSE DELAY/ARM DELAY -

NOTE #2: ECM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS Short

DEBRIEFER REED TIME 1240 DATE 21 July 69
 SQUADRON 211 CALL SIGN HB 216 MSN # 6216 FLT CODE _____

T/O 1100 LAND 1221 TOTAL TIME 2.8

PILOTS REED A/C CF 18 DASC US 5 TIME 1105
WHITE CF 3 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION VR

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

TGT TERRAIN 150 TGT WX _____ VISIBILITY _____

REL ANGE _____ PASSES _____ INTERVAL _____ MIN ALT _____

ENROUTE ALT 20500 RETURN ALT 21500 REL ALT _____ TGT A/SPD _____

ORDNANCE _____ EXPENDED _____ JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____

ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH F
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ADOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: VR HOP
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARN DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER ACB TIME 0930 DATE 2 July
 SQUADRON 211 CALL SIGN NB 157 MSN # 6157 FLT CODE 132

T/O 0805 LAND 0915 TOTAL TIME 2.4

PILOTS
WARREN
BROSTRAND

A/C
CF 07
20

DASC Doug HA TIME 0820
 CONTROLLER SW SPOOK TIME 0825
 TYPE CONTROLLER RACA
 TYPE MISSION GRS LRP

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0834-41</u>	<u>LRP</u>	<u>YD137469</u>	<u>1</u>
	<u>UN</u>		

TGT TERRAIN HILLY TGT WK 0 VISIBILITY 10
 REL ANGE 0° PASSES 6 INTERVAL 30" MIN ALT 200'
 ENROUTE ALT 10.5 RETURN ALT 11.5 REL ALT 200' TGT A/SPD 450
 ORDNANCE 6D21 EXPENDED 5/021 JETTISONED 0
 ORDNANCE/RTB 1D21 DUDS (SEE NOTE #1) 0
 BDA 100 % — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED ~~3rd MD~~ OPERATION ~~Iraqi 6000~~
 ENROUTE WK 900V00 1400 10 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BVA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) A/C DET	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: UNABLE TO DETERMINE EFFECTIVENESS OF ORDNANCE
 (REFERENCE NOTE #3)

GOT THE IMPRESSION NO ONE KNEW WHAT WAS GOING ON - OVER

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW EFFECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

CONTROLLER MADE A REMARK ABOUT NOT KNOWING EXACTLY
WHERE THE ARVN'S ARE. WE ~~DROPPED~~ DROPPED ONE OR
TWO AT A TIME, THE WIND BLEW IT ACROSS A KNOLL
WHERE THE TGT WAS - BUT I CAN NOT FIGURE OUT
WHAT WAS GOING ON. APPEARED TO BE A WASTE
OF TIME,

DEBRIEFER WOOD TIME 0835 DATE 2 July 69
 SQUADRON 211 CALL SIGN HB 155 MSN # 6155 FLT CODE 152

T/O 0740 LAND 0855 TOTAL TIME 2.6

PILOTS WOOD A/C CF04 DASC DONG HA TIME 0805
HAMMETT CF 21 CONTROLLER SW 97-2 TIME 0810
 TYPE CONTROLLER TACA
 TYPE MISSION DAS LEP

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0812-25</u>	<u>LZP</u>	<u>YD137469</u>	<u>F</u>
	<u>UN</u>		

TGT TERRAIN Hill TGT WK 6000 VISIBILITY 10+
 REL ANGE LEVEL PASSES 8 INTERVAL 30 sec MIN ALT 200'
 ENROUTE ALT 10.5 RETURN ALT 15.5 REL ALT 200' TGT A/SPD 480
 ORDNANCE 8 DZ1 EXPENDED 6 DZ1 JETTISONED No
 ORDNANCE/RTB 2 DZ1 DUDS (SEE NOTE # 1) -
 BDA None % ADDITIONAL All Smoke IN Area

SECONDARY EXPLOSIONS 0 NUMBER - SIZE -
 UNIT SUPPORTED 320 MARINES OPERATION Iraqois Grove
 (LEAVE BLANK)
 ENROUTE WK -

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BPA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) A/C RT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: 2 of DASH Two's DZ1 FAILED TO FIRE
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -
 RECOVERABLE - FUSE DELAY/ARM DELAY -

NOTE #2: ECM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS GOOD SMOKE WIND
NOT TOO STRONG

DEBRIEFER PADIOS TIME 1210 DATE 7/2/69
 SQUADRON 1MA-211 CALL SIGN H3023 MSN # 6023 FLT CODE 152

T/O 1050 LAND 1203 TOTAL TIME 1.2

PILOTS PADIOS A/C CF-15
 DASC VANDY ASRT TIME 1020
 CONTROLLER VANDY #7 TIME 1040
 TYPE CONTROLLER ASRT
 TYPE MISSION TPC

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1040</u>	<u>RKT SITE</u>	<u>XD926558</u>	<u>IT</u>
	<u>EL</u>		

TGT TERRAIN MTS ~~1500~~ TGT WX 1300 VISIBILITY 6
 REL ANGE LUL PASSES 2 INTERVAL - MIN ALT 20.5
 ENROUTE ALT 20.5 RETURN ALT 195 REL ALT 20.5 TGT A/SPD 290
 ORDNANCE 62W/x EXPENDED ALL JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE # 1) -
 BDA Unk. % ADDITIONAL -

SECONDARY EXPLOSIONS 0 NUMBER - SIZE -
 UNIT SUPPORTED 4th Mar Div OPERATION Virginia Ridge
 ENROUTE WX (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BVA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) A/C SET	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION RECOVERABLE REASON FUSE DELAY/ARM DELAY
 NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED -
 NOTE #3: ORDNANCE EFFECTIVENESS -

DEBRIEFER White TIME 1145 DATE 2 July
 SQUADRON 211 CALL SIGN Manual 122 PSN # 6934 FLT CODE 152

T/O 1005 LAND 1130 TOTAL TIME 2.8

PILOTS Reed/White A/C CF 06 DASC HELIX CONT TIME 1050
White CF 11 CONTROLLER HELIX 31 TIME 1055
 TYPE CONTROLLER AFAC
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
1102/1110	ENEMY BASE Camp	BS708 457	5
	BS		

TGT TERRAIN Hilly TGT WK 800 VISIBILITY 10+
 REL ANGE 30 PASSES 8 INTERVAL 30' MIN ALT 2200
 ENROUTE ALT 20500 RETURN ALT 19.5 REL ALT 3000 TGT A/SPD 450
 ORDINANCE 12 D2 W/Y EXPENDED ALL JETTISONED None
 ORDINANCE/RTB None DUDS (SEE NOTE # 1) None
 BDA 100 % 50 % ADDITIONAL

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED AmCar OPERATION Iron Mt
 (LEAVE BLANK)
 ENROUTE WK 14000

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) A/C DIRT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDINANCE EFFECTIVENESS Good

DEBRIEFER _____ TIME _____ DATE 2 July 69
 SQUADRON 211 CALL SIGN 547 MSN # 6547 FLT CODE 152

T/O 1620 LAND ~~1735~~ 1735 TOTAL TIME 2.6

PILOTS A/C
Lenzini CE 17 DASC Helix TIME
Wellman 9 CONTROLLER Helix 2 TIME 1700
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1815/25</u>	<u>Enemy Loc</u> <u>EC</u>	<u>BT 388034</u>	<u>4</u>

TGT TERRAIN R TGT WK 3.0 @ VISIBILITY 6
 REL ANGE 30° PASSES 8 INTERVAL 45 MIN ALT 1000
 ENROUTE ALT 18.5 RETURN ALT 13.5 REL ALT 1500 TGT A/SPD 460
 ORDNANCE 602/408/207 EXPENDED 602 JETTISONED —
 ORDNANCE/RTB 408 207 DUDS (SEE NOTE #1) —
 BDA 100 % 30 % ADDITIONAL 2 Bunkers Dest

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED America OPERATION _____
 ENROUTE WK _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) IDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) A/C HIT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER _____ TIME _____ DATE 2 July 69
 SQUADRON 211 CALL SIGN 599 MSN # 6599 FLT CODE _____

T/O 1735 ~~181~~ LAND 1850 TOTAL TIME 3.4

PILOTS A/C
Lenzini CF 17
Wellman
 DASC Helix TIME 1807
 CONTROLLER Helix 26 TIME 1810
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1835/40</u>	<u>VC in Bunkers</u> <u>TS</u>	<u>BS 540873</u>	<u>4</u>

TGT TERRAIN F TGT WX 3.0 @ VISIBILITY 6
 REL ANGE 10° PASSES 8 INTERVAL 45 MIN ALT 1000
 ENROUTE ALT 18.5 RETURN ALT 13.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 207/408 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL 2 Bunkers Out
3 Structures Out

SECONDARY EXPLOSIONS N NUMBER _____ SIZE _____
 UNIT SUPPORTED American OPERATION Geneva Park
 (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) IDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: D8 Joyride confirmed Dropped on Bunkers in
 (REFERENCE NOTE #3)

which VC were seen entering - Bunkers Out

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS Excellent

DEBRIEFER Edwards TIME 1030 DATE 2 July 69
 SQUADRON 211 CALL SIGN H8013 MSN # 6023 FLT CODE 151

T/O 0912 LAND 1020 TOTAL TIME 2.6

PILOTS
Edwards Beem A/C 24-18

DASC Dna TIME 0915
 CONTROLLER Kimche 2 TIME 0930
 TYPE CONTROLLER FAC A
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0922-56</u>	<u>VC Ville</u>	<u>BT 136 527</u>	<u>3</u>
	<u>✓✓</u>		

TGT TERRAIN Lo Fel TGT WK 7000 VISIBILITY 10
 REL ANGE 20 PASSES 8 INTERVAL 30 MIN ALT 600'
 ENROUTE ALT 8.5 RETURN ALT 5.5 REL ALT 1100 TGT A/SPD 450
 ORDNANCE 802A 409 EXPENDED 402A 209 JETTISONED -
 ORDNANCE/RTB 402A 209 DUDS (SEE NOTE # 1)
 BDA 100 % 100 % ADDITIONAL 30 meters Tree line, 1545m
Feir, Dest 1 plowed field.

SECONDARY EXPLOSIONS No NUMBER - SIZE -
 UNIT SUPPORTED 2ND Reg ROKMC OPERATION Victory Dragon
 ENROUTE WK 80-100 10 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☐ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	☐ NO	CIRCLE ONE/COORD
(E) BPA REPORTED	☒ YES	☐ NO	IF ADDITIONAL CIRCLE
(F) AL DET	YES	☐ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	☐ NO	GIVE REASON BELOW

REMARKS: Friendlyes 1000 meters E
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -

RECOVERABLE - FUSE DELAY/ARN DELAY -

NOTE #2: ECM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS Good

DEBRIEFER Cooper TIME 2000 DATE 2 Dec 69
 SQUADRON 211 CALL SIGN 6521 MSN # 6521 FLT CODE 452

T/O 1900 LAND 1856 TOTAL TIME 1.9

PILOTS Cooper A/C 3

DASC Av Non TIME 2000
 CONTROLLER 20 TIME 20.0
 TYPE CONTROLLER ASST
 TYPE MISSION TRD

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2001</u>	<u>7800's</u>	<u>AT 946</u>	<u>VR</u>
	<u>TS</u>	<u>427</u>	

TGT TERRAIN 1.4R TGT WK 0 VISIBILITY 9T

REL ANGE 2400 PASSES 1 INTERVAL — MIN ALT 19.1

ENROUTE ALT 20100 RETURN ALT 7500 REL ALT 19.100 TGT A/SPD 290

ORDNANCE 602 W / EXPENDED 1800 JETTISONED —

ORDNANCE/RTB — DUDS (SEE NOTE # 1) —

BDA — Unb % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 57th TSTN P. OPERATION —

ENROUTE WX CR (LEAVE BLANK) Forbith Grove

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARR
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☐	IF ADDITIONAL CIRCLE
(F) ALOFT	YES ☐ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: TPQ (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW ELIMINATED —

NOTE #3: ORDNANCE EFFECTIVENESS TPQ

DEBRIEFER AO TIME 2100 DATE 2 July 69
 SQUADRON 211 CALL SIGN HB 523 MSN #6523 FLT CODE 352

T/O 1945 LAND 2055 TOTAL TIME 1.2

PILOTS Oseguera, A A/C 4
 DASC _____ TIME _____
 CONTROLLER AN/10A TIME 2000
 TYPE CONTROLLER ASPT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2015</u>	<u>Enemy Location</u>	<u>AT 945435</u>	<u>RBN</u>
<u>2030</u>	<u>EC</u>		

TGT TERRAIN R TGT WX 400 VISIBILITY 90
 REL ANGE 0 PASSES 2 INTERVAL — MIN ALT 14.5
 ENROUTE ALT 14.5 RETURN ALT 19.5 REL ALT 14.5 TGT A/SPD 290
 ORDNANCE 1602XY EXPENDED all JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA — low % ADDITIONAL —

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 5TH MAW OPERATION ST.M.P.
 ENROUTE WX 0 (LEAVE BLANK)
FORBICK GROVE

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(F) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(E) ALOFT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERG	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER COURTNEY TIME 1130 DATE 2 JULY
 SQUADRON 211 CALL SIGN 455 PSN 6935 FLT CODE 15R

T/O 0940 LAND 1128 TOTAL TIME 3.5

PILOTS DICKERSON A/C 15/3
COURTNEY

DASC DANANG TIME 1115
 CONTROLLER HOSTAGE TIME 1117
 TYPE CONTROLLER ADACAC
 TYPE MISSION CRS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1055</u>	<u>TROOPS IN OPEN</u>	<u>AT 818540</u>	<u>131</u>
<u>1105</u>	<u>TS</u>		

V TGT TERRAIN FAT TGT WK COAR VISIBILITY 9+1
 REL ANGE 20 PASSES 6 INTERVAL 30 MIN ALT 300
 ENROUTE ALT 25,500 RETURN ALT 2,500 REL ALT 1050 TGT A/SPD 450
 ORDNANCE 160 IN/4/409 EXPENDED A/C JETTISONED ---
 ORDNANCE/RTB --- DUDS (SEE NOTE #1) ---
 BDA 100% 100% ADDITIONAL ---

SECONDARY EXPLOSIONS --- NUMBER --- SIZE ---

UNIT SUPPORTED 1ST MAR DIV OPERATION ---

ENROUTE WK 1000 (LEAVE BLANK) Forbith Grove

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) A/C DIRT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERG	YES	NO	GIVE REASON BELOW

REMARKS: Good ord
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION --- REASON ---
 RECOVERABLE --- FUSE DELAY/ARM DELAY ---

NOTE #2: ECM ENCOUNTERED --- TIME --- HOW DIRECTED ---

NOTE #3: ORDNANCE EFFECTIVENESS TROOPS 200 METERS

DEBRIEFER ALB TIME 2300 DATE 2 July
 SQUADRON 211 CALL SIGN H8517 MSN # 6577 FLT CODE 152

T/O 1815 LAND 1905 TOTAL TIME 08

PILOTS NORDELL A/C CF15 DASC — TIME —
 CONTROLLER AN HOA TIME 1830
 TYPE CONTROLLER ASRAT
 TYPE MISSION TAR

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1840-50</u>	<u>ENEMY POSIT</u>	<u>AT 930450</u>	<u>3</u>
	<u>EC</u>		

TGT TERRAIN UNK RUN TGT WX 70 D V D 7 VISIBILITY 10
 REL ANGE 0° PASSES 1 INTERVAL — MIN ALT 14,000'
 ENROUTE ALT 14.5 RETURN ALT 13.3 REL ALT 14.0 TGT A/SPD 290
 ORDINANCE 602W/Y EXPENDED 602 JETTISONED 0
 ORDINANCE/RTB 0 DUDS (SEE NOTE #1) 0
 BDA — Unk — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1st M. R OPERATION Forb. Th. Geave
 ENROUTE WX 70 D V D 7 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARRET.
(B) AIRBURST	YES	NO	FILE FORM WITH BARRET.
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ALOFT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW ELIMATED —

NOTE #3: ORDINANCE EFFECTIVENESS —

DEBRIEFER RUTHERFORD TIME 2105 DATE 2 July
 SQUADRON 211 CALL SIGN 579 MSN # 6579 FLT CODE _____

T/O 2000 LAND 2100 TOTAL TIME 1.0

PILOTS A/C
RUTHERFORD 21
 DASC WICKESMAN TIME 2010
 CONTROLLER AN 2015
 TYPE CONTROLLER TPQ
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2030/40</u>	<u>EN INFILTRATION ROUTE</u>	<u>AT 947441</u>	<u>B</u>
	<u>RD</u>		

TGT TERRAIN UNK TGT WK 1500 VISIBILITY UWL 15 miles
 REL ANGE LEVEL PASSES 1 INTERVAL _____ MIN ALT 14.1
 ENROUTE ALT 14.5 RETURN ALT 13.5 REL ALT 14.1 TGT A/SPD 290
 ORDNANCE 8 DI EXPENDED ALL JETTISONED ✓
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
 BDA _____ % _____ % ADDITIONAL _____
VPK

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 5th MARINES OPERATION FORBITH GROVE
 ENROUTE WK _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARF
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ALOFT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: TPQ DIVERG FROM CAS WREN #2 WENT DOWN
 (REFERENCE NOTE #3)

IN CHECKS
 NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER WCN TIME 1935 DATE 22 JUL 69
 SQUADRON 211 CALL SIGN HB MSN # 6519 FLT CODE 152

T/O 1830 LAND 1920 TOTAL TIME .8

PILOTS NORDELL A/C CE-15

DASCAN HUA TIME 1835
 CONTROLLER AN HUA 20 TIME 1835
 TYPE CONTROLLER ASBAT
 TYPE MISSION TPP

TOT 19.13 DESCRIPTION ENEMY LOCATION COORDINATES AT 930 950 PROVIDENCE RRB IV
EC

TGT TERRAIN MTS TGT WX 0 VISIBILITY 10+
 REL ANGE Leban PASSES 1 INTERVAL — MIN ALT 14.1
 ENROUTE ALT 16.5 RETURN ALT 13.5 REL ALT 14.1 TGT A/SPD 290
 ORDNANCE GD2Y EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA Unk % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1st MAR DIV OPERATION — (LEAVE BLANK)
 ENROUTE WX — FORBITH GROVE

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) FLOET	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW ELIMINATED —

NOTE #3: ORDNANCE EFFECTIVENESS OK

DEBRIEFER Rootz TIME 1630 DATE 2 July
 SQUADRON 24 CALL SIGN MAN 26 MSN # 0975 FLT CODE 152

T/O 1505 LAND 1615 TOTAL TIME 2.4

PILOTS

A/C

Rootz
mcansully

CF 11
6

DASC Hillboro TIME 1520
 CONTROLLER Cover 213 TIME 1530
 TYPE CONTROLLER FAC A
 TYPE MISSION S.T

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
1532-40	Interdiction Pt	YC046232	G
	RD	1535 10655	
1545-50	Truck	YC082189	G
	mv	1531 10657	

TGT TERRAIN R TGT WX 400 VISIBILITY 10+
 REL ANGE 30° PASSES 7 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 15-5 RETURN ALT 15-5 REL ALT 3000 TGT A/SPD 400
 ORDNANCE 12102 EXPENDED ALL JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE #1) -
 BDA 44% % ADDITIONAL 2 5mm slides
1 truck damaged

SECONDARY EXPLOSIONS No NUMBER - SIZE -
 UNIT SUPPORTED 7th A.F. OPERATION -
 ENROUTE WX - (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BFA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) A/C DET	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

mel 1645 VACULA

REMARKS: -
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -
 RECOVERABLE - FUSE DELAY/ARM DELAY -

NOTE #2: ECM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -

DEBRIEFER MILLER TIME 1900 DATE 2 JULY 69
 SQUADRON 211 CALL SIGN HB 515 MSN # 6515 FLT CODE 152

T/O 1745 LAND 1835 TOTAL TIME 0.8

PILOTS

A/C

MILLERCF 18

BASC HSRT TIME 1755
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT DESCRIPTION COORDINATES PROVIDENCE

NO DROP

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____

REL ANGE _____ PASSES _____ INTERVAL _____ MIN ALT _____

ENROUTE ALT 14.5 RETURN ALT 15.1 REL ALT _____ TGT A/SPD _____

ORDNANCE 602 EXPENDED _____ JETTISONED 602

ORDNANCE/RTB ~~602~~ DUDS (SEE NOTE # 1) _____

BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____

ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE

(B) AIRBURST

(C) A/C HIT

(D) RECON INSERT/EXTRACT

(E) BDA REPORTED

(F) ALOFT

(G) DIVERT

YES

NO

YES

NO

YES

NO

YES

NO

YES

NO

YES

NO

YES

NO

FILE FORM WITH BARREL

FILE FORM WITH BARREL

FILE FLASH REPORT WITH BARREL

CIRCLE ONE/COORD

IF ADDITIONAL CIRCLE

A/C MALFUNCTION/NO DROP

GIVE REASON BELOW

REMARKS: JETTISONED ORDNANCE. FUEL QUANTITY
 (REFERENCE NOTE #3)

PROBLEM 5

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW LIECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER 7/17 TIME 1515 DATE 3 JULY
 SQUADRON 211 CALL SIGN HB MSN # 6252 FLT CODE 142

T/O 1909 LAND 1454 TOTAL TIME 0.8

PILOTS LANZINI A/C CF 09 DASC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT DESCRIPTION COORDINATES PROVIDENCE

TES

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____

REL ANGE _____ PASSES _____ INTERVAL _____ MIN ALT _____

ENROUTE ALT _____ RETURN ALT _____ REL ALT _____ TGT A/SPD _____

ORDNANCE _____ EXPENDED _____ JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____

ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BPA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) A/C HIT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Wood TIME 2145 DATE 3 July 69
 SQUADRON 211 CALL SIGN HBS82 MSN # 6582 FLT CODE 452

T/O 2025 LAND 2130 TOTAL TIME 2.1

PILOTS DICKERSON A/C CF 04 DASO DANANG TIME 2030
WOOD CF 15 CONTROLLER HOSTAGE UNIT TIME 2035
 TYPE CONTROLLER ATCA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2035-2105</u>	<u>BUNKERS & HOSTAGES</u>	<u>AT 965523</u>	<u>IB</u>
	<u>BF</u>		

TGT TERRAIN FLAT TGT WX 55 @ VISIBILITY 7+
 REL ANGE 10° PASSES 8 INTERVAL — MIN ALT 1800
 ENROUTE ALT 8500 RETURN ALT 9500 REL ALT 1500 TGT A/SPD 450
 ORDINANCE 16 D14 4 D22A EXPENDED 16 D14 JETTISONED NONE
 ORDINANCE/RTB 4 D22A DUDS (SEE NOTE # 1) 4 D14
 BDA 100 % 100 % ADDITIONAL 200M OF TREES

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 1st M.D. OPERATION PipeStone Canyon
 (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES	☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☐ NO	FILE FLASH REPORT WITH BARR
(D) PECON INSERT/EXTRACT	YES	☐ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES	☐ NO	IF ADDITIONAL CIRCLE
(F) A/C HIT	YES	☐ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	☐ NO	GIVE REASON BELOW

REMARKS: DROPPED IN SINGLE PLANE PATTERN -
 (REFERENCE NOTE #3)

10° RELEASE DUE TO CEILING!

NOTE #1: DUD REPORT LOCATION AT 965523 REASON FAILURE ARM NOSE & TAIL
 RECOVERABLE _____ FUSE DELAY/ARM DELAY Y-

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDINANCE EFFECTIVENESS GOOD - BUT DUE TO
LOW CEILING HI DRAG WOULD HAVE WORKED
BETTER - ALSO CONTROLLER DIDN'T NEED
FLARES -

DEBRIEFER Wanen TIME 2030 DATE 3 July 69
 SQUADRON 211 CALL SIGN H3524 MSN # 6524 FLT CODE 252

T/O 1945 LAND 2030 TOTAL TIME .48

PILOTS WARREN A/C CF 12 DASC AN HAM TIME 2000
 CONTROLLER " TIME 2000
 TYPE CONTROLLER ASST
 TYPE MISSION TRG

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2010</u>	<u>ENEMY LOCATION</u>	<u>EC 256461</u>	<u>3</u>
	<u>EC</u>		

TGT TERRAIN MTN TGT WX 0 VISIBILITY 8
 REL ANGE 202 PASSES 1 INTERVAL — MIN ALT 14,100
 ENROUTE ALT 16.5 RETURN ALT 13.5 REL ALT 14.1 TGT A/SPD 450
 ORDNANCE 6 D2W/4 EXPENDED 6 JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1) 0
 BDA unk % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 5th 1st M.D. OPERATION — (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES ☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES ☒ NO	FILE FLASH REPORT WITH BARR
(D) RECON INSERT/EXTRACT	YES ☒ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO	IF ADDITIONAL CIRCLE
(F) A/C HIT	YES ☒ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☒ NO	GIVE REASON BELOW

REMARKS: NICE RUN W/ CONTROLLER # 76
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —
 NOTE #3: ORDNANCE EFFECTIVENESS 8

DEBRIEFER PCC TIME 1045 DATE 3 JULY
 SQUADRON 211 CALL SIGN 014 MSN # 6014 FLT CODE 152

T/O 0900 LAND 1030 TOTAL TIME 3.0

PILOTS HAMMETT / LANCE A/C C-17/21
 DASC VANGUARD TIME 0922
 CONTROLLER --- TIME 0908
 TYPE CONTROLLER ---
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0145-45</u>	<u>BUNKER</u>	<u>70 884630</u>	<u>1</u>
	<u>BF</u>		

TGT TERRAIN MT TGT WK 4.0 @ VISIBILITY 5

REL ANGE 10 PASSES 6 INTERVAL 30 MIN ALT 600

ENROUTE ALT 18.5 RETURN ALT 17.5 REL ALT 1000 TGT A/SPD 450

ORDNANCE 8020 1/109 EXPENDED ALL JETTISONED ---

ORDNANCE/RTB --- DUDS (SEE NOTE # 1) ---

BDA 100 % 100 % ADDITIONAL ---

SECONDARY EXPLOSIONS --- NUMBER --- SIZE ---

UNIT SUPPORTED 3rd Bn 101st Avn Bde OPERATION Herkimer Mt

ENROUTE WK 140 @ 190 @ 1/4 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARF
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) EPA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ALOFT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Gold Bunker as per target
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION --- REASON ---

RECOVERABLE --- FUSE DELAY/ARM DELAY ---

NOTE #2: ECM ENCOUNTERED --- TIME --- HOW ELIMATED ---

NOTE #3: ORDNANCE EFFECTIVENESS ---

DEBRIEFER Wellman TIME 2015 DATE 3 July 69
 SQUADRON 211 CALL SIGN NB516 MSN # 6516 FLT CODE 352

T/O 1900 LAND 2010 TOTAL TIME 1.2

PILOTS Wellman A/C CF 3

DASC Manay TIME 1905
 CONTROLLER ANNA TIME 1915
 TYPE CONTROLLER ASST
 TYPE MISSION TRP

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1938</u>	<u>Target Station</u> <u>RO</u>	<u>20 189451</u>	<u>3</u>

TGT TERRAIN R TGT WX 800 VISIBILITY 10
 REL ANGE Level PASSES 1 INTERVAL MIN ALT 16.5
 ENROUTE ALT 18.5 RETURN ALT 19.5 REL ALT 16.5 TGT A/SPD 290
 ORDNANCE 602W/4 EXPENDED all JETTISONED
 ORDNANCE/RTB None DUDS (SEE NOTE # 1)
 BDA 100 % 100 % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 5th MILES OPERATION
 ENROUTE WX 800/0 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BPA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ALOFT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Friendlies No factor
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
 RECOVERABLE FUSE DELAY/ARN DELAY
 NOTE #2: ECM ENCOUNTERED No TIME HOW DIRECTED
 NOTE #3: ORDNANCE EFFECTIVENESS O.K.

DEBRIEFER Lawrence TIME 1615 DATE 3 July
 SQUADRON 211 CALL SIGN HR MSN # 6544 FLT CODE 152

T/O 1500 LAND 1605 TOTAL TIME 2.2

PILOTS REED A/C CF 24 DASC DONALD TIME 1510
Lawrence 17 CONTROLLER 52397-5 TIME 1511
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1520-30</u>	<u>Bunkers</u>	<u>YD091679</u>	<u>1</u>
	<u>BF</u>		

TGT TERRAIN Hilly TGT WX 2.00 VISIBILITY 10T
 REL ANGE 20° PASSES 6 INTERVAL 30 MIN ALT .6
 ENROUTE ALT 18.5 RETURN ALT 17.5 REL ALT 1.1 TGT A/SPD 450
 ORDNANCE 802A/409 EXPENDED 702A/409 ATTENTIONED _____
 ORDNANCE/RTB 102A DUDS (SEE NOTE # 1) _____
 BDA 100% 100% ADDITIONAL 3 bunkers dest
3 bunkers Done

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 3rd AFB OPERATION Virginia Ridge
 ENROUTE WX _____
 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) A/C HIT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Final 200m
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS good

DEBRIEFER Wellman TIME 1115 DATE 3 July 69
 SQUADRON 211 CALL SIGN 148 457 MSN # 6457 FLT CODE 152

T/O 0949 LAND 1110 TOTAL TIME 2.8

PILOTS Wyrick A/C CF 6 DASC Don't TIME 1030
Wellman 3 CONTROLLER SW 973 TIME 1035
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1040/50</u>	<u>Enemy Targets</u>	<u>40040 512</u>	<u>1</u>
	<u>TS</u>		

TGT TERRAIN 4. lat TGT WK 5.00 VISIBILITY 10
 REL ANGE 20° PASSES 6 INTERVAL 30 Sec MIN ALT 600'
 ENROUTE ALT 18.5 RETURN ALT 15.5 REL ALT 1050 TGT A/SPD .67
 ORDNANCE 16 DIA / 409 EXPENDED all JETTISONED —
 ORDNANCE/RTB None DUDS (SEE NOTE # 1) —
 BDA 90 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS None NUMBER — SIZE —
 UNIT SUPPORTED 3rd Mar Div OPERATION Virginia Ridge
 ENROUTE WK 1000 1200 V (D) 1800 TWRG C4 W QUAD
 (LEAVE BLANK)

(A) HOSTILE FIRE	☒ YES	☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	☐ YES	☒ NO	FILE FORM WITH BARREL
(C) A/C HIT	☐ YES	☒ NO	FILE FLASH REPORT WITH BARR
(D) RECON INSERT/EXTRACT	☐ YES	☒ NO	CIRCLE ONE/COORD
(E) BPA REPORTED	☒ YES	☐ NO	IF ADDITIONAL CIRCLE
(F) ALOFT	☐ YES	☒ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	☐ YES	☒ NO	GIVE REASON BELOW

REMARKS: Trinidad 300m @ 0900
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION None REASON —

RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED No TIME — HOW ELIMATED —

NOTE #3: ORDNANCE EFFECTIVENESS Excellent

DEBRIEFER Fleming TIME 1110 DATE 3 JULY
 SQUADRON 211 CALL SIGN H 6152 SN # 6152 FLT CODE 152

T/O 0829 LAND 1035 TOTAL TIME 4.2

PILOTS A/C
NORDELL LF 24
~~BIRCHER~~ 12
 DASC VANDY TIME 0852
 CONTROLLER S.W. 98.6 TIME 0945
 TYPE CONTROLLER FAC A
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
	<u>0955/005 EN BUNKERS</u>	<u>XD884637</u>	<u>1</u>
	<u>BF</u>		

TGT TERRAIN M TGT WX 8.0 @ VISIBILITY 10+
 REL ANGE 20° PASSES 7 INTERVAL 35 MIN ALT 800
 ENROUTE ALT 14.5 RETURN ALT 15.5 REL ALT 1050 TGT A/SPD 450
 ORDNANCE 8D2A, 409 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL 12 Bunk DEST 66 dam
Dam

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3rd Mar Div OPERATION Herkimer Mt
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	☒ YES	☐ NO	FILE FORM WITH BARREL	LOCAL (H) SA
(B) AIRBURST	☐ YES	☐ NO	FILE FORM WITH BARREL	
(C) A/C HIT	☐ YES	☐ NO	FILE FLASH REPORT WITH BAR	
(D) RECON INSERT/EXTRACT	☐ YES	☐ NO	CIRCLE ONE/COORD	
(E) ETA REPORTED	☐ YES	☐ NO	IF ADDITIONAL CIRCLE	
(F) BOBT	☐ YES	☐ NO	A/C MALFUNCTION/NO DROP	
(G) DIVERT	☐ YES	☐ NO	GIVE REASON BELOW	

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER FILAS TIME 0905 DATE 3 JULY 69
 SQUADRON 211 CALL SIGN H151A MSN # 6150 FLT CODE 152

T/O 0745 LAND 0850 TOTAL TIME 2.2

PILOTS
McANALLY A/C 7
FILAS 11
 DASC VANDY TIME 0755
 CONTROLLER SW 98-3 TIME 0800
 TYPE CONTROLLER TACA
 TYPE MISSION CAS LCP

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0805-20</u>	<u>LZP</u>	<u>XD 855538</u>	<u>RVN 7</u>
	<u>ON</u>		<u>1</u>

TGT TERRAIN MTS TGT WX clear 9.0 VISIBILITY 7
 REL ANGE LEVEL PASSES 6 INTERVAL 30° MIN ALT 500'
 ENROUTE ALT 16.5 RETURN ALT 13.5 REL ALT 500 TGT A/SPD 450
 ORDNANCE 1601A/409 EXPENDED 1501A/309 TETTONED -
 ORDNANCE/RTB 109 101A DUDS (SEE NOTE # 1) -
 BDA 90 % 90 % ADDITIONAL -

SECONDARY EXPLOSIONS 0 NUMBER - SIZE -
 UNIT SUPPORTED 3rd Mar Div OPERATION Herkimer Mt
 ENROUTE WX (LEAVE BLANK)

(A) HOSTILE FIRE	YES (NO)	FILE FORM WITH BARREL
(B) AIRBURST	YES (NO)	FILE FORM WITH BARREL
(C) A/C HIT	YES (NO)	FILE FLASH REPORT WITH BARR
(D) RECON INSERT/EXTRACT	YES (NO)	CIRCLE ONE/COORD
(1) BPA REPORTED	YES (NO)	IF ADDITIONAL CIRCLE
(F) ALOTT	YES (NO)	A/C MALFUNCTION/NO DROP
(3) DIVERT	YES (NO)	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION RECOVERABLE REASON FUSE DELAY/ARM DELAY

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER Edwards TIME 1800 DATE 3 July
 SQUADRON 211 CALL SIGN H8596 MSN # 6596 FLT CODE 151
 T/O 1624 LAND 1846 TOTAL TIME 2.8
 PILOTS Edwards A/C 1
Boyer 20
 DASC VANDY TIME 1805
 CONTROLLER SW 98-16 TIME 1805
 TYPE CONTROLLER EDCA
 TYPE MISSION CAS

TOT 1810-20 DESCRIPTION Mortor Posit COORDINATES XO 932654 PROVIDENCE 1
EL

TGT TERRAIN mnt TGT WX 1200 VISIBILITY 10
 REL ANGE 30 PASSES 8 INTERVAL 30 MIN ALT 2000
 ENROUTE ALT 16.5 RETURN ALT 19.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 408 602Y 207 EXPENDED 408 607602 JETTISONED -
 ORDNANCE/RTB 107 DUDS (SEE NOTE # 1) -
 BDA 95% 95% ADDITIONAL 1 Mortor Posit Dist

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 4th Reg M.D. OPERATION Virginia Ridge
 ENROUTE WX 1010 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☐ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	☐ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES	☐ NO	IF ADDITIONAL CIRCLE
(F) A/C HIT	YES	☐ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	☐ NO	GIVE REASON BELOW

REMARKS: Freefall 2000 meter
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS Good Tgt ORN

DEBRIEFER DANE TIME 1750 DATE 3 JUL 69
 SQUADRON 711 CALL SIGN HB MSN # 6020 FLT CODE 152

T/O 1702 LAND 1737 TOTAL TIME 1.2

PILOTS

A/C

DANE CF 11
Tierney 18

DASC Helix TIME 00
 CONTROLLER 11-27 TIME 1710-33
 TYPE CONTROLLER FACT
 TYPE MISSION DAS

TOT

DESCRIPTION

COORDINATES

PROVIDENCE

1710-1720 Bureau location BS400824 4
EC

TGT TERRAIN Hilly TGT WX 10 @ VISIBILITY 10+

REL ANGE 30 PASSES 6 INTERVAL 30 MIN ALT 1500

ENROUTE ALT 8500 RETURN ALT 6000 REL ALT 2.5A TGT A/SPD 450

ORDNANCE 12 DIS EXPENDED 144 JETTISONED 0

ORDNANCE/RTB 0 DUDS (SEE NOTE #1) 0

BDA 100 % 100 % ADDITIONAL CANOPY TOO HEAVY
FOR MORE BDA

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED Amer CAL OPERATION GENEVA Park
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) EDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) A/C HIT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: DED SUIT TGT
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER _____ TIME _____ DATE 3 July 69
 SQUADRON VMA 211 CALL SIGN 4B MSN # 6526 FLT CODE 352

T/O 1945 LAND 2106 TOTAL TIME 1.4

PILOTS SCISSOR, KILL A/C CE 21
 DASC Om 40 TIME _____
 CONTROLLER 19 TIME 2015
 TYPE CONTROLLER ASRT
 TYPE MISSION 7 PR

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2015/2030</u>	<u>Evening Posit</u>	<u>XD 873192</u>	<u>1</u>
	<u>EC</u>		

TGT TERRAIN UNKNOWN TGT WK () VISIBILITY 154
 REL ANGE _____ PASSES 1 INTERVAL _____ MIN ALT 31.5
 ENROUTE ALT 22.5 RETURN ALT 21.5 REL ALT 21.5 TGT A/SPD 290 KIAS
 ORDNANCE 6 EXPENDED 6 JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
 BDA UNKNOWN % 0 % ADDITIONAL 0 6 PA/145
DETERMINED

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 3D MARIS OPERATION _____
 ENROUTE WK () (LEAVE BLANK)

(A) HOSTILE FIRE	YES <u>(NO)</u>	FILE FORM WITH BARREL
(B) AIRBURST	YES <u>(NO)</u>	FILE FORM WITH BARREL
(C) A/C HIT	YES <u>(NO)</u>	FILE FLASH REPORT WITH BARR
(D) RECON INSERT/EXTRACT	YES <u>(NO)</u>	CIRCLE ONE/COORD
(E) BDA REPORTED	YES <u>(NO)</u>	IF ADDITIONAL CIRCLE
(F) A/C OFF	YES <u>(NO)</u>	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES <u>(NO)</u>	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER BIRCHER TIME 1440 DATE 3 July 69
 SQUADRON 211 CALL SIGN 562 MSN # 6562 FLT CODE 154

T/O 1310 LAND 1432 TOTAL TIME 2.6

PILOTS A/C
MAJ EDWARDS CF6
LT BIRCHER CF18

DASC HELVY TIME 1312
 CONTROLLER BILK 18 TIME 1313
 TYPE CONTROLLER TAC
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1320/30</u>	<u>Bunkers</u> <u>BF</u>	<u>BT 275073</u>	<u>RH 5</u>

TGT TERRAIN hilly TGT WK 300 VISIBILITY 6000
 REL ANGE 20° PASSES 6 INTERVAL 30 sec MIN ALT 600' AGL
 ENROUTE ALT 6.5 RETURN ALT 6.5 REL ALT 100' TGT A/SFD 450KTS
 ORDNANCE 8D2A 4D9 EXPENDED all JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE # 1)
 BDA 100 % 70 % ADDITIONAL (2) bunkers & structure
destroyed (1) secondary fire

SECONDARY EXPLOSIONS 0 NUMBER SIZE
 UNIT SUPPORTED 1st 101st AA OPERATION Lamar Plain
 (LEAVE BLANK)
 ENROUTE WK U 0

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BPA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) A/C T	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Handled No Factor
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
 RECOVERABLE FUSE DELAY/ARM DELAY

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS Good

DEBRIEFER Rook 3 TIME 2130 DATE 3 JULY 69
 SQUADRON 211 CALL SIGN HB 528 MSN # 6528 FLT CODE 352

T/O 2015 LAND 2115 TOTAL TIME 1.0

PILOTS Rook 3 A/C CF 18 DASC _____ TIME _____
 CONTROLLER Chula ASST TIME 2025
 TYPE CONTROLLER ASRT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2025/40</u>	<u>EW LOCATION</u>	<u>BT 410021</u>	<u>IV</u>
	<u>Rocket SITE</u>	<u>BS 473989</u>	<u>IV</u>
	<u>Rocket SITE</u>	<u>BS 470970</u>	<u>IV</u>

TGT TERRAIN Hilly TGT WK B VISIBILITY 15+

REL ANGE LEVEL PASSES 3 INTERVAL _____ MIN ALT 14.1

ENROUTE ALT 14.1 RETURN ALT 14.1 REL ALT 14.1 TGT A/SPD 290

ORDNANCE 6 D2WY EXPENDED ALL JETTISONED -

ORDNANCE/RTB - DUDS (SEE NOTE # 1) _____

BDA % % ADDITIONAL unk

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED AMERICAN OPERATION _____

ENROUTE WK _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ASCOT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DETECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER 94/7 TIME 2045 DATE 3 JULY 69
 SQUADRON 124 CALL SIGN H/B MSN # 6520 FLT CODE 352
 T/O 1935 LAND 2030 TOTAL TIME 0.9

PILOTS LANZINI A/C CF 07
 DASC TIME
 CONTROLLER PSLOT MKR TIME 1945
 TYPE CONTROLLER #76 PSLOT
 TYPE MISSION TPR

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>19.55</u>	<u>BARRY LOCATION</u>	<u>BT 121542</u>	<u>3</u>
	<u>EC</u>		

TGT TERRAIN FLAT TGT WX 0 VISIBILITY 6
 REL ANGE DOWN PASSES 1 INTERVAL MIN ALT 14.1
 ENROUTE ALT 14.5 RETURN ALT 13.5 REL ALT 14.1 TGT A/SPD 290
 ORDNANCE GR200/y EXPENDED ALL JETTISONED -
 ORDNANCE/RTB NRKE DUDS (SEE NOTE # 1) -
 BDA % % ADDITIONAL

SECONDARY EXPLOSIONS 1 NUMBER ONE SIZE ?
 UNIT SUPPORTED 20th MA BOKMC OPERATION Victory Dragon
 ENROUTE WX (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) A/CRT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
 RECOVERABLE FUSE DELAY/ARN DELAY

NOTE #2: ECM ENCOUNTERED TIME HOW EFFECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER TOETICHER TIME 0915 DATE 3 JULY
 SQUADRON 211 CALL SIGN HD 450 MSN # 6450 FLT CODE 152

T/O 0750 LAND 0902 TOTAL TIME 2.4

PILOTS TOETICHER A/C CK 05 DASC ONG TIME 0930
HOGGIN 19 CONTROLLER Kinahan TIME 0932
 TYPE CONTROLLER Faca
 TYPE MISSION 220

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0840-45</u>	<u>L2D</u>	<u>BT 143508</u>	<u>FCOAPS</u>
	<u>UN</u>		<u>3</u>

TGT TERRAIN FLAT TGT WK 14.0 VISIBILITY 7+
 REL ANGE 10° PASSES 6 INTERVAL 30 MIN ALT 800
 ENROUTE ALT 185 RETURN ALT 115 REL ALT 1050 TGT A/SPD 450
 ORDNANCE 16 DIA 1409 EXPENDED 13 DIA 1409 JETTISONED none
 ORDNANCE/RTB 3 DIA DUDS (SEE NOTE #1) none
 BDA 100% 80% ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED ROTC MARINES OPERATION Victory Dragon
 ENROUTE WK _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ALOFT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: FACTOR REF. BDA
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER DWFO TIME 1310 DATE 3 JULY
 SQUADRON 211 CALL SIGN 022 MSN # 6022 FLT CODE 183

T/O 1212 LAND 1257 TOTAL TIME 1.8

PILOTS

A/C

DANE, DW CF 19
TIERNY DT " 7

DASC BILK TIME 1210
 CONTROLLER BILK 23 TIME 1215
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT

DESCRIPTION

COORDINATES

PROVIDENCE

1220-1230 ENEMY LOC. 2C120920 2
EC

TGT TERRAIN MIT TGT WX 4.0 0 VISIBILITY 10
 REL ANGE 30° PASSES 7 INTERVAL 30 MIN ALT 1000'
 ENROUTE ALT 14 RETURN ALT 9500 REL ALT 3000' SEC TGT A/SPD 450

ORDNANCE 4 D2, 4 D3 EXPENDED ALL JETTISONED ---

ORDNANCE/RTB None DUDS (SEE NOTE # 1) No

BDA 100 % 75 % ADDITIONAL 3 HUTS & 5 BUNKERS DEST
+ SMALL SEC, 2 SMALL SEC FIRE

SECONDARY EXPLOSIONS 1 # NUMBER 1 SIZE SMALL

UNIT SUPPORTED 2 BG 101st A.B. OPERATION Kentucky Hopper
 (LEAVE BLANK)

ENROUTE WX

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) A/C HIT
 (D) RECON INSERT/EXTRACT
 (E) BPA REPORTED
 (F) ALOFT
 (G) DIVERT

YES
 YES
 YES
 YES
 YES
 YES
 YES

(NO)
 (NO)
 (NO)
 (NO)
 (NO)
 (NO)
 (NO)

FILE FORM WITH BARREL
 FILE FORM WITH BARREL
 FILE FLASH REPORT WITH BARR
 CIRCLE ONE/COORD
 IF ADDITIONAL CIRCLE
 A/C MALFUNCTION/NO DROP
 GIVE REASON BELOW

REMARKS: ARD Well Suited FRIENDLIES
 (REFERENCE NOTE #3)

NO FACTOR

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARN DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Wood TIME 1530 DATE 3 July 69
 SQUADRON 211 CALL SIGN M-25 MSN # 0964 FLT CODE 152

T/O 1455 LAND 1550 TOTAL TIME 2.7

PILOTS PADIOS A/C CF 15 DASC LOPEZ TIME 1505
WOOD 04 CONTROLLER LOPEZ S3 TIME 1510
BROSTRAND 21 TYPE CONTROLLER MACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1515-25</u>	<u>BRIDGE & ROAD</u>	<u>YC 667258</u>	<u>IB</u>
	<u>BR</u>		

TGT TERRAIN VALLEY TGT WK 8.500 VISIBILITY 10+
 REL ANGE 30° PASSES 9 INTERVAL 30 sec MIN ALT 2000'
 ENROUTE ALT 8500 RETURN ALT 5500 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 18 D2W/V EXPENDED ALL JETTISONED NONE
 ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) —
 BDA 100 % 30 % ADDITIONAL 1 BRIDGE DAMAGED

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 51ST ARVN OPERATION _____
 ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARR
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BPA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ALOTT	YES ☐ NO ☒	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: NO FRIENDLIES
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARN DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS Good

DEBRIEFER AO TIME 1545 DATE 3 July 69
 SQUADRON 211 CALL SIGN HB 462 MSN # 6462 FLT CODE 152

T/O 1430 LAND 1540 TOTAL TIME 2.4

PILOTS A/C
 Col. ~~Pytko~~ Pytko 3
Oseguera 7
 DASC TIME
 CONTROLLER TRAIL 67 TIME 1500
 TYPE CONTROLLER BACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
1455-1510	Enemy Position	YD 270255	RPA
	EC		

TGT TERRAIN MTS TGT WX 0 VISIBILITY 50
 REL ANGE 20° PASSES 8 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 18.5 RETURN ALT 17.5 REL ALT 1050 TGT A/SPD 450
 ORDNANCE 1601A 40-9 EXPENDED all JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100% 100% ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1st ARVN OPERATION —
 ENROUTE WX — (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BPA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ALOFT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: ordnance OK for target, Friendly
 (REFERENCE NOTE #3)

1000 meters away
 NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —
 NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER RKE TIME 1015 DATE 4 JULY
 SQUADRON 211 CALL SIGN 013 MSN # 6013 FLT CODE 152

T/O 0915 LAND 0948 0958 TOTAL TIME 1.2

LANGE PILOTS 1 A/O CF 19 DASC DANANG TIME 0920
Bircher 4 CONTROLLER KIMPH TIME 0920
 TYPE CONTROLLER FAC/1
 TYPE MISSION _____

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0925</u>	<u>TREELINE</u>		
	<u>No DROP</u>		

TGT TERRAIN FLM TGT WK 0 VISIBILITY 7
 REL ANGE 20 PASSES 3 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 12.5 RETURN ALT 5.5 REL ALT 1080 TGT A/SFD 450
 ORDNANCE 80M EXPENDED _____ JETTISONED 609
 ORDNANCE/RTB 709 DUDS (SEE NOTE #1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 1.6 KRS OPERATION _____
 ENROUTE WK _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ADORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: DASH 2 HAD ONE NADIR GO CIG
 (REFERENCE NOTE #3)

BENEATH THE WING - HAD TO ABORT MISSION NO COORDINATES
165/15 S. 11

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER BEEM TIME 0745 DATE 4 JAN 69
 SQUADRON UMA-211 CALL SIGN HB043 MSN # 6043 FLT CODE 132

T/O 0650 LAND 0732 TOTAL TIME 14

PILOTS Miller A/C CF 07
BEEM CF 11
 DASC DANIEL TIME 0704
 CONTROLLER Host Hotel TIME 0704
 TYPE CONTROLLER FAC (A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0705075</u>	<u>Village Prep</u> <u>NVA IN OPEN</u> <u>TS</u>	<u>AT 980850</u>	<u>EB</u>

TGT TERRAIN LL45 TGT WX 0 VISIBILITY 15 mi

REL ANGE 20 PASSES 8 INTERVAL 30 sec MIN ALT 600

ENROUTE ALT 145 RETURN ALT 13.5 REL ALT 1000 TGT A/SFD 452

ORDNANCE 8D2A/409 EXPENDED ALL JETTISONED -

ORDNANCE/RTB - DUDS (SEE NOTE # 1) 2

BDA - % - % ADDITIONAL -

BDA Not Reported AS Helos were approaching village
should be passed via D.Dasc

SECONDARY EXPLOSIONS 12 NUMBER - SIZE -

UNIT SUPPORTED 1st M. D. OPERATION -

ENROUTE WX - (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ALERT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: 2nd lie 1500 meters North - NO FACTOR
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -

RECOVERABLE - FUSE DELAY/ARM DELAY -

NOTE #2: ECM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -

DEBRIEFER H/S TIME 1920 DATE 4 July 69
 SQUADRON 1 MAH 211 CALL SIGN HB 541 SN # 6541 FLT CODE 152

T/O 1800 LAND 1905 TOTAL TIME 1.1

PILOTS SAEGER A/C CF6 DASC _____ TIME _____
 CONTROLLER Av Noa TIME 1816
 TYPE CONTROLLER ASRT
 TYPE MISSION T02

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1820-1850</u>	<u>INFIL ROUTE</u>	<u>ZC 181464</u>	<u>3</u>
	<u>RD</u>	<u>ZC 186482</u>	

TGT TERRAIN R TGT WX 38D VISIBILITY 15+
 REL ANGE LEVEL PASSES 2 INTERVAL — MIN ALT 14.1
 ENROUTE ALT 16.5 RETURN ALT 15.5 REL ALT 14.1 TGT A/SPD 290TAS
 ORDNANCE 10 DI EXPENDED 10 DI JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
 BDA _____ % ADDITIONAL 5 DI ON EACH COORD

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 5 MAH M.D. OPERATION _____
 ENROUTE WX 0 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) DCA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER W. J. W. TIME 1445 DATE 4 JULY
 SQUADRON 211 CALL SIGN HB 593 MSN # 6593 FLT CODE 152

T/O 1305 LAND 1430 TOTAL TIME 2.8

PILOTS WARREN A/C CH 1 DASC DN NANG TIME 1400
RICHARDS CF3 CONTR 402K TIME 1405
 TYPE CONTROLLER AFCA
 TYPE MISSION DIS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>145-20</u>	<u>VILLE</u>	<u>01 903515</u>	<u>3</u>
	<u>✓</u>		

TGT TERRAIN LXL TGT WK 0 VISIBILITY 8
 REL ANGE 45 PASSES 4 INTERVAL 3000 MIN ALT 1500
 ENROUTE ALT 18.5 RETURN ALT 5.5 REL ALT 3000 TGT A/SFD 450
 ORDNANCE 6024 207 EXPENDED ALL JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) 0
 BDA 100 % 100 % ADDITIONAL 3 HOOGIES DEST 50
MTR TREE LINE

SECONDARY EXPLOSIONS NO NUMBER 2 SIZE 45m. O.
 UNIT SUPPORTED 2 OPERATION Pipestone Canyon
 ENROUTE WK 0 20 (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☒ NO ☐	FILE FLASH REPORT WITH BARR
(D) RECON INSERT/EXTRACT	YES ☒ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ACFT	YES ☒ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☒ NO ☐	GIVE REASON BELOW

REMARKS: 1500 MTR SE
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION OK FOR TGT - OK REASON OK

RECOVERABLE OK FUSE DELAY/ARN DELAY OK

NOTE #2: ECM ENCOUNTERED OK TIME OK HOW DIRECTED OK

NOTE #3: ORDNANCE EFFECTIVENESS OK

DEBRIEFER AO TIME 1700 DATE 4 July 69
 SQUADRON 24 CALL SIGN 597 MSN # 6597 FLT CODE 152

T/O 1615 LAND 1650 TOTAL TIME 1.2

PILOTS ROOK A/C 6 DASC DNE TIME 1620
Oseguera 1 CONTROLLER HOSTAGE TIME 1625
 TYPE CONTROLLER PAC(A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1630-38</u>	<u>ACTIVE AA SITE</u>	<u>AT887533</u>	<u>RBY</u>
	<u>AA</u>		

TGT TERRAIN FLAT TGT WX clear VISIBILITY 15
 REL ANGE 30° PASSES 24 INTERVAL 30 MIN ALT 2000
 ENROUTE ALT 10.5 RETURN ALT 9.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 60-2X/20-7, 40-8 EXPENDED all JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE # 1) ONE ROCKEVE
 BDA 100% 100% ADDITIONAL 3 Structures destroyed
One AA Site Destroyed

SECONDARY EXPLOSIONS - NUMBER - SIZE -
 UNIT SUPPORTED 5 Main 1st M.D. OPERATION P. pestone Canyon
 ENROUTE WX Scattered (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	<u>YES</u>	<u>NO</u>	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Friendlies 1500 meters. Good ordnance
 (REFERENCE NOTE #3) for Vgt

NOTE #1: DUD REPORT LOCATION AT887533 REASON ?
 RECOVERABLE No FUSE DELAY/ARN DELAY -

NOTE #2: ECM ENCOUNTERED - TIME - HOW ELIMINATED -

NOTE #3: ORDNANCE EFFECTIVENESS EXCELLENT

DEBRIEFER FLAS TIME 0850 DATE 4 July
 SQUADRON 211 CALL SIGN 118157 MSN # 6157 FLT CODE 152

T/O 0710 LAND 0830 TOTAL TIME 2.6

PILOTS
LAURENCE A/C 9 DASC DA NANG TIME 0800
FLATS 12 CONTROLLER HOSTAGE TIME 0810
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0812-21</u>	<u>NVA IN TROUBLE</u>	<u>AT 842485</u>	<u>RVNBI</u>
	<u>TS</u>		

TGT TERRAIN FLAT TGT WX 0 VISIBILITY 8
 REL ANGE 70 PASSES 6 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 16.5 RETURN ALT 9.5 REL ALT 1050 TGT A/SPD 450
 U
 ORDNANCE 802A / 4179 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) 202A
 BDA 70 % 100 % ADDITIONAL 50 METER OF TREET LINE

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1st MAIR DIV OPERATION Pipestone Canyon
 ENROUTE WX 150 00 (LEAVE BLANK)

(A) HOSTILE FIRE	YES <u>NO</u>	FILE FORM WITH BARREL
(B) AIRBURST	YES <u>NO</u>	FILE FORM WITH BARREL
(C) A/C HIT	YES <u>NO</u>	FILE FLASH REPORT WITH BAI
(D) RECON INSERT/EXTRACT	YES <u>NO</u>	CIRCLE ONE/COORD
(E) BDA REPORTED	YES <u>NO</u>	IF ADDITIONAL CIRCLE
(F) ADOPT	YES <u>NO</u>	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES <u>NO</u>	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION AT 812485 REASON ?

RECOVERABLE — FUSE DELAY/ARM DELAY INST

NOTE #2: ECM ENCOUNTERED — TIME — HOW ELLECTED —

NOTE #3: ORDNANCE EFFECTIVENESS Good

DEBRIEFER Wellman TIME 1730 DATE 4 July 69
 SQUADRON 211 CALL SIGN HB 967 MSN # 6967 FLT CODE 152

T/O 1605 LAND 1720 TOTAL TIME 2.6

PILOTS Wellman A/C CF 7 DASC Long Ha TIME 1620
Wellman CF 15 CONTROLLER Car 44 TIME 1635
 TYPE CONTROLLER FACA
 TYPE MISSION 3.05

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1642/52</u>	<u>NVA, 3rd Div</u>	<u>YD 242 783</u>	<u>1</u>
	<u>BF</u>		

TGT TERRAIN 2nd TGT WK 800 VISIBILITY 10
 REL ANGE 20° PASSES 6 INTERVAL 30 Sec MIN ALT 600'
 ENROUTE ALT 18.5 RETURN ALT 19.5 REL ALT 1050 TGT A/SPD 450
 ORDNANCE 16 D1A/409 EXPENDED ALL JETTISONED -
 ORDNANCE/RTB None DUDS (SEE NOTE # 1) -
 BDA 100 % 100 % ADDITIONAL 4
1 Gunner damaged

SECONDARY EXPLOSIONS None NUMBER - SIZE -
 UNIT SUPPORTED 5th Air Div OPERATION Irquair Grove
 (LEAVE BLANK)
 ENROUTE WK 800/0 10

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Friendlies

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -
 RECOVERABLE - FUSE DELAY/ARM DELAY -
 NOTE #2: ECM ENCOUNTERED No TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS High dive ordinance
would have been more effective

DEBRIEFER QCB TIME 1600 DATE 4 JULY
 SQUADRON 211 CALL SIGN HB 017 MSN # 6017 FLT CODE 152

T/O 1450 LAND 1550 TOTAL TIME 2.0

PILOTS A/C
BROSTRAND 18
HUGGIN 17
 DASC HELIX CONT TIME 1455
 CONTROLLER NEWY 22 TIME 00
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>10-1530</u>	<u>ENEMY STRUCTURES</u>	<u>BS 240 768</u>	<u>4</u>
	<u>BL</u>		

TGT TERRAIN MOUNT TGT WX 4-6,000 VISIBILITY 3
 REL ANGE 30° PASSES 8 INTERVAL 30" MIN ALT 1000'
 ENROUTE ALT 14.5 RETURN ALT 14.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 12D2W/y EXPENDED 12 JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) 0
 BDA 100 % 30 % ADDITIONAL 2 MIL. STRUCT. DEST. 3 MIL. STRUCT. DAM.

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0
 UNIT SUPPORTED AMERICAN OPERATION Geneva Park
 ENROUTE WX CV's (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARR
(D) RECOM INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ADVERT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: FRIENDLIES NO FACTOR. GOOD ORD FOR TGT.
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER 1BM TIME 1850 DATE 4 July 69
 SQUADRON 211 CALL SIGN 565 MSN # 6565 FLT CODE 152

T/O 1750 LAND 1840 TOTAL TIME 1.6

PILOTS McAnally A/C 3 DASC Helix TIME 1755
White 19 CONTROLLER Helix 27 TIME 1800
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVIDENCE
1805-15 spiderholes & baby traps B5549847 4
EC

TGT TERRAIN flat TGT WX 800 VISIBILITY 10
 REL ANGE 30° PASSES 8 INTERVAL 30 sec MIN ALT 1500
 ENROUTE ALT 10.5 RETURN ALT 7.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 12 D2W/Y EXPENDED 11 JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE # 1) -
 BDA 90 % 20 % ADDITIONAL -

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED Americal OPERATION General Park
 ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) EDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: friendly fire 1000 meters
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS very good

DEBRIEFER 105 TIME 0940 DATE 4 July 1969
 SQUADRON 211 CALL SIGN HB-581 MSN # 6581 FLT CODE 132

T/O 0805 LAND 0922 TOTAL TIME 1.3+1.4

PILOTS
DANE - ~~XXXXXX~~ A/C 1 ~~20~~
Tierney 20

DASC BILK TIME 0820
 CONTROLLER BILK-35 TIME 0830
 TYPE CONTROLLER FAC(A)
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0835-41</u>	<u>BUNKERS</u>	<u>YC 214-993</u>	<u>2</u>
	<u>BF</u>		

TGT TERRAIN Hilly TGT WX 9.0 VISIBILITY 20+

REL ANGE 30° PASSES 7 INTERVAL 30" MIN ALT 1000'

ENROUTE ALT 8.5 RETURN ALT 730.0 REL ALT 3000 AGL TGT A/SFD 450

ORDNANCE 4 D-2Y 4 D-3Y EXPENDED ALL JETTISONED -

ORDNANCE/RTB NONE DUDS (SEE NOTE #1) -

BDA 100 % 50 % ADDITIONAL 4 BUNKERS DESTROYED,
2 SECONDARY FIRES

SECONDARY EXPLOSIONS 0 NUMBER - SIZE -

UNIT SUPPORTED 3RD BRIG/101ST AIRB. OPERATION Montgomery Bend
 (LEAVE BLANK)

ENROUTE WX -

(A) HOSTILE FIRE	YES	☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☐ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	☐ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES	☐ NO	IF ADDITIONAL CIRCLE
(F) ACERT	YES	☐ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	☐ NO	GIVE REASON BELOW

REMARKS: ORDNANCE WELL SUITED TO TGT
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -

RECOVERABLE - FUSE DELAY/ARM DELAY -

NOTE #2: ECM ENCOUNTERED - TIME - HOW ELIMINATED -

NOTE #3: ORDNANCE EFFECTIVENESS -

DEBRIEFER Courtney TIME 0230 DATE 7 July 69
 SQUADRON 2N CALL SIGN 6019 MSN # 6019 FLT CODE 15R

T/O 0610 LAND 0714 TOTAL TIME 2.2

PILOTS Edwards A/C 3/1
Courtney 21

DASC Wavy TIME 0630
 CONTROLLER Barry TIME 0630
 TYPE CONTROLLER BARCA
 TYPE MISSION QAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0635</u>	<u>Position</u>	<u>X0895210</u>	<u>I</u>
<u>0645</u>	<u>EC</u>		

TGT TERRAIN Rolling TGT WX clear VISIBILITY infinite
 REL ANGE Low PASSES 3 INTERVAL 260 MIN ALT 100'
 ENROUTE ALT 12500 RETURN ALT 25500 REL ALT 100' TGT A/SPD 380°
 ORDNANCE 8032 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100% 100% ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED ARVN OPERATION — (LEAVE BLANK)
 ENROUTE WX 1500

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ALORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS FRIENDLYS NO
Factor

DEBRIEFER Fleming TIME 1135 DATE 4 JULY
 SQUADRON 211 CALL SIGN M22 MSN # 0937 FLT CODE 152

T/O 1006 LAND 1111 TOTAL TIME 2.2

PILOTS A/C
DICKERSON CF 17 DASC HILLBORO TIME 1015
SEAGER 18 CONTROLLER COVEY 571 TIME 1020
 TYPE CONTROLLER TACA
 TYPE MISSION SIT

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1025/40</u>	<u>INDEPENDENT POINT</u>	<u>4B280380</u>	<u>G</u>
	<u>(S)</u>	<u>1515 10718</u>	

TGT TERRAIN F TGT WX 5.0 0 VISIBILITY 15+
 REL ANGE 30° PASSES 6 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 20.5 RETURN ALT 23.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 1202WY EXPENDED ALL JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE #1) -
 BDA 100 % 100 % ADDITIONAL + POS SEC FIRE

SECONDARY EXPLOSIONS No NUMBER - SIZE -
 UNIT SUPPORTED 7th A.F OPERATION -
 (LEAVE BLANK)
 ENROUTE WX -

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: DIV BY HILLBORO FROM PRIMARY Tgt
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -
 RECOVERABLE - FUSE DELAY/ARM DELAY -

NOTE #2: ECM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -

DEBRIEFER MCL TIME 1440 DATE 4 July 69
 SQUADRON 211 CALL SIGN M.24 MSN # 10957 FLT CODE 152

T/O 1242 LAND 1356 TOTAL TIME 2.4

PILOTS A/C
Dane 22 DASC Willsboro TIME 1300
Tierney 09 CONTROLLER Nail 07 TIME 1300
 TYPE CONTROLLER FACA
 TYPE MISSION S.T.

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
1303 1303 -26	<u>TRUCK PARK</u>	<u>X0898002</u>	
	<u>TP</u>	<u>161710646</u>	<u>F</u>
TGT TERRAIN <u>R</u>	TGT WX <u>5.0 @</u>	VISIBILITY <u>10+</u>	
REL ANGE <u>30°</u>	PASSES <u>4</u>	INTERVAL <u>30</u>	MIN ALT <u>2.5</u>
ENROUTE ALT <u>19.5</u>	RETURN ALT <u>20.5</u>	REL ALT <u>3.5</u>	TGT A/SPD <u>450</u>
ORDNANCE <u>12/D2W/4</u>	EXPENDED <u>ALL</u>	JETTISONED <u>-</u>	
ORDNANCE/RTB <u>-</u>	DUDS (SEE NOTE #1) <u>-</u>		
BDA <u>150 % w. 50mtrg</u>	ADDITIONAL <u>-</u>		

SECONDARY EXPLOSIONS 0 NUMBER - SIZE -
 UNIT SUPPORTED 7th AF OPERATION (LEAVE BLANK)
 ENROUTE WX -

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -
 RECOVERABLE - FUSE DELAY/ARN DELAY -

NOTE #2: ECM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -

DEBRIEFER PBW TIME 0815 DATE 4 July
 SQUADRON 211 CALL SIGN M-21 MSN # 0909 FLT CODE 152

T/O 0704 LAND 0810 TOTAL TIME 2.2

PILOTS A/C
Wyrick 15
Huggins 06
 DASC 14166 TIME 0715
 CONTROLLER Playboy 10 TIME 0720
 TYPE CONTROLLER TACA
 TYPE MISSION ST

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0726/32</u>	<u>BARGE</u>	<u>XD 572085</u>	<u>LAOS</u>
	<u>WV</u>	<u>1621 10628</u>	<u>F</u>

TGT TERRAIN FLAT TGT WX 9.00 VISIBILITY 10 T

REL ANGE 45° PASSES 6 INTERVAL 30 MIN ALT 3000

ENROUTE ALT 18.5 RETURN ALT 11.5 REL ALT 8500 TGT A/SFD 450

ORDNANCE 1202 w/y EXPENDED ALL JETTISONED NO

ORDNANCE/RTB 142 DUDS (SEE NOTE # 1) —

BDA 100% 100% ADDITIONAL 1 Barge Destroyed

SECONDARY EXPLOSIONS NU NUMBER — SIZE —

UNIT SUPPORTED 7th AF OPERATION —
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☒ NO ☐	FILE FLASH REPORT WITH BARN
(D) RECON INSERT/EXTRACT	YES ☒ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) A/C HIT	YES ☒ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☒ NO ☐	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER MCL TIME 1605 DATE 4 July 69
 SQUADRON 211 CALL SIGN M 26 MSN # 0965 FLT CODE 152

T/O 1410 LAND 1531 TOTAL TIME 2.8

PILOTS Reed A/C CF 20 DASC Hillsboro TIME 1425
WHITE 24 CONTROLLER Stormy 2 TIME 1440
 TYPE CONTROLLER TACA
 TYPE MISSION 3.T.

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
1445-49	Bivouac Storage Area SP	XD 637/668 1652 10632	C
TGT TERRAIN	<u>H</u>	TGT WX <u>3.5 @</u>	VISIBILITY <u>10+</u>
REL ANGE	<u>30°</u>	PASSES <u>2</u>	INTERVAL <u>30</u> MIN ALT <u>2.5</u>
ENROUTE ALT	<u>20.5</u>	RETURN ALT <u>19.5</u>	REL ALT <u>3.0</u> TGT A/SPD <u>450</u>
ORDNANCE	<u>12/024/y</u>	EXPENDED <u>11/02</u>	JETTISONED <u>—</u>
ORDNANCE/RTB	<u>1/02</u>	DUDS (SEE NOTE # 1)	<u>—</u>
BDA	<u>100 %</u>	<u>100 %</u>	ADDITIONAL <u>—</u>

SECONDARY EXPLOSIONS No NUMBER — SIZE —
 UNIT SUPPORT 7th A.F. OPERATION —
 ENROUTE WX (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARF
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER Tierney TIME 0800 DATE 5 Jul
 SQUADRON 211 CALL SIGN 011 MSN # 6011 FLT CODE 152

T/O 0652 LAND 0748 TOTAL TIME 1.8

PILOTS

A/C

Tierney
Dane

19
1

DASC Helix TIME 0700
 CONTROLLER Helix TIME 7
 TYPE CONTROLLER FAC
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0726-0733</u>	<u>VC LOCATION</u>	<u>BS 810450</u>	<u>4</u>
	<u>EC</u>		

TGT TERRAIN Level TGT WX Clear VISIBILITY 10+
 REL ANGE 30° PASSES 6 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 9.5 RETURN ALT 10.5 REL ALT 200 TGT A/SPD 450
 ORDNANCE 12 D-2 EXPENDED ALL JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1) 0
 BDA 100 % 50 % ADDITIONAL 6 HITS, 100 meters Tierney
Uncovered, 2 large bunkers damaged

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE
 UNIT SUPPORTED AMER OPERATION Iron-MT
 ENROUTE WX Clear (LEAVE BLANK)

(A) HOSTILE FIRE	YES	☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☐ NO	FILE FLASH REPORT WITH BARR
(D) RECON INSERT/EXTRACT	YES	☐ NO	CIRCLE ONE/COORD
(E) BPA REPORTED	☒ YES	☐ NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	☐ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	☐ NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Saegun TIME 2115 DATE 5 July 69
 SQUADRON VMA 211 CALL SIGN HB 500 MSN # 6500 FLT CODE 352
 T/O 1925 LAND 2100 TOTAL TIME 1.6
 PILOTS SAEGER A/C CF 1
 DASC TIME 2000
 CONTROLLER Vandyot TIME 2000
 TYPE CONTROLLER ASPT ASPT ASPT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2000/2025</u>	<u>ENEMY MORTAR POSITION</u>	<u>YD 025648</u>	<u>1</u>
	<u>EL</u>		

TGT TERRAIN URV TGT WX 0 VISIBILITY 15+
 REL ANGE LEVEL PASSES 1 INTERVAL --- MIN ALT 20.0
 ENROUTE ALT 22.5 RETURN ALT 21.5 REL ALT 20.0 TGT A/SPD 290 IAS
 ORDNANCE 6 D2 EXPENDED 6 D2 JETTISONED ---
 ORDNANCE/RTB --- DUDS (SEE NOTE # 1) ---
 BDA Unk % ADDITIONAL OBSERVED 6 DETONATIONS

SECONDARY EXPLOSIONS --- NUMBER --- SIZE ---
 UNIT SUPPORTED 3RD MAR RLT OPERATION Virginia Ridge
 ENROUTE WX Thunderstorm in Phu Bai Area (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☒ NO ☐	FILE FLASH REPORT WITH BARI
(D) RECON INSERT/EXTRACT	YES ☒ NO ☐	CIRCLE ONE/COORD
(E) BTA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ASSET	YES ☒ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☒ NO ☐	GIVE REASON BELOW

REMARKS: Thunderstorm over Phu Bai & vicinity
precluded working with Mulkey. Vice Sgd
diverted to Vandyot ASPT

NOTE #1: DUD REPORT LOCATION --- REASON ---
 RECOVERABLE --- FUSE DELAY/ARM DELAY ---
 NOTE #2: ECM ENCOUNTERED --- TIME --- HOW DIRECTED ---
 NOTE #3: ORDNANCE EFFECTIVENESS ---

DEBRIEFER COURTNEY TIME 1030 DATE 31 JUL 69
 SQUADRON 12A CALL SIGN SPT MSN # 658P PLT CODE 152

T/O 0845 LAND 1010 TOTAL TIME 2.8

PILOTS LOGANES COURTNEY A/C 1 20
 DASC DANANG TIME None
 CONTROLLER None TIME None
 TYPE CONTROLLER None
 TYPE MISSION None

TOT DESCRIPTION COORDINATES PROVIDENCE

None None None None

TGT TERRAIN None TGT WX None VISIBILITY None

REL ANGE None PASSES None INTERVAL None MIN ALT None

ENROUTE ALT 14.5 RETURN ALT 13.5 REL ALT None TGT A/SPD None

ORDNANCE 602/408/209 EXPENDED None JETTISONED None

ORDNANCE/RTB ACC DUDS (SEE NOTE # 1) None

BDA None % None % ADDITIONAL None

SECONDARY EXPLOSIONS None NUMBER None SIZE None

UNIT SUPPORTED None OPERATION None

ENROUTE WX None (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ALOFT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: no tgs

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION None REASON None

RECOVERABLE None FUSE DELAY/ARN DELAY None

NOTE #2: ECM ENCOUNTERED None TIME None HOW DETECTED None

NOTE #3: ORDNANCE EFFECTIVENESS None

DEBRIEFER Edwards TIME 2145 DATE 5 July 69
 SQUADRON 211 CALL SIGN H3558 MSN # 6558 FLT CODE 151
 T/O 1100 LAND 1230- TOTAL TIME ~~1.8~~
 PILOTS Edwards A/C 22 DASC Helix TIME 1110
Biecher 21 CONTROLLER Helix TIME 1130
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT 1130-40 DESCRIPTION VEE V. 116 \$EWemyloc COORDINATES BS663088 PROVIDENCE 5
VL

TGT TERRAIN Level TGT WK 0 VISIBILITY 10
 REL ANGE 30 PASSES 2 INTERVAL 30 MIN ALT 2000
 ENROUTE ALT 14.5 RETURN ALT 7.5 REL ALT 300 TGT A/SPD 450
 ORDNANCE 402 EXPENDED Acc JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100 % 30 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED Am Cac OPERATION Iron mt
 ENROUTE WK 0 10 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BTA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Freeblee 2000 meters
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS Good

DEBRIEFER HUGGIN TIME 2100 DATE 5 July 69
 SQUADRON 211 CALL SIGN HB 504 MSN # 6504 FLT CODE 352

T/O 1955 LAND 2040 TOTAL TIME 0.8

PILOTS HUGGIN A/C CF20 DASC CHULAI #24 TIME 2000
 TYPE CONTROLLER FSRT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2015</u>	<u>Sus RKT Posit EL</u>	<u>B5439985</u>	<u>#</u>
<u>2022</u>	<u>"</u>	<u>B5430984</u>	<u>IV</u>

TGT TERRAIN R TGT WX 1000 VISIBILITY WH
 REL ANGE 1000 PASSES 2 INTERVAL 1 MIN ALT 13,600
 ENROUTE ALT 14.5 RETURN ALT 15.2 REL ALT 13.6 TGT A/SPD 290
 ORDNANCE 6D2W1X EXPENDED all JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE #1)
 BDA 40% % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED American OPERATION Geneva Park
 ENROUTE WX (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BTA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON

RECOVERABLE FUSE DELAY/ARN DELAY

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER _____ TIME _____ DATE _____
 SQUADRON 211 CALL SIGN 246 MSN # 6246 FLT CODE 162

T/O 1210 LAND 1240 TOTAL TIME 0.5

PILOTS IT A/C CF04 DASC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT DESCRIPTION COORDINATES PROVIDENCE

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____

REL ANGE _____ PASSES _____ INTERVAL _____ MIN ALT _____

ENROUTE ALT _____ RETURN ALT _____ REL ALT _____ TGT A/SPD _____

ORDNANCE _____ EXPENDED _____ JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____

ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ADOPT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW ELIMINATED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER _____ TIME _____ DATE 5 July
 SQUADRON 211 CALL SIGN 558 MSN # 6668 FLT CODE 122

T/O 2035 LAND 2115 TOTAL TIME 1.6

PILOTS
Edwards A/C QF 22 DASC _____ TIME _____
Biecher 21 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT DESCRIPTION COORDINATES PROVIDENCE

_____ *Ferry* _____

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____

REL ANGE _____ PASSES _____ INTERVAL _____ MIN ALT _____

ENROUTE ALT _____ RETURN ALT _____ REL ALT _____ TGT A/SPD _____

ORDNANCE _____ EXPENDED _____ JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____

ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER QCB TIME 1000 DATE 5304769
 SQUADRON 211 CALL SIGN 118/54 MSN # 6154 FLT CODE 152

T/O 0840 LAND 0950 TOTAL TIME 2.4

PILOTS
McNALLY A/C CF 18 DASC BILK CONT TIME 0853
BROSTRAND 7 CONTROLLER BILK 23 TIME 0855
 TYPE CONTROLLER FACA
 TYPE MISSION 62P

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0915-25</u>	<u>CEP</u> <u>UN</u>	<u>YD558056</u>	<u>2</u>

TGT TERRAIN MOUNT. TGT WX 0 VISIBILITY 10
 REL ANGE 300 PASSES 6 INTERVAL 30+ MIN ALT 1500'
 ENROUTE ALT 18.5 RETURN ALT 13.5 REL ALT 3000' TGT A/SPD 430
 ORDNANCE 4024D3 EXPENDED 3024D3 JETTISONED 0
 ORDNANCE/RTB 102 DUDS (SEE NOTE #1) 0
 BDA 100 % 75 % ADDITIONAL 0

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0
 UNIT SUPPORTED 102ST A.B. OPERATION Kentucky Jump
 ENROUTE WX 0 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) APOET	YES	NO	A/C MALFUNCTION/NO DROP
(G) LEVERT	YES	NO	GIVE REASON BELOW

REMARKS: 6000 ORD. FRIENDLY 3000m. E
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER WARREN TIME 1120 DATE 5 JUL 71
 SQUADRON 211 CALL SIGN 156 MSN # 6166 FLT CODE 158

T/O 1020 LAND 1110 TOTAL TIME 1.6

PILOTS WARREN A/C 24 DASC BILK TIME 1025
TIERNEN 20 CONTROLLER BILK 23 TIME 1030
 TYPE CONTROLLER FACE
 TYPE MISSION DN

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1030-4:13</u>	<u>L2P</u>	<u>40573015</u>	<u>R</u>
	<u>UN</u>		

TGT TERRAIN MTM TGT WX 0 VISIBILITY 8
 REL ANGE 30° PASSES 5 INTERVAL 30 sec MIN ALT 1500
 ENROUTE ALT 16.5 RETURN ALT 15.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 402 403 EXPENDED ALL JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) 0
 BDA 100 % 75 % ADDITIONAL

SECONDARY EXPLOSIONS No NUMBER SIZE
 UNIT SUPPORTED 2nd AB OPERATION Kentucky Jumper
 ENROUTE WX (LEAVE BLANK)

(A) HOSTILE FIRE	YES <u>NO</u>	FILE FORM WITH BARREL
(B) AIRBURST	YES <u>NO</u>	FILE FORM WITH BARREL
(C) A/C HIT	YES <u>NO</u>	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES <u>NO</u>	CIRCLE ONE/COORD
(E) BTA REPORTED	YES <u>NO</u>	IF ADDITIONAL CIRCLE
(F) ABORT	YES <u>NO</u>	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES <u>NO</u>	GIVE REASON BELOW

REMARKS: ORD OK TROOPS 2 clicks
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON

RECOVERABLE FUSE DELAY/ARM DELAY

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER White TIME 1155 DATE 5 July
 SQUADRON 211 CALL SIGN 560 PSN # 6560 FLT CODE 152

T/O 1035 LAND 1145 TOTAL TIME 2.4

PILOTS Reed A/C CF 11 DASC VS 5 BIK CONTROL TIME 1050
White CF 1 CONTROLLER BIK 36 TIME 1100
 TYPE CONTROLLER FAC (A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1112-1117</u>	<u>suspected enemy location</u>	<u>YD480084</u>	<u>2</u>
	<u>EC</u>		

TGT TERRAIN MTN TGT WX 600 VISIBILITY 7
 REL ANGE 20° PASSES 8 INTERVAL 30 sec MIN ALT 1500
 ENROUTE ALT 18,500 RETURN ALT 17,500 REL ALT 2500 TGT A/SPD 450
 ORDNANCE 4034 4024 EXPENDED 4034 4024 WETTISONED NONE
 ORDNANCE/RTB 1024 DUDS (SEE NOTE # 1) 103
 BDA 100 % 100 % ADDITIONAL 2 Bunkers destroyed

SECONDARY EXPLOSIONS NONE NUMBER — SIZE —

UNIT SUPPORTED 101st Airborne OPERATION Montgomery Road
 (LEAVE BLANK)

ENROUTE WX 1000

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	<u>YES</u>	NO	IF ADDITIONAL CIRCLE
(F) EJECT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS:

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION YD480084 REASON UNKNOWN
 RECOVERABLE NO FUSE DELAY/ARM DELAY 4 sec

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS Good

DEBRIEFER NAM TIME 1700 DATE 5 JULY
 SQUADRON 211 CALL SIGN HB MSN # 6466 FLT CODE 152

T/O 1550 LAND 1650 TOTAL TIME 2.0

PILOTS
NORDELL A/C 06 DASC BICK TIME 1612
HUGHES 19 CONTROLLER BICK 36 TIME 1614
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT 1620/26 DESCRIPTION BUNKERS/HUTCHES COORDINATES YC473852 PROVIDENCE 20N/21W
BF

TGT TERRAIN MTS TGT WX 8.0 VISIBILITY 10+
 REL ANGE 20 PASSES 8 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 18.5 RETURN ALT 17.5 REL ALT 1050 TGT A/SPD 450
 ORDNANCE 802A 4D9 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) YES
 BDA 75% 50% ADDITIONAL 4 BUNKERS 1 HUTCH DAMAGED
DESTROYED

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3RD BIRGAD 101ST AB ORIGIN Montgomery Ranch
 ENROUTE WX — (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BTA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) A/CET	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION YC473852 REASON NORSE TAIL SWITCH
Set off. ON GMS. NAD - BAD FUSE.
 RECOVERABLE UNK FUSE DELAY/ARM DELAY .9

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS OK

DEBRIEFER MCL TIME 1510 DATE 5 July 69
 SQUADRON 211 CALL SIGN M25 MSN # 0958 FLT CODE 152

T/O 1340 LAND 1441 TOTAL TIME 2.0

PILOTS
Reed
WHITE

A/C
CF 24
17

DASC 14116000 TIME 1545 1345
 CONTROLLER NAIL 15 TIME 1545 1350
 TYPE CONTROLLER EACA
 TYPE MISSION S.T.

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1550-1400</u>	<u>Truck Park</u>	<u>XD 89840018</u>	<u>LAOS</u>
	<u>T.P.</u>	<u>1616 10650</u>	<u>F</u>

TGT TERRAIN M TGT WX 6.0 0 VISIBILITY 7
 REL ANGE 30° PASSES 8 INTERVAL 30 MIN ALT 1.5
 ENROUTE ALT 18.5 RETURN ALT 19.5 REL ALT 3.0 TGT A/SPD 450
 ORDNANCE 12/024/4 EXPENDED AN JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE # 1) -
 BDA 100 5 mto % ADDITIONAL -

SECONDARY EXPLOSIONS No NUMBER - SIZE -
 UNIT SUPPORT 7th A.F. OPERATION -
 ENROUTE WX (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BCA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ADOPT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS:

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARN DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER BEEM TIME 1330 DATE 5 July 69
 SQUADRON 211 CALL SIGN MA-23 MSN #0946 FLT CODE 152

T/O 1250 LAND 1313 TOTAL TIME 2.6

PILOTS MILLER A/C CR 06 DASC Hillsboro TIME 1315
BEEM CR 07 CONTROLLER Stanmya2 TIME 1325
 TYPE CONTROLLER FAC (A)
 TYPE MISSION 5.6 TTiger

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1.331-40</u>	<u>Rel. Broomfield RF</u>	<u>XD 550220</u>	<u>LAOS</u>
	<u>(Empty 5' 11/102K)</u>	<u>1629 10628</u>	<u>F</u>
	<u>By a destroyed truck</u>		
TGT TERRAIN	<u>Hilly</u>	TGT WK <u>2000</u>	VISIBILITY <u>10mi</u>
REL ANGE	<u>30°</u>	PASSES <u>6</u>	INTERVAL <u>30</u> MIN ALT <u>3000</u>
ENROUTE ALT	<u>20.5</u>	RETURN ALT <u>21.5</u>	REL ALT <u>4250</u> TGT A/SPO <u>400</u>
ORDNANCE	<u>12 Dn 1/1</u>	EXPENDED <u>ALL</u>	JETTISONED <u>---</u>
ORDNANCE/RTB	<u>None</u>	DUDS (SEE NOTE # 1)	<u>---</u>
BDA	<u>1-1 within 50m %</u>	ADDITIONAL	<u>No further</u>

SECONDARY EXPLOSIONS --- NUMBER --- SIZE ---
 UNIT SUPPORTED 7th A.F. OPERATION --- (LEAVE BLANK)
 ENROUTE WK ---

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BFA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) AIRCRAFT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DEVERT	YES	NO	GIVE REASON BELOW

MCL 1430 VACULA

REMARKS: --- (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION --- REASON ---
 RECOVERABLE --- FUSE DELAY/ARM DELAY ---

NOTE #2: ECM ENCOUNTERED --- TIME --- HOW DIRECTED ---

NOTE #3: ORDNANCE EFFECTIVENESS ---

DEBRIEFER LAWRENCE TIME 0840 DATE 5 Jan 77
 SQUADRON 211 CALL SIGN MAN 21 MSN # 0908 FLT CODE 152

T/O 0710 LAND 0830 TOTAL TIME 2.4

PILOTS LAWRENCE A/C CF 20 DASC HR TIME 0735
EDWARDS 15 CONTROLLER PLAYBOY 11 TIME 0740
 TYPE CONTROLLER TACA
 TYPE MISSION ST

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0745-59</u>	<u>STORAGE AREA</u>	<u>XD784058</u>	<u>LAOS</u>
	<u>SP</u>	<u>1617 10638</u>	

TGT TERRAIN MTNS TGT WX 5.0 @ VISIBILITY 7+
 REL ANGE 30° PASSES 6 INTERVAL 45 MIN ALT 2.5
 ENROUTE ALT 18.5 RETURN ALT 19.5 REL ALT 4.5 TGT A/SPD 450
 ORDNANCE 12 D2W/14 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100% 100% ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 7th A.F. OPERATION —
 ENROUTE WX — (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) LDA REPORTED	YES ☐ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: Laos

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —
 NOTE #3: ORDNANCE EFFECTIVENESS good.

DEBRIEFER PBW TIME 1020 DATE 5 Feb 61
 SQUADRON 211 CALL SIGN 13012 MSN # 6012 FLT CODE 152

T/O 0921 LAND 1021 TOTAL TIME 2.0

PILOTS Nichols CF 11 A/C
Wyrick 19
 DASC DD TIME 0923
 CONTROLLER Kimclax 2 TIME 0925
 TYPE CONTROLLER PACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0925/0946</u>	<u>V.C. Ville</u>	<u>BT149513</u>	<u>3</u>
	<u>VV</u>		

TGT TERRAIN Flat TGT WK 0 VISIBILITY 10+
 REL ANGE 30 PASSES 6 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 10.5 RETURN ALT 9.5 REL ALT 3000 TGT A/SPD 450

ORDNANCE 12 D2 w/y EXPENDED ALL JETTISONED NO
 ORDNANCE/RTB NO DUDS (SEE NOTE # 1)

BDA 100 % 100 % ADDITIONAL 4 Stand Destroyed 5

Fields uncovered - 1 Fighting hole Destroyed
100 meters trench line destroyed 1 WIA confirmed

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED 7th B Rep MacRok OPERATION Victory Dragon
 (LEAVE BLANK)

ENROUTE WK

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABOET	YES ☐ NO ☒	A/C MALFUNCTION/NO DROP
(G) LIVERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS:

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON

RECOVERABLE FUSE DELAY/ARM DELAY

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER _____ TIME _____ DATE 8 July
 SQUADRON VMA 211 CALL SIGN HB594 MSN # 6594 FLT CODE 152

T/O 1510 LAND 1605 TOTAL TIME 1.8

PILOTS 050000 A/C 12
SACGER 18

DASC DANNING TIME
 CONTROLLER HOSTAGE 6 TIME 1535
 TYPE CONTROLLER FACA
 TYPE MISSION SUPDRASAP

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1538-48</u>	<u>50CAL positions / TROOPS</u> <u>AA</u>	<u>AT 892538</u>	<u>13/N</u>

TGT TERRAIN R TGT WX 4.00 VISIBILITY 15+
 REL ANGE 30° PASSES 9 INTERVAL 30 SEC MIN ALT 1500
 ENROUTE ALT 22.5 RETURN ALT 21.5 REL ALT 3000 TGT A/SPD 430 ZAS
 ORDNANCE 6D2, 4D8, 2D7, D20 EXPENDED ALL JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
 BDA 100 % 100 % ADDITIONAL 1-2 50 CAL 5 SITES DEST

SECONDARY EXPLOSIONS 0 NUMBER _____ SIZE _____
 UNIT SUPPORTED 1st MMR DIV OPERATION P. PSTONE Canyon
 ENROUTE WX 0 (LEAVE BLANK)

(A) HOSTILE FIRE	☒ YES	☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	☒ YES	☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	☒ YES	☐ NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	☒ YES	☒ NO	CIRCLE ONE/COORD
(E) BTA REPORTED	☒ YES	☐ NO	IF ADDITIONAL CIRCLE
(F) LOCKET	☒ YES	☒ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	☒ YES	☒ NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS ANY SIGHTINGS

DEBRIEFER BEC m TIME 2210 DATE 5 July 69
 SQUADRON 211 CALL SIGN H8506 MSN # 6506 FLT CODE 452

T/O 2020 LAND 2200 TOTAL TIME 1.7

PILOTS BEC m A/C CF 15

DASC AN Hon TIME 2030 (see below)
 CONTROLLER #76 TIME 2130
 TYPE CONTROLLER ASPT
 TYPE MISSION APQ

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2135</u>	<u>Susp Ene Loc</u>	<u>BT 128.530</u>	<u>B</u>
	<u>EC</u>		

TGT TERRAIN UNR TGT WX H.04 VISIBILITY BBH
 REL ANGE Level PASSES 1 INTERVAL — MIN ALT 14.1
 ENROUTE ALT 14.5 RETURN ALT 13.5 REL ALT 14.1 TGT A/SPD 390
 ORDINANCE 600 wly EXPENDED ALL JETTISONED —
 ORDINANCE/RTB None DUDS (SEE NOTE # 1) —
 BDA UNK % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 1st MA OPERATION Pipestone Canyon
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BTA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) A/CET	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: WORKED with DANANG PSP for 45 min
 (REFERENCE NOTE #3)

Weather interfered, was finally handled by another

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDINANCE EFFECTIVENESS —

DEBRIEFER FLAS TIME 0820 DATE 5 JULY 69
 SQUADRON 211 CALL SIGN H8010 PSN # 6010 FLT CODE 152

T/O 0740 LAND 0810 TOTAL TIME 1.0

PILOTS A/C
DICKERSON 21
FLAS 09
 DASC DAMING TIME 0745
 CONTROLLER HOSTAGE TIME 0746
 TYPE CONTROLLER FAA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0748-53</u>	<u>TREES</u>	<u>2C203579</u>	<u>R-3 I</u>
	<u>IS</u>		

TGT TERRAIN MTS TGT WX 0 VISIBILITY 8
 REL ANGE 30 PASSES 6 INTERVAL 30" MIN ALT 2000
 ENROUTE ALT 14.5 RETURN ALT 9.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 403X/402X EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 90 % 90 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1st MAR DIV OPERATION —
 ENROUTE WX — (LEAVE BLANK)

(A) HOSTILE FIRE	YES <u>NO</u>	FILE FORM WITH BARREL
(B) AIRBURST	YES <u>NO</u>	FILE FORM WITH BARREL
(C) A/C HIT	YES <u>NO</u>	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES <u>NO</u>	CIRCLE ONE/COORD
(E) BDA REPORTED	YES <u>NO</u>	IF ADDITIONAL CIRCLE
(F) ABOBT	YES <u>NO</u>	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES <u>NO</u>	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER TOETICHER TIME 0815 DATE 6 JULY
 SQUADRON 211 CALL SIGN HB150 MSN # 6150 FLT CODE 152

T/O 0635 LAND 0810 TOTAL TIME 3.2

PILOTS A/C
TOETICHER CF 01 DASC 0046 H₂ TIME 0655
RICHARDS CFO CONTROLLER SW 97-1 TIME 0700
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0729-37</u>	<u>SOSP. ENE LOC</u>	<u>XD 137498</u>	<u>DIVINE</u>
	<u>EC</u>		<u>FACAP</u>

TGT TERRAIN Rolling TGT WK 0 VISIBILITY 7+
 REL ANGE 10° PASSES 4 INTERVAL 30 MIN ALT 800
 ENROUTE ALT 165 RETURN ALT 155 REL ALT 1000 TGT A/SPD 350
 ORDNANCE 8° D 32 EXPENDED ALL JETTISONED none
 ORDNANCE/RTB none DUDS (SEE NOTE #1) none
 BDA 100% 100% ADDITIONAL

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 3 MAR DIV OPERATION Ikrook Grove
 ENROUTE WK _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) DTA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ADVERT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW ELIMINATED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER MAJ DICKERSON TIME 1745 DATE 6 JUL 69
 SQUADRON 211 CALL SIGN 48257 MSN # 6257 FLT CODE 1C2

T/O 1653 LAND 1728 TOTAL TIME .6

PILOTS DICKERSON A/C CF 23 DASC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT DESCRIPTION COORDINATES PROVIDENCE

TEST
165

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____

REL ANGE _____ PASSES _____ INTERVAL _____ MIN ALT _____

ENROUTE ALT _____ RETURN ALT _____ REL ALT _____ TGT A/SFD _____

ORDNANCE _____ EXPENDED _____ JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____

ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAF
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Courtney TIME 1100 DATE 6 Jun 69
 SQUADRON 211 CALL SIGN 153 MSN # 6153 FLT CODE 152

T/O 0930 LAND 1100 TOTAL TIME 3.0

PILOTS ~~Reid~~ A/C ~~11/1~~
Courtney 3/1

DASC VANDY TIME 0845
 CONTROLLER Suz 986 TIME 0850
 TYPE CONTROLLER ~~11/1~~ ACTA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1015</u>	<u>TRASH</u>	<u>XD 922432</u>	<u>IT</u>
<u>1025</u>	<u>EC</u>		

TGT TERRAIN Mounds TGT WX ~~300~~ VISIBILITY 5 miles
 REL ANGE 10° PASSES 4 INTERVAL 30 sec MIN ALT 500
 ENROUTE ALT 16500 RETURN ALT 17500 REL ALT 500 TGT A/SPD 480
 ORDNANCE 809 EXPENDED 09 JETTISONED —
 ORDNANCE/RTB 209 DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3rd m.d. OPERATION Virginia Ridge
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BA
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: TRASH BURN
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS BURNED THE TRASH
Good

DEBRIEFER MM 12 TIME 0915 DATE 6 JULY 69
 SQUADRON 741 CALL SIGN H/B MSN # 6015 FLT CODE 152

T/O 0732 LAND 0857 TOTAL TIME 2.8

PILOTS LANZIM A/C CF 21 DASC Pena 112 TIME 0753
SAEGAR CF 22 CONTROLLER SW - "W" TIME 0757
 TYPE CONTROLLER FFBLA
 TYPE MISSION DBS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0817/28</u>	<u>RIVER BED</u> <u>RD</u>	<u>YD 140470</u>	<u>+</u>

TGT TERRAIN FLAT TGT WK 0 VISIBILITY 7
 REL ANGE 20 PASSES 4 INTERVAL 45 MIN ALT 600'
 ENROUTE ALT 18.5 RETURN ALT 17.5 REL ALT 1100 TGT A/SPD 350
 ORDNANCE 813R EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100% 100% ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3 MAN DIV OPERATION Inguin Grove
 ENROUTE WK — (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARF
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BFA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) APCBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER LB17 TIME 0945 DATE 6 July 69
 SQUADRON 211 CALL SIGN #589 MSN # 6589 FLT CODE 152
 T/O 0900 LAND 0935 TOTAL TIME .6
 PILOTS McAulley A/C 61
 DASC — TIME —
 CONTROLLER DANANG TIME 0915
 TYPE CONTROLLER ASST
 TYPE MISSION TTQ

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0920</u>	<u>INFILTRATION ROUTE</u>	<u>AT 978 457</u>	<u>3</u>
	<u>20</u>		

TGT TERRAIN Flat TGT WK CL VISIBILITY 100+
 REL ANGE Level PASSES 1 INTERVAL — MIN ALT 17.1
 ENROUTE ALT 17.1 RETURN ALT 5.5 REL ALT 17.1 TGT A/SPD 290
 ORDNANCE 602Y EXPENDED 402K JETTISONED —
 ORDNANCE/RTB 202Y DUDS (SEE NOTE # 1) —
 BDA Low % ADDITIONAL —

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 5TH/2nd M.D. OPERATION Pipestone Canyon
 ENROUTE WK _____
 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) A/C REPORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: #2 man sheared a starter shaft on start
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER HUTSON TIME 0850 DATE 6 July
 SQUADRON 211 CALL SIGN M21 MSN # 0909 FLT CODE 152

T/O 0745 LAND 0831 TOTAL TIME 1.6

PILOTS
MILLER A/C CF 6
HUTSON " 12
 DASC DANANG TIME 0800
 CONTROLLER COWPOKE 13 TIME 0805
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0805-15</u>	<u>SUSPECTED CAVE</u> <u>CV</u>	<u>AT 802 575</u>	<u>3</u>

TGT TERRAIN Rolling TGT WX 850 D VISIBILITY 15
 REL ANGE 30 PASSES 6 INTERVAL 45 MIN ALT 2000
 ENROUTE ALT 18.5 RETURN ALT 11.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 12 D2W/4 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) —
 BDA 95 % 95 % ADDITIONAL 200 METERS ROCKS
& SHRUBS

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 7th MAR 1ST M.D. OPERATION Pipestone Canyon
 ENROUTE WX D (LEAVE BLANK)

(A) HOSTILE FIRE	YES	☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☐ NO	FILE FLASH REPORT WITH BARI
(D) RECON INSERT/EXTRACT	YES	☐ NO	CIRCLE ONE/COORD
(E) BTA REPORTED	☒ YES	☐ NO	IF ADDITIONAL CIRCLE
(F) A/CET	YES	☐ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	☐ NO	GIVE REASON BELOW

REMARKS: DIV BECAUSE OF fat wx
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER 6181 TIME 2100 DATE 6 June 69
 SQUADRON 211 CALL SIGN 541 MSN # 5541 FLT CODE 452

T/O 1930 LAND 2150 TOTAL TIME 2.0

PILOTS COURTNEY A/C 20 DASC ANX104 TIME 2945
 CONTROLLER #75 TIME 1930
 TYPE CONTROLLER ASAT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1950</u>	<u>ROCKET POST</u>	<u>A7 764478</u>	<u>C31</u>
	<u>EL</u>		

TGT TERRAIN UNK TGT WX CC OK VISIBILITY UNK + 10000
 REL ANGE 16000 PASSES 1 INTERVAL 3 MIN ALT 14100
 ENROUTE ALT 14500 RETURN ALT 21000 REL ALT 14100 TGT A/SPO 290
 ORDNANCE 602 WY EXPENDED ACE JETTISONED ---
 ORDNANCE/RTB --- DUDS (SEE NOTE #1) ---

BDA UNK % ADDITIONAL ---
TPQ

SECONDARY EXPLOSIONS --- NUMBER --- SIZE ---
 UNIT SUPPORTED 5TH MARS OPERATION Pipestone Canyon
 (LEAVE BLANK)
 ENROUTE WX ---

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BA
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ADOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: ---
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION --- REASON ---

RECOVERABLE --- FUSE DELAY/ARN DELAY ---

NOTE #2: ECM ENCOUNTERED --- TIME --- HOW DIRECTED ---

NOTE #3: ORDNANCE EFFECTIVENESS TPQ

DEBRIEFER 11600 TIME 0810 DATE 6 July 69
 SQUADRON 211 CALL SIGN HB 043 MSN # 6043 FLT CODE 152

T/O 0705 LAND 0757 TOTAL TIME 1.8

PILOTS
LANGE A/C CF 15 DASC PANANG TIME 0710
WOOD A/C CF 17 CONTROLLER 11600 TIME 0715
 TYPE CONTROLLER AFACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0722-40</u>	<u>Roundness 5' in NW</u>	<u>2C-188506</u>	<u>IBI</u>
	<u>BL</u>		

TGT TERRAIN hill TGT WX 8000 VISIBILITY 10+
 REL ANGE 300° PASSES 8 INTERVAL 30 sec MIN ALT 1800
 ENROUTE ALT 10.5 RETURN ALT 5.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 1202 U/A EXPENDED All JETTISONED ---
 ORDNANCE/RTB --- DUDS (SEE NOTE # 1) ---
 BDA 95% 95% % ADDITIONAL 1 Foot 3000' Dist
80m 7000' CH

SECONDARY EXPLOSIONS --- NUMBER --- SIZE ---
 UNIT SUPPORTED 7TH MAVERICKS OPERATION --- (LEAVE BLANK)
 ENROUTE WX ---

(A) HOSTILE FIRE	YES	☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☒ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☒ NO	FILE FLASH REPORT WITH BARI
(D) RECON INSERT/EXTRACT	YES	☒ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES	☒ NO	IF ADDITIONAL CIRCLE
(F) ADDET	YES	☒ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	☒ NO	GIVE REASON BELOW

REMARKS: FRIENDLY 800m 7000' CH
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION --- REASON ---
 RECOVERABLE --- FUSE DELAY/ARN DELAY ---

NOTE #2: ECM ENCOUNTERED --- TIME --- HOW DETECTED ---

NOTE #3: ORDNANCE EFFECTIVENESS ---

DEBRIEFER PS TIME 1605 DATE 6 July 69
 SQUADRON 211 CALL SIGN MAN 28 MSN # 0977 FLT CODE 152

T/O 1540 LAND 1650 TOTAL TIME 2.4

PILOTS A/C
Rooke CF 1 DASC H. B TIME 1550
Richards 20 CONTROLLER Nail 20 TIME 1610
 TYPE CONTROLLER FACA
 TYPE MISSION ST.

TOT DESCRIPTION COORDINATES PROVIDENCE
1615/20 Touch Point TP XD 898002 F
Storage Area 1617 10645

TGT TERRAIN F TGT WX 0 VISIBILITY 10+

REL ANGE 45 PASSES 3 INTERVAL 30 MIN ALT 6.0

ENROUTE ALT 24.5 RETURN ALT 19.5 REL ALT 8.5 TGT A/SPD 450

ORDNANCE 12 02 w/y EXPENDED ALL JETTISONED 3

ORDNANCE/RTB — DUDS (SEE NOTE # 1) —

BDA 100 m ± 50 meters % ADDITIONAL 1 min Sec Expl.

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 7th A.F. OPERATION —
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BOM REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) A/C HIT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERF	YES	NO	GIVE REASON BELOW

0520
JP5
To
Clack

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — POSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW ELIMINATED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER 026 TIME 2145 DATE 6 JULY
 SQUADRON 271 CALL SIGN H8535 MSN # 6535 FLT CODE 152

T/O 1900 LAND 2035 TOTAL TIME 1.6

PILOTS BROSTRAND, A.C. A/C CF 15

DASC _____ TIME _____
 CONTROLLER 0002 HA TIME 1920
 TYPE CONTROLLER ASR07
 TYPE MISSION TR2

TOT _____ DESCRIPTION _____ COORDINATES _____ PROVIDENCE _____

NO DROP
NO DROP

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____

REL ANGE _____ PASSES _____ INTERVAL _____ MIN ALT _____

ENROUTE ALT 18.5 RETURN ALT 23.5 REL ALT _____ TGT A/SPD _____

ORDNANCE 602WY EXPENDED _____ JETTISONED _____

ORDNANCE/RTB 602WY DUDS (SEE NOTE # 1) _____

BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____ (LEAVE BLANK)

ENROUTE WX CB'S

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

CM

REMARKS: NO DROP - REACHED BINGO FUEL LEVEL. MADE
 (REFERENCE NOTE #3)

1 RVN 20 MIN AFTER TGT TIME BROKE LOCK @ 2000m WENT HOME

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DEFLECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER REED TIME 1120 DATE 6 July 69
 SQUADRON 211 CALL SIGN HB554 MSN # 6554 FLT CODE 152
 T/O 1045 LAND 1145 TOTAL TIME 2.0
 PILOTS MILLER A/C CE20 DASC SONANG TIME 1048
REED CF 05 CONTROLLER KAC 12 TIME 1050
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1050-1107</u>	<u>IRREG LINE/CAMOFULMAH VERT</u>	<u>BT 112546</u>	<u>3</u>
	<u>EC</u>		

TGT TERRAIN FLAT TGT WX 0 VISIBILITY 15+
 REL ANGE 30° PASSES 8 INTERVAL 30 MIN ALT 2200
 ENROUTE ALT 12500 RETURN ALT 20500 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 12 D2W EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 90% 90 % ADDITIONAL 1 structure 2 cultivated 100

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 2ND MAW POKMC OPERATION Victory Dragon
 ENROUTE WX — (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH RAF
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW ELIMINATED —
 NOTE #3: ORDNANCE EFFECTIVENESS Good

DEBRIEFER White TIME 1315 DATE 6 July
 SQUADRON 211 CALL SIGN Manana 2385N # 0939 FLT CODE 152

T/O 1203 LAND 1255 TOTAL TIME 1.8

PILOTS
Reed A/C 26
White 15
 DASC Danang TIME 1215
 CONTROLLER Black Ace 14 TIME 1220
 TYPE CONTROLLER FAC(A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1228-1238</u>	<u>Bunker ville - ammo cache</u>	<u>AT 898542</u>	<u>3</u>
	<u>BF</u>		

TGT TERRAIN flat TGT WK C/O VISIBILITY 10+
 REL ANGE 30° PASSES 8 INTERVAL 30' MIN ALT 1500
 ENROUTE ALT 17,500 RETURN ALT 18,500 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 12 D2W/4 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 90 % 90 % ADDITIONAL 2 structure Dest
2 bunkers Dest
50 meters tree line

SECONDARY EXPLOSIONS NONE NUMBER 0 SIZE 0
 UNIT SUPPORTED 1ST MARINE OPERATION — (LEAVE BLANK)
 ENROUTE WK clear

(A) HOSTILE FIRE	YES	☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☐ NO	FILE FLASH REPORT WITH BARI
(D) RECON INSERT/EXTRACT	YES	☐ NO	CIRCLE ONE/COORD
(E) BPA REPORTED	☒ YES	☐ NO	IF ADDITIONAL CIRCLE
(F) A/DRT	YES	☐ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	☐ NO	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER FZKL TIME 1945 DATE 6 JUL
 SQUADRON 211 CALL SIGN 533 MSN # 3533 FLT CODE 352

T/O 1850 LAND 1935 TOTAL TIME .8

PILOTS LANGE A/C CF18 DASC CSK TIME 1855
 CONTROLLER 173 TIME 1855
 TYPE CONTROLLER ASRT
 TYPE MISSION TRP

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1905</u>	<u>V.C. P. 500</u>	<u>AT 814486</u>	<u>3</u>
	<u>EC</u>		

TGT TERRAIN FLAT TGT WK 16.0 VISIBILITY 8
 REL ANGE TRP PASSES 1 INTERVAL MIN ALT 14.1
 ENROUTE ALT 14.5 RETURN ALT 19.5 REL ALT 14.1 TGT A/SPO 290
 ORDNANCE 602 Wt EXPENDED ALL JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE # 1)
 BDA 100% % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 7th 1st M.D. OPERATION P. Pestone Canyon
 (LEAVE BLANK)
 ENROUTE WK

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BA
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: TRP
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
 RECOVERABLE FUSE DELAY/ARN DELAY

NOTE #2: ECM ENCOUNTERED TIME HOW ELIMINATED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER JAL TIME 2055 DATE 6 July
 SQUADRON 211 CALL SIGN HB MSN # 6537 FLT CODE 382

T/O 1950 LAND 2040 TOTAL TIME .8

PILOTS Lawrence A/C 6701 DASC --- TIME ---
 CONTROLLER ROUN TIME 2030
 TYPE CONTROLLER ASCC
 TYPE MISSION TPD

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2015</u>	<u>B-67-502</u>	<u>B343242</u>	<u>4</u>
	<u>EL</u>		

TGT TERRAIN --- TGT WX 0 VISIBILITY 10
 REL ANGE 1.0 L PASSES 1 INTERVAL --- MIN ALT 14.5
 ENROUTE ALT 14.5 RETURN ALT 19.5 REL ALT 14.5 TGT A/SPD 230
 ORDNANCE 6 D24/Y EXPENDED ALL JETTISONED ---
 ORDNANCE/RTB --- DUDS (SEE NOTE #1) ---
 BDA --- Antb % ADDITIONAL ---

SECONDARY EXPLOSIONS --- NUMBER --- SIZE ---
 UNIT SUPPORTED Am. 2022 OPERATION GENOVA PARK
 (LEAVE BLANK)
 ENROUTE WX ---

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAF
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: --- (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION --- REASON ---
 RECOVERABLE --- FUSE DELAY/ARM DELAY ---

NOTE #2: ECM ENCOUNTERED --- TIME --- HOW DIRECTED ---

NOTE #3: ORDNANCE EFFECTIVENESS ---

DEBRIEFEE FILAS TIME 2110 DATE 6 JUL 69
 SQUADRON 211 CALL SIGN HB539 MSN # 6539 FLT CODE 352

T/O 2010 LAND 2055 TOTAL TIME .8

PILOTS FILAS A/C 22 DASC TIME
 CONTROLLER BIRMINGHAM 2025
 TYPE CONTROLLER THIS IT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2035</u>	<u>KNOWN ENEMY LOC</u>	<u>Y4735867</u>	<u>RRZ I</u>
	<u>EC</u>		

TGT TERRAIN - R TGT WX - 0 VISIBILITY - 97
 REL ANGE TPQ PASSES 1 INTERVAL - MIN ALT 14.5
 ENROUTE ALT 16.5 RETURN ALT 13.5 REL ALT 14.5 TGT A/SPD 290 IAS
 ORDNANCE 6 D2 W/4 EXPENDED ALL JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE #1) -
 BDA 60% % ADDITIONAL -

SECONDARY EXPLOSIONS - NUMBER - SIZE -
 UNIT SUPPORTED 1015 A B OPERATION Kentucky Jumper
 ENROUTE WX -

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: -
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -
 RECOVERABLE - FUSE DELAY/ARN DELAY -

NOTE #2: ECM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -

DEBRIEFER Tierney TIME 1250 DATE 6 JUL 69
 SQUADRON 211 CALL SIGN 155 MSN # 6155 FLT CODE 152
 T/O 1142 LAND 1237 TOTAL TIME 1.8

PILOTS _____ A/C _____
Paine 9
Tierney 17
 DASC Bick TIME 50
 CONTROLLER Bick 33 TIME 55
 TYPE CONTROLLER FAC (A)
 TYPE MISSION 5 L2P

TOT DESCRIPTION COORDINATES PROVIDENCE
1201-1210 12 Prep YD 428121 2
UN

TGT TERRAIN Hilly TGT WX 500 VISIBILITY 10+
 REL ANGE 20 PASSES 5 INTERVAL 30 MIN ALT 1000
 ENROUTE ALT 14.5 RETURN ALT 19.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 8 D9 EXPENDED 7 JETTISONED 0
 ORDNANCE/RTB 1 D9 DUDS (SEE NOTE # 1) _____
 BDA 100 % 100 % ADDITIONAL _____

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0
 UNIT SUPPORTED 3RD 101 AB OPERATION Kentucky Hammer
 ENROUTE WX clear (LEAVE BLANK)

(A) HOSTILE FIRE	YES	☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☐ NO	FILE FLASH REPORT WITH BARI
(D) RECON INSERT/EXTRACT	YES	☐ NO	CIRCLE ONE/COORD
(E) BPA REPORTED	☒ YES	☐ NO	IF ADDITIONAL CIRCLE
(F) A/C DET	YES	☐ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	☐ NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER MAJ DICKERSON TIME 1340 DATE 6 JULY
 SQUADRON VMA 211 CALL SIGN HB459 MSN # 6459 FLT CODE 182

T/O 1200 LAND ~~1323~~ 1323 TOTAL TIME 2.6

PILOTS
DICKERSON A/C 06 DASC BILKE TIME 1245
HUGGIN 12 CONTROLLER BILKE 33 TIME 1247
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1253/1301</u>	<u>EN STORAGE AREA</u>	<u>YC 243918</u>	<u>2</u>
	<u>SP</u>		

TGT TERRAIN HTS TGT WK 6.0 @ VISIBILITY 7+
 REL ANGE 20° PASSES 4 INTERVAL 30 sec MIN ALT 500 AGL
 ENROUTE ALT 24.5 RETURN ALT 23.5 REL ALT 1050' AGL TGT A/SPD 450
 C
 ORDNANCE 8D2A 409 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100 % 100 % ADDITIONAL 3 BUNKERS DESTROYED

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 7th AFOIST A. B. OPERATION Montgomery Road
 (LEAVE BLANK)
 ENROUTE WK CLEAR

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAF
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER PBW TIME 1643 DATE 10 July
 SQUADRON 211 CALL SIGN 11B MSN 595 FLT CODE 152
 T/O 1420 LAND 1530 TOTAL TIME 2.4
 PILOTS Wyrick A/C 19 DASC Bilk TIME 1450
Brecher 03 CONTROLLER Bilk TIME 1453
 TYPE CONTROLLER 1453
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1555/1608</u>	<u>Bombing Loc</u>	<u>YL 243918</u>	<u>2</u>
	<u>EL</u>		

TGT TERRAIN Hilly TGT WK 6.50 VISIBILITY 10+
 REL ANGE 90° PASSES 3 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 18.5 RETURN ALT 17.5 REL ALT 2500 TGT A/SPD 450
 ORDNANCE 602 2.07 EXPENDED 602 2.07 JETTISONED 141
 ORDNANCE/RTB 408 6.02 DUDS (SEE NOTE #1) 120
 BDA 100 % 100 % ADDITIONAL 3 Bombers Destroyed

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 101st A.B. OPERATION Montgomery Road
 (LEAVE BLANK)
 ENROUTE WK _____

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH DA
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARN DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW LIECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER JAL TIME 1625 DATE 6 July
 SQUADRON 211 CALL SIGN MAN 37 MSN # 0971 FLT CODE 152

T/O 1500 LAND 1610 TOTAL TIME 1.2

PILOTS LAWRENCE A/C CF 24

DASC _____ TIME _____
 CONTROLLER A.H. ASMT TIME 1530
 TYPE CONTROLLER TPA
 TYPE MISSION TAO

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1540</u>	<u>Bunkers</u>	<u>XD984556</u>	<u>1</u>
	<u>BF</u>		

TGT TERRAIN Hilly TGT WX 6.00 VISIBILITY 10T

REL ANGE Left PASSES 1 INTERVAL - MIN ALT 22.5
 ENROUTE ALT 22.5 RETURN ALT 15.5 REL ALT 22.5 TGT A/SPD 290

ORDNANCE 6 12W/1 EXPENDED ALL JETTISONED -

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA Unk % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 4TH Bn M.P. OPERATION Herbim mT

ENROUTE WX 270 @ TRL ALL QUADS (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ADOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Abort due to weather and wingmen down.
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS ?

DEBRIEFER MA Begmer TIME 1900 DATE 6 JULY 69
 SQUADRON 211 CALL SIGN 531 ISN # 6531 FLT CODE 152

T/O 1806 LAND 1900 TOTAL TIME 9

PILOTS BEGMER A/C 06 DASC --- TIME ---
 CONTROLLER CHU 441 TIME 1845
 TYPE CONTROLLER ASRT
 TYPE MISSION TPC

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1842</u>	<u>ENEMY POSITION</u> <u>EC</u>	<u>BS475226</u>	<u>5</u>

TGT TERRAIN Hills TGT WX clear VISIBILITY 10+
 REL ANGE level PASSES 1 INTERVAL --- MIN ALT 14.5
 ENROUTE ALT 205 RETURN ALT 9.5 REL ALT 14,500 TGT A/SPD 290
 ORDNANCE 602W/H EXPENDED All JETTISONED ---
 ORDNANCE/RTB --- DUDS (SEE NOTE # 1) ---
 BDA unk % ADDITIONAL ---

SECONDARY EXPLOSIONS --- NUMBER --- SIZE ---
 UNIT SUPPORTED American OPERATION 200/120 MT
 (LEAVE BLANK)

ENROUTE WX ---

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BA
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ADOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: FRIENDLY NO VACUUM
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION --- REASON ---

RECOVERABLE --- FUSE DELAY/ARM DELAY ---

NOTE #2: ECM ENCOUNTERED --- TIME --- HOW DIRECTED ---

NOTE #3: ORDNANCE EFFECTIVENESS ---

DEBRIEFER Baymev TIME 2100 DATE 7 July 69
 SQUADRON 211 CALL SIGN 502 MSN # 6502 FLT CODE 452

T/O 1930 LAND 2037 TOTAL TIME 11

PILOTS BEYMER A/C 11 DASC TIME
 CONTROLLER AN 104 TIME 1940
 TYPE CONTROLLER ASRT
 TYPE MISSION TRG

TOT DESCRIPTION COORDINATES PROVIDENCE
1955 Bunker Hammer Slight, trails AT 968442 TB
BF

TGT TERRAIN Hills TGT WX 1500 VISIBILITY 10+
 REL ANGE 1000 PASSES 1 INTERVAL --- MIN ALT 14.1
 ENROUTE ALT 165 RETURN ALT 210 REL ALT 14.1 TGT A/SPD 290
 ORDNANCE 6D2W14 EXPENDED All JETTISONED ---
 ORDNANCE/RTB --- DUDS (SEE NOTE # 1) ---
 BDA 1 umb % ADDITIONAL ---

SECONDARY EXPLOSIONS --- NUMBER --- SIZE ---
 UNIT SUPPORTED 5th MIST AB. D. OPERATION Forsyth Grove
 ENROUTE WX 1400 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARRIL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ADOPT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: ---
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION --- REASON ---

RECOVERABLE --- FUSE DELAY/ARM DELAY ---

NOTE #2: ECM ENCOUNTERED --- TIME --- HOW DIRECTED ---

NOTE #3: ORDNANCE EFFECTIVENESS ---

DEBRIEFER HUTSON TIME 0815 DATE 7 JUL 69
 SQUADRON 211 CALL SIGN 010 MSN # 6010 FLT CODE 152

T/O 1652 LAND 0755 TOTAL TIME 2.2

PILOTS LAWRENCE A/C CE 17 DASC DANANG TIME 0658
HUTSON 6 CONTROLLER ALAKING 19 TIME 0700
 TYPE CONTROLLER FAC (9) FORTIFIED VILL
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0705-25</u>	<u>FORTIFIED VILL</u>	<u>AT 883527</u>	<u>3</u>
	<u>✓L</u>		

TGT TERRAIN LEVEL TGT WX 14.50 VISIBILITY 15+
 REL ANGE 30° PASSES 6 INTERVAL 45 MIN ALT 1500'
 ENROUTE ALT 12.5 RETURN ALT 11.5 REL ALT 3000 TGT A/SPD 400
 ORDNANCE 12 D2W/4 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL 2 STRUCTURES DESTROYED;
2 BUNKERS DESTROYED; 1 SEC EXPLOSION; 1 SEC FIRE
YELLOW SMOKE

SECONDARY EXPLOSIONS YES NUMBER 1 SIZE MEDIUM
 UNIT SUPPORTED 1 BATT MANDAL OPERATION Supporting 1st Battalion
 ENROUTE WX 14.50 15+ Forsyth Grove
 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☒ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☒ NO	FILE FLASH REPORT WITH BA
(D) RECON INSERT/EXTRACT	YES	☒ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES	☒ NO	IF ADDITIONAL CIRCLE
(F) ABORT	☒ YES	☒ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	☒ NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Fleming TIME 1115 DATE 7 JULY
 SQUADRON 211 CALL SIGN 588 MSN # 6488 FLT CODE 152

T/O 0920 LAND 1055 TOTAL TIME 3.2

PILOTS A/C
TOTTCHER CF 23 DASC ADANG TIME 1015
BROSTRAND 03 CONTROLLER HOSTAGE TIME 1020
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1025/35</u>	<u>EN TROOPS</u>	<u>AT 870548</u>	<u>3</u>
	<u>TS</u>		

TGT TERRAIN F TGT WK 0 VISIBILITY 9
 REL ANGE 30° PASSES 4 INTERVAL 30° MIN ALT 2000
 ENROUTE ALT 25 RETURN ALT 115 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 6024, 428, 207 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —

BDA 200% 100% ADDITIONAL 5 ST DEST, 50 M TRENCH

SECONDARY EXPLOSIONS No NUMBER — SIZE —

UNIT SUPPORTED 5th MAR. OPERATION — (LEAVE BLANK)

ENROUTE WX Forsyth Grove

	YES	NO	
(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DESIGNER PBW TIME 1715 DATE 7 July
 SQUADRON 211 CALL SIGN M 28 MSN # 0972 FLT CODE 152

T/O 1618 LAND 1710 TOTAL TIME 1.8

PILOTS
Wyrick A/C
Biecher '9

DASC Hillsboro TIME 1625
 CONTROLLER NAI 23 TIME 1635
 TYPE CONTROLLER BACA
 TYPE MISSION ST

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1640/46</u>	<u>Bridge/Road</u>	<u>1614 10653</u>	<u>LAOS</u>

TGT TERRAIN Plat TGT WX 900 VISIBILITY 101
 REL ANGE 450 PASSES 4 INTERVAL 30 MIN ALT 2000
 ENROUTE ALT 18.5 RETURN ALT 117.5 REL ALT 3800 TGT A/SPD 450
 ORDNANCE 12D2W/4 EXPENDED all JETTISONED -
 ORDNANCE/RTB None DUDS (SEE NOTE #1) -
 BDA 100 % 100 % ADDITIONAL 1 Secondary Fire
(POL)

SECONDARY EXPLOSIONS No NUMBER - SIZE -
 UNIT SUPPORTED 7th AF OPERATION -
 ENROUTE WX - (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: -
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -

RECOVERABLE - FUSE DELAY/ARN DELAY -

NOTE #2: ECM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -

DEBRIEFER MCL TIME 1715 DATE 7 July 69
 SQUADRON 211 CALL SIGN M 27 MSN # 0970 FLT CODE 152

T/O 1555 LAND 1655 TOTAL TIME 2.0

PILOTS edwards A/C CF 18 DASC Hillsboro TIME 1605
Brostrand 19 CONTROLLER Nail 25 TIME 1620
 TYPE CONTROLLER PACA
 TYPE MISSION S.T.

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1626-31</u>	<u>Bridge/Road</u>	<u>YC 011975</u>	<u>LAOS</u>
		<u>1614 10653</u>	<u>F</u>

TGT TERRAIN h TGT WK 6.00 HRS VISIBILITY 10
 REL ANGE 30° PASSES 6 INTERVAL 30 MIN ALT 3.0
 ENROUTE ALT 18.5 RETURN ALT 23.5 REL ALT 4.5 TGT A/SPD 450
 ORDNANCE 12/024/4 EXPENDED AN JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE # 1) -
 BDA 100% 50 mtr ADDITIONAL 4 5 mtr RD cuts
50 mtr 10 mtr

SECONDARY EXPLOSIONS No NUMBER - SIZE -
 UNIT SUPPORTED 7th. A.F. OPERATION -
 ENROUTE WK CB's (LEAVE BLANK)

(A) HOSTILE FIRE	<u>YES</u>	<u>NO</u>	FILE FORM WITH BARREL
(B) AIRBURST	<u>YES</u>	<u>NO</u>	FILE FORM WITH BARREL
(C) A/C HIT	<u>YES</u>	<u>NO</u>	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	<u>YES</u>	<u>NO</u>	CIRCLE ONE/COORD
(E) BDA REPORTED	<u>YES</u>	<u>NO</u>	IF ADDITIONAL CIRCLE
(F) A/C HIT	<u>YES</u>	<u>NO</u>	A/C MALFUNCTION/NO DROP
(G) DIVERT	<u>YES</u>	<u>NO</u>	GIVE REASON BELOW

REMARKS: diverted from primary hit
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW ELIMINATED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Fleming TIME 0920 DATE 7 JULY
 SQUADRON 211 CALL SIGN M21 MSN # 0908 FLT CODE 152

T/O 0745 LAMB 0835 TOTAL TIME 1.6

PILOTS A/C
DICKERSON 81 DASC HILLBORO TIME 0755
LENZINI 19 CONTROLLER PLAYBOY 11 TIME 0800
 TYPE CONTROLLER TACA
 TYPE MISSION 54

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0813/18</u>	<u>SUPPLY TRAIN</u>	<u>XC 972902</u>	<u>F</u>
	<u>RN</u>	<u>1646 10610</u>	

TGT TERRAIN H TGT WX 0 VISIBILITY 7
 REL ANGE 450 PASSES 6 INTERVAL 45 MIN ALT 3000
 ENROUTE ALT 20.5 RETURN ALT 19.5 REL ALT 5200 TGT A/SPD 458
 ORDNANCE 1202W/4 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — BDD (SEE NOTE # 1) —
 BDA 50 WITHIN 501 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 7th A.F. OPERATION —
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABCBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) BLT RT	YES	NO	GIVE REASON BELOW

DRP to VACUUM 0930

REMARKS: REFERENCE NOTE #3

NOTE #1: DUD REPORT LOCATION — REASON —
 RECC VARIABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW EFFECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER HUGGIN TIME 1440 DATE 7 July 69
 SQUADRON 211 CALL SIGN HB156 MSN # 6156 FLT CODE 152

T/O 1330 LAND 1430 TOTAL TIME 2.0

PILOTS A/C
Lt Col Rutherford CF21
Maj Huggin CF11
 DASC DANANG TIME 1335
 CONTROLLER Hbst-S TIME 1345
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1350-1415</u>	<u>Enemy Posit</u>	<u>AT946531</u>	<u>B</u>
	<u>EC</u>		

TGT TERRAIN Level TGT WX 900 VISIBILITY 10+
 REL ANGE 30° PASSES 15 INTERVAL 30+ MIN ALT 1500'
 ENROUTE ALT 10,500 RETURN ALT 9,500 REL ALT 3000' TGT A/SPD 450
 ORDNANCE 402/4D3 EXPENDED all JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 80 % 80 % ADDITIONAL 150 meters Tree Line

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1st MAR DIV OPERATION Pipestone Canyon
 ENROUTE WX 0 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BA
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Friendlies 900 meters
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW ELIMINATED —

NOTE #3: ORDNANCE EFFECTIVENESS Good for Target

DEBRIEFER Courtney TIME 0800 DATE 7 JUL 69
 SQUADRON 211 CALL SIGN 042 MSN # 6042 FLT CODE 152

T/O 0715 LAND 0756 TOTAL TIME 1.4

PILOTS
Langley A/C 22/1
Courtney 18

DASQ DANANG TIME 0718
 CONTROLLER HOSTAGE TIME 0723
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0730</u>	<u>AMBUSH SITE</u>	<u>AT 892565</u>	<u>ILL</u>
<u>0737</u>	<u>EC</u>		<u>3</u>

TGT TERRAIN Rolling TGT WX 1 CLEAR VISIBILITY UNLIMITED
 REL ANGE 30° PASSES 4 INTERVAL 30 MIN ALT 1600
 ENROUTE ALT 9500 RETURN ALT 11500 REL ALT 3000 TGT A/SYD 750
 ORDNANCE 1202 w/y EXPENDED ACR JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 7/5 PM DRINES OPERATION Pipestone Canyon
 ENROUTE WX CLEAR (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ADOPT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: DAS w. 704 600 13
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS FRIENDLY 1000 METERS

DEBRIEFER PUTHERFORD TIME 2030 DATE 7 July 1969
 SQUADRON 211 CALL SIGN 500 MSN # 6508 FLT CODE 352

T/O 1920 LAND 2025 TOTAL TIME 1.1

PILOTS PUTHERFORD A/C 21 DASC VICESQUAD TIME 1925
 CONTROLLER KANDY ASST TIME 2000
 TYPE CONTROLLER ASST
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2000/05</u>	<u>EN POS</u>	<u>XD 873312</u>	<u>1</u>
	<u>EC</u>		

TGT TERRAIN OK TGT WK 2000 VISIBILITY CLR
 REL ANGE 6000 PASSES 1 INTERVAL — MIN ALT 20.0
 ENROUTE ALT 20 RETURN ALT 19.5 REL ALT 20.0 TGT A/SPD 240
 ORDNANCE 6 D2 W/Y EXPENDED 502 JETTISONED —
 ORDNANCE/RTB 1 D2W DUDS (SEE NOTE #1) —
 BDA — % — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 3RD MAR DIV OPERATION ARLINGTON CANYON
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW ELLECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER Roobz TIME 0810 DATE 7 July
 SQUADRON 211 CALL SIGN HB014 MSN # 6014 FLT CODE 152

T/O 0653 LAND 0758 TOTAL TIME 2.2

PILOTS
Roobz A/C
Beem 21

DASC Doncha TIME 0720
 CONTROLLER SW 98-1 TIME 0725
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0728/30</u>	<u>TREES</u>	<u>YD075673</u>	<u>I</u>
	<u>EC</u>		<u>1</u>

TGT TERRAIN Flat TGT WX 0 VISIBILITY 15+
 REL ANGE 20° PASSES 4 INTERVAL 20 sec MIN ALT 600
 ENROUTE ALT 12.5 RETURN ALT 1.5 REL ALT 1500 TGT A/SPL 450
 ORDNANCE 8 D-32 EXPENDED AU JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE #1) -
 BDA 100 % 100 % ADDITIONAL -

SECONDARY EXPLOSIONS - NUMBER - SIZE -
 UNIT SUPPORTED 320 m.d OPERATION Virginia Ridge
 ENROUTE WX (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAF
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOFT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARN DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Edwards TIME 0830 DATE 7 July
 SQUADRON 211 CALL SIGN HB202 MSN # 6202 FLT CODE 112

T/O 0715 LAND 0800 TOTAL TIME .8

PILOTS Edwards A/C 05 DASC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION TEST

TOT DESCRIPTION COORDINATES PROVIDENCE

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____

REL ANGE _____ PASSES _____ INTERVAL _____ MIN ALT _____

ENROUTE ALT _____ RETURN ALT _____ REL ALT _____ TGT A/SPO _____

ORDNANCE _____ EXPENDED _____ JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____

ENROUTE WX 200 0-10 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BA
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: TEST HOP
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER DICKERSON TIME 1740 DATE 7 July 69
 SQUADRON 211 CALL SIGN H8268 MSN # 6268 FLT CODE 142

T/O 1705 LAND 1725 TOTAL TIME .3

PILOTS DICKERSON A/C CF03 DASC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT DESCRIPTION COORDINATES PROVIDENCE

TEST

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____

REL ANGE _____ PASSES _____ INTERVAL _____ MIN ALT _____

ENROUTE ALT _____ RETURN ALT _____ REL ALT _____ TGT A/SPD _____

ORDNANCE _____ EXPENDED _____ JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____

ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAF
(D) RECON INSERT EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Tierney TIME 1315 DATE 7 JUL
 SQUADRON 211 CALL SIGN 458 MSN # 16458 FLT CODE 152

T/O 1148 LAND 1256 TOTAL TIME 2.4

PILOTS A/C
DAME CP 1
Tierney 17
 DASC CHAP TIME Vice Squad
 CONTROLLER JAC 40 TIME 1215
 TYPE CONTROLLER FAA
 TYPE MISSION FAA CAB

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1230</u>	<u>Village</u>	<u>135 73850</u>	<u>117</u>
<u>1242</u>	<u>VL</u>		<u>4</u>

TGT TERRAIN FLAT TGT WX CLEAR VISIBILITY 10T
 REL ANGE 20° PASSES 7 INTERVAL 30 MIN ALT 900
 ENROUTE ALT 19.5 RETURN ALT 18.5 REL ALT 31000 TGT A/SPD 450
 ORDNANCE 8 D-2A 4 D-9 EXPENDED ALL JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) 0
 BDA 100 % 30 % ADDITIONAL
6 HITS DEST. 3 HITS DAM

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0
 UNIT SUPPORTED 17 ARVN OPERATION (LEAVE BLANK)
 ENROUTE WX CLEAR

(A) HOSTILE FIRE	YES <u>NO</u>	FILE FORM WITH BARREL
(B) AIRBURST	YES <u>NO</u>	FILE FORM WITH BARREL
(C) A/C HIT	YES <u>NO</u>	FILE FLASH REPORT WITH BAI
(D) RECON INSERT/EXTRACT	YES <u>NO</u>	CIRCLE ONE/COORD
(E) BDA REPORTED	YES <u>NO</u>	IF ADDITIONAL CIRCLE
(F) ADOBT	YES <u>NO</u>	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES <u>NO</u>	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARN DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW ELIMINATED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER FILAS TIME 1515 DATE 7 JULY 69
 SQUADRON 211 CALL SIGN MM 24 MSN # 0956 FLT CODE 152

T/O 1355 LAND 1450 TOTAL TIME 1.8

PILOTS A/C
LANGE 15
FILAS 22
 DASC BICK TIME 1410
 CONTROLLER BICK 31 TIME 1415
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1426-32</u>	<u>KNOWN ENEMY LOC</u>	<u>YL241917</u>	<u>2</u>
	<u>EC</u>		

TGT TERRAIN MTS TGT WX 500 VISIBILITY 7
 REL ANGE 20° PASSES 4 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 18.5 RETURN ALT 15.5 REL ALT 2000 TGT A/SPD 450
 ORDNANCE 1202 WIX EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL 9 BUNKERS DEST.
1 STRUCT DEST. 1 SEC FIRE

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 101st AB OPERATION Montgomery Bend
 ENROUTE WX _____

(A) HOSTILE FIRE	YES ☒ NO	FILE FORM WITH BARRREL
(B) AIRBURST	YES ☒ NO	FILE FORM WITH BARRREL
(C) A/C HIT	YES ☒ NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES ☒ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES ☒ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☒ NO	GIVE REASON BELOW

REMARKS: Divert IN COUNTRY TGT WX
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARN DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER WOOD TIME 1735 DATE 7 JULY 69
 SQUADRON 211 CALL SIGN H B466 MSN #6466 FLT CODE 182

T/O 1540 LAND 1720 TOTAL TIME 3.4

PILOTS
WARREN A/C CF01
WOOD CF09
 DASC BILK TIME 1635
 CONTROLLER BILK TIME 1638
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1638-49</u>	<u>ENEMY LOC</u>	<u>4C 505855</u>	<u>22</u>
	<u>EC</u>		

✓ TGT TERRAIN Valley TGT WX 100 ① VISIBILITY 10+
 REL ANGE 200 Roll Hills PASSES 8 INTERVAL 3000 MIN ALT 600
 ENROUTE ALT 18.5 RETURN ALT 17.5 REL ALT 1050 TGT A/SPD 450
 ORDNANCE 802A 409 EXPENDED All JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL 3 BUNKERS Dest
1 STRUCTURE Dest

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3rd BEIG 101ST AB OPERATION Kentucky Hopper
 ENROUTE WX — (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: FRIENDLIES No FACTOR
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS Good

DEBRIEFER FILAS TIME 1100 DATE 2 JULY 69
 SQUADRON 211 CALL SIGN HB152 MSN # 6152 FLT CODE 152

T/O 0956 LAND 1041 TOTAL TIME 1.6

PILOTS A/C
DICKERSON 24 DASC BICK TIME 1000
FILAS 11 CONTROLLER BICK 29 TIME 1005
 TYPE CONTROLLER FACA
 TYPE MISSION OAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1010-1020</u>	<u>KNOWN ENERGY LOC</u>	<u>YC 2159:11</u>	<u>KVN4</u>
	<u>EC</u>		<u>2</u>

TGT TERRAIN MTC TGT WX D VISIBILITY P

REL ANGE 30 PASSES 6 INTERVAL 30 MIN ALT 2000

ENROUTE ALT 15.5 RETURN ALT 13.5 REL ALT 3000 TGT A/SPD 450

ORDNANCE 40302/40202 EXPENDED ALL JETTISONED -

ORDNANCE/RTB - DUDS (SEE NOTE #1) 10300

BDA 100 % 100 % ADDITIONAL 1 BUNKER DEST

1 SMALL SEE EXPL.

SECONDARY EXPLOSIONS yes NUMBER 1 SIZE SMALL

UNIT SUPPORTED 101st AB OPERATION Kentucky Jumper
 (LEAVE BLANK)

ENROUTE WX -

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☒ NO ☐	FILE FLASH REPORT WITH BAI
(D) RECON INSERT/EXTRACT	YES ☒ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☒ NO ☐	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION YC 810761 REASON ?

RECOVERABLE - FUSE DELAY/ARN DELAY INSTANTANEOUS

NOTE #2: ECM ENCOUNTERED - TIME - HOW ELIMINATED -

NOTE #3: ORDNANCE EFFECTIVENESS -

DEBRIEFER MA TIME 2215 DATE 7 July
 SQUADRON 211 CALL SIGN HB MSN # 6510 FLT CODE 352

T/O 2035 LAND 2200 TOTAL TIME 1.4

PILOTS Hamm A/C 5
 DASC Chilai TIME 2050
 CONTROLLER TPQ TIME 2057
 TYPE CONTROLLER ASANT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2110-20</u>	<u>ery Posit</u>	<u>B 5476942</u>	<u>#</u>
	<u>EC</u>	<u>B 5454915</u>	

TGT TERRAIN R TGT WX clear VISIBILITY 10F
 REL ANGE 2 PASSES 2 INTERVAL — MIN ALT 14.5
 ENROUTE ALT 14.5 RETURN ALT 20.0 REL ALT 14.0 TGT A/SPD 280
 ORDNANCE 602W EXPENDED ML JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA — % — % ADDITIONAL 1 Secondary Eipl

SECONDARY EXPLOSIONS Yes NUMBER 1 SIZE —
 UNIT SUPPORTED American OPERATION GENEVA Pub
 ENROUTE WX clear (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW ELIMINATED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER White TIME 1622 DATE 7 July 69
 SQUADRON 211 CALL SIGN HB 462 MSN # 6462 FLT CODE 152

T/O 1341 LAND 1558 TOTAL TIME 4.6

PILOTS REED A/C CF 3 DASC DANANG TIME 1347
WHITE CF 23 CONTROLLER HELIX 26 TIME 1520
 TYPE CONTROLLER FACIA
 TYPE MISSION COMP CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1536-1535</u>	<u>enemy position</u>	<u>BS 284983</u>	<u>4</u>
	<u>EC</u>		

TGT TERRAIN hilly TGT WX 8000 VISIBILITY 6
 REL ANGE 20° PASSES 6 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 29,500 RETURN ALT 19,500 REL ALT 1050 TGT A/SPD 450
 ORDNANCE 202A, 409 EXPENDED All JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100% 20% ADDITIONAL 6 structures + 4 bunkers Det

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0
 UNIT SUPPORTED Americal OPERATION Geneva Park
 ENROUTE WX 8000 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH RA
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW LIECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Dugher TIME 2100 DATE 7 July
 SQUADRON 211 CALL SIGN 504 MSN # 6504 FLT CODE 352

T/O 1945 LAND 2045 TOTAL TIME 110

PILOTS Dugher A/C CF 15
 DASC _____ TIME _____
 CONTROLLER Phil Jai TIME 2010
 TYPE CONTROLLER ABRT
 TYPE MISSION APB

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2015</u>	<u>Rollat sig EL</u>	<u>BT 494004</u>	<u>4</u>
<u>2030</u>	<u>11 4</u>	<u>BT 422009</u>	

TGT TERRAIN Rollat TGT WK 0 VISIBILITY Rollat
 REL ANGE 2 PASSES 1 INTERVAL — MIN ALT 14500
 ENROUTE ALT 14500 RETURN ALT 14500 REL ALT 14500 TGT A/SPD 290
 ORDNANCE B82Y EXPENDED all JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 4mb % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED Am Cal OPERATION — (LEAVE BLANK)
 ENROUTE WK 0

(A) HOSTILE FIRE	YES <u>NO</u>	FILE FORM WITH BARRIL
(B) AIRBURST	YES <u>NO</u>	FILE FORM WITH BARREL
(C) A/C HIT	YES <u>NO</u>	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES <u>NO</u>	CIRCLE ONE/COORD
(E) BDA REPORTED	YES <u>NO</u>	IF ADDITIONAL CIRCLE
(F) ADOPT	YES <u>NO</u>	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES <u>NO</u>	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Richard TIME 1530 DATE 2 JULY 67
 SQUADRON 211 CALL SIGN BO16 MSN # 6016 FLT CODE 152

T/O 1445 LAND 1525 TOTAL TIME 1.4

PILOTS Richard A/C 06 DASC Helix TIME 1445
Beymer 05 CONTROLLER Helix 13 TIME 1450
 TYPE CONTROLLER FAACAS
 TYPE MISSION CAS

TOT 1458/1507 DESCRIPTION suspected ENLOC COORDINATES BT 143250 PROVIDENCE 4
EC

TGT TERRAIN Hilly TGT WX 500 VISIBILITY 0.80
 REL ANGE 20 PASSES 8 INTERVAL 30m MIN ALT 1800'
 ENROUTE ALT 10.5 RETURN ALT 5.5 REL ALT 2800' TGT A/SPD 400
 ORDNANCE 12 D2W/4 EXPENDED All JETTISONED NONE
 ORDNANCE/RTE DUDS (SEE NOTE # 1) 2
 BDA 100 % 60 % ADDITIONAL 1 sm. ~~fire~~ fire

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED AMCAL OPERATION
 ENROUTE WX 500 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES	NO	IF ADDITIONAL CIRCLE
(F) ABOET	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Friendly 3000 meters
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION BT 143250 REASON suspect misident. ~~arming~~ time
 RECOVERABLE NO FUSE DELAY/ARM DELAY 10/1

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER Huggin TIME 2140 DATE 7 July 69
 SQUADRON 211 CALL SIGN HB506 MSN # 6506 FLT CODE 352

T/O 1952 LAND 2120 TOTAL TIME 1.5

PILOTS Huggin A/C CF06 DASC TIME
 CONTROLLER VANDY 07 TIME 2020
 TYPE CONTROLLER ASRT
 TYPE MISSION TPQ

TOT 2035 DESCRIPTION Bunkers COORDINATES XD831624 PROVIDENCE E
BF

TGT TERRAIN R TGT WX 0 VISIBILITY 9+
 REL ANGE level PASSES 1 INTERVAL — MIN ALT 18,500'
 ENROUTE ALT 18,500 RETURN ALT 19,500 REL ALT 18.5 TGT A/SPD 290
 ORDNANCE 6 D2 EXPENDED all JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 4th % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3rd M.O. OPERATION Herkimer MT
 ENROUTE WX — (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: — (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER HUTSON TIME 1130 DATE 8 July 69
 SQUADRON 211 CALL SIGN 229 MSN # 6221 FLT CODE 182

T/O 0955 LAND 1120 TOTAL TIME 1.4

PILOTS HUTSON A/C CF 19
 DASC 1000 TIME 1055
 CONTROLLER # 7 TIME
 TYPE CONTROLLER ASST
 TYPE MISSION TPQ

TOT DESCRIPTION COORDINATES PROVIDENCE
1030-1100 BASE CAMP AT 800653 3
BS

TGT TERRAIN Rolling TGT WK 0 VISIBILITY 15+
 REL ANGE 1000 PASSES 2 INTERVAL --- MIN ALT 14.1
 ENROUTE ALT 18.5 RETURN ALT 19.5 REL ALT 14.1 TGT A/SPD 290
 ORDNANCE 2034 2024 EXPENDED ALL JETTISONED ---
 ORDNANCE/RTB --- DUDS (SEE NOTE # 1)
 BDA Unb % ADDITIONAL ---

SECONDARY EXPLOSIONS --- NUMBER --- SIZE ---
 UNIT SUPPORTED 1st M.D. OPERATION Eggenh Grove
 ENROUTE WX 0 15+ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: ---
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION --- REASON ---
 RECOVERABLE --- FUSE DELAY/ARM DELAY ---

NOTE #2: ECM ENCOUNTERED --- TIME --- HOW DIRECTED ---

NOTE #3: ORDNANCE EFFECTIVENESS ---

DEBRIEFER RUTHERFORD TIME 2030 DATE 8 JUL 74
 SQUADRON 211 CALL SIGN 501 MSN # 6501 FLT CODE 352

T/O 1910 LAND 2000 TOTAL TIME 1.2

PILOTS RUTHERFORD A/C 17
 DASC V/CSQUAD TIME 1905
 CONTROLLER AN NOA TIME 1910
 TYPE CONTROLLER 7 ASPT
 TYPE MISSION 7 ASPT

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1930/35</u>	<u>AT 751349 EN</u>	<u>AT 751349</u>	<u>3</u>
	<u>AT 751349 LOCATION</u>		
	<u>EC</u>		

TGT TERRAIN UNK TGT WX 200 @ VISIBILITY 15 miles
 REL ANGE 6000 PASSES 1 INTERVAL — MIN ALT 14.1
 ENROUTE ALT 15.5 RETURN ALT 13.5 REL ALT 14.1 TGT A/SPD 290
 ORDNANCE 6 D2 w/4 EXPENDED ATL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA — % — % ADDITIONAL —
UNK

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 515TH TFW OPERATION Forsyth Grove
 ENROUTE WX — (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH RA
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER White TIME 1740 DATE 8 July
 SQUADRON 211 CALL SIGN H8 467 PSN # 6467 FLT CODE 152

T/O 1625 LAND 1720 TOTAL TIME 1.8

PILOTS A/C
Reed 20
White 19
 DASC Durans TIME 1630
 CONTROLLER Hobbes TIME 1640
 TYPE CONTROLLER FAA (A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1646-1704</u>	<u>fortified ville</u>	<u>AT 836546</u>	<u>3</u>
	<u>✓ L</u>		

TGT TERRAIN flat TGT WX 7000 VISIBILITY 8
 REL ANGE 20° PASSES 8 INTERVAL 30 sec MIN ALT 600
 ENROUTE ALT 12,500 RETURN ALT 13,500 REL ALT 1050 TGT A/SPD 450
 ORDINANCE 402A, 209, 602 w/y EXPENDED ALL JETTISONED —
 ORDINANCE/RTB 0 DUDS (SEE NOTE # 1) 0
 BDA 90 % 90 % ADDITIONAL 100 m tree line

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0
 UNIT SUPPORTED 7th MAB 3rd M.O. OPERATION Forsyth Grove
 ENROUTE WX 800 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH RA
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARN DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW EFFECTED _____

NOTE #3: ORDINANCE EFFECTIVENESS _____

DEBRIEFER White TIME 1430 DATE 8 July
 SQUADRON 211 CALL SIGN Mar 25 MSN # 0959 FLT CODE 152

T/O 1322 LAND 1408 TOTAL TIME 1.6

PILOTS A/C
Reed 17
White 24
 DASC Danang TIME 1330
 CONTROLLER Hostage Dog TIME 1335
 TYPE CONTROLLER FAC(A)
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVIDENCE
1340-50 fortified villa AT 840547 3
VL

TGT TERRAIN flat TGT WK 4.00 VISIBILITY 10
 REL ANGE 30° PASSES 8 INTERVAL 30 sec MIN ALT 600
 ENROUTE ALT 12,500 RETURN ALT 17500 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 12 D2W/4 EXPENDED All JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) 0
 BDA 100 % 90 % ADDITIONAL 4 bunkers, 50M tree line

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0
 UNIT SUPPORTED 1st Mar Div OPERATION Forsyth Grove
 ENROUTE WK clear (LEAVE BLANK)

(A) HOSTILE FIRE	YES	☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☐ NO	FILE FLASH REPORT WITH BARR
(D) RECON INSERT/EXTRACT	YES	☐ NO	CIRCLE ONE/COORD
(E) DIA REPORTED	☒ YES	☐ NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	☐ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	☐ NO	GIVE REASON BELOW

REMARKS: IN COUNTRY DIVERT FROM ST WK
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARN DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER German TIME 1530 DATE 8 July
 SQUADRON 211 CALL SIGN HB017 MSN # 6017 FLT CODE 152/1

T/O 1435 LAND 1515 TOTAL TIME 1.4

PILOTS German P.K. A/C CF 15 DASC Helix TIME 1440
Woods, 5 CONTROLLER Helix 13 TIME 1443
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT DESCRIPTION COORDINATES PROVIDENCE
1443-1458 Known En Loc BT109297 HE
EC

TGT TERRAIN Hilly TGT WK 40 VISIBILITY 20
 REL ANGE 30° PASSES 6 INTERVAL 30sec MIN ALT 2000
 ENROUTE ALT 12.5 RETURN ALT 55 REL ALT 4000 TGT A/SPD 450
 ORDNANCE 12 P2W/X EXPENDED all JETTISONED —
 ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) 0
 BDA 100 % 40 % ADDITIONAL —

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED A mcal OPERATION _____
 ENROUTE WK 40 @ 20 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES	NO	IF ADDITIONAL CIRCLE
(F) ABOFT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Huggin TIME 1400 DATE 8 July 69
 SQUADRON 211 CALL SIGN 24 MSN # 0957 FLT CODE 152

T/O 1315 LAND 1350 TOTAL TIME 1.2

PILOTS A/C
Maj WARREN CF21
" HUGGIN 22
 DASC Helix TIME 1318
 CONTROLLER Helix 16 TIME 1319
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1320-27</u>	<u>Known En Posit</u>	<u>AT994135</u>	<u>H</u>
	<u>EC</u>		

TGT TERRAIN Mtn TGT WK 1000 VISIBILITY 10+
 REL ANGE 30° PASSES 8 INTERVAL 30+ MIN ALT 1500'
 ENROUTE ALT 10,500 RETURN ALT 7,500 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 1202 EXPENDED all JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100 % 80 % ADDITIONAL None

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED Amer Cal OPERATION — (LEAVE BLANK)
 ENROUTE WX c. clear

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARR.
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Friendly's 7000 meters. Divert from ST
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW ELIMINATED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER 1 BM TIME 1700 DATE 8 July 69
 SQUADRON 211 CALL SIGN 595 MSN # 2595 FLT CODE 152
 T/O 1500 LAND 1645 TOTAL TIME 3.6
 PILOTS Large A/C CE 11 DASC Helix TIME 1615
McHaffy CE 9 CONTROLLER Helix TIME 1620
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1625/33</u>	<u>Troops in trees</u>	<u>BT109277</u>	<u>4</u>
	<u>SS</u>		

TGT TERRAIN Hilly TGT WX clear VISIBILITY 20
 REL ANGE 30° PASSES 12 INTERVAL 30sec MIN ALT 1500
 ENROUTE ALT 16.5 RETURN ALT 9.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 6 D20/2 D7 4 D8 EXPENDED 2 D20/4 D7 JETTISONED ==
 ORDNANCE/RTB 4 D8 DUDS (SEE NOTE #1) ---
 BDA 90 % 80 % ADDITIONAL ---

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED America OPERATION _____
 (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BIA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOFT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: HB 249 leader went down, joined our flight
 (REFERENCE NOTE #3)
Friendlys Helix south carried separately

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS good but not D-8 target

DEBRIEFER Edwards TIME 0815 DATE 8 July 69
 SQUADRON 211 CALL SIGN HB153 MSN # 6153 FLT CODE 151

T/O 0650 LAND 0810 TOTAL TIME 2.8

PILOTS A/C
DANE 22
Edwards 12
 DASC VANDY TIME 0710
 CONTROLLER SW 9X-1 TIME 0715
 TYPE CONTROLLER FAC-A
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0720</u>	<u>Enemy Position</u> <u>EC</u>	<u>YD042644</u>	<u>1</u>

TGT TERRAIN Mnt TGT WX 400 VISIBILITY 10
 REL ANGE 10° PASSES 1 INTERVAL 30 MIN ALT 600'
 ENROUTE ALT 14.5 RETURN ALT 17.5 REL ALT 1000 TGT A/SPD 350
 ORDNANCE 8D32 EXPENDED 2032 JETTISONED 6032
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100 % 106 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3rd MAR Div OPERATION Virginia Ridge
 ENROUTE WX 1-0 10 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: FRIENDLY No Factor
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS Only got on tgt with
2 D32. They came apart in the air.

DEBRIEFER KLAS TIME 0755 DATE 8 JULY 69
 SQUADRON 211 CALL SIGN HB 51 MSN # 6151 FLT CODE 152

T/O 0631 LAND 0741 TOTAL TIME 2.4

PILOTS A/C
LENZINI 19
KLAS 17
 DASC VANDY TIME 0700
 CONTROLLER SW 98-E TIME 0705
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0710-11</u>	<u>SUSP. ENEMY POS</u>	<u>VD 041650</u>	<u>RUN I</u>
	<u>EC</u>		

TGT TERRAIN Hilly TGT WK 800 VISIBILITY D
 REL ANGE 10° PASSES 2 INTERVAL 30' MIN ALT 300
 ENROUTE ALT 205 RETURN ALT 155 REL ALT 400 TGT A/SPD 350
 ORDNANCE 8032 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100% target destroyed % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3rd Marine Div OPERATION Virginia Ridge
 ENROUTE WK 150 WD (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☒ NO ☐	FILE FLASH REPORT WITH BAI
(D) RECON INSERT/EXTRACT	YES ☒ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ADOBT	YES ☒ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☒ NO ☐	GIVE REASON BELOW

REMARKS: TOT 0700 ✓ IN WITH DASC HQ @ 0653
WITH NO CONTROLLERS (REFERENCE NOTE #3)
OVER TO VANDY. FLAGGED FOR DASC HQ.

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW ELIMINATED —

NOTE #3: ORDNANCE EFFECTIVENESS D32 TOTALLY INEFFECTIVE
OUT OF 8032 7 OFFERS IN THE AIR,
GAS FLOATER ABOVE TARGET. DELIVERED
@ 310 NAT. TAPE ON CAN PALS OFF IN
AIR. SUGGEST USE OF SHOT: TAPES FOR CS. END

DEBRIEFER Tierney TIME 2110 DATE 8 Jul
 SQUADRON 211 CALL SIGN 527 PSN # 6527 FLT CODE 3S2

T/O 1952 LAND 2100 TOTAL TIME 1.1

PILOTS

A/C

Tierney18

DASC

TIME

CONTROLLER 910m 10 TIME 2025TYPE CONTROLLER ASSTTYPE MISSION FPQ

TOT

DESCRIPTION

COORDINATES

PROVIDENCE

2025-2031VC LOCATIONYC 7178302EC

TGT TERRAIN

TGT WX

VISIBILITY

REL ANGE

PASSES

INTERVAL

MIN ALT

ENROUTE ALT

RETURN ALT

REL ALT

TGT A/SPD

ORDNANCE

EXPENDED

JETTISONED

ORDNANCE/RTB

DUDS (SEE NOTE # 1)

BDA

%

% ADDITIONAL

SECONDARY EXPLOSIONS

NUMBER

SIZE

UNIT SUPPORTED

101 2nd A.B.

OPERATION

Kentucky Jump
(LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE

(B) AIRBURST

(C) A/C HIT

(D) RECON INSERT/EXTRACT

(E) BDA REPORTED

(F) ABORT

(G) DIVERT

YES

NO

YES

NO

YES

NO

YES

NO

YES

NO

YES

NO

YES

NO

FILE FORM WITH BARCEL

FILE FORM WITH BARCEL

FILE FLASH REPORT WITH RA

CIRCLE ONE/COORD

IF ADDITIONAL CIRCLE

A/C MALFUNCTION/NO DROP

GIVE REASON BELOW

REMARKS:

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION

REASON

RECOVERABLE

FUSE DELAY/ARM DELAY

NOTE #2: ECM ENCOUNTERED

TIME

HOW LITECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER Richards TIME 1130 DATE 8 JUL 69
 SQUADRON 2-1 CALL SIGN HB 591 MSN # 6591 FLT CODE 112

0955
 T/O Richards LAND 1113 TOTAL TIME 2.6
 PILOTS Richards A/C 18 DASC B1K TIME 103.8
Beem 06 CONTROLLER B1K 35 TIME 1033
 TYPE CONTROLLER FAZ(A)
 TYPE MISSION DR

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1037/45</u>	<u>Active 23MM site</u>	<u>YC 458851</u>	<u>2</u>
	<u>AA</u>		

TGT TERRAIN Hilly TGT WX 3000 VISIBILITY UNL
 REL ANGE 45° PASSES 10 INTERVAL 30m MIN ALT 3000'
 ENROUTE ALT 18.5 RETURN ALT 15.5 REL ALT 5000 TGT A/SPD 450
 ORDNANCE 6D2 4D8 2D7 EXPENDED All JETTISONED —
 ORDNANCE/RTB None DUDS (SEE NOTE # 1) —
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 101st A.B. OPERATION Kentucky Jumper
 ENROUTE WX 0 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Ord ok for Mission Friendly 2 Km
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —
 NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER MA Baymer TIME 1000 DATE 8 July 1969
 SQUADRON 211 CALL SIGN 155 MSN # 6155 FLT CODE 152

T/O 0833 LAND 0938 TOTAL TIME 2.2

PILOTS Rutherford A/C 15 DASC B/K TIME 0900
Baymer 9 CONTROLLER B/K TIME 0910
 TYPE CONTROLLER FAC/H
 TYPE MISSION CAS

TOT DESCRIPTION TROOPS COORDINATES PROVIDENCE
0900-09 ~~155-912~~ YC 262 912 2
TS

TGT TERRAIN Mountains TGT WK 50 00 VISIBILITY FOREVER
 REL ANGE 30° PASSES 8 INTERVAL 30 sec MIN ALT ~~1400~~ 1400'
 ENROUTE ALT 145 RETURN ALT 135 REL ALT 2100' TOT A/SPD 450
 ORDNANCE 4D34/4024 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3RD / 101ST A.B OPERATION Montgomery Ranch
 ENROUTE WK 140 00 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: FRIENDLY NO FACTOR
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS SHAKE & LAKE WOULD HAVE BEEN
BETTER DUE TO WX.

DEBRIEFER JBA TIME 2100 DATE 6 July
 SQUADRON 211 CALL SIGN HB MSN # 6525 FLT CODE 352

T/O 1935 LAND 2046 TOTAL TIME 1.2

PILOTS Hammet A/C 06 DASC TIME
 CONTROLLER CHULAI TIME 1948
 TYPE CONTROLLER ASRA
 TYPE MISSION TDR

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2020</u>	<u>envy</u>	<u>BS471990</u>	<u>HA</u>
<u>2025</u>	<u>Posit</u>	<u>BS481987</u>	
	<u>EC</u>		

TGT TERRAIN R TGT WX 0 VISIBILITY 9+
 REL ANGE PASSES 2 INTERVAL MIN ALT 140
 ENROUTE ALT 14.5 RETURN ALT 14.0 REL ALT 14.0 TGT A/SPD 290
 ORDNANCE 602X EXPENDED all JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE #1)
 BDA % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED Amurta OPERATION Geneva Park
 (LEAVE BLANK)
 ENROUTE WX

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARCEL
(B) AIRBURST	YES	NO	FILE FORM WITH BARCEL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH R
(D) RECON INERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
 RECOVERABLE FUSE DELAY/ARM DELAY

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER WOOD TIME 2125 DATE 8 July
 SQUADRON 211 CALL SIGN BBS29 ASN # 6529 FLT CODE 452

T/O 2015 LAND 2115 TOTAL TIME 1.0

PILOTS WOOD A/C CF22

DASG CHULN TIME 2020
 CONTROLLER SR TIME 2020
 TYPE CONTROLLER ASCT
 TYPE MISSION TRD

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2030-35</u>	<u>ENEMY LOC</u>	<u>B8453835</u>	<u>AE</u>
	<u>EC</u>		

TGT TERRAIN R TGT WX 0 VISIBILITY 9+
 REL ANGE — PASSES 1 INTERVAL — MIN ALT 14.1
 ENROUTE ALT 14.1 RETURN ALT 14.1 REL ALT 14. TGT A/SPD 290
 ORDNANCE 602WIX EXPENDED 402 JETTISONED —
 ORDNANCE/RTB 202WIX DUDS (SEE NOTE # 1) —
 BDA — unk % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED Americal OPERATION Geneva Park
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BA
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOET	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER PYTKO TIME 2000 DATE 8 JUL 69
 SQUADRON 211 CALL SIGN 545 MSN # 6545 FLT CODE 382

T/O 1842 LAND 1947 TOTAL TIME 1.1

PILOTS PYTKO A/C CE-01 DASC - TIME -
 CONTROLLER BIRNIE HAM TIME 1910
 TYPE CONTROLLER ASRT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1910-14</u>	<u>ENEMY LOCATION</u>	<u>YC309933</u>	<u>J-22RS</u>
	<u>EC</u>		

TGT TERRAIN MTNS TGT W 4.0 @ VISIBILITY 10+
 REL ANGE W/E PASSES 1 INTERVAL - MIN ALT 20.5
 ENROUTE ALT 20.5 RETURN ALT 19.5 REL ALT 20.5 TGT A/SPD 290
 ORDNANCE 6 DAW/Y EXPENDED ALL JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE # 1) -
 BDA 40% % ADDITIONAL -

SECONDARY EXPLOSIONS - NUMBER - SIZE -

UNIT SUPPORTED 101st AIRBORNE OPERATION Kentucky Hammer
 (LEAVE BLANK)

ENROUTE WX ① V ① MULTIPLE LAYERS

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH R
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOFT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: NONE
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -

RECOVERABLE - FUSE DELAY/ARN DELAY -

NOTE #2: ECM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -

DEBRIEFER MILLER TIME 2040 DATE 8 JULY
 SQUADRON 211 CALL SIGN "3523" MSN # 6525 FLT CODE 352

T/O 1925 LAND 2030 TOTAL TIME 1.1

PILOTS MILLER A/C 21 DASC AN HO A TIME 1940
 TYPE CONTROLLER ASRT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1957</u>	<u>ENERGY LOCATION</u>	<u>BT 067628</u>	<u>B</u>
	<u>EC</u>		

TGT TERRAIN R TGT WX O VISIBILITY 9+
 REL ANGE 0 PASSES 1 INTERVAL — MIN ALT 13.9
 ENROUTE ALT 14.5 RETURN ALT 21.5 REL ALT 13.9 TGT A/SPD 290
 ORDNANCE 6 D2 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) —
 BDA amb % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED Robmc OPERATION Victory Dragon
 ENROUTE WX Scattered TW (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH SA
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOFT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER Rooker TIME 1005 DATE 8 JULY
 SQUADRON 211 CALL SIGN HB013 MSN # 6013 FLT CODE 152

T/O 0911 LAND 1056 TOTAL TIME 1.6

PILOTS Rooker A/C CF 5 DASC DANAC TIME 0915
TIGRNY 23 CONTROLLER Kimchi #2 TIME 0919
 TYPE CONTROLLER FAC A
 TYPE MISSION CAS

TGT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0917/32</u>	<u>TREGLINE</u>	<u>B7108548</u>	<u>1B</u>
	<u>TS</u>		

TGT TERRAIN FLAT TGT WK 0 VISIBILITY 15+7+
 REL ANGE 30° PASSES 8 INTERVAL 3052C MIN ALT 1500
 ENROUTE ALT 10.5 RETURN ALT 7.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 12 D2 W/y EXPENDED 411 JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE #1) -
 BDA 100 % 100 % ADDITIONAL 1 KRA 2 PROB W/A OR
KRA

SECONDARY EXPLOSIONS - NUMBER - SIZE -
 UNIT SUPPORTED Rokme OPERATION Victory Dragon
 ENROUTE WK - (LEAVE BLANK)

(A) HOSTILE FIRE	YES	☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☐ NO	FILE FLASH REPORT WITH BARR
(D) RECON INSERT/EXTRACT	YES	☐ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES	☐ NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	☐ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	☐ NO	GIVE REASON BELOW

REMARKS: -
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -
 RECOVERABLE - FUSE DELAY/ARM DELAY -

NOTE #2: ECM ENCOUNTERED - TIME - HOW LIECTED -

NOTE #3: ORDNANCE EFFECTIVENESS Good ORP Frenches 1500m

DEBRIEFER COLL TIME 1140 DATE 8 JULY 69
 SQUADRON 211 CALL SIGN HELBORN MSN # 6455 FLT CODE 152

T/O 1005 LAND 1125 TOTAL TIME 2.4

PILOTS A/C
DAVE 20
COLL 1
 DASC DONG HA TIME 1010
 CONTROLLER BARRY H TIME 1015
 TYPE CONTROLLER FAC (W)
 TYPE MISSION BAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1025-40</u>	<u>ENEM LOC</u>	<u>4D 342 380</u>	<u>1</u>
	<u>EC</u>		

TGT TERRAIN HILLY TGT WX 0 VISIBILITY 10+
 REL ANGE 20° PASSES Y INTERVAL 30 SM MIN ALT 800
 ENROUTE ALT 145 RETURN ALT 195 REL ALT 1050 TGT A/SPD 450
 ORDNANCE 409 802A EXPENDED ALL JETTISONED —
 ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) —
 BDA 50 % 50 % ADDITIONAL 2500 EXP (SM)

SECONDARY EXPLOSIONS YES NUMBER 2 SIZE SMALL
 UNIT SUPPORTED 1 BRIG ARVN OPERATION — (LEAVE BLANK)
 ENROUTE WX CLEAR

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: FRIEND 1500 METERS
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION 2 D2A REASON NO FIRE
 RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS GOOD TARG ORD

DEBRIEFER _____ TIME _____ DATE _____
 SQUADRON 211 CALL SIGN 593 MSN # 6593 FLT CODE 152

T/O 1315 LAND 1500 TOTAL TIME 3.4

PILOTS Lange A/C C-119 DASC _____ TIME _____
McAnally 9 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT _____ DESCRIPTION _____ COORDINATES _____ PROVIDENCE _____

_____ No Drop _____
 _____ _____
 _____ _____

TGT TERRAIN _____ TGT WK _____ VISIBILITY _____

REL ANGE _____ PASSES _____ INTERVAL _____ MIN ALT _____

ENROUTE ALT 16.5 RETURN ALT 9.5 REL ALT _____ TGT A/SPD _____

ORDNANCE 602 207 408 EXPENDED _____ JETTISONED _____

ORDNANCE/RTB ALL DUDS (SEE NOTE # 1) _____

BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____

ENROUTE WK _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: No Dgt's
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER _____ TIME _____ DATE _____
 SQUADRON 211 CALL SIGN 589 MSN # 6589 FLT CODE 752

T/O 0845 LAND 0955 TOTAL TIME 2.4

PILOTS Richards A/C CF 18 DASC _____ TIME _____
Beem 06 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT DESCRIPTION COORDINATES PROVIDENCE

No Drop

TGT TERRAIN _____ TGT WK _____ VISIBILITY _____

REL ANGE _____ PASSES _____ INTERVAL _____ MIN ALT _____

ENROUTE ALT 18.5 RETURN ALT 15.5 REL ALT _____ TGT A/SPD _____

ORDNANCE 602 408 207 EXPENDED _____ JETTISONED _____

ORDNANCE/RTB ALL DUDS (SEE NOTE # 1) _____

BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____

ENROUTE WK _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECOM INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BCA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: No TdTs
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER R TIME 1130 DATE 25 JUL 69
 SQUADRON 211 CALL SIGN H BZ42 MSN # 6242 FLT CODE 152

T/O 1023 LAND 1125 TOTAL TIME 20

PILOTS Richards A/C 19 DASC DNH TIME 1027
Beem 24 CONTROLLER Host B TIME 1030
 TYPE CONTROLLER AACH
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1050/57</u>	<u>8 Base Camp</u>	<u>AT843700</u>	<u>3</u>
	<u>B^s</u>		

TGT TERRAIN Hilly TGT WX 0 VISIBILITY UNR
 REL ANGE 100 PASSES 6 INTERVAL 30 sec MIN ALT 600'
 ENROUTE ALT 10.5 RETURN ALT 7.5 REL ALT 1050 TGT A/SPD 450
 ORDNANCE 8 D2A 409 EXPENDED ALL JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE #1) -
 BDA 100 % 100 % ADDITIONAL 2 secondary Expt
2 Tunnels & Dammes sealed

SECONDARY EXPLOSIONS Yes NUMBER 2 SIZE 1 med 1 large
 UNIT SUPPORTED 1st R.D. OPERATION - (LEAVE BLANK)
 ENROUTE WX 0

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH RA
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Friendly 150 meters
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -

RECOVERABLE - FUSE DELAY/ARM DELAY -

NOTE #2: ECM ENCOUNTERED - TIME - HOW LITECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -

DEBRIEFER HUGGIN TIME 1105 DATE 9 July 69
 SQUADRON 211 CALL SIGN 113234 MSN # 6234 FLT CODE 152

T/O 0955 LAND 1055 TOTAL TIME 2.0

PILOTS
Maj Nordell A/C CF01
" Huggin 07

DASC Dongha TIME
 CONTROLLER SW97-3 TIME 1000
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1015-25</u>	<u>Bunker Complex</u>	<u>XD868687</u>	<u>+</u>
	<u>BF</u>		

TGT TERRAIN Mtn TGT WX 0 VISIBILITY 15+
 REL ANGE 20° PASSES 4 INTERVAL 30 MIN ALT 600'
 ENROUTE ALT 14,500 RETURN ALT 21,500 REL ALT 1200' TGT A/SPD 450
 ORDNANCE 802A/409 EXPENDED all JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL 3 Bunkers destroyed

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 4th MAZed m.p. OPERATION Herbumer MT.
 ENROUTE WX 10 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☐ NO	FILE FLASH REPORT WITH RA
(D) RECON INSERT/EXTRACT	YES	☐ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES	☐ NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	☐ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	☐ NO	GIVE REASON BELOW

REMARKS: Friendless 2000m
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARN DELAY —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW ELIMATED —

NOTE #3: ORDNANCE EFFECTIVENESS Slicks would have been better.

DEBRIEFER 1BM TIME 1440 DATE 9 July 69
 SQUADRON 211 CALL SIGN H8270 MSN # 6270 FLT CODE 152

T/O 1320 LAND 1425 TOTAL TIME 2.2

PILOTS W. Anally A/C 11 DASC Vandy TIME 1345
Weltman 22 CONTROLLER SW 98-10 TIME 1350
 TYPE CONTROLLER FACA
 TYPE MISSION DAF

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1355/405</u>	<u>Bunkers/troops</u>	<u>XD 848698</u>	<u>1</u>
	<u>BF</u>		

TGT TERRAIN MTs TGT WX C/ear VISIBILITY 10
 REL ANGE 20° PASSES 7 INTERVAL 30 sec MIN ALT 800
 ENROUTE ALT 18.5 RETURN ALT 21.5 REL ALT 1050 TGT A/SPD 450
 ORDNANCE 802A/409/D20 EXPENDED All JETTISONED -
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA 90 % 90 % ADDITIONAL 3 bunkers destroyed

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 3 mar Div OPERATION Herbimer M.
 (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES	☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☒ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☒ NO	FILE FLASH REPORT WITH RA
(D) RECON INSERT/EXTRACT	YES	☒ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES	☒ NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	☒ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	☒ NO	GIVE REASON BELOW

REMARKS: friendlyes 401063

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW LINEDCTED _____

NOTE #3: ORDNANCE EFFECTIVENESS good, bunkers were still
being built

DEBRIEFER HUTSON TIME 1715 DATE 9 JULY 69
 SQUADRON 211 CALL SIGN 280 MSN # 6280 FLT CODE 152

T/O 1545 LAND 1700 TOTAL TIME 2.6

PILOTS HUTSON A/C CF 07 DASC DONALD HA TIME 1610
EDWARDS " 01 CONTROLLER SW 978 TIME 1615
 TYPE CONTROLLER AFACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1620/35</u>	<u>BUNKER COMPLEX</u> <u>BF</u>	<u>40 149 524</u>	<u>1</u>

TGT TERRAIN ROLLING TGT WK 0 VISIBILITY 10
 REL ANGE 30 PASSES 6 INTERVAL 30 MIN ALT 1700
 ENROUTE ALT 18.5 RETURN ALT 17.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 12 D24 EXPENDED ALL JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE # 1)
 BDA 80 % 50 % ADDITIONAL 2 BUNKERS DEST

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 3rd MAR Div OPERATION Irquoir Grove
 (LEAVE BLANK)
 ENROUTE WK

(A) HOSTILE FIRE	YES	☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☒ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☒ NO	FILE FLASH REPORT WITH RA
(D) RECON INSERT/EXTRACT	YES	☒ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES	☒ NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	☒ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	☒ NO	GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
 RECOVERABLE FUSE DELAY/ARM DELAY

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER QCB TIME 1000 DATE 9 JULY
 SQUADRON 211 CALL SIGN H8226 MSN # 6226 FLT CODE 152

T/O 0900 LAND 0935 TOTAL TIME 1.2

PILOTS BROSTRAND, A.C. A/C CF 17 DASC DANANG TIME 0905
BEEMER 20 CONTROLLER BLACK ACE 16 TIME 0908
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0913-18</u>	<u>DOWNED HELO</u>	<u>AT 923394</u>	<u>4</u>
	<u>AC</u>		

TGT TERRAIN MOUNT. TGT WX 0 VISIBILITY 10
 REL ANGE 20° PASSES 6 INTERVAL 30+ MIN ALT 600'
 ENROUTE ALT 10.5 RETURN ALT 9.5 REL ALT 1050 TGT A/SPD 450
 ORDNANCE BD2A/4D9 EXPENDED ALL JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1) 0
 BDA 95% 100% ADDITIONAL [REDACTED]

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0
 UNIT SUPPORTED American OPERATION [REDACTED]
 (LEAVE BLANK)
 ENROUTE WX 0

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH R
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: GOOD ORDNANCE FOR TGT. FRIENDLIES
 (REFERENCE NOTE #3)

6000 m. WEST

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW LINEDCTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER REED TIME 1145 DATE 9 JULY 69
 SQUADRON 211 CALL SIGN 148240 MSN # 6240 FLT CODE 152

T/O 1030 LAND 1130 TOTAL TIME 2.0

PILOTS A/C
REED CF21 DASC TIME
BIRCHER CF23 CONTROLLER BIG 18 TIME 1035
 TYPE CONTROLLER FAC(A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1043-56</u>	<u>ENEMY POSITION (CAVE-TUNNEL)</u> ^{EC}	<u>BS352814</u>	<u>4</u>
<u>1010-1013</u>	<u>ENEMY VILL</u>	<u>BS348465</u>	

TGT TERRAIN HILLY TGT WX 400 VISIBILITY 15+
 REL ANGE 30° PASSES 8 INTERVAL 30' MIN ALT 2000
 ENROUTE ALT 14500 RETURN ALT 9500 REL ALT 3500 TGT A/SPD 450

ORDNANCE 12 D2T EXPENDED ALL JETTISONED —

ORDNANCE/RTB NONE DUDS (SEE NOTE #1) 4

BDA 100 % UNK % ADDITIONAL 1 TUNNEL DAMAGED 1 STRUCTURE

DESTROYED 6 STRUCTURES DAMAGE

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED Spec Interical OPERATION Geneva Park
 (LEAVE BLANK)

ENROUTE WX ①

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH RA
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOFT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION BS352814 REASON UNK
 RECOVERABLE UNK FUSE DELAY/ARN DELAY T

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW LITECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER COLL TIME 1140 DATE 9 JULY
 SQUADRON 211 CALL SIGN HEL/3B/AMSN #1344 FLT CODE 152

T/O 1030 LAND 1130 TOTAL TIME 2.0

PILOTS ALLIED A/C 15
COLL 12
 DASC B/C TIME 1045
 CONTROLLER B/C 3.3 TIME 1050
 TYPE CONTROLLER FREE (12)
 TYPE MISSION DAC

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1050-000</u>	<u>ENEMY LOS</u>	<u>YC 303935</u>	<u>2</u>
	<u>EC</u>		

TGT TERRAIN MOUNT TGT WX 40 M VISIBILITY 10+
 REL ANGE 10° PASSES 4 INTERVAL 30 Sec MIN ALT 1000
 ENROUTE ALT 16.5 RETURN ALT 26.5 REL ALT 2000 TGT A/SPD 258
 ORDNANCE 407-4D24 EXPENDED 407 JETTISONED —
 ORDNANCE/RTB 4D24 FULL DUDS (SEE NOTE #1) —
 BDA 75 % 75 % ADDITIONAL —

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 322IG 1015A BRN OPERATION Montgomery Bend
 ENROUTE WX 0 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH RA
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: FRIENDLY NO FACTOR
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Edward TIME 1:08 DATE 8 Feb
 SQUADRON 2 CALL SIGN 3205 MSN # 6296 FLT CODE 122

T/O 1700 LAND 1800 TOTAL TIME 1:00

PILOTS 1 A/C 1
 DASC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION 72-7

TOT DESCRIPTION COORDINATES PROVIDENCE

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____

REL ANGE _____ PASSES _____ INTERVAL _____ MIN ALT _____

ENROUTE ALT _____ RETURN ALT _____ REL ALT _____ TGT A/SPD _____

ORDNANCE _____ EXPENDED _____ JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____

ENROUTE WX 10 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH RA
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW LITECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER ALB TIME 1140 DATE 9 JULY
 SQUADRON 211 CALL SIGN HB246 MSN # 6246 FLT CODE 152

T/O 1050 LAND 1130 TOTAL TIME 1.4

PILOTS BROSTRAND A/C CF9 DASC — TIME —
BEEMER 5 CONTROLLER JARE 70 TIME 1100
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
1108-17	HOOTCHES	AT895005	4
	BL		

TGT TERRAIN MOUNT. TGT WX 0 VISIBILITY 10
 REL ANGE 30° PASSES 8 INTERVAL 30+ MIN ALT 1500'
 ENROUTE ALT 10.5 RETURN ALT 9.5 REL ALT 3000' TGT A/SPD 450
 ORDNANCE 12D2Y EXPENDED ALL JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1) 0
 BDA 100 % 100 % ADDITIONAL 6 HOOTCHES DESTROYED
20% DAMAGED

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0
 UNIT SUPPORTED ARVN OPERATION — (LEAVE BLANK)
 ENROUTE WX 0

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BA
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: GOOD ORD. FOR TGT. FRIENDLIES NO
 (REFERENCE NOTE #3)

FACTOR.

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER Tony TIME 1210 DATE 9 JUL 7
 SQUADRON VAH-111 CALL SIGN 6248 MSN # 6248 FLT CODE 152

T/O 1115 LAND 1150 TOTAL TIME 1.2

PILOTS	A/C	DASC	TIME
<u>HAMMETT</u>	<u>6</u>	CONTROLLER	<u>7:00 PM 1115</u>
<u>TIERNEY</u>	<u>18</u>	TYPE CONTROLLER	<u>BACA</u>
		TYPE MISSION	<u>DIAS</u>

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1128-137</u>	<u>VE Location</u>	<u>AT 885 005</u>	<u>#</u>
	<u>Temp/Bunkers</u>		
	<u>BF</u>		

TGT TERRAIN Hilly TGT WX CB VISIBILITY 10+
 REL ANGE 30 PASSES 6 INTERVAL 30 MIN ALT 1000
 ENROUTE ALT 14.1 RETURN ALT 5.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 12 P.2 EXPENDED ALL JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1) 0
 BDA 100 % 80 % ADDITIONAL 2 Short Det, 1 Bunk
Det, 1 Bunk Destroyed

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0
 UNIT SUPPORTED ARVN OPERATION 0 (LEAVE BLANK)
 ENROUTE WX 0

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH B/
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW LIVED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER RKL TIME 1630 DATE 9 JULY
 SQUADRON 211 CALL SIGN 27X MSN # 6278 FLT CODE 152
 T/O 1510 LAND 1615 TOTAL TIME 2.2
 PILOTS LANGE A/C CF 19 DASC UNGHA TIME 1525
Wood 6 CONTROLLER BACKY M TIME 1528
 TYPE CONTROLLER FAC(A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1533-46</u>	<u>GOOKS</u>	<u>YN361365</u>	<u>1</u>
	<u>TS</u>		

TGT TERRAIN Hilly TGT WK 0 VISIBILITY 7
 REL ANGE 20 PASSES 8 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 18.5 RETURN ALT 11.5 REL ALT 1050 TGT A/SPD 450
 ORDNANCE 8D2A/409 EXPENDED - JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE #1) 1 D2A
 BDA 80 % 75 % ADDITIONAL 1 SEC FINE

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED ARVN OPERATION _____
 ENROUTE WK _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH RA
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	<u>YES</u>	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION YN 361365 REASON SUSPECT FUZE
 RECOVERABLE NO FUSE DELAY/ARM DELAY 4 SEC NORM VALUE
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW LINEDCTED 904E2
 NOTE #3: ORDNANCE EFFECTIVENESS GOOD ORDNANCE

DEBRIEFER COURTNEY TIME 1700 DATE 9 JUL 69
 SQUADRON 211 CALL SIGN 287 MSN # 6287 FLT CODE 152

T/O 1630 LAND 1725 TOTAL TIME 1.8

PILOTS DICKERSON A/C CF9 DASC DANGA TIME 1645
COURTNEY 18 CONTROLLER MARK TIME 1650
 TYPE CONTROLLER EACAC
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1655</u>	<u>7 ROUNDS</u>	<u>10321</u>	<u>T</u>
<u>1705</u>	<u>TS</u>	<u>409</u>	

TGT TERRAIN Rolling TGT WK CCOAR VISIBILITY CLR
 REL ANGE 00 PASSES 2 INTERVAL 30 MIN ALT 200
 ENROUTE ALT 16550 RETURN ALT 17500 REL ALT 1000 TGT A/SPD 450
 ORDNANCE 802A/409 EXPENDED ALL JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE #1) -
 BDA 95 % 95 % ADDITIONAL -

SECONDARY EXPLOSIONS - NUMBER - SIZE -
 UNIT SUPPORTED ARVN OPERATION - (LEAVE BLANK)
 ENROUTE WK -

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH R
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABCET	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: COND ORO
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -
 RECOVERABLE - FUSE DELAY/ARN DELAY -

NOTE #2: ECM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS FR 4.0 DIES 200
9 CLOCK

DEBRIEFER Wellman TIME 0845 DATE 10 July 69
 SQUADRON 211 CALL SIGN AB221 MSN # 6821 FLT CODE 152

T/O 0855 LAND 0940 TOTAL TIME 1.6

PILOTS Wellman A/C CF5 DASC Helix TIME 0857
Courtney CF1 CONTROLLER Helix 32 TIME 0858
 TYPE CONTROLLER FACB
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0900/17</u>	<u>Enemy Troops</u>	<u>B5 843281</u>	<u>5</u>
	<u>TS</u>		

TGT TERRAIN Hilly TGT WX 6.0 @ VISIBILITY 7
 REL ANGE 20° PASSES 8 INTERVAL 30 Sec MIN ALT 600'
 ENROUTE ALT 7.5 RETURN ALT 6.5 REL ALT 1050 TGT A/SPD 450
 ORDNANCE 802X/409 EXPENDED all JETTISONED —
 ORDNANCE/RTB None DUDS (SEE NOTE #1) —
 BDA 90 % 80 % ADDITIONAL —

SECONDARY EXPLOSIONS None NUMBER — SIZE —
 UNIT SUPPORTED American OPERATION Iron MT
 (LEAVE BLANK)
 ENROUTE WX 60 @ V @ 80 @

(A) HOSTILE FIRE	☒ YES	☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	☒ YES	☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	☒ YES	☐ NO	FILE FLASH REPORT WITH BA
(D) RECON INSERT/EXTRACT	☒ YES	☐ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES	☐ NO	IF ADDITIONAL CIRCLE
(F) ABOBT	☒ YES	☐ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	☒ YES	☐ NO	GIVE REASON BELOW

REMARKS: Friendlies 500-600 miles away
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED No TIME — HOW LITECTED —

NOTE #3: ORDNANCE EFFECTIVENESS Excellent for target

DEBRIEFER FILEAS TIME 1420 DATE 10 JUL 69
 SQUADRON 211 CALL SIGN HB247 MSN # 6247 FLT CODE 152

T/O 1255 LAND 1410 TOTAL TIME 2.6

PILOTS RUTHERFORD A/C 5 DASC BILK TIME 1310
FILEAS 1 CONTROLLER BILK 25 TIME 1335
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVIDENCE
1345-55 TROOPS IN CONTACT YD776014 R.2.9
TS

TGT TERRAIN hilly TGT WK 5000 VISIBILITY 8
 REL ANGE 20° PASSES 6 INTERVAL 30 MIN ALT 800
 ENROUTE ALT 16.5 RETURN ALT 11.5 REL ALT 1050 TGT A/SPD 450
 ORDNANCE RO2A / 409 EXPENDED 426 JETTISONED ---
 ORDNANCE/RTB --- DUDS (SEE NOTE #1) ---
 BDA 100 % 50 % ADDITIONAL 1 MIL STRUCT DES

SECONDARY EXPLOSIONS --- NUMBER --- SIZE ---

UNIT SUPPORTED 101st AB OPERATION Kentucky Hammer
 (LEAVE BLANK)

ENROUTE WK ---

(A) HOSTILE FIRE	YES ☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES ☒ NO	FILE FLASH REPORT WITH BA
(D) RECON INSERT/EXTRACT	YES ☒ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO	IF ADDITIONAL CIRCLE
(F) ABOFT	YES ☒ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☒ NO	GIVE REASON BELOW

REMARKS: ---

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION --- REASON ---

RECOVERABLE --- FUSE DELAY/ARN DELAY ---

NOTE #2: ECM ENCOUNTERED --- TIME --- HOW LITECTED ---

NOTE #3: ORDNANCE EFFECTIVENESS ---

DEBRIEFER COLL TIME 1445 DATE 102000
 SQUADRON 111 CALL SIGN 11 MSN # 6247 FLT CODE 11

T/O 1311 LAND 1435 TOTAL TIME 2.8

PILOTS

A/C

DASC 1111 TIME 1445
 CONTROLLER 1111 TIME 1445
 TYPE CONTROLLER 1111
 TYPE MISSION 1111

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1111</u>	<u>PROGS 10 1111 CONT</u>	<u>YO 776014</u>	<u>2</u>
	<u>TS</u>		

TGT TERRAIN 1111 TGT WX 1111 VISIBILITY 7

REL ANGE 1111 PASSES 1 INTERVAL 1111 MIN ALT 1111

ENROUTE ALT 1111 RETURN ALT 1111 REL ALT 1111 TGT A/SPD 1111

ORDNANCE 1111 EXPENDED 1111 JETTISONED 1111

ORDNANCE/RTB 1111 DUDS (SEE NOTE # 1) 1111

BDA 1111 % 1111 % ADDITIONAL 1111

SECONDARY EXPLOSIONS 1111 NUMBER 1111 SIZE 1111

UNIT SUPPORTED 2 BRIG 2101ST AB OPERATION Kentucky Jumper

ENROUTE WX 1111 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARRREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARRREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH RA
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: 1111 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION 1111 REASON 1111

RECOVERABLE 1111 FUSE DELAY/ARM DELAY 1111

NOTE #2: ECM ENCOUNTERED 1111 TIME 1111 HOW LINEDCTED 1111

NOTE #3: ORDNANCE EFFECTIVENESS 1111

DEBRIEFED 202 TIME 1845 DATE 10 JULY
 SQUADRON 721 CALL SIGN 14B MSN # 6267 FLT CODE 152

T/O 1725 LAND 1835 TOTAL TIME 3.6

PILOTS A/C
LAZIM CF 17
BIRCHER CF 19
LAUER CF 15

DASC BULKY TIME 1740
 CONTROLLER BULKY TIME 1740
 TYPE CONTROLLER TDCB
 TYPE MISSION PPS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1750/100</u>	<u>BARRY LOOTER</u>	<u>XC2E2962</u>	<u>2</u>
	<u>EC</u>		

TGT TERRAIN MOUNT. TGT WX 100% VISIBILITY 7
 REL ANGE 30° PASSES 8 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 12.5 RETURN ALT 13.5 REL ALT 3000 TGT A/SPD 450
 ORDINANCE 12124/202/2024 EXPENDED 12024/202 JETTISONED —
 ORDINANCE/RTB 2024 DUDS (SEE NOTE # 1) —
 BDA 100% / 100% % ADDITIONAL 2 BUNKERS DESTROYED

SECONDARY EXPLOSIONS YES NUMBER 1 SIZE P
 UNIT SUPPORTED 101st A.B. OPERATION Montgomery Road
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BA
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: DIVERT FROM BLANT LOUACH TO HONG HA
 (REFERENCE NOTE #3)

By Hong Ha HSC To BULKY

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDINANCE EFFECTIVENESS —

DEBRIEFER QCB TIME 1515 DATE 10 JULY 69
 SQUADRON 211 CALL SIGN HB 255 MSN # 6255 FLT CODE 152

T/O 13³⁰ LAND 1445 TOTAL TIME 2.6

PILOTS BROSTRAND, A.C. A/C CF 21 DASC B/LK CONT TIME 1345
BEYMER, M. 24 CONTROLLER B/LK 36 TIME 1355
 TYPE CONTROLLER EACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1412-22</u>	<u>VC POSIT TROOPS IN GTC</u>	<u>YC 311937</u>	<u>2</u>
	<u>TS</u>		

TGT TERRAIN MOUNT TGT WK GOOD VISIBILITY 5
 REL ANGE 20° PASSES 8 INTERVAL 30+ MIN ALT 600'
 ENROUTE ALT 10.5 RETURN ALT 11.5 REL ALT 1050 TGT A/SPD 450
 ORDNANCE BDZA/4D9 EXPENDED ALL JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1) 0
 BDA 100 % 100 % ADDITIONAL 2 SEC FIRES

SECONDARY EXPLOSIONS 0 NUMBER — SIZE —
 UNIT SUPPORTED 101ST A.B. OPERATION Montgomery Road
 ENROUTE WK MISC. CB's (LEAVE BLANK)

(A) HOSTILE FIRE	☒ YES	☐ NO	FILE FORM WITH BARKEL
(B) AIRBURST	☒ YES	☐ NO	FILE FORM WITH BARKEL
(C) A/C HIT	☒ YES	☐ NO	FILE FLASH REPORT WITH BARKEL
(D) RECON INSERT/EXTRACT	☒ YES	☐ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES	☐ NO	IF ADDITIONAL CIRCLE
(F) ABOFT	☒ YES	☐ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	☒ YES	☐ NO	GIVE REASON BELOW

REMARKS: GOOD ORD FOR TGT FRIENDLIES 2.00
 (REFERENCE NOTE #3)

AT 400 ML.

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW EFFECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER 1BM TIME 1120 DATE 10 July 69
 SQUADRON 211 CALL SIGN H B 227 MSN # 6227 FLT CODE 152

T/O 1000 LAND 1055/1000 TOTAL TIME 1.9

PILOTS Di... A/C 18 DASC TIME
McAnally 23 CONTROLLER RTH 33 TIME 1015
 TYPE CONTROLLER FA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1025/35</u>	<u>Terrain Contact</u>	<u>YC 311926</u>	<u>2</u>
	<u>TS</u>		

TGT TERRAIN MTS TGT WK 30000 VISIBILITY 10
 REL ANGE 10/30° PASSES 8 INTERVAL 30 MIN ALT 800
 ENROUTE ALT 16.5 RETURN ALT 13.5 REL ALT 1000 TGT A/SPD 450
 ORDNANCE 802A/409/D20 EXPENDED A11 JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) 402A
 BDA amb % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 101st AB OPERATION Montgomery Ridge
 (LEAVE BLANK)
 ENROUTE WK —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH R/
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOET	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: friendly 300 meters
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION Target REASON wire delay
come back
 RECOVERABLE yes FUSE DELAY/ARN DELAY 2 sec

NOTE #2: ECM ENCOUNTERED — TIME — HOW LINEDCTED —

NOTE #3: ORDNANCE EFFECTIVENESS good

DEBRIEFER HUTSON TIME 1215 DATE 10 JULY 69
 SQUADRON 211 CALL SIGN 219 MSN # 6219 FLT CODE 152

T/O 0830 LAND 1205 TOTAL TIME 7.2

PILOTS HUTSON CW A/C CF 22 DASC BULK TIME 1115
LAURENCE J. 6 CONTROLLER BULK 33 TIME 1120
 TYPE CONTROLLER RACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1120-30</u>	<u>TROOP IN CONTACT</u>	<u>4C 311926</u>	<u>2</u>
	<u>TS</u>		

TGT TERRAIN MOUNTAINS TGT WX 30 000 VISIBILITY 7+
 REL ANGE 20° PASSES 6 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 18.5 RETURN ALT 17.5 REL ALT 1050 TGT A/SPD 450
 ORDNANCE 802/A 409 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100 % 100 % ADDITIONAL NO FURTHER

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3 Bgd of 101st AB OPERATION Montgomery Ranch
 ENROUTE WX — (LEAVE BLANK)

(A) HOSTILE FIRE	☒ YES	☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	☐ YES	☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	☐ YES	☐ NO	FILE FLASH REPORT WITH RA
(D) RECON INSERT/EXTRACT	☐ YES	☐ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☐ YES	☐ NO	IF ADDITIONAL CIRCLE
(F) ABOFT	☐ YES	☐ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	☐ YES	☐ NO	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW LITECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER Edwards TIME 1730 DATE 10 July 69
 SQUADRON 211 CALL SIGN AB467 MSN # 6467 FLT CODE 152

T/O 1600 LAND 1722 TOTAL TIME 2.8

PILOTS A/C
Edwards 20
Rooke 11
 DASC Jake TIME 1700
 CONTROLLER Jake 42 TIME 1700
 TYPE CONTROLLER FAC A
 TYPE MISSION DAS

TOT DESCRIPTION COORDINATES PROVIDENCE
1706-12 Fortified Vill BS364567 4
NL

TGT TERRAIN Mnt TGT WK 400 VISIBILITY 3-5
 REL ANGE 20° PASSES 8 INTERVAL 30 MIN ALT 600'
 ENROUTE ALT 20.5 RETURN ALT 3.5 REL ALT 1200 TGT A/SPD 458
 ORDNANCE 802A 409 EXPENDED Acc JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 90 % 48 % ADDITIONAL 11 Structures Dest 11th Fires
4 Struct Dam

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED AmCARVN OPERATION —
 ENROUTE WK 500 10 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BA
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOET	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Good Tgt Obs Friendlies No
 (REFERENCE NOTE #3)

Factor

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW LINEDCTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER BEEM TIME 1230 DATE 10 July 68
 SQUADRON 21 CALL SIGN H8 239 MSN # 6239 FLT CODE 152

T/O 1128 LAND 1215 TOTAL TIME 1.6

PILOTS

Miller
BEEM

A/C

CP 11
CP 07

DASC

TIME

CONTROLLER TAKE 72 TIME 1130TYPE CONTROLLER TACHTYPE MISSION DA-3

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1135-50</u>	<u>Regimental CP (Enemy)</u> <u>CP</u>	<u>AT 988137</u>	<u>#</u>

TGT TERRAIN FLAT TGT WX 0 VISIBILITY 10
 REL ANGE 30° PASSES 5 INTERVAL 30 sec MIN ALT 1200
 ENROUTE ALT 10.5 RETURN ALT 9.5 REL ALT 300 TGT A/SPD 470
 ORDNANCE 12 D2 N14 EXPENDED 9 JETTISONED —
 ORDNANCE/RTB 3 D2 N14 DUDS (SEE NOTE #1) NONE
 BDA 100% 80 % ADDITIONAL 2 struct Des
1 struct Dam

SECONDARY EXPLOSIONS NO NUMBER — SIZE —
 UNIT SUPPORTED ARVN OPERATION —
 ENROUTE WX — (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH RA
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Good DRO for TGT - FRIENDLY NO
 (REFERENCE NOTE #3)

FACTOR 3 Bombs Returned due to lost radio

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —