

USERTLETER City Rivers TIME 1000 DA 21 JUL 69
 SQUADRON 211 CALL SIGN HA MSN NO. 6207 FLT 152
 T/C 0730 LANE 0945 TOTAL TIME 4.6

PILOTS RIVERS A/C CF 15 DASC DONG HA TIME 0840
LAWRENCE 20 CONTROLLER CAT KILLER II TIME 0850
 TYPE CONTROLLER TACA
 TYPE MISSION BAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
0852-0908	Enemy Posit ^{EC} (Bunkers)	YD190777	1

TGT TERRAIN FLAT TGT WX 150 200 400 VISIBILITY CH
 REL ANGLE 20 PASSES 8 INTERVAL 30 MIN ALT 600
 REL ALT 1200
 ENROUTE ALT 24.5 RETURN ALT 23.5 TGT AIRSPEED 450
 ORDNANCE/ 16014/409 EXPENDED all JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100 % 100 %ADDITIONAL 3 Bunk destroyed, 2 bunk
down, 1 SEC Fine

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 13RD MAINT OPERATION TR 940.5 GROVE
 (LEAVE BLANK)

ENROUTE WX 50 100 Layers to 23.5 4.5H

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE (NE/COORD)
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS: JOY RIDE DIVERT TO DONG HA DUE TO WX
 (REFERENCE NOTE #3)
AT PRIMARY TGT

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENG. INTERED AAA TIME 0852-0908 A/W DIRECTED ECM FEAR
INDICATED COMING FROM 740 FROM
 TGT COORDINATES —
 NOTE #3: PERFORMANCE EFFECTIVENESS — Good CRD FOR TGT W/

Joe: make up a
sample COAST
MCA

DEBRIEFER IBM TIME 1320 DATE 21 July 68
 SQUADRON 211 CALL SIGN HB 242 MSN NO. 6242 FLT 152
 T/C 1235 LANE 1308 TOTAL TIME 1.2

PILOTS McAnally A/C 22 DASC TIME
Filas 7 CONTROLLER 2.6 70 TIME 1240
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1239.52</u>	<u>Enemy Posit</u>	<u>BS007923</u>	<u>5</u>
	<u>EC</u>	<u>BS007966</u>	

TGT TERRAIN Hilly TGT WX 250 VISIBILITY 10
 REL ANGLE 30° PASSES 13 INTERVAL 30 sec MIN ALT 1500
 ENROUTE ALT 10.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 20 DIW/P EXPENDED 19 DIW/P JETTISONED
 CRDNANCE/RTB 1 DIW DUDS (SEE NOTE # 1)

BDA 100 % 100 % ADDITIONAL 4 Bunkers Destroyed
9 foxholes destroyed, 2 KBA, 4 structures destroyed
2 structures damaged, 2 Secondary Explosions, 1 sustained
 SECONDARY EXPLOSIONS 1 Large 1 Med NUMBER 2 SIZE 250lb + 750lb white fire

UNIT SUPPORTED ARVN OPERATION (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE CNE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABOUT	YES ☐ NO ☒	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: no friendlies
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENG. ENTERED _____ TIME _____ B/W DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS outstanding

DEBRIEFER GRAHAM TIME 1605 DATE 21 July
 SQUADRON 211 CALL SIGN HB200 MSN NO. 6250 FLT
 T/O 1435 LANT 1555 TOTAL TIME 2.6

PILOTS	A/C	DASC <u>Doug HA</u> TIME <u>55</u>
<u>GRAHAM</u>	<u>CF 15</u>	CONTROLLER <u>BARKY 20</u> TIME <u>1600</u>
<u>Richards</u>	<u>12</u>	TYPE CONTROLLER <u>FAC(A)</u>
		TYPE MISSION <u>CAS</u>

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1605-18</u>	<u>"Possible" Troops</u>	<u>YD 170522</u>	<u>1 1</u>
	<u>TS.</u>		

TGT TERRAIN Hilly TGT WX 350 VISIBILITY 10+
 REL ANGLE 20° PASSES 12 INTERVAL 3000 MIN ALT 1000-1000
 ENROUTE ALT 14.5 RETURN ALT 15.5 TGT AIRSPEED 450
 ORDNANCE 1601A/409 EXPENDED 1501A/409 JETTISONED
 CRDNANCE/RTB 1 DIA DUDS (SEE NOTE # 1) 2005
 BDA 100 % 100 % ADDITIONAL 1 See FIRE

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0
 UNIT SUPPORTED ARVN OPERATION
 (LEAVE BLANK)

ENROUTE WX 3500 0-0

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE (NE/COORD)
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABCUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME ROW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS Good for 1st

SQUADRON 211 CALL SIGN 220 MSN NO. 6220 FLT CODE 142
 T/O 0945 LAND 1038 TOTAL TIME .8

PILOTS

A/C

W. Rick CF 08 DASC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TGT

DESCRIPTION

COORDINATES

PROVINCE

TEST HOP.

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 MIN ALT _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ REL ALT _____
 ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____
 ORDNANCE _____ EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA _____ % _____ % ADDITIONAL BDA _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FIRE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECN INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS:

REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: _____ SCN ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
 NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

DESPATCHER COLL TIME 1010 DA 21 July 68
 SQUADRON 211 CALL SIGN 14/B MSN NO. 6214 FLT 152
 T/O 0911 LANC 0958 TOTAL TIME 1.6
 PILOTS RUTHERFORD A/C 15 DASC HELIX TIME 0920
COLL 21 CONTROLLER B.L.K. 13 TIME 0925
 TYPE CONTROLLER FAC (P)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0930-37</u>	<u>EN BANKERS</u>	<u>BT 214116</u>	<u>4</u>
	<u>BF</u>		

TGT TERRAIN MOUNT TGT WX CLEAR 0 VISIBILITY 10
 REL ANGLE 20° PASSES 7 INTERVAL 30 MIN ALT 1000 REL ALT 1020
 ENROUTE ALT 7M RETURN ALT 6M TGT AIRSPEED 450
 ORDNANCE/ 409 IC DIA EXPENDED 409 15 DIA JETTISONED ---
 ORDNANCE/RTB 1 DIA DUDS (SEE NOTE # 1) ---
 BDA 100 % 20 % ADDITIONAL 1 BUNKER DESTROYED

SECONDARY EXPLOSIONS 101 A B NUMBER --- SIZE ---
 UNIT SUPPORTED ARMED OPERATION LAMAR PLAIN
 (LEAVE BLANK)

ENROUTE WX 0

(A) HOSTILE FIRE	☒ YES ☐ NO	FILE FORM WITH BARREL AW 3000 (M)
(B) AIRBURST	☒ YES ☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	☒ YES ☐ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	☒ YES ☐ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES ☐ NO	IF ADDITIONAL CIRCLE
(F) ABCUT	☒ YES ☐ NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	☒ YES ☐ NO	GIVE REASON BELOW

REMARKS: FRIENDS AT 1500 METERS
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION --- REASON FOR ---
 RECOVERABLE --- FUZE (DELAY/ARM DELAY) ---

NOTE #2: ECM ENG. ENTERED --- TIME --- RW DIRECTED ---

NOTE #3: FINANCE EFFECTIVENESS. POOR TARGET DED
HIGH THICK CANOPY NAME INEFFECTIVE
250'S TOO SMALL

DEBRIEFER None TIME 1840 DA 21 July 69
 SQUADRON 211 CALL SIGN HB-262 MSN NO. 6262 FLT 151
 T/C 1700 LANE 1828 TOTAL TIME 3.0

PILOTS	A/C	DASC <u>HELIX</u> TIME <u>1740</u>
<u>DANE</u>	<u>22</u>	CONTROLLER <u>HELIX-21</u> TIME <u>1745</u>
<u>WHITE</u>	<u>1</u>	TYPE CONTROLLER <u>PAE (A)</u>
		TYPE MISSION <u>CAS</u>

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1800-1815</u>	<u>troops in contact</u>	<u>BS480812</u>	<u>5</u>
	<u>TS</u>		

TGT TERRAIN hilly TGT WX 6000 VISIBILITY 8
 REL ANGLE 20° PASSES 4 INTERVAL 30 MIN ALT 650
 ENROUTE ALT 10.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 10D1A/209/62A EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 80 % 30 % ADDITIONAL 0

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED AMERICAN OPERATION GEVANA PARK
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH EFFORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE CNE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — FUSE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DISPATCHER HUTSON TIME 1605 DA 21 JULY 69
 SQUADRON 211 CALL SIGN 252 MSN NO. 0252 FLT
 T/O 1450 LAND 1556 TOTAL TIME 2.2
 PILOTS BWSH A/C CF 12 DASC HELIX TIME 1500
HUTSON 24 CONTROLLER HELIX 34 TIME 1455
 TYPE CONTROLLER TACA
 TYPE MISSION CAS

TOT DESCRIPTION TS COORDINATES PROVINCE
1500-30 TRAPPS IN CONTACT AT 907200 4
POSSIBLE AUTO-WEAPONS
POSITION

TGT TERRAIN LEVEL TGT WX 200V VISIBILITY 4
 REL ANGLE 20° PASSES 6 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 9.5 RETURN ALT 4.5 TGT AIRSPEED 450
 ORDNANCE/ 18DIA 209 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1)
 BDA 100 % 70 ADDITIONAL NO FURTHER

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED AMACAL OPERATION
 (LEAVE BLANK)

ENROUTE WX
 (A) HOSTILE FIRE YES ☒ NO FILE FORM WITH BARREL
 (B) AIRBURST YES ☒ NO FILE FORM WITH BARREL
 (C) A/C HIT YES ☒ NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES ☒ NO CIRCLE ONE/COORD
 (E) BDA REPORTED YES ☒ NO IF ADDITIONAL CIRCLE
 (F) ABOUT YES ☒ NO A/C MALFUNCTION/ NO DROP
 (G) DIRERT YES ☒ NO GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE TIME (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DESIGNER RKC TIME 1130 DA 21 JULY 69
 SQUADRON 211 CALL SIGN 224 MSN NO. 6224 FLT 152
 T/C 1003 LANE 1115 TOTAL TIME 2.4

PILOTS WOOD A/C 24 DASC Dong TIME 1015
LANGE 1 CONTROLLER SW PAPA TIME 1016
 TYPE CONTROLLER EAC (A)
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE

— EN LOCATION

— — — —
— — — —
— — — —
— — — —
— — — —

TGT TERRAIN MT TGT WX 200 VISIBILITY 5

REL ANGLE — PASSES — INTERVAL — MIN ALT —
 REL ALT —

ENROUTE ALT — RETURN ALT — TGT AIRSPEED —

ORDNANCE/ 16 DIA/D9 EXPENDED NONE JETTISONED 409

ORDNANCE/RTB 16 DIA DUDS (SEE NOTE # 1) —

BDA — % — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED — OPERATION —
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 (B) AIRBURST YES NO FILE FORM WITH BARREL
 (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
 (F) ABCUT YES NO A/C MALFUNCTION/ NO DROP
 (G) DIRECT YES NO GIVE REASON BELOW

REMARKS: NO DROP - DASH 2 HAD A WARRIOR
COME OUT OF REAR LUGS - WE ABORTED THE
MISSION, PICKED UP WARRIOR IN WATER & CAME HOME

NOTE #1: DUD REPORT LOCATION — REASON FOR —

RECOVERABLE — TIME (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — RW DIRECTED —

NOTE #3: PERFORMANCE EFFECTIVENESS —

DEBRIEFER WINTER TIME 1105 DA 21 July 69
 SQUADRON 211 CALL SIGN 113216 MSN NO. 6216 FLT 182
 T/D 0915 LANC 1035 TOTAL TIME 2.7

PILOTS A/C
DICKERSON 9 DASC Bulk TIME
WINTER 17 CONTROLLER Bulk TIME 0950
 TYPE CONTROLLER FMCO
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0955/1006</u>	<u>Known Enemy</u>	<u>YC327967</u>	<u>RUM</u>
	<u>Location EC</u>		

TGT TERRAIN hilly TGT WX 4000' @ VISIBILITY Good
 REL ANGLE 20° PASSES 6 INTERVAL 3000' MIN ALT 2000' AGL
 ENROUTE ALT 18.5 RETURN ALT 15.5 TGT AIRSPEED 450 KTS
 ORDNANCE 140²⁴ 40⁷ EXPENDED 140²⁴ JETTISONED 0
 ORDNANCE/RTB 140²⁴ 40⁷ DUDS (SEE NOTE # 1)
 BDA 100 % 100 % ADDITIONAL

SECONDARY EXPLOSIONS 0 NUMBER — SIZE —
 UNIT SUPPORTED 101st AB OPERATION MONTGOMERY REND
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES / NO	FILE FORM WITH BARREL
(B) AIRBURST	YES / NO	
(C) A/C HIT	YES / NO	
(D) RECON INSERT/EXTRACT	YES / NO	
(E) BDA REPORTED	YES / NO	
(F) ABCUT	YES / NO	
(G) DIRERT	YES / NO	

FILE FORM WITH BARREL
 FILE FLASH REPORT WITH BARREL
 CIRCLE CNE/COORD
 IF ADDITIONAL CIRCLE
 A/C MALFUNCTION/ NO DROP
 GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: PERFORMANCE EFFECTIVENESS _____

DECLASSIFIED

DEBRIEFER Tenny TIME 1200 DATE 21 July
 SQUADRON 211 CALL SIGN 014 MSN NO. 1004 FLT 152
 T/O 1030 LANC 1150 TOTAL TIME 2.6

PILOTS
OSGENT A/C 20 DASC Buck TIME
Tierney 23 CONTROLLER Buck-38 TIME
 TYPE CONTROLLER EACA
 TYPE MISSION CHS

TOT DESCRIPTION COORDINATES PROVINCE
1015-1126 VC LOCATION YC330968 IL

EC

TGT TERRAIN hilly TGT WX 4000 VISIBILITY 10
 REL ANGLE 30 PASSES 5 INTERVAL 30 MIN ALT 2200
 ENROUTE ALT 24.5 RETURN ALT 20.5 TGT AIRSPEED 450
 ORDNANCE 1001, 1002 EXPENDED 14 JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1)
 BDA 100 % 100 %ADDITIONAL 2 Bunkers DEST

SECONDARY EXPLOSIONS 0 NUMBER — SIZE —
 UNIT SUPPORTED 101 AB OPERATION MONTGOMERY LEWD
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABCUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DTRERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — FUSE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS Needed 82 SE.
Voice to Drops

DECLASSIFIED

DEBRIEFER HUTSON TIME 1530 DAY 22 July 69
 SQUADRON 211 CALL SIGN 237 MSN NO. 6237 FLT 152
 T/O 1353 LANT 1515 TOTAL TIME 2.8

PILOTS Q. NAHAM A/C 7 DASC Down HA TIME 1405
HUTSON 21 CONTROLLER CATKILLER 18 TIME 1410
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT DESCRIPTION COORDINATES PROVINCE
1415-40 4D 215794 BUNKERS 8F
4D 219800 ← ENEMY TROOPS 1

TGT TERRAIN LEVEL TGT WX 0 VISIBILITY 8+
 REL ANGLE 20° PASSES 6 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 125 RETURN ALT 135 TGT AIRSPEED 450
 ORDNANCE/ 1601/A 409 EXPENDED 1401/A 409 JETTISONED —
 ORDNANCE/RTB 201/A DUDS (SEE NOTE # 1)
 BDA 100 % 90 %ADDITIONAL 1 PILLBOX/BUNKER Des
30 METERS OF TRENCH LINE

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3RD MD OPERATION IRQUOI'S GROVE
 (LEAVE BLANK)
 ENROUTE WX 13 @ 3-5

(A) HOSTILE FIRE	☒ YES ☐ NO	FILE FORM WITH BARREL <u>aw (M)</u>
(B) AIRBURST	☒ YES ☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	☒ YES ☐ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	☒ YES ☐ NO	CIRCLE (NE/COORD)
(E) BDA REPORTED	☒ YES ☐ NO	IF ADDITIONAL CIRCLE
(F) ABOUT	☒ YES ☐ NO	A/G MALFUNCTION/ NO DROP
(G) DIRECT	☒ YES ☐ NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER Turne TIME 1640 DATE July D
 SQUADRON 211 CALL SIGN 243 MSN NO. 6243 FLT 182
 T/O 1504 LANC 1626 TOTAL TIME 2.8

PILOTS	A/C	DASH <u>Donc Hra</u> TIME <u>1518</u>
<u>Dickerson</u>	<u>20</u>	CONTROLLER <u>Sam Abbott</u> TIME <u>1820</u>
<u>Ticney</u>	<u>1</u>	TYPE CONTROLLER <u>Frch</u>
		TYPE MISSION <u>CRAS</u>

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1555/1607</u>	<u>VC Locations</u>	<u>XD886381</u>	<u>1</u>
	<u>EC</u>		

TGT TERRAIN Hilly TGT WX 400 VISIBILITY 54
 REL ANGLE 20 PASSES 6 INTERVAL 30 MIN ALT 700
 ENROUTE ALT 18.5 RETURN ALT 15.5 TGT AIRSPEED 450
 ORDNANCE 116 D-14 D-9 EXPENDED 174 JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE # 1)
 BDA 100 % 100 % ADDITIONAL

SECONDARY EXPLOSIONS B NUMBER SIZE
 UNIT SUPPORTED 3RD MD² OPERATION ARTINGTON CANYON
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☒	IF ADDITIONAL CIRCLE
(F) ABOUT	YES ☐ NO ☒	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: FRIENDLIES 2 KICKS SCRAMBLED FOR
FINAL PORTION OF RECON EXTRACT
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE TIME (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME R/W DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER 211 TIME 2150 DATE 22 JULY 69
 SQUADRON 211 CALL SIGN HB MSN NO. 6253 FLT 352/452
 T/C 2010 LANE 2135 TOTAL TIME 2.5

PILOTS A/C
NORDELL CF 23 DASC H20 TIME 2035
LENZINI CF 18 CONTROLLER CHC LAI TIME 2100
 TYPE CONTROLLER PSROT
 TYPE MISSION TPK

TOT	DESCRIPTION	COORDINATES	PROVINCE
-1 2055	ROCKET POSITION EL	XD 095675	1
-2 2110 2115	ROCKET POSITION	AS 458946 AS 467955	

TGT TERRAIN LEVEL TGT WX FFR 0 VISIBILITY 5
 REL ANGLE LEVEL PASSES 3 INTERVAL 15.0
 ENROUTE ALT 14.5 RETURN ALT 11.5 TGT AIRSPEED 290
 ORDNANCE/ 2011Y EXPENDED ALL JETTISONED
 CRDNANCE/RTB NONE DUDS (SEE NOTE # 1) NONE
 BDA % ADDITIONAL %

SECONDARY EXPLOSIONS 1 NUMBER 3 MAX DIV SIZE
 UNIT SUPPORTED 7 OPERATION E. DAKOTA CANYON
 (LEAVE BLANK)

ENROUTE UX

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE CNE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOUT	YES	NO	A G MALFUNCTION/ NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: MILKY COULD NOT WORK WITH
D1'S 80 - 11 DIVERTED TO DAKOTA
DIVERTED TO CHC LAI

NOTE #1: DUD REPORT LOCATION REASON FOR
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME AW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DESIGNATOR 2 TIME 1600 DATE 22 July 49
 SQUADRON 211 CALL SIGN 15239 MSN NO. 6239 FLT 132
 T/O 1445 LANT 1535 TOTAL TIME 1.6
 PILOTS Adair A/C 3 DASC DN41 TIME 1450
Bircher 22 CONTROLLER 15239 TIME 1452
 TYPE CONTROLLER FAC
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1513/20</u>	<u>EN Bunkers</u>	<u>AT971429</u>	<u>3</u>
	<u>BF</u>		

TGT TERRAIN MNT TGT WX 4000 VISIBILITY 6
 REL ANGLE 200 PASSES 8 MIN ALT 600
 INTERVAL 30m REL ALT 1200
 ENROUTE ALT 6.5 RETURN ALT 5.5 TGT AIRSPEED 450
 ORDNANCE 16DIA 409 EXPENDED 16DIA 309 JETTISONED —
 ORDNANCE/RTB 109 DUDS (SEE NOTE # 1)
 BDA 90 % 100 % ADDITIONAL 1 see Rec

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 1STMD OPERATION Pipestone Canyon
 (LEAVE BLANK)

ENROUTE WX 1000

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/CORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABCUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS: ord not suited to tgt. D2's better
Friendlies 1000 meters

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUSE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER DICKERSON TIME 0907 DAY 23 JULY 69
 SQUADRON 211 CALL SIGN AB450 MSN NO. 6450 FLT 252
 T/O 0755 LANT 0850 TOTAL TIME 1.8

PILOTS DICKERSON A/C CF 21 DASC VICE SQUAD TIME 0805
HUEBIN CF 22 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT _____ DESCRIPTION _____ COORDINATES _____ PROVINCE _____

NO DROP

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____

REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 REL ALT _____

ENROUTE ALT 4.5 RETURN ALT 3.5 TGT AIRSPEED _____

ORDNANCE 16D143D9 EXPENDED _____ JETTISONED 16D1A 3D9

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA _____ % _____ %ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____
 (LEAVE BLANK)

ENROUTE WX IFR

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS: RADIO DOWN CF
ABORT / DUMPED ORDNANCE
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER MUTSON TIME 0850 DA 23 July 69
 SQUADRON 211 CALL SIGN 240 MSN NO. 6240 FLT 252
 T/C 0720 LANT 0835 204 TOTAL TIME 6204 2.4

PILOTS MILLER A/C 7 DASC — TIME —
MUTSON 24 CONTROLLER — TIME —
 TYPE CONTROLLER —
 TYPE MISSION —

TOT DESCRIPTION COORDINATES PROVINCE

AIR ABORT - NO DROP

TGT TERRAIN — TGT WX — VISIBILITY —
 REL ANGLE — PASSES — INTERVAL — MIN ALT —
 ENROUTE ALT 4.5 RETURN ALT 3.5 TGT AIRSPEED —
 ORDNANCE/ 20 DIA EXPENDED — JETTISONED 20 DIA
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA — % — %ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED — OPERATION —
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) A/C HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES NO	GIVE REASON BELOW

REMARKS: RADIO DOWN EF
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — EW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

PILOT White TIME 0850 DATE 23 July
 SQUADRON 211 CALL SIGN HB200 MSN NO. 6200 FLT 152
 T/O 0650 LANT 0820/25 TOTAL TIME 3.0

PILOTS Reed A/C 15 DASC Vice Squad TIME
WHITE 11 CONTROLLER TRAIL 37 TIME 0700
 TYPE CONTROLLER FACIA
 TYPE MISSION L2P

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0715-0728</u>	<u>LZ Prep</u> <u>UN</u>	<u>YC 381879</u>	<u>2</u>

TGT TERRAIN Hilly TGT WX 150 VISIBILITY 5
 REL ANGLE 100 PASSES 6 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 10,500 RETURN ALT 19,500 TGT AIRSPEED 450
 ORDNANCE 1601A/409 EXPENDED 1601A JETTISONED 409
 CRDNANCE/RTB DUDS (SEE NOTE # 1)
 BDA 100 % w/in 150M% ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED ARVN OPERATION
 (LEAVE BLANK)

ENROUTE WX 400 1100 7RW-

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABCUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

RECOVERABLE FUSE (DELAY/ARM DELAY)

NOTE #2: ECM ENG. ENTERED TIME R/W DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DESIGNATOR ARL TIME 1905 DATE 23 JUL
 SQUADRON 211 CALL SIGN 252 MSN NO. 6252 FLT 152
 T/O 1815 LANE 1855/1905 TOTAL TIME 1.6

PILOTS NORDALL A/C 7 DASC — TIME —
LANGE 23 CONTROLLER JACK 42 TIME 1825
 TYPE CONTROLLER FAC (A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1831-42</u>	<u>EN LOC.</u>	<u>B5728818</u>	<u>5</u>
	<u>EC</u>		

TGT TERRAIN FLT TGT WX 150 VISIBILITY 4
 REL ANGLE 20 PASSES 8 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 7.5 RETURN ALT 8.5 TGT AIRSPEED 450
 ORDNANCE/ 1601A/409 EXPENDED BCL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 90 % 30 % ADDITIONAL 2 STRUCTURAL DEST

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED ARUN OPERATION —
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	☒ YES ☐ NO	FILE FORM WITH BARREL <u>AW 50</u> <u>(C)</u>
(B) AIRBURST	☒ YES ☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	☒ YES ☐ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	☒ YES ☐ NO	CIRCLE CNE/COORD
(E) BDA REPORTED	☒ YES ☐ NO	IF ADDITIONAL CIRCLE
(F) ABOUT	☒ YES ☐ NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	☒ YES ☐ NO	GIVE REASON BELOW

REMARKS: FRIENDLYS 600 M.
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — TIME (DELAY/ARM DELAY) —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —
 NOTE #3: ORDNANCE EFFECTIVENESS GOOD ORDNANCE

DEPARTURE Tierney TIME 0835 DATE 23 JUL 69
 SQUADRON 211 CALL SIGN 202 MSN NO. 202 FLT 152
 T10809 LANT 0820 TOTAL TIME 2.2

PILOTS	A/C	DASC	TIME
<u>Lawrence</u>	<u>20</u>	CONTROLLER <u>TRAIL-37</u>	TIME <u>0725</u>
<u>Tierney</u>	<u>19</u>	TYPE CONTROLLER <u>FALCA</u>	
		TYPE MISSION <u>LZ PREP LZP</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0730/0738</u>	<u>LZ Prep</u>	<u>4C381979</u>	<u>2</u>
	<u>UN.</u>		

TGT TERRAIN Hilly TGT WX 4000 VISIBILITY 5
 REL ANGLE 20 PASSES 6 INTERVAL 30 MIN ALT 700
 ENROUTE ALT 8.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 160-11/BD9 EXPENDED 150-11/BD9 JETTISONED 0
 CRDNANCE/RTB 1 D-1A DUDS (SEE NOTE # 1)
 BDA 100 % ADDITIONAL WITHIN 50M
OT TGT

SECONDARY EXPLCSIONS 0 NUMBER SIZE
 UNIT SUPPORTED 1 ARVN OPERATION
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE CNE/COORD
(E) BDA REPORTED	(YES)	NO	IF ADDITIONAL CIRCLE
(F) ABCUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ RW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____ OK

DEBRIEFER BM TIME 1220 DATE 23 July 69
 SQUADRON 211 CALL SIGN HB220 MSN NO. 6220 FLT 152
 T/C 1100 LANE 1205 TOTAL TIME 2.2

PILOTS McAnally A/C 23 DASC Helix 21 TIME 1110
Filas 3 CONTROLLER FACA
 TYPE CONTROLLER CAS
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1130-45</u>	<u>Troops in Contact</u>	<u>B5706860</u>	<u>5</u>
	<u>TS</u>		

TGT TERRAIN flat TGT WX clear 0 VISIBILITY 10
 REL ANGLE 20° PASSES 6 INTERVAL 30 MIN ALT 800
 ENROUTE ALT 4.5 RETURN ALT 3.5 TGT AIRSPEED 450
 ORDNANCE 16 DIA 409 EXPENDED 16 DIA 209 JETTISONED 1 D9
 ORDNANCE/RTB 1 D9 DUDS (SEE NOTE # 1)
 BDA 100 % 100 % ADDITIONAL 6 Military structures
destroyed 3 damaged

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED America OPERATION Russel BEACH
 (LEAVE BLANK)

ENROUTE UX _____

(A) HOSTILE FIRE	☒ YES ☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	☒ YES ☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	☒ YES ☐ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	☒ YES ☐ NO	CIRCLE ONE/CARD
(E) BDA REPORTED	☒ YES ☐ NO	IF ADDITIONAL CIRCLE
(F) ABCUT	☒ YES ☐ NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	☒ YES ☐ NO	GIVE REASON BELOW

REMARKS: friendlies 100 meters
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENG. ENTERED _____ TIME _____ R/W DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS good

DEPARTURE REED TIME 1250 DA 23 JULY 69
 SQUADRON 211 CALL SIGN H8222 MSN NO. 6222 FLT 152
 T/C 1120 LANE 1136 TOTAL TIME 2.8
 PILOTS REED A/C CF17 DASC US 5 TIME 1122
WHITE CF09 CONTROLLER HELIX 21 TIME 1123
 TYPE CONTROLLER FAC(A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1150/1205</u>	<u>ENEMY TROOPS / TRAP IN CONTACT</u>	<u>BS 706860</u>	<u>5</u>
	<u>TS</u>		

TGT TERRAIN FLAT TGT WK 1000 VISIBILITY 10+
 REL ANGLE 30°/✓ PASSES 12 INTERVAL 30' MIN ALT 600
 ENROUTE ALT 9500 RETURN ALT 8500 TGT AIRSPEED 450
 ORDNANCE/ 4021 EXPENDED ALL JETTISONED —
4027
 ORDNANCE/RTE — DUDS (SEE NOTE # 1) —
 BDA 100 % 100 %ADDITIONAL —

SECONDARY EXPLCSIONS YELLOWISH NUMBER 1 SIZE 60'-100'
WHITE
 UNIT SUPPORTED Am Car OPERATION Russel Beach
 (LEAVE BLANK)

ENROUTE WK 1000
 (A) HOSTILE FIRE ☒ YES ☐ NO FILE FORM WITH BARREL 50 cal ①
 (B) AIRBURST ☒ YES ☐ NO FILE FORM WITH BARREL
 (C) A/C HIT ☒ YES ☐ NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT ☒ YES ☐ NO CIRCLE CNE/COORD
 (E) BDA REPORTED ☒ YES ☐ NO IF ADDITIONAL CIRCLE
 (F) ABUT ☒ YES ☐ NO A/C MALFUNCTION/ NO DROP
 (G) DIRERT ☒ YES ☐ NO GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: BOM ENROUTE TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Wellman TIME 1300 DATE 23 July 69
 SQUADRON 211 CALL SIGN 4B-458 MSN NO. 6458 FLT 152
 T/O 1137 LANE 1247/1257 TOTAL TIME 2.5
 PILOTS EDWARDS A/C CF 8 DASC Malay TIME 1158
WELLMAN 19 CONTROLLER Malay TIME 1200
 TYPE CONTROLLER FALC
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1211/23</u>	<u>Enemy Location</u>	<u>85 742305</u>	<u>S</u>
	<u>EC</u>		

TGT TERRAIN Hilly TGT WX 10 VISIBILITY 10+
 REL ANGLE 20° PASSES 12 INTERVAL 30 sec MIN ALT 600'
 REL ALT 1050'
 ENROUTE ALT 8.5 RETURN ALT 5.5 TGT AIRSPEED 450 IAS
 ORDNANCE/ 16 DIA/4D9 EXPENDED all JETTISONED —
 ORDNANCE/RTB None DUDS (SEE NOTE # 1) —
 BDA 100 % 50 % ADDITIONAL None

SECONDARY EXPLOSIONS None NUMBER — SIZE —
 UNIT SUPPORTED Americal OPERATION IRON MOUNTAIN
 (LEAVE BLANK)

ENROUTE WX 900V0 to Danny then 150V0 1/2 RW

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABOUT	YES ☐ NO ☒	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: Ordnance O.K. Friendly 8 clicks
east (REFERENCE NOTE #2)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED No TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS O.K.

DECLASSIFIED

LIGHTER TIME DATE
 SQUADRON 211 CALL SIGN 232 MSN NO. 6332 FLT CODE 142
 T/O 0930 LAND 1000 TOTAL TIME .5

PILOTS

A/C

THEM CF01 DASC TIME
 CONTROLLER TIME
 TYPE CONTROLLER
 TYPE MISSION

TOT DESCRIPTION COORDINATES PROVINCE

TEST HOP

TGT TERRAIN TGT WX VISIBILITY
 REL ANGLE PASSES INTERVAL MIN ALT
 ENROUTE ALT RETURN ALT REL ALT
 TGT AIRSPEED
 ORDNANCE EXPENDED JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE #1)
 BDA % % ADDITIONAL BDA

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED OPERATION
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DECLASSIFIED

DEBRIEFER 0 TIME 1750 DA 23 July 69
 SQUADRON 211 CALL SIGN AB242 MSN NO. 6242 FLT 152
 T/O 1705 LANC 1745 TOTAL TIME 1.04
 PILOTS Richards A/C 5 DASC DUG TIME 1710
Rivers 12 CONTROLLER Host TIME 1713
 TYPE CONTROLLER FACIA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1725/30</u>	<u>ENLOC</u>	<u>ATK21538</u>	<u>3</u>
	<u>EC</u>		

TGT TERRAIN FLAT TGT WX 85 ⊕ VISIBILITY UOE
 REL ANGLE 30° PASSES 6 INTERVAL 30 sec MIN ALT 1000
 ENROUTE ALT 6.5 RETURN ALT 5.5 TGT AIRSPEED 450
 ORDNANCE 20 DI EXPENDED A11 JETTISONED —

ORDNANCE/RTB — DUDS (SEE NOTE # 1)
 BDA 100 % 100 % ADDITIONAL 1 Bunk Dest.
200 Meter Tree Line Dest.
2 Fighting holes
Uncovered

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 1ST MD OPERATION Protest Canyon
 (LEAVE BLANK)

ENROUTE WX 85 ⊕

(A) HOSTILE FIRE	YES ☒	NO ☐	FILE FORM WITH BARREL
(B) AIMURST	YES ☒	NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☒	NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒	NO ☐	CIRCLE CNE/COORD
(E) BDA REPORTED	YES ☒	NO ☐	IF ADDITIONAL CIRCLE
(F) ABCUT	YES ☒	NO ☐	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES ☒	NO ☐	GIVE REASON BELOW

REMARKS: No Friendlies
 (REFERENCE NOTE #3)

NOTE #1: DUD RETURN LOCATION — REASON FOR —

RECOVERABLE — TIME (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS OK For Tgt.

DEMONSTRATOR BIRCHER TIME 1855 DATE 23 July 69
 SQUADRON 211 CALL SIGN 18246 MSN NO. 6246 FLT 152
 T/O 1740 LANC 1845 TOTAL TIME 22
 PILOTS Oseguera A/C 21 DAS DNG TIME 1750
Brecher 15 CONTROLLER Hostage King TIME 1815
 TYPE CONTROLLER TACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
1820-27	Bumbers	AT857518	BLAN
	BF	AT854318	

TGT TERRAIN 0 TGT WX 60 D VISIBILITY 15
 REL ANGLE 20 PASSES 6 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 6.5 RETURN ALT 5.5 TGT AIRSPEED 450
 ORDNANCE/ 1501A-40-9 EXPENDED 1501A 40-9 JETTISONED —
 ORDNANCE/RTB 101A DUDS (SEE NOTE # 1) —
 BDA 100 % 100 %ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1st MAR DIV OPERATION Pipestone Canyon
 (LEAVE BLANK)

ENROUTE WX 60 D

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NC	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABCUT	YES	NC	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NC	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — FUSE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — R/W DIRECTED —

NOTE #3: PERFORMANCE EFFECTIVENESS —

T/O 1200 AND 1300 TOTAL TIME 2.0
 PILOTS NORDELL A/C CF 12
Johnson 7
 DASC HULLS TIME 1220
 CONTROLLER W. J. 229 TIME 1225
 TYPE CONTROLLER 229
 TYPE MISSION ST

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1230-37</u>	<u>TRANSFORMATION R.</u>	<u>XC 934 147</u>	<u>COMS</u>
	<u>TR</u>	<u>1530 10648</u>	<u>G</u>

TGT CEFRAA Raining TGT WX 800mm VISIBILITY 6
 REL AT 45 PASSES 4 INTERVAL 45 MIN ALT 4500
 REL ALT 5200
 ENGAGED ALT 165 RETURN ALT 175 TGT AIRSPEED 450
 OF TANCH 12034/41 EXPENDED 100% JETTISONED NO
 T/O 1200
 ORDNANCE EFFECTIVENESS 100% DUDS (SEE NOTE #1)
 BDA 100% % ADDITIONAL 100% WITHIN 50
METERS

SECONDARY DUDS 7th A.F. NUMBER 100 UNITS 140 SIZE 7
 UNIT SUPPORT 7th A.F. OPERATION 7
 ENROUTE 100 DUD 140 7

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON EFFECT	YES	NO	CIRCLE ONE/COORD
(E) BDA RECON	YES	NO	IF ADDITIONAL CIRCLE
(F) A/C MALFUNCTION	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERG	YES	NO	GIVE REASON BELOW

REMARKS: 1355
NOTE #1: DUD REPORT LOCATION (SEE NOTE #3) REASON
RECOVERABLE (DELAY/ARM DELAY)
 NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED
 NOTE #3: ORDNANCE EFFECTIVENESS

DECLASSIFIED

DESIG Tierney TIME 1100 DAY 24 July
 SQUADRON 211 CALL SIGN 215 MSN NO. 6215 FLT 152
 TIC 0952 LANE 1053 TOTAL TIME 2.0

PILOTS	A/C	DASS	TAKE CONT	TIME	0958
<u>MILLER</u>	<u>19</u>				
<u>TIERNEY</u>	<u>29</u>	CONTROLLER	<u>Jane - 47</u>	TIME	<u>0959</u>
		TYPE CONTROLLER	<u>FAC</u>		
		TYPE MISSION	<u>D445</u>		

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1000/1010</u>	<u>INFILTRATION Route</u>	<u>135 280453</u>	<u>5</u>
	<u>RD</u>		

TGT TERRAIN Hilly TGT WX 40 @ VISIBILITY 7
 REL ANGLE 30 PASSES 7 INTERVAL 30 MIN ALT 2000
 ENROUTE ALT 8.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 112 D-2 @ EXPENDED ALL JETTISONED 0
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
 BDA 100 % VGT AREA ADDITIONAL _____

SECONDARY EXPLOSIONS 0 NUMBER _____ SIZE _____
 UNIT SUPPORTED ARUN OPERATION _____ (LEAVE BLANK)

ENROUTE WX est 150 @

(A) HOSTILE FIRE	YES	☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☒ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☒ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	☒ NO	CIRCLE CNE/COORD
(E) BDA REPORTED	YES	☒ NO	IF ADDITIONAL CIRCLE
(F) ABCUT	YES	☒ NO	A/C MALFUNCTION/ NO DROP
(G) DIRECT	YES	☒ NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUSE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ R/W DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DECLASSIFIED

DEBRIEFER COLL TIME 1245 DA 24 July 69
 SQUADRON 211 CALL SIGN HB MSN NO. 6231 FLT 152
 T/F 1131 LANT 1228 TOTAL TIME 2.0

PILOTS GRAHAM A/C 8 DASC DANANG TIME 1140
COLL 7 CONTROLLER BILK 23 TIME 1150
 TYPE CONTROLLER FAC (A)
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1155-1207</u>	<u>EN Loc</u>	<u>20155072</u>	<u>2</u>
	<u>EC</u>		

TGT TERRAIN Mount TGT WX 65A VISIBILITY 10+
 REL ANGLE 30° PASSES 12 INTERVAL 30 sec MIN ALT 2000
 ENROUTE ALT 8.5M RETURN ALT 7.5M TGT AIRSPEED 450
 ORDNANCE 120 DI EXPENDED ALL JETTISONED —
 CRDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100% 75 %ADDITIONAL 1 HOOTCH + BUNKERS
DISTROYED 1500 2:00

SECONDARY EXPLOSIONS YES NUMBER 1 SIZE ?
 UNIT SUPPORTED 101st AIRBORNE OPERATION Kentucky Jumpers
 (LEAVE BLANK)

ENROUTE WX 9000 (+)

(A) HOSTILE FIRE	YES	☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☒ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☒ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	☒ NO	CIRCLE (NE/COORD)
(E) BDA REPORTED	YES	☒ NO	IF ADDITIONAL CIRCLE
(F) ABCUT	YES	☒ NO	A/C MALFUNCTION/NO DROP
(G) DIRECT	YES	☒ NO	GIVE REASON BELOW

REMARKS: FRIENDS NO FACTOR
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — TIME (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS Good TARG OED

DEPARTURE DICKERSON TIME 0448 DATE 24 JULY 69
 SQUADRON 211 CALL SIGN HB254 MSN NO. 6254 FLT 482
 T/O 0338 LANE 0425 TOTAL TIME .8
 PILOTS DICKERSON A/C CF 01 DASC — TIME —
 CONTROLLER BIRMINGHAM 710 TIME 0350
 TYPE CONTROLLER 220 ASRT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0405</u>	<u>EN LOCATION</u>	<u>YC638892</u>	<u>2</u>
	<u>EC</u>		

TGT TERRAIN UNK TGT WX 110 0425 VISIBILITY 7
 REL ANGLE LEVEL PASSES 1 INTERVAL — MIN ALT 14.1
 ENROUTE ALT 18.5 RETURN ALT 17.5 TGT AIRSPEED 290
 ORDNANCE/ 10 D14 EXPENDED ALL JETTISONED 00
 ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) —
 BDA — % — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 101 AB OPERATION Kentucky Jamper
 (LEAVE BLANK)

ENROUTE UX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE CNE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABCUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS: — (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — RW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER Wellman TIME 1530 DATE 24 July 69
 SQUADRON 211 CALL SIGN NB247 MSN NO. 6247 FLT 152
 T/O 1442 LANE 1525 TOTAL TIME 1.9

PILOTS Rutherford A/C 23 DASC Helix TIME 1445
Wellman 17 CONTROLLER Helix 02 TIME 1448
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1503/11</u>	<u>Enemy Location</u>	<u>BT 152212</u>	<u>4</u>
	<u>EC</u>		

TGT TERRAIN Hilly TGT WX 350 VISIBILITY 10
 REL ANGLE 20° PASSES 7 INTERVAL 30 Sec MIN ALT 600'
 ENROUTE ALT 4.5 RETURN ALT 3.5 TGT AIRSPEED 450
 ORDNANCE/ 16 DIA/409 EXPENDED 15 DIA/409 JETTISONED None
 ORDNANCE/RTB 1 DIA DUDS (SEE NOTE # 1) None
 BDA 90 % 60 % ADDITIONAL

1 Structure destroyed
1 Bunker DESTROYED

SECONDARY EXPLOSIONS None NUMBER SIZE
 UNIT SUPPORTED Americal OPERATION (LEAVE BLANK)

ENROUTE WX 350 V @ 50 @ LOCAL MODERATE
 (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 (B) AIRBURST YES NO FILE FORM WITH BARREL
 (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
 (F) ABOUT YES NO A/C MALFUNCTION/ NO DROP
 (G) DIRERT YES NO GIVE REASON BELOW

REMARKS: Friendlies 800 m @ 7:00'clock
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION None REASON FOR
 RECOVERABLE None (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED NO TIME HOW DIRECTED

NOTE #3: PERFORMANCE EFFECTIVENESS Good

DEBRIEFER HUGGIN TIME 1740 DATE 24 July 6
 SQUADRON 211 CALL SIGN H03467 MEN NO. 6467 FLT 152
 T/O 1554 LANE 1730 TOTAL TIME 3.2

PILOTS	A/C	DASC Helix Cont TIME <u>1640</u>
<u>RICHARDS</u>	<u>05</u>	CONTROLLER <u>314815</u> TIME <u>1640</u>
<u>HUGGIN</u>	<u>12</u>	TYPE CONTROLLER <u>1A: A</u>
		TYPE MISSION <u>CAS</u>

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1650-1705</u>	<u>Enemy Posit</u> <u>EC</u>	<u>BT 229113</u>	<u>#</u>

TGT TERRAIN hilly TGT WX 600 D VISIBILITY 10
 REL ANGLE 200 PASSES 14 INTERVAL 30 sec MIN ALT 600'
 ENROUTE ALT 18,500 RETURN ALT 19,500 TGT AIRSPEED 450
 ORDNANCE 16 DIA/4.2" EXPENDED all JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE # 1)
 BDA 10 % 80 % ADDITIONAL 4 m. 1 s. / ruct Out

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 101st A.B. OPERATION LAMAR PLAIN
 (LEAVE BLANK)

ENROUTE WX Layers. 5000-2000 D V D

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/CORD
(E) BDA REPORTED	YES ☐ NO ☐	IF ADDITIONAL CIRCLE
(F) ABCUT	YES ☐ NO ☐	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: Friendship 1300 m.
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUSE (DELAY/ARM DELAY)

NOTE #2: ECM ENGAGED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS Good

DEBRIEFER Rook2 TIME 2015 DATE 24 JULY 69
 SQUADRON 211 CALL SIGN H325 MSN NO. 6255 FLT 352
 T/O 1840 LANE 2007 TOTAL TIME 2.7

PILOTS Rook2 A/C CF 21 DASC PENG HA TIME 1900
LEALINI 22 CONTROLLER Cot killed 17 TIME 1910
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1921/28</u>	<u>TROOPS</u>	<u>YD 018 629</u>	<u>V</u>
	<u>TS</u>		

TGT TERRAIN Valley TGT WX 50 A VISIBILITY 15+
 REL ANGLE 20° PASSES 8 INTERVAL 30 sec MIN ALT 1000
 ENROUTE ALT 16.5 RETURN ALT 15.5 TGT AIRSPEED 450
 ORDNANCE 16 DIA 409 EXPENDED 411 JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100 % 100 % ADDITIONAL 1 Bunk DAM

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3rd M.D OPERATION Idaho Canyon
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE (NE/COORD)
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABOUT	YES ☐ NO ☒	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — FUSE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — R/W DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS ORD OK FRIENDLESS 500 M

DISPATCHER JAL TIME 1000 DA 24 JULY 1969
 SQUADRON 211 CALL SIGN HB MSN NO. 6583 FLT 152
 T/C 0855 LANC 1000 TOTAL TIME 2.2
 PILOTS ROOKE A/C CF5 DASC O.H. TIME 0920
LAWRENCE 12 CONTROLLER S.W. SPOOK TIME 0920
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT . . . DESCRIPTION COORDINATES . . . PROVINCE
0929-37 BUNKERS YD092728 1
BF

TGT TERRAIN ROLLING TGT WX 5.00 VISIBILITY 7 RW
 REL ANGLE 20° PASSES 6 INTERVAL 30 MIN ALT .6
 ENROUTE ALT 18.5 RETURN ALT 17.5 TGT AIRSPEED 450
 ORDNANCE 402A8DIA/4A9 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100 % 100 % ADDITIONAL 5 bunkers
dest. (1 large) 15m trench dest.

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3RD MAR DIV OPERATION IDAHO CANYON
 (LEAVE BLANK)

ENROUTE WX 18.7 @ 10+

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE (NE/COORD)
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABCUT	YES ☐ NO ☒	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: friendly 1000m
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENG. ENTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS good

DECLASSIFIED

DESIGNER REED TIME 1135 DATE 24 JULY 69
 SQUADRON 211 CALL SIGN _____ MSN NO. 6455 FLT 152
 T/O 1005 LANE 1123 TOTAL TIME 2.6

PILOTS REED A/C CF 20 DASC DANANG TIME 1040
ELIAS CF 21 CONTROLLER HOSTAGE 40 TIME 1045
 TYPE CONTROLLER FAC(A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1050/1105</u>	<u>BUNKERS IN TREE LINE</u>	<u>AT 800846</u>	<u>3</u>
	<u>BF</u>		

TGT TERRAIN MOUNTAIN TGT WX 1000 VISIBILITY 10+
 REL ANGLE 20 PASSES 8 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 24500 RETURN ALT 9500 TGT AIRSPEED 450
 ORDNANCE/ 409 402A 8 DIA EXPENDED ALL JETTISONED —
 CRDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100 % 100 % ADDITIONAL 2 BUNKERS DESTROYED
300 METERS TREE LINE

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 264 RMB OPERATION _____
 (LEAVE BLANK)

ENROUTE WX 120

(A) HOSTILE FIRE	YES ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO	IF ADDITIONAL CIRCLE
(F) ABOUT	YES ☒ NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES ☒ NO	GIVE REASON BELOW

REMARKS: FRIENDLY TRAP LESS THAN 1500MST
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENG ENTERED _____ TIME _____ R/W DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DECLASSIFIED

DESIGNER Kennedy TIME 1115 DA 24 July 69
 SQUADRON 211 CALL SIGN H3 MSN NO. 6219 FLT 132
 T/C 1000 LANE 1100 TOTAL TIME 1.0
 PILOTS Kennedy A/C CF 17 DASC DNL TIME 1015
 CONTROLLER DNG + AN NOA ASRT
 TYPE CONTROLLER ASRT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1015-1050</u>	<u>TPQ cal EC</u>	<u>AT 8073 8058</u>	<u>3</u>
	<u>Base Camp</u>	<u>BT 008 425</u>	<u>3</u>

TGT TERRAIN UNK TGT WX 14000 VISIBILITY 7+
 REL ANGLE level PASSES 3 INTERVAL — MIN ALT 14.1
 ENROUTE ALT 14.5 RETURN ALT 13.5 TGT AIRSPEED 290
 ORDNANCE/ 6 DAW/4 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA UNK % — %ADDITIONAL UNK

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1st MARINA OPERATION —
 (LEAVE BLANK)

ENROUTE WX 12000

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS: TPQ (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — REASON (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER COLL TIME 0745 DA 24 JULY 69
 STATION 211 CALL SIGN H/B MSN NO. 6203 FLT 152
 T/O 0645 LANT 0730 TOTAL TIME 1.6

PILOTS A/C
GRAHAM 22 DASC DAUNG TIME 0655
COLL 19 CONTROLLER HOSTAGE ID TIME 0658
 TYPE CONTROLLER FAC (A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>000-10</u>	<u>EN MOTOR SIGHT</u>	<u>AT 819457</u>	<u>3</u>
	<u>EL</u>		

TGT TERRAIN HILLS TGT WX CLEAR VISIBILITY 10+
 REL ANGLE 20° PASSES 12 INTERVAL 30 MIN ALT 800'
 ENROUTE ALT 105M RETURN ALT 95M TGT AIRSPEED 450
 ORDNANCE 14D9, 16 DIA EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1)
 BDA 100 % 100 % ADDITIONAL 3 FIRES

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 1 MAR DIV OPERATION Pipestone Canyon
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	☒ YES ☐ NO	FILE FORM WITH BARREL <u>SMA</u> <u>(L)</u>
(B) AIRBURST	☒ YES ☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	☒ YES ☐ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	☒ YES ☐ NO	CIRCLE CNE/COORD
(E) BDA REPORTED	☒ YES ☐ NO	IF ADDITIONAL CIRCLE
(F) ABCUT	☒ YES ☐ NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	☒ YES ☐ NO	GIVE REASON BELOW

REMARKS: FRIENDS 500 METERS
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS GOOD TARGET ORD

DEBRIEFER Edwards TIME 0800 DA 24 July 69
 SQUADRON 211 CALL SIGN HB207 MSN NO. 6207 FLT 152
 TR 0657 LANE 0742 TOTAL TIME 1.6
 PILOTS Edwards A/C 20 DASC Dug TIME 0705
LAuge 23 CONTROLLER LAuge 0707
 TYPE CONTROLLER FAE(A)
 TYPE MISSION CAS

TOT. . . DESCRIPTION COORDINATES PROVINCE
0710-22 Known Enemy Location AT 891491 3
EC
 TGT TERRAIN Level TGT 6/10 VISIBILITY 10
 REL ANGLE 20 PASSES 8 INTERVAL 30 MIN ALT 800
 ENROUTE ALT 10.5 RETURN ALT 11.5 TGT AIRSPEED 450
 ORDNANCE 1601A4D9 EXPENDED 1501A4D9 JETTISONED —
 CRDNANCE/RTB 101A DUDS (SEE NOTE # 1)
 BDA 95 % 95 % ADDITIONAL 4 Secondary Explos.

SECONDARY EXPLOSIONS yes NUMBER 4 SIZE UNK
 UNIT SUPPORTED 1BN/537 MAH2 OPERATION Pipestone Canyon
 (LEAVE BLANK)

ENROUTE VX

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABOUT	YES ☐ NO ☒	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: Friendlies 500 meters
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENG. INTERFERED TIME RW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS Good Tgt Obs

OBSERVER MILLER TIME 2340 DATE 25 JULY 69
 SQUADRON 511 CALL SIGN HB 550 MSN NO. 6550 FLT CODE 352
 T/O 2155 LAND 2325 TOTAL TIME 21.0
 PILOTS (2) 2215 A/C 2345
MILLER 19 DASC PANANG TIME 2210
WILSON 03 CONTROLLER HOST BULL TIME 2215
 TYPE CONTROLLER FACH
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>22302300</u>	<u>INF. ROUTE</u>	<u>195862872</u>	<u>3</u>
	<u>RD</u>		

TGT TERRAIN MTNS TGT WK 140 @ 200 VISIBILITY 7.5
 REL ANGLE 30° PASSES 4 INTERVAL 300 MIN ALT 1500
 ENROUTE ALT 14.5 RETURN ALT 19.5 REL ALT 3500
 TGT AIRSPEED 450
 ORDNANCE 80 1y 2022 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1)
 BDA 100% % ADDITIONAL BDA

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 1ST MD OPERATION _____
 (LEAVE BLANK)

ENROUTE WK _____

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) A/C HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES NO	GIVE REASON BELOW

REMARKS: MTNS. POOR TARGET FOR CAS. AREA
TARGET AND SHOULD REFERENCE NOTE #3)
HAVE BEEN TRQ. NEAREST FRIENDLIES WERE
2KM.

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

DECLASSIFIED

LEAD/TEFER _____ TIME _____ DATE _____

SQUADRON 211 CALL SIGN H3592 MSN NO. 6592 FLT CODE 152

T/O ~~1450~~ 1320 LAND ~~16.8~~ 1450 TOTAL TIME 3.0

PILOTS _____ A/C _____

<u>Reed</u>	<u>CF 20</u>	DASC <u>Helix</u>	TIME _____
<u>Tierney</u>	<u>18</u>	CONTROLLER <u>Helix 27</u>	TIME _____
_____	_____	TYPE CONTROLLER <u>FACA</u>	_____
_____	_____	TYPE MISSION <u>DAS</u>	_____

TOT	DESCRIPTION	COORDINATES	PROVINCE
-----	-------------	-------------	----------

No Drop

TGT TERRAIN R TGT WX ~~4.0~~ 4.0 VISIBILITY 7
REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
ENROUTE ALT 19.5 RETURN ALT 8.5 REL ALT _____
ORDNANCE 602 207 408 EXPENDED — JETTISONED _____
ORDNANCE/RTB ALL DUDS (SEE NOTE #1) _____
BDA % ADDITIONAL BDA _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED _____ OPERATION _____ (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES	☒ NO	FIRE FORM WITH BARREL
(B) AIRBURST	YES	☒ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☒ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	☒ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	☒ NO	IF ADDITIONAL CIRCLE
(F) ABORT	☒ YES	☒ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	☒ NO	GIVE REASON BELOW

REMARKS: _____
 _____ REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
 _____ RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: CRDNANCE EFFECTIVENESS

DECLASSIFIED

DEBRIEFER WOOD TIME 1130 DATE 25 July 69
 SQUADRON 211 CALL SIGN H8454 MSN NO. 6454 FLT 152
 T/O 0952 LANE 1115 TOTAL TIME 2.8

PILOTS RYTGO A/C CF19 DASC JAKE TIME 1030
WOOD CF03 CONTROLLER JAKE45 TIME 1040
 TYPE CONTROLLER TACA
 TYPE MISSION DAS

TOT DESCRIPTION COORDINATES PROVINCE
1044-56 NVA STORAGE BS281460 V 5
AREA 3P

TGT TERRAIN rolling TGT WX GOOD VISIBILITY 10+
 REL ANGLE 200 PASSES 10 INTERVAL 30 MIN ALT 6000
 ENROUTE ALT 18.5 RETURN ALT 19.5 TGT AIRSPEED 450
 ORDNANCE 16 DIA/409 EXPENDED ALL JETTISONED NONE
 ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) 6 DIA
 BDA 100 % 20 %ADDITIONAL 3 STRUCTURES
3 PROB. KBA DESTROY

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED ARVN OPERATION —
 (LEAVE BLANK)

ENROUTE WX —
 (A) HOSTILE FIRE YES ☒ NO ☐ FILE FORM WITH BARREL
 (B) AIRBURST YES ☒ NO ☐ FILE FORM WITH BARREL
 (C) A/C HIT YES ☒ NO ☐ FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES ☒ NO ☐ CIRCLE ONE/COORD
 (E) BDA REPORTED YES ☒ NO ☐ IF ADDITIONAL CIRCLE
 (F) ABCUT YES ☒ NO ☐ A/C MALFUNCTION/ NO DROP
 (G) DIRERT YES ☒ NO ☐ GIVE REASON BELOW

REMARKS: NO FRIENDLIES
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION BS281460 REASON FOR NO W. RES
BROUGHT BACK
 RECOVERABLE — FUSE (DELAY/ARM DELAY) Y=

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS GOOD - CANOPY THICK THO

DEBRIEFER JAN TIME 1730 DATE 25 JULY 1969
 SQUADRON 211 CALL SIGN HR MSN NO. 6018 FLT CODE 152
 T/O 1629 LAND 1705 TOTAL TIME 18

PILOTS A/C
LTCOL RUTHERFORD CF9 DASC RICK TIME 1640
LAWRENCE 11 CONTROLLER RICK33 TIME 1645
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1654-1701 BASECAMP BS YD557016 2

TGT TERRAIN MTNS TGT WX P.O.C VISIBILITY 10+
 REL ANGLE 30° PASSES 8 INTERVAL 30 MIN ALT 1.5
 ENROUTE ALT 14.5 RETURN ALT 15.5 REL ALT 4.3 TGT AIRSPEED 450
 ORDNANCE 4A34/4A24 EXPENDED ALL JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE #1)
 BDA 100% 100% ADDITIONAL BDA

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 101ST AB OPERATION Kentucky Jumper
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☒	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: friendly 2000 M
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS good

DESPATCHER PBW TIME 0915 DATE 25 July
 SQUADRON 211 CALL SIGN HB022 MSN NO. 6022 FLT 152
 T/O 0810 LANT 0915 TOTAL TIME 22
 PILOTS Wyrick A/C CAS DASC P.H. TIME 0830
Kennedy 12 CONTROLLER Barry TIME 0832
 TYPE CONTROLLER TACO
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0836/45</u>	<u>Bunker</u>	<u>40 343 382</u>	<u>11</u>
	<u>BF</u>		

TGT TERRAIN Hilly TGT WX 400 VISIBILITY 107
 REL ANGLE 30° PASSES 6 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 16.5 RETURN ALT 13.5 TGT AIRSPEED 450
 ORDNANCE/ 12 D2 w/4 EXPENDED ALL JETTISONED NO
 ORDNANCE/RTB None DUDS (SEE NOTE # 1)
 BDA 75 % 100 % ADDITIONAL 2 Bunker Destroyed

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 3 ARVN DIV OPERATION _____
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABOUT	YES ☐ NO ☒	A/C MALFUNCTION/ NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ R/W DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DESTROYER Tierney TIME 1635 DATE 25 Jun
 SQUADRON 211 CALL SIGN 594 MSN NO. 1044594 FLT CODE 152
 T/O 1320 1450 LAND 1618 TOTAL TIME 2.0
 PILOTS A/C
Reep 20 DASC Helix TIME 33
Tierney 18 CONTROLLER Helix 27 TIME 34
 TYPE CONTROLLER FIACA
 TYPE MISSION DAS

TOT 1545/1600 DESCRIPTION VC location COORDINATES B5475263 PROVINCE B5
EC

TGT TERRAIN Hilly TGT WK 4.0 VISIBILITY 7
 REL ANGLE 20 PASSES 6 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 19.5 RETURN ALT 8.5 REL ALT 2000
 ORDINANCE 4(02) 2(07) 4/08 EXPENDED 6 D2 207 BATTISONED 0
 ORDINANCE/RTB 4 D8 DUDS (SEE NOTE #1) 0
 BDA 90 50 % 20 % ADDITIONAL BDA 0
80

2 STRUCTURES DESTROYED, 1 STRUCTURE DAMAGE

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED Americal OPERATION GREENA PARK
 (LEAVE BLANK)

ENROUTE WK _____

(A) HOSTILE FIRE	YES ☐ NO ☒	FIRE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: _____ (REFERENCE NOTE #3) _____

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDINANCE EFFECTIVENESS _____

DECLASSIFIED

LEADER White TIME 1405 DATE 25 July
 SQUADRON 211 CALL SIGN BB 016 MSN NO. 6016 FLT CODE 152
 T/O 1550 LAND 1650 TOTAL TIME 2.0
 PILOTS A/C
DANE 15 DASC Helix TIME 1500
WHITE 12 CONTROLLER Helix II TIME 1505
 TYPE CONTROLLER fac(A)
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
1610 1620	bunker complex BF	AT 807122	4
TGT TERRAIN	hilly	TGT WX	800
REL ANGLE	30°	PASSES	8
ENROUTE ALT	8,500	RETURN ALT	Clouds 9,500
ORDNANCE	1202 w/y	EXPENDED	All
ORDNANCE/RTB		DUDS (SEE NOTE #1)	
BDA	90 % 90	% ADDITIONAL BDA	4 bunkers destroyed

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0
UNIT SUPPORTED AMERICAN OPERATION ~~SECRET~~
(LEAVE BLANK)

ENROUTE WK

(A) HOSTILE FIRE	YES	NO	FIRE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE RELSON BELOW

REMARKS: ordnance adequate for target
(REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
 _____ RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2:	ECM ENCOUNTERED	TIME	HOW DIRECTED
----------	-----------------	------	--------------

NOTE #3: CRDNANCE EFFECTIVENESS

DECLASSIFIED

DEBRIEFER Wellman TIME 0835 DATE 25 July 69
 SQUADRON 211 CALL SIGN HB 211 MSN NO. 6154 FLT 152
 T/O 0652 LANE 0824 TOTAL TIME 3.0

PILOTS Wellman A/C CF 18 DASC Helix TIME 0750
Huggin 20 CONTROLLER Helix 14 TIME
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0800-06</u>	<u>Sus. Enemy Location</u> <u>EC</u>	<u>BT 157245</u>	<u>4</u>

TGT TERRAIN Hilly TGT WX 300 VISIBILITY 15
 REL ANGLE 28° PASSES 4 INTERVAL 30 Sec MIN ALT 600
 ENROUTE ALT 16.5 RETURN ALT 17.5 TGT AIRSPEED 4.50 IAN
 ORDNANCE/ 1601A/409 EXPENDED all JETTISONED None
 ORDNANCE/RTB None DUDS (SEE NOTE # 1) 2 D9
 BDA 90 % 70 % ADDITIONAL 4 Structures dest.
1 5 Structures damaged

SECONDARY EXPLCSIONS None NUMBER SIZE
 UNIT SUPPORTED Americal OPERATION
 (LEAVE BLANK)

ENROUTE WX 300 15

(A) HOSTILE FIRE	YES ☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES ☒ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒ NO	CIRCLE (NE/COORD)
(E) BDA REPORTED	YES ☒ NO	IF ADDITIONAL CIRCLE
(F) ABCUT	YES ☒ NO	A/C MALFUNCTION/ NO DROP
(G) DIVERT	YES ☒ NO	GIVE REASON BELOW

REMARKS: Friendly 3000m south of target. Had to
divert to Helix since Doug Ha Sgt. was being worked with
artillery & no other Sgts were available there.

NOTE #1: DUD RETURN LOCATION BT 157245 REASON FOR Whigman
forgot arm nose/tail switch
 RECOVERABLE unknown USE (DELAY/ARM DELAY) None

NOTE #2: ECM ENG. ENTERED None TIME None HW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS Good

DEBRIEFER Welman TIME 1300 DATE 25 July 69
 SQUADRON 211 CALL SIGN NB-458 MSN NO. 6458 FLT CODE 152
 T/O 1150 LAND 1245 TOTAL TIME 1.8

PILOTS

A/C

Lt Col GRAMAMCF 23DASC Helix TIME 1105CONTROLLER Helix 16 TIME 1106TYPE CONTROLLER FACATYPE MISSION CAS

TOT

DESCRIPTION

COORDINATES

PROVINCE

1213/23Troops in contactBT 2135384TS

TGT TERRAIN

Flat

TGT WX

0

VISIBILITY

15

REL ANGLE

20°

PASSES

10

INTERVAL

30 Sec

MIN ALT

600'

REL ALT

1050

ENROUTE ALT

16.5

RETURN ALT

4.5

TGT AIRSPEED

450

ORDNANCE

16D1A/4D9

EXPENDED

all

JETTISONED

None

CRDNANCE/RTB

None

DUDS (SEE NOTE #1)

None

BDA

95%50%

ADDITIONAL BDA

2 Secondary Fires2 Structures destroyed1 Probable KBA

SECONDARY EXPLOSIONS

None

NUMBER

SIZE

UNIT SUPPORTED

AMERICAN

OPERATION

(LEAVE BLANK)

ENROUTE WX

0

(A) HOSTILE FIRE

☒ YES ☐ NO

FIRLE FORM WITH BARREL

50 CAL - M

(B) AIRBURST

☒ YES ☐ NO

FILE FORM WITH BARREL

(C) A/C HIT

☒ YES ☐ NO

FILE FLASH REPORT WITH BARREL

(D) RECON INSERT/EXTRACT

☒ YES ☐ NO

CIRCLE ONE/COORD

(E) BDA REPORTED

☒ YES ☐ NO

IF ADDITIONAL CIRCLE

(F) ABORT

☒ YES ☐ NO

A/C MALFUNCTION/NO DROP

(G) DIVERT

☒ YES ☐ NO

GIVE REASON BELOW

REMARKS:

Friendlies 900 meters west of target

(REFERENCE NOTE #3)

NOTE #1:

DUD REPORT LOCATION

None

REASON FOR

RECOVERABLE

FUZE (DELAY/ARM DELAY)

NOTE #2:

ECM ENCOUNTERED

None

TIME

HOW DIRECTED

NOTE #3:

ORDNANCE EFFECTIVENESS

Good

DEBRIEFER Hughes TIME 1.0 DATE 25 July 69
 SQUADRON 8211 CALL SIGN HB 508 MSN NO. 6508 FLT CODE 352
 T/O 2130 LAND 2230 TOTAL TIME 1.0

PILOTS Hughes A/C CF7 DASC AN 40A TIME ASRT
 CONTROLLER TPQ TYPE CONTROLLER TPQ TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2200 2220</u>	<u>Base Camp</u>	<u>AT 989403</u>	<u>3</u>
	<u>BS 8404</u>	<u>" 992403</u>	
TGT TERRAIN <u>?</u>	TGT WX <u>11.5 A</u>	VISIBILITY <u>15 f</u>	
REL ANGLE <u>0</u>	PASSES <u>2</u> INTERVAL <u>—</u>	MIN ALT <u>140</u>	
		REL ALT <u>140</u>	
ENROUTE ALT <u>18.5</u>	RETURN ALT <u>20.0</u>	TGT AIRSPEED <u>290</u>	
ORDNANCE <u>6024/4</u>	EXPENDED <u>all</u>	JETTISONED <u>—</u>	
ORDNANCE/RTB <u>—</u>	DUDS (SEE NOTE #1) <u>—</u>		
BDA <u>—</u> %	ADDITIONAL BDA <u>—</u>		

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 187th AMB OPERATION Ducham Peak
 (LEAVE BLANK)

ENROUTE WK —

(A) HOSTILE FIRE	YES	NO	FIRE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: REFERENCE NOTE #3

NOTE #1: — DUD REPORT LOCATION — REASON FOR —
— RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: — ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: — ORDNANCE EFFECTIVENESS —

DEBRIEFER HUTSON TIME 2330 DATE 25 JAN 69
 SQUADRON 211 CALL SIGN 510 MSN NO. 6870 FLT CODE 352
 T/O 2200 LAND 2310 TOTAL TIME 1.2

PILOTS

A/C

HUTSON

CE 21

DASC AN/Ha 50 TIME 2215
 CONTROLLER 11 TIME 2220
 TYPE CONTROLLER FRG ASRT
 TYPE MISSION TPO

TOT

DESCRIPTION

COORDINATES

PROVINCE

2230-40 BASE CAMP AT 984 390 3
BS

TGT TERRAIN R TGT WX 15.5 A VISIBILITY 7+
 REL ANGLE — PASSES 2 INTERVAL — MIN ALT 14.3
 REL ALT 14.3

ENROUTE ALT 15.5 RETURN ALT 15.5 TGT AIRSPEED 290

ORDNANCE 6 D24/W EXPENDED 3 D24/W JETTISONED —

ORDNANCE/RTB 3 D24/W DUDS (SEE NOTE #1) —

BDA — % — % ADDITIONAL BDA —

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 1ST MAND OPERATION Durham Peak
 (LEAVE BLANK)

ENROUTE WX _____

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) A/C HIT
 (D) RECCN INSERT/EXTRACT
 (E) BDA REPORTED
 (F) ABORT
 (G) DIVERT

YES NO
 YES NO
 YES NO
 YES NO
 YES NO
 YES NO
 YES NO

FILE FORM WITH BARREL
 FILE FORM WITH BARREL
 FILE FLASH REPORT WITH BARREL
 CIRCLE ONE/COORD
 IF ADDITIONAL CIRCLE
 A/C MALFUNCTION/NO DROP
 GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

DEBRIEFER Edwards TIME 0930 DATE 25 July
 SQUADRON 211 CALL SIGN H8040 MSN NO. 6040 FLT 151
 T/C 0630 LANT 0800 TOTAL TIME 2.8
 PILOTS Edwards A/C 22 DASC Doug Ha TIME 0650
WARREN 05 CONTROLLER SW 98-2 TIME 0655
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0707-15</u>	<u>50 CAS NVA Posit</u>	<u>VD095682</u>	<u>1</u>
	<u>AA</u>		

TGT TERRAIN Level TGT WX 1-0 VISIBILITY 10
 REL ANGLE 20 PASSES 10 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 18.5 RETURN ALT 11.5 TGT AIRSPEED 450
 ORDNANCE/ 802A 409 EXPENDED 502A 409 JETTISONED —
 ORDNANCE/RTB 302A DUDS (SEE NOTE # 1)
 BDA 100 % 100 %ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3rd Arm MD OPERATION Idaho Canyon
 (LEAVE BLANK)
 ENROUTE WX 0 10

(A) HOSTILE FIRE	☒ YES ☐ NO	FILE FORM WITH BARREL SM A (D)
(B) AIRBURST	☐ YES ☒ NO	FILE FORM WITH BARREL
(C) A/C HIT	☐ YES ☒ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	☐ YES ☒ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES ☐ NO	IF ADDITIONAL CIRCLE
(F) ABOUT	☐ YES ☒ NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	☐ YES ☒ NO	GIVE REASON BELOW

REMARKS: Freighter 1500 meters
HAD to Divert to Doug Ray 50 closed
 (REFERENCE NOTE #1)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — FUSE (DELAY/ARM DELAY) —

NOTE #2: ECM ENG. ENTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS Good Tgt ORO

DEBRIEFER Edwards TIME 1645 DATE 25 July 69
 SQUADRON 211 CALL SIGN H8250 MSN NO. 6250 FLT CODE 142
 T/O 1530 LAND 1633 TOTAL TIME 1.1

PILOTS

A/C

Edwards01

DASC

TIME

CONTROLLER

TIME

TYPE CONTROLLER

TYPE MISSION

TEST

TOT

DESCRIPTION

COORDINATES

PROVINCE

TEST HOP

TGT TERRAIN

TGT WX

VISIBILITY

REL ANGLE

PASSES

INTERVAL

MIN ALT

REL ALT

ENROUTE ALT

RETURN ALT

TGT AIRSPEED

ORDNANCE

EXPENDED

JETTISONED

ORDNANCE/RTB

DUDS (SEE NOTE #1)

BDA

%

%

ADDITIONAL BDA

SECONDARY EXPLOSIONS

NUMBER

SIZE

UNIT SUPPORTED

OPERATION

(LEAVE BLANK)

ENROUTE WX

010

(A) HOSTILE FIRE

YES NO

FIRE FORM WITH BARREL

(B) AIRBURST

YES NO

FILE FORM WITH BARREL

(C) A/C HIT

YES NO

FILE FLASH REPORT WITH BARREL

(D) RECON INSERT/EXTRACT

YES NO

CIRCLE ONE/COORD

(E) BDA REPORTED

YES NO

IF ADDITIONAL CIRCLE

(F) ABORT

YES NO

A/C MALFUNCTION/NO DROP

(G) DIVERT

YES NO

GIVE REASON BELOW

REMARKS:

Test Hop

(REFERENCE NOTE #3)

NOTE #1:

DUD REPORT LOCATION

REASON FOR

RECOVERABLE

FUZE (DELAY/ARM DELAY)

NOTE #2:

ECM ENCOUNTERED

TIME

HOW DIRECTED

NOTE #3:

ORDNANCE EFFECTIVENESS

OPERATOR DICKERSON TIME 1815 DATE 25 JULY 69
 SQUADRON 211 CALL SIGN HB 240 MSN NO. 6240 FLT CODE 182
 T/O 1626 LAND 1800 TOTAL TIME 1.6

PILOTS

A/C

DICKERSONCF08DASC USTIME 1630CONTROLLER AN H&E #11 TIME 1635TYPE CONTROLLER A3RTTYPE MISSION FPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
-----	-------------	-------------	----------

1740EN LOCATIONAT 8956613EC

TGT TERRAIN

HILLY

TGT WX

0

VISIBILITY

7+

FEEL ANGLE

LEVEL

PASSES

1

INTERVAL

—

MIN ALT

14.1

REL ALT

14.1

ENROUTE ALT

16.5

RETURN ALT

15.5

TGT AIRSPEED

290

ORDNANCE

10 D14

EXPENDED

ALL

JETTISONED

—

ORDNANCE/RTB

—

DULS (SEE NOTE #1)

—

BDA

%%

ADDITIONAL BDA

—

SECONDARY EXPLOSIONS

NUMBER

SIZE

UNIT SUPPORTED

1STMO

OPERATION

(LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE

YES NO

FILE FORM WITH BARREL

(B) AIRBURST

YES NO

FILE FORM WITH BARREL

(C) A/C HIT

YES NO

FILE FLASH REPORT WITH BARREL

(D) RECON INSERT/EXTRACT

YES NO

CIRCLE ONE/COORD

(E) BDA REPORTED

YES NO

IF ADDITIONAL CIRCLE

(F) ABORT

YES NO

A/C MALFUNCTION/NO DROP

(G) DIVERT

YES NO

GIVE REASON BELOW

REMARKS:

(REFERENCE NOTE #3)

NOTE #1:

DUD REPORT LOCATION

REASON FOR

RECOVERABLE

PUZE (DELAY/ARM DELAY)

NOTE #2:

ECM ENCOUNTERED

TIME

HOW DIRECTED

NOTE #3:

ORDNANCE EFFECTIVENESS

DEBRIEFER BIRCHER TIME 0900 DATE 25 July 69
 SQUADRON 211 CALL SIGN WR150 MSN NO. 6450 FLT 152
 T/C 0755 LANE 0848 TOTAL TIME 1.8
 PILOTS LINGER A/C CF 24 DASC DANIEL D. TIME 0810
BIRCHER 7 CONTROLLER Had. Yoke TIME 0811
 TYPE CONTROLLER FACD
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0815/25</u>	<u>Emergency to friends</u>	<u>AT890532</u>	<u>RUN L</u>
	<u>TS</u>		

TGT TERRAIN flat TGT WX clear VISIBILITY 10+
 REL ANGLE 20° PASSES 6 INTERVAL 30.3 MIN ALT 600' AGL
 ENROUTE ALT 16.5 RETURN ALT 5.5 TGT AIRSPEED 450 KTS.
 ORDNANCE 160' A 40° EXPENDED A11 JETTISONED 0
 CRDNANCE/RTB 0 DUDS (SEE NOTE # 1)
 BDA 95 % 95 % ADDITIONAL 4 Heonhis DEST
200m from friends -2 bankers

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE
 UNIT SUPPORTED 1ST MAR DIV. OPERATION PIPESTONE CANYON
 (LEAVE BLANK)
 ENROUTE WX clear

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON DISERT/EXTRACT	YES	NO	CIRCLE CNE/COORD
(E) SDA REPORTED	YES	NO	IF ADDITIONAL, CIRCLE
(F) ABOUT	YES	NO	A/C MALFUNCTION/NG DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: friends 500 600 meters 3' clock.
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE (DELAY/ARM DELAY)
 NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED
 NOTE #3: PERFORMANCE EFFECTIVENESS

DEBRIEFER PYC 02 TIME 1230 DATE 26 July 69
 SQUADRON 211 CALL SIGN HB 553 MSN NO. 6553 FLT CODE 882
 T/O 2055 LAND 2226 TOTAL TIME 3.0
 PILOTS PYC 108 A/C CF 08 DASC DANNING TIME 2100
LAWRENCE 05 CONTROLLER HOSTAGE JIM TIME 2105
 TYPE CONTROLLER FAC(A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2150-2210</u>	<u>BUNKERS & TRAIL</u>	<u>AT 976 406</u>	<u>3</u>

TGT TERRAIN MTS TGT WX 0 VISIBILITY 7+
 EEL ANGLE 30 PASSES 8 INTERVAL 1.0 MIN ALT 2.0
 ENROUTE ALT 18.5 RETURN ALT 5.5 REL ALT 3.0 TGT AIRSPEED 450
 ORDNANCE 16 D14 / 4 D 22A EXPENDED ALL JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE #1)
 BDA 100 % 100 % ADDITIONAL BDA UNK

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 54 MBT MD OPERATION DURNAM PEAK
 (LEAVE BLANK)

ENROUTE WX 0

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: NONE

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE (DELAY/ARM DAILY)
 NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED
 NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER FILAS TIME 1015 DATE 26 JULY 69
 SQUADRON 211 CALL SIGN HB 013 MSN NO. 6013 FIT CODE 152
 T/O 0913 LAND 0950/1002 TOTAL TIME 1.3
 PILOTS _____ A/C _____
RUTHERFORD 24 DASC DA NANG TIME 0920
FILAS 22 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT DESCRIPTION COORDINATES PROVINCE

NO DROP

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 MIN ALT _____
 REL ALT _____
 EEL ANGLE _____ PASSES _____ INTERVAL _____
 ENROUTE ALT 18.5 RETURN ALT 17.5 TGT AIRSPEED 450
 ORDNANCE 18 D2A/409 EXPENDED NONE JETTISONED _____
 ORDNANCE/RTB 18 D2A/409 DUDS (SEE NOTE #1) _____
 BDA _____ % ADDITIONAL BDA _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) A/C HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES NO	GIVE REASON BELOW

REMARKS: AIRBORNE ABORT
 (REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

DEBRIEFER HUGGIN TIME 1345 DATE 26 July 69
 SQUADRON 211 CALL SIGN H184591 MSN NO. 6459 FLT CODE 152
 T/O 1155 LAND 1327 TOTAL TIME 310
 PILOTS A/C
MILLER CF33 DASC Helix 6 TIME 1305
HUGGIN CF03 CONTROLLER Helix 27 TIME 1310
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
1310-20	Enemy IN CONTACT	155-45-185	5
	TS		

TGT TERRAIN Level TGT WX 500 400 150 VISIBILITY 7
 REL ANGLE 10° PASSES 5 INTERVAL 30 MIN ALT 600'
 REL ALT 1200'

ENROUTE ALT 20,500 RETURN ALT 6,500 TGT AIRSPEED 450

ORDNANCE 1601A/400' EXPENDED all JETTISONED ---

ORDNANCE/RTB --- DUDS (SEE NOTE #1) ---

BDA 100 % 50 % ADDITIONAL BDA None. Controller

can monitor flight & break in the open.

Will pass on BDA 100/50 2 STRUCTURES DEST

SECONDARY EXPLOSIVES --- NUMBER --- SIZE ---

UNIT SUPPORTED Amer Cal OPERATION Iron mountain
 (LEAVE BLANK)

ENROUTE WX Level 70-150

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BLM. REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Friendlies 150 meters.
 (REFERENCE NOTE #3)

NOTE #1: --- DUD REPORT LOCATION --- REASON FOR ---
--- RECOVERABLE --- FUZE (DELAY/ARM DELAY) ---

NOTE #2: --- ECM ENCOUNTERED --- TIME --- HOW DIRECTED ---

NOTE #3: --- ORDNANCE EFFECTIVENESS Good

DEBRIEFER Rivers TIME 1500 DATE 26 JULY 69
 SQUADRON 24 CALL SIGN HB MSN NO. 6019 FLT CODE 152
 T/O 1740 LAND 1455 TOTAL TIME 2.5
 PILOTS A/C
HUGHES CF 9 DASC TIME
RIVERS 7 CONTROLLER Winkman #8 TIME 1340
 TYPE CONTROLLER ASRT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
1359-1415	VC POSIT EC	YC891940	2

TGT TERRAIN Rolling TGT WX Clouds 2.00 VISIBILITY 7
 EEL ANGLE low PASSES 2 INTERVAL 10 min MIN ALT 20,000
 ENROUTE ALT 19.5 RETURN ALT 16.5 TGT AIRSPEED 290
 ORDNANCE 4037/4027 EXPENDED 2037/3027 JETTISONED 2037/1027
 ORDNANCE/RTB DUDS (SEE NOTE #1)
 BDA % % ADDITIONAL BDA

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 101ST AB OPERATION Kentucky Tanager
 (LEAVE BLANK)

ENROUTE WX 10.0 ϕ V ϕ SAT TSTM

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	A/C MALFUNCTION/MCDDROP
(G) DIVERT	YES ☒ NO ☐	GIVE REASON BELOW

REMARKS: Winkman lost Radio - DIVERT TPQ BY JTR102
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE (DELAY/ARM DELAY)
 NOTE #2: ECM ENCOUNTERED TIME FOW DIRECTED
 NOTE #3: ORDNANCE EFFECTIVENESS

WEBSITEER Wellman TIME 1050 DATE 26 July 69
 SQUADRON 211 CALL SIGN AB091 MSN NO. 609 FLT CODE 152
 T/O 0948 LAND 1035 TOTAL TIME 1.6

PILOTS A/C
Wellman CF 9 DASC Bilk TIME 1000
Kennedy 7 CONTROLLER Bilk TIME 1002
 TYPE CONTROLLER FACA
 TYPE MISSION CAF LRP

TCT	DESCRIPTION	COORDINATES	PROVINCE
<u>1010/1020</u>	<u>LZ Prep</u> <u>UN</u>	<u>EC 117989</u>	<u>2</u>

TGT TERRAIN Hilly TGT WX 6000000 VISIBILITY 5
 EEL ANGLE 20° PASSES 4 INTERVAL 30 Sec. MIN ALT 1500
 ENROUTE ALT 18.5 RETURN ALT 7.5 REL ALT 3000
 ORDNANCE 4034(00)/4024(00) EXPENDED all JETTISONED None
 ORDNANCE/PTB None DUDS (SEE NOTE #1) None
 FDA 100 % 50 % ADDITIONAL FDA 1 Sec. fire

SECONDARY EXPLOSIONS None NUMBER SIZE
 UNIT SUPPORTED 101st ABN OPERATION Kentucky Thunder
 (LEAVE BLANK)

ENROUTE WX 600000 800000 TOPS 160 V 180

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: Friendly 2000 m @ 5 o'clock
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE (DELAY/ARM DELAY)
 NOTE #2: ECM ENCOUNTERED no TIME HOW DIRECTED
 NOTE #3: ORDNANCE EFFECTIVENESS Excellent

DEBRIEFER Wood TIME 2400 DATE 26 July 69
 SQUADRON 211 CALL SIGN HB 555 MEN NO. 6555 FLT CODE 452
 T/O 2230 LAND 2400 TOTAL TIME 1.5

PILOTS

A/C

Wood CF 17 DASC CHULAI TIME 2240
 CONTROLLER 79 TIME 2245
 TYPE CONTROLLER ASRT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2245-</u>	<u>EN LOC EC</u>	<u>BS444814</u>	<u>II 5</u>
<u>2300</u>	<u>EN LOC</u>	<u>BS454774</u>	

TGT TERRAIN Rolling TGT WX 13.0 VISIBILITY 7
 EEL ANGLE LEVEL PASSES 1 INTERVAL — MIN ALT 14.5
 REL ALT 14.5
 ENROUTE ALT 16.5 RETURN ALT 21.5 TGT AIRSPEED 290
 ORDNANCE 602 W/M EXPENDED AZC JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA % TPQ ADDITIONAL BDA —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED AMERICAN OPERATION GENEVA PARK
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: — (REFERENCE NOTE #3) —

NOTE #1: — DUD REPORT LOCATION — REASON FOR —
— RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: — ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: — ORDNANCE EFFECTIVENESS —

DEBRIEFER R TIME 1510 DATE 26 JUL 69
 SQUADRON 211 CALL SIGN AB227 MSN NO. 6227 FLT CODE 1SL
 T/O 1335 LAND 1500 TOTAL TIME 28

PILOTS Richards A/C 15 DASC AN40A TIME 1350
Scheerer 12 CONTROLLER 11 TIME 1355
 TYPE CONTROLLER TPQ ASRT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1400-15</u>	<u>Base Camp</u>	<u>2C098653</u>	<u>3</u>
	<u>##</u>	<u>2C093655</u>	

TGT TERRAIN DMK TGT WX 80 VISIBILITY 0.9
 REL ANGLE level PASSES 3 INTERVAL — MIN ALT 78.8
 ENROUTE ALT 145 RETURN ALT 7.5 TGT AIRSPEED 290
 ORDNANCE 12 D2W/y EXPENDED 10 D2W/y JETTISONED None
 ORDNANCE/RTB 2 D2W/y DUDS (SEE NOTE #1)
 BDA —% —% ADDITIONAL BDA —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1ST MA OPERATION —
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: TPQ
 (REFERENCE NOTE #3)

NOTE #1: — DUD REPORT LOCATION — REASON FOR —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: — ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: — ORDNANCE EFFECTIVENESS —

DEBRIEFER R/KC TIME 0905 DATE 26 JUL
 SQUADRON 211 CALL SIGN 451 MSN NO. 6451 FLT CODE 152
 T/O 0752 LAND 0847 TOTAL TIME 1.8
 PILOTS LANGE/HANSON A/C CF 5/23
 DASC DNUNG TIME 0815
 CONTROLLER HOST 1 TIME 0815
 TYPE CONTROLLER FPC(A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
0825/31	FORT FID VILLAGE	N 90603	3
	EC		

TGT TERRAIN FLAT TGT WX 0 VISIBILITY 10
 REL ANGLE 20 PASSES 8 INTERVAL 30 MIN ALT 500
 ENROUTE ALT 18.5 RETURN ALT 5.5 REL ALT 1700
 TGT AIRSPEED 450
 ORDNANCE 601A/49 EXPENDED 401A/409 JETTISONED —
 ORDNANCE/RTB 201A DUDS (SEE NOTE #1) —
 BDA 90 % 95 % ADDITIONAL BDA —

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 1st MAZOU OPERATION P. Pestina Canyon
 (LEAVE BLANK)

ENROUTE WX _____

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) A/C HIT
 (D) RECON INSERT/EXTRACT
 (E) BDA REPORTED
 (F) ABORT
 (G) DIVERT

YES	NO	
YES	NO	FILE FORM WITH BARREL
YES	NO	FILE FORM WITH BARREL
YES	NO	FILE FLASH REPORT WITH BARREL
YES	NO	CIRCLE ONE/COORD
YES	NO	IF ADDITIONAL CIRCLE
YES	NO	A/C MALFUNCTION/NO DROP
YES	NO	GIVE REASON BELOW

REMARKS: _____ (REFERENCE NOTE #3) _____

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS Good

DATE 26 July 69
 SQUADRON 211 CALL SIGN 255 MSN NO. 6255 FLT CODE 142
 T/O 1030 LAND 1100 TOTAL TIME .5

PILOTS

A/C

Them 01 DASC TIME
 CONTROLLER TIME
 TYPE CONTROLLER TIME
 TYPE MISSION TIME

TOT DESCRIPTION COORDINATES PROVINCE

TEST HOP
TIME TIME
TIME TIME
TIME TIME
TIME TIME

TGT TERRAIN TIME TGT WK TIME VISIBILITY TIME
 MIN ALT TIME
 REL ANGLE TIME PASSES TIME INTERVAL TIME REL ALT TIME
 ENROUTE ALT TIME RETURN ALT TIME TGT AIRSPEED TIME
 ORDNANCE TIME EXPENDED TIME JETTISONED TIME
 ORDNANCE/RTB TIME DUDS (SEE NOTE #1) TIME
 BDA TIME % TIME % ADDITIONAL BDA TIME

SECONDARY EXPLOSIONS TIME NUMBER TIME SIZE TIME
 UNIT SUPPORTED TIME OPERATION TIME
 (LEAVE BLANK)

ENROUTE WK TIME

(A) HOSTILE FIRE YES NO FIRE FORM WITH BARREL
 (B) AIRBURST YES NO FIRE FORM WITH BARREL
 (C) A/C HIT YES NO FIRE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
 (F) ABORT YES NO A/C MALFUNCTION/NOCDROP
 (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: TIME
 (REFERENCE NOTE #3)

NOTE #1: TIME DUD REPORT LOCATION TIME REASON FOR TIME
 RECOVERABLE TIME FUZE (DELAY/ARM DELAY) TIME

NOTE #2: TIME ECM ENCOUNTERED TIME TIME TIME HOW DIRECTED TIME

NOTE #3: TIME ORDNANCE EFFECTIVENESS TIME

DEBRIEFER TIME 0030 DATE 27 July 69
 SQUADRON 211 CALL SIGN HB MSN NO. 6557 FLT CODE 352
 T/O 2310 LAND 0015 TOTAL TIME 1.1
 PILOTS A/C
NORDELL, CF-24 DASC BURNINGHAM 2335
 CONTROLLER 08 TIME 2320
 TYPE CONTROLLER ASRT
 TYPE MISSION TPQ

TGT	DESCRIPTION	COORDINATES	PROVINCE
<u>2339</u>	<u>ENEMY LOCATION</u>	<u>YD351061</u>	<u>RVDL/ITT</u>
<u> </u>	<u>EC</u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>

TGT TERRAIN UNK TGT WX 13.0 VISIBILITY 7+
 WEL ANGLE LEVEL PASSES 1 INTERVAL MIN ALT 15000
 ENROUTE ALT 16.5 RETURN ALT 21.5 REL ALT 15000
 ORDNANCE 6024/W EXPENDED ALL JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE #1)
 BDA % ADDITIONAL BDA

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED 101ST AIRBORNE OPERATION MONTGOMERY REND
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS OK

DEBRIEFER TIME 1615 DATE 7/7/68
 SQUADRON 5311 CALL SIGN MAN 21 MSN NO. 0892 FLT CODE 151
 T/O 1730 LAND 1110 TOTAL TIME 3.4
 PILOTS A/C

 DASC 110 TIME 1715
 CONTROLLER STORMY 02 TIME 1735
 TYPE CONTROLLER
 TYPE MISSION ST/DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
1815	TRUCK	XD 45° 10'	LAOS
	mv	1637 10622	
	329		

TGT TERRAIN Rolling TGT WX 11.00 VISIBILITY 3
 REL ANGLE 20 PASSES 6 INTERVAL 30 MIN ALT 1.5
 ENROUTE ALT 18.5 RETURN ALT 30.5 REL ALT 3.0
 TGT AIRSPEED 450
 ORDNANCE EXPENDED 46 JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE #1)
 BDA 100% % ADDITIONAL BDA 1.2

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED OPERATION
 (LEAVE BLANK)
 ENROUTE WX

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/CORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME IF W DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER Edwards TIME 1030 DATE 27 July
 SQUADRON 211 CALL SIGN H8012 MSN NO. 6012 FLT CODE 151
 T/O 0905 LAND 1020 TOTAL TIME 2.6

PILOTS A/C
Edwards 22 DASC Dug TIME 0907
Bircher 15 CONTROLLER Black Ace 19 TIME 0910
 TYPE CONTROLLER FAC (A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0920-24</u>	<u>Tree line</u> <u>ES</u>	<u>BT016519</u>	<u>3</u>
	<u>318</u>		

TGT TERRAIN Level TGT WX 900 VISIBILITY 10
 REL ANGLE 20 PASSES 8 INTERVAL 30 MIN ALT 500
 ENROUTE ALT 8.5 RETURN ALT 3.5 REL ALT 1100
 CRDN/NCE 8D2A 209 EXPENDED Arc JETTISONED -

CRDNANCE/RTE - DUDS (SEE NOTE #1) -
 BDA 95 % 95 % ADDITIONAL BDA 75 meters of Tree
line

SECONDARY EXPLOSIONS - NUMBER - SIZE -
 UNIT SUPPORTED ARVN OPERATION -
 (LEAVE BLANK)

ENROUTE WX 900 10

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: Feindli 250 meters
 (REFERENCE NOTE #3)

NOTE #1: - DUD REPORT LOCATION - REASON FOR -
- RECOVERABLE - FUZE (DELAY/ARM DELAY) -

NOTE #2: - ECM ENCOUNTERED - TIME - F/W DIRECTED -

NOTE #3: - CRDNANCE EFFECTIVENESS Good Tgt ORO

DEBRIEFER Wellman TIME 1035 DATE 27 July 69
 SQUADRON 211 CALL SIGN AB 040 MSN NO. 6090 FLT CODE 152
 T/O 0909 LAND 1025 TOTAL TIME 2.6

PILOTS Wellman A/C CF 5 DASC Bilb TIME 0915
Kennedy 12 CONTROLLER Bilb 29 TIME 0920
 TYPE CONTROLLER FACA
 TYPE MISSION DA5

TOT DESCRIPTION COORDINATES PROVINCE

1000/10 Enemy Caves 4D 829066 2
CV

379

TGT TERRAIN Hilly TGT WX 7000 VISIBILITY 7
 EEL ANGLE 20° PASSES 6 INTERVAL 30 Sec MIN ALT 600'
 ENROUTE ALT 14.5 RETURN ALT 7.5 TGT AIRSPEED 450 MPH
 ORDNANCE 8.125/409 EXPENDED all JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100% 100 % ADDITIONAL BDA —

SECONDARY EXPLOSIVES — NUMBER — SIZE —

UNIT SUPPORTED 101st A.B. OPERATION Kentucky Hammer
 (LEAVE BLANK)

ENROUTE WX 7000 9000 1200 7

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: Trindles 5000 m South
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED No TIME — NOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS Good

DEBRIEFER POW TIME 2305 DATE 27 July
 SQUADRON 211 CALL SIGN H/B556 MSN NO. 6556 FLT CODE 352
 T/O 9235 LAND 2255 TOTAL TIME .3

PILOTS _____ A/C _____
W. Rick CF21 DASC _____ TIME _____
 _____ _____ CONTROLLER _____ TIME _____
 _____ _____ TYPE CONTROLLER _____
 _____ _____ TYPE MISSION _____

TGT _____ DESCRIPTION DO NOT COORDINATES _____ PROVINCE _____

NO DROP
AIR BORN ABORT

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 MIN ALT _____
 EEL ANGLE _____ PASSES _____ INTERVAL _____ REL ALT _____
 ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____
 ORDNANCE 6 D2 EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB 6 D2 DUDS (SEE NOTE #1) _____
 BDA _____ % _____ % ADDITIONAL BDA _____

SECONDARY EXPLOSIVES _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) A/C HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES NO	GIVE REASON BELOW

REMARKS: _____
 _____ (REFERENCE NOTE #3) _____

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

DEFBIEFER Roore TIME 2315 DATE 27 JUNE 69
 SQUADRON 211 CALL SIGN HB 554 MSN NO. 6554 FLT CODE 352
 T/O 2130 LAND 2305 TOTAL TIME 1.6
 PILOTS Roore A/C CF 20 DASC - TIME -
 CONTROLLER DONGHA ASRT TIME 2150
 TYPE CONTROLLER ASRT
 TYPE MISSION TPQ

TOT DESCRIPTION COORDINATES PROVINCE
2200/07 MORTAR POSIT EL YD 055688 I
306
 TGT TERRAIN UNK TGT WX 100 A VISIBILITY 15+
 REL ANGLE Level PASSES 1 INTERVAL - MIN ALT 20,000
 ENROUTE ALT 20.5 RETURN ALT 21.5 REL ALT 20,000
 TGT AIRSPEED 290
 ORDNANCE 6 D2 W4 EXPENDED 44 JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE #1) -
 BDA % ADDITIONAL BDA UNK

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 3rd M.D. OPERATION IDAHO CANYON
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____ (REFERENCE NOTE #3) _____

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

DEBRIEFER REE TIME 0925 DATE 27 JULY 69
 SQUADRON 211 CALL SIGN HB450 MSN NO. 6450 FLT CODE 152
 T/O 0728 LAND 0908 TOTAL TIME 3.2

PILOTS

A/C

PyTKO, COL
REE

CF07
CF11

DASC DONG HA TIME 0915
 CONTROLLER SW 97.1 TIME 0920
 TYPE CONTROLLER FAC(A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0825/37</u>	<u>ACTIVE MORTAR TUBE</u> <u>EL</u>	<u>XD 065672</u>	<u>1</u>
	<u>313</u>		

TGT TERRAIN LEVEL TGT WX 750 VISIBILITY 10+
 REL ANGLE 20 PASSES 6 INTERVAL 30' MIN ALT 600'
 REL ALT 1050'
 ENROUTE ALT 18500 RETURN ALT 19500 TGT AIRSPEED 450
 ORDNANCE 16 DIA 409 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL BDA —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3 MARINES DIV OPERATION IEDHO-CAYAN
 (LEAVE BLANK)

ENROUTE WX BROKEN CLOUDS 7000 / 17000

(A) HOSTILE FIRE	YES ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒	A/C MALFUNCTION/MCDDRO
(G) DIVERT	YES ☒	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME FW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

REGISTREEP _____ TIME _____ DATE 27 July 68
 SQUADRON 211 CALL SIGN 588 MSN NO. 6588 FLT CODE 152
 T/O 0843 LAND 1025 TOTAL TIME 3.6

PILOTS

A/C

Dickerson
Call

CE 1
18

DASC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT DESCRIPTION COORDINATES PROVINCE

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 MIN ALT _____
 REL ALT _____
 EEL ANGLE _____ PASSES _____ INTERVAL _____
 ENROUTE ALT 26.5 RETURN ALT 25.5 TGT AIRSPEED _____
 ORDNANCE 6 D2 207 408 EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB ALL DUDS (SEE NOTE #1) _____
 BDA _____ % _____ % ADDITIONAL BDA _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FIRE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENGAGED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

DEBRIEFER TIME DATE 27 July 68
 SQUADRON 211 CALL SIGN H6022 MEN NO. 6022 FLT CODE 152
 T/O 1010 LAND 1130 TOTAL TIME 26
 PILOTS A/C
Lenzini CE 17 DASC DmgthA TIME 1025
Oseguera 23 CONTROLLED SW 97-2 TIME 1030
 TYPE CONTROLLER FACA
 TYPE MISSION OAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1050-55</u>	<u>INTERDICTION OF TRAIL</u>	<u>X0828237</u>	<u> </u>
<u> </u>	<u>RD</u>	<u> </u>	<u> </u>
<u> </u>	<u>324</u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>

TGT TERRAIN MTS TGT WX 250 VISIBILITY 15
 REL ANGLE 100 PASSES 2 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 16.5 RETURN ALT 13.5 REL ALT 2000
 ORDINANCE 12 DZQ EXPENDED 602Q JETTISONED
 ORDINANCE/RTB 602Q DUDS (SEE NOTE #1)
 BDA 100% 50 % ADDITIONAL BDA

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 3rd M.Dn OPERATION Arlington Canyon
 (LEAVE BLANK)
 ENROUTE WX

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) A/C HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE (DELAY/ARM DELAY)
 NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED
 NOTE #3: ORDINANCE EFFECTIVENESS

DEBRIEFER WOOD TIME 1215 DATE 27 July 69
 SQUADRON 211 CALL SIGN HB 454 MSN NO. 6454 FLT CODE 152
 T/O 0955 LAND 1155 TOTAL TIME 4.0
 PILOTS RIVERS A/C CE 3 DASC TRAIL ALAIA TIME 1105
WOOD CE 21 CONTROLLER TRAIL TIME 1110
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1115-27</u>	<u>SUB EN. LOCATION</u>	<u>YD 270313</u>	<u>Z</u>
	<u>EC</u>		
	<u>323</u>		

TGT TERRAIN Hilly TGT WX 60 CD VISIBILITY 7+
 REL ANGLE 200 PASSES 9 INTERVAL 300 MIN ALT 600
 ENROUTE ALT 20.5 RETURN ALT 13.5 REL ALT 1050
 ORDINANCE 16 DIA 409 EXPENDED All TGT AIRSPEED 480
 ORDINANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA _____ % ADDITIONAL BDA 100% w/o 50m

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED ARVN OPERATION _____ (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES NO	FIRE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) A/C HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES NO	GIVE REASON BELOW

REMARKS: GOOD ORDINANCE DUE TO
CELLING FRIENDLIES AT 2000M
 (REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ H W DIRECTED _____
 NOTE #3: _____ ORDINANCE EFFECTIVENESS _____

DEBRIEFER DICKERSON MG TIME 1220 DATE 27 JULY 69
 SQUADRON 211 CALL SIGN HR 590 MSN NO. 6590 FLT CODE 152
 T/O 1025 LAND 1206 TOTAL TIME 3.2

PILOTS

A/C

DICKERSON MG
COLL

CF 1
CF 18

DASC VICE SQUAD TIME 0850
 CONTROLLER AD HOC ASRT TIME 1130
 TYPE CONTROLLER ASRT
 TYPE MISSION TR

TOT

DESCRIPTION

COORDINATES

PROVINCE

1140

BASE CAMP BS
FAI COASTON

AT 994 4013326

TGT TERRAIN

R

TGT WX

HR 04

VISIBILITY

3

HEEL ANGLE

LEVEL

PASSES

1

INTERVAL

MIN ALT

20.5

REL ALT

20.5

ENROUTE ALT

26.5

RETURN ALT

25.5

TGT AIRSPEED

290

ORDNANCE

6D24 207 408

EXPENDED

602

JETTISONED

2 D7

ORDNANCE/RTB

4 D8

DUDS (SEE NOTE #1)

NONE

BDA

40%

ADDITIONAL BDA

SECONDARY EXPLOSIONS

NUMBER

SIZE

UNIT SUPPORTED

7th AFTRD

OPERATION

Durham Peak
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE

YES NO

FILE FORM WITH BARREL

(B) AIRBURST

YES NO

FILE FORM WITH BARREL

(C) A/C HIT

YES NO

FILE FLASH REPORT WITH BARREL

(D) RECON INSERT/EXTRACT

YES NO

CIRCLE ONE/COORD

(E) BDA REPORTED

YES NO

IF ADDITIONAL CIRCLE

(F) ABORT

YES NO

A/C MALFUNCTION/NOCDROP

(G) DIVERT

YES NO

GIVE REASON BELOW

REMARKS:

(REFERENCE NOTE #3)

NOTE #1:

DUD REPORT LOCATION

REASON FOR

RECOVERABLE

FUZE (DELAY/ARM DELAY)

NOTE #2:

ECM ENCOUNTERED

TIME

HOW DIRECTED

NOTE #3:

ORDNANCE EFFECTIVENESS

DEBRIEFER Gro R TIME 1730 DATE 27 JUL 79
 SQUADRON 211 CALL SIGN HB 466 MEN NO. 6466 FLT CODE 152
 T/O 1545 LAND 1710 TOTAL TIME 2.8
 PILOTS A/C
GRAMM CE 5 DASC Darius TIME 28
HUTSON 18 CONTROLLER Host. B TIME 30
 TYPE CONTROLLER FALCAI
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1645-53</u>	<u>Hootches</u>	<u>ZC 712626</u>	<u>3</u>
	<u>BL</u>		
	<u>340</u>		

TGT TERRAIN 1941 TGT WX 500 VISIBILITY 10+
 MIN ALT 800'
 EEL ANGLE 20° PASSES 10 INTERVAL 30sec REL ALT 1300'
 ENROUTE ALT 12.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 16 DIA - 40-9 EXPENDED all JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 90 % ADDITIONAL BDA 4 Hootches Dest

SECONDARY EXPLOSICMS — NUMBER — SIZE —
 UNIT SUPPORTED 1st MAR DIV OPERATION —
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIREURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: Friendly no factors - 2.5 km
 (REFERENCE NOTE #3) Amoy

NOTE #1: — DUD REPORT LOCATION — REASON FOR —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: — ECM ENCOUNTERED — TIME — H/W DIRECTED —

NOTE #3: — ORDNANCE EFFECTIVENESS Good for target

CARRIER Richards TIME 1500 DATE 27 JUL 66
 SQUADRON 2-11 CALL SIGN H3016 MSN NO. 6016 FLT CODE 152
 T/O 1445 LAND 1533 TOTAL TIME 1.6
 PILOTS Richards A/C 11 DASC Helix TIME 1450
Scheerer 22 CONTROLLER BLK 11 TIME 1455
 TYPE CONTROLLER ACCA
 TYPE MISSION DAS

TGT 1500/12 DESCRIPTION ENLOC COORDINATES BT243126 PROVINCE 4
EC
337
 TGT TERRAIN Hilly TGT WX 9.0 ⊕ VISIBILITY 4
 REL ANGLE 30° PASSES 10 INTERVAL 30 sec MIN ALT 1000'
 ENROUTE ALT 7.5 RETURN ALT 5.5 REL ALT 3000'
 TGT AIRSPEED 450
 ORDNANCE 12 DZ W/Y EXPENDED 1102 JETTISONED —
 ORDNANCE/RTB 1 DZ W/Y DUDS (SEE NOTE #1) —
 BDA 100% 80% ADDITIONAL BDA 2 Hootches Dest
5 Bunkers Dest.

C
 SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 101st A.B. OPERATION Lamar Plain
 (LEAVE BLANK)

ENROUTE WX 9.0 ⊕

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Ord. OK for 1st Friendlyes no
factor. (REFERENCE NOTE #3)

NOTE #1: — DUD REPORT LOCATION — REASON FOR —
RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 NOTE #2: — ECM ENCOUNTERED — TIME — HOW DIRECTED —
 NOTE #3: — ORDNANCE EFFECTIVENESS —

DEBRIEFER Bircher TIME 1305 DATE 28 July 69
 SQUADRON 211 CALL SIGN HR 459 MSN NO. 6459 FLT CODE 152
 T/O 1130 LAND 1254 TOTAL TIME 28
 PILOTS A/C
Miller CF 9 DASC D.D. TIME 1212
Bircher 20 CONTROLLER Ala Kins TIME 1215
 TYPE CONTROLLER FAC (C)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1220/40</u>	<u>Enemy Will</u> <u>✓</u>	<u>AT 939506</u>	<u>RAI</u>

TGT TERRAIN Flat TGT WX 800 A VISIBILITY 7
 REL ANGLE 20° PASSES 6 INTERVAL 30 sec MIN ALT 600' AGL
 ENROUTE ALT 12.5 RETURN ALT 5.5 REL ALT 1050' AGL
 ORD/NLCE 16 DA 4 D9 EXPENDED A11 JETTISONED 0
 ORD/NANCE/RTB 0 DUDS (SEE NOTE #1)
 BDA 100% 100% % ADDITIONAL BDA 1 struc. dest. -
1 struc. down.

SECONDARY EXPLOSIONS 0 NUMBER SIZE
 UNIT SUPPORTED 1930 515th A.P. OPERATION Pipestone Canyon
 (LEAVE BLANK)

ENROUTE WX 120 0/130

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORD/NANCE EFFECTIVENESS OK BUT HIGH DIVE WOULD
HAVE BEEN BETTER. FRIENDLIES 2.5 Km
NORTH.

DEBRIEFER Kennedy TIME 1755 DATE 28 July
 SQUADRON 211 CALL SIGN HB MSN NO. 6467 FLT CODE 152
 T/O 1529 LAND 1732 TOTAL TIME 2.3

PILOTS

A/C

PYTKO
KENNEDY

CE-18

CE-24

DASC DANANGTIME 1650CONTROLLER HOSTAGE INDIA TIME 1655TYPE CONTROLLER FAC (A)TYPE MISSION CAS

TOT

DESCRIPTION

COORDINATES

PROVINCE

1705/15 Reconn in contact ZC 215285 (3)
TS

TGT TERRAIN

MTS

TGT WX

70A

VISIBILITY

3

REL ANGLE

20°

PASSES

10

INTERVAL

30

MIN ALT

1.6

REL ALT

1.2

ENROUTE ALT

18.5

RETURN ALT

7.5

TGT AIRSPEED

450

ORDNANCE

1601A/409

EXPENDED

111

JETTISONED

—

ORDNANCE/RTB

—

DUDS (SEE NOTE #1)

—

BDA

100%100%

ADDITIONAL BDA

no further

SECONDARY EXPLOSIONS

NUMBER

SIZE

UNIT SUPPORTED

15th A.P.

OPERATION

(LEAVE BLANK)

ENROUTE WX

☉

(A) HOSTILE FIRE

YES

NO

FIRE FORM WITH BARREL

(B) AIRBURST

YES

NO

FILE FORM WITH BARREL

(C) A/C HIT

YES

NO

FILE FLASH REPORT WITH BARREL

(D) RECON INSERT EXTRACT

YES

NO

CIRCLE ONE/COORD

ZC 215285

(E) BDA REPORTED

YES

NO

IF ADDITIONAL CIRCLE

(F) ABORT

YES

NO

A/C MALFUNCTION/NO DROP

(G) DIVERT

YES

NO

GIVE REASON BELOW

REMARKS:

Reconn in contact - 70 MTS

(REFERENCE NOTE #3)

NOTE #1:

DUD REPORT LOCATION

REASON FOR

RECOVERABLE

FUZE (DELAY/ARM DELAY)

NOTE #2:

ECM ENCOUNTERED

TIME

HOW DIRECTED

NOTE #3:

ORDNANCE EFFECTIVENESS

DEBRIEFER Tierney TIME 0125 DATE 28 Jul 69
 SQUADRON 211 CALL SIGN 552 MSN NO. 6552 FLT CODE 352
 T/O 0014 LAND 0114 TOTAL TIME 2.0
 PILOTS A/C
DANE 23 DASC DANE TIME 0025
Tierney 9 CONTROLLER Hotage Dog TIME 0029
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT 0030/0045 DESCRIPTION VC INFIL Route COORDINATES ZC 167567 PROVINCE 3
RD
 TGT TERRAIN Hilly TGT WX 0 VISIBILITY 1000
 REL ANGLE 30 PASSES 4 INTERVAL 1000 MIN ALT 1000
 ENROUTE ALT 8500 RETURN ALT 9500 REL ALT 3000
 TGT AIRSPEED 450
 ORDNANCE 16 DI EXPENDED ALL JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1)
 BDA 100 % 100 % ADDITIONAL BDA 1 Subsequent day
Fire

SECONDARY EXPLOSIONS 0 NUMBER SIZE
 UNIT SUPPORTED 1st MAR DIV OPERATION Durham Peak
 (LEAVE BLANK)

ENROUTE WX 90 @

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: do
Coastal
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS OK

DEBRIEFER Tierney TIME 1209 DATE 28 Jul 69 msb
 SQUADRON 211 CALL SIGN 1041 MSN NO. 6041 FLT CODE 152
 T/O 1101 LAND 1158 TOTAL TIME 2.0

PILOTS

A/C

Dickerson
Tierney

18
23

DASC For HHA TIME 1120
 CONTROLLER 31 TIME 1124
 TYPE CONTROLLER ASRA-1
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1125/1131</u>	<u>Seeding Area</u> <u>MN</u>	<u>X0673478</u>	<u>1</u>

TGT TERRAIN R TGT WX 0 VISIBILITY 2
 MIN ALT 20.0
 REL ANGLE Leave PASSES 1 INTERVAL — REL ALT 20.0
 ENROUTE ALT 20.5 RETURN ALT 21.5 TGT AIRSPEED 290
 ORDNANCE 12 P-2 Q EXPENDED ALL JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1) —
 BDA " % BEATIFIED " ADDITIONAL BDA "

SECONDARY EXPLOSIONS 0 NUMBER — SIZE —
 UNIT SUPPORTED 3 MAR DU OPERATION Georgia Tar
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FIRE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: — (REFERENCE NOTE #3) —

NOTE #1: — DUD REPORT LOCATION — REASON FOR —
— RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: — ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: — ORDNANCE EFFECTIVENESS —

DEBRIEFER JB TIME 1150 DATE 28 July 69
 SQUADRON 211 CALL SIGN H8023 MEN NO. 6023 FLT CODE 152
 T/O 1030 LAND 1135 TOTAL TIME 2.2

PILOTS

A/C

McAnally 3 DASC TIME
Wood 5 CONTROLLER Dong H431 TIME 1100
 TYPE CONTROLLER A3RT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1115</u>	<u>Seeding</u>	<u>XD812230</u>	<u>1</u>
	<u>MN</u>		

TGT TERRAIN R TGT WX 4.00 VISIBILITY 3
 REL ANGLE Level PASSES 1 INTERVAL — MIN ALT 20.0
 ENROUTE ALT 20.5 RETURN ALT 19.5 REL ALT 20.0 TGT AIRSPEED 290
 ORDNANCE 12 DRQ EXPENDED A11 JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA unk % ADDITIONAL BDA —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3 Mar Div. OPERATION Arming Ton Canyon
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —
— (REFERENCE NOTE #3) —

NOTE #1: — DUD REPORT LOCATION — REASON FOR —
— RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: — ECM ENCOUNTERED — TIME — NOW DIRECTED —

NOTE #3: — ORDNANCE EFFECTIVENESS ?

DEBRIEFER Wellman TIME 1055 DATE 28 July 69
 SQUADRON 211 CALL SIGN N13 589 MSN NO. 6589 FLT CODE 152
 T/O 0850 LAND 1030 TOTAL TIME 3.4
 PILOTS A/C
Wellman 11 DASC Helix TIME 0955
White 1 CONTROLLER Helix 25 TIME 1000
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1008/17</u>	<u>Enemy Ville</u>	<u>BS 677890</u>	<u>4</u>
	<u>VL</u>		

TGT TERRAIN Flat TGT WX 1200 VISIBILITY 10
 REL ANGLE 30° PASSES 8 INTERVAL 30 Sec MIN ALT 1200
 ENROUTE ALT 18.5 RETURN ALT 5.5 TGT AIRSPEED 450
 ORDNANCE 6024/408/207 EXPENDED 6024/207 JETTISONED None
 ORDNANCE/RTB 408 DUDS (SEE NOTE #1) None
 BDA 100% 50% ADDITIONAL BDA 8 Structures dest.
3 Structures damaged

SECONDARY EXPLOSIONS None NUMBER SIZE
 UNIT SUPPORTED America OPERATION Geneva Park
 (LEAVE BLANK)

ENROUTE WX 1200 @ 160 @ 180 @ V @

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/CORRD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: Friendly 3000 meters away
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED No TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS None - 50% would have been better

DEBRIEFER RUTHERFORD TIME 1000 DATE 28 JULY
 SQUADRON 211 CALL SIGN 155 MSN NO. 6155 FLT CODE 152
 T/O 0830 LAND 0940 TOTAL TIME 2.4

PILOTS

A/C

RUTHERFORD
MURSON

8
24

DASC BILL TIME 0850
 CONTROLLER BILL 25 TIME 0905
 TYPE CONTROLLER FAC (A)
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0920/30</u>	<u>EN 205</u>	<u>YC 874986</u>	<u>2</u>
	<u>EC</u>		

TGT TERRAIN mountains TGT WX 12.00 VISIBILITY 10 miles
 REL ANGLE 30 PASSES 8 INTERVAL 30 sec MIN ALT 1500
 ENROUTE ALT 10.5 RETURN ALT 9.5 REL ALT 3000
 ORDNANCE 403, 402 EXPENDED ALL JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE #1) -
 BDA 100 % 10 % ADDITIONAL BDA 1 STRUCTURE + 3 BUNKERS
DESTROYED

SECONDARY EXPLOSIONS - NUMBER - SIZE -

UNIT SUPPORTED 101st A.B. OPERATION Kentucky Jumper
 (LEAVE BLANK)

ENROUTE WX -

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☒ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☒ NO ☐	GIVE REASON BELOW

REMARKS: Ordnance good for TGT.
 (REFERENCE NOTE #3)

NOTE #1: - DUD REPORT LOCATION - REASON FOR -

RECOVERABLE - FUZE (DELAY/ARM DELAY) -

NOTE #2: - ECM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: - ORDNANCE EFFECTIVENESS -

DEBRIEFER RKC TIME 0005 DATE 28 JUL
 SQUADRON 211 CALL SIGN 557 MEN NO. 6557 FLT CODE 452
 T/O 2230 LAND 2355 TOTAL TIME 1.4
 PILOTS LANGE A/C CF19
 DASC Dong Ha Area TIME 2300
 CONTROLLER #20 TIME —
 TYPE CONTROLLER ASST
 TYPE MISSION TPP

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2315</u>	<u>BUNKERS</u>	<u>BF</u>	<u>YD 053667</u>

TGT TERRAIN — TGT WX 150 @ VISIBILITY — 6
 FEL ANGLE — PASSES 1 INTERVAL — MIN ALT 15.5
 ENROUTE ALT 16.5 RETURN ALT 13.5 REL ALT 15.5
 TGT AIRSPEED 290
 ORDNANCE 602W8 EXPENDED RKC JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) 1
 BDA — % ADDITIONAL BDA —

C
 SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3rd MAJ DIV OPERATION IDAHO CANYON
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: — (REFERENCE NOTE #3)

NOTE #1: — DUD REPORT LOCATION — REASON FOR —
— RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: — ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: — ORDNANCE EFFECTIVENESS —

DEBRIEFER COLL TIME 2230 DATE 28 JULY 69
 SQUADRON 211 CALL SIGN H/B MEN NO. 6555 FLT CODE BS2
 T/O 2113 LAND 2219 TOTAL TIME 1.1

PILOTS

A/C

COLL 21 DASC — TIME —
 CONTROLLER CHULAI 2150
 TYPE CONTROLLER ASRAT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2150</u>	<u>EN LOC</u> <u>EC</u> <u>SUSPECTED</u>	<u>BS 460 995</u>	<u>5</u>

TGT TERRAIN — TGT WX 14.0 VISIBILITY 5
 REL ANGLE LEVEL PASSES 2 INTERVAL — MIN ALT 14.1
 ENROUTE ALT 14.1 RETURN ALT 20M REL ALT 14.1
 ORDNANCE 6 D2 WY EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA % ADDITIONAL BDA —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED AMERICAN OPERATION GENEVA PARK
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: TPQ CONTROLLER 75
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEPRIEFER Richard TIME 1210 DATE 28 July 69
 SQUADRON 211 CALL SIGN HBO15 MSN NO. 6015 FLT CODE 112
 T/O 1050 LAND 1200 TOTAL TIME 24
 PILOTS Richard A/C 1
Schaefer 15
 DASC Fuger TIME 1105
 CONTROLLER Birmingham TIME 1110
 TYPE CONTROLLER ASPT
 TYPE MISSION TRP

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1175/20</u>	<u>Known Enloc</u>	<u>10713881</u>	<u>2</u>
	<u>EC</u>		

TGT TERRAIN R TGT WX 1000 VISIBILITY 5
 REL ANGLE level PASSES 2 INTERVAL — MIN ALT 10.0
 ENROUTE ALT 10.5 RETURN ALT 9.5 REL ALT 10.0 TGT AIRSPEED 290
 ORDNANCE 4D3 4D2 EXPENDED All JETTISONED —
 ORDNANCE/RTE None DUDS (SEE NOTE #1) —
 BDA amb % ADDITIONAL BDA —

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 101st A.B. OPERATION Kentucky Jumper
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FIRE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

DEBRIEFER CO TIME 1315 DATE 29 JUL 69
 SQUADRON 211 CALL SIGN H/B MSN NO. 6458 FLT CODE 152
 T/O 1200 LAND 1315 TOTAL TIME 2.6
 PILOTS A/C
COLL CF 8 DASC DANANG TIME 1295
EDWARDS 7 CONTROLLER DANANG 14 TIME 1250
 TYPE CONTROLLER EAC (G)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1315-47</u>	<u>EN VILLE + BUNKERS</u>	<u>AT 938589</u>	<u>3</u>
	<u>VL</u>		

TGT TERRAIN FLAT TGT WX CLEAR VISIBILITY 10+
 EEL ANGLE 20° PASSES 12 INTERVAL 30 sec MIN ALT 600
 ENROUTE ALT 185M RETURN ALT 910 REL ALT 1050
 TGT AIRSPEED 450
 ORDNANCE 16 DAA-409 EXPENDED 14 DAA-409 JETTISONED —
 ORDNANCE/RTB 2 DIA DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL BDA 1 BUNKER DENT 50 METERS
TREES

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 1 BAT 5 MARINES M.D. OPERATION Durham Peak
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECCN INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: FRIGIDS AT 2000 METERS
 (REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
 NOTE #3: _____ ORDNANCE EFFECTIVENESS GOOD TAGG DRD

DEPT/REFR HUTSON TIME 0730 DATE 29 JULY 69
 SQUADRON 211 CALL SIGN 152 MSN NO. 6152 FLT CODE 152
 T/O 0640 LAND 0715 TOTAL TIME 1.2

PILOTS

A/C

WELLMAN
HUTSON

CF 20
24

DASC DANANG TIME 0645
 CONTROLLER HOSTAGE DET TIME 0646
 TYPE CONTROLLER TACA
 TYPE MISSION 1045 L2P

TOT DESCRIPTION COORDINATES PROVINCE

0655-0700 L2P AT 845545 3

4.2

TGT TERRAIN LEVEL TGT WX 80 @ 1200 VISIBILITY 7

EEL ANGLE 30° PASSES 6 INTERVAL 30 MIN ALT 2000
 REL ALT 3000

ENROUTE ALT 6.5 RETURN ALT 5.5 TGT AIRSPEED 450

ORDNANCE 12D24(DC) EXPENDED ALL JETTISONED NONE

ORDNANCE/RTB — DUDS (SEE NOTE #1) 2

BDA 90 % 95 % ADDITIONAL BDA NO FURTHER

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 1st m. D. OPERATION Duelham Peak
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Friendless 1500 @ 12 O'clock
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION AT 845545 REASON FOR Unknown
RECOVERABLE unknown FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED no TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS Excellent

DEBRIEFER 1004 TIME 0430 DATE 29 JULY
 SQUADRON 211 CALL SIGN HB 307 MSN NO. 6307 FLT CODE 352
 T/O 0255 LAND 0400 TOTAL TIME 1.1

PILOTS A/C
Hammett 11 DASC NONE TIME
 CONTROLLER #72 ANKA TIME 0310
 TYPE CONTROLLER NSRAT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0335</u>	<u>any mortar posit</u>	<u>AT 792446</u>	<u>3</u>
	<u>EL</u>		

TGT TERRAIN R TGT WX 100 VISIBILITY 10+ inches
 REL ANGLE 2 PASSES 1 INTERVAL — MIN ALT 19.1
 REL ALT 19.1
 ENROUTE ALT 18.5 RETURN ALT 13.5 TGT AIRSPEED 290
 ORDNANCE 6D2W EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA Crash % ADDITIONAL BDA —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 5th MAB GATEM.D. OPERATION Durham Park
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DDDROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: — (REFERENCE NOTE #3) —

NOTE #1: — DUD REPORT LOCATION — REASON FOR —
— RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: — ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: — ORDNANCE EFFECTIVENESS —

DEBRIEFER BIRCHER TIME 0730 DATE 29 July 69
SQUADRON 211 CALL SIGN 4B150 MSN NO. 6150 FLT CODE 152
T/O 0610 LAND 0715 TOTAL TIME 2.3
PILOTS A/C
Miller NE5 DASC Danans TIME 0625
Buchanan 9 CONTROLLER 41 Delta TIME 0630
TYPE CONTROLLER FADA
TYPE MISSION 42P

TOT	DESCRIPTION	COORDINATES	PROVINCE
0635/40	L2 Prop	ATRA5545	CBNT
	UN		
TGT TERRAIN	flat	TGT WX	140 @
		VISIBILITY	7/10/1
HEEL ANGLE	30°	PASSES	6
		INTERVAL	30360
ENROUTE ALT	8.5	RETURN ALT	15.5
		TGT AIRSPEED	450
ORDNANCE	12 D2y DC	EXPENDED	0/1
		JETTISONED	0
ORDNANCE/RTE	0	DUDS (SEE NOTE #1)	
BDA	95%	100%	% ADDITIONAL BDA

SECONDARY EXPLOSIONS 0 NUMBER SIZE
UNIT SUPPORTED 743rd M.D. OPERATION Durham Peak
(LEAVE BLANK)

ENROUTE WK

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NOCDROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
 _____ RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NCIC #3: CRIMINALS EFFECTIVENESS

DEBRIEFER SHEARER TIME 0810 DATE 29 JULY 69
 SQUADRON VMA 211 CALL SIGN H8010 MSN NO. 6010 FLT CODE 152
 T/O 0650 LAND 0750 TOTAL TIME 2.0
 PILOTS A/C
RICHARDS, P. 23 DASC PANANG TIME 0855
SHEARER, R.A. 22 CONTROLLER ALA KINE 14E
 TYPE CONTROLLER FAC (G)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
0700 0740	TREELINES + STRUCTURES	AT 939515	3
	BL		

TGT TERRAIN FLAT + PADDIE TGT WX 1200 VISIBILITY 10
 EEL ANGLE 30 PASSES 12 INTERVAL 30 SEC MIN ALT 1600
 ENROUTE ALT 14.2 RETURN ALT 20.5 REL ALT 3000
 ORDNANCE 12 R2W EXPENDED 12 R2W JETTISONED 0
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) NONE
 BDA 85 % 85 % ADDITIONAL BDA 1 STRUCTURE
DESTROYED, 50 M TREELINE

SECONDARY EXFILCSIGNS 0 NUMBER 0 SIZE 0
 UNIT SUPPORTED 5TH AIRBORNE OPERATION Duchan Penk
 (LEAVE BLANK)

ENROUTE WX 10000

(A) HOSTILE FIRE	YES ☒ NO ☐	FIRE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: FRIENDLY 1500 M
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ FOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS OK

DEBRIEFER Rivers TIME 1235 DATE 29 July 69
 SQUADRON 24 CALL SIGN HA MSN NO. 6562 FLT CODE 182
 T/O 1120 LAND 1225 TOTAL TIME 2.2

PILOTS

A/C

Rivers CF21 DASC DANG HA TIME 1135
ELLAS 19 CONTROLLER DANG HA ASRT #13 TIME 1140
TYPE CONTROLLER ASRT
 TYPE MISSION TPO

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1200</u>	<u>INFILTRATE</u>	<u>XD 673428</u>	<u>1</u>
	<u>RD</u>		

TGT TERRAIN unk TGT WX 190 VISIBILITY 7
 REL ANGLE Shred PASSES 1 INTERVAL — MIN ALT 19.5
 ENROUTE ALT 20.5 RETURN ALT 21.5 REL ALT 19.5
 TGT AIRSPEED 290
 ORDNANCE 1202 G EXPENDED all JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA unk % ADDITIONAL BDA —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3rd MAR DIV OPERATION Geogin TAR
 (LEAVE BLANK)

ENROUTE WX 11.0# 13.0# 18.0# 5-7H

(A) HOSTILE FIRE	YES ☒	NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒	NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☒	NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒	NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒	NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒	NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☒	NO ☐	GIVE REASON BELOW

REMARKS: Diverted at DANG HA DASC TO ASRT DUE TO
RED WX. (REFERENCE NOTE #3)

NOTE #1: — DUD REPORT LOCATION — REASON FOR —
— RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: — ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: — ORDNANCE EFFECTIVENESS —

DEBRIEFER APOL TIME 1000 DATE 29 July 1969
 SQUADRON 211 CALL SIGN HR MEN NO. 6588/90 FIT CODE 152
 T/O 0836 LAND 0939 TOTAL TIME 2.2

PILOTS

A/C

PADIOS
LAWRENCE

CF3
1

DASC DANANG TIME 0850
 CONTROLLER Host. Juc. TIME 0855
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0900-10</u>	<u>VIII.</u>	<u>AT841544</u>	<u>3</u>
	<u>VL</u>		

TGT TERRAIN FLAT TGT WX 11.00 VISIBILITY 10
 EEL ANGLE 30° PASSES 6 INTERVAL 30 MIN ALT 1.5
 ENROUTE ALT 18.5 RETURN ALT 7.5 REL ALT 3.0
 TGT AIRSPEED 450
 ORDNANCE 6027 2A7 408 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL BDA 100 %

SECONDARY EXPLCSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 7th AFAM.D. OPERATION Pipestone Canyon
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: friendly 700M
 (REFERENCE NOTE #3)

NOTE #1: — DUD REPORT LOCATION — REASON FOR —
— RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: — ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: — ORDNANCE EFFECTIVENESS good

DEBRIEFER AO TIME 1130 DATE 29 July 69
 SQUADRON 211 CALL SIGN HB206 MSN NO. 6206 FLT CODE 152
 T/O 1030 LAND 1115 TOTAL TIME 0.8

PILOTS _____ A/C _____

Oseguera CF 24 DASC _____ TIME _____
 CONTROLLER ADHCA TIME 1040
 TYPE CONTROLLER ASPT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1045-50</u>	<u>Bunker</u> <u>BF</u>	<u>AT863350</u>	<u>BVN</u>
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

TGT TERRAIN R TGT WX 14000 @ VISIBILITY 15
 REL ANGLE 0 PASSES 1 INTERVAL 0 MIN ALT 18.5
 ENROUTE ALT 10.5 RETURN ALT 25.5 REL ALT 18.5
 TGT AIRSPEED 290
 ORDNANCE 602W/4 EXPENDED ALL JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA Unk % ADDITIONAL BDA _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 5th INFAN. O. OPERATION Pipestone Canyon
 (LEAVE BLANK)

ENROUTE WX 110 @

(A) HOSTILE FIRE	YES	NO	FIRE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

DEBRIEFER MA [REDACTED] YMER TIME 1400 DATE 29 J
 SQUADRON 211 CALL SIGN 046 MSN NO. 6040 FLT CODE 152
 T/O 1235 LAND 1340 TOTAL TIME 2.2

PILOTS

A/C.

LANGE
DETHMER

01
05

DASC _____ TIME _____
 CONTROLLER MILAY TIME 1400
 TYPE CONTROLLER TYPE 1 TYPE 1 TYPE 1
 TYPE MISSION TPC

TOT DESCRIPTION COORDINATES PROVINCE

1255-1310 ENEMY POSITION 4D 466 231 22
EC

TGT TERRAIN Hills TGT WX 150 VISIBILITY 9+
 EEL ANGLE Foot PASSES 2 INTERVAL — MIN ALT 14.0
 ENROUTE ALT 145 RETURN ALT 135 TGT AIRSPEED 290
 ORDNANCE 403W / 402W EXPENDED A11 JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA — Ans % ADDITIONAL BDA —

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 101st ABN OPERATION Kentucky Ranger
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: DIVERTED FROM BOMB TO MILK DUE TO WEATHER
 (REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

DEBRIEFER WOOD TIME 1400 DATE 29 JUNE 69
 SQUADRON 211 CALL SIGN M-21 MSN NO. 0936 FLT CODE 152
 T/O 1230 LAND 1350 TOTAL TIME 2.6

PILOTS

A/C

HUGHES
WOOD

CF11
CF09

DASC AN HBASE TIME 1320
 CONTROLLER TIME 1330
 TYPE CONTROLLER ABORT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1330</u>	<u>BUNKERS</u> <u>BF</u>	<u>AT 853385</u>	<u>ITB</u>

TGT TERRAIN R TGT WX 8.0 @ VISIBILITY 5
 EEL ANGLE — PASSES 1 INTERVAL — MIN ALT 16.0
 REL ALT 16.0
 ENROUTE ALT 15.0 RETURN ALT 17.5 TGT AIRSPEED 290
 ORDNANCE 8027 407 EXPENDED 8027 JETTISONED —
 ORDNANCE/RTB 407 DUDS (SEE NOTE #1) —
 BDA Ans % ADDITIONAL BDA —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUP. ORTED 5th MA BATTALION OPERATION Durham Peak
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) A/C HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES NO	GIVE REASON BELOW

REMARKS: TPQ DIVERTED BY HILLSBORO
DUE TO BAD WEATHER (REFERENCE NOTE #3) IN TARGET

NOTE #1: — DUD REPORT LOCATION — REASON FOR —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: — ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: — ORDNANCE EFFECTIVENESS —

29 July

DEBRIEFER DICKERSON TIME 1025 DATE 30 July 69

SQUADRON 211 CALL SIGN HB 014 MSN NO. 6014 FLT CODE AS 2

T/O 1113 LAND 1228 TOTAL TIME 2.6

PILOTS DICKERSON A/C CF 15 DASC BURKE TIME 1125
HUGG-IN CF 12 CONTROLLER BIRMINGHAM #2 TIME 1138
 TYPE CONTROLLER TPQ
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1133</u>	<u>EN POSITION</u>	<u>YC427857</u>	

TGT TERRAIN MTS TGT WX OVERCAST VISIBILITY 15+

EEL ANGLE LEVEL PASSES 2 INTERVAL — MIN ALT 20,000

ENROUTE ALT 18.5 RETURN ALT 2 REL ALT 20,000

ORDNANCE 4034 4024 EXPENDED ALL JETTISONED 0

ORDNANCE/RTB 0 DUDS (SEE NOTE #1)

BDA WA % — % ADDITIONAL BDA —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 101ST AB OPERATION — (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABCRT	YES	NO	A/C MALFUNCTION/NOCDROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: — (REFERENCE NOTE #3)

NOTE #1: — DUD REPORT LOCATION — REASON FOR —

— RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: — ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: — ORDNANCE EFFECTIVENESS —

DECLASSIFIED

DEBRIEFER JAL TIME 1125 DATE 30 JULY 1969
 SQUADRON 211 CALL SIGN HR 591 MSN NO. 2000/91 FLT CODE 152
 T/O 1000 LAND 1110 TOTAL TIME 2.4

PILOTS

A/C

MILLER
LAWRENCE

CF 23
05

DASC TIME
 CONTROLLER TIME
 TYPE CONTROLLER
 TYPE MISSION

TOT DESCRIPTION COORDINATES PROVINCE

NO DROP

TGT TERRAIN TGT WK VISIBILITY
 REL ANGLE 14.6 PASSES INTERVAL MIN ALT
 REL ALT
 ENROUTE ALT 14.6 RETURN ALT 16.2 TGT AIRSPEED
 ORDNANCE 602 207 408 EXPENDED JETTISONED
 ORDNANCE/RTB ALL DUDS (SEE NOTE #1)
 BDA % ADDITIONAL BDA

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED OPERATION (LEAVE BLANK)

ENROUTE WK

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Super CAP No TgTs
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DECLASSIFIED

DEBRIEFER Brush TIME 0800 DATE 30 July 69
 SQUADRON VMA-211 CALL SIGN HBO11 MSN NO. 6011 FLT CODE 152
 T/O 0645 LAND 0739/0751 TOTAL TIME 2.0

PILOTS

A/C

Brush CF 21
LANKE CF 20

DASC Vic Squad TIME 0648
 CONTROLLER Birmingham 10 TIME 0658
 TYPE CONTROLLER ASPT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0713</u>	<u>Known Enemy Location</u> <u>SEC.</u>	<u>YC420883</u>	<u>2</u>

TGT TERRAIN Mtns TGT WX 21C-CP VISIBILITY 7
 BEL ANGLE PASSES 1 INTERVAL MIN ALT
 ENROUTE ALT 20.5 RETURN ALT 21.5 REL ALT 20.5
 ORDINANCE 1202W/Y EXPENDED ALL TGT AIRSPEED 890
 ORDINANCE/RTB DUDS (SEE NOTE #1)
 BDA % % ADDITIONAL BDA

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 101st Airborne OPERATION (LEAVE BLANK)
 ENROUTE WK E-007

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECCN INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: CRDNANC, EFFECTIVENESS

DECLASSIFIED

DEBRIEFER RIVERS TIME 1300 DATE 30 JUL 69
 SQUADRON 24 CALL SIGN H4 MSN NO. 6041 FLT CODE 152
 T/O 1145 LAND 1250 TOTAL TIME 2.2
 PILOTS A/C
RIVERS CF 8 DASC BICK TIME 1155
REYMER 20 CONTROLLER BICK 25 TIME 1200
 TYPE CONTROLLER PACA
 TYPE MISSION CAS

TOT	DESCRIPTION	EC	COORDINATES	PROVINCE
1205-15	Susp VC Post		7C048923	2
1220-30	" " "		7C130889	

TGT TERRAIN Mts. TGT WX 6.0 # VISIBILITY 7
 EEL ANGLE 20° PASSES 8 INTERVAL 30 MIN ALT 600
 REL ALT 1200
 ENROUTE ALT 10.5 RETURN ALT 11.5 TGT AIRSPEED 450
 ORDNANCE 8 DIA/402A/409 EXPENDED all JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100% 100 % ADDITIONAL BDA —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 101ST AB OPERATION Kentucky Drop
 (LEAVE BLANK)

ENROUTE WX 11.0 # 2

(A) HOSTILE FIRE	YES	NO	FIRE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABCRT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: SOFT ORDNANCE REQUIRED DUE TO CLOUD COVER
 (REFERENCE NOTE #3)

NOTE #1: — DUD REPORT LOCATION — REASON FOR —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: — ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: — ORDNANCE EFFECTIVENESS —

DECLASSIFIED

DEBRIEFER LBH TIME 1240 DATE 30 July
 SQUADRON 211 CALL SIGN HB459 MSN NO. 6459 FLT CODE 152
 T/O 1144 LAND 1229 TOTAL TIME 1.6
 PILOTS A/C
Pytke 22 DASC Helix Cont TIME 1150
HCanally 3 CONTROLLER Helix 25 TIME 1154
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1200 1210</u>	<u>Enemy troops & Bunkers</u>	<u>BS 556779</u>	<u>5</u>

TGT TERRAIN Flat TGT WX CLEAR VISIBILITY 10
 EEL ANGLE 20° PASSES 12 INTERVAL 30 sec MIN ALT 700
 ENROUTE ALT 8.5 RETURN ALT 7.5 REL ALT 1100
 ORDNANCE 16 DIA 4D9D20 EXPENDED All JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE #1)
 BDA 100 % 50 % ADDITIONAL BDA 3 Bunkers destroyed
15 Bunkers exposed

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED America/ OPERATION Geneva Park
 (LEAVE BLANK)
 ENROUTE WX

(A) HOSTILE FIRE	☒	YES	FILE FORM WITH BARREL
(B) AIRBURST	☒	YES	FILE FORM WITH BARREL
(C) A/C HIT	☒	YES	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	☒	YES	CIRCLE ONE/COORD
(E) BDA REPORTED	☒	YES	IF ADDITIONAL CIRCLE
(F) ABORT	☒	YES	A/C MALFUNCTION/NO DROP
(G) DIVERT	☒	YES	GIVE REASON BELOW

REMARKS: Troops at 250 meters
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE (DELAY/ARM DELAY)
 NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED
 NOTE #3: ORDNANCE EFFECTIVENESS OK

DEBRIEFER Bircher TIME 1500 DATE 30 July 69
 SQUADRON 211 CALL SIGN HR 463 MSN NO. 6463 FLT CODE 152
 T/O 1350 LAND 1445 TOTAL TIME 1.8
 PILOTS A/C
Williamson CF 7 DASC Helix TIME 1300
Bircher 24 CONTROLLER Helix 23 TIME 1305
 TYPE CONTROLLER FACA
 TYPE MISSION AA3

TOT DESCRIPTION COORDINATES PROVINCE
1310 / 24 Bunker RS 535782 BONI
BF
 TGT TERRAIN flat TGT WX 6.0 0 VISIBILITY 10+
 MIN ALT 650' AGL
 REL ANGLE 20 PASSES 8 INTERVAL 30.350 REL ALT 1050' AGL
 ENROUTE ALT 5.5 RETURN ALT 4.5 TGT AIRSPEED 450 KTS
 ORDNANCE 16 D'A 409 EXPENDED ALL JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1)
 BDA 100 % 80 % ADDITIONAL BDA 6 Bunkers dest.

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0
 UNIT SUPPORTED American OPERATION GENEVA PARK
 (LEAVE BLANK)

ENROUTE WX 0

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) A/C HIT
 (D) RECON INSERT/EXTRACT
 (E) BDA REPORTED
 (F) ABORT
 (G) DIVERT

YES NO
 YES NO
 YES NO
 YES NO
 YES NO
 YES NO
 YES NO

- FIRE FORM WITH BARREL
 FIRE FORM WITH BARREL
 FIRE FLASH REPORT WITH BARREL
 CIRCLE ONE/COORD
 IF ADDITIONAL CIRCLE
 A/C MALFUNCTION/NO DROP
 GIVE REASON BELOW

REMARKS: friends 500m to the west
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS High duds could have been used

DEBRIEFER Kennedy TIME 1105 DATE 90 July
 SQUADRON 211 CALL SIGN NB NSN NO. 6455 FLT CODE 152
 T/O 1030 0925 LAND 1100 TOTAL TIME 3.2

PILOTS

A/C

EDWARDS
Kennedy

CE 11
24

DASC Helix TIME
 CONTROLLER Helix 16 TIME 1030
 TYPE CONTROLLER EACA
 TYPE MISSION AA CAS

TGT

DESCRIPTION

COORDINATES

PROVINCE

1037/45 Enemy Loc BT 209513 45
EC

TGT TERRAIN Flat TGT WK 0 VISIBILITY 64
 REL ANGLE 200 PASSES 6 INTERVAL 70 MIN ALT 600
 REL ALT 1050

ENROUTE ALT 20.5 RETURN ALT 2.5 TGT AIRSPEED 450

ORDNANCE 16 DIA / 409 EXPENDED 11 JETTISONED NINE

ORDNANCE/RTB NONE DUDS (SEE NOTE #1) 3

BDA 100 % 80 % ADDITIONAL BDA 4 300 FIRES (1 SUSPENDED)
2 STRUC DES, 1 KBA

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED American OPERATION —
 (LEAVE BLANK)

ENROUTE WK —

(A) HOSTILE FIRE	YES ☒	NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒	NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☒	NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒	NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒	NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒	NO ☐	A/C MALFUNCTION/MODDROP
(G) DIVERT	YES ☒	NO ☐	GIVE REASON BELOW

REMARKS: CAP (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION BT 209513 REASON FOR UNKNOWN
 RECOVERABLE UNK FUZE (DELAY/ARM DELAY) 2 sec

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER Richard TIME 0900 DATE 30 July 69
 SQUADRON 2H CALL SIGN ADISI MSN NO. 6151 FLT CODE 132
 T/O 0702 LAND 0830 TOTAL TIME 3.0
 PILOTS Richard A/C 1
Shearer 2
 DASC Donna TIME 0720
 CONTROLLER SW Bear TIME 0725
 TYPE CONTROLLER FAC(A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0740/50</u>	<u>Bunkers</u>	<u>YD070614</u>	<u>1</u>

TGT TERRAIN H2T TGT WX 450 VISIBILITY 7
 MIN ALT 1300'
 EEL ANGLE 20° PASSES 6 INTERVAL 30sec REL ALT 2000
 ENROUTE ALT 12.5 RETURN ALT 17.5 TGT AIRSPEED 450
 ORDNANCE 402 403 EXPENDED All JETTISONED —
 ORDNANCE/RTB None DUDS (SEE NOTE #1) 2
 BDA — % — % ADDITIONAL BDA 2 Bunkers Dest.

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED — OPERATION —
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECCN INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: Friendlylies 3500/4000 M
 (REFERENCE NOTE #3)

NOTE #1: — DUD REPORT LOCATION YD070614 REASON FOR UNIC
 RECOVERABLE Yes FUZE (DELAY/ARM DELAY) —

NOTE #2: — ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: — ORDNANCE EFFECTIVENESS OK for tgt.

DEBRIEFER White TIME DATE 30 July 69
 SQUADRON 211 CALL SIGN 22 MSN NO. 0971 FLT CODE 182
 T/O 1540 LAND 1710 TOTAL TIME 30

PILOTS A/C
Reed CF 21 DASC H/B TIME 1555
White 15 CONTROLLER NAIL 07 TIME 1615
 TYPE CONTROLLER FACA
 TYPE MISSION ST

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1621/30</u>	<u>Tracked Trail</u>	<u>XD 165 600</u>	<u>C</u>
		<u>1650 70607</u>	

TGT TERRAIN H TGT WX 500 VISIBILITY 8
 REL ANGLE 30 PASSES 6 INTERVAL 30 MIN ALT 2.0
 REL ALT 3.0
 ENROUTE ALT 20.5 RETURN ALT 19.5 TGT AIRSPEED 450
 ORDNANCE 12 02 4/4 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 50 meters % ADDITIONAL BDA None

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 7th A.F. OPERATION
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

2 sort

30 JULY 1969

211

014

6014

1A2

0930

1030

1.0

FERRY

UBON to CHU LAI

DEBRIEFER Tierney TIME 1213 DATE 31 Jul 69
 SQUADRON WACA-211 CALL SIGN 015 MSN NO 6015 FLT 182
 T/O 1027 LAND 1147 TOTAL TIME 2.6

PILOTS ACFT
Godard 1
Tierney 1
 DLSC TIME
 CONTROLLER Birmingham TIME 1100
 TYPE CONTROLLER
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1103/1110</u>	<u>VC Location</u>	<u>2C132903</u>	

TOT TERRAIN Hilly TGT WX EST 5000 VISIBILITY
 REL ANGLE Level PASSES 3 INTERVAL MIN ALT
 ENROUTE ALT 16.5 RETURN ALT TGT AIRSPEED 290
 ORDNANCE 40.3/40.2 EXPENDED ALL JETTISONED 0
 ORDNANCE/MTB 0 DUDS (SEE NOTE #1)
 BDL % ADDITIONAL

SECONDARY EXPLOSIONS 0 NUMBER SIZE
 UNIT SUPPORTED 101st OPERATION
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDL REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

NOTE #2: UNCOVERABLE FUZE (DONT WITH DUDS)
 BDL ENCOUNTERED FILE NEW DETECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER Kennedy TIME 0910 DATE 21 July
 SQUADRON 211 CALL SIGN HB MSN NO. 6574 FLT CODE 152
 T/O 0820 LAND 0855 TOTAL TIME 1.2

PILOTS

A/C

Kennedy 12 CE DASC — TIME —
Boymor 15 — CONTROLLER Jake 71 TIME 0823
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE

0830/44 FORT VILLE B7222452 AK
VL

TGT TERRAIN Flat TGT WK 0 VISIBILITY 5 H
 MIN ALT 200
 REL ALT 1050
 EEL ANGLE 20° PASSES 8 INTERVAL 30
 ENROUTE ALT 6.5 RETURN ALT 3.5 TGT AIRSPEED 450
 ORDNANCE 809 EXPENDED All JETTISONED no
 ORDNANCE/RTP no DUDS (SEE NOTE #1) —
 BDA 100 % 80 % ADDITIONAL BDA 2 subsequent see F-105

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED RF - ARVN OPERATION —
 (LEAVE BLANK)

ENROUTE WK —

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: None
 (REFERENCE NOTE #3)

NOTE #1: — DUD REPORT LOCATION — REASON FOR —
— RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: — ECM ENCOUNTERED — TIME — F/W DIRECTED —

NOTE #3: — ORDNANCE EFFECTIVENESS —

DEBRIEFER Brush TIME 0905 DATE 31 July 69
 SQUADRON 211 CALL SIGN H3020 MSN NO. 6020 FLT CODE 152
 T/O 0738 LAND 0850/0854 TOTAL TIME 2.5
 PILOTS Edwards A/C 21
Brush 22
 DASC Vice Squad TIME 0740
 CONTROLLER BSIR TIME 0755
 TYPE CONTROLLER FAC(A)
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE

08000810 Enemy Trng Camp 2C028843 2
BS

TGT TERRAIN Mtns TGT WX 0 VISIBILITY 7
 REL ANGLE 30° PASSES 9 INTERVAL 30sec MIN ALT 1500
 ENROUTE ALT 16.5 RETURN ALT 200 REL ALT 3000
 TGT AIRSPEED 450
 ORDNANCE 1302 w/y EXPENDED 1102 JETTISONED —
 ORDNANCE/RTB 102 DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL BDA 1 Military

SECONDARY EXFLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 101st AB OPERATION Kentucky Jump
 (LEAVE BLANK)
 ENROUTE-WX 1-9

(A) HOSTILE FIRE	YES	NO	FIRE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: 1800 meters From Base
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —
 NOTE #3: ORDNANCE EFFECTIVENESS Good Tgt Obs

DEBRIEFER Huggin TIME 1420 DATE 31 July 69
 SQUADRON 211 CALL SIGN Men 21 MSN NO 0936 FLT
 T/O 1230 LAND 1400 TOTAL TIME 3.0

PILOTS		ACFT	DASC <u>Hillsborn</u> TIME <u>1242</u>	
<u>Col PYTKO</u>	<u>CF 24</u>		CONTROLLER <u>Dong Ha #31</u>	TIME <u>1305</u>
<u>Maj HUGGIN</u>	<u>CF 20</u>		TYPE CONTROLLER <u>ASRT</u>	
			TYPE MISSION <u>TPQ</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1305-1330</u>	<u>Kn Enemy Posit</u>	<u>YD058012</u>	<u>2</u>
	<u>EC</u>		

TOP TERRAIN R TGT WX 1500 VISIBILITY 6
 REL ANGLE 40 PASSES 2 INTERVAL MIN ALT 19.5
 REL ALT 19,500
 ENROUTE ALT 10,500 RETURN ALT 19,500 TGT AIRSPEED 290 IAS
 ORDNANCE 8D2/4D7 EXPENDED 8D2 JETTISONED
 ORDNANCE/MTB 4D7 DUDS (SEE NOTE #1)
 EDM % % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED ~~7th Air Force~~ OPERATION Montgomery Road
101st A.B. (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) INCON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) EDM REPORTED	YES ☐ NO ☒	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☒ NO ☐	GIVE REASON BELOW

REMARKS: WX below min in LAOS. Did TPQ.
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION PERSON FOR

NOTE #2: RECOVERABLE FUSE (DELAYED)
 EDM INCOUNTED FUSE HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER Richards TIME 1200 DATE 31 JUL 69SQUADRON 211 CALL SIGN H3040 MSN NO 6040 FLT 152T/O 1043 LAND 1153 TOTAL TIME 2.4

PILOTS	ACFT	DASC	TIME
<u>Richards</u>	<u>8</u>	<u>B.1K</u>	<u>1053</u>
<u>Shearer</u>	<u>15</u>	<u>CONTROLLER Birmingham</u>	<u>TIME 1055</u>
		<u>TYPE CONTROLLER</u>	<u>ABORT</u>
		<u>TYPE MISSION</u>	<u>TPQ</u>

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>110-1115/1118/1122</u>	<u>Known En Loc</u>	<u>Y4429874</u>	<u>2</u>
	<u>EC</u>		

TOT TERMIN R TGT WX 1800 VISIBILITY 5REL ANGLE level PASSES 2 INTERVAL — MIN ALT 20.5ENROUTE ALT 85 RETURN ALT 19.5 TGT AIRSPEED 290ORDNANCE 403(DC) 402(DC) EXPENDED A11 JETTISONED noneORDNANCE/RTB — DUDS (SEE NOTE #1) —BDA Unb % ADDITIONAL —SECONDARY EXPLOSIONS — NUMBER — SIZE —UNIT SUPPORTED 101st A.B. OPERATION Campbell Striker

(LEAVE BLANK)

ENROUTE WX 950

	YES	NO	
(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)NOTE #1: DUD REPORT LOCATION — REASON FOR —NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —ECM ENCOUNTERED — TIME — HOW DIRECTED —NOTE #3: ORDNANCE EFFECTIVENESS OK

31 July 69

211

206

6206

142

0705

0735

.5

WARREN

CF11

Test

31 JULY 29

211

015

6015

1A2

1027

1100

2.0

GRAREZTRA

CF 1

TIERNEY

CF 19

FERRY

UBon to Chu LAI

DEBRIEFER MILLER TIME 1155 DATE 31 JULY
 SQUADRON 211 CALL SIGN HB 240 MSN NO 6240 FLT 1L2
 T/O 1100 LAND 1145 TOTAL TIME 0.8

PILOTS MILLER ACFT CF11 DASC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT	DESCRIPTION	COORDINATES	PROVINCE

TOT TERMINAL _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 REL ALT _____
 ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____
 ORDNANCE _____ EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 DDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) DDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUSE (DELAY/NO DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ FUSE _____ HOW DIRECTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Richard TIME 1610 DATE 31 JUL 69
 SQUADRON 211 CALL SIGN H8016 MSN NO 6016 FLT 132
 T/O 1455 LAND 1600 TOTAL TIME 2.2

PILOTS Richard ACFT 5 DLSC Helix TIME 1520
Shearer 1 CONTROLLER Helix 33 TIME 1523
 TYPE CONTROLLER EAL (A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1537/45</u>	<u>Known EN Loc</u>	<u>BS 734 468</u>	<u>AF</u>
	<u>EC</u>		

TOT TERRAIN Flat TGT WX 1500 VISIBILITY 10
 REL ANGLE 30° PASSES 8 INTERVAL 30 sec MIN ALT 1500
 ENROUTE ALT 10.5 RETURN ALT 5.5 TGT AIRSPEED 450
 ORDNANCE 1202W/y EXPENDED AM JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —

EDA 100 % 90 % ADDITIONAL 1 Bunker P 30 Trend Line
uncovered / sustained fire

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED AMCAL OPERATION Iron MT
 (LEAVE BLANK)
 ENROUTE WX 1500

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) EDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: Friendlies 1000 meters South
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 DCA ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS OK for target

Ce

DEB. REF. Hugg TIME 1710 DATE 31 July
 SQUADRON 217 CALL SIGN HB466 MSN NO 6466 FLT 152
 T/O 1545 LAND 1657 TOTAL TIME 2.4

PILOTS Lewrence ACFT CF08 DASC Helix TIME 15
Huggin 11 CONTROLLER Helix 23 TIME 20
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>152545</u>	<u>Enemy Posit</u>	<u>B 5528745</u>	<u>4</u>
	<u>EC</u>		

TOP TERRAIN Level TGT WX 10.00 VISIBILITY 10
 REL ANGLE 20° PASSES 18 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 16,500 RETURN ALT 6,500 TGT AIRSPEED 450
 ORDNANCE 1801A/409 EXPENDED 1401A/409 JETTISONED —
 ORDNANCE/RTB 201A DUDS (SEE NOTE #1) 201A
 BDA 100 % 75 % ADDITIONAL 8 mil struct destroyed

4 bunkers destroyed, 1 substructure fire

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED AmerCal OPERATION GENOVA PARK
 (LEAVE BLANK)

ENROUTE WX Multipule layer

(A) HOSTILE FILE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: Friendly 300 meters
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION B 5528745 REASON FOR ? fuse?

RECOVERABLE NO FUSE (PLAIN/STANDARD) Inst. 2 sec
 NOTE #2: BAI ENCOUNTERED — FUSE — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER RIVERS TIME 1000 DATE 31 JUL 69
 SQUADRON 211 CALL SIGN HA MSN NO 6152 FLT 152
 T/O 0850 LAND 0940 TOTAL TIME 1.6

PILOTS RIVERS ACFT CF 18 DLSC DAMANG TIME 0855
WOOD 27 CONTROLLER HOSTAGE PAPA TIME 0900
 TYPE CONTROLLER BECA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0907-15</u>	<u>SUP. VC POSIT</u>	<u>AT 790504</u>	<u>3</u>
	<u>EC</u>		

TOP TERRAIN HILLY TGT WX 10.0 # VISIBILITY 7
 REL ANGLE 20 PASSES 8 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 10.5 RETURN ALT 9.5 TGT AIRSPEED 450
 ORDNANCE 802A/409 EXPENDED all JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1st MAR DIV OPERATION Durham Peak
 (LEAVE BLANK)
 ENROUTE WX 10.0 # 7

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) EDL REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: COULD HAVE BEEN HIGH DIVE. THE "TROOPS IN THE OPEN"
 (REFERENCE NOTE #3)
TARGET THE GRUNTS ANTICIPATED NEVER MATERIALIZED.

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — FUEL (DUEL/ANY DUEL) —
 NOTE #2: ECM ENCOUNTERED — HOW DIRECTED —
 NOTE #3: ORDNANCE EFFECTIVENESS OK

DEBRIEFER AO TIME 1545 DATE 31 July 69
 SQUADRON 211 CALL SIGN HO 462 MSN NO 6462 FLT 2
 T/O 133.5 LAND 1530 TOTAL TIME 3.8

PILOTS	ACFT	DASC	TIME
<u>Oseguera</u>	<u>3</u>	<u>ONE</u>	<u>1445</u>
<u>LONGE</u>	<u>21</u>	CONTROLLER <u>ELKSKIN 14</u>	TIME <u>1450</u>
		TYPE CONTROLLER <u>EAC (C)</u>	
		TYPE MISSION <u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1500-1515</u>	<u>Base Camp</u>	<u>AT 961384</u>	<u>RBN</u>
	<u>BS</u>		

TOP TERRAIN MTS TGT WX 100 @ VISIBILITY 15+
 REL ANGLE 20° PASSES 8 INTERVAL 30 MIN ALT 600
 REL ALT 1050
 ENROUTE ALT 20.5 RETURN ALT 13.5 TGT AIRSPEED 450
 ORDNANCE 16 DIA 409 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 80% 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1st MARDIV OPERATION Durham Peak
 (LEAVE BLANK)

ENROUTE WX 190 @

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — FOZE (DELAY/ARM DELAY) —
 NOTE #2: ECM ENCOUNTERED — HOW DIRECTED —
 NOTE #3: ORDNANCE EFFECTIVENESS OK

DEBRIEFER White TIME 0800 DATE 31 July 69
 SQUADRON 211 CALL SIGN HB 010 MSN NO. 6010 FLT CODE 152
 T/O 0630 LAND 0740 TOTAL TIME 2.4
 PILOTS A/C
Weyrick 7 DASC Damang TIME 0650
White 20 CONTROLLER HOSTAGE DOG TIME 0700
 TYPE CONTROLLER FACIA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
0700-0720	suspected enemy area EC	BT 967396	3

TGT TERRAIN hilly TGT WX 4.00 VISIBILITY 10
 EEL ANGLE 30° PASSES 8 INTERVAL 30 MIN ALT 2000
 ENROUTE ALT 10.5 RETURN ALT 9.5 REL ALT 3000
 ORDNANCE 1202 W/4 EXPENDED All JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 95 % 95 % ADDITIONAL BDA 100 M MVA Tree Line

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1st MAR DIV OPERATION P. Pestone Canyon
 (LEAVE BLANK)

ENROUTE WX 10

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	A/C MALFUNCTION/MCDDROP
(G) DIVERT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: ordnance appropriate for target
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 NOTE #2: ECM ENCOUNTERED — TIME — F W DIRECTED —
 NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER Wellman TIME 1020 DATE 31 Jul 69
 SQUADRON 211 CALL SIGN NB 958 MSN NO 6458 FLT 152
 T/O 1200/0920 LAND 1400/1000 TOTAL TIME 5.4

PILOTS Wellman ACFT CF 7 DASC Bilk TIME 1305
Mc Annally 22 CONTROLLER Bilk TIME 1307
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1313/17</u>	<u>NVA Regt. Hqtrs</u>	<u>RT 982108</u>	

TOT TERRAIN Flat TGT WK 80 @ VISIBILITY 7
 REL ANGLE 20° PASSES 6 INTERVAL 30 Sec MIN ALT 600'
 ENROUTE ALT 18.5 RETURN ALT 21.5 TGT AIRSPEED 450
 ORDNANCE NDA/409 EXPENDED all JETTISONED —

ORDNANCE/RTS None DUDS (SEE NOTE #1) —
 DDA 100 % 80 % ADDITIONAL 6 Structures abt.

2 struct. damaged; 2 barracks destroyed, 2 bunkers uncovered.

SECONDARY EXPLOSIONS None NUMBER — SIZE —

UNIT SUPPORTED Americal OPERATION (LEAVE BLANK)

ENROUTE WX 60080 @ 140 @ 7

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) DDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: Landless 5000 m West
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE NO (SEE NOTE #1) NO DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS Excellent