

DEBRIEFER Wood TIME 1030Z AUG 69 DATE 1 AUGUST 69
 SQUADRON 211 CALL SIGN HB MSN NO 6041 FLT 152
 T/O 1045 LAND 1155 TOTAL TIME 2.4

PILOTS ACFT
REED CF1 DASC PAUGER TIME 1055
WOOD CF9 CONTROLLER BICK 35 TIME 1100
 TYPE CONTROLLER TACA
 TYPE MISSION OAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1105-08</u>	<u>L2P</u>	<u>YCS67996</u>	<u>II</u>

TOT TERRAIN ROLLING TGT WX 1000 VISIBILITY 10T
 REL ANGLE 300 PASSES 4 INTERVAL 30sec MIN ALT 1600
 ENROUTE ALT 16.5 RETURN ALT 26.5 TGT AIRSPEED 450
 ORDNANCE 4034DC & D24DC EXPENDED All JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE #1)
 BDL 100 % 50 % ADDITIONAL 1 SMALL SEC FIRE

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED OPERATION
 (LEAVE BLANK)
 ENROUTE WX

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☒ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒ NO ☐	CIRCLE ONE/COORD
(E) BDL REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☒ NO ☐	GIVE REASON BELOW

REMARKS: FRIENDLIES 3500M No.
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

NOTE #2: UNCOVERABLE FUZE (DELTV, INST DELTV)
 BOM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS GOOD

DEBRIEFER MA BERNER TIME 1100 DATE 1 Aug R6
 SQUADRON 211 CALL SIGN 015 MSN NO 6015 FLT 152
 T/O 0932 LAND 1048 TOTAL TIME 2.6

PILOTS		ACFT	DASC	TIME
<u>EDWARDS</u>	<u>05</u>	<u>B-1K</u>	<u>1950</u>	
<u>BEYMER</u>	<u>03</u>			
		CONTROLLER	<u>B-1K 25</u>	TIME <u>0950</u>
		TYPE CONTROLLER	<u>FAC(A)</u>	
		TYPE MISSION	<u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0955-1005</u>	<u>ROCKET LAUNCHING POSIT</u>	<u>YD 588224</u>	<u>IR</u>
	<u>58</u>		

TOT TERRAIN HILLS TGT WX 140 VISIBILITY 10+
 REL ANGLE 30° PASSES 10 INTERVAL 30s MIN ALT 1800
 ENROUTE ALT 195 RETURN ALT 135 TGT AIRSPEED 450
 ORDNANCE 403Y(DC) 402Y(DC) EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 EDM 100 % 100 % ADDITIONAL 1 ROCKET LAUNCHING POSIT IN DIST

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 101ST AB. OPERATION Kentucky Hammer
 (LEAVE CIRCLE)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) EDM REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: FRIENDLY NO FACTOR
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 NOTE #2: RECOVERABLE — FULL (PARTIAL) DATA —
 DCM ENCOUNTERED — PLACE — TRV DETECTED —
 NOTE #3: ORDNANCE EFFECTIVENESS RIGHT ORDNANCE

DESIGNER HUGGINS TIME 1000 DATE 1 AUG
 SQUADRON 211 CALL SIGN HB013 MSN NO 6013 FLT 152
 T/O 0908 LAND 0945 TOTAL TIME 1.2

PILOTS

ACFT

6 1st Lt Graham CF15 DLSC Denny TIME 0914
Maj Huggins 12 CONTROLLER K. W. Chee 3 TIME 0916
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0920-35</u>	<u>Bunker/Tree line</u>	<u>BT 163587</u>	<u>BT</u>
<u>19</u>			

TOF TERRAIN level TGT WX clear VISIBILITY 15
 REL ANGLE 20° PASSES 8 INTERVAL 30+ MIN ALT 600'
 ENROUTE ALT 8500 RETURN ALT 5500 TGT AIRSPEED 450
 ORDNANCE 809 EXPENDED all JETTISONED —

ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL 1 sec fire; 1 sec explor,

2 bunker destroyed.
 SECONDARY EXPLOSIONS Yes NUMBER 1 SIZE small

UNIT SUPPORTED ROK MC OPERATION Victory Dragon
 (LEAVE BLANK)

ENROUTE WX clear

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: Friendlies 700M
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUSE (DEFERRED DELAY) _____
 ECM ENCOUNTERED _____ FILE _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS Good

DEBRIEFER JMS TIME 1200 DATE 1 AUG
 SQUADRON 211 CALL SIGN HB MSN NO 6219 FLT 152
 T/O 1037 LAND 1137 TOTAL TIME 2.0

PILOTS ACFT
Hammitt 8 DASC Danang TIME 5.0
Lawrence 23 CONTROLLER Hostage TIME 5.2
 TYPE CONTROLLER FAC
 TYPE MISSION QAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1055-113</u>	<u>VC WOPON</u>	<u>AT 72628</u>	<u>III 3</u>
	<u>45</u>		

TOT TERMIN Heavy TGT WK 0 VISIBILITY 10+
 C RIL ANGLE 30° PASSES 8 INTERVAL 30 MIN ALT 1.5
 REL ALT 3.0
 ENROUTE ALT 10.5 RETURN ALT 9.5 TGT AIRSPEED 450
 ORDNANCE 1202W EXPENDED AN JETTISONED —
 ORDNANCE/RTB — DUBS (SEE NOTE #1) —
 EDA 95 % 95 % ADDITIONAL 180° FIRE
~~20 KBT PROBABLY~~

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 1st MD OPERATION _____
 (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) EDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: ORDNANCE GOOD FOR TGT -
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FULL (DELAY/NO DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER White TIME 1135 DATE 1 Aug 69
 SQUADRON 211 CALL SIGN HB 455 MSN NO 6455 FLT 152
 T/O 0942 LAND 1116 TOTAL TIME 3.2

PILOTS Radios ACFT 20 DASC Dong Ha TIME 0955
White 21 CONTROLLER Catkiller 41 TIME 1015
 TYPE CONTROLLER FAC(A)
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1036-1043</u>	<u>60 NVA in open</u>	<u>XD 011679</u>	<u>T</u>
	<u>45</u>		

TOT TERRAIN hilly TGT WX clear VISIBILITY 10
 REL ANGLE 20° PASSES 4 INTERVAL 30 MIN ALT 600
 REL ALT 1050
 ENROUTE ALT 10,500 RETURN ALT 21,500 TGT AIRSPEED 450
 ORDNANCE 16 DIA / 409 EXPENDED ALL JETTISONED —
 ORDNANCE/REB — DUDS (SEE NOTE #1) —
 EDA 90 % 90 % ADDITIONAL 1 KBA

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1083 9th Airborne - D. OPERATION Idaho Canyon
 (LEAVE BLANK)
 ENROUTE WX 10

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) EDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: ordnance appropriate to target
 (REFER TO NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — FUEL (ELECTRICITY DELAY) —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —
 NOTE #3: ORDNANCE EFFECTIVENESS —

DESIGNER COLL TIME 1350 DATE 1 AUG 69
 SQUADRON 211 CALL SIGN H/B MSN NO 6023 FLT 152
 T/O 1142 LAND 1238 TOTAL TIME 2.2

PILOTS		ACFT	TIME	
<u>WARREN</u>	<u>11</u>	<u>BILK</u>	<u>1150</u>	
<u>ROLL</u>	<u>12</u>	<u>35</u>	<u>1152</u>	
		TYPE CONTROLLER	<u>FAC (A)</u>	
		TYPE MISSION	<u>L2P</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1157-1203</u>	<u>L2 PREP</u>	<u>VC527996</u>	<u>2</u>
	<u>5/1</u>		

TCT TERRAIN MOUNT TGT WX 800 VISIBILITY 10+
 REL ANGLE 30° PASSES 6 INTERVAL 30 sec MIN ALT 2200
 REL ALT 3000
 ENROUTE ALT 16.5 RETURN ALT 21.5 TGT AIRSPEED 450
 ORDNANCE 402 YDC EXPENDED ALL JETTISONED —
 ORDNANCE/MTB — DUDS (SEE NOTE #1) —
 BDA 100 % 75 % ADDITIONAL —

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 101st A/B OPERATION Campbell Striker
 (LEAVE BLANK)
 ENROUTE WX LAYERS

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) EDL REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: FRIENDS NO FACTOR
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 UNCOVERABLE _____ FUZZ (GIVE FIRST DUD) _____
 NOTE #2: DUD ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS GOOD TARG. ORD

DESIGNER Richards TIME 1000 DATE 1 Aug 69
 SQUADRON 211 CALL SIGN 18017 MSN NO 6017 FLT 152
 T/O 1445 I AND 1525 TOTAL TIME 1.4

PILOTS Richards ACFT 3 DASC Helix TIME 1455
Sherrer 15 CONTROLLER Helix 25 TIME 1457
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1401/10</u>	<u>Bunkers</u>	<u>BT341081</u>	<u>4</u>
	<u>22</u>		

TOT TERMIN Hilly TGT WX 4.60 VISIBILITY UVA+
 REL ANGLE 30 PASSES 8 INTERVAL 30 sec MIN ALT 1600
 ENROUTE ALT 10.5 RETURN ALT 3.5 TGT AIRSPEED 450
 ORDNANCE 12 D2W/Y EXPENDED A11 JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE #1) -
 BDA 100 % 75 % ADDITIONAL 1 Bunker Dest
1 Unconv.

SECONDARY EXPLOSIONS - NUMBER - SIZE -
 UNIT SUPPORTED AMCAL OPERATION -
 (LEAVE BLANK)
 ENROUTE WX -

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: Friendlyes no factor
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON FOR -

NOTE #2: UNRECOVERABLE - FILE (DELAYED REPORT) -
 ECM ENCOUNTERED - FILE - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS OK

DEB. JEFFER Richard TIME 1400 TIME 1 Aug 69
 SQUADRON 211 CALL SIGN HB 575 MSN NO 6575 FLN 152
 T/O 1324 LAND 1353 TOTAL TIME 3.0

PILOTS	ACFT	DASC	TIME
<u>Richard</u>	<u>5</u>	<u>DNH</u>	<u>1300</u>
<u>Shearer</u>	<u>7</u>	CONTROLLER	<u>Host Yankee</u>
		TYPE CONTROLLER	<u>CA (A)</u>
		TYPE MISSION	<u>CAS</u>

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1324/35</u>	<u>Sus En Loc</u>	<u>AT990387</u>	<u>-3</u>
	<u>55</u>		

TOT TERRAIN Hilly TGT WK 4.0 VISIBILITY 0.942
 REL ANGLE 30 PASSES 6 INTERVAL 30 sec MIN ALT 3500
 ENROUTE ALT 12.5 RETURN ALT 5.5 TGT AIRSPEED 450
 ORDNANCE 1202W/Y EXPENDED ALL JETTISONED —
 ORDNANCE/RTB None DUDS (SEE NOTE #1) —
 EDL 95 % 45 % ADDITIONAL —

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 1st M.D. OPERATION Durham Peak
 (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) EDL REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: Friendlyes 1500 meters
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZZ (GIVE REASON) _____
 NOTE #2: ECM ENCOUNTERED _____ T.O. _____ HOW DIRECTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS OK for 1st

DEBRIEFER HUTSON TIME 1630 DATE 1 JULIO 69
 SQUADRON 211 CALL SIGN 247 MSN NO 6247 FLT 182
 T/O 1505 LAND 1615 TOTAL TIME 2.2

PILOTS RIVERS ACFT CF 23 DASC BILK TIME 1515
HUTSON 22 CONTROLLER BILK 21 TIME 1530
 TYPE CONTROLLER TACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1535-1547</u>	<u>GOODS & BUNKER</u>	<u>ZC 135925</u>	<u>2</u>
<u>19</u>	<u></u>	<u></u>	<u></u>
<u></u>	<u></u>	<u></u>	<u></u>
<u></u>	<u></u>	<u></u>	<u></u>

S TOT TERRAIN Mtns TGT WK 8000 VISIBILITY 7
 REL ANGLE 20° PASSES 6 INTERVAL 30 MIN ALT 1500'
 REL ALT 3000'
 ENROUTE ALT 14.5 RETURN ALT 11.5 TGT AIRSPEED 450
 ORDNANCE 12 D2X EXPENDED 11 D2X JETTISONED
 ORDNANCE/RTB 1 D2X DUDS (SEE NOTE #1)
 BDA 100 % 90 % ADDITIONAL 2 SECONDARY
PIRES

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 101st A.B. OPERATION Kentucky Jump
 (LEAVE TRACK)
 ENROUTE WK 14-00 7-10

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: Good ordnance for 1st
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

NOTE #2: RECOVERABLE FOLD (YES/NO)
 BDA ENCOUNTERED TYPE HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER Coll TIME 1845 DATE 1 AUG
 SQUADRON 211 CALL SIGN H326 MSN NO 6261 FLT 152
 T/O 1800 LAND 1915 TOTAL TIME 2.6

PILOTS ACFT
DICKERSON 19 DASC BICK TIME 1820
Coll 28 CONTROLLER BICK 29 TIME 1825
 TYPE CONTROLLER FAC 91
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1830-46</u>	<u>ENLOC</u>	<u>2C135925</u>	<u>2</u>
	<u>55</u>		

TGT TERRAIN MOUNT TGT WX 0 VISIBILITY 10+
 PFL ANGLE 20° PASSES 6 INTERVAL 30 sec MIN ALT 600
 ENROUTE ALT 20.5 RETURN ALT 37.5 TGT AIRSPEED 450
 ORDNANCE 802A-409 EXPENDED ALL JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE #1)
 BDA 90 % 100 % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED 201 101 st 4/3 OPERATION Kentucky Jumper
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES ☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☒ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒ NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☒ NO	GIVE REASON BELOW

REMARKS: FRIENDS 1000 METERS
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

RECOVERABLE FUZE (DELAY/ART DELAY)
 NOTE #2: ECM ENCOUNTERED FUZE HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS GOOD TARGET DRO

1 Aug.

Sgd. 211

CALL SIGN 450

6458

1 L2

0920 - 1000

1.2

William.
McAnallyCF 1
22FERRY HOP.

DEBRIEFER DICKERSON TIME 0925 DATE 1 AUG
 SQUADRON 211 CALL SIGN H205 MSN NO 6205 FLT 1L2
 T/O 0818 LAND 0858 TOTAL TIME .7

PILOTS DICKERSON, MG. ACFT CF 18 DASC — TIME —
 CONTROLLER — TIME —
 TYPE CONTROLLER —
 TYPE MISSION —

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>TEST</u>			

TOT TERRAIN — TGT WX — VISIBILITY —
 REL ANGLE — PASSES — INTERVAL — MIN ALT —
 REL ALT —
 ENROUTE ALT — RETURN ALT — TGT AIRSPEED —
 ORDNANCE — EXPENDED — JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDL — % — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED — OPERATION —
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDL REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES NO	GIVE REASON BELOW

REMARKS: —
 (REFLECT OF NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: IF COVERABLE — FUME (DEFINITE DELAY) —
 BOM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DESIGNER Edwards TIME 2035 DATE 2 Aug
 SQUADRON 211 CALL SIGN 48242 MSN NO 6242 FLT 352
 T/O 1930 LAND 2030 TOTAL TIME 2.0

PILOTS Edwards ACFT 20 DASC DNA TIME 1937
OSEGUERA 11 CONTROLLER Hostage TIME 1940
 TYPE CONTROLLER FAC (A)
 TYPE MISSION CAS

TOT 1942-50 DESCRIPTION 2-50 CAL SITES COORDINATES AT 796462 PROVINCE 3
01

TOT TERRAIN Mnt TGT WX 0 VISIBILITY 10
 REL ANGLE 20° PASSES 8 INTERVAL 30 MIN ALT 600
 REL ALT 1700

ENROUTE ALT 8.5 RETURN ALT 19.5 TGT AIRSPEED 450

ORDNANCE 16 DIA 409 EXPENDED 15 DIA 409 JETTISONED —

ORDNANCE/MTB 10 DIA DUDS (SEE NOTE #1)

BDA 100 % 100 % ADDITIONAL 1-50 CAL Site dest

AND 1-50 CAL Site Damaged

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED 1st MAR Div OPERATION Onhan Peak
 (LEAVE BLANK)

ENROUTE WX 0 10

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 (B) AIRBURST YES NO FILE FORM WITH BARREL
 (C) ACFT HIT YES NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 (E) EDL REPORTED YES NO IF ADDITIONAL CIRCLE
 (F) ABORT YES NO ACFT MALFUNCTION/NO DROP
 (G) DIRECT YES NO GIVE REASON BELOW

REMARKS: FRIENDLIES 7:49 o'clock 1000 meters
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

RECOVERABLE FUZE (DELAY/ARM DELAY)
 NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS Good Tgt ORO

32

DESIGNATOR 1940 TIME 1750 DATE 2 AUG 1969
 SQUADRON 211 CALL SIGN AB MSN NO 6466 FLT 152
 T/O 1535 LAND 1735 TOTAL TIME 4.0

PILOTS ACFT
WYRICK CF 5 DASC HELIX TIME
LAWRENCE P CONTROLLER HELIX 34 TIME 1600
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT DESCRIPTION COORDINATES PROVINCE
1600-40 ENEMY POSIT. RS651464 5
SS RO

TOT TERRAIN MTHS TGT WX 8.0 VISIBILITY 7
 REL ANGLE 20° PASSES 6 INTERVAL 30 MIN ALT 26
 REL ALT 1.0
 ENROUTE ALT 17.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 16 DIA 409 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 95 % ADDITIONAL 1 sec. fire

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED ~~1612 AB~~ OPERATION IRON MT
AMCAL (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FILE	YES/NO	FILE FORM WITH BARREL
(B) AIRBURST	YES/NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES/NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES/NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES/NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES/NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES/NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 BOM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS good

DESIGNER White TIME 1525 DATE 2 Aug 69
 SQUADRON 211 CALL SIGN HB 462 MSN NO 6462 FLT 152
 T/O 1342 LAND 1510 TOTAL TIME 1.9

PILOTS ACFT
Miller 19
WHITE 21
 D/LSC V5 TIME 1345
 CONTROLLER JAKE 43 TIME 1420
 TYPE CONTROLLER FACIA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1426-1437</u>	<u>Military Structures</u>	<u>BS223776</u>	<u>5</u>
	<u>22</u>		

TOT TERRAIN hilly TGT WX CO VISIBILITY 10
 FEL ANGLE 18° PASSES 8 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 18,500 RETURN ALT 19,500 TGT AIRSPEED 450
 ORDNANCE 16 DIA/409 EXPENDED All JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 85 % 90 % ADDITIONAL 3 Mil structures destroyed
1 " " damaged

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0

UNIT SUPPORTED ARVN OPERATION —
 (LEAVE BLANK)

ENROUTE WX Clear

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: Ordnance appropriate to Target
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZZ (DALL/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

22

REF REF MCL TIME 1215 DATE 2 August
 SQUADRON 24 CALL SIGN M 21 MSN NO. 0936 FLT 152
 T/O 1258 LAND 1408 ubin TOTAL TIME 2.4

PILOTS	AIRCRAFT	DASC	TIME
<u>Richards</u>	<u>CF 22</u>	<u>Hillsboro</u>	<u>1310</u>
<u>Shearer</u>	<u>03</u>	<u>Na 126</u>	<u>1325</u>
		TYPE CONTROLLER	<u>FAC(A)</u>
		TYPE MISSION	<u>S.T.</u>

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1325-33</u>	<u>Bridge & Land</u>	<u>YC 013978</u>	<u>F</u>
		<u>1616 10653</u>	

TGT TERRAIN F TGT WX 9.0 @ VISIBILITY 7
 REL ANGLE 30° PASSES 8 INTERVAL 30 MIN ALT 3.0
 REL ALT 4.2
 ENROUTE ALT 20.5 RETURN ALT 17.5 TGT AIRSPEED 450
 ORDNANCE 802wy/407 EXPENDED 602 407 JETTISONED -
 ORDNANCE/RTB 2 02 DUDS (SEE NOTE #1) -
 BDA 100% 100 mtrs % ADDITIONAL 15 mtrs Round out
30 m 25 mtrs

SECONDARY EXPLOSIONS No NUMBER - SIZE -
 UNIT SUPPORTED 7th AF OPERATION (LEAVE BLANK)
 ENROUTE WX -

(A) HOSTILE FIRE	YES	☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☒ NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	☒ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	☒ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	☒ NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	☒ NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	☒ NO	GIVE REASON BELOW

REMARKS (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION - REASON FOR -

NOTE #2: RECOVERABLE - FUZE (DELAY/ARM DELAY) -
 JCM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -

20

DEBRIEFER Kennedy TIME 1100 DATE 2 Aug 69
 SQUADRON 211 CALL SIGN HTB MSN NO 6202 FLT 152
 T/O 0837 LAND 1047/53 TOTAL TIME 4.5

PILOTS Wellman ACFT 5 CF DASC DONG 14 TIME 0900
Kennedy 8 CONTROLLER SAFETY TIME 0905
 TYPE CONTROLLER SAFETY
 TYPE MISSION CAT KILLER 44 / DAS

TOT 0900-1000 DESCRIPTION Reconn Inserts PROVINCE 7
1015/25 8 NVA in bunker YP 010679 19

TOT TERRAIN Hilly TGT WX 0 VISIBILITY 10
 REL ANGLE 20° PASSES 6 INTERVAL 30 sec MIN ALT 600
 ENROUTE ALT 18.5 RETURN ALT 17.5 TGT AIRSPEED 450
 ORDNANCE 16 DIA/409 EXPENDED 15 DIA/409 JETTISONED -
 ORDNANCE/RTB 1 DIA DUDS (SEE NOTE #1) -
 EDA 90 % 90 % ADDITIONAL -

SECONDARY EXPLOSIONS - NUMBER - SIZE -
 UNIT SUPPORTED 3RD M.D. OPERATION Idaho Canyon
3RD M.D. OPERATION (LEAVE BLANK)

ENROUTE WX -

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 (B) AIRBURST YES NO FILE FORM WITH BARREL
 (C) ACFT HIT YES NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD 232/24 251/23
 (E) EDA REPORTED YES NO IF ADDITIONAL CIRCLE
 (F) ABORT YES NO ACFT MALFUNCTION/NO DROP 236/23
 (G) DIRECT YES NO GIVE REASON BELOW

REMARKS: Capped 3 Recon Inserts, then to CAT KILLER
44 for NVA in area. (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION None REASON FOR -

NOTE #2: RECOVERABLE - FUZE (DELIVERY/NO DELIVERY)
 EDA ENCOUNTERED No TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS Excellent

16

DEBRIEFER Tierney, JT TIME 0830 DATE 2 Aug 68
 SQUADRON 211 CALL SIGN 152 MSN NO 6152 FLT 152
 T/O 0715 LAND 0815 TOTAL TIME 2.0

PILOTS	ACFT	DASC	TIME
<u>NICHOLS</u>	<u>11</u>	<u>BILK</u>	<u>0727</u>
<u>Tierney</u>	<u>20</u>	<u>Bilk-3B</u>	<u>0735</u>
		TYPE CONTROLLER	<u>F4C4</u>
		TYPE MISSION	<u>DW</u>

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0735/0745</u>	<u>VC LOCATION</u>	<u>YC467934</u>	<u>2</u>
	<u>55</u>		

TOT TERM IN Ridge Line TGT WX 80 @ 10 VISIBILITY 10
 REL ANGLE 30 PASSES 6 INTERVAL 30 MIN ALT 2500
 REL ALT 3000
 ENROUTE ALT 16.5 RETURN ALT 17.5 TGT AIRSPEED 450
 ORDNANCE 40-2/4-03 EXPENDED ALL JETTISONED
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1)
 EDA 100 % 100 % ADDITIONAL

SECONDARY EXPLOSIONS 0 NUMBER SIZE
 UNIT SUPPORTED 3RD 10^{1ST} A.B. OPERATION Campbell STRIKER
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES ☐	NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐	NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐	NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐	NO ☐	CIRCLE ONE/COORD
(E) EDA REPORTED	YES ☐	NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐	NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐	NO ☐	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

NOTE #2: RECOVERABLE FUZE (DELAY/ART/DELAY)
 ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

10 Been Better with SE on
Ridge line

DESIGNER Edwards TIME 0730 DATE 2 Aug 69
 SQUADRON 211 CALL SIGN H8150 MSN NO 6150 FLT 151
 T/O 0600 LAND 0722 TOTAL TIME 2.8

PILOTS Edwards ACFT 03 DASC Dong ha TIME 0620
Lange 19 CONTROLLER SW 98-1 TIME 0625
 TYPE CONTROLLER EAC (A)
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0645-50</u>	<u>Suspected Inert Trail</u>	<u>XD924411</u>	<u>1</u>
	<u>62</u>		

TOT TERRAIN MNT TGT WX 300 VISIBILITY 10
 REL ANGLE 20° PASSES 8 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 18.5 RETURN ALT 19.5 TGT AIRSPEED 450
 ORDNANCE 8D2A 409 EXPENDED Au JETTISONED
 ORDNANCE/RTB — DUDS (SEE NOTE #1) 2D2A
 EDA 100 % 100 % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED 3RD MAR DIV OPERATION Arling Ton Canyon
 (LEAVE BLANK)

ENROUTE WX 130 @ 10

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) EDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: FRIENDLY No FACTOR
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION XD924411 REASON FOR MAT Failure

NOTE #2: RECOVERABLE No FUZE (DELAY IN DELAY) 19 = 2 sec delay
 EDA ENCOUNTERED — FILE — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS Good 79% OKD

⑦

DESIGNER DICKERSON TIME 1545 DATE 2 AUG 69
 SQUADRON 211 CALL SIGN HB592 MSN NO 6592 FLT 152
 T/O 1313 LAND 1530 TOTAL TIME 2.3
 PILOTS DICKERSON ACFT 1 DISC VICE SQUAD TIME 1315
HUBBARD 24 CONTROLLER TIME
 TYPE CONTROLLER
 TYPE MISSION
2 Sorties No Drop

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1315-1515</u>	<u>CAP</u>		
<u>No Drop</u>			

TOT TERRAIN TGT WX VISIBILITY
 REL ANGLE PASSES INTERVAL MEN ALT
 REL ALT
 ENROUTE ALT 14.5 RETURN ALT 6.3 TGT AIRSPEED
 ORDNANCE 408 207 602 EXPENDED — JETTISONED —
 ORDNANCE/RTB 408 207 602 DUDS (SEE NOTE #1)
 BDA % % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED OPERATION
 (LEAVE BLANK)

ENROUTE WX
 (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 (B) AIRBURST YES NO FILE FORM WITH BARREL
 (C) ACFT HIT YES NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
 (F) ABORT YES NO ACFT MALFUNCTION/NO DROP
 (G) DIRECT YES NO GIVE REASON BELOW

REMARKS: THIS SUPER CAP SHOULD BE PUT ON THE
ALERT PAD, NOT AIRBORNE
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

NOTE #2: RECOVERABLE FUZE (DUD/EMPTY/BLANK) HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

LIBRARY REFERENCE _____ TIME _____ DATE 2 August 69
 SQUADRON 21 CALL SIGN 041 MSN NO. 6041 FLT 122
 T/O 0930 LAND 1030 TOTAL TIME 2.0

PILOTS

AIRCRAFT

Reed
Wood

CE 1
9

DASC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT

DESCRIPTION

COORDINATES

PROVINCE

Ferry

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____
 ORDNANCE _____ EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____
 ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD _____
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS UBon - Chulai
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

ORDNANCE EFFECTIVENESS _____

DESCRIPTION Tierney TIME 1145 DATE 3 AUG 69
 SQUADRON 211 CALL SIGN 553 MSN NO 6553 FLT 352
 T/O 1017 LAND 1130/2340 TOTAL TIME 2.8

PILOTS ACFT
WARREN 3 DASC Dona Fla TIME 2245
Tierney 24 CONTROLLER/MESSAGE D TIME 2247
 TYPE CONTROLLER FACIA
 TYPE MISSION CRAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2250/2305</u>	<u>LOCATION</u>	<u>41-85382</u>	<u>3</u>
	<u>55</u>		

TOT TERRAIN Hilly TGT WX 100 VISIBILITY 7+
 REL ANGLE 30 PASSES 6 INTERVAL 30 MIN ALT 2500
 ENROUTE ALT 8.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 16 D-1 EXPENDED 13 D-1 JETTISONED 0
 ORDNANCE/RTB 3 D-1 DUDS (SEE NOTE #1) 0
 BDA 100 % 100 % ADDITIONAL

SECONDARY EXPLOSIONS 0 NUMBER SIZE
 UNIT SUPPORTED 1ST BND OPERATION DUEHAM Peak
 (LEAVE BLANK)
 ENROUTE WX clear

(30) (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 (B) AIRBURST YES NO FILE FORM WITH BARREL
 (C) ACFT HIT YES NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
 (F) ABORT YES NO ACFT MALFUNCTION/NO DROP
 (G) DIRECT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE (DELAY/ARM DELAY)
 NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED
 NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER RKC TIME 2300 DATE 3 AUG 69
 SQUADRON 211 CALL SIGN 555 MSN NO 6555 FLT 302
 T/O 2115 LAND 2240 TOTAL TIME 1.4

PILOTS LANGR ACFT CF 19 D/LSC VANDY ASRT TIME 2145
 CONTROLLER VANDY TIME 2145
 TYPE CONTROLLER ASRT
 TYPE MISSION TRP

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2200</u>	<u>EN LOCAT</u>	<u>X0896211</u>	<u>1</u>
	<u>55</u>		

TOT TERRAIN — TGT WX 150 @ VISIBILITY 5
 REL ANGLE — PASSES 1 INTERVAL — MIN ALT 17,000
 REL ALT 17000
 ENROUTE ALT 18.5 RETURN ALT 19.5 TGT AIRSPEED 290
 ORDNANCE 602WLY EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA — % — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3rd MAJ DIV OPERATION ARLINGTON CANYON
 (LEAVE BLANK)
 ENROUTE WX 40 @ 80 @

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 (B) AIRBURST YES NO FILE FORM WITH BARREL
 (C) ACFT HIT YES NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
 (F) ABORT YES NO ACFT MALFUNCTION/NO DROP
 (G) DIRECT YES NO GIVE REASON BELOW

REMARKS: COULD NOT RAISE BIRMINGHAM ASRT → 50
 (REFERENCE NOTE #3)
VICE SQUAD SENT ME TO VANDY

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — POZE (DELAY/AFM DELAY) —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —
 NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER COLL TIME 1430 DATE 3 AUG 69
 SQUADRON 24 CALL SIGN A/B MSN NO 6591 FLT 152
 T/O 1347 LAND 1617 TOTAL TIME 25

PILOTS ACFT
KENNEDY 3 D/LSC VISE SO TIME 1350
COLL 12 CONTROLLER FAKE 73 TIME 1541
593 2 Sentries No Drop TYPE CONTROLLER FAKE 73
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1553-1603</u>	<u>EN STRUCTOR</u>	<u>BT23, 234</u>	<u>4</u>
	<u>22</u>		

TOT TERRAIN FLAT TGT WX 00 VISIBILITY 10+
 REL ANGLE 30° PASSES 7 INTERVAL 30 sec MIN ALT 2000'
 REL ALT 3000'

ENROUTE ALT 18.5 RETURN ALT 19.5 TGT AIRSPEED 110
 C ORDNANCE 205 408 EXPENDED 6024 JETTISONED 208

ORDNANCE/RTB 208 DUDS (SEE NOTE #1)

BDA 100 % SD % ADDITIONAL 4 Structures destroyed
35% damaged

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED ARVN OPERATION (LEAVE BLANK)

ENROUTE WX CL

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: FRIENDS 2000 METERS
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

NOTE #2: RECOVERABLE FUZE (DELAY/ARM DELAY)
 BGM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS GOOD TAGS ORC

IEBP IEBP MCL TIME 1215 DATE 3 August
 SQUADRON 211 CALL SIGN M 21 MSN NO. 0936 FLT 1427
 T/O 1047 LAND 1135 TOTAL TIME 1.8

PILOTS

AIRCRAFT

Richards CF 22 DASC _____ TIME _____
Shearer 03 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT

DESCRIPTION

COORDINATES

PROVINCE

FERRY

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 ENROUTE ALT _____ RETURN ALT 17.5 TGT AIRSPEED _____
 ORDNANCE _____ EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____

ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS _____

(REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

ORDNANCE EFFECTIVENESS _____

DEBRIEFER Edwards TIME 1620 DATE 3 Aug 69
 SQUADRON 211 CALL SIGN HR 241 MSN NO 6041 FLT 142
 TO 1450 LAND 1555 TOTAL TIME 1.1

PILOTS Edwards ACFT 06 DLSC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION TEST

TOT	DESCRIPTION	COORDINATES	PROVINCE
	<u>Test</u>		

TOI TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 REL ALT _____
 ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____
 ORDNANCE _____ EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: Test No 1
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER W FN TIME 1800 DATE 3 AUG 69
 SQUADRON 211 CALL SIGN H B MSN NO 245 FLT 152
 T/O 1725 LAND 1750 TOTAL TIME .8

PILOTS ACFT
NORDELL CF 22 DASC TIME
WHITE 11 CONTROLLER TIME
 TYPE CONTROLLER
 TYPE MISSION

TOT DESCRIPTION COORDINATES PROVINCE
ABOART KOP WINGMAN'S A/C V; COCKPIT
TEMP CONTROL WEAT 2 FUEL HOT
AFTER AIR BORNE
NO

TOT TERRAIN TGT WX VISIBILITY
 REL ANGLE PASSES INTERVAL MIN ALT
 REL ALT
 ENROUTE ALT RETURN ALT TGT AIRSPEED
 ORDNANCE 8 02A 209 EXPENDED JETTISONED 6 DZ / 2 D9
 ORDNANCE/RTB 8 02A 209 DUDS (SEE NOTE #1)
 BDA % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED OPERATION
 (LEAVE BLANK)

ENROUTE WX
 (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 (B) AIRBURST YES NO FILE FORM WITH BARREL
 (C) ACFT HIT YES NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
 (F) ABORT YES NO ACFT MALFUNCTION/NO DROP
 (G) DIRECT YES NO GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE (BELL VARM DATA)
 NOTE #2: ECM ENCOUNTERED TML. HOW DIRECTED
 NOTE #3: ORDNANCE EFFECTIVENESS

DECLASSIFIED

DEBRIEFER WOOD TIME 1030 DATE 3 Aug 69
 SQUADRON 211 CALL SIGN HB MSN NO 6563 FLT 152
 T/O 0840 LAND 1013 TOTAL TIME 3.2

PILOTS ACFT
LENZINI CF 20 DASC Down HA TIME 0900
WOOD CF 21 CONTROLLER SW 97.3 TIME 0915
 TYPE CONTROLLER TACA
 TYPE MISSION L2P

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0935-44</u>	<u>Area 2-2P</u>	<u>VD043644</u>	<u>I</u>
	<u>54</u>		

TOT TERRAIN Rolling Hills TGT WX 85 ① VISIBILITY 7+
 REL ANGLE 30° PASSES 7 INTERVAL 30sec MIN ALT 1600'
 ENROUTE ALT 18.5 RETURN ALT 23.5 TGT AIRSPEED 450
 ORDNANCE 403x402x EXPENDED ALL JETPISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE #1) -
 BDL 95 % 95 % ADDITIONAL -

① SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 3rd MARDIV OPERATION Idaho Canyon
 (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) EDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

⑩ REMARKS: FRIENDLIES 90'clock 300M
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FOUL (DONT WANT DUDS)
 NOTE #2: ECM ENCOUNTERED _____ TAC _____ NOW DIRECTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS Good

DECLASSIFIED

DEBRIEFER Huggin TIME 1055 DATE 3 Aug 69
 SQUADRON 211 CALL SIGN H8207 MSN NO 6207 FLT 152
 T/O 0938 LAND 1038 TOTAL TIME 2.0

PILOTS	ACFT	DASC	TIME
<u>DANE</u>	<u>CF07</u>	<u>DANANG</u>	<u>0945</u>
<u>HUGGIN</u>	<u>15</u>	CONTROLLER <u>Hostage Team</u>	TIME <u>50</u>
		TYPE CONTROLLER <u>PRCA</u>	
		TYPE MISSION <u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0955-1005</u>	<u>Enemy Posit</u>	<u>AT 975 388</u>	<u>BI</u>
	<u>55</u>		

TOT TERRAIN Mtns TGT WX 1200 VISIBILITY 15
 PEL ANGLE 300 PASSES 4 INTERVAL 30+ MIN ALT 1500 AGL
 REL ALT 3000
 ENROUTE ALT 8500 RETURN ALT 9500 TGT AIRSPEED 450
 ORDNANCE 1202 EXPENDED all JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL 300 meters below line

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 5th M&S M.O. OPERATION Durham Peak
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: Friendlies 400 meters
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — FUZE (DELAY/TIME DELAY) —
 NOTE #2: ECM ENCOUNTERED — WHEN — HOW DERECTED —
 NOTE #3: ORDNANCE EFFECTIVENESS O.K.

DEBRIEFER JHL TIME 1120 DATE 7 AUG 1969
 SQUADRON 211 CALL SIGN HO MSN NO 6455 FLT 152
 T/O 0940 LAND 1101 TOTAL TIME 2.8

PILOTS ACFT
REED CF8 DASC D.D. TIME
LAWRENCE 1 CONTROLLER MIKE 62 TIME 1010
 TYPE CONTROLLER EACA
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1018-35 NVA PLATOON 01 ZC211330 3
50 CAL, 57 RECOIL RIFLE
AW/SMALL ARMS - ALL ACTIVE!

TOT TERRAIN Rolling TGT WX 0 VISIBILITY 10+
 REL ANGLE 10° PASSES 6 INTERVAL 30 MIN ALT 26
 REL ALT 1.0
 ENROUTE ALT 17.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 1601A 409 EXPENDED ALL JETTISONED —
 ORDNANCE/MTB — DUDS (SEE NOTE #1) —
 BDL 100 % 30 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED SPECIAL RECON OPERATION —
 (LEAVE BLANK)

ENROUTE WX —
 (A) HOSTILE FIRE ☒ YES ☐ NO FILE FORM WITH BARREL
 (B) AIRBURST ☒ YES ☐ NO FILE FORM WITH BARREL
 (C) ACFT HIT ☒ YES ☐ NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT ☒ YES ☐ NO CIRCLE ONE/COORD
 (E) EDA REPORTED ☒ YES ☐ NO IF ADDITIONAL CIRCLE
 (F) ABORT ☒ YES ☐ NO ACFT MALFUNCTION/NO DROP
 (G) DIRECT ☒ YES ☐ NO GIVE REASON BELOW

REMARKS: friendly 1000m
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — FUZE (DUM/NOT DUM) —
 NOTE #2: ECM ENCOUNTERED — TYPE — HOW DIRECTED —
 NOTE #3: ORDNANCE EFFECTIVENESS Good

DEBRIEFER MILLER TIME 1135 DATE 3 AUG
 SQUADRON VMA-211 CALL SIGN HB 153 MSN NO 6153 FLT 152
 T/O 0945 LAND 1120 TOTAL TIME 3.2

PILOTS ACFT
MILLER 11 D/LSC DOUB HA TIME 1003
GRAHAM 25 CONTROLLER OH ASRT TIME 1020
 TYPE CONTROLLER ASRT
 TYPE MISSION TP 2

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1045</u>	<u>SEEDING</u>	<u>XD 837539</u>	<u>1</u>
	<u>20</u>		

TOT TERRAIN MINUS TGT WX 40 @ VISIBILITY 7+
 REL ANGLE 0 PASSES 1 INTERVAL — MIN ALT 20.0
 ENROUTE ALT 14.5 RETURN ALT 21.5 TGT AIRSPEED 2901AS
 ORDNANCE 1202 @ EXPENDED ALL JETTISONED —
 ORDNANCE/RTS 0 DUDS (SEE NOTE #1) —
 EDA unb % ADDITIONAL —

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 3rd M.D. OPERATION ARLINGTON Canyon
 (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) EDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES NO	GIVE REASON BELOW

REMARKS: TP 2
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELT/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER IBM TIME 1200 DATE 3 Aug 69
 SQUADRON 211 CALL SIGN HB 091 MSN NO 6091 FLT 152
 T/O 1038 LAND 1155 TOTAL TIME 26

PILOTS ACFT
Oseman 19 D/SC Bilk TIME 1100
M. Anally 5 CONTROLLER Bilk 31 TIME 1100
 TYPE CONTROLLER MACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1118-1127</u>	<u>Bunkers</u>	<u>YC 298996</u>	<u>RVN</u>
	<u>22</u>		

TOT TERRAIN MTS TGT WX 1000 VISIBILITY 15
 REL ANGLE 20° PASSES 8 INTERVAL 30 MIN ALT 600
 REL ALT 1300

ENROUTE ALT 20.18.5 RETURN ALT 15.5 TGT AIRSPEED 450

ORDNANCE 16 DIA - 409 EXPENDED all JETTISONED —

ORDNANCE/RTB — DUDS (SEE NOTE #1) —

EDA 100 % 100 % ADDITIONAL 3 bunkers destroyed,
1 soft damaged, 1 sec. fire

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 3rd AF 101st AB OPERATION Montgomery Rendevouz
 (LEAVE BLANK)

ENROUTE WX 50 00 V00

(A) HOSTILE FIRE	☒ YES	☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	☒ YES	☐ NO	FILE FORM WITH BARREL
(C) ACFT HIT	☒ YES	☐ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	☒ YES	☐ NO	CIRCLE ONE/COORD
(E) EDA REPORTED	☒ YES	☐ NO	IF ADDITIONAL CIRCLE
(F) ABORT	☒ YES	☐ NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	☒ YES	☐ NO	GIVE REASON BELOW

REMARKS: Crashed ~~the~~ F-4 that crashed on 210/25/77
for 20 minutes until relieved by Speed 11.
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS Very good

109

DEBRIEFER Rivers TIME 0830 DATE 2 Aug 69
 SQUADRON 211 CALL SIGN HR MSN NO 6010 FLT 152
 T/O 0635 LAND 0756 TOTAL TIME 2-1

PILOTS ACFT
Rivers CF-21 D/SC Bant HA TIME 0655
COUNTRY 23 CONTROLLER SW CHECKED TIME 0700
 TYPE CONTROLLER FAC
 TYPE MISSION L2P

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0700-0705</u>	<u>L2P</u> <u>54</u>	<u>XDR50540</u>	<u>1</u>

TOT TERRAIN MTS. TGT WX 020/5500 VISIBILITY 7
 REL ANGLE 20 PASSES 02 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 18.5 RETURN ALT 27.5 TGT AIRSPEED 450
 ORDNANCE 802A/409 EXPENDED 209 JETTISONED 402A
 ORDNANCE/RTB 402A 209 DUDS (SEE NOTE #1)
 BDL % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 3rd MANDIV OPERATION GEORGIA TAR
 (LEAVE BLANK)
 ENROUTE WX 10.0 #7

(A) HOSTILE FIRE	UNK <u>YES</u> <u>NO</u>	FILE FORM WITH BARREL
(B) AIRBURST	<u>YES</u> <u>NO</u>	FILE FORM WITH BARREL
(C) ACFT HIT	UNK <u>YES</u> <u>NO</u>	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	<u>YES</u> <u>NO</u>	CIRCLE ONE/COORD
(E) EDM REPORTED	<u>YES</u> <u>NO</u>	IF ADDITIONAL CIRCLE
(F) ABORT	<u>YES</u> <u>NO</u>	ACFT MALFUNCTION/NO DROP
(G) DIRECT	<u>YES</u> <u>NO</u>	GIVE REASON BELOW

REMARKS: DASH TWO EXPERIENCED TOTAL HYD. FAILURE AND SUBSEQUENT
 (REFERENCE NOTE #3)

LOST CONTROL OF A/C AND EJECTED FEET WET (040/11-109) PILOT RECOVERED
OKAY

NOTE #1: DUD REPORT LOCATION REASON FOR

RECOVERABLE FUZE (DELAY/ARM DELAY)
 NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

(9)

DEBRIEFER REED TIME 0420 DATE 4 AUG 69
 SQUADRON 211 CALL SIGN HB 307 MSN NO 6307 FLT 352
 T/O 0215 LAND 0400 TOTAL TIME 1.8

PILOTS REED ACFT CF20 DASC VICES 5 TIME 0218
 CONTROLLER CHALASRT TIME 0220
 TYPE CONTROLLER ASRT
 TYPE MISSION TPQ

TOT 0220-0240 DESCRIPTION ENEMY POSITIONS COORDINATES BS 448978 PROVINCE 5
BT 352100

55

TOT TERRAIN R TGT WX 0 VISIBILITY 10+
 REL ANGLE level PASSES 2 INTERVAL - MIN ALT 14100
 REL ALT 1400

ENROUTE ALT 14500 RETURN ALT 19500 TGT AIRSPEED 290 IAS

ORDNANCE 10 DI W/Y EXPENDED ALL JETTISONED -

ORDNANCE/RTB - DUDS (SEE NOTE #1) -

EDA 14h % ADDITIONAL -

SECONDARY EXPLOSIONS - NUMBER - SIZE -

UNIT SUPPORTED Am Cal OPERATION GENEVA PARK
 (LEAVE BLANK)

ENROUTE WX 0

(A) HOSTILE FIRE	YES <u>NO</u>	FILE FORM WITH BARREL
(B) AIRBURST	YES <u>NO</u>	FILE FORM WITH BARREL
(C) ACFT HIT	YES <u>NO</u>	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES <u>NO</u>	CIRCLE ONE/COORD
(E) EDA REPORTED	YES <u>NO</u>	IF ADDITIONAL CIRCLE
(F) ABORT	YES <u>NO</u>	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES <u>NO</u>	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON FOR -

NOTE #2: RECOVERABLE - FUZE (DELAY/ARM DELAY) -
 DCM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -

(1)

DESIGNER Wellman TIME 0005 DATE 7 Aug 69
 SQUADRON 211 CALL SIGN H1357 MSN NO 6557 FLT 352
 T/O 2225 LAND 2350 TOTAL TIME 15

PILOTS Wellman ACFT CF 5 DASC Vandy TIME 2355
 CONTROLLER Vandy ASST TIME 2317
 TYPE CONTROLLER ASST
 TYPE MISSION SPD

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2310</u>	<u>Enemy Bunkers</u> <u>19</u>	<u>XD825576</u>	<u>1</u>

TOT TERRAIN TGT WX 1700 VISIBILITY 10
 REL ANGLE level PASSES 1 INTERVAL MIN ALT 14.5
 REL ALT 14.5
 ENROUTE ALT 18.5 RETURN ALT 17.5 TGT AIRSPEED 280
 ORDNANCE 6 D2W/4 EXPENDED all JETTISONED
 ORDNANCE/RTB None DUDS (SEE NOTE #1)
 EDA 100% 100% ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 3rd M. Davis OPERATION Georgia TAR
 (LEAVE BLANK)
 ENROUTE WX 1700

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) EDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE NO FOZE (DELAY/ASST DELAY)
 NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED
 NOTE #3: ORDNANCE EFFECTIVENESS O.K.

DESIGNATOR DANE TIME 10:00 DATE 5 AUG 1969
 SQUADRON 211 CALL SIGN H3015 MSN NO 6015 FLT 132
 T/O 0848 LAND 0940 TOTAL TIME 1.8

PILOTS ACFT
GRAHAM 20 DLSC BILK TIME 0900
DANE 24 CONTROLLER BICK-35 TIME 0905
 TYPE CONTROLLER FAC(A)
 TYPE MISSION L2P

TOT DESCRIPTION COORDINATES PROVINCE
0907-12 L2P (HILLTOP) YC 440-882 B
54

TOT TERRAIN MTNS TGT WX 160 MD VISIBILITY 15+
 REL ANGLE 30° PASSES 7 INTERVAL 30" MIN ALT 2000
 ENROUTE ALT 12.5 RETURN ALT 11.5 TGT AIRSPEED 450+
 ORDNANCE 4D-2Y/4D-3Y EXPENDED 4D-2Y JETTISONED —
3D-3Y
 ORDNANCE/RTB 1D-3Y DUDS (SEE NOTE #1) NONE
 EDA 100 % 80 % ADDITIONAL

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3RD BDE / 101ST AB OPERATION Campbell Striker
 (LEAVE BLANK)
 ENROUTE WX 120 MD

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) EDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: ORD FINE FOR MISSION.
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DLLY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DESIGNER HUTSON TIME 0930 DATE 5 AUG 61
 SQUADRON 211 CALL SIGN 021 MSN NO 6021 FLT 152
 T/O 0805 LAND 0905 TOTAL TIME 20

PILOTS HUTSON ACFT CF 15 DASC DANMARK TIME 0810
MILLER 9 CONTROLLER DESKWORK 14 TIME 0815
 TYPE CONTROLLER GROUND FAC G
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0840-52</u>	<u>SUSPECTED LOC AT 932398</u>		<u>B</u>
	<u>55</u>		

TOT TERRAIN Rolling TGT WX 1200 VISIBILITY 7
 REL ANGLE 30 PASSES 6 INTERVAL 30 MIN ALT 1800
 ENROUTE ALT 12.5 RETURN ALT 9.5 TGT AIRSPEED 450
 ORDNANCE 12 DOW/4 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1)
 BDA 100 % 100 % ADDITIONAL NO FURTHER

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1st MD OPERATION Durham Peak
 ENROUTE WX 120 DV0 7-10
 (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☐	NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐	NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐	NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐	NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒	NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐	NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐	NO ☒	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/IRM DELAY) —
 DCM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

⑨

DEBRIEFER MA Fymer TIME 0930 DATE 5 July
 SQUADRON 211 CALL SIGN 451 MSN NO 6451 FILE 1.4
 T/O 0715 LAND 0910 TOTAL TIME 2.8

PILOTS		ACFT	DASC	TIME
<u>FEED</u>	<u>03</u>	<u>08</u>	<u>Dang Ha</u>	<u>0823</u>
<u>BERNER</u>			<u>SW 971</u>	<u>0825</u>
			TYPE CONTROLLER	<u>FACCA</u>
			TYPE MISSION	<u>DAS</u>

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0830-35</u>	<u>BUNKERS</u>	<u>YD168754</u>	<u>I</u>
	<u>19</u>		

TOT TERRAIN FLAT TGT WX 130 ~~10-13~~ VISIBILITY 10+
 REL ANGLE 20° PASSES 10 INTERVAL 30 s MIN ALT 600
 ENROUTE ALT 245 RETURN ALT 135 TGT AIRSPEED 450
 ORDNANCE 16 DIA / 409 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —

EDL 95 % 95 % ADDITIONAL 3 BUNKERS 10 METERS

DEPT
OF TRENCH LINE, 150 CALIBER POSITION, 1 SECONDARY FIRE

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 3RD MARINES OPERATION IR 240.3 GROVE
 (LEAVE BEHIND)

ENROUTE WX —

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☒ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☒ NO ☐	GIVE REASON BELOW

REMARKS: FRIENDLY NO FACTOR
 (REFER TO NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

RECOVERABLE — FUZE (DELAY/NO DELAY) —
 NOTE #2: ECM ENCOUNTERED — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS 100% SUITABLE FOR ORDNANCE

DEBRIEFER JAC TIME 1235 DATE 5 Aug 1968
 SQUADRON 211 CALL SIGN HB 591 MSN NO 6589 FLT 152
 T/O 0855 LAND 1030 TOTAL TIME 639' 34"

PILOTS LAWRENCE ACFT CF 19 DASC HELIX TIME 1139
RIVERS 13 CONTROLLER HELIX 25 TIME 1140
 TYPE CONTROLLER FAC A
 TYPE MISSION CAS

TOT 1142-54 ACTIVE DESCRIPTION AW SITE NVA COORDINATES BS 569781 PROVINCE 5

TOT TERRAIN FLAT TGT WX 0 VISIBILITY 10+
 REL ANGLE 30° PASSES 8 INTERVAL 30 MIN ALT 1.5
 ENROUTE ALT 12.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 6021 205 4AP EXPENDED 6021 JETTISONED 205

ORDNANCE/RTB 4AP DUDS (SEE NOTE #1) —

EDA 100 % 80 % ADDITIONAL 3 struct. dest. 1 struct.

dam. 1 large bunker dest. 1 Active AW dest

SECONDARY EXPLOSIONS — NUMBER — SIZE 1 KBA (C)

UNIT SUPPORTED AMCAL OPERATION IRON MOUNTAIN
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE ☒ YES ☐ NO FILE FORM WITH BARREL AW 30 cal (I)
 (B) AIRBURST ☒ YES ☐ NO FILE FORM WITH BARREL
 (C) ACFT HIT ☒ YES ☐ NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT ☒ YES ☐ NO CIRCLE ONE/COORD
 (E) EDA REPORTED ☒ YES ☐ NO IF ADDITIONAL CIRCLE
 (F) ABORT ☒ YES ☐ NO ACFT MALFUNCTION/NO DROP
 (G) DIRECT ☒ YES ☐ NO GIVE REASON BELOW

REMARKS: friends 200m
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FOZE (DLE/ARM DELAY) —
 DCM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS good

(16)

DEBRIEFER Richards TIME 1200 DATE 5 Aug 6
 SQUADRON 211 CALL SIGN HBO41 MSN NO 6041 NLI 132
 T/O 1018 LAND 1120 TOTAL TIME 2.0

PILOTS Richards ACFT 18 DASC Bilk TIME 1030
Shearer 15 CONTROLLER Bilk32 TIME 1035
 TYPE CONTROLLER FACCA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1043/100</u>	<u>TIC</u>	<u>V/L321956</u>	<u>2</u>
	<u>45</u>		

TOT TERRAIN Hilly TGT WX 1000 VISIBILITY 7
 REL ANGLE 20° PASSES 7 INTERVAL 30 sec MIN ALT 600
 ENROUTE ALT 105 RETURN ALT 9.5 TGT AIRSPEED 450
 ORDNANCE 802A 409 EXPENDED A11 JETTISONED
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1)
 BDL 100 % 100 % ADDITIONAL 1 Bunker Out

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 101st A.B. OPERATION Montgomery Road
 (LEAVE BLANK)

ENROUTE WX _____
 (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 (B) AIRBURST YES NO FILE FORM WITH PARREL
 (C) ACFT HIT YES NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 (E) BDL REPORTED YES NO IF ADDITIONAL CIRCLE
 (F) ABORT YES NO ACFT MALFUNCTION/NO DROP
 (G) DIRECT YES NO GIVE REASON BELOW

REMARKS: Trys 200 meters
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 PCM ENCOUNTERED _____ TYPE _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS OK

15

DEBRIEFER Wellman TIME 1120 DATE 5 Aug 69
 SQUADRON 211 CALL SIGN #211 MSN NO 6211 FLT 152
 T/O 0839 LAND 1100 TOTAL TIME 4.8

PILOTS Wellman ACFT CF 5 DASC Ching Ha TIME 0905
Rooke 22 CONTROLLER 211 TIME 0900/1020
 TYPE CONTROLLER FACA
 TYPE MISSION Hostage India CAS
 TOT DESCRIPTION COORDINATES PROVINCE
0930-1000 Remount/Extract XD 822392
1035-1046 Bunkers AT 898501 3

TOT TERRAIN Hilly TGT WX 70.0 VISIBILITY 10
 REL ANGLE 20 PASSES 6 INTERVAL 30 Sec MIN ALT 600
 ENROUTE ALT 18.5 RETURN ALT 9.5 TGT AIRSPEED 450
 ORDNANCE 160A/409 EXPENDED all JETTISONED —
 ORDNANCE RTE None DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS None NUMBER — SIZE —
 UNIT SUPPORTED 5th Infantry OPERATION Dunham Peak
 (LEAVE BLANK)
 ENROUTE WX 6001200

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 (B) AIRBURST YES NO FILE FORM WITH BARREL
 (C) ACFT HIT YES NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD 270/23(102) XD 822392
 (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE Insert Extract
 (F) ABORT YES NO ACFT MALFUNCTION/NO DROP
 (G) DIRECT YES NO GIVE REASON BELOW

REMARKS: Friendlys 1300 M
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION None REASON FOR —

NOTE #2: RECOVERABLE NO FOZE (DELAY/ARM DELAY) —
 DCM ENCOUNTERED 10 TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS Good

14

DEBRIEFER COLL TIME 1425 DATE 5 AUG
 SQUADRON 211 CALL SIGN MANUM MSN NO 0937 FLT 152
 T/O 1245 LAND 1413 TOTAL TIME 3.0

PILOTS	ACFT	
<u>EDWARDS</u>	<u>8</u>	DASC <u>HILLSBORO</u> TIME <u>1310</u>
<u>COLL</u>	<u>18</u>	CONTROLLER <u>NAIL</u> <u>17</u> TIME <u>1315</u>
		TYPE CONTROLLER <u>FAC (A)</u>
		TYPE MISSION <u>ST</u>

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1335-40</u>	<u>BRIDGE</u> <u>EN STORAGE + BUNKERS</u>	<u>XD64479</u>	<u>C</u>
		<u>1643 10559</u>	

TOT TERRAIN JUNGLE TGT WX 2000 VISIBILITY 10+
 REL ANGLE 30° PASSES 2 INTERVAL 30 MIN ALT 5000
 ENROUTE ALT 185 RETURN ALT 215 TGT AIRSPEED 410
 ORDNANCE 1202XW EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 75 % ADDITIONAL 1 ROAD CUT

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 7th airforce OPERATION _____
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ICM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS GOOD TARGET ORD

DEBRIEFER TIERNET TIME 1315 DATE 5 JUL 67
 SQUADRON 211 CALL SIGN 459 MSN NO 6409 FLT 152
 T/O 1152 LAND 1258 TOTAL TIME 2.2

PILOTS	ACFT	DASC	TIME
<u>Dickerson</u>	<u>21</u>	<u>Bilk</u>	<u>1207</u>
<u>Tiernet</u>	<u>24</u>	<u>Bilk-38</u>	<u>1210</u>
		TYPE CONTROLLER	<u>FACA</u>
		TYPE MISSION	<u>CAS</u>

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1220-1235</u>	<u>Taps in Contact</u>	<u>YC 315950</u>	<u>2</u>
	<u>45</u>		

TOT TERMIN Hilly TGT WX 60 VISIBILITY 7+
 REL ANGLE 20 PASSES 7 INTERVAL 30+ MIN ALT 700
 ENROUTE ALT 22.5 RETURN ALT 17.5 TGT AIRSPEED 450
 ORDNANCE 180-1/4 D9 EXPENDED ALL JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1)
 BDA 100 % 100 % ADDITIONAL 2 Bunkers Destroyed

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE
 UNIT SUPPORTED 101 AB OPERATION CAMPBELL STRIKER
 ENROUTE WX 250 0/0 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 BOM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS OK

(8)

DEBRIEFER DBO TIME 1530 DATE 5 Aug 69
 SQUADRON 24 CALL SIGN HB MSN NO 6017 FLT 152
 T/O 1445 LND 1521 TOTAL TIME 1.0

PILOTS

ACFT

WyRick
Wellman

CEIS
22

DASC Helix TIME 1447
 CONTROLLER Helix 22 TIME 1448
 TYPE CONTROLLER FRCA
 TYPE MISSION DAS

TOT

DESCRIPTION

COORDINATES

PROVINCE

1450/04 Bomboc B5412794 5
55

TOT TERMIN Flat TGT WX 600 VISIBILITY 107
 REL ANGLE 30 PASSES 6 INTERVAL 31 MIN ALT 1300
 REL ALT 5000
 ENROUTE ALT 7.5 RETURN ALT 8.5 TGT AIRSPEED 450
 ORDNANCE 1202 EXPENDED ALL JETTISONED NO
 ORDNANCE/RTB NO DUDS (SEE NOTE #1)
 EDA 100 % 90 % ADDITIONAL 5 Bombs Destroyed

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED AMERICAN OPERATION GENEVA PARK
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) EDA REPORTED	YES ☐ NO ☒	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: Friendly no factor
 (REFERENCE NOTE #3)

NOTE #1: DUB REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/TIM DELAY) _____
 LCM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS Good

23

185

DEBRIEFER White TIME 1700 DATE 5 Aug 69
 SQUADRON 211 CALL SIGN HB 467 MSN NO 6467 FLG 122
 T/O 1545 LAND 1635 TOTAL TIME 1.6

PILOTS	ACFT	DASC	TIME
<u>Lawrence</u>	<u>21</u>	<u>Helix</u>	<u>1550</u>
<u>WHITE</u>	<u>20</u>	CONTROLLER <u>Helix 31</u>	TIME <u>1551</u>
		TYPE CONTROLLER <u>FAC(A)</u>	
		TYPE MISSION <u>UCAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1554-1610</u>	<u>TROOPS in contact</u>	<u>B5535760</u>	<u>5</u>
	<u>45</u>		

TOT TERRAIN flat TGT WX 400 ~~400~~ VISIBILITY 7
 REL ANGLE 20° PASSES 8 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 14,500 RETURN ALT 7,500 TGT AIRSPEED 450
 ORDNANCE 8 DIA/209 EXPENDED All JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1)
 BDA 100 % 50 % ADDITIONAL 5 structure Dest

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED Americal OPERATION Iron Mountain
 (LEAVE BLANK)
 ENROUTE WX Clear

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH PARREL
(C) ACFT HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — FOZE (DENT/AFM DELAY) —
 NOTE #2: ICH INCOUNTED — HOW DIRECTED —
 NOTE #3: ORDNANCE EFFECTIVENESS —

25

147

DESIGNER Richard TIME 1810 DATE 5 Aug 69
 SQUADRON 211 CALL SIGN HBS MSN NO 625 FLT 132
 T/O 1810 LAND 1855 TOTAL TIME 1.6

PILOTS Richard ACFT 24 DASC Helix TIME 1815
Shearer 3 CONTROLLER Helix TIME 1817
 TYPE CONTROLLER EA(CA)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1828/35</u>	<u>En. Trips Structures B</u>	<u>T084471</u>	<u>4</u>
	<u>45</u>		

TOT TERRAIN Flat TGT WX 800 VISIBILITY UNE 10.7
 REL ANGLE 20 PASSES 10 INTERVAL 30 sec MIN ALT 600
 ENROUTE ALT 4.5 RETURN ALT 5.5 TGT AIRSPEED 450
 ORDNANCE 16 DIA 409 EXPENDED All JETTISONED

ORDNANCE/RTB DUDS (SEE NOTE #1)
 BDA 90 % 80 % ADDITIONAL 7 Structures Dest
2 Damaged

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED ANCA C OPERATION
 (LEAVE BLANK)

ENROUTE WX 800

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: Friendly 2000 meters
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

NOTE #2: RECOVERABLE FUZE (BELL/ARM DELAY)
 ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS OK

(29)

DEBRIEFER Edwards TIME 1730 DATE 5 Aug 65
 SQUADRON 211 CALL SIGN HB239 MSN NO 6239 FLT 122
 T/O 1625 LAND 1725 TOTAL TIME 1.0

PILOTS Edwards ACFT 06 D/ASC TIME
 CONTROLLER TIME
 TYPE CONTROLLER TEST
 TYPE MISSION TEST

TOT	DESCRIPTION	COORDINATES	PROVINCE
	<u>TEST</u>	<u>HOP</u>	

TOT TERMIN TGT WX VISIBILITY
 REL ANGLE PASSES INTERVAL MIN ALT
 REL ALT
 ENROUTE ALT RETURN ALT TGT AIRSPEED
 ORDNANCE EXPENDED JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE #1)
 EDA % % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED OPERATION
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) EDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

RECOVERABLE FUZE (DELAY/ARM DELAY)
 NOTE #2: ECM ENCOUNTERED TYPE HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER Hughes TIME 2420 DATE 5 Aug
 SQUADRON 211 CALL SIGN HB557 MSN NO 6557 FLT 152
 T/O 2230 LAND 2400 TOTAL TIME 1-5

PILOTS Hughes ACFT CF11 DASC _____ TIME _____
 CONTROLLER #15 Donoghue 2300
 TYPE CONTROLLER ASRT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2300</u>	<u>Base (Camp) (known)</u>	<u>YD 427741</u>	<u>3</u>
<u>55</u>			

TOT TERMIN R TGT WX 100 @ VISIBILITY 7
 REL ANGLE 0 PASSES 2 INTERVAL 104 MIN ALT 15000
 REL ALT 15000
 ENROUTE ALT 20500 RETURN ALT 21500 TGT AIRSPEED 290
 ORDNANCE 1001Y EXPENDED all JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 51ST MAID OPERATION _____
 (LEAVE BLANK)

ENROUTE WX 0

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____

33

DEBRIEFER 1 K C TIME 21315 DATE 5 AUG
 SQUADRON 211 CALL SIGN 555 MSN NO 6555 FLT 352
 T/O 2125 LAND 2246 TOTAL TIME 1.4

PILOTS LIANGE ACFT CF 01 AN 120A
 DASC ASRT TIME 2150
 CONTROLLER 62 TIME 2150
 TYPE CONTROLLER ASRT
 TYPE MISSION TGO

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2205</u>	<u>EN LOC</u>	<u>AT872700</u>	<u>-3</u>
	<u>55</u>		

TOT TERRAIN R TGT WX 11.0 VISIBILITY 7
 REL ANGLE Level PASSES 1 INTERVAL — MIN ALT 14.1
 REL ALT 14.1
 ENROUTE ALT 20.5 RETURN ALT 17.5 TGT AIRSPEED 290
 ORDNANCE 10 D14 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 EDA — % — % ADDITIONAL —

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 7/8 BATTALION D OPERATION —
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) EDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DEL. 17/2PM DELAY) —
 PCM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

(32)

DEBRIEFER WATSON TIME 2130 DATE 5 Aug 69
 SQUADRON 211 CALL SIGN H8 253 MSN NO 6253 FLT 152
 T/O 2005 LAND 2135 TOTAL TIME 3.1

PILOTS ACFT
WATSON CF-20 DASC TIME
WATSON 21 CONTROLLER TIME
 TYPE CONTROLLER
 TYPE MISSION

TOT DESCRIPTION COORDINATES PROVINCE
ORD DUMP NO DROP
SQUAD CONTROL
050/40 MI

TOT TERMINAL TGT WX VISIBILITY
 REL ANGLE PASSES INTERVAL MIN ALT
 REL ALT

ENROUTE ALT RETURN ALT TGT AIRSPEED

ORDNANCE 8D2A4D9 EXPENDED JETTISONED 8D2A4D9

ORDNANCE/RTB T DUDS (SEE NOTE #1)

BDA % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED OPERATION (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

NOTE #2: RECOVERABLE FUZE (DELAY/ARM DELAY)
 ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DECLASSIFIED

DESIGNER DICKERSON TIME 0845 DATE 5 Aug 69
 SQUADRON 211 CALL SIGN HB 207 MSN NO 6207 FLT 112
 T/O 0747 LAND 0821 TOTAL TIME .6

PILOTS DICKERSON MG ACFT CF 18 DLSC VICE SQUAD TIME 0750
 CONTROLLER TIME
 TYPE CONTROLLER
 TYPE MISSION

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>TEST</u>			

TOT TERRAIN TGT WX VISIBILITY
 REL ANGLE PASSES INTERVAL MIN ALT
 REL ALT
 ENROUTE ALT RETURN ALT TGT AIRSPEED
 ORDNANCE EXPENDED JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE #1)
 BDA % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED OPERATION
 (LEAVE BLANK)
 ENROUTE WX

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

RECOVERABLE FUZE (DELAY/ARM DELAY)
 NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DECLASSIFIED

REFERENCE _____ TIME _____ DATE 5 Aug 69
 SQUADRON 211 CALL SIGN HB 589 MSN NO. 6589 FLT 142
 T/O 1030 LAND 1210 TOTAL TIME 3.2

PILOTS AIRCRAFT
LAWRENCE CF 19 DASC _____ TIME _____
RIVERS 12 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT DESCRIPTION COORDINATES PROVINCE
NO DROP

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 ENROUTE ALT 12.5 RETURN ALT 7.5 TGT AIRSPEED _____
 ORDNANCE 602/205 408 EXPENDED NO JETTISONED _____
 ORDNANCE/RTB 602/205 408 BUDS (SEE NOTE #1) _____
 BDA _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____
 ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 (B) AIRBURST YES NO FILE FORM WITH BARREL
 (C) ACFT HIT YES NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD _____
 (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE _____
 (F) ABORT YES NO ACFT MALFUNCTION/NO DROP _____
 (G) DIRECT YES NO GIVE REASON BELOW _____

REMARKS NO TARGETS
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

ORDNANCE EFFECTIVENESS _____

DESIGNATOR A0 TIME 1040 DATE 6 Aug 69
 SQUADRON 211 CALL SIGN HB154 MSN NO 6154 FLT 152
 T/O 0940 LAND 1035 TOTAL TIME 1.8

PILOTS

ACFT

Oseguera 9 DASC Helio TIME 0945
Flanery 12 CONTROLLER 03 TIME 0950
 TYPE CONTROLLER BACA
 TYPE MISSION CAS

TOT

DESCRIPTION

COORDINATES

PROVINCE

1000-10 MILITARY STRUCTURES B5094908 RTW

22

TOT TERRAIN MTS TGT WX 1000 VISIBILITY 15+
 REL ANGLE 30° PASSES 8 INTERVAL 30 MIN ALT 2000
 REL ALT 3000

ENROUTE ALT 10.5 RETURN ALT 9.5 TGT AIRSPEED 450

ORDNANCE 12 D2 w/y EXPENDED all JETTISONED —

ORDNANCE/RTB 0 DUDS (SEE NOTE #1) 4

EDA 100% 100 % ADDITIONAL 2 military structure
destroyed

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0

UNIT SUPPORTED 101st AB OPERATION Lamar Plain
 (LEAVE BLANK)

ENROUTE WX 1000

(A) HOSTILE FIRE

YES NO

FILE FORM WITH BARREL

(B) AIRBURST

YES NO

FILE FORM WITH BARREL

(C) ACFT HIT

YES NO

FILE FLASH REPORT WITH BARREL

(D) RECON INSERT/EXTRACT

YES NO

CIRCLE ONE/COORD

(E) EDA REPORTED

YES NO

IF ADDITIONAL CIRCLE

(F) ABORT

YES NO

ACFT MALFUNCTION/NO DROP

(G) DIRECT

YES NO

GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION B5094908 REASON FOR FUBES

RECOVERABLE No FUZE (DELAY/ASM DELAY) w/y
 NOTE #2: PCM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS GOOD TREE BUSTER

79

DEBRIEFER HUTSON TIME 1030 DATE 6 AUG 69
 SQUADRON 211 CALL SIGN B 022 MSN NO 6022 FLT 152
 T/O 0929 LAND 1010 TOTAL TIME 1.2

PILOTS DICKERSON ACFT CF 8 DASC BILK TIME 0935
HUTSON 20 CONTROLLER BILK 24 TIME 0937
 TYPE CONTROLLER AFCA
 TYPE MISSION L2P

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0940-50</u>	<u>L2P</u> <u>54</u>	<u>ZC 022822</u>	<u>Z</u>

TOT TERRAIN MTNS TGT WX 0 VISIBILITY 7.5
 REL ANGLE 30 PASSES 6 INTERVAL 30 MIN ALT 1800
 ENROUTE ALT 14.5 RETURN ALT 9.5 TGT AIRSPEED 450
 ORDNANCE 4D3 4D2 DC EXPENDED ALL JETTISONED —
 ORDNANCE/RTB NONE DUDS (SEE NOTE #1) —
 EDA 100 % 25 % ADDITIONAL

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED ~~2nd Bn~~ 101st A.B. OPERATION Kentucky Jumper
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) EDA REPORTED	YES ☐ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

NOTE #2: RECOVERABLE FUZE (BLL Y/APM DELAY)
 PCM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DESIGNATOR BEEM TIME 1130 DATE 6 Aug 1969
 SQUADRON 211 CALL SIGN HB 454 MSN NO 1454 FLT 152
 T/O 1005 LAND 1020 TOTAL TIME 24

PILOTS MAI DANE ACFT CF 03 DLSC DANANG TIME 1015
BEEM CF 05 CONTROLLER BLACK 6 TIME 1020
 TYPE CONTROLLER EAC (A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1035-1050</u>	<u>Bunkers</u>	<u>AT 90 3516</u>	<u>FB</u>
	<u>19</u>		

TOT TERRAIN FLAT TGT WX 0 VISIBILITY 15 miles
 REL ANGLE 20° PASSES 6 INTERVAL 30 sec MIN ALT 800
 ENROUTE ALT 12.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 802A 409 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —

EDA 90 % 90 % ADDITIONAL 1 Bunker destroyed, 50 meters
tree line, 10 meters trench, 1 Bunker damaged

SECONDARY EXPLOSIONS none NUMBER — SIZE —

UNIT SUPPORTED ARVN OPERATION —
 (LEAVE BLANK)

ENROUTE WX —

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) ACFT HIT
 (D) RECON INSERT/EXTRACT
 (E) EDA REPORTED
 (F) ABORT
 (G) DIRECT

YES NO
 YES NO
 YES NO
 YES NO
 YES NO
 YES NO
 YES NO

FILE FORM WITH BARREL
 FILE FORM WITH BARREL
 FILE FLASH REPORT WITH BARREL
 CIRCLE ONE/COORD
 IF ADDITIONAL CIRCLE
 ACFT MALFUNCTION/NO DROP
 GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DEL. Y/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER RKC TIME 1200 DATE 6 AUG 69
 SQUADRON 211 CALL SIGN 014 MSN NO 6014 FLT 152
 T/O 1045 LND 1140 TOTAL TIME 1.8

PILOTS ACFT
LANGR CF 15 DASC BLK TIME 1100
WOOD 21 CONTROLLER DICK 26 TIME 1105
 TYPE CONTROLLER FAC (A)
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>110515</u>	<u>EN LOC.</u>	<u>YN 681013</u>	<u>2</u>
	<u>55</u>		

TOT TERMIN NT TGT WX 011 VISIBILITY 7
 REL ANGLE 30 PASSES 8 INTERVAL 30 MIN ALT 1800
 REL ALT 3000
 ENROUTE ALT 16.5 RETURN ALT 11.5 TGT AIRSPEED 450
 ORDNANCE 40340C EXPENDED BLK JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE #1) -
 EDL - 600 % ADDITIONAL -

SECONDARY EXPLOSIONS - NUMBER - SIZE -
 UNIT SUPPORTED 101st A.B. OPERATION Kentucky Jumper
 (LEAVE BLANK)

ENROUTE WX -

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON FOR -

NOTE #2: RECOVERABLE - FUZE (DELAY/ARM DELAY) -
 PGM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS GOOD ORDNANCE FOR TREES

DEBRIEFER WHITE TIME 1205 DATE 6 Aug 69
 SQUADRON 211 CALL SIGN 0018 MSN NO 6018 FLT 152
 T/O 1038 LAND 1147 TOTAL TIME 2.4

PILOTS Miller ACFT 24 DASC Dring Ha TIME 1045
WHITE 22 CONTROLLER Seaworthy TIME 1055
 TYPE CONTROLLER FAC(A)
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1100-1115</u>	<u>bunkers & trail security</u>	<u>XD995655</u>	<u>1</u>
	<u>19</u>		

TOT TERRAIN hilly TGT WX 4.00 VISIBILITY 7
 REL ANGLE 300 PASSES 4 INTERVAL 30 MIN ALT 1500
 REL ALT 3000
 ENROUTE ALT 16.5 RETURN ALT 1500 TGT AIRSPEED 450
 ORDNANCE 402X403A EXPENDED All JETTISONED None
 ORDNANCE/RTS 0 DUDS (SEE NOTE #1) 2 D3X
 EDL 90 % 90 % ADDITIONAL

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0
 UNIT SUPPORTED 3rd Mar Div OPERATION Idaho Canyon
 (LEAVE BLANK)
 ENROUTE WX clear

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) EDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION XD995655 REASON FOR UNK

NOTE #2: RECOVERABLE _____ FUZE (DELAY/TIM/DEATH) X fuze
 PCM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Richards TIME 1400 DATE 6 Aug 69
 SQUADRON 211 CALL SIGN HB 24 MSN NO 6224 PL1 152
 T/O 1250 LAND 1350 TOTAL TIME 2-0

PILOTS Richards ACFT 12 DASC Bill TIME 1305
Woon 20 CONTROLLER Bill TIME 1310
 TYPE CONTROLLER FA (A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1320/28</u>	<u>75 10 45</u>	<u>Y 0317949</u>	<u>2</u>
	<u>45</u>		

TOT TERRAIN Mtns TGT WX 5.0 @ VISIBILITY UVRE
 REL ANGLE 20° PASSES 10 INTERVAL 30 sec MIN ALT 600'
 ENROUTE ALT 10.5 RETURN ALT 11.5 TGT AIRSPEED 450
 ORDNANCE 16 DIA 409 EXPENDED ALL JETTISONED —
 ORDNANCE/RTE — DUDS (SEE NOTE #1) —
 EDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 8E 101E AB OPERATION Montgomery Road
 ENROUTE WX 500 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) EDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: Friendlys 50-75 meters
 (REFERENCE NOTE #3)

(24) NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — FUEL (DEL. 17/17M DELAY) —
 NOTE #2: ECM ENCOUNTERED — FUEL — ECM DIRECTED —
 NOTE #3: ORDNANCE EFFECTIVENESS OK

REF REFERENCE JAL TIME 1800 DATE 6 Aug 1969
 SQUADRON 211 CALL SIGN MAN 22 MSN NO. 0970 FLT 152
 T/O 1626 LAND 1728 TOTAL TIME 2.0

PILOTS AIRCRAFT
 LTCOL GRAHAM CF 21 DASC H B. TIME 1635
LAWRENCE 24 CONTROLLER COVEY 238 TIME 1645
 TYPE CONTROLLER WACA
 TYPE MISSION ST

TOT DESCRIPTION COORDINATES PROVINCE
1650-1700 XC955368 MILITARY STRCT. LAOS
1542 10655

TGT TERRAIN HILLY TGT WX 0 VISIBILITY 10+
 REL ANGLE 30° PASSES 6 INTERVAL 30 MIN ALT 1.5
 ENROUTE ALT 16.5 RETURN ALT 17.5 TGT AIRSPEED 450
 ORDNANCE 8A2W/1 405 EXPENDED 402W/1 405 JETTISONED —
 ORDNANCE/RTB 402W/1 DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL 2 struct. damaged

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 7TH AF OPERATION LAOS
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 (B) AIRBURST YES NO FILE FORM WITH BARREL
 (C) ACFT HIT YES NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
 (F) ABORT YES NO ACFT MALFUNCTION/NO DROP
 (G) DIRECT YES NO GIVE REASON BELOW

REMARKS —
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 30M ENCOUNTERED — TIME — HOW DIRECTED —

ORDNANCE EFFECTIVENESS —

DEBRIEFER MA Berner TIME 1635 DATE 5 Aug 69
 SQUADRON 211 CALL SIGN 592 MSN NO 6592 ~~152~~
 T/O 1400 LND 1621 TOTAL TIME 4.8

PILOTS 0560584 ACFT 03 DASC ASRT TIME 1550-1550
Berner 05 CONTROLLER ASRT TIME 1600
 TYPE CONTROLLER ASRT
 TYPE MISSION APC

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1600</u>	<u>Enemy Position</u>	<u>ZC190353</u>	<u>3</u>
	<u>55</u>		

TOT TERRAIN FLAT TGT WK 0 VISIBILITY 10+
 REL ANGLE level PASSES 1 INTERVAL — MIN ALT 14.1
 REL ALT 14.1
 ENROUTE ALT 20,500 RETURN ALT 13,500 TGT AIRSPEED 290
 ORDNANCE 6D2W4/4D8 EXPENDED 6D2W4 JETTISONED —
 ORDNANCE/RTB 4D8 DUDS (SEE NOTE #1) —
 IDA 2 % — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1st MAR DIV OPERATION Durham Peak
 (LEAVE BLANK)

ENROUTE WK —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) DDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: friendly NO FACTOR
 (REFERENCE NOTE #3)

(29) NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — FUZE (DELAY/NO DELAY) —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —
 NOTE #3: ORDNANCE EFFECTIVENESS Right Ordnance

DEBRIEFER Wellman TIME 1925 DATE 6 Aug 69
 SQUADRON 211 CALL SIGN NB MSN NO 6244 FLT 152
 T/O 1808 LAND 1915 TOTAL TIME 22

PILOTS	ACFT	DASC	TIME
<u>Wellman</u>	<u>19</u>	<u>Bilk</u>	<u>1920</u>
<u>Reed</u>	<u>20</u>	CONTROLLER	<u>Bilk</u> TIME <u>19</u>
		TYPE CONTROLLER	<u>FACA</u>
		TYPE MISSION	<u>DAS</u>

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1838/47</u>	<u>Enemy Storage Area</u>	<u>YC525584</u>	<u>2</u>
	<u>27</u>		

TOT TERRAIN Hilly TGT WX 300 VISIBILITY 5H
 REL ANGLE 20° PASSES 6 INTERVAL 30 Sec MIN ALT 600'
 ENROUTE ALT 18.5 RETURN ALT 19.5 TGT AIRSPEED 450
 ORDNANCE 16D1A/409 EXPENDED all JETTISONED —

ORDNANCE/RTB none DUDS (SEE NOTE #1)
 EDA 100 % 100 % ADDITIONAL 5 Roaches dest.
1 Roach damaged 2 Sec Explosions

SECONDARY EXPLOSIONS yes NUMBER 2 SIZE —

UNIT SUPPORTED 101st Airborne OPERATION Campbell Strike
 (LEAVE BLANK)

ENROUTE WX 800 150 5H

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) EDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: Friendlies no factor
 (REFLECT NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE 70 FUSE (DELAY/NO DELAY) —
 DCA ENCOUNTERED no TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS Excellent

DEBRIEFER Edwards TIME 0930 DATE 6 Aug 69
 SQUADRON 2 CALL SIGN HB200 MSN NO 6200 FLT 142
 T/O 0820 LAND 0920 TOTAL TIME 1.0

PILOTS Edwards ACFT 18 DASC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION TEST

TOT	DESCRIPTION	COORDINATES	PROVINCE

TOT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 REL ALT _____
 ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____
 ORDNANCE _____ EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: Test Hop
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/AFM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ LRE _____ HOW DIRECTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Wood TIME 0130 DATE 6 Aug
 SQUADRON 211 CALL SIGN HB MSN NO 6553 FLT 452
 T/O 0018 LANT 0108 TOTAL TIME 1.7

PILOTS ACFT
LENZINI CF22 D/ASC DANANG TIME 0025
Wood CF15 CONTROLLER Hostage Vols TIME 0028
 TYPE CONTROLLER TACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0040/54</u>	<u>VILLE/BUNKERS</u>	<u>AT 805567</u>	<u>III 3</u>
<u>57</u>			

TOT TERRAIN VALLEY TGT WX 6.5 VISIBILITY 7+
 REL ANGLE 200 PASSES 8 INTERVAL 30sec MIN ALT 1200'
 ENROUTE ALT 10.5 RETURN ALT 11.5 TGT AIRSPEED 450
 ORDNANCE 16014 4022A EXPENDED 16014 JETTISONED —
 ORDNANCE/RTB 4022A DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL 2 BUNKER, 3 HOOTHES DEST 0.55
100M OF TREES/TRENCH

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 744 MAINTAINED OPERATION Durham Peak
 (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☒ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☒ NO ☐	GIVE REASON BELOW

REMARKS: FRIENDLIES 1200m So.
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 EGM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS GOOD

①

DEBRIEFER COLL TIME 0900 DATE 6 AUG 69
 SQUADRON 24 CALL SIGN HB MSN NO 16452 FLT 152
 T/O 0747 LAND 0845 TOTAL TIME 2.0

PILOTS ACFT
LANGIS 11 DASC DANANG TIME 0755
COLL 22 CONTROLLER HOSTAGE DON TIME 0805
 TYPE CONTROLLER FAC (A)
 TYPE MISSION CAJ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0820-30</u>	<u>EN IN GRASS (ELEPHANT TYPE) AT 828453</u>		<u>3</u>
	<u>45</u>		

TOT TERRAIN MOUNT TGT WX 1800 VISIBILITY 10+
 REL ANGLE 20° PASSES 16 INTERVAL 30 sec MIN ALT 1000
 ENROUTE ALT 14.1M RETURN ALT 13.6M TGT AIRSPEED 450
 ORDNANCE 409 EXPENDED ALL JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE #1) 1 INAPE
 EDA 90 % 90 % ADDITIONAL -

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 1st MAR DIV OPERATION Pipestone Canyon
 (LEAVE BLANK)

ENROUTE WX
 (A) HOSTILE FIRE YES NO
 (B) AIRBURST YES NO
 (C) ACFT HIT YES NO
 (D) RDCON INSERT/EXTRACT YES NO
 (E) EDA REPORTED YES NO
 (F) ABORT YES NO
 (G) DIRECT YES NO
 FILE FORM WITH BARREL 3 MA (M)
 FILE FORM WITH BARREL
 FILE FLASH REPORT WITH BARREL
 CIRCLE ONE/COORD
 IF ADDITIONAL CIRCLE
 ACFT MALFUNCTION/NO DROP
 GIVE REASON BELOW

REMARKS: FRIENDS AT 100 METERS
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

NOTE #2: RECOVERABLE FUZE (DELAY/ARM DELAY)
 ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS GOOD TARGET ORD

DEBRIEFER PYC10R TIME 0800 DATE 6 Aug 69
 SQUADRON 211 CALL SIGN 010 MSN NO 6010 FLT 152
 T/O 0648 LAND 0748 TOTAL TIME 2.0

PILOTS ACFT
PYC10R CF 24 DASC DANANG TIME 0652
WHITE 20 CONTROLLER DESK CLERK 14 TIME 0715
 TYPE CONTROLLER FAC (62) UND
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0720-0735</u>	<u>BASE CAMP</u>	<u>AT 945 428</u>	<u>3</u>
	<u>28</u>		

TOT TERRAIN HILLY TGT WK 0 VISIBILITY 7
 REL ANGLE 30 PASSES 6 INTERVAL 30 MIN ALT 2000
 REL ALT 2000
 ENROUTE ALT 10.5 RETURN ALT 5.5 TGT AIRSPEED 450
 ORDNANCE 12 D2W/4 EXPENDED ALL JETTISONED
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 ENL 80 % 80 % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 89 MAR 0.0 OPERATION DURHAM PEAK
 (LEAVE BLANK)

ENROUTE WK 0

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) EDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —
 NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER Edwards TIME 0745 DATE 6 Aug 69
 SQUADRON 211 CALL SIGN H/150 MSN NO 6150 FLT 151
 T/O 0635 LAND 0733 TOTAL TIME 2.0

PILOTS ACFT
Edwards 21 DASC B/K TIME 0655
Tierney 19 CONTROLLER B/K 36 TIME 0700
 TYPE CONTROLLER FAC(A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0701-10</u>	<u>Enemy loc</u> <u>55</u>	<u>YC 311949</u>	<u>2</u>

TOT TERRAIN Mnt TGT WX 0 VISIBILITY 10
 REL ANGLE 30 PASSES 8 INTERVAL 30 MIN ALT 1800
 REL ALT 3000
 ENROUTE ALT 16.5 RETURN ALT 21.5 TGT AIRSPEED 450
 ORDNANCE 4D2 4D3 EXPENDED Acc JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE #1)
 BDA 100 % 100 % ADDITIONAL N Further

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED 101ST AB OPERATION Montgomery Road
 (LEAVE BLANK)

ENROUTE WX 170 D

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES NO	GIVE REASON BELOW

REMARKS: Nearest Friendly 600 meters
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

NOTE #2: RECOVERABLE FUZE (DELAY/ARM DELAY)
 ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS FAIR

DEBRIEFER 1104 TIME 1045 DATE 7 Aug 69
 SQUADRON 211 CALL SIGN HB MSN NO 462 FLT 152
 T/O 1415 LAND 1540 TOTAL TIME 2.8

PILOTS	ACFT	BASC	TIME
<u>Hammitt</u>	<u>6</u>	<u>Danny</u>	<u>1440</u>
<u>RIVERS</u>	<u>11</u>	CONTROLLER <u>Knuch 63</u>	TIME <u>1445</u>
		TYPE CONTROLLER <u>FMA</u>	
		TYPE MISSION <u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1430/1500</u>	<u>VC Location</u>	<u>BT 021516</u>	<u>III</u>

TOP TERRAIN FLAT TGT WX Clear VISIBILITY 10+
 REL ANGLE 100 PASSES 6 INTERVAL 30 MIN ALT .5
 ENROUTE ALT 18.5 RETURN ALT 17.5 TGT AIRSPEED 450
 ORDNANCE 16 DIA 409 EXPENDED ALL JETTISONED
 ORDNANCE/NTB DUDS (SEE NOTE #1)
 EDL 100 % 100 % ADDITIONAL 2 STRUCTURES DESTROYED
2 STRUCTURES Damaged 2 BUNKERS DESTROYED
 SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED BKKS OPERATION VIC
 (LEAVE BLANK)
 ENROUTE WX

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) EDL REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 DCM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER MILLER TIME 0810 DATE 7 AUG 69
 SQUADRON VMA-211 CALL SIGN HB 201 MSN NO MSN 201 FLT 1L2
 T/O 0720 LAND 0800 TOTAL TIME 07

PILOTS MILLER ACFT 15 DASC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT	DESCRIPTION	COORDINATES	PROVINCE
TEST			

TOT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 REL ALT _____
 ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____
 ORDNANCE _____ EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUSE (DETON/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ COST _____ HOW DIRECTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER White TIME 0800 TO 7 Aug
 SQUADRON 211 CALL SIGN HB 011 MSN NO 6011 PL 182
 T/O 0650 LAND 0734 TOTAL TIME 1.6

PILOTS	ACFT	DASC	TIME
<u>Graham</u>	<u>21</u>	<u>Helix</u>	<u>0653</u>
<u>WHITE</u>	<u>24</u>	CONTROLLER <u>BILK 15</u>	TIME <u>0655</u>
		TYPE CONTROLLER <u>FAC(A)</u>	
		TYPE MISSION <u>DAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0705-0715</u>	<u>Enemy Locat.</u>	<u>BS 150913</u>	<u>4</u>
	<u>55</u>		

TOT TERRAIN hilly TGT WX 1200 VISIBILITY 8
 REL ANGLE 30 PASSES 8 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 8500 RETURN ALT 7500 TGT AIRSPEED 450
 ORDNANCE 12 021W/4 EXPENDED All JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1)
 EDA 100 % 50 % ADDITIONAL NONE

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0
 UNIT SUPPORTED 101ST A.B. OPERATION Lamar Plain
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) EDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DEFECT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFER TO NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUSE (DELAY/TIME DELAY) _____
 ECM ENCOUNTERED _____ YES _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Toettchen TIME 0745 TH 7 AUG
 SQUADRON 211 CALL SIGN NO 151 MSN NO 6151 FLT 182
 T/O 0645 LAND 0735 TOTAL TIME 18

PILOTS TOETTCHEN ACFT OF 03 DASC _____ TIME _____
 CONTROLLER AT HOP ASAT TIME 0650
 TYPE CONTROLLER ASORIT
 TYPE MISSION TPA

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0700-10</u>	<u>ENEMY POSIT</u>	<u>20189394</u>	<u>3</u>
	<u>SS</u>		

TOT TERRAIN UNK TGT WX 14.0 VISIBILITY 7
 REL ANGLE 2 LEVEL PASSES 2 INTERVAL 0.1 MIN ALT 15.0
 REL ALT 15.0
 ENROUTE ALT 145 RETURN ALT 135 TGT AIRSPEED 290
 ORDNANCE 203/202 EXPENDED 246 JETTISONED None
 ORDNANCE/MTB None DUDS (SEE NOTE #1) _____
 BDL UNK % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 85th MPB/10 FS OPERATION _____
 (LEAVE BLANK)
 ENROUTE WX 140

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) UDL REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)
Direct - 4 mgm went down.

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/TIM DELAY) _____
 PCM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

⑥

DEBRIEFER Wellman TIME 0915 DATE 7 Aug 69
 SQUADRON 211 CALL SIGN HB MSN NO 6457 FLT 152
 T/O 0742 LAND 0905 TOTAL TIME 2.8

PILOTS Lenzini ACFT CF 18 DASC TIME
Wellman 20 CONTROLLER Mike G TIME 0850
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT 0835/45 DESCRIPTION Combat Casualty Prevention COORDINATES BS28585 PROVINCE 5
55

TOT TERRAIN Hilly TGT WX 90 @ VISIBILITY 7
 REL ANGLE 20 PASSES 6 INTERVAL 30 Sec MIN ALT 600'
 ENROUTE ALT 18.5 RETURN ALT 9.5 TGT AIRSPEED 480
 ORDNANCE 1601X/409 EXPENDED 910 JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 EDA 100 % 25 % ADDITIONAL

SECONDARY EXPLOSIONS None NUMBER — SIZE —

UNIT SUPPORTED Spec AR Values OPERATION —
 (LEAVE BLANK)

ENROUTE WX 90 @ V @ 150 @ 7

(A) HOSTILE FIRE YES ☒ NO ☐ FILE FORM WITH BARREL
 (B) AIRBURST YES ☒ NO ☐ FILE FORM WITH BARREL
 (C) ACFT HIT YES ☒ NO ☐ FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES ☒ NO ☐ CIRCLE ONE/COORD
 (E) EDL REPORTED YES ☒ NO ☐ IF ADDITIONAL CIRCLE
 (F) ABORT YES ☒ NO ☐ ACFT MALFUNCTION/NO DROP
 (G) DIRECT YES ☒ NO ☐ GIVE REASON BELOW

REMARKS: Friendly 1500-2000 meters N & NW of Tgt.
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FOZE (DELT/ARM DELAY) —
 ECM ENCOUNTERED No YES — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS Good

(a)

DEBRIEFER WHITE TIME 1055 DATE 7 Aug 69
 SQUADRON 211 CALL SIGN HB 013 MSN NO 6013 FLT 152
 T/O 0945 LAND 1030 TOTAL TIME 1.6

PILOTS Graham ACFT 3 DASC — TIME —
WHITE 21 CONTROLLER KIMCHI 63 TIME 0955
 TYPE CONTROLLER FAC (A)
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1000-1012</u>	<u>3 bunkers</u>	<u>BT115519</u>	<u>3</u>
	<u>19</u>		

TOT TERRAIN Flat TGT WX clear VISIBILITY 10
 REL ANGLE 20° PASSES 4 INTERVAL 30 MIN ALT 600
 REL ALT 1050
 ENROUTE ALT 8500 RETURN ALT 7500 TGT AIRSPEED 450
 ORDNANCE 802A/409 EXPENDED All JETTISONED 0

ORDNANCE/RTB 0 DUDS (SEE NOTE #1) —
 BDA 90 % 95 % ADDITIONAL 1 bunker damaged 1 Bk

destroyed, 1 structure destroyed

SECONDARY EXPLOSIONS yes NUMBER 1 SIZE medium

UNIT SUPPORTED ROK MC OPERATION Victory Dragon
 (LEAVE BLANK)

ENROUTE WX clear

(A) HOSTILE FIRE	☒ YES ☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	☒ YES ☐ NO	FILE FORM WITH BARREL
(C) ACFT HIT	☒ YES ☐ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	☒ YES ☐ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES ☐ NO	IF ADDITIONAL CIRCLE
(F) ABORT	☒ YES ☐ NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	☒ YES ☐ NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FOZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

(12)

DEBRIEFER CAPT SCHWELL THE 1055 H DATE 7 Aug 69
 SQUADRON 211 CALL SIGN HBOIS MSN NO 6015 FTR 152
 T/O 0956 LAND 1053 TOTAL TIME 2.0

PILOTS SCHWELL ACFT CF 8 DASC — TIME —
Beymen 15 CONTROLLER BILIC 29 TIME 1005
 TYPE CONTROLLER PAC(A)
 TYPE MISSION LZP

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1010-20</u>	<u>LZP</u>	<u>7C022822</u>	<u>2</u>
	<u>54</u>		

TOT TERRAIN Mnts TGT WX 130 @ 1000 VISIBILITY 10
 REL ANGLE 30 PASSES 5 INTERVAL 30 MIN ALT 1.8
 ENROUTE ALT 14.5 RETURN ALT 11.5 TGT AIRSPEED 480
 ORDNANCE 4037 (DC) 4024 (DC) EXPENDED ALL JETTISONED NONE
 ORDNANCE/RTB NONE DUDS (SEE NOTE #1) NO
 EDA 100 % 50 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 2nd Bn 101st AB OPERATION Kentucky Ginger
 ENROUTE WX 130 @ 1000 10

(A) HOSTILE FIRE	YES ☒	NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒	NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☒	NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒	NO ☐	CIRCLE ONE/COORD
(E) BDL REPORTED	YES ☒	NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒	NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☒	NO ☐	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — FUSE (DET/ARM DELAY) —
 NOTE #2: ECM ENCOUNTERED — FUSE — HOW DIRECTED —
 NOTE #3: ORDNANCE EFFECTIVENESS POOR Due to Very Heavy
Failure

(14)

19

REPAIRER _____ TIME _____ DATE 7 Aug 69
 SQUADRON 211 CALL SIGN 462 MSN NO. 6462 FLT 142
 T/O 1010 LAND 1110 TOTAL TIME 2.0

PILOTS

AIRCRAFT

Hammitt CF 06 DASC _____ TIME _____
Rivers 11 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT

DESCRIPTION

COORDINATES

PROVINCE

FERRY

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 ENROUTE ALT _____ RETURN ALT _____ REL ALT _____
 TGT AIRSPEED _____
 ORDNANCE _____ EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____
 ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS _____
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE FUZE (DELAY/ARM DELAY)
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER WJ TIME 1200 DATE _____
 SQUADRON 211 CALL SIGN 157 MSN NO 6057 FLT 152
 T/O 1100 LAND 1150 TOTAL TIME 1.9

PILOTS TIERNNEY ACFT 5 DASC Dong Ha TIME _____
MILLER 79 CONTROLLER Hornee Green TIME 120
 TYPE CONTROLLER FAC A
 TYPE MISSION CLAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1130/1135</u>	<u>VC Location</u> <u>55</u>	<u>AT 966398</u>	<u>3</u>

TOT TERMIN HALF TGT WX 0 VISIBILITY 10
 REL ANGLE 30 PASSES 6 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 10.5 RETURN ALT 7.5 TGT AIRFIELD 450
 ORDNANCE 20 2-1 EXPENDED ALL JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 EDA 80 % 80 % ADDITIONAL _____

SECONDARY EXPLOSIONS 0 NUMBER _____ SIZE _____
 UNIT SUPPORTED 1st MAR DIV OPERATION Durham Peak
 ENROUTE WX -10 (LEAVE BLANK)

(A) HOSTILE FILE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) EDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ NOTE (MULTI-WAY DUDS)
 NOTE #2: ECM ENCOUNTERED _____ HOW DIRECTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____

(19)

Snake Eye Retter

106

REF REF Dane TIME 1755 DATE 7 AUG 69
 SQUADRON 211 CALL SIGN HB 247 MSN NO. 6247 FLT 152
 T/O 1500 LAND 1538 TOTAL TIME 1.2

PILOTS	AIRCRAFT	DASC	TIME
<u>DANE</u>	<u>3</u>	<u>—</u>	<u>—</u>
<u>BEEM</u>	<u>19</u>	CONTROLLER <u>JAKE 42</u>	TIME <u>1505</u>
		TYPE CONTROLLER <u>FACA</u>	
		TYPE MISSION <u>DAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1513-22</u>	<u>BUNKERS</u>	<u>BS 459-691</u>	<u>5</u>
	<u>19</u>		

TGT TERRAIN MNTN TGT WX 9.00 VISIBILITY 10+
 REL ANGLE 30° PASSES 7 INTERVAL 30" MIN ALT 1500
 ENROUTE ALT 8.5 RETURN ALT 6.5 TGT AIRSPEED 450
 ORDNANCE 20 D-17 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB NONE DUDS (SEE NOTE #1) —
 BDA 100 % 30 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED ARVN OPERATION —
 ENROUTE WX Good (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS GOOD DRD FOR TGT
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 JCM ENCOUNTERED — TIME — HOW DIRECTED —

— — ORDNANCE EFFECTIVENESS —

(21)

REF REF WOOD TIME 1715 DATE 7 Aug 69
 SQUADRON Z11 CALL SIGN HB MSN NO. 6467 FLT 152
 T/O 1550 LAND 1700 TOTAL TIME 24

PILOTS	AIRCRAFT	DASC	TIME
<u>RICHARDS</u>	<u>CF 24</u>	<u>Dong Ha</u>	<u>1610</u>
<u>WOOD</u>	<u>CF 05</u>	CONTROLLER <u>SW-98-14</u>	TIME <u>1615</u>
		TYPE CONTROLLER <u>EA-4</u>	
		TYPE MISSION <u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1623-35</u>	<u>TR000 IN CONTACT</u>	<u>YD002633</u>	<u>1</u>
	<u>45</u>		

TGT TERRAIN Hilly TGT WX 450 VISIBILITY 7+
 REL ANGLE 20° PASSES 10 INTERVAL 30sec MIN ALT 600
 ENROUTE ALT 14.5 RETURN ALT 15.5 TGT AIRSPEED 450
 ORDNANCE 1601A/409 EXPENDED Acc JETTISONED —
 ORDNANCE/RTB NONE DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3RD MAR DIV OPERATION Idaho Canyon
 ENROUTE WX — (LEAVE BLANK)

(A) HOSTILE FIRE	YES <u>NO</u>	FILE FORM WITH BARREL
(B) AIRBURST	YES <u>NO</u>	FILE FORM WITH BARREL
(C) ACFT HIT	YES <u>NO</u>	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES <u>NO</u>	CIRCLE ONE/COORD
(E) BDA REPORTED	YES <u>NO</u>	IF ADDITIONAL CIRCLE
(F) ABORT	YES <u>NO</u>	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES <u>NO</u>	GIVE REASON BELOW

REMARKS FRIENDLIES 200m to 300m
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 NOTE #2: COM ENCOUNTERED — TIME — HOW DIRECTED —

ORDNANCE EFFECTIVENESS Good

(28)

REF ID: RKC TIME 1730 DATE 7 AUG
 SQUADRON 211 CALL SIGN 243 MSN NO. 6243 FLT 152
 T/O 1645 LAND 1745 TOTAL TIME 2.0

PILOTS AIRCRAFT
LANGSTON CF15 DASC DANANG TIME 1635
RIVERS 21 CONTROLLER LOSS TIME 1640
 TYPE CONTROLLER FAC (A)
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1705/10 RECON EXTRACT AT 878704 3
45

TGT TERRAIN PLT TGT WX 100 @ VISIBILITY 4
 REL ANGLE 20 PASSES 6 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 10.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 802A/409 EXPENDED ALL JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE #1) -
 BDA 100 % 100 % ADDITIONAL 1 BUNKER DEST

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 1ST M.D. OPERATION _____
 ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS _____
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

ORDNANCE EFFECTIVENESS GOOD OK

(3)

DEBRIEFER 67 TIME 1615 DATE 8 Aug
 SQUADRON 211 CALL SIGN 463 MSN NO. 6463 FLT 152
 T/O 1338 LAND 1600 TOTAL TIME 2.8 - 4.8

PILOTS

AIRCRAFT

Lawrence 21 DASC Pang HA TIME 1520
Trewey 15 CONTROLLER Reuben Beckwith TIME 1530
 TYPE CONTROLLER FAA
 TYPE MISSION CA5

TOT 1535/1540 DESCRIPTION VC Location COORDINATES YD 144735 PROVINCE 1
SS
 TGT TERRAIN Rolling TGT WX CLR VISIBILITY 5 +
 REL ANGLE 20° PASSES 10 INTERVAL 30+ MIN ALT 900
 ENROUTE ALT 18.5 RETURN ALT 17.5 TGT AIRSPEED 450
 ORDNANCE 16 DIA/409 EXPENDED ACC JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1)
 BDA 100 % 100 % ADDITIONAL 3 Bunkers at 20 M RENCH

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0

UNIT SUPPORTED 3rd M.O. OPERATION Travers Grove
 (LEAVE BLANK)

ENROUTE WX 20 @/0

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) ACFT HIT
 (D) RECON INSERT/EXTRACT
 (E) BDA REPORTED
 (F) ABORT
 (G) DIRECT

YES ☒ NO ☐ FILE FORM WITH BARREL
 YES ☒ NO ☐ FILE FORM WITH BARREL
 YES ☒ NO ☐ FILE FLASH REPORT WITH BARREL
 YES ☒ NO ☐ CIRCLE ONE/COORD
 YES ☒ NO ☐ IF ADDITIONAL CIRCLE
 YES ☒ NO ☐ ACFT MALFUNCTION/NO DROP
 YES ☒ NO ☐ GIVE REASON BELOW

REMARKS (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION REASON FOR

RECOVERABLE FUZE (DELAY/ARM DELAY)
 NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER 180 TIME 0900 DATE 8 Aug 69
 SQUADRON 211 CALL SIGN 020 MSN NO. 6020 FLT 152
 T/O 0747 LAND 0851 TOTAL TIME 2.2

PILOTS AIRCRAFT
Dame 9 DASC Doug FRA TIME 53
Tierney 19 CONTROLLER HOSTAGE DIRECT TIME 0755
 TYPE CONTROLLER FACD
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
0825/0832 Tree Line AT 924499 3
54

TGT TERRAIN Level TGT WX 10 @ VISIBILITY 10
 REL ANGLE 30 PASSES 7 INTERVAL 30 MIN ALT 2000
 ENROUTE ALT 10.5 RETURN ALT 7.5 REL ALT 3000
 ORDNANCE 12 D-2 EXPENDED ALL TGT AIRSPEED 450
 JETTISONED 0

ORDNANCE/RTB 0 DUDS (SEE NOTE #1) 0
 BDA 85 % 85 % ADDITIONAL 30 meters Tierney

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0
 UNIT SUPPORTED 1st MD OPERATION Puncheon Peak
 ENROUTE WX 13 @ (LEAVE BLANK)

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES NO	GIVE REASON BELOW

REMARKS _____
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS OK

⑥
 [Signature]

DERRIEFER BEGIN TIME 1200 DATE 8 Aug 1963
 SQUADRON 211 CALL SIGN HA 588 MSN NO. 65890 FLT 152
 T/O 0845 LAND 1145 TOTAL TIME 30

PILOTS Ried AIRCRAFT CF 15 DASC DONG HA TIME 1010
Boem CF 11 CONTROLLER SW 83 TIME 1050
588-2 Scout NO DROP TYPE CONTROLLER EAC(A) TYPE MISSION CAS/CAB

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1025</u>	<u>Bunkers</u>	<u>19 10996634</u>	<u>I</u>
<u>1110-1111</u>	<u>VC in OPEN</u>	<u>AT 983378</u>	<u>III</u>

TGT TERRAIN Hilly TGT WX 130 VISIBILITY 7
 REL ANGLE 20°/36° PASSES 7 INTERVAL 30 sec MIN ALT 2000
 ENROUTE ALT 18.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 602wy 205 408 EXPENDED 602wy 205 JETTISONED —
 ORDNANCE/RTB 408 DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL No further

C SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3rd M.D. OPERATION Georgia TAR
 ENROUTE WX 5th M.D. ON SECOND MISSION (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS 1st mission - can one rocket run on
TGT - THEN THEY (GROUND) DECIDED they couldn't
USE ORDNANCE. (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

(14)

DEBRIEFER 7/12 TIME 1200 DATE 8 Nov 69
 SQUADRON 1211 CALL SIGN 14B 218 MSN NO. 6218 FLT 152
 T/O 1037 LAND 1147 TOTAL TIME 2.4

PILOTS

AIRCRAFT

WENZEL CF 05 DASC DDMORCA TIME 1045
WENZEL CF 24 CONTROLLER 11-100-6 TIME 1050
 TYPE CONTROLLER FACIA
 TYPE MISSION EMTS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1122/29</u>	<u>NVA Company</u>	<u>FT 983378</u>	<u>3</u>
	<u>45</u>		

TGT TERRAIN Hilly TGT WX 1200 VISIBILITY C
 REL ANGLE 45 PASSES 8 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 10.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 2000 EXPENDED 1716 JETTISONED _____
 ORDNANCE/RTB 100% DUDS (SEE NOTE #1) _____
 CEDA 95% 100% ADDITIONAL NO FUTURE

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 1ST MAID OPERATION Dunham Peak
 (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS Friendless 600 METERS @ 11⁰⁰, 12⁰⁰, 14⁰⁰
600 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS Good

(17)

DEBRIEFER MA Belmer TIME 1330 DATE 8 Aug 1969
 SQUADRON 211 CALL SIGN 574 MSN NO. 6574 FLT 152
 T/O 1200 LAND 1305 TOTAL TIME 22

PILOTS

AIRCRAFT

97-26
Graham 09 DASC Dong Ha TIME 1225
Belmer 08 CONTROLLER DIAMON TIME 1230
 TYPE CONTROLLER ASRT
 TYPE MISSION TPG

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1240</u>	<u>ENEMY POSITION</u>	<u>X0777394</u>	<u>I</u>
	<u>55</u>		

TGT TERRAIN Mountains TGT WX 9 @ M VISIBILITY 0003
 REL ANGLE level PASSES 1 INTERVAL 30 MIN ALT 19.1
 ENROUTE ALT 12500 RETURN ALT 9500 REL ALT 19.1
 ORDNANCE 12 D2W17 EXPENDED A/1 TGT AIRSPEED 270
 ORDNANCE/RTB — JETTISONED —
 DUDS (SEE NOTE #1) —
 BDA —% —% ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3rd MAR Div OPERATION Arlington Canyon
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES ☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☒ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒ NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☒ NO	GIVE REASON BELOW

REMARKS TRANSFERRED TO Andy ASRT BY Dong Ha Base
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER COLL TIME 1305 DATE 8 APR 69
 SQUADRON 211 CALL SIGN H13458 MSN NO. 6457 FLT 152
 T/O 1142 LAND 1254 TOTAL TIME 2.5

PILOTS		AIRCRAFT	
<u>WELLMAN</u>	<u>21</u>	DASC <u>HELI</u>	TIME <u>1245</u>
<u>COLL</u>	<u>19</u>	CONTROLLER <u>HELI</u>	TIME <u>1220</u>
		TYPE CONTROLLER <u>FAC A</u>	
		TYPE MISSION <u>DAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1225-31</u>	<u>EN BUNKERS + STRUCT</u>	<u>B5504836</u>	<u>5</u>
	<u>19</u>		

TGT TERRAIN FLAT TGT WX 80 VISIBILITY 10+
 REL ANGLE 20° PASSES 12 INTERVAL 30 sec MIN ALT 600
 ENROUTE ALT 8.5 RETURN ALT 7.5 TGT AIRSPEED 410
 ORDNANCE 405 EXPENDED ALL JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____

ELA 100 % 100 % ADDITIONAL 75 structures + Bunkers
destroyed 2 secondaries Explosion

SECONDARY EXPLOSIONS Yes NUMBER 2 SIZE by

UNIT SUPPORTED America OPERATION GENEVA PARK
 (LEAVE BLANK)

ENROUTE WX 8000000V@ 3RW N. of Ch. 50

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS FRIENDS 300M
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED no TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS GOOD TRRG ORD

DEBRIEFER Wood TIME 1710 DATE 8 Aug 69
 SQUADRON 211 CALL SIGN HB 242 MSN NO. 6242 FLT 152
 T/O 1600 LAND 1655 TOTAL TIME 1.8

PILOTS		AIRCRAFT			
<u>LAWRENCE</u>	<u>CF 12</u>	DASC	<u>HEUX</u>	TIME	<u>1610</u>
<u>WOOD</u>	<u>CF 22</u>	CONTROLLER	<u>HEUX 22</u>	TIME	<u>1615</u>
		TYPE CONTROLLER	<u>FACA FACA</u>		
		TYPE MISSION	<u>CAS</u>		

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1630-40</u>	<u>VILLE</u>	<u>BS495843</u>	<u>IV 5</u>
	<u>.57</u>		

TGT TERRAIN FLAT TGT WX 12.0 + VISIBILITY 7+
 REL ANGLE 20° PASSES 8 INTERVAL 30sec MIN ALT 600
 ENROUTE ALT 10.5 RETURN ALT 3.5 TGT AIRSPEED 450
 ORDNANCE 8D2A 409 EXPENDED ALL JETTISONED —

ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 70 % ADDITIONAL 8 STRUCTURES DEST
1 BUNKER DEST.

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED AMERICAL OPERATION GENEVA PARK
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES ☐	NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐	NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐	NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐	NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒	NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐	NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐	NO ☒	GIVE REASON BELOW

REMARKS FRIENDLY 800m
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS GOOD

(31) *[Signature]*

TERRESTER MCU TIME 2 DATE 7 Aug 69
 SQUADRON 211 CALL SIGN HB 231 MSN NO. 6231 FLT 182
 T/O 1645 LAND 1745 TOTAL TIME 2.0

PILOTS

AIRCRAFT

Warren CE 18 DASC TIME 1655
Dickerson 20 CONTROLLER Host King TIME 1656
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT

DESCRIPTION

COORDINATES

PROVINCE

1657-1705 Whang Loc 2153322 3
55 26153322

TGT TERRAIN M TGT WX 0 VISIBILITY 7
 REL ANGLE 30° PASSES 6 INTERVAL 30 MIN ALT 2000
 ENROUTE ALT 145 RETURN ALT 135 REL ALT 3000
 TGT AIRSPEED 450

ORDNANCE 12/0204 EXPENDED ALL JETTISONED -

ORDNANCE/RTB - DUDS (SEE NOTE #1) -

BDA 95 % 95 % ADDITIONAL no further

SECONDARY EXPLOSIONS No NUMBER - SIZE -

UNIT SUPPORTED 1st M.D OPERATION Durham Peak.
 (LEAVE BLANK)

ENROUTE WX -

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES NO	GIVE REASON BELOW

REMARKS (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION - REASON FOR -

NOTE #2: RECOVERABLE FUZE (DELAY/ARM DELAY) -
 ECM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -

(3)
 33
 18

REFERENCE _____ TIME _____ DATE 8 Aug 69
 SQUADRON 211 CALL SIGN 281 MSN NO. 6231 FLT 142
 T/O 1020 LAND 1100 TOTAL TIME 1.2

PILOTS

AIRCRAFT

WARREN _____ CF 19 _____ DASC _____ TIME _____
 Nickerson _____ 20 _____ CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT

DESCRIPTION

COORDINATES

PROVINCE

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 REL ALT _____

ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____

ORDNANCE _____ EXPENDED _____ JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____

BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____

ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS _____
(REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Hughes TIME 2400 DATE 8 Aug 69
 SQUADRON 211 CALL SIGN HB 556 MSN NO. 6556 FLT 352
 T/O 2230 LAND 2400 TOTAL TIME 1.5

PILOTS Hughes AIRCRAFT CF 3
 DASC _____ TIME _____
 CONTROLLER Danang TIME 2300
 TYPE CONTROLLER FPQ ASRT
 TYPE MISSION FPQ

TOT 2300 DESCRIPTION Enemy Pos COORDINATES AT 958211 PROVINCE 4
55

TGT TERRAIN R? TGT WX P0 VISIBILITY 8
 REL ANGLE _____ PASSES 3 INTERVAL _____ MIN ALT 14.1
 ENROUTE ALT 20.1 RETURN ALT 19.1 REL ALT 14.1
 ORDNANCE 60 14 EXPENDED ALL TGT AIRSPEED 290
 ORDNANCE/RTB _____ JETTISONED _____
 DUDS (SEE NOTE #1) _____
 EDA _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED AMBUSH OPERATION _____
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS _____
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Warren TIME 2150 DATE 8 Aug 69
 SQUADRON 211 CALL SIGN HB554 MSN NO. 6554 FLT 152
 T/O 2115 LAND 2245 TOTAL TIME 1.5

PILOTS	AIRCRAFT	DASO	ASRT	TIME
<u>WARREN</u>	<u>CF-20</u>	<u>ANANG</u>	<u>ASRT</u>	<u>2145</u>
		CONTROLLER	<u>#56</u>	TIME <u>2145</u>
		TYPE CONTROLLER	<u>ASRT</u>	
		TYPE MISSION	<u>700</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2200</u>	<u>ENEMY LOCATION</u>	<u>AT 951511</u>	<u>3</u>
	<u>55</u>		

TGT TERRAIN MTH TGT WX 2.0 VISIBILITY 8
 REL ANGLE LV2 PASSES 1 INTERVAL — MIN ALT 16000
 ENROUTE ALT 20.5 RETURN ALT 17.5 TGT AIRSPEED 290
 ORDNANCE 602 W/4 EXPENDED ALL JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1) 0
 BDA — % — % ADDITIONAL —

SECONDARY EXPLOSIONS No NUMBER — SIZE —

UNIT SUPPORTED 575 MARB OPERATION Durham Peak
 ENROUTE WX 14 2.0 210 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS EXCELLENT CONTROL
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

(37)
 009

DEBRIEFER White TIME 0440 DATE 9 Aug 69
 SQUADRON 211 CALL SIGN H6552 MSN NO 6552 FLT 352
 TO 0310 LAND 0435 TOTAL TIME 1.3

PILOTS WHITE ACFT 21 DASC AN HOA ASRT TIME 0320
 CONTROLLER #63 TIME 0320
 TYPE CONTROLLER ASRT
 TYPE MISSION FPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0320-0340</u>	<u>enemy location</u>	<u>AT950525</u>	<u>3</u>
	<u>" 55"</u>	<u>AT944515</u>	

TOT TERRAIN Rock TGT WX 1400 VISIBILITY 8
 REL ANGLE level PASSES 2 INTERVAL — MIN ALT 14,000
 REL ALT 14,000
 ENROUTE ALT 14500 RETURN ALT 17500 TGT AIRSPEED 290
 ORDNANCE 801Y (banded) EXPENDED ALL JETTISONED 0
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA unk % ADDITIONAL —

SECONDARY EXPLOSIONS unk NUMBER unk SIZE unk
 UNIT SUPPORTED F5H plane OPERATION Pedestrian Canyon
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — FUZE — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

X

REF REFERENCE Rivers TIME 1120 DATE 8 Aug 69
 SQUADRON 24 CALL SIGN HA MSN NO. 6455 FLT 132
 T/O 0945 LAND 1108 TOTAL TIME 2.8

PILOTS

AIRCRAFT

DANE CF 22
RIVERS 15

DASC Dangdut TIME 1045
 CONTROLLER Hostage TIME 1047
 TYPE CONTROLLER WCA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1047-54</u>	<u>VC POSIT</u>	<u>AT 985375</u>	<u>3</u>
	<u>35</u>		

TGT TERRAIN HILLY TGT WX 11.0 @ VISIBILITY 5 PM
 REL ANGLE 20 PASSES 4 INTERVAL 30 MIN ALT 600
 REL ALT 1200
 ENROUTE ALT 10.5 RETURN ALT 5.5 TGT AIRSPEED 450
 ORDNANCE 1601A/409 EXPENDED all JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 90 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1st MARDIV OPERATION Ourham Peak
 (LEAVE BLANK)
 ENROUTE WX 11.0 @ 5 H V 3 H - RW

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS ORD. OK FOR TGT.
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 33M ENCOUNTERED — TIME — HOW DIRECTED —

ORDNANCE EFFECTIVENESS —
—
—

DEBRIEFER DICKERSON TIME 1120 DATE 8-9-69
 SQUADRON 211 CALL SIGN HP019 MSN NO. 6019 FLT 152
 T/O 1004 LAND 1110 TOTAL TIME 2.2

PILOTS		AIRCRAFT		
<u>DICKERSON</u>	<u>18</u>	DASC <u>DON614A</u>	TIME <u>1020</u>	
<u>MILLER</u>	<u>8</u>	CONTROLLER <u>SL098-5</u>	TIME <u>1025</u>	
		TYPE CONTROLLER <u>FACA</u>		
		TYPE MISSION <u>DA5</u>		

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1030-40</u>	<u>BUNKERS</u>	<u>10048680</u>	<u>1</u>
	<u>19</u>		

TGT TERRAIN HILLY TGT WX 8.00 VISIBILITY 7+
 REL ANGLE 30° PASSES 6 INTERVAL 30 sec MIN ALT 1400'
 ENROUTE ALT 8.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 403 402 EXPENDED ALL JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1) _____
 BDA 95 % 100 % ADDITIONAL 6 BUNKERS OUT

SECONDARY EXPLOSIONS 0 NUMBER _____ SIZE _____
 UNIT SUPPORTED 3rd MAR DIV OPERATION Idaho Canyon
 (LEAVE BLANK)
 ENROUTE WX 1200

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS FACA PROVIDED BDA
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION SAME COORDINATES REASON FOR MECHANICAL FAILURE
RECOVERABLE ? FUZE (DELAY/ARM DELAY) X 4
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Wellman TIME 1350 DATE 9 Aug 69
 SQUADRON 211 CALL SIGN NB MSN NO. 6023 FLT 152
 T/O 1245 LAND 1345 TOTAL TIME 2.0

PILOTS Miller AIRCRAFT CF5 DASC Bick TIME 1255
Wellman 24 CONTROLLER Bick 23 TIME 1257
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT 1304/1309 DESCRIPTION Enemy Location COORDINATES YC 476921 PROVINCE 2
55

TGT TERRAIN Hilly TGT WX 5.5 @ 1100 VISIBILITY 5 H
 REL ANGLE 20° PASSES 4 INTERVAL 30 sec MIN ALT 1100
 ENROUTE ALT 10.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 1202W EXPENDED all JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE #1)
 EDA 100 % 100 % ADDITIONAL

SECONDARY EXPLOSIONS None NUMBER SIZE
 UNIT SUPPORTED 27101st AB OPERATION Campbell Steiker
 ENROUTE WX 1100 1400 V @ 8 (LEAVE BLANK)

(A) HOSTILE FIRE YES ☒ NO ☐ FILE FORM WITH BARREL
 (B) AIRBURST YES ☒ NO ☐ FILE FORM WITH BARREL
 (C) ACFT HIT YES ☒ NO ☐ FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES ☒ NO ☐ CIRCLE ONE/COORD
 (E) BDA REPORTED YES ☒ NO ☐ IF ADDITIONAL CIRCLE
 (F) ABORT YES ☒ NO ☐ ACFT MALFUNCTION/NO DROP
 (G) DIRECT YES ☒ NO ☐ GIVE REASON BELOW

REMARKS Friendly no factor
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION REASON FOR

NOTE #2: RECOVERABLE No FUZE (DELAY/ARM DELAY)
 NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS O.K.

DEBRIEFER Richards TIME 1730 DATE 9 Aug 69SQUADRON 211 CALL SIGN B 467 MSN NO. 6467 FLT 152T/O 1545 LAND 1730 TOTAL TIME 3.6

PILOTS

AIRCRAFT

W. G. Graham
Richards22
8DASC Big But. TIME 1625CONTROLLER BIG 18 TIME 1635TYPE CONTROLLER FAC(A)TYPE MISSION DAS

TOT

DESCRIPTION

COORDINATES

PROVINCE

1640/55 Fn Storage Area AT804285 427TGT TERRAIN Hilly TGT WX 8.0 ⊕ VISIBILITY 0.9AREL ANGLE 20° PASSES 12 INTERVAL 30 sec MIN ALT 600' REL ALT 1200'ENROUTE ALT 16.5 RETURN ALT 19.5 TGT AIRSPEED 450ORDNANCE 1601A 429 EXPENDED A11 JETTISONED —ORDNANCE/RTB — DUDS (SEE NOTE #1) —BDA 100 % 50 % ADDITIONAL 5 struct. Dest. - 1 Tonneent. 2 Armcov. - 2 Sustained Firer 1 Secondary EXPLSECONDARY EXPLOSIONS Yes NUMBER 1 SIZE MediumUNIT SUPPORTED Americal OPERATION —ENROUTE WX 12 ⊕ ⊕ ⊕ ⊕ ⊕ (LEAVE BLANK)

(A) HOSTILE FIRE

(B) AIRBURST

(C) ACFT HIT

(D) RECON INSERT/EXTRACT

(E) BDA REPORTED

(F) ABORT

(G) DIRECT

YES ☒ NOYES ☒ NOYES ☒ NOYES ☒ NOYES ☒ NOYES ☒ NOYES ☒ NO

FILE FORM WITH BARREL

FILE FORM WITH BARREL

FILE FLASH REPORT WITH BARREL

CIRCLE ONE/COORD

IF ADDITIONAL CIRCLE

ACFT MALFUNCTION/NO DROP

GIVE REASON BELOW

REMARKS Friendlyes No Radar.

(REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —NOTE #3: ORDNANCE EFFECTIVENESS OK

DEBRIEFER White TIME 1820 DATE 9 Aug 69
 SQUADRON 211 CALL SIGN HB 599 MSN NO 100/99 FLT 152
 T/O 1645 LAND 1800 TOTAL TIME 2.6

PILOTS AIRCRAFT
Hughes 12 DASC Cap TIME
WHITE 5 CONTROLLER JARE 43 TIME 1725
 TYPE CONTROLLER FAC(A)
 TYPE MISSION DAS

TOT every DESCRIPTION COORDINATES PROVINCE
1729-41 unit location BS 280658 5
55

TGT TERRAIN hilly TGT WX 60 @ VISIBILITY 5
 REL ANGLE 20° PASSES 6 INTERVAL 30 MIN ALT 1500
 REL ALT 2500
 ENROUTE ALT 8,500 RETURN ALT 7,500 TGT AIRSPEED 450
 ORDNANCE 408/205/602 1/4 EXPENDED 205, 402 1/4 JETTISONED 0
 ORDNANCE/RTB 408/202 1/4 DUDS (SEE NOTE #1) 0
 BDA 90 % 60 % ADDITIONAL None

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0
 UNIT SUPPORTED ARVN OPERATION —
 ENROUTE WX 90 @/B (LEAVE BLANK)

(A) HOSTILE FIRE YES ☒ NO
 (B) AIRBURST YES ☒ NO
 (C) ACFT HIT YES ☒ NO
 (D) RECON INSERT/EXTRACT YES ☒ NO
 (E) BDA REPORTED YES ☒ NO
 (F) ABORT YES ☒ NO
 (G) DIRECT YES ☒ NO
 FILE FORM WITH BARREL
 FILE FORM WITH BARREL
 FILE FLASH REPORT WITH BARREL
 CIRCLE ONE/COORD
 IF ADDITIONAL CIRCLE
 ACFT MALFUNCTION/NO DROP
 GIVE REASON BELOW

REMARKS
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION REASON FOR

RECOVER BLE FUZE (DELAY/LRM DELAY)
 NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

3

DEBRIEFER Toetche TIME 1130 DATE 9 AUG
 SQUADRON 211 CALL SIGN HD 589 MSN NO. 6589 FLT 142
 T/O 0855 LAND 1120 TOTAL TIME 4.8

PILOTS AIRCRAFT
TOETCHE LF 03
DEXMER 19
590 2507.2 No Drop
 DASC 1050 TIME 1050
 CONTROLLER Host BOLLTIME 1000
 TYPE CONTROLLER FACA
 TYPE MISSION CRP

TOT DESCRIPTION COORDINATES PROVINCE
00 DROP 1200
NO

TGT TERRAIN NO TGT WX NO VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 REL ALT _____
 ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____
 ORDNANCE 408 602 205 EXPENDED none JETTISONED 205
 ORDNANCE/RTB 408 602 DUDS (SEE NOTE #1) none
 BDA % % ADDITIONAL no Drop

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____

ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS No TgTs

(REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

5/2/80
 9:50C
 1.85

DEBRIEFER Hellbusch TIME 1200 DATE 10 Aug 69
 SQUADRON 211 CALL SIGN HB 210 MSN NO. 6210 FLT 142
 T/O 1025 LAND 1147 TOTAL TIME 1.4

PILOTS

AIRCRAFT

Hellbusch CF 21 DASC None TIME None
 CONTROLLER None TIME None
 TYPE CONTROLLER None
 TYPE MISSION None

TOT

DESCRIPTION

COORDINATES

PROVINCE

Test

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 REL ALT _____
 ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____
 ORDNANCE _____ EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS _____
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER JAL L TIME 1815 DATE 10 Aug 69
 SQUADRON 211 CALL SIGN HR MSN NO. 6244 FLT 152
 T/O 1700 LAND 1800 TOTAL TIME 2.0

PILOTS AIRCRAFT
HUTSON CF 19 DASC JAKE CONT TIME 1715
LAWRENCE 3 CONTROLLER JAKE 42 TIME 1720
 TYPE CONTROLLER RACA
 TYPE MISSION AB3

TOT DESCRIPTION COORDINATES PROVINCE
1729-40 VILL. BS341467 5
57

TGT TERRAIN FLAT TGT WX 14.0 @ VISIBILITY 10+
 REL ANGLE 30° PASSES 6 INTERVAL 30 MIN ALT 1.5
 ENROUTE ALT 10.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 1202Y EXPENDED ACFT 1102Y JETTISONED —
 ORDNANCE/RTB 1 12Y DUDS (SEE NOTE #1)
 BDA 80 % 20 % ADDITIONAL 2 bunkers 4 struct. 105

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED AMCAL ARUN OPERATION _____

ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS ord. good
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS good

35

DEBRIEFER Edwards TIME 1740 DATE 10 Aug 69
 SQUADRON 211 CALL SIGN HB 242 MSN NO. 6242 FLT 152
 T/O 1635 LAND 1733 TOTAL TIME 2.1

PILOTS AIRCRAFT
Edwards 6 DASC TIME 1635
Beem 20 CONTROLLER Take 42 TIME 1640
 TYPE CONTROLLER FAC (A)
 TYPE MISSION DAS

TOT DESCRIPTION COORDINATES PROVINCE
1648-1702 Bunkers & Structures BS347460 5
78

TGT TERRAIN Mnt TGT WX 900 VISIBILITY 10
 REL ANGLE 30° PASSES 12 INTERVAL 30 MIN ALT 1800
 ENROUTE ALT 10.5 RETURN ALT 3.5 TGT AIRSPEED 450
 ORDNANCE 4D5 4D24 EXPENDED 4D5 1D24 JETTISONED
 ORDNANCE/RTB 3D24 DUDS (SEE NOTE #1)
 BDA 100 % 30 % ADDITIONAL 4 Structures Damaged

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED AMCac ARUA OPERATION (LEAVE BLANK)

ENROUTE WX -10 10

(A) HOSTILE FIRE	YES	☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☒ NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	☒ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	☒ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES	☒ NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	☒ NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	☒ NO	GIVE REASON BELOW

REMARKS FRIENDLIES No Factor
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION REASON FOR

NOTE #2: RECOVERABLE FUZE (DELAY/ARM DELAY) TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS POOR Tgt ORD
Nape would Have Been Better

38

DEBRIEFER Rivens TIME 1330 DATE 10 Aug 69
 SQUADRON 211 CALL SIGN HR MSN NO. 6560 FLT 153
 T/O 1200 LAND 1315 TOTAL TIME 2.6

PILOTS AIRCRAFT
Rivens CS-11 DASC BICK TIME 1215
Lawrence 24 CONTROLLER BICK TIME 1220
 TYPE CONTROLLER THCA
 TYPE MISSION OAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1227-44</u>	<u>PACK ANIMALS</u>	<u>YC 253950</u>	<u>2</u>
	<u>41</u>		

TGT TERRAIN HILLY TGT WX 1.00 VISIBILITY 2-3 H - RW
 REL ANGLE 10 PASSES 7 INTERVAL 30 MIN ALT 200
 REL ALT 500
 ENROUTE ALT 10.5 RETURN ALT 11.5 TGT AIRSPEED 450
 ORDNANCE 16 DIA/409 EXPENDED all JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL 2 PACK ANIMALS DEST.
2 BUNKERS DEST.

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 101ST AB OPERATION Montgomery Road
 (LEAVE BLANK)
 ENROUTE WX 11.5 5-7 H - RW

(A) HOSTILE FIRE	YES	☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☒ NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	☒ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	☒ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES	☒ NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	☒ NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	☒ NO	GIVE REASON BELOW

REMARKS NEEDED SOFT ORDNANCE DUE TO WX
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS GOOD

18

2024
2024

DEBRIEFER HUTSON TIME 1300 DATE 10 AUG 69
 SQUADRON 211 CALL SIGN 558 MSN NO. 6558 FLT 152
 T/O 1145 LAND 1248 TOTAL TIME 2.2

PILOTS AIRCRAFT
LANGE CF 8 DASC Buck TIME 1155
HUTSON 15 15 CONTROLLER Buck 32 TIME 1200
 TYPE CONTROLLER FAC(A)
 TYPE MISSION DAS

TGT	DESCRIPTION	COORDINATES	PROVINCE
1210-20	SUS. EN POST	K253950	2
	SS		

TGT TERRAIN MT TGT WX 4.00 VISIBILITY 2-3
 REL ANGLE Level - 10° PASSES 8 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 12.5 RETURN ALT 9.5 TGT AIRSPEED 450
 ORDNANCE 1601A/40 EXPENDED ALL JETTISONED --
 ORDNANCE/RTB -- DUDS (SEE NOTE #1) --
 EDA 100 % 75 % ADDITIONAL --

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 101st AB OPERATION Montgomery Road
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD _____
(E) BDA REPORTED	YES ☐ NO ☐	IF ADDITIONAL CIRCLE _____
(F) ABORT	YES ☐ NO ☐	ACFT MALFUNCTION/NO DROP _____
(G) DIRECT	YES ☐ NO ☐	GIVE REASON BELOW _____

REMARKS DUE TO WX, THE SOFT ORDNANCE IS ALL THAT COULD
BE USED - NOT WORTH BRINGING PEOPLE TO WORK FOR
(REFERENCE NOTE #3)
DURING THE STANDDOWN (TREES)

NOTE #1: DUD REPORT LOCATION K253950 REASON FOR _____

RECOVERABLE NO FUZE (DELAY/ARM DELAY) 904E2

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

17

DEBRIEFER Paul TIME 1100 DATE 11 Aug 1969
 SQUADRON 211 CALL SIGN HR MSN NO. 6015 FLT 152
 T/O 0925 LAND 1047 TOTAL TIME 2.8

PILOTS AIRCRAFT
LAWRENCE CF 18 DASC RILK TIME 0950
EDWARDS 15 CONTROLLER RILK 38 TIME 0955
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1010-20 ENEMY POSIT YC 300947 2
55

TGT TERRAIN MTNS TGT WX 14.0 @ VISIBILITY 7-20
 REL ANGLE 20° PASSES 6 INTERVAL 30 MIN ALT 1.5
 ENROUTE ALT 10.5 RETURN ALT 9.5 TGT AIRSPEED 450
 ORDNANCE 1202W/1 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL 1 Bank. dest.

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 300 BRL 101ST AB OPERATION Montgomery Road
 ENROUTE WX 11.0 @ 1 RW (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☒ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☒ NO ☐	GIVE REASON BELOW

REMARKS friend. 500M
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS Paul

DEBRIEFER Hellbusch TIME 1055 DATE 11 Aug 69
 SQUADRON 211 CALL SIGN HB 155 MSN NO. 6155 FLT 152
 T/O 0940 LAND 1040 TOTAL TIME 2.0

PILOTS

AIRCRAFT

Rutherford CF 19 DASC DaNang TIME 0950
Hellbusch CF 24 CONTROLLER Hostage Dawn TIME 0900
 TYPE CONTROLLER FEAC(A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1008-20</u>	<u>Base Camp</u>	<u>AT 958418</u>	<u>3</u>
	<u>28</u>		

TGT TERRAIN Mt. TGT WX 10.0 VISIBILITY 5
 REL ANGLE 30° PASSES 8 INTERVAL 30° MIN ALT 1500
 ENROUTE ALT 10.5 RETURN ALT 5.5 TGT AIRSPEED 450 TAS
 ORDNANCE 12 D2X EXPENDED 11 D2X JETTISONED None
 ORDNANCE/RTB 1 D2X DUDS (SEE NOTE #1) 1
 BDA 95 % 95 % ADDITIONAL 2 sec. ex.

SECONDARY EXPLOSIONS ✓ NUMBER 2 SIZE 5th M900.0.
 UNIT SUPPORTED 5th M900.0. OPERATION Durham Peak
 ENROUTE WX 130 Ⓟ (LEAVE BLANK)

(A) HOSTILE FIRE	YES <u>(NO)</u>	FILE FORM WITH BARREL
(B) AIRBURST	YES <u>(NO)</u>	FILE FORM WITH BARREL
(C) ACFT HIT	YES <u>(NO)</u>	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES <u>(NO)</u>	CIRCLE ONE/COORD
(E) BDA REPORTED	<u>(YES)</u> <u>(NO)</u>	IF ADDITIONAL CIRCLE
(F) ABORT	YES <u>(NO)</u>	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES <u>(NO)</u>	GIVE REASON BELOW

REMARKS ordnance good for Tgt
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION AT 958418 REASON FOR Low
release

RECOVERABLE NO FUZE (DELAY/LRM DELAY) X-0.025
 NOTE #2: ECM ENCOUNTERED NO TIME M904E HOW DIRECTED 4 sec Ann Delay

NOTE #3: ORDNANCE EFFECTIVENESS good

DEBRIEFER PADIOS TIME 1330 DATE 8/11/69
 SQUADRON 211 CALL SIGN 48217 MSN NO 6217 FLT 152
 T/O 1137 LAND 1313 TOTAL TIME 3.2

PILOTS	ACFT	
<u>PADIOS</u>	<u>6</u>	DASC <u>DONG HA</u> TIME <u>1200</u>
<u>TIERNEY</u>	<u>20</u>	CONTROLLER <u>SW 98-8920</u> TIME <u>1200/1</u>
		TYPE CONTROLLER <u>TACA</u>
		TYPE MISSION <u>CAS</u>

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1245-47</u>	<u>MORTAR SITE</u>	<u>XD 895625</u>	<u>1-1</u>
	<u>58</u>		

TOT TERRAIN MTS TGT WX 4.0 VISIBILITY 30
 REL ANGLE 20° PASSES 2 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 10.5 RETURN ALT 13.5 TGT AIRSPEED 450
 ORDNANCE 8 D9 EXPENDED ALL JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE #1)
 EDA 100 % 100 % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 3rd M.D. OPERATION Georgia TAR
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) EDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

NOTE #2: RECOVERABLE FUZE (DEM LY/ARM DELAY)
 ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER RKC TIME 1330 DATE 11 AUG 69
 SQUADRON Z11 CALL SIGN 219 MSN NO. 6219 FLT 152
 T/O 1205 LAND 1320 TOTAL TIME 36

PILOTS AIRCRAFT
GRAHAM/LANGE CP 2419
 DASC Dough TIME 1225
 CONTROLLER EXETER 18 TIME 1235
 TYPE CONTROLLER FA (A)
 TYPE MISSION CAC

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1238/53</u>	<u>BUNKERS</u>	<u>Y058704</u>	<u>1</u>
<u>19</u>			

TGT TERRAIN Hills TGT WX 4.0 VISIBILITY 4
 REL ANGLE 20 PASSES 10 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 10.5 RETURN ALT 11.5 TGT AIRSPEED 450
 ORDNANCE 1201M/409 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 90 % 90 % ADDITIONAL 1 BUNKER DEST

SECONDARY EXPLOSIONS * NUMBER 1 SIZE ?
 UNIT SUPPORTED 12TA MILES m.p. OPERATION Idaho Canyon
 ENROUTE WX 1200 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS FRIENDLIES AT 3000 METERS
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS GOOD ORDNANCE

DEBRIEFER REED TIME 1335 DATE 11 August 69
 SQUADRON 211 CALL SIGN H8587 MSN NO 6587 FLT 152
 T/O 1150 LAND 1312 TOTAL TIME 2.8

PILOTS ACFT
REED CF12 DLSC Dong Ha TIME 1120
Sitewar CF 21 CONTROLLER CATKILLER 13 TIME 1125
 TYPE CONTROLLER FAC(A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1230</u>	<u>NVA Bunkers</u>	<u>20 058 704</u>	<u>1</u>
<u>1244</u>	<u>19</u>		

TOT TERRAIN Rolling TGT WX 5.0 VISIBILITY 8
 REL ANGLE 30° PASSES 36 INTERVAL 30 MIN ALT 2000
 ENROUTE ALT 14500 RETURN ALT 11500 TGT AIRSPEED 450
 ORDNANCE 20 DIWLY EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL 3 Secondary Cirl

SECONDARY EXPLOSIONS 3 NUMBER — SIZE —
 UNIT SUPPORTED 12 MARINE BATTAL M.D. OPERATION Idaho Canyon
 (LEAVE BLANK)
 ENROUTE WX 1400

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☒ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☒ NO ☐	GIVE REASON BELOW

REMARKS: Good
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —
 NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER DANE TIME 1245 DATE 11 AUG 1969
 SQUADRON 211 CALL SIGN HB 157 MSN NO. 6157 FLT 152
 T/O 1146 LAND 1233 TOTAL TIME 1.7

PILOTS

AIRCRAFT

<u>DICKERSON</u>	<u>11</u>	DASC <u>HELIX</u>	TIME <u>1150</u>
<u>DANE</u>	<u>3</u>	CONTROLLER <u>HELIX-31</u>	TIME <u>1152</u>
		TYPE CONTROLLER <u>FAC(A)</u>	
		TYPE MISSION <u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1159-1206</u>	<u>FORTIFIED VILL</u>	<u>BS 855-372</u>	<u>11 5</u>
	<u>57</u>		

TGT TERRAIN FLAT TGT WX 1200 VISIBILITY 50+
 REL ANGLE 20° PASSES 10 INTERVAL 30° MIN ALT 600
 ENROUTE ALT 8.5 RETURN ALT → 2000 TGT AIRSPEED 450

ORDNANCE 12 D-2 EXPENDED ALL JETTISONED —

ORDNANCE/RTB NONE DUDS (SEE NOTE #1) 2 BS 855-372

BDA 100 % 80 % ADDITIONAL 11 mil. STRUCTURES DESTROYED.

6 BUNKERS UNCOVERED; 6 PROB. KBA 4 SECONDARY FIRES

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED Americal OPERATION Iron Mt

ENROUTE WX 1-00 (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD <u>—</u>
(E) BDA REPORTED	YES ☐ NO ☐	IF ADDITIONAL CIRCLE <u>—</u>
(F) ABORT	YES ☐ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION BS 855-372 REASON FOR UNKNOWN

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEGRADER Wetman TIME 7515 DATE 11 Aug 69
 SQUADRON 211 CALL SIGN NO 023 MSN NO 6023 FLT 152
 T/O 1415 LAND 1500 TOTAL TIME 1.6

PILOTS Rivers ACFT CF 3 DASC Helix TIME 1425
Wetman 11 CONTROLLER Helix TIME 1427
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1430/40</u>	<u>Enemy Location</u>	<u>2C 148038</u>	<u>4</u>
	<u>55</u>		

TOT TERMIN 1415 TGT WX 500 VISIBILITY 7
 REL ANGLE 30° PASSES 6 INTERVAL 20 Sec MIN ALT 1200
 ENROUTE ALT 10.5 RETURN ALT 9.5 TGT AIRSPEED 450
 ORDNANCE 403X/402X EXPENDED all JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 75 % ADDITIONAL —
1 Bomb destroyed 1 Trail Cut

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED America OPERATION — (LEAVE BLANK)
 ENROUTE WX 500 100 100 V 4 / 7

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: Friendlies 2 1/2 clicks south
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 NOTE #2: RECOVERABLE — FUZE (DELAY/NO DELAY) —
 ECM ENCOUNTERED 770 TIME — HOW DIRECTED —
 NOTE #3: ORDNANCE EFFECTIVENESS Good

DATE 11 Aug 69
 CALL SIGN 211
 MAN 22 MSN NO. 0970 FLT 152
 T/O 1544 LAND 1711 TOTAL TIME 3.0

PILOTS Pedues AIRCRAFT CF 12 DASC H.B. TIME 1620
Hellbusch 09 CONTROLLER Raven 51
 TYPE CONTROLLER TACA
 TYPE MISSION ST

TOT 1630/35 DESCRIPTION Enemy Position COORDINATES XC 200286 PROVINCE 15 3710607
57

TGT TERRAIN F TGT WX 12.0 VISIBILITY 5
 REL ANGLE 30 PASSES 4 INTERVAL 30 MIN ALT 3.5
 ENROUTE ALT 12.5 RETURN ALT 31.5 TGT AIRSPEED 450
 ORDNANCE 12 02 7/8 EXPENDED ALL JETTISONED ---
 ORDNANCE/RTB --- DUDS (SEE NOTE #1) ---
 BDA 100 % 100 % ADDITIONAL 2 Bunkers Dest
5 Hostels Dest, 5 Con

SECONDARY EXPLOSIONS --- NUMBER --- SIZE ---
 UNIT SUPPORTED 2nd A.F. OPERATION --- (LEAVE BLANK)
 ENROUTE WX ---

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 (B) AIRBURST YES NO FILE FORM WITH BARREL
 (C) ACFT HIT YES NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
 (F) ABORT YES NO ACFT MALFUNCTION/NO DROP
 (G) DIRECT YES NO GIVE REASON BELOW

REMARKS --- (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION --- REASON FOR ---

RECOVER FILE --- FUZE (DELAY/ARM DELAY) ---
 NOTE #2: ECM ENCOUNTERED --- TIME --- SOW DIRECTED ---

NOTE #3: ORDNANCE EFFECTIVENESS ---

DEBRIEFER Hughes TIME 1900 DATE 11 Aug
 SQUADRON 211 CALL SIGN HB241 MSN NO 6241 FLT 352
 T/O 1815 LAND 1850 TOTAL TIME 1.2

PILOTS Rutherford ACFT CF24 DASC DN TIME 27
Hughes 15 CONTROLLER Host Bear TIME 23
 TYPE CONTROLLER ACA
 TYPE MISSION ATS

TOT 1824/35 DESCRIPTION Enemy Base Camp COORDINATES AT 832308 PROVINCE 3
28

TOT TERRAIN mnts TGT WZ 1200 VISIBILITY 10+
 REL ANGLE 20° PASSES 8 INTERVAL 30 MIN ALT 700
 ENROUTE ALT 105 RETURN ALT 75 TGT AIRSPEED 450
 ORDNANCE 409/12 DIA EXPENDED all JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 90 % 90 % ADDITIONAL —

SECONDARY EXPLOSIONS ✓ NUMBER — SIZE —
 UNIT SUPPORTED 1st m. D. OPERATION Durham Peak
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 NOTE #2: RECOVERABLE — FUZE (DEL AY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —
 NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER MA Beymer TIME 2300 DATE 11 Aug 69
 SQUADRON 211 CALL SIGN 555 MSN NO 6555 FLT 452
 T/O 2130 LAND 2230 TOTAL TIME 1.0

PILOTS ACFT
Beymer 06 DASC TIME
 CONTROLLER Birmingham 08 TIME 250
 TYPE CONTROLLER ASRT
 TYPE MISSION TAR

TOT	DESCRIPTION	COORDIN TES	PROVINCE
<u>2200 2235</u>	<u>ENEMY POSIT</u>	<u>YC283959</u>	<u>2</u>
	<u>55</u>		

TOT TERRAIN R TGT WX 30.0 VISIBILITY 5
 REL ANGLE LEVEL PASSES 3 INTERVAL — MIN ALT 19.4
 REL ALT 14.1
 ENROUTE ALT 12.5 RETURN ALT 11.5 TGT AIRSPEED 290
 ORDNANCE 602W/4 EXPENDED 502W/4 JETTISONED —
 ORDNANCE/RTB 102W/4 DUDS (SEE NOTE #1) —
 BDA — % — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 101ST OPERATION CAMPBELL STRIKER
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: —

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEB. REF. COLL TIME 2245 DATE 11 Aug 69
 SQUADRON 211 CALL SIGN HCB MSN NO 6507 FLT 452
 T/O 2105 LAND 2230 TOTAL TIME 1.4

PILOTS	ACFT	DASC	TIME
<u>COLL</u>	<u>20</u>	<u>DONG HA</u>	<u>2135</u>
		CONTROLLER <u>28</u>	TIME <u>2140</u>
		TYPE CONTROLLER <u>ASRT</u>	
		TYPE MISSION <u>TPQ</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2148-02</u>	<u>HEAVY BUNKERS</u>	<u>XD911642</u>	<u>1</u>
	<u>19</u>		

TOT TERRAIN R TGT WX IFR 3.0 @ VISIBILITY 3
 REL ANGLE LEVEL PASSES 2 INTERVAL — MIN ALT 14.1
 REL ALT 14.1
 ENROUTE ALT 26.5 RETURN ALT 26.5 TGT AIRSPEED 290
 ORDNANCE LD24W EXPENDED ALL JETTISONED —
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1) —
 BDA — % — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 4th AF OPERATION GEORGE TAL
 (LEAVE BLANK)
 ENROUTE WX IFR

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: TPQ
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/LPM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—

DEBRIEFER Edwards TIME 2120 DATE 11 Aug
 SQUADRON 211 CALL SIGN HB553 MSN NO 6553 FLT 351
 T/O 2000 LAND 2110 TOTAL TIME 2.5

PILOTS	ACFT	DASC	TIME
<u>Edwards</u>	<u>19</u>	<u>DN9</u>	<u>2005</u>
<u>WOOD</u>	<u>12</u>	CONTROLLER <u>Hostage Bull</u>	TIME <u>2010</u>
		TYPE CONTROLLER <u>EAC A</u>	
		TYPE MISSION <u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2030-43</u>	<u>Tree Line</u>	<u>BT 018607</u>	<u>3</u>
	<u>33</u>		

TOT TERRAIN Level TGT WX 120 @ VISIBILITY 10
 REL ANGLE 30° PASSES 9 INTERVAL 30 MIN ALT 1800
 ENROUTE ALT 10.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 16DIY 4D22A EXPENDED 15DIY 1022A ATTENTIONED
 ORDNANCE/RTB 1DIY 3022A DUDS (SEE NOTE #1)
 BDA 90 % 90 % ADDITIONAL

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 151 MARDIV OPERATION Durham Peak
 (LEAVE BLANK)
 ENROUTE WX 130 @ 10

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: Fire 500 meters
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS Good Tgt DED

CU

DEBRIEFER Roone TIME 2115 DATE 11 AUG
 SQUADRON 211 CALL SIGN HB 503 MSN NO 6503 FLT 452
 T/O 1935 LAND 2105 TOTAL TIME 1.5

PILOTS Roone ACFT CF11 DASC Boe TIME 2000
 CONTROLLER Boe TIME 2003
 TYPE CONTROLLER ASRT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2010/20</u>	<u>Bunkers</u>	<u>XD 940655</u>	<u>I</u>
	<u>19</u>		

TOT TERRAIN 4117 TGT WK 150 VISIBILITY 2
 REL ANGLE Level PASSES 2 INTERVAL — MIN ALT 22.5
 ENROUTE ALT 22.5 RETURN ALT 23.5 TGT AIRSPEED 290
 ORDNANCE 6 DLWY EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1)
 ECM upk % ADDITIONAL

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3RD MCD OPERATION IDAHO CANYON
 ENROUTE WK 120 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER DICKERSON TIME 2045 DATE 8-11-69
 SQUADRON 211 CALL SIGN MAN 43 MSN NO 0989 FLT 482
 T/O 1908 LAND 2033 TOTAL TIME 1.4 ~~1.4~~ ~~1.8~~

PILOTS DICKERSON ACFT CF 21 DASC ✓ 5 TIME 1915
~~WARRICK~~ ~~CF 21~~ CONTROLLER CLM 1A1 TIME 1930
 TYPE CONTROLLER ASRT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2007</u>	<u>US EN LOCATION</u>	<u>BS460 965</u>	<u>5</u>
	<u>55</u>		

TOT TERRAIN R TGT WK 1400 VISIBILITY 17R
 REL ANGLE LEVEL PASSES 1 INTERVAL — MIN ALT 14,000
 REL ALT 14,000
 ENROUTE ALT 14.5 RETURN ALT 20,000 TGT AIRSPEED 290
 ORDNANCE 6024 EXPENDED ALL JETTISONED 36
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100% % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED American OPERATION Nantucket Beach
 (LEAVE BLANK)

ENROUTE WK —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: WINGMAN'S AIRCRAFT MALFUNCTIONED & HE ABORTED
- 1 TPQ'D (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER MM TIME 2400 DATE 11 Nov 69
 SQUADRON 211 CALL SIGN 118 MSN NO C557 FLT 352
 T/O 2240 LAND 2349 TOTAL TIME 1.2

PILOTS ACFT
LENZINI CF09 D/LSC TIME
 CONTROLLER HN 112 # 72 TIME 2250
 TYPE CONTROLLER ASRT ASRT
 TYPE MISSION TPR

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2300</u>	<u>BUNKER</u>	<u>BT005595</u>	<u>4</u>
	<u>19</u>		

TOT TERMIN FLAT TGT WK 140 VISIBILITY 6
 REL ANGLE LEVEL PASSES 1 INTERVAL — MIN ALT 14.1
 ENROUTE ALT 14.5 RETURN ALT 20.0 TGT AIRSPEED 290
 ORDNANCE G024/Y EXPENDED ALL JETTISONED —
 ORDNANCE/RTB None DUDS (SEE NOTE #1) None
 BDA — % — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED ROTH MAJORS OPERATION Victory Dragon
 (LEAVE BLANK)

ENROUTE WK —

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES NO	GIVE REASON BELOW

REMARKS: TPR
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

PORTER: _____ TIME: _____ DATE: 11 Aug 69
 CHAT: 211 CALL SIGN: _____ 43 MSN NO. 0989 FLT 152
 T/O 1908 LAND 1928 TOTAL TIME 0.4

PILOTS

AIRCRAFT

W. L. L.CF 18

DASC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT

DESCRIPTION

COORDINATES

PROVINCE

ABORT

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____
 ORDNANCE _____ EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____
 ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES NO	GIVE REASON BELOW

REMARKS _____ (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE FUZE (DELAY/ARM DELAY)
 50M ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER MILLER TIME 1450 DATE 12 AUG
 SQUADRON VM A-211 CALL SIGN AB 297 MSN NO 6247 FLT 352
 T/O D325 LAND 0435 TOTAL TIME 1.2

PILOTS MILLER ACFT 15 D/SC CHU LAI TIME 0330
 TYPE CONTROLLER ASST
 TYPE MISSION TPG

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0355</u>	<u>BT 388018</u>	<u>F LOC 55</u>	<u>4</u>
<u>0402</u>	<u>BT 372028</u>	<u>"</u>	

TOT TERMIN R TGT WK CLOR VISIBILITY 7
 REL ANGLE 0 PASSES 2 INTERVAL — MIN ALT 14.1
 REL ALT 14.1
 ENROUTE ALT 14.5 RETURN ALT 13.5 TGT AIRSPEED 290
 ORDNANCE 1001 EXPENDED DAK JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA Unb % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED America OPERATION Nantucket Beach
 (LEAVE BLANK)

ENROUTE WK —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DESIGNER TRCL TIME 0900 DATE 12 AUG 69
 SQUADRON 211 CALL SIGN 020 MSN NO 6020 FLT 152
 T/O 0737 LAND 0853 TOTAL TIME 2.6

PILOTS LAWRENCE ACFT CF9 BICK CONT TIME 0750
Lange 11 CONTROLLER BICK 31 TIME 0750
 TYPE CONTROLLER FAA (A)
 TYPE MISSION CIA

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0815/23</u>	<u>MORTAL POSIT</u>	<u>YC328958</u>	<u>2</u>
	<u>58</u>		

TOT TERRAIN MT TGT WX 8.00 VISIBILITY 2
 REL ANGLE 20 PASSES 8 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 10.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 1201A/409 EXPENDED ALL JETTISONED -
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1) -
 BDA 100 % 100 % ADDITIONAL -

SECONDARY EXPLOSIONS - NUMBER - SIZE -
 UNIT SUPPORTED 101st A.B. OPERATION Montgomery Road
 (LEAVE BLANK)

ENROUTE WX -

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: GOOD ORDNANCE
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON FOR -
 RECOVERABLE - FUZE (DELAY/ARM DELAY) -
 NOTE #2: ECM ENCOUNTERED - TIME - HOW DIRECTED -
 NOTE #3: ORDNANCE EFFECTIVENESS -

DEBRIEFER DD TIME 0930 DATE 12 AUG
 SQUADRON 211 CALL SIGN 450 MSN NO 6450 FLT 152
 T/O 0746 LAND 0815 TOTAL TIME 3.0

PILOTS Reep ACFT 21 DLSC Heix TIME 0840
Tierney 5 CONTROLLER Heix-16 TIME
 TYPE CONTROLLER Ench
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0845</u>	<u>VC LOCATION</u>	<u>AT967228</u>	<u>4</u>
<u>0859</u>	<u>45</u>		

TOT TERMIN High TGT WK 1.0 VISIBILITY 5+
 REL ANGLE 20 PASSES 10 INTERVAL 30+ MIN ALT 800
 ENROUTE ALT 10.5 RETURN ALT 9.5 TGT AIRSPEED 450
 ORDNANCE 12 DIA/4D9 EXPENDED ACC JETTISONED 2
 ORDNANCE/RTB 2 DUDS (SEE NOTE #1)

BDA 100 % 95 % ADDITIONAL 2 Sec Fire / 4mm
Sec Fire / 3 STRUCT / PROBABLE HBA

SECONDARY EXPLOSIONS 0 NUMBER 1 SIZE 1

UNIT SUPPORTED American OPERATION (LEAVE BLANK)

ENROUTE WK 140

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

NOTE #2: RECOVERABLE FUZE (DELAY/ARM DELAY)
 ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER Toetcher DATE 12 AUG
 SQUADRON 211 CALL SIGN HD150 MSN NO 6150 FLT 152
 T/O 0835 LAND 0955 TOTAL TIME 2.6

PILOTS	ACFT	DASC	TIME
<u>TOETCHER</u>	<u>CF 18</u>	<u>HELIX</u>	<u>0840</u>
<u>DEYMER</u>	<u>19</u>	CONTROLLER <u>HELIX 18</u>	TIME <u>0845</u>
		TYPE CONTROLLER <u>FAC(A)</u>	
		TYPE MISSION <u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0918-28</u>	<u>ENEMY LOC</u>	<u>AT 985242</u>	<u>A</u>
	<u>55</u>		

TOT TERMIN HELIX TGT WX 1200 VISIBILITY 7+
 REL ANGLE 20° PASSES 6 INTERVAL 30 MIN ALT 800
 REL ALT 1000
 ENROUTE ALT 10.5 RETURN ALT 9.5 TGT AIRSPEED 450
 ORDNANCE 0020/409 EXPENDED ALL JETTISONED none
 ORDNANCE/RTB none DUDS (SEE NOTE #1) none
 BDA 100 % 100 % ADDITIONAL ITD & TO
FOLLOW 1 SUST FIRE

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED AMERICAN OPERATION _____
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: DIVERTED BY VICE SCD TO
HELIX (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Wellman TIME 1103 DATE 12 Aug 69
 SQUADRON 211 CALL SIGN NB 157 MSN NO 6157 FLT 152
 T/O 1000 LAND 1051 TOTAL TIME 1.8

PILOTS Looke ACFT CF6 DASC Helix TIME 1005
Wellman 20 CONTROLLER Helix 33 TIME 1007
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1017/30</u>	<u>Enemy Location</u>	<u>BS860370</u>	<u>5</u>
	<u>55</u>		

TOT TER. IN 7 lat TGT WX 800 VISIBILITY 5 M
 REL ANGLE 20° PASSES 8 INTERVAL 30 sec MIN ALT 600
 ENROUTE ALT 12.5 RETURN ALT 9.5 TGT AIRSPEED 450
 REL ALT 1050

ORDNANCE 8 D2X/409 EXPENDED all JETTISONED —

ORDNANCE/RTB None DUDS (SEE NOTE #1) 5 D2X 2D9

BDA 80 % 40 % ADDITIONAL 1 Struct. dest.
2 Struct. damaged 3 Secondary Fires

SECONDARY EXPLOSIONS None NUMBER — SIZE —

UNIT SUPPORTED American OPERATION Iron Mt.
 (LEAVE BLANK)

ENROUTE WX 800 120 0 5-14

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☒	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: Friendly 2 mi N.W.
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION BS860370 REASON FOR unknown

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED no TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS Good

15 C

DEBRIEFER WHITE TIME 1203 DATE 12 Aug 69
 SQUADRON 211 CALL SIGN HB218 MSN NO 6218 FLT 152
 T/O 1020 LAND 1135 TOTAL TIME 2.8

PILOTS Lenzini ACFT 15 DASC Danang TIME 1025
WHITE 24 CONTROLLER Hostage Duke TIME 1030
 TYPE CONTROLLER FAC(A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1016-1124</u>	<u>Enemy surrounding recon team</u> <u>45</u>	<u>ZC 703206</u>	<u>3</u>

TOT TERM IN hilly TGT WX 100 VISIBILITY 5
 REL ANGLE 20° PASSES 6 INTERVAL 30 MIN ALT 600
 REL ALT 1050
 ENROUTE ALT 8,500 RETURN ALT 5500 TGT AIRSPEED 450
 ORDNANCE 120A/409 EXPENDED All JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1)
 EDA 100 % 100 % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 1st Recon OPERATION
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) EDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

NOTE #2: RECOVERABLE FUZE (DELAY/ARM DELAY)
 ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

20

C

DEBRIEFER COLL TIME 1310 DATE 12 Aug 69
 SQUADRON 211 CALL SIGN MANUKE MSN NO 0936 FLT 152
 T/O 1240 LAND 1323 TOTAL TIME 1.8

PILOTS

ACFT

REED 21 DASC HILLSBORO TIME 1850
COLL 5 CONTROLLER OVN 262 TIME 1215
 TYPE CONTROLLER FAC(A)
 TYPE MISSION ST

TOT

DESCRIPTION

COORDINATES

PROVINCE

1300-04 TRK + BULLDOZER STORAGE AREA YC559092 6
39 1524 10720

TOT TERMIN MOUNT TGT WX 9000 ⊕ VISIBILITY 8 mi
 REL ANGLE 30° PASSES 8 INTERVAL 30 sec MIN ALT 2000
 ENROUTE ALT 8.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 1202 YW EXPENDED HCL JETTISONED —

ORDNANCE/RTB — DUDS (SEE NOTE #1)

BDA 100 % 100 % ADDITIONAL 1 sec small explosion
1 sec explosion

SECONDARY EXPLOSIONS YES NUMBER 1 SIZE SM

UNIT SUPPORTED 7th Air Force OPERATION — (LEAVE BLANK)

ENROUTE WX 9000 ⊕

(A) HOSTILE FIRE	☒ YES ☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	☒ YES ☐ NO	FILE FORM WITH BARREL
(C) ACFT HIT	☒ YES ☐ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	☒ YES ☐ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES ☐ NO	IF ADDITIONAL CIRCLE
(F) ABORT	☒ YES ☐ NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	☒ YES ☐ NO	GIVE REASON BELOW

REMARKS: 1 SM Secondary HOSTAL FIRE ON
see RUN (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS GOOD TARGET CRD

DESIGNER DANE TIME 1300 DATE 12 AUG 1969
 SQUADRON 211 CALL SIGN HB 458 MSN NO 6458 FLT 152
 T/O 1144 LAND 1248 TOTAL TIME 22

PILOTS ACFT
GRAHAM 12
DANE 11
 DASC DANANG TIME 1200
 CONTROLLER HOSTAGE BAKER TIME 1210
 TYPE CONTROLLER FADA
 TYPE MISSION L2P

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1215-27</u>	<u>HILLTOP - L2P</u>	<u>AT 885-785</u>	<u>B</u>
	<u>54</u>		

TOT TERRAIN HILLY TGT WX 9.5 @ VISIBILITY 10-15
 REL ANGLE 20° PASSES 8 INTERVAL 30" MIN ALT 600
 ENROUTE ALT 10.5 RETURN ALT 8.5 TGT AIRSPEED 450
 ORDNANCE 12D-1A/4D-9 EXPENDED ALL JETTISONED NONE
 ORDNANCE/RTB NONE DUDS (SEE NOTE #1) AT 885-785
 BDA 100 % 100 % ADDITIONAL

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 26TH MARINES OPERATION PRO GRANDE
 (LEAVE BLANK)
 ENROUTE WX 110 @ R

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION WILL BE RECOVERED BY 26TH MARINES REASON FOR FIN STRIPPED OFF
RECOVERABLE FUZE (DELAY/ARM DELAY) UNKNOWN
 NOTE #2: ECM ENCOUNTERED NONE TIME — HOW DIRECTED —
 NOTE #3: ORDNANCE EFFECTIVENESS —

25

DEBRIEFER Kennedy TIME 1530 DATE 12 Aug
 SQUADRON 211 CALL SIGN H3 MSN NO 6016 FLT 152
 T/O 1445 LAND 1520 TOTAL TIME 1.2

PILOTS	ACFT	DASO	TIME
<u>Kennedy</u>	<u>CF9</u>	<u>Heli</u>	<u>1448</u>
<u>Miller</u>	<u>18</u>	CONTROLLER <u>Heli</u>	TIME <u>1450</u>
		TYPE CONTROLLER <u>FACA</u>	
		TYPE MISSION <u>DAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1455/1505</u>	<u>Base Camp</u>	<u>BT 050414</u>	<u>4</u>
	<u>55</u>		

TOT TERMIN Heli TGT WX DD VISIBILITY 6
 REL ANGLE 20° PASSES 6 INTERVAL 304 MIN ALT 1050
 ENROUTE ALT 6.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 8 D2A 409 EXPENDED 7 D2A 409 JETTISONED NONE
 ORDNANCE/RTB 1 D2A DUDS (SEE NOTE #1)
 BDA 100 % 90 % ADDITIONAL 3 Steel Dns, 3 Steel Dns
2 sec fire

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED Amer OPERATION _____
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 BGM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

31

C

DEBRIEFER PRW TIME 1705 DATE 12 Aug
 SQUADRON 211 CALL SIGN HB MSN NO 6244 FLT 152
 T/O 1538 LAND 1655 TOTAL TIME 2.6

PILOTS Wyrick P.D. 05 ACFT 25
Beem J.C. 024
 DASC D.H. TIME 1605
 CONTROLLER SW 98-13 TIME 1610
 TYPE CONTROLLER TACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1615/22</u>	<u>Friendly Base Camp</u>	<u>XD945670</u>	<u>1</u>
	<u>55</u>		
	<u>EN: Location</u>		

TOT TERRAIN Hilly TGT WX 800 VISIBILITY 7
 REL ANGLE 20 PASSES 6 INTERVAL 30 MIN ALT 600
 REL ALT 1050
 ENROUTE ALT 12.5 RETURN ALT 9.5 TGT AIRSPEED 450
 ORDNANCE 12 DIA 909 EXPENDED NO JETTISONED NO
 ORDNANCE/RTB 109 DUDS (SEE NOTE #1)
 BDA 180 % 100 % ADDITIONAL

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3rd Mae Div OPERATION 1 Datto Canyon
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	☒ YES ☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	☒ YES ☐ NO	FILE FORM WITH BARREL
(C) ACFT HIT	☒ YES ☐ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	☒ YES ☐ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES ☐ NO	IF ADDITIONAL CIRCLE
(F) ABORT	☒ YES ☐ NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	☒ YES ☐ NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —
 NOTE #3: ORDNANCE EFFECTIVENESS —

35

DEBRIEFER Edwards TIME 1800 DATE 12 Aug 69
 SQUADRON 211 CALL SIGN HB466 MSN NO 6466 FLT 152
 T/O 1630 LAND 1757 TOTAL TIME 3.0

PILOTS Edwards ACFT 11 DASC Helix TIME 1720
Call 5 CONTROLLER Helix 22 TIME 1725
 TYPE CONTROLLER FAC A
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1728-38</u>	<u>Troops In Open</u>	<u>BS366883</u>	<u>5</u>
<u>45</u>			

TOT TERMIN level TGT WX 1200 VISIBILITY 10
 REL ANGLE 20° PASSES 7 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 12.5 RETURN ALT 3.5 TGT AIRSPEED 450
 ORDNANCE 12 DIA 4D9 EXPENDED Acc JETTISONED ---
 ORDNANCE --- DUDS (SEE NOTE #1)
 BDA 100% 40 % ADDITIONAL

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED SPARTAN FORCE OPERATION GENEVA PARK
 (LEAVE BLANK)
 ENROUTE WX 1400 10

(A) HOSTILE FIRE	☒ YES	☐ NO	FILE FORM WITH BARREL 30 cal (T)
(B) AIRBURST	☒ YES	☐ NO	FILE FORM WITH BARREL
(C) ACFT HIT	☒ YES	☐ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	☒ YES	☐ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES	☐ NO	IF ADDITIONAL CIRCLES
(F) ABORT	☒ YES	☐ NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	☒ YES	☐ NO	GIVE REASON BELOW

REMARKS: friendly 900 meters
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS Good Tgt DRD

38

0

DEBRIEFER Warren TIME 2200 DATE 12 Aug 69
 SQUADRON 211 CALL SIGN H3510 MGR NO 6510 FLT 352
 T/O 2030 LND 2200 TOTAL TIME 1.5

PILOTS WARREN ACFT CF28 D/LSC VANOM ASRT TIME 2100
 CONTROLLER ASRT 20 TIME 2100
 TYPE CONTROLLER ASRT
 TYPE MISSION TPO

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2110</u>	<u>BUNKERS</u>	<u>XD 966636</u>	<u>I</u>
	<u>19</u>		

TOT TERMIN MTM TGT WX 0 VISIBILITY 7
 REL ANGLE LYL PASSES 1 INTERVAL — MIN ALT 12000
 REL ALT 12000
 ENROUTE ALT 12.5 RETURN ALT 11.5 TGT AIRSPEED 290
 ORDNANCE 10 DIW/4 EXPENDED all JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA — % — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3rd MAR DIV OPERATION LPAHO CANYON
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	SOFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: ORD OK
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: EFFICIENCY/DEFECTIVENESS —
—
—

H3

C

DEBRIEFER Hellbusch TIME 1653 DATE 12 Aug 69
 SQUADRON 211 CALL SIGN HB 592 MSN NO 6592 FLT 152
 T/O 1315 LAND 1626 TOTAL TIME 6.5

PILOTS Dickerson ACFT CF46 DASC None TIME TIME
Hellbusch CF19 CONTROLLER TIME
594 2500 lbs No Drop TYPE CONTROLLER TYPE MISSION

TOT	DESCRIPTION	COORDINATES	PROVINCE
	<u>None</u>		
	<u>No drop</u>		

TOT TERRAIN 6028 TGT WX 205408 VISIBILITY None
 REL ANGLE EXPENDED MIN ALT JETTISONED
 PASSES None REL ALT
 ENROUTE ALT RETURN ALT TGT AIRSPEED
 ORDINANCE 205408 EXPENDED None JETTISONED
 ORDINANCE/RTS DUDS (SEE NOTE #1)
 BDA % % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED OPERATION
 (LEAVE BLANK)
 ENROUTE WX

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES NO	GIVE REASON BELOW

REMARKS: No Mission
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE (DELAY/ARM DELAY)
 NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED
 NOTE #3: ORDINANCE EFFECTIVENESS

DEBRIEFER Hellbusch TIME 0050 DATE 13 Aug 69
 SQUADRON 211 CALL SIGN HB 518 MSG NO 6518 FLT 352
 T/O 2253 LAND 0035 TOTAL TIME 1.7

PILOTS Hellbusch ACFT CF 03 DASC _____ TIME _____
 CONTROLLER Vandy ASRATIME 2315
 TYPE CONTROLLER ASRAT ASRT _____
 TYPE MISSION TPS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2345</u>	<u>Bunkers</u>	<u>XD 934634</u>	<u>RUN I/I 1</u>
	<u>19</u>		

TOT TERRAIN Mount. TGT WX 1100 10.0 VISIBILITY 7
 REL ANGLE Level PASSES 1 INTERVAL _____ MIN ALT 15000
 REL ALT 15000
 ENROUTE ALT 18.5 RETURN ALT 19.5 TGT AIRSPEED 290 IAS
 ORDNANCE 1001X EXPENDED all JETTISONED _____
 ORDNANCE/RTB None DUDS (SEE NOTE #1) _____
 BDA % ADDITIONAL _____
None

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 3rd Marines OPERATION Idaho Canyon
 (LEAVE BLANK)
 ENROUTE WX 10

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

47

NAME Mc TIME 1900 DATE 12 Aug 69
 211 CALL SIGN AB
 MSN NO. 6204 FLT 152
 T/O 0755 LAND 0825 TOTAL TIME 10

PILOTS Richards Kennedy
 AIRCRAFT CF 15 12
 DASC Duc TIME 0800
 CONTROLLER Hostage TIME 0805
 TYPE CONTROLLER RACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
0810-15	Troops in hotel	2C205706	3
	3 50 cal sites		
	45		

TGT TERRAIN M TGT WK 100 @ VISIBILITY 5 LR
 REL ANGLE 20° PASSES 6 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 85 RETURN ALT 75 TGT AIRSPEED 450
 ORDNANCE 12 DIA 409 EXPENDED ALL JETTISONED —
 ORDNANCE/RTE — DUDS (SEE NOTE #1) —
 BDA 80 % 90 % ADDITIONAL 1 50 cal site dest
1 sec fire 1 50 cal site dam
 SECONDARY EXPLOSIONS No NUMBER — SIZE —
 UNIT SUPPORTED 15 RecMD OPERATION —
 ENROUTE WX — (LEAVE BLANK)

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) ACFT HIT
 (D) RECON INSERT/EXTRACT
 (E) BDA REPORTED
 (F) ABORT
 (G) DIRECT

YES NO FILE FORM WITH BARREL SO CAL (1)
 YES NO FILE FORM WITH BARREL
 YES NO FILE FLASH REPORT WITH BARRE
 YES NO CIRCLE ONE/COORD
 YES NO IF ADDITIONAL CIRCLE
 YES NO ACFT MALFUNCTION/NO DROP
 YES NO GIVE REASON BELOW

REMARKS (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

ORDNANCE EFFECTIVENESS —

DEBRIEFER PBW TIME 0745 DATE 13 Aug 69
 SQUADRON 211 CALL SIGN H B MSN NO 6151 FLT 152
 T/O 0630 LAND 0730 TOTAL TIME 2.0

PILOTS WYRick ACFT 5 D/SC Billk TIME 0650
Fiermy 11 CONTROLLER Billk.22 TIME 0653
 TYPE CONTROLLER TACA
 TYPE MISSION L2P

TOT	DESCRIPTION	COORDINATES	PROVINCE
0655/0707	L2P 54	4C338961	2

TOT TERMIN Hilly TGT WX 1400 VISIBILITY 10T
 REL ANGLE 30° PASSES 4 INTERVAL 30 MIN ALT 1300
 ENROUTE ALT 14.5 RETURN ALT 13.5 TGT AIRSPEED 450
 ORDNANCE 4D3 4D2 EXPENDED ALL JETTISONED -
 ORDNANCE/MTB None DUDS (SEE NOTE #1) -
 BDA 100 % 105 % ADDITIONAL -

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 3101ST AB OPERATION Montgomery Road.
 (LEAVE BLANK)
 ENROUTE WX -

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 NOTE #2: RECOVERABLE FUZE (DELAY/ARM DELAY)
 ECM ENCOUNTERED TIME VOW DIRECTED
 NOTE #3: AIRMAN EFFECTIVENESS

DEBRIEFER BEEM TIME 0920 DATE 13 Aug 68 NSD
 SQUADRON 211 CALL SIGN HB 203 MSN NO 6203 FLT 152
 T/O 0740 LAND 0825 TOTAL TIME 1.6

PILOTS	ACFT	DASC	TIME
<u>DICKERSON</u>	<u>CP 4</u>	<u>Helix Cont</u>	<u>0750</u>
<u>BEEM</u>	<u>CP 21</u>	CONTROLLER <u>Helix 39</u>	TIME <u>0752</u>
		TYPE CONTROLLER <u>FAL (A)</u>	
		TYPE MISSION <u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0253-0804</u>	<u>Known EN Pos</u>	<u>BS 634398</u>	<u>5</u>
	<u>55</u>		

TOT TERRAIN Hilly TGT WX 0 VISIBILITY 10 miles
 REL ANGLE 20° PASSES 6 INTERVAL 30 sec MIN ALT 600
 REL ALT 1000
 ENROUTE ALT 9.5 RETURN ALT 9.5 TOT AIRSPEED 450
 ORDNANCE 1201A 409 EXPENDED ALL JETTISONED —
 ORDNANCE/RTS None DUDS (SEE NOTE #1) —
 BDA 100 % 50 % ADDITIONAL NO Rerolls

SECONDARY EXPLOSIONS none NUMBER — SIZE —
 UNIT SUPPORTED Armored OPERATION Fawn MT
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 REM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DESIGNATOR MA Bunker TIME 0900 DATE 13 Aug 69
 SQUADRON 211 CALL SIGN 011 MSN NO 1011 FLT 152
 T/O 0747 LAND 0837 TOTAL TIME 116
 PILOTS Pados ACFT 20 DASC DA NANG TIME 0750
Bayman 12 CONTROLLER KIMCHEZ TIME 0755
 TYPE CONTROLLER FAC (#)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>080825</u>	<u>BUNKER 5</u>	<u>BT 082591</u>	<u>B</u>
<u>08040825</u>	<u>19</u>		

TOT TERMIN Flat TGT WK 100 VISIBILITY 10+
 REL ANGLE 10° PASSES 16 INTERVAL 30 sec MIN ALT 100
 ENROUTE ALT 10.5 RETURN ALT 5.5 TGT AIRSPEED 450
 ORDNANCE 8 D 9 EXPENDED 8 D 9 JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE #1) 3 D 9
 BDA 70 % 90 % ADDITIONAL 1 BUNKER BUNKER
1 Secondary Fire

SECONDARY EXPLOSIONS - NUMBER - SIZE -
 UNIT SUPPORTED BOK MC OPERATION Victory Dragon
 ENROUTE WK 70 D

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: FRIENDLIES 400 meters
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION VMA 211 REASON FOR ?

NOTE #2: RECOVERABLE - FUZE (DELAY/ARM DELAY) -
 ECM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS Right ordnance

14 C

DEBRIEFER JAL TIME 0905 DATE 13 AUG 1969
 SQUADRON 311 CALL SIGN AB MSN NO 6451 FLT 152
 T/O 0740 LAND 0850 TOTAL TIME 2.4

PILOTS ACFT
DANE CF 19 DASC D.O. TIME 0810
LAWRENCE 15 CONTROLLER APL RULL TIME 0820
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
0820-30 NVA AT 796450 3
45

TOT TERMIN FLAT TGT WX 4.0 ⊕ VISIBILITY 10
 REL ANGLE 20° PASSES 6 INTERVAL 30 MIN ALT .6
 REL ALT 1.0
 ENROUTE ALT 14.5 RETURN ALT 9.5 TGT AIRSPEED 450
 ORDNANCE 1201A409 EXPENDED ALL JETTISONED —

ORDNANCE/R/TB. DUDS. (SEE NOTE #1)

BDA 95 % 95 % ADDITIONAL 1 KBA 1 SEC. FIRE 6 CAVES
6 CAVES DEST 6 Bunkers DEST 6 Tanks DEST

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 1ST MAR DIV OPERATION Popestove Canyon
 (LEAVE BLANK)

ENROUTE WX 1 ⊕ 10

(A) HOSTILE FIRE YES ☒ NO ☐ FILE FORM WITH BARREL
 (B) AIRBURST YES ☒ NO ☐ FILE FORM WITH BARREL
 (C) ACFT HIT YES ☒ NO ☐ FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES ☒ NO ☐ CIRCLE ONE/COORD
 (E) BDA REPORTED YES ☒ NO ☐ IF ADDITIONAL CIRCLE
 (F) ABORT YES ☒ NO ☐ ACFT MALFUNCTION/NO DROP
 (G) DIRECT YES ☒ NO ☐ GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

NOTE #2: RECOVERABLE FUZE (DELAY/NO DELAY)
 ECM ENCOUNTERED TIME ECM DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS good

DEBRIEFER 130 TIME 1120 DATE 13
 SQUADRON 211 CALL SIGN 044 MSN NO 604 FLT 152
 T/O 1025 LAND 1115 TOTAL TIME 106

PILOTS Yoon RUTHERFORD ACFT 11 DASC BLK TIME 1035
TURNER 5 CONTROLLER BLK-32 TIME 1036
 TYPE CONTROLLER RACR
 TYPE MISSION L-2 P 54

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1035</u>	<u>H-6 COORD 100</u>	<u>ZC 055984</u>	<u>2</u>
<u>1045</u>	<u>L-2 P 54</u>		

TOT TERM IN Heavy TGT WX 1000 VISIBILITY 2 F
 REL ANGLE 30 PASSES 5 INTERVAL 30 MIN ALT 2500
 ENROUTE ALT 14.5 RETURN ALT 13.5 TGT AIRSPEED 450
 ORDNANCE 4D-3/4D-2 EXPENDED 17LC JETTISONED —
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1) —
 BDA 100 % 75 % ADDITIONAL 1 TRAIL CUT

SECONDARY EXPLOSIONS 0 NUMBER — SIZE —
 UNIT SUPPORTED 2/101st A.B. OPERATION Kentucky Hammer
 ENROUTE WX EST 160 0/0

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: good ordnance for 760
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DIN/AFM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ADVANCE EFFECTIVENESS —

TZKC 1300 13 AUG 69
 211 198459/1667
 459 VSN NO 6459
 T/O 1141 LAND 1248 TOTAL TIME 2.2

PILOTS
 RICHARDS/LANGE
 LANGE
 AIRCRAFT
 CF 1915
 15

DASC JAKE
 CONTROL JAKE 7.7
 TYPE CONTROLER FAC(1)
 TYPE MISSION CAS

TOT 1230-52 TRPS IN CONT 18T 245 395 4
 DESCRIPTION 45
 COORDINATES
 PROVINCE

TGT TERRAIN FLAT TGT WX 0 VISIBILITY 10
 REL ANGLE 20 PASSES 12 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 18.5 RETURN ALT 7.5 REL ALT 1200
 ORDNANCE 1201M/409 EXPENDED ALL TGT ATTACHED 450
 ORDNANCE/RTB DUDS (SEE NOTE #1)
 BDA 100 % 50 % ADDITIONAL 6 BUNKERS DEST
 2 KISA's

SECONDARY EXPLOSIONS ✓ NUMBER 1 SIZE ?
 UNIT SUBMITTED ARVN OPERATION
 ENROUTE WY (LEAVE BLANK)

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) ACFT HIT
 (D) RECON INSERT/EXTRACT
 (E) BDA REPORTED
 (F) ABORT
 (G) DIRECT

YES NO FILE FORM WITH BARREL
 YES NO FILE FORM WITH BARREL
 YES NO FILE FLASH REPORT WITH BARREL
 YES NO CIRCLE ONE/COORD
 YES NO IF ADDITIONAL CIRCLE
 YES NO ACFT MALFUNCTION/NO DROP
 YES NO GIVE REASON BELOW

REMARKS (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION REASON FOR

RECOVERABLE TIME (DELAY/LRM DELAY)
 NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

ORDNANCE EFFECTIVENESS GOOD ORDNANCE

DEBATEFFER White TIME 1310 DATE 13 Aug 69
 SQUADRON 211 CALL SIGN H8239 MSN NO 6239 FILE 152
 T/O 1221 LAND 1306 TOTAL TIME 1.6

PILOTS	ACFT	DASC	TIME
<u>Lenzini</u>	<u>9</u>	<u>Helix</u>	<u>1225</u>
<u>WHITE</u>	<u>18</u>	CONTROLLER <u>Helix</u>	TIME <u>1228</u>
		TYPE CONTROLLER <u>FAC(A)</u>	
		TYPE MISSION <u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1230-1246</u>	<u>enemy in trees</u>	<u>B5 566754</u>	<u>5</u>
	<u>us</u>		

TOT TERMIN flat TGT WX clear VISIBILITY 10
 REL ANGLE 20° PASSES 8 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 4500 RETURN ALT 5,500 TGT AIRSPEED 450
 ORDNANCE 1201A/409 EXPENDED 10 DIA/409 JETTISONED 0
 ORDNANCE/RTB 2 DIA DUDS (SEE NOTE #1)
 BDA 90 % 50 % ADDITIONAL 1 KBA (confirm)
50 mms tree line 3 KBA probable

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED Americal OPERATION Nantucket Coach
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ADVANCE EFFECTIVENESS _____

REFUGEE 1st Baymer TIME 1330 DATE 13 Aug 69
 SQUADRON 211 CALL SIGN 585 MSN NO 6520 FLT 152
 T/O 1205 LAND 1320 TOTAL TIME 2.6

PILOTS

ACFT

LAWRENCE
BETMER

21
22

DASC Donc Hg TIME 1220
 CONTROLLER Conc 22 TIME 1325
 TYPE CONTROLLER FAC/H
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1235-40</u>	<u>CACHE</u>	<u>XD 823 183</u>	<u>I</u>
	<u>27</u>		

TOT TERRAIN FLAT TGT WX 50 0 VISIBILITY 10+
 REL ANGLE 30° PASSES 6 INTERVAL 30m MIN ALT 1800 REL ALT 3000
 ENROUTE ALT 125 RETURN ALT 135 TGT AIRSPEED 450
 ORDNANCE 1202X EXPENDED AA JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL 1 CACHE DUD

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 3RD MARDIV OPERATION ARLINGTON CANYON
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) DDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: Friendly no factor
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DET/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS Right Ordnance

Controller Good

29

DEBRIEFER AD TIME 1400 DATE 13 Aug 69
 SQUADRON 1211 CALL SIGN MANUAL MSN NO 0937 FLT 152
 T/O 1235 LAND 1350 TOTAL TIME 2.6

PILOTS	ACFT	DASC	TIME
<u>OSEGUERA</u>	<u>20</u>	<u>Hillsboro</u>	<u>1245</u>
<u>COLL</u>	<u>5</u>	<u>CONTROLLER</u>	<u>TIME 1300</u>
		<u>TYPE CONTROLLER</u>	<u>TACA</u>
		<u>TYPE MISSION</u>	<u>STEEL TIGER</u>

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1418-22</u>	<u>STORAGE AREA</u>	<u>XD690074</u>	<u>LAOS</u>
	<u>27</u>	<u>1621 10135</u>	

TOT TERMIN MTS TGT WX 4.00 VISIBILITY 15+
 REL ANGLE 30 PASSES 3 INTERVAL 30 MIN ALT 3000
 REL ALT 5000

ENROUTE ALT 20.5 RETURN ALT 21.5 TGT AIRSPEED 450

ORDNANCE 1202 w/x EXPENDED 1102 w/x JETTISONED —

ORDNANCE/MTB 1102 w/x DUDS (SEE NOTE #1) —

BDA 100% within 50 meters ADDITIONAL 50% within 10 meters

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 7th AF OPERATION —

ENROUTE WX 10 to 0

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT Divert	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: Divert by Hillsboro from RAVEN 34
To NAIL 26
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FOZE (DEFL/ARM DELAY) —
 ECM ENCOUNTERED — TIME — FCM DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS TREE BUSTER GOOD

34

DESIGNER Wellman TIME 1515 DATE 13 Aug 69
 SQUADRON 211 CALL SIGN H8245 MSN NO 6245 FLT 152
 T/O 1430 LAND 1510 TOTAL TIME 1.4

PILOTS	ACFT	DASC	TIME
<u>Edwards</u>	<u>CF 19</u>	<u>Helix</u>	<u>1434</u>
<u>Wellman</u>	<u>15</u>	CONTROLLER <u>Helix</u>	TIME <u>1436</u>
		TYPE CONTROLLER <u>FACA</u>	
		TYPE MISSION <u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1496/51</u>	<u>Enemy Location</u>	<u>85 564742</u>	<u>5</u>
	<u>55</u>		

TOT TERRAIN Flat TGT WX 1200 VISIBILITY 10
 REL ANGLE 10° PASSES 6 INTERVAL 30 Sec MIN ALT 600
 ENROUTE ALT 6.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 879 EXPENDED all JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 90 % 60 % ADDITIONAL —
20 spider holes uncovered

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED Americal OPERATION Nantucket Beach
 (LEAVE BLANK)
 ENROUTE WX 1200

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: Friendly 2-300 m
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION None REASON FOR —
 NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED No TIME — HOW DIRECTED —
 NOTE #3: ADVANCE EFFECTIVENESS Good

DEBRIEFER Kennedy TIME 1630 DATE 13 AUG 69
 SQUADRON 211 CALL SIGN HIB MSN NO 6017 FLT 152
 T/O 1512 LAND 1617 TOTAL TIME 2.2

PILOTS Reed ACFT CF 11 DASC Helix TIME 1520
Kennedy 9 CONTROLLER Helix 22 TIME 1525
 TYPE CONTROLLER TACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1540/1600</u>	<u>Mortar Pas</u>	<u>B5328857</u>	<u>OB</u>
	<u>58</u>		

TOT TERRAIN MTS TGT WX 400 VISIBILITY 5
 REL ANGLE 20° PASSES 6 INTERVAL 30 MIN ALT 1.0
 ENROUTE ALT 8.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 1202W/4 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) 5
 BDA 100 % 100 % ADDITIONAL 2 sec fires

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED Americal OPERATION Nantuchet Beach
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION B5328857 REASON FOR NO WIRE
BROUGHT BACK, PROBABLY DAD, EDGE.

NOTE #2: RECOVERABLE UNK FUZE (DELAY/ARM DELAY) 4 sec
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: MINANCE EFFECTIVENESS —

DEBRIEFER Richard TIME 1700 DATE 13 Aug 69
 SQUADRON 211 CALL SIGN HB253 MSN NO 6253 FLT 152
 T/O 1550 LAND 1635 TOTAL TIME 1.6

PILOTS Richard ACFT 24 DASC DNG TIME 1555
Moore 3 CONTROLLER Host Baker TIME 1600
 TYPE CONTROLLER FRCA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1608</u>	<u>HOOTCHES Bunkers</u>	<u>AT840 S30</u>	<u>3</u>
	<u>19</u>		

TOT TERMIN Flt TGT WK 300 VISIBILITY 5
 REL ANGLE 200 PASSES 6 INTERVAL 30 sec MIN ALT 600'
 ENROUTE ALT 10.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 12 DIA 409 EXPENDED 10 DIA 409 JETTISONED
 ORDNANCE/RTB 2 DIA DUDS (SEE NOTE #1)
 BDA 100 % 100 % ADDITIONAL 5 HOOTCHES DEST
3 Bunkers DEST

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 7TH MAR 48TH M.O. OPERATION Pipestone Canyon
 (LEAVE BLANK)
 ENROUTE WK 300 DV

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: Friendlylies No Radar
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/NO DELAY) _____
 BDA ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ADVANCE EFFECTIVENESS OK OK

41

C

DEBRIEFER _____ TIME _____ DATE 13 Aug 69
 SQUADRON 211 CALL SIGN 22 MSN NO. 0971 FLT 152
 T/O 1608 LAND 1719 TOTAL TIME 2.4

PILOTS AIRCRAFT
Miller CF 20 DASC _____ TIME _____
Hellbush 22 CONTROLLER NAIL 34 TIME 1630
 TYPE CONTROLLER TACA
 TYPE ISSION ST

TOT DESCRIPTION COORDINATES PROVINCE
1638/40 Road XO 360440 C
62 1641 1046

TGT TERRAIN F TGT WEATHER 4.0 @ VISIBILITY 7
 REL ANGLE 30 PASSES 2 INTERVAL 30 MIN ALT 3.5
 ENROUTE ALT 18.5 RETURN ALTITUDE 19.5 TGT AIRSPEED 450
 ORDNANCE 12 02 1/4 EXPENDED N02 JETTISONED _____
 ORDNANCE/RTB 1 0 2 DUDS (SEE NOTE #1) _____
 BDA 100 % 75 meters ADDITIONAL 1 Road Cut

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 7th A.F. OPERATION _____
 (LEAVE BLANK)

ENROUTE WEATHER _____

(A) HOSTILE FIRE YES ☒ NO ☐ FILE FORM WITH BARREL
 (B) AIRBURST YES ☒ NO ☐ FILE FORM WITH BARREL
 (C) AIRCRAFT HIT YES ☒ NO ☐ FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES ☒ NO ☐ CIRCLE ONE/COORDINANCE
 (E) BDA REPORTED YES ☒ NO ☐ IF ADDITIONAL CIRCLE
 (F) ABORT YES ☒ NO ☐ AIRCRAFT MALFUNCTION/NO DROP
 (G) DIVERT YES ☒ NO ☐ GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECT @ _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

NOTE #4: CONTROLLER EFFECTIVENESS _____

42

C

DEBATEFER DICKERSON TIME 2125 DATE 8-13-69
 SQUADRON 241 CALL SIGN AB 511 MSN NO 6871 FLT 482
 T/O 1930 LAND 2030 TOTAL TIME 1.0

PILOTS DICKERSON ACFT CF03 DASC V5 TIME 1945
 CONTROLLER BIGHAM TIME 2000
 TYPE CONTROLLER ASRT
 TYPE MISSION TRQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2016</u>	<u>KN EN POSIT</u>	<u>YD 235075</u>	<u>2</u>
	<u>55</u>		

TOT TERMIN R TGT WK -3.0 @ VISIBILITY -6
 REL ANGLE LEVEL PASSES 1 INTERVAL --- MIN ALT 14.1
 REL ALT 14.1
 ENROUTE ALT 20.5 RETURN ALT 21.5 TGT AIRSPEED 480
 ORDNANCE 602 EXPENDED ALL JETTISONED ---
 ORDNANCE/RTE --- DUDS (SEE NOTE #1) ---
 BDA % % ADDITIONAL ---

SECONDARY EXPLOSIONS --- NUMBER --- SIZE ---

X UNIT SUPPORTED 101 AB OPERATION MONTEGOMERY ROAD
 (LEAVE BLANK)

ENROUTE WK ---

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: ---
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION --- REASON FOR ---

NOTE #2: RECOVERABLE --- FUZE (DELAY/ANTI DELAY) ---
 ECM ENCOUNTERED --- TIME --- HOW DIRECTED ---

NOTE #3: ORDNANCE EFFECTIVENESS ---

46 C

DEBRIEFER WHITE TIME 2245 DATE 13 Aug
 SQUADRON 211 CALL SIGN HB 517 MSN NO 6517 FLT 452
 T/O 2045 LAND 2225 TOTAL TIME 1.7

PILOTS WHITE ACFT 24 DASC V5 TIME
 CONTROLLER DONG HA ASRT TIME #2110
 TYPE CONTROLLER #28 ASRT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2120-2135</u>	<u>EN. Camp</u>	<u>XD 973658</u>	<u>1</u>
	<u>55</u>		

TOT TERRAIN UNKR TOT WX 30 VISIBILITY 10
 REL ANGLE Level PASSES 3 INTERVAL --- MIN ALT 14.1
 ENROUTE ALT FL205 RETURN ALT FL195 TOT AIRSPEED 290
 ORDNANCE 6024 EXPENDED All JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1)
 BDA UNK % % ADDITIONAL

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 3 RAMP OPERATION EDANO CANYON
 (LEAVE BLANK)
 ENROUTE WX 15

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ ROW DIRECTED _____

NOTE #3: AIRCRAFT EFFECTIVENESS _____

48

C

DEBRIEFER Burkford TIME 1730 DATE 13 Aug
 SQUADRON 211 CALL SIGN 219 MSN NO 6219 FLT 131
 T/O H10 LAND 1715/30 TOTAL TIME 2.4

PILOTS ACFT
RUTHERFORD 5 DASC VICESQUAD TIME 1615
ARCE 11 CONTROLLER TIME
 TYPE CONTROLLER
 TYPE MISSION VR

TOT	DESCRIPTION	COORDINATES	PROVINCE

TOT TERMIN NA TGT WX NA VISIBILITY NA
 REL ANGLE NA PASSES NA INTERVAL NA MIN ALT NA
 REL ALT NA
 ENROUTE ALT NA RETURN ALT NA TGT AIRSPEED NA
 ORDNANCE NA EXPENDED NA JETTISONED NA
 ORDNANCE/RTB NA DUDS (SEE NOTE #1) NA
 BDA NA % NA % ADDITIONAL NA

SECONDARY EXPLOSIONS NA NUMBER NA SIZE NA
 UNIT SUPPORTED NA OPERATION NA (LEAVE BLANK)
 ENROUTE WX NA

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: VR Rep
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION NA REASON FOR NA

NOTE #2: RECOVERABLE NA FUZE (DELAY/ARM DELAY) NA
 ECM ENCOUNTERED NA TIME NA HOW DIRECTED NA

NOTE #3: ORDNANCE EFFECTIVENESS NA
NA
NA

DEBRIEFER Hellbusch TIME 1220 DATE 14 Aug 69
 SQUADRON 211 CALL SIGN HB 214 MSN NO 6214 FLT 152
 T/O 1115 LAND 1206 TOTAL TIME 1.8

PILOTS		ACFT	DASC	TIME
<u>Reed</u>	<u>CF 19</u>	<u>20</u>	<u>Take</u>	<u>72</u>
<u>Hellbusch</u>			CONTROLLER <u>Take</u>	TIME <u>1123</u>
			TYPE CONTROLLER <u>FACAS</u>	
			TYPE MISSION <u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1130-40</u>	<u>V.C. in Open</u>	<u>BT 258201</u>	<u>R66/I/IV</u>
	<u>45</u>		

TOT TERMIN flat TGT WX 0 VISIBILITY 7
 REL ANGLE 20° PASSES 8 INTERVAL 30° MIN ALT 600'
 REL ALT 1300'
 ENROUTE ALT 6.5 RETURN ALT 5.5 TGT AIRSPEED 450 KAS
 ORDNANCE 12 DIA EXPENDED 1100 1100 JETTISONED —
 ORDNANCE/MTB 1 DIA DUDS (SEE NOTE #1) None
 BDA 100 % 90 % ADDITIONAL 3 structures, 12 KBA
destroyed, 3 sustained fires, KBA to follow

SECONDARY EXPLOSIONS None NUMBER — SIZE —

UNIT SUPPORTED Marine A Co VMA OPERATION —
 (LEAVE BLANK)

ENROUTE WX 07

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS good

1.9

DEBRIEFER Dt TIME 1530 DATE 14 24
 SQUADRON 211 CALL SIGN 228 MSN NO 228 FLT 1C
 T/O 1420 LAND 1510 TOTAL TIME _____

PILOTS Tierney ACFT _____
 DASC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT	DESCRIPTION	COORDINATES	PROVINCE

TOT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____
 ORDNANCE _____ EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____
 ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDL REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ICM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: FINANCE EFFECTIVENESS _____

DEBRIEFER Richards TIME 1200 DATE 14 AUG 69
 SQUADRON 211 CALL SIGN H8200 MEN NO 6200 FLT 152
 T/O 1023 LAND 1155 TOTAL TIME 1.5

PILOTS Richards ACFT 05 DASC Milky TIME 1040
 CONTROLLER Milky TIME 1040
 TYPE CONTROLLER TPO
 TYPE MISSION TPO CAL

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1100</u>	<u>10</u>	<u>197 "A"</u>	
<u>1119</u>	<u>10</u>	<u>197 "B"</u>	

TOT TERRAIN level TGT WK 2 VISIBILITY 20.5
 REL ANGLE level PASSES 2 INTERVAL 20.5
 ENROUTE ALT 602 RETURN ALT 602 TGT AIRSPEED 602
 ORDNANCE 602 EXPENDED 602 JETTISONED 602
 ORDNANCE/RTE 602 DUDS (SEE NOTE #1) 602
 BDA 602 % ADDITIONAL 602

SECONDARY EXPLOSIONS 602 NUMBER 602 SIZE 602
 UNIT SUPPORTED 602 OPERATION 602
 ENROUTE WK 602

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES NO	GIVE REASON BELOW

REMARKS: 602
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION 602 REASON FOR 602
 NOTE #2: RECOVERABLE 602 FUZE (DELAY/ARM DELAY) 602
 NOTE #3: BOM ENCOUNTERED 602 TIME 602 HOW DIRECTED 602
 NOTE #3: ADVANCE EFFECTIVENESS OK

DEBRIEFER PBW TIME 1710 DATE 19 Aug
 SQUADRON 211 CALL SIGN 17B MSN NO 596 FLT 152
 T/O 1605 LAND 1700 TOTAL TIME 1.8

PILOTS

ACFT

Graham
Wy Rich

CR 19
21

DASC Jake TIME
 CONTROLLER Jake TIME 1610
 TYPE CONTROLLER FA-24 FA-24
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1625/40</u>	<u>Emlocation</u>	<u>RS 4977</u>	<u>5</u>
	<u>19</u>		

TOT TERRAIN PLAT TGT WK 600 VISIBILITY 7+
 REL ANGLE 30° PASSES 6 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 18.5 RETURN ALT 4.5 TGT AIRSPEED 450
 ORDNANCE 408 205 602 EXPENDED 205 602 JETTISONED —

ORDNANCE/RTB 408 DUDS (SEE NOTE #1)
 BDA 85 % 40 % ADDITIONAL

45 strut Destroyed 45 strut Damaged

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED ARVN OPERATION SEARCH PERK
 (LEAVE BLANK)

ENROUTE WK _____

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: PERFORMANCE EFFECTIVENESS _____

DEBRIEFER RUTHERFORD TIME 1755 DATE 14 Aug
 SQUADRON 211 CALL SIGN 082 MSN NO 6022 FLT 152
 T/O 1650 LAND 1740 TOTAL TIME 1.6

PILOTS ACFT
RUTHERFORD 5 DASC BILK TIME 1700
ARCE 11 CONTROLLER BILK 23 TIME 1705
 TYPE CONTROLLER FB20
 TYPE MISSION DBS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1710/20</u>	<u>EN. LOCATION</u>	<u>AT 825056</u>	<u>92</u>
	<u>55</u>	<u>YC 825056</u>	

TOT TERRAIN HILL TGT WX clear VISIBILITY 15 mi
 REL ANGLE 30° PASSES 8 INTERVAL 30 sec MIN ALT 1500
 ENROUTE ALT 14.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 1202 w/y EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 75 % ADDITIONAL 1 per explosion
3 per fms

SECONDARY EXPLOSIONS 1 NUMBER 1 SIZE —

UNIT SUPPORTED 101st OPERATION Kentucky Inaper
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: Good ordnance for 76T
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (BOM/ARM DUD/RY) —
 BOM ENCOUNTERED — FUZE — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER Edwards TIME 2400 DATE 14 Aug
 SQUADRON 211 CALL SIGN HB552 MSN NO 6552 FLT 352
 T/O 2210 LAND 2350 TOTAL TIME 3.4

PILOTS Edwards ACFT 03 DASC Dug TIME 2220
Coll 22 CONTROLLER Hostage TIME 2225
 TYPE CONTROLLER F-4C(A) ASST
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
2320-21	Rocket Site	AT803 457	3
	58		

TOT TERMIN UNK TGT WX 200 VISIBILITY 10
 REL ANGLE Level PASSES 1 INTERVAL — MIN ALT 14.1
 REL ALT 14.1
 ENROUTE ALT 10.5 RETURN ALT 3.5 TGT AIRSPEED 290
 ORDNANCE 6024 801Y EXPENDED 502Y JETTISONED 601Y
 ORDNANCE/RTB 102Y DUDS (SEE NOTE #1)
 BDA UNK % — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 81ST MAR OPERATION Durham Reale
 (LEAVE BLANK)
 ENROUTE WX 200 10

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: Diverted to TPQ for dx in Tgt Area
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/APM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS Good

DEBRIEFER D.W.D. TIME 1735 DATE 14 AUG 69
 SQUADRON VMA-211 CALL SIGN MANUAL 22 MSN NO 0970 FLT 152
 T/O 1554 LAND 1710 TOTAL TIME 2.6

PILOTS	ACFT	
<u>DANE</u>	<u>9</u>	<u>DASC HILLSBORO</u> TIME <u>1615</u>
<u>FILAS</u>	<u>24</u>	CONTROLLER <u>NAIL-22</u> TIME <u>1620</u>
		TYPE CONTROLLER <u>FAC(A)</u>
		TYPE MISSION <u>ST</u>

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1630-38</u>	<u>STORAGE AREA</u>	<u>XD 610-175</u>	<u>LAOS</u>
	<u>27</u>	<u>1626 10631</u>	

TOT TERRAIN FLAT TGT WX CLEAR VISIBILITY 20+
 REL ANGLE 30° PASSES 6 INTERVAL 30" MIN ALT 2000
 ENROUTE ALT 16.5 RETURN ALT 19.5 TGT AIRSPEED 450
 ORDNANCE 12 D-24/Y EXPENDED ALL JETTISONED —
 ORDNANCE/RTB NONE DUDS (SEE NOTE #1) —
 BDA 100 % WITHIN 100M. % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 7TH AF OPERATION —
 (LEAVE BLANK)

ENROUTE WX FEW CB TO THE EAST OF #50 295° RADIAL

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: ORD GOOD FOR TGT
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/AFM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER RKL TIME 0130 DATE 14 AUG 66
 SQUADRON 211 CALL SIGN 1052.9 MSN NO 652.9 FLT 57
 T/O 22.5 LAND 012 TOTAL TIME 1.4

PILOTS UNGC ACFT U-4 DASC ASR TIME 0025
 CONTROLLER 419 TIME 0025
 TYPE CONTROLLER ASR
 TYPE MISSION TPO

TOT	DESCRIPTION	COORDINATES	PROVINCE
0030	BOMB CR. 2	K 714890	2
	28		

TOT TERRAIN R TGT WX 0 VISIBILITY 7
 REL ANGLE — PASSES 1 INTERVAL — MIN ALT 16.5
 REL ALT 16.5
 ENROUTE ALT 16.5 RETURN ALT 15.5 TGT AIRSPEED 200
 ORDNANCE ASR EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA UNK % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 101st A.B. OPERATION Campbell Steiner
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — FOW DIRECTED —

NOTE #3: ADVANCE EFFECTIVENESS —

DEBRIEFER AUTHERFORD TIME 1330 DATE 14 AUG 69
 SQUADRON 211 CALL SIGN 154 MSN NO 6154 FLT 152
 T/O 1220 LAND 1320 TOTAL TIME 1.0

PILOTS ACFT
AUTHERFORD 24 DASC AN H&A TIME 1230
 CONTROLLER TPQ (#82) TIME 1230
 TYPE CONTROLLER TPQ ASRT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1240/50</u>	<u>ROCKET SITE</u>	<u>AT 824434</u>	<u>I 3</u>
	<u>58</u>		

TOT TERMIN mount TGT WX 100 0 VISIBILITY 15 miles
 REL ANGLE LEVEL PASSES 2 INTERVAL — MIN ALT 14.1
 ENROUTE ALT 14.1 RETURN ALT 20.0 TGT AIRSPEED 290
 ORDNANCE 6 D2W/Y EXPENDED 3 D2W/Y JETTISONED —
 ORDNANCE/RTB 3 D2W/Y DUDS (SEE NOTE #1)
 BDA 3 % ADDITIONAL

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 48T MR OPERATION Dushan Peak
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☒	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: WILSON WENT DOWN DIVERTED TO TPQ
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —
 NOTE #3: PERFORMANCE EFFECTIVENESS —

DECLASSIFIED

DEBRIEFER _____ TIME _____ DATE 14 Aug 68
 SQUADRON 211 CALL SIGN 560 MSN NO. 6560 FLT 152
 T/O 10:53 LAND 13:05 TOTAL TIME 2:12

PILOTS _____ AIRCRAFT _____
1st Lt. [unclear] C-130 DASC 1 TIME 1103
2nd Lt. [unclear] 10 CONTROLLER 22 TIME 1110
 TYPE CONTROLLER FRONT
 TYPE ISSION 1105

TOT _____ DESCRIPTION _____ COORDINATES _____ PROVINCE _____
1120/140 Brown Road XD 786 344 1
25

TGT TERRAIN Rolling TGT WEATHER 6.0 VISIBILITY 15
 REL ANGLE 35 PASSES 3 INTERVAL 10 MIN ALT 1500
 ENROUTE ALT 1575 RETURN ALTITUDE 1525 TGT AIRSPEED 200
 ORDNANCE 2 x 500 lb bombs EXPENDED 1 JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA 100% % ADDITIONAL 100%

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 8th AF OPERATION Operation [unclear]
 (LEAVE BLANK)

ENROUTE WEATHER _____
 (A) HOSTILE FIRE YES ☒ NO FILE FORM WITH BARREL
 (B) AIRBURST YES ☒ NO FILE FORM WITH BARREL
 (C) AIRCRAFT HIT YES ☒ NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES ☒ NO CIRCLE ONE/COORDINANCE
 (E) BDA REPORTED YES ☒ NO IF ADDITIONAL CIRCLE
 (F) ABORT YES ☒ NO AIRCRAFT MALFUNCTION/NO DROP
 (G) DIVERT YES ☒ NO GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

NOTE #4: CONTROLLER EFFECTIVENESS _____

DECLASSIFIED

DEBRIEFER Rook TIME 1130 DATE 14 AUG
 SQUADRON 211 CALL SIGN NR 454 MSN NO 1454 FLT 152
 T/O 0957 LND 1120 TOTAL TIME 2.8

PILOTS Rook ACFT CF9 DASC — TIME —
FACE 4 CHLR 12 CONTROLLER HELIX 11 TIME 1049
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1050/1103</u>	<u>ENEMY LOC</u>	<u>RT 035402</u>	<u>4</u>
	<u>55</u>		

TOT TERMIN 1114 TGT WK 0 VISIBILITY 15+
 REL ANGLE 20° PASSES 8 INTERVAL 30 sec MIN ALT 600
 ENROUTE ALT 20.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 2 DIA 409 EXPENDED ALL JETTISONED NONE
 ORDNANCE/RTB NONE DUDS (SEE NOTE #1) —
 BDA 95 % 100 % ADDITIONAL 1 Sec EXP
1 TRUNKER DEST 2 SPIDER HOLE DEST
 SECONDARY EXPLOSIONS YES NUMBER 1 SIZE UNK
 UNIT SUPPORTED AMCAL OPERATION —
 ENROUTE WK 0 15+

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☒ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☒ NO ☐	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ADVANCE EFFECTIVENESS 50/100 Waved down last time
as good but this was a cap line

DEBRIEFER 100 TIME 1115 DATE _____
 SQUADRON 211 CALL SIGN 654 MSN NO 6554 FLT 352
 T/O 0937 LAND 1100 TOTAL TIME 1.4

PILOTS Tierney ACFT 11 D/ASC _____ TIME _____
 CONTROLLER AN HOA TIME 1015
 TYPE CONTROLLER # 83 ASRT
 TYPE MISSION TRQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1020</u>	<u>VC 45</u>	<u>AT 801436</u>	<u>3</u>
	<u>CG</u>	<u>801436</u>	
<u>1040</u>	<u>AN HOA</u>	<u>801440</u>	
		<u>795465</u>	

TOT TERMINAL R TOT WX 20 0 VISIBILITY 10
 REL ANGLE Level PASSES 4 INTERVAL _____ MIN ALT 14.1
 REL ALT 14.1
 ENROUTE ALT 10.5 RETURN ALT 3.5 TOT AIRSPEED 290
 ORDNANCE 6 D-2 EXPENDED ALL JETTISONED _____
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS 0 NUMBER _____ SIZE _____
 UNIT SUPPORTED 4 BATTAL OPERATION Durham Peak
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER MA Begmerv TIME 1605 DATE 14 Aug 69
 SQUADRON 211 CALL SIGN 220 MSN NO 6220 FLT 15.2
 T/O 1435 LAND 1550 TOTAL TIME 2.6

PILOTS		ACFT		DASC		TIME	
<u>Hughes</u>	<u>22</u>	<u>B-1K</u>	<u>1500</u>	<u>B-1K</u>	<u>36</u>	<u>1505</u>	
<u>Begmerv</u>	<u>11</u>						
		TYPE CONTROLLER	<u>FACIA</u>				
		TYPE MISSION	<u>CAS</u>				

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1510-20</u>	<u>Base Camp</u>	<u>Y C472805</u>	<u>2</u>
	<u>28</u>		

TOT TERRAIN Mountain TGT WX 40 D VISIBILITY 7+
 REL ANGLE 20° PASSES 8 INTERVAL 30 sec MIN ALT 1800
 ENROUTE ALT 165 RETURN ALT 21.5 TGT AIRSPEED 450
 ORDNANCE 16 D11 (p.c.) EXPENDED 11 JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —

BDA 100 % 70 % ADDITIONAL 5 HOOTCHES 15 BUNKERS DEST
DAMAGED

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 101st AB OPERATION Campbell 5 Trip
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: Friendlies no factor.
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 BOM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: PERFORMANCE EFFECTIVENESS — ORDNANCE WOULD HAVE BEEN
more effective with SNAKES DUE TO WX.

28 C

DEBRIEFER _____ TIME 0150 DATE 15 AUG 69
 SQUADRON 211 CALL SIGN AB 520 MSN NO. 6520 FLT 352
 T/O 0009 LAND 0134 TOTAL TIME 1.4

PILOTS Hellbusch AIRCRAFT CF 11
 DASC _____ TIME _____
 CONTROLLER Douglas Asst 15 0025
 TYPE CONTROLLER ASST
 TYPE ISSION TPG

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0045</u>	<u>Caves</u>	<u>XD988517</u>	<u>1</u>
	<u>40</u>		

TGT TERRAIN M TGT WEATHER 0 VISIBILITY 7
 REL ANGLE Good PASSES 1 INTERVAL — MIN ALT 19.5
 ENROUTE ALT 18.5 RETURN ALTITUDE 21.5 TGT AIRSPEED 290
 ORDNANCE 6 D2W/y EXPENDED AN JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA Chile % ADDITIONAL —

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 3rd MAR DIV OPERATION Idaho Canyon
 (LEAVE BLANK)

ENROUTE EMER _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) AIRCRAFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORDINANCE
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	AIRCRAFT MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM/DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

NOTE #4: CONTROLLER EFFECTIVENESS _____

DEBRIEFER HUTSON TIME 0300 DATE 15 AUG 69
 SQUADRON 211 CALL SIGN 526 MSN NO 6526 FLT 382
 T/O 0130 LAND 0235 TOTAL TIME 1.1N

PILOTS HUTSON ACFT CF 22 DASC CHILAN ASPT TIME 0140
 CONTROLLER 11 TIME 0145
 TYPE CONTROLLER ASPT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0220</u>	<u>ROCKET POS.</u>	<u>BT 425005</u>	<u>4</u>
	<u>58</u>		

TOT TERRAIN R TGT WK 0 VISIBILITY 10
 REL ANGLE LEVEL PASSES 2 INTERVAL — MIN ALT 14.1
 ENROUTE ALT 14.5 RETURN ALT 200 TGT AIRSPEED 290
 ORDNANCE 602W/4 EXPENDED 400W/4 JETTISONED —
 ORDNANCE/RTB 202W/4 DUDS (SEE NOTE #1) —
 BDA — % — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED ANACAL OPERATION NANTUCKET BEACH
 (LEAVE BLANK)

ENROUTE WK —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DE LAY/SPM DELAY) —
 REM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER REED TIME 0815 DATE 15 AUG 69
 SQUADRON 211 CALL SIGN HB151 MSN NO 6151 FLT 152
 T/O 0700 LAND 0757 TOTAL TIME 2.0

PILOTS ACFT
REED CF 24 DISC BILK CONTROL TIME 0715
BEYMER CF 19 CONTROLLER BILK 31 TIME 0720
 TYPE CONTROLLER FAC(A)
 TYPE MISSION 42P

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0725/0732</u>	<u>LZ PREP</u>	<u>YC 535847</u>	<u>2</u>
	<u>54</u>		

TOT TERRAIN Mount TGT WK 4.0 VISIBILITY 7
 REL ANGLE 30° PASSES 4 INTERVAL 30 MIN ALT 2000
 REL ALT 2500
 ENROUTE ALT 18500 RETURN ALT 21500 TGT AIRSPEED 450
 ORDNANCE 602 W/4 EXPENDED ALL JETTISONED ---
602 410C
 ORDNANCE/RTB --- DUDS (SEE NOTE #1) ---
 BDA 100% 100 % ADDITIONAL ---

SECONDARY EXPLOSIONS --- NUMBER --- SIZE ---
 UNIT SUPPORTED 28ST 101ST AB OPERATION Campbell Striker
 (LEAVE BLANK)
 ENROUTE WK ---

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES NO	GIVE REASON BELOW

REMARKS: Good for LZ PREP
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION --- REASON FOR ---
 RECOVERABLE --- FUZE (DELAY/NO DELAY) ---
 NOTE #2: ECM ENCOUNTERED --- TIME --- NOW DIRECTED ---
 NOTE #3: ADVANCE EFFECTIVENESS ---

DEBRIEFER Burke TIME 0935 DATE 15 Aug 69
 SQUADRON 211 CALL SIGN HB 451 MSN NO 6451 FLT 152
 T/O 0754 LND 0923 TOTAL TIME 3.0

PILOTS	ACFT	D/SC	TIME
<u>MAJ DANE</u>	<u>CF 5</u>	<u>Dane</u>	<u>0817</u>
<u>LT BIRCHER</u>	<u>3</u>	<u>CONTROLLER (SW) 98-4</u>	<u>0820</u>
		<u>TYPE CONTROLLER</u>	<u>FACA</u>
		<u>TYPE MISSION</u>	<u>CAS</u>

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0825/50</u>	<u>Troops in contact</u>	<u>XD923649</u>	<u>RDN E</u>
	<u>45</u>		

TOT TERRAIN MTS. TGT WX CDU VISIBILITY 10+
 REL ANGLE 20° PASSES 12 INTERVAL 30 sec MIN ALT 600' AGL
 ENROUTE ALT 14.5 RETURN ALT 19.5 TGT AIRSPEED 150 KTS.
 ORDNANCE 12 D'A 4D⁹ EXPENDED 11 D'A 4D⁹ JETTISONED 0
 ORDNANCE/RTB 1 D'A DUDS (SEE NOTE #1) 0
 BDA 80 % 90 % ADDITIONAL

SECONDARY EXPLOSIONS 0 NUMBER — SIZE —
 UNIT SUPPORTED 3rd RECON OPERATION Draho Canyon
 (LEAVE BLANK)
 ENROUTE WX CDU

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: forward zoom at 9 - good old for 4th.
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DUD/ARM DELAY) _____
 BOM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

13

DEBRIEFER MCL TIME 1050 DATE 15 Aug 69
 SQUADRON 211 CALL SIGN W3 207 MSN NO. 6207 FLT 152
 T/O 0845 LAND 1010 TOTAL TIME 2.8

PILOTS		AIRCRAFT			
<u>Miller</u>	<u>CE</u>	<u>15</u>	DASC <u>D. H.</u>	TIME <u>0900</u>	
<u>Elas</u>		<u>20</u>	CONTROLLER <u>SW 98-4</u>	TIME <u>0905</u>	
			TYPE CONTROLLER	<u>FACA</u>	
			TYPE ISSION	<u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0920-40</u>	<u>Recon Extract</u>	<u>X0923649</u>	<u>1</u>
	<u>46</u>		

TGT TERRAIN R TGT WEATHER 0 VISIBILITY 8
 REL ANGLE 20° PASSES 8 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 16.5 RETURN ALTITUDE 26.5 TGT AIRSPEED 480
 ORDNANCE 409 12 DIA EXPENDED 309 11 DIA JETTISONED -
 ORDNANCE/RTB 109 1 DIA DUDS (SEE NOTE #1) -
 BDA 90 % 90 % ADDITIONAL 1 bunker dest

SECONDARY EXPLOSIONS No NUMBER - SIZE -
 UNIT SUPPORTED 3rd Mar Div OPERATION Idaho Canyon
 (LEAVE PINK)

ENROUTE WEATHER _____

(A) HOSTILE FIRE	YES	☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☒ NO	FILE FORM WITH BARREL
(C) AIRCRAFT HIT	YES	☒ NO	FILE FLASH REPORT WITH BARREL
(U) RECON INSERT/EXTRACT	YES	☒ NO	CIRCLE ONE/COORDINANCE
(E) BDA REPORTED	☒ YES	☒ NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	☒ NO	AIRCRAFT MALFUNCTION/NO DROP
(G) DIVERT	☒ YES	☒ NO	GIVE REASON BELOW

REMARKS: Diverted from Cat Killer to SW-98-4 for Recon
Extract (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS Perfect for tgt

NOTE #4: CONTROLLER EFFECTIVENESS Good

14C

DEBRIEFER RUTHERFORD TIME 1020 DATE 15 Aug
 SQUADRON 211 CALL SIGN 013 MSN NO 6013 FLT 152
 T/O 0914 LAND 1012 TOTAL TIME 2.0

PILOTS

ACFT

~~RUTHERFORD~~
 COL NICHOLS 12
RUTHERFORD 9
 DASC HELIX TIME 0919
 CONTROLLER HELIX 21 TIME 0940
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0942/50</u>	<u>EN LOCATION</u>	<u>BS 466806</u>	<u>5</u>
	<u>55</u>		

TOT TERRAIN HILLY TGT WX CLEAR VISIBILITY 15 mi
 REL ANGLE 30 PASSES 8 INTERVAL 30 sec MIN ALT 1500
 ENROUTE ALT 10.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 12 02W/4 EXPENDED ALL JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE #1) -
 BDA 100 % 100 % ADDITIONAL 40 meters of
Tunnel

SECONDARY EXPLOSIONS - NUMBER - SIZE -
 UNIT SUPPORTED AMCAL OPERATION Nam Dinh Beach
 (LEAVE BLANK)
 ENROUTE WX CLEAR

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: good ordnance for tgt - friendly
200/1000 meters (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM/DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____

18 C

DESIGNER 1LT ARCE TIME 1345 DATE 15 AUG 69
 SQUADRON VMA-211 CALL SIGN 18015 MSN NO 6015 FLT 152
 T/O 1220 LAND 1330 TOTAL TIME 1.2

PILOTS

ACFT

LTCOL RUTHERFORD 9 D/LSC DONG HA TIME 1245
LT ARCE 15 CONTROLLER SEA WORTH 90 TIME 1250
 TYPE CONTROLLER TRAC
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1255/1305</u>	<u>FRIENDLY POSIT</u> <u>TAKEN BY ENEMY</u> <u>65</u>	<u>10967616</u>	<u>QUANG TRI</u>

TOT TERMIN HILLY TGT WX 400 VISIBILITY 15 MILES
 REL ANGLE 20° PASSES 3 INTERVAL 30 SECS MIN ALT 600
 REL ALT 1500
 ENROUTE ALT 16,500 RETURN ALT 17,500 TGT AIRSPEED 450
 ORDNANCE 12 D2 EXPENDED 12 D2 JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 4TH MARINES OPERATION Idaho Canyon
 (LEAVE BLANK)
 ENROUTE WX CLEAR

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: ORD. GOOD FOR TGT
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

4. good

79

DEBRIEFER Hellbusch TIME 1310 DATE 15 Aug 69
 SQUADRON 211 CALL SIGN HB 459 MSN NO 6459 FLT 152
 T/O 1141 LAND 1257 TOTAL TIME 2.6

PILOTS Padias ACFT CF 22 D/SC Doug Ha TIME 1205
Hellbusch 03 CONTROLLER SW 198.9 TIME 1206
 TYPE CONTROLLER FAEA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
1215-30	Bunkers	XD950699	RVN/I/I
	19		

TOT TERRAIN Mount. TGT WX 5.0 0 VISIBILITY 7
 REL ANGLE 20° PASSES 4 INTERVAL 30 MIN ALT 600'
 ENROUTE ALT 16.5 RETURN ALT 15.5 TGT AIRSPEED 450 TAS
 ORDNANCE 12 DIA 409 EXPENDED 10 DIA 409 JETTISONED 2 DIA
 ORDNANCE/RTS None DUDS (SEE NOTE #1) None
 BDA 100 % 100 % ADDITIONAL NF

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 3rd Recon Bn. OPERATION ~~Recon~~
 (LEAVE BLANK)
 ENROUTE WX 07 Idaho Canyon

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: Capped Recon extract, dropped
on areas where extract took SA fire
from.

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS Good

+ good

28 C

DEBRIEFER COLL TIME 1500 DATE 15 AUG 69
 SQUADRON 211 CALL SIGN H13 MSN NO 6231 FLT 152
 T/O 1340 LAND 1450 TOTAL TIME 2.4

PILOTS	ACFT	DASC	TIME
<u>EDWARDS</u>	<u>5</u>	<u>HELIX</u>	<u>1305</u>
<u>COLL</u>	<u>20</u>	CONTROLLER <u>HELIX 25</u>	TIME <u>1310</u>
		TYPE CONTROLLER <u>FAC (E)</u>	
		TYPE MISSION <u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1350-31</u>	<u>MACH GUN POSIT</u>	<u>BS 328 858</u>	<u>5</u>
	<u>D1</u>	<u>BS 330 901</u>	

TOT TERNUM MTS TGT WX 3500 VISIBILITY 10+
 REL ANGLE 20° PASSES 10 INTERVAL 30 sec MIN ALT 600
 ENROUTE ALT 10.5 RETURN ALT 11.5 TGT AIRSPEED 410
 ORDNANCE 409 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) YES
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED AMICAL OPERATION NANTUCKET Beach
 (LEAVE BLANK)
 ENROUTE WX CU

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: FRIENDS AT 150 METERS
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION 1 D9 ON TARG REASON FOR DUD UNK

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS 66
GOOD TARG ORN

34 C

DEBRIEFER _____ TIME _____ DATE 15 Aug 69
 SQUADRON 211 CALL SIGN MAN 22 MSN NO. 0971 FLT 152
 T/O 1630 LAND 1650 TOTAL TIME 2.6

PILOTS AIRCRAFT
Tierney CF 12 DASC H. B. TIME
SHEARER 24 CONTROLLER NAIL 03 TIME 0606/14
 TYPE CONTROLLER FACA
 TYPE ISSION ST

TOT DESCRIPTION COORDINATES PROVINCE
0606/14 Suspect Enemy Loc XD 371 432 C
1641 10617

TGT TERRAIN F TGT WEATHER 0 VISIBILITY 10
 REL ANGLE 30 PASSES 8 INTERVAL 30 MIN ALT 2000
 ENROUTE ALT 20.5 RETURN ALTITUDE 23.5 TGT AIRSPEED 450
 ORDNANCE 12 02 1/4 020 EXPENDED ALL JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) 2 02

BDA 100 in 75/25/000 ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 7 A.D.F. OPERATION _____
 (LEAVE BLANK)

ENROUTE WEATHER _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) AIRCRAFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORDINANCE
(E) BDA REPORTED	☒	☒	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	AIRCRAFT MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION XD 371432 REASON FOR Unb
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

NOTE #4: CONTROLLER EFFECTIVENESS _____

40 C

REPORTER Warren TIME 1715 DATE 15 Aug
 SQUADRON 211 CALL SIGN HB 243 MSN NO 6243 FLT 152
 T/O 1610 LAND 1655 TOTAL TIME 1.6

PILOTS ACFT
WARREN CE 22 DASC DANANG TIME 1620
WHITE CE-9 CONTROLLER BENCHMARK TIME 1622
 TYPE CONTROLLER FAC B G
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1630-43</u>	<u>ENEMY POSIT</u>	<u>AT 937530</u>	<u>3</u>
	<u>55</u>		

TOT TERMINAL LVL TGT WX 0 VISIBILITY 7
 REL ANGLE 20° PASSES 10 INTERVAL 30 SEC MIN ALT 6000
 ENROUTE ALT 8.5 RETURN ALT 5.5 TGT AIRSPEED 450
 ORDNANCE 12 DIA 409 EXPENDED ALL JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1) 0
 BDA 100 % 100 % ADDITIONAL 2 st DES, 2 BK DES
1 SEC FIRE, 1/2 50 MTR TREE LINE

SECONDARY EXPLOSIONS NO NUMBER SIZE

UNIT SUPPORTED 1ST/ABD OPERATION PIPESTONE CANYON
 (LEAVE BLANK)

ENROUTE WX 0 - 7

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ANTI DELAY) _____
 ECM ENCOUNTERED _____ FUSE _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS VERY GOOD

DEBRIEFER Edwards TIME 1830 DATE 15 Aug
 SQUADRON 211 CALL SIGN HO 249 MSN NO 6249 FLT 152
 T/O 1700 LAND 1824 TOTAL TIME 2.8

PILOTS Edwards ACFT 9 DASC Dong HA TIME 1720
Call 15 CONTROLLER SW-FOX TIME 1730
 TYPE CONTROLLER FAC A
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1740-50</u>	<u>TROOPS IN Ck</u>	<u>VD008642</u>	<u>1</u>
	<u>45</u>		

TOT TERMIN Mnt TGT WX 300 VISIBILITY 10
 REL ANGLE 20 PASSES 8 INTERVAL 30 MIN ALT 600
 REL ALT 1100
 ENROUTE ALT 18.5 RETURN ALT 21.5 TGT AIRSPEED 450
 ORDNANCE 12 DIA 409 EXPENDED 10 DIA 409 JETTISONED
 ORDNANCE/RTB 2 DIA DUDS (SEE NOTE #1)
 BDA 80 % 80 % ADDITIONAL

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 3RD (ARVN) OPERATION IDAHO CANYON
 (LEAVE BLANK)

ENROUTE WX 010

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDL REPORTED	YES ☐ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: Feinder 150 meters
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ FIVE _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS Good Tgt ORA

44

DEBRIEFER Warren TIME 1900 DATE 15 Aug 69
 SQUADRON 211 CALL SIGN HB 251 MSN NO 6251 FLT 102
 T/O 1800 LAND 1855 TOTAL TIME 1.8

PILOTS	ACFT	DASC HELIX	TIME
<u>WARREN</u>	<u>CF 19</u>	<u>HELIX</u>	<u>1805</u>
<u>WHITE</u>	<u>CF 20</u>	CONTROLLER <u>HELIX</u>	TIME <u>1815</u>
		TYPE CONTROLLER <u>FAC (A)</u>	
		TYPE MISSION <u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1820-34</u>	<u>ENEMY POSIT</u>	<u>BS 542752</u>	<u>5</u>
	<u>55</u>		

TOT TERRAIN LYL TGT WX 0 VISIBILITY 7
 REL ANGLE 20° PASSES 10 INTERVAL 3000 MIN ALT 600'
 ENROUTE ALT 8.5 RETURN ALT 5.5 TGT AIRSPEED 450
 ORDNANCE 1201A 409 EXPENDED all JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1) 0
 BDA 100 % 80 % ADDITIONAL 2 BT DES 3
3ec EXPLOSION'S

SECONDARY EXPLOSIONS YES NUMBER 3 SIZE two small 1 large
 UNIT SUPPORTED AMERICAN OPERATION IRON MOUNTAIN
 (LEAVE BLANK)
 ENROUTE WX 0 7

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) EDA REPORTED	YES ☐ NO ☒	<u>IF ADDITIONAL CIRCLE</u>
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: GOOD ORD FOR TGT
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (P/RY/ART/DOGT) _____
 ECM ENCOUNTERED _____ TIME _____ YOU DIRECTED _____

NOTE #3: ADVANCE EFFECTIVENESS GOOD

DEBRIEFER _____ TIME 2000 DATE 15 Aug 69
 SQUADRON 2 LI CALL SIGN HB 257 MSN NO. 6257 FLT 352
 T/O 1847 LAND 1947 TOTAL TIME 2.0

PILOTS Rickards AIRCRAFT 5
Wettman 11
 DASC DOUGNA TIME 1900
 CONTROLLER Chillerio TIME 1902
 TYPE CONTROLLER FA(A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1910/15</u>	<u>50 Cal posit</u>	<u>XD 926652</u>	<u>1</u>
	<u>01</u>		

TGT TERRAIN Mtn TGT WX 30 D V VISIBILITY 5
 REL ALT 2500'
 REL ANGLE 20° PASSES 6 INTERVAL 30 sec MIN ALT 1200'
 ENROUTE ALT 12.5 RETURN ALT 15.5 TGT AIRSPEED 450
 ORDNANCE 1202 wly EXPENDED All JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
 BDA 100 % 100 ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER OF _____ SIZE OF _____
 UNIT SUPPORTED 3rd M.D. OPERATION Idaho Canyon
 (LEAVE BLANK)
 ENROUTE WEATHER 30 D V

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR DUD _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIVERTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS Good
 NOTE #4: CONTROLLER EFFECTIVENESS Good

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) ACFT HIT
 (D) RECON INSERT/EXTRACT
 (E) BDA REPORTED
 (F) ABORT
 (G) DIVERT

YES
 YES
 YES
 YES
 YES
 YES
 YES

NO
 NO
 NO
 NO
 NO
 NO
 NO

FILE FORM WITH BARREL
 FILE FORM WITH BARREL
 FILE FLASH REPORT WITH BARREL
 CIRCLE ONE (CROSS)
 IF ADDITIONAL CIRCLE
 ACFT MALFUNCTION/NO DROP
 GIVE REASON BELOW

REP: JEFFER Wellman TIME 1815 DATE 15 Aug 69
 SQUADRON 211 CALL SIGN AB MSN NO 6247 FLT 152
 T/O 1720 LAND 1812 TOTAL TIME 0.9

PILOTS Wellman ACFT CF 18 DASC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT	DESCRIPTION	COORDINATES	PROVINCE
	<u>TEST</u>		<u>HOP</u>

TOT TERRAIN _____ TGT WK _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 REL ALT _____
 ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____
 ORDNANCE _____ EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____
 (LEAVE BLANK)

ENROUTE WK _____

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM D/LAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Kennedy TIME 0915 DATE 15 AUG 69
 SQUADRON 211 CALL SIGN H13 MSN NO 6153 FLT 132

T/O 0818 LAND 0900 TOTAL TIME 1.4

PILOTS

ACFT

1st Lt Graham
Kennedy

22
6

D/ASC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT

DESCRIPTION

COORDINATES

PROVINCE

0818 NO DROP NO
0900 _____

TOT TERMIN _____ TGT WX _____ VISIBILITY _____

REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 REL ALT _____

ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____

ORDNANCE 8 D2A / 405 EXPENDED _____ JETTISONED 8 D2A / 105

ORDNANCE/RTB 305 DUDS (SEE NOTE #1) _____

BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) EDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: AIRBORNE ABORT - JETTISON IN JETTISON
 (REFERENCE NOTE #3)

AREA UNDER RADAR CONTROL AND VFR

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/PM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER McC TIME 1240 DATE 15 August 69
 SQUADRON 211 CALL SIGN HB 223 MSN NO. 6223 FLT 152
 T/O 1104 LAND 1213 TOTAL TIME 2.4

PILOTS

AIRCRAFT

Wellman CF 19 DASC D.H. TIME 1115
Lange 24 CONTROLLER SW 97-2 TIME 1116
 TYPE CONTROLLER FACA
 TYPE ISSION CAS

TOT

DESCRIPTION

COORDINATES

PROVINCE

1130-40 Troops in Ctc XD 954642 1
45

TGT TERRAIN R TGT WEATHER 3.00 VISIBILITY 10
 REL ANGLE 20° PASSES 6 INTERVAL 30 MIN ALT 6000
 ENROUTE ALT 16.5 RETURN ALTITUDE 15.5 TGT AIRSPEED 450
 ORDNANCE 12 DIA 409 EXPENDED AU JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE #1) -
 BDA 100 % 100 % ADDITIONAL 2 KBA (C)

SECONDARY EXPLOSIONS Yes NUMBER 2 SIZE ?
 UNIT SUPPORTED 3rd Recon OPERATION Idaho Canyon
 (LEAVE BLANK)

ENROUTE WEATHER

(A) HOSTILE FIRE	☒ YES	☐ NO	FILE FORM WITH BARREL <u>5m Rems</u> (M)
(B) AIRBURST	☒ YES	☐ NO	FILE FORM WITH BARREL
(C) AIRCRAFT HIT	☒ YES	☐ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	☒ YES	☐ NO	CIRCLE ONE/COORDINANCE
(E) BDA REPORTED	☒ YES	☐ NO	IF ADDITIONAL CIRCLE
(F) ABORT	☒ YES	☐ NO	AIRCRAFT MALFUNCTION/NO DROP
(G) DIVERT	☒ YES	☐ NO	GIVE REASON BELOW

REMARKS: Friendlies 70 mtrs away
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM/DELAY) _____

NOTE #2: ECM ENCOUNTERED No TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS excellent

NOTE #4: CONTROLLER EFFECTIVENESS Great - outstanding

in 4 C

DEBRIEFER PADIOS TIME 0005 DATE 8/15/69
 SQUADRON 211 CALL SIGN HB 556 MSN NO 6556 FLT 832
 T/O 2229 LAND 2359 TOTAL TIME 1.5

PILOTS PADIOS ACFT CF 19 DASC AN H2A TIME 2235
 CONTROLLER AN H2A TIME 2240
 TYPE CONTROLLER ASRT
 TYPE MISSION TRQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2315</u>	<u>ROCKET SITE</u>	<u>AT 798459 I</u>	<u>3</u>
	<u>58</u>		

TOT TERMIN DNK TGT WX 20 (D) VISIBILITY 10
 REL ANGLE LVL PASSES 3 INTERVAL — MIN ALT 14.1
 REL ALT 14.1
 ENROUTE ALT 14.5 RETURN ALT 13.5 TGT AIRSPEED 290
 ORDNANCE 5 D2 w/4 EXPENDED 5 D2 w/4 JETTISONED —
 ORDNANCE/RTB 1 D2 w/4 DUDS (SEE NOTE #1)
 BDA — % — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 5 STAR MD OPERATION Duchan Peak
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES <u>(NO)</u>	FILE FORM WITH BARREL
(B) AIRBURST	YES <u>(NO)</u>	FILE FORM WITH BARREL
(C) ACFT HIT	YES <u>(NO)</u>	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES <u>(NO)</u>	CIRCLE ONE/COORD
(E) BDA REPORTED	YES <u>(NO)</u>	IF ADDITIONAL CIRCLE
(F) ABORT	YES <u>(NO)</u>	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES <u>(NO)</u>	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

46