

DEBRIEFER Oppenhuizen TIME 1400 D. 1 June 1969
SQUADRON 223 CALL SIGN HB230 MSN # 6230 FLT CODE 15211
T/O 1307 LAND 1350 TOTAL TIME 14

PILOTS A/C
Baker WP. 21 DASC Helix B72 TIME 1312
Oppenhuizen WP. 24 CONTROLLER Helix 2 TIME 1315
TYPE CONTROLLER TACA
TYPE MISSION CA 3

TOT DESCRIPTION COORDINATES PROVINCE
1325-34 Enemy position BT 267 379 RVN/T
EL

TGT TERRAIN Flat TGT WX 100 VISIBILITY 10
REL ANGLE 20 PASSES 8 INTERVAL 30 MIN ALT 200
REL ALT 1300
ENROUTE ALT 8.5 RETURN ALT 7.5 TARGET AIRSPEED 450
ORDNANCE 1601A 409 EXPENDED 1601A 209 JETTISONED 109
ORDNANCE/RTB 109 DUDS (SEE NOTE # 1)
BDA 100 % 50 % ADDITIONAL 4 structures - 1 sec.
5 KBA (P)

SECONDARY EXPLOSIONS NUMBER 1 SIZE small
UNIT SUPPORTED Americal OPERATION Geneva Park
(LEAVE BLANK)
ENROUTE WX 20 0 80 0

C

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS right ordnance for target

DEBRIEFER Fischer TIME 1630 DATE 1 JUN 69
 SQUADRON 223 CALL SIGN HBN MSN # 6236 FLT CODE 182/3
 T/O 1450 LAND 1615 TOTAL TIME 2.8

PILOTS A/C
Fischer WP 11 DASC JANDY TIME 1515
POSSITY 20 CONTROLLER SW 98-23 TIME 1525
 TYPE CONTROLLER TACA
 TYPE MISSION CAC

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1534-40</u>	<u>ENEMY LOCATION</u> <u>EL</u>	<u>X 12995345</u>	<u>RUN/I/</u>

TGT TERRAIN HILLY TGT WX 5.0 0 VISIBILITY 10 f
 REL ANGLE 30° PASSES 6 INTERVAL 30" MIN ALT 1500
 ENROUTE ALT 13.5 RETURN ALT 14.5 TARGET AIRSPEED 450
 ORDNANCE 20 DIW 14 EXPENDED ALL JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE # 1)
 BDA 100 % 100 % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 5th MAR 300 A.D. OPERATION Virginia Ridge
 (LEAVE BLANK)

- ENROUTE WX
- (A) HOSTILE FIRE YES NO
 - (B) AIRBURST YES NO
 - (C) A/C HIT YES NO
 - (D) RECON INSERT/EXTRACT YES NO
 - (E) BDA REPORTED YES NO
 - (F) ABORT YES NO
 - (G) DIVERT YES NO
- FILE FORM WITH BARREL
 FILE FORM WITH BARREL
 FILE FLASH REPORT WITH BARREL
 CIRCLE ONE/COORD
 IF ADDITIONAL CIRCLE
 A/C MALFUNCTION/NO DROP
 GIVE REASON BELOW

REMARKS: SCRAMBLED TO SW 97-10 DIVERTED TO 98-13 BECAUSE
OF WEATHER (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
 RECOVERABLE FUZE (DELAY/ARM DELAY)
 NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED
 NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER STOCKING TIME 1117 DATE 1 June 67
SQUADRON 223 CALL SIGN HB 212 MSN # 6212 FLT CODE 1521
T/O 0943 LAND 1105 TOTAL TIME 2.8

PILOTS A/C
STOCKING 1 DASC DATA NA TIME 1005
SNYDER 22 CONTROLLER CPT KUMER TIME 1015
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1025-32</u>	<u>BUNKERS</u>	<u>YD038079</u>	<u>RIN 1</u>
	<u>BF</u>		

TGT TERRAIN HILL TGT WX 50 @ 0 VISIBILITY 7
REL ANGLE 30° PASSES 2 INTERVAL 30 sec MIN ALT 1500
REL ALT 3000

ENROUTE ALT 14.5 RETURN ALT 21.5 TARGET AIRSPEED 450

ORDNANCE 12027 EXPENDED ALL JETTISONED —

ORDNANCE/RTB — DUDS (SEE NOTE # 1) —

BDA 90 % 90 % ADDITIONAL 7 Bunkers Destroyed

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 108 ART 3rd M.D. OPERATION Virginia Ridge
(LEAVE BLANK)

ENROUTE WX 107

- | | | | |
|--------------------------|-------|------|-------------------------------|
| (A) HOSTILE FIRE | YES | (NO) | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | (YES) | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | (YES) | NO | GIVE REASON BELOW |

REMARKS: Joyride
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER 1000 TIME 1125 DATE 1 JAN
SQUADRON 223 CALL SIGN H3 MSN # 6214 FLT CODE 152
T/O 0940 LAND 1055 TOTAL TIME 2.6

PILOTS A/C
WARFIELD 1 DASC DONG HA TIME 1005
MORRIS 2 CONTROLLER Sawyer TIME 1010
TYPE CONTROLLER 973 TAC A
TYPE MISSION DAS

TOT DESCRIPTION COORDINATES PROVINCE
1015-25 Inf Rt. 90142017 I RVN
RO

TGT TERRAIN FLAT TGT WX 2000 VISIBILITY 10+
REL ANGLE 20° PASSES 8 INTERVAL 30 MIN ALT 600
REL ALT 1200
ENROUTE ALT 20.5 RETURN ALT 19.5 TARGET AIRSPEED 450

ORDNANCE 1601A4R9 EXPENDED ALL JETTISONED —
ORDNANCE/RTB — DUDS (SEE NOTE # 1)
BDA 100% 100% ADDITIONAL 1 barrel 100 ft
RO E.O.I.

SECONDARY EXPLOSIONS — NUMBER — SIZE —
UNIT SUPPORTED 3rd MAR DIV OPERATION Apache Snow
(LEAVE BLANK)
ENROUTE WX Saw Tst

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—
—

DEBRIEFER REEN TIME 1500 DATE 1 JUN 67
SQUADRON 223 CALL SIGN 4B 232 MSN # 6232 FLT CODE 152/1
T/O 1355 LAND 1430 TOTAL TIME 1.2

PILOTS A/C
PALMER WP 03 DASC DNG TIME 1400
REEN 10 CONTROLLER Hestage Bull TIME 1405
TYPE CONTROLLER FACA
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1419/1420 ENEMY IN ELEPHANT BT 011553 B CORPS
GRASS TS

TGT TERRAIN level TGT WX 600 VISIBILITY 7
REL ANGLE 20° PASSES 6 INTERVAL 30 MIN ALT 1000
REL ALT 1800

ENROUTE ALT 10.5 RETURN ALT 7.5 TARGET AIRSPEED 450

ORDNANCE 10-7/40 24 EXPENDED ALL JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA 80 % 80 % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 1ST M.D. OPERATION Pipestone Canyon
(LEAVE BLANK)

ENROUTE WX _____

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER _____ TIME 1130 DATE 1 June 69
SQUADRON MA-223 CALL SIGN PR 218 MSN # 6218 FLT CODE 15211
T/O 1029 LAND 1114 TOTAL TIME 1:06

PILOTS A/C
MAJ Preston up 12
MAJ Schwanniger up 16
DASC DA LANG TIME 1033
CONTROLLER Hostetler TIME 1045
TYPE CONTROLLER PTACA
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1047-1056</u>	<u>Enemy positions</u> <u>EL</u>	<u>BT 028933</u>	<u>J Corps 3</u>

TGT TERRAIN River Bank TGT WX 200 VISIBILITY 7T
REL ANGLE 20° PASSES 10 INTERVAL 30 Sec MIN ALT 600' REL ALT 1250'
ENROUTE ALT 10.5m RETURN ALT 11.5m TARGET AIRSPEED 450Kts
ORDNANCE 16 DIA/409 EXPENDED ALL JETTISONED 0
ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) 0
BDA 100 % 100 % ADDITIONAL _____

C

SECONDARY EXPLOSIONS 0 NUMBER _____ SIZE _____
UNIT SUPPORTED 5th MARINES 1st M.D. OPERATION Prestone Canyon
(LEAVE BLANK)
ENROUTE WX SAME AS TGT

- | | | | |
|--------------------------|-------------------------------------|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | <input checked="" type="checkbox"/> | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Kirby TIME 1135 DATE 1 June 69
SQUADRON 223 CALL SIGN 216 MSN # 6216 FLT CODE 112
T/O 1015 LAND 1113 TOTAL TIME 1.0

PILOTS A/C
Kirby WP 23
DASC _____ TIME _____
CONTROLLER _____ TIME _____
TYPE CONTROLLER _____
TYPE MISSION _____

TOT	DESCRIPTION	COORDINATES	PROVINCE
	<u>TEST</u>		

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
ENROUTE ALT _____ RETURN ALT _____ TARGET AIRSPEED _____
ORDNANCE _____ EXPENDED _____ JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED VMA 223 OPERATION _____
(LEAVE BLANK)
ENROUTE WX _____

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD _____
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE _____
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP _____
- (G) DIVERT YES NO GIVE REASON BELOW _____

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER HAMILTON TIME 1835 DATE 2 JUNE
SQUADRON 223 CALL SIGN HB249 MSN # 6249 FLT CODE 152/1
T/O 1725 LAND 1825 TOTAL TIME 2.0

RMC
Casey

PILOTS A/C
HEISE WP-11 DASC DEWANG TIME 1735
HAMILTON 24 CONTROLLER HOST ITEM TIME 1740
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1755-1805 TREE LINE AND BT 037538 RUN/I
BUNKERS 3^e

TGT TERRAIN FLAT TGT WX 13.0 VISIBILITY 7
REL ANGLE 20 PASSES 10 INTERVAL 30 MIN ALT .6
REL ALT 1.3

ENROUTE ALT 12.5 RETURN ALT 7.5 TARGET AIRSPEED 450

ORDNANCE 1601A/409 EXPENDED ALL JETTISONED ---

ORDNANCE/RTB --- DUDS (SEE NOTE # 1) ---

BDA 90 % 90 % ADDITIONAL 250 MET. TREE LINE,
15 FIGHTING HOLES, 30 MET TRENCH, 1 BUNKER
DAM.

SECONDARY EXPLOSIONS --- NUMBER --- SIZE ---

UNIT SUPPORTED 1st M.O. OPERATION ~~PIPESTONE~~

ENROUTE WX (PIPESTONE CANYON)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION --- REASON ---
RECOVERABLE --- FUZE (DELAY/ARM DELAY) ---

NOTE #2: ECM ENCOUNTERED --- TIME --- HOW DIRECTED ---

NOTE #3: ORDNANCE EFFECTIVENESS ---

DEBRIEFER Oppenhuizen TIME 1400 DA 2 June 69
SQUADRON 223 CALL SIGN HA 221 MSN # 6221 FLT CODE 15211
T/O 1234 LAND 131 TOTAL TIME 1.4

*Angela
Context*

PILOTS A/C
Wartfield WP 8 DASC Helix TIME 1238
Oppenhuizen WP 1 CONTROLLER Helix 35 TIME 1240
TYPE CONTROLLER YACA
TYPE MISSION OAS

TOT DESCRIPTION COORDINATES PROVINCE
1303-14 Bunkers BS930250 RVN/15
OF

TGT TERRAIN flat TGT WK 0 VISIBILITY 10
REL ANGLE 30 PASSES 9 INTERVAL 30 MIN ALT 1600
ENROUTE ALT 9.5 RETURN ALT 8.5 TARGET AIRSPEED 450

ORDNANCE 602 1901 EXPENDED all JETTISONED None
ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
BDA 100 % 60 % ADDITIONAL 2 struct. destroyed
2 Bunkers 11

SECONDARY EXPLOSIONS — NUMBER — SIZE —
UNIT SUPPORTED Americal OPERATION Iron Mt.
ENROUTE WX 0 (LEAVE BLANK)

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS: good ord. for tot.
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER BAKER TIME 1032 DATE 2 June 69
SQUADRON 223 CALL SIGN HB MSN # 6209 FLT CODE 152
T/O 0907 LAND 1011 TOTAL TIME 2.4

PILOTS A/C

BAKER WP 23 DASC DONG HA TIME 0920
FOGERTY 7 CONTROLLER WALKER TIME 0922
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0925</u>	<u>BUNKERS</u>	<u>YD 017668</u>	<u>1</u>
<u>-40</u>	<u>BF</u>		

TGT TERRAIN Hilly TGT WX 500 VISIBILITY 15
REL ANGLE 20° PASSES 6 INTERVAL 30 MIN ALT 600
ENROUTE ALT 18.5 RETURN ALT 23.5 REL ALT 1210 TARGET AIRSPEED 450
ORDNANCE 16 DIA 409 EXPENDED ALL JETTISONED —
ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
BDA 90% 100% ADDITIONAL 3 BUNKERS DEST
3 SEC FIRES
BF E 03

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 108th ART/3rd DIV OPERATION Mass Bay
(LEAVE BLANK)

- | | | | |
|--------------------------|--------------------------------------|-------------------------------------|-------------------------------|
| (A) HOSTILE FIRE | YES | <input checked="" type="radio"/> NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | <input checked="" type="radio"/> NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | <input checked="" type="radio"/> NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | <input checked="" type="radio"/> NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | <input checked="" type="radio"/> YES | <input checked="" type="radio"/> NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | <input checked="" type="radio"/> NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | <input checked="" type="radio"/> NO | GIVE REASON BELOW |

REMARKS: BDA BY TACA
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS SNAKE EYE GOOD WDN
CLOUD COVER RESTRICTED 30° DIVE

DEBRIEFER STOCKING TIME 1907 DATE 2 June 67
SQUADRON 223 CALL SIGN NB255 MSN # 6255 FLT CODE 152
T/O 1735 LAND 1852 TOTAL TIME 2.6

R.H.H.
Coast

PILOTS A/C
STOCKING UP 20 DASC DNG TIME 1719
MORRIS 07 CONTROLLER Most Item TIME 1820
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1832-33</u>	<u>TREE LINE</u> <u>TS</u>	<u>137 041539</u>	<u>RUS3</u>

TGT TERRAIN F TGT WX 0 VISIBILITY 7
REL ANGLE 30 PASSES 1 INTERVAL 100 MIN ALT 1500
REL ALT 3000

ENROUTE ALT 12.5 RETURN ALT 9.5 TARGET AIRSPEED 450

ORDNANCE 20 DAK EXPENDED 10 DAK JETTISONED

ORDNANCE/RTB 10 DAK DUDS (SEE NOTE # 1)

BDA 100 % 100 % ADDITIONAL 150 meters tree line
30 meter trench
10 Fighting holes Dist
BF

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED 1st M.P. OPERATION

ENROUTE WX 0 PLEASE FLANK
PRESTONE CANYON

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: could not get clearance for fuel type (Blackhawk 13)
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON

RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER 069 TIME 1120 D. JUNE 2
SQUADRON 223 CALL SIGN 217 MSN # 6217 FLT CODE 152/11
T/O 1007 LAND 1104 TOTAL TIME 2-0

Coast CHK

PILOTS A/C
ROGERS 3 DASC DA NANG TIME
069 10 CONTROLLER HOST. PETE TIME 1010
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1015-45 VILLE BT 029 579 QUANG NAM
VV

TGT TERRAIN FLAT TGT WX 0 VISIBILITY 9+
MIN ALT 600
REL ANGLE 30° PASSES 16 INTERVAL 30sec REL ALT 3000'
ENROUTE ALT 8.5 RETURN ALT 9.5 TARGET AIRSPEED 950
ORDNANCE 4 D24 / M7 EXPENDED ALL JETTISONED NONE
ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) NONE
BDA 100 % 100 % ADDITIONAL 2 STRUC, + 1 BUNK. Dest

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 1st MAR DIV OPERATION Pipestone Canyon
(LEAVE BLANK)
ENROUTE WX _____

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS : _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Garland TIME 1650 DATE 2 June
SQUADRON 223 CALL SIGN HB243 MSN # 6243 FLT CODE 152/1
T/O 1515 LAND 1629 TOTAL TIME 2.4

Copy

PILOTS _____ A/C _____
Garland WP10 DASC Vandy TIME 1540
5420700 1233 CONTROLLER SW9812 TIME 1545
TYPE CONTROLLER _____ TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1545-1557</u>	<u>Suspected Mortar</u> <u>AA</u>	<u>YD002838</u>	<u>7</u>

TGT TERRAIN hilly TGT WX 0 VISIBILITY 9+
REL ANGLE 30 PASSES 10 INTERVAL 30 MIN ALT 7000
ENROUTE ALT 18.5 RETURN ALT 17.5 TARGET AIRSPEED 440
ORDNANCE 4000 207 EXPENDED 2000 400 JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
BDA 100 % 100 % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 3rd M.D. OPERATION Cameroon Falls
(LEAVE BLANK)

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER BURNS TIME 1015 DATE 2 JUNE 69
SQUADRON 223 CALL SIGN 207 MSN # 6207 FLT CODE 152
T/O 0837 LAND 1000 TOTAL TIME 2.8

RM
Coact

PILOTS A/C
BARNES 15 DASC VJ004 TIME 0910
BURNS 20 CONTROLLER SW 987 TIME 0915
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
0920-30 BUNKERS X0982402 RUN/1
BF

TGT TERRAIN Hilly TGT WX 100 VISIBILITY 10
REL ANGLE 30 PASSES 5 INTERVAL 30 MIN ALT 2000
REL ALT 3000

ENROUTE ALT 18.5 RETURN ALT 17.5 TARGET AIRSPEED 450

ORDNANCE 4.02 / 8.01 EXPENDED 4.02 / 6.01 JETTISONED —

ORDNANCE/RTB 2.01 DUDS (SEE NOTE # 1)

BDA 100 % 100 % ADDITIONAL 3 BUNKERS DESTROYED

SECONDARY EXPLOSIONS — NUMBER — SIZE —
UNIT SUPPORTED 9th MAZ rd M.D. OPERATION CARRERON FALLS
(LEAVE BLANK)
ENROUTE WX 100

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER _____ TIME 1635 DATE 2 June 69
SQUADRON VMA223 CALL SIGN NB 237 MSN # 6237 FLT CODE 152/1
T/O 1515 LAND 1625 TOTAL TIME 2.4

Correct

PILOTS A/C
B. FREEMAN 02
M. SCHWAINGER 23
DASC DONGNA TIME 1540
CONTROLLER CPT KILPATRICK TIME 1544
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1545-1554</u>	<u>Enemy position</u> <u>EL</u>	<u>YD172760</u>	<u>I Corps RIN</u>

TGT TERRAIN lowland TGT WX 2000 VISIBILITY 10+
REL ANGLE 20° PASSES 6 INTERVAL 30 Sec MIN ALT 500'
ENROUTE ALT 18.5m RETURN ALT 21.5m TARGET AIRSPEED 450 Kts
ORDNANCE 1671A 409 EXPENDED all JETTISONED 0
ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) 0
BDA 90% 90% ADDITIONAL 2 Bombers Destroyed

SECONDARY EXPLOSIONS 0 NUMBER _____ SIZE _____
UNIT SUPPORTED 108 ABZM P.O. OPERATION Mass Bay
ENROUTE WX Same as TGT (LEAVE BLANK)

- | | | | |
|--------------------------|-----|-------------------------------------|-------------------------------|
| (A) HOSTILE FIRE | YES | <input checked="" type="radio"/> NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | <input checked="" type="radio"/> NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | <input checked="" type="radio"/> NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | <input checked="" type="radio"/> NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | <input checked="" type="radio"/> NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | <input checked="" type="radio"/> NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | <input checked="" type="radio"/> NO | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER REED TIME 1610 D. 2 JUN 69
SQUADRON 223 CALL SIGN HB 233 MSN # 6233 FLT CODE 152/1
T/O 1420 LAND 1544 TOTAL TIME 2.8

Ray
Conroy

PILOTS A/C
Lt Col NEWBILL WP 15 DASC VANDY TIME 1445
REED 20 CONTROLLER SEAWING TIME 1447
TYPE CONTROLLER TACA
TYPE MISSION DAS

TOT DESCRIPTION COORDINATES PROVINCE
1455/1515 ENEMY LOC XD 85 3650 I CORPS
EL

TGT TERRAIN MTNX TGT WX 1.00 - VISIBILITY 7
MIN ALT 800
REL ANGLE 20° PASSES 5 INTERVAL 30 REL ALT 1300

ENROUTE ALT 18.5 RETURN ALT 23.5 TARGET AIRSPEED 450

ORDNANCE 12D14 4D9 EXPENDED ALL JETTISONED

ORDNANCE/RTB DUDS (SEE NOTE # 1)

BDA 100 % 100 % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED 3rd Recon. D. OPERATION Herbener MT
(LEAVE BLANK)

ENROUTE WX

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON

RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER _____ TIME _____ DATE _____
SQUADRON 223 CALL SIGN 223 MSN # 6215 FLT CODE LS2/1
T/O 0950 LAND 1120 TOTAL TIME 3.0

PILOTS A/C
Flameout Flannagan 11
Palmer 16

DASC Dang ha TIME 1010
CONTROLLER _____ TIME 1015
TYPE CONTROLLER OTHER
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE

None
No Drop

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
REL ALT _____

ENROUTE ALT 18.5 RETURN ALT 19.5 TARGET AIRSPEED _____

ORDNANCE 16 DIA 409 EXPENDED _____ JETTISONED 409

ORDNANCE/RTB 16 DIA DUDS (SEE NOTE # 1) _____

BDA _____% _____% ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____
(LEAVE BLANK)

ENROUTE WX _____

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: No target's
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER _____ TIME _____ D _____
SQUADRON 223 CALL SIGN 253 MSN # 6253 FLT CODE 352
T/O 1804 LAND 1851 TOTAL TIME 1.6

PILOTS A/C
German WP 01 DASC Helix TIME _____
STANTON 21 CONTROLLER Bulk 37 TIME 1820
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1830/40 Bumbers BT 205126 24
BF

TGT TERRAIN M TGT WX 0 VISIBILITY 7
MIN ALT 2500
REL ANGLE 20° PASSES 4 INTERVAL 30 REL ALT 3000

ENROUTE ALT 19.5 RETURN ALT 18.5 TARGET AIRSPEED 450

ORDNANCE 18 DIR 409 EXPENDED ALL JETTISONED —

ORDNANCE/RTB — DUDS (SEE NOTE # 1) _____

BDA 100 % 100 % ADDITIONAL 3 Bumbers Dest
1 Sea Expl.

SECONDARY EXPLOSIONS N NUMBER _____ SIZE _____

UNIT SUPPORTED 101ST A.B. OPERATION Lamar Plain
(LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	<input type="checkbox"/> YES	<input type="checkbox"/> NO	FILE FORM WITH BARREL <u>30cal</u> <u>(L)</u>
(B) AIRBURST	<input type="checkbox"/> YES	<input type="checkbox"/> NO	FILE FORM WITH BARREL
(C) A/C HIT	<input type="checkbox"/> YES	<input type="checkbox"/> NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	<input type="checkbox"/> YES	<input type="checkbox"/> NO	CIRCLE ONE/COORD _____
(E) BDA REPORTED	<input type="checkbox"/> YES	<input type="checkbox"/> NO	IF ADDITIONAL CIRCLE _____
(F) ABORT	<input type="checkbox"/> YES	<input type="checkbox"/> NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	<input type="checkbox"/> YES	<input type="checkbox"/> NO	GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER SMYER TIME 1915 DATE 2 JUNE
SQUADRON 223 CALL SIGN H329 MSN # 6259 FLT CODE 1L
T/O 1810 LAND 1855 TOTAL TIME 18

PILOTS SMYER A/G 16
DASC _____ TIME _____
CONTROLLER _____ TIME _____
TYPE CONTROLLER _____
TYPE MISSION _____

TOT	DESCRIPTION	COORDINATES	PROVINCE
	<u>TEST</u>		

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
REL ALT _____

ENROUTE ALT _____ RETURN ALT _____ TARGET AIRSPEED _____

ORDNANCE _____ EXPENDED _____ JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____
(LEAVE BLANK)

ENROUTE WX _____

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS : _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER _____ TIME _____ DATE _____
SQUADRON 223 CALL SIGN AB 239 MSN # 6239 FLT CODE 101
T/O 1510 LAND 1540 TOTAL TIME .5

PILOTS _____ A/C _____
BARNES 07
DASC _____ TIME _____
CONTROLLER _____ TIME _____
TYPE CONTROLLER _____
TYPE MISSION _____

TOT _____ DESCRIPTION _____ COORDINATES _____ PROVINCE _____

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
ENROUTE ALT _____ RETURN ALT _____ TARGET AIRSPEED _____
ORDNANCE _____ EXPENDED _____ JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED _____ OPERATION _____ (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS : _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Law 14 TIME 1330 DATE 3 June
SQUADRON 223 CALL SIGN Man 22 MSN # 0938 FLT CODE 152/1
T/O 1209 LAND 1325 TOTAL TIME 2.6

PILOTS A/C
STANTON 24 DASC HILLS TIME 1240
LAWSON 22 CONTROLLER WISTY 41 TIME 1243
TYPE CONTROLLER TACA
TYPE MISSION S.T.

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1246-1053</u>	<u>TRUCKS</u> <u>MV</u>	<u>XD 480 410</u> <u>1639 10623</u>	<u>SC 7H</u> <u>245</u>

TGT TERRAIN Hills TGT WX 3.00 VISIBILITY 10
REL ANGLE 45° PASSES 6 INTERVAL 30 Sec MIN ALT 3.5
REL ALT 5.0

ENROUTE ALT 20.5 RETURN ALT 19.5 TARGET AIRSPEED 450

ORDNANCE 12 D2 Y EXPENDED 12 D2 1 JETTISONED -

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA 30% Bull 100/w/in 40 m. % ADDITIONAL 1 TK. Dest.
1 TK. Damaged, 1 2ndary Explos.

SECONDARY EXPLOSIONS 1 NUMBER _____ SIZE 750# bomb size

UNIT SUPPORTED 7th Air Force OPERATION _____ (LEAVE BLANK)

ENROUTE WX _____

- (A) HOSTILE FIRE Called YES NO FILE FORM WITH BARREL
- (B) AIRBURST 1420 YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD _____
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE _____
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP _____
- (G) DIVERT YES NO GIVE REASON BELOW _____

REMARKS: Given by Hillsboro
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER _____ TIME _____ DATE _____
 SQUADRON 223 CALL SIGN MAN 25 MSN # 0958 FLT CODE 152/3
 T/O 1540 LAND 1655 TOTAL TIME 2.6

PILOTS	A/C	DASC	TIME
<u>HEISIE</u>	<u>WP-24</u>	<u>Hillsboro</u>	<u>1600</u>
<u>Reed</u>	<u>WP-1</u>	CONTROLLER	TIME
		<u>NAIL 116</u>	<u>1605</u>
		TYPE CONTROLLER	
		<u>TACA</u>	
		TYPE MISSION	
		<u>ST</u>	

TGT	DESCRIPTION	COORDINATES	PROVINCE
<u>1615/27</u>	<u>BARGE ON RIVER</u>	<u>[scribble]</u>	<u>LAOS</u>
	<u>BR</u>	<u>40832823</u>	
	<u>Bulkers</u>	<u>1618 10654</u>	

TGT TERRAIN R TGT WX 5.0 VISIBILITY 10+
 REL ANGLE 30° PASSES 10 INTERVAL 30' MIN ALT 1500
 REL ALT 3000

ENROUTE ALT 22.5 RETURN ALT 21.5 TARGET AIRSPEED 450

ORDNANCE 1202Y EXPENDED ALL JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA 25% 40% ADDITIONAL _____

25% within 30 meters 100% 200 meters

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 7th AF OPERATION _____ (LEAVE BLANK)

ENROUTE WX _____

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: Divert By Hillsboro
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER HAMILTON TIME 2000 DATE 3 June
SQUADRON 223 CALL SIGN H8520 MSN # 6250 FLT CODE 882/1
T/O 1920 LAND 1950 TOTAL TIME .5

PILOTS _____ A/C _____
HAMILTON WP-17 DASC _____ TIME _____
CONTROLLER _____ TIME _____
TYPE CONTROLLER _____ ASRT
TYPE MISSION _____

TOT _____ DESCRIPTION _____ COORDINATES _____ PROVINCE _____
AIR ABORT _____ RVP/I
No Drop

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
REL ALT _____

ENROUTE ALT 29.5 RETURN ALT 21.4 TARGET AIRSPEED _____

ORDNANCE 10 D14 EXPENDED 9 D14 JETTISONED 9 D14

ORDNANCE/RTB 1 D14 DUDS (SEE NOTE # 1) _____

BDA ? % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____ (LEAVE BLANK)

ENROUTE WX _____

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: LOST TRANSMITTER AFTER TAKE OFF
(REFERENCE NOTE #3)
RADIO FAILURE

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER WJ TIME 0900 DATE 3 JUN
SQUADRON 223 CALL SIGN #B012 MSN # 6012 FLT CODE 152
T/O 0817 LAND 0852 TOTAL TIME 1.2

PILOTS A/C
Rogers WP 08 DASC Helix TIME 0825
Palmer 03 CONTROLLER Bick 37 TIME 0830
TYPE CONTROLLER TACA
TYPE MISSION CAS

AK

TOT DESCRIPTION COORDINATES PROVINCE
0835-45 Enemy Location B7212016 RVN F. (4)
EC

TGT TERRAIN Mount TGT WX 0 VISIBILITY 10
REL ANGLE 30° PASSES 4 INTERVAL 30 sec MIN ALT 200 REL ALT 1000
ENROUTE ALT 14.5 RETURN ALT 11.5 TARGET AIRSPEED 450
ORDNANCE H03x/400 EXPENDED 303x 4/02 JETTISONED NO
ORDNANCE/RTB 103x DUDS (SEE NOTE # 1) NO
BDA 100 % 100 % ADDITIONAL

SECONDARY EXPLOSIONS NO NUMBER SIZE
UNIT SUPPORTED 101st Airborne OPERATION Kamar Plain
ENROUTE WX 0/10 (LEAVE BLANK)

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER 066 TIME 1900 DA 3 JUN
SQUADRON 223 CALL SIGN 570 MSN # 6570 FLT CODE 152/1
T/O 1240 LAND 1331 TOTAL TIME 1.8

PILOTS A/C
FISCHER 7 DASC BILK TIME 1250
064 21 CONTROLLER BILK 31 TIME 1251
TYPE CONTROLLER YACCA
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1255-05 ENEMY POSIT YD 436 086 THU THIEN
EC

RC

TGT TERRAIN MOUNTAINS TGT WX 1300 VISIBILITY 7
REL ANGLE 30° PASSES 6 INTERVAL 30sec MIN ALT 1500
ENROUTE ALT 19.5 RETURN ALT 19.5 TARGET AIRSPEED 450
ORDNANCE 12 024 EXPENDED ALL JETTISONED NONE
ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) NONE
BDA 100 % 100 % ADDITIONAL NONE

SECONDARY EXPLOSIONS NONE NUMBER — SIZE —
UNIT SUPPORTED LINK 101st R.B. OPERATION Kontak by Hanger
(LEAVE BLANK)

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Blackman TIME 1100 DA 3 JUNE 69
SQUADRON 223 CALL SIGN HBO22 MSN # 1022 FLT CODE 152
T/O 0945 LAND 1044 TOTAL TIME 1.9

PILOTS A/C
Newbill WP 02 DASC Bilk TIME 0930
Blackman 23 CONTROLLER Bilk 34 TIME 1000
TYPE CONTROLLER TACA
TYPE MISSION DAS

TOT DESCRIPTION COORDINATES PROVINCE
1003-16 Susp. ENEMY Pas ~~90422064~~ IRVN
EC 90422064

R/C

TGT TERRAIN MTNS TGT WX 6.0 VISIBILITY 7+
REL ANGLE 20 PASSES 6 INTERVAL 30 MIN ALT 600
REL ALT 1300'
ENROUTE ALT 16.5 RETURN ALT 17.5 TARGET AIRSPEED 450
ORDNANCE 1601A/409 EXPENDED All JETTISONED —
ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
UNIT SUPPORTED 101st AB OPERATION Kentucky Jump
(LEAVE BLANK)

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS: S+N not needed
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Fair TIME 0930 DATE
SQUADRON 223 CALL SIGN HB 554 MSN # 6554 FLT CODE 152
T/O 0845 LAND 1030 TOTAL TIME 1.5

PILOTS A/C
Burnes GP 07 DASC Helix Cont. TIME 0850
KIRBY GP 22 CONTROLLER Helix 25 TIME 0852
TYPE CONTROLLER TACA
TYPE MISSION CALL

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0857-0906</u>	<u>Ville (ENR 19)</u>	<u>BT 65600C</u>	

TGT TERRAIN FLAT TGT WX 0 VISIBILITY 107
REL ANGLE 30° PASSES 14 INTERVAL 45 MIN ALT 1500
REL ALT 3000

ENROUTE ALT 8.5 RETURN ALT 3.5 TARGET AIRSPEED 450

ORDNANCE 20 D1 EXPENDED all JETTISONED 0

ORDNANCE/RTB 0 DUDS (SEE NOTE # 1)

BDA 100 % 70 % ADDITIONAL 7 STRUCTURES DESTROYED
2 DAMAGED

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED America OPERATION
(LEAVE BLANK)

ENROUTE WX

- | | | | |
|--------------------------|---|-----------------------------|-------------------------------|
| (A) HOSTILE FIRE | YES <input type="checkbox"/> | NO <input type="checkbox"/> | FILE FORM WITH BARREL |
| (B) AIRBURST | YES <input type="checkbox"/> | NO <input type="checkbox"/> | FILE FORM WITH BARREL |
| (C) A/C HIT | YES <input type="checkbox"/> | NO <input type="checkbox"/> | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES <input type="checkbox"/> | NO <input type="checkbox"/> | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES <input checked="" type="checkbox"/> | NO <input type="checkbox"/> | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES <input type="checkbox"/> | NO <input type="checkbox"/> | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES <input type="checkbox"/> | NO <input type="checkbox"/> | GIVE REASON BELOW |

REMARKS:
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER German TIME 1145 DATE 3 June
SQUADRON 223 CALL SIGN HBO16 MSN # 6016 FLT CODE 152/1
T/O 1055 LAND 1130 TOTAL TIME 1.2

RML

PILOTS A/C
German WP 15 DASC Helix TIME 1100
Fogerty WP 20 CONTROLLER Helix 16 TIME 1105
TYPE CONTROLLER TREX
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1105-1113</u>	<u>Bunkers</u> <u>BF</u>	<u>BT 153213</u>	<u>H</u>

TGT TERRAIN Hilly TGT WX C10 VISIBILITY above 100'
MIN ALT 500'
REL ANGLE 20° PASSES 8 INTERVAL 30 REL ALT 1200'
ENROUTE ALT 8.5 RETURN ALT 5.5 TARGET AIRSPEED 450
ORDNANCE 8D2A/4D9 EXPENDED All JETTISONED
ORDNANCE/RTB DUDS (SEE NOTE # 1)
BDA 95 % 90 % ADDITIONAL 1 Bunker destroyed

SECONDARY EXPLOSIONS NUMBER SIZE
UNIT SUPPORTED Americal OPERATION
(LEAVE BLANK)
ENROUTE WX 0

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER BURNS TIME 2030 DATE 3 JUNE 69
SQUADRON 223 CALL SIGN 522 MSN # 6522 FLT CODE 152
T/O 1919 LAND 2010 TOTAL TIME 19

PILOTS BURNS A/C 22
DASC CHU HA TIME 1925
CONTROLLER 37 TIME 1925
TYPE CONTROLLER ASKT
TYPE MISSION TRQ

RK

TOT 1940-50 DESCRIPTION Susp Rkt Posit COORDINATES B5503997 PROVINCE RUN/H
BL

TGT TERRAIN R TGT WX 0 VISIBILITY 10
MIN ALT 14.5
REL ANGLE --- PASSES X INTERVAL --- REL ALT 14.5

ENROUTE ALT 14.5 RETURN ALT 14.5 TARGET AIRSPEED 290

ORDNANCE 602w/y EXPENDED ALL JETTISONED ---

ORDNANCE/RTB --- DUDS (SEE NOTE # 1) ---

BDA 4rb % --- ADDITIONAL ---

SECONDARY EXPLOSIONS --- NUMBER --- SIZE ---

UNIT SUPPORTED AMERICAN OPERATION Geneva Park
(LEAVE BLANK)

ENROUTE WX ---

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION --- REASON ---
RECOVERABLE --- FUZE (DELAY/ARM DELAY) ---

NOTE #2: ECM ENCOUNTERED --- TIME --- HOW DIRECTED ---

NOTE #3: ORDNANCE EFFECTIVENESS ---

DEBRIEFER Schwammiger ^{NE} TIME 1900 DA 3 June 69
SQUADRON VMA-223 CALL SIGN # 042 MSN # 6042 FLT CODE 512/1
T/O 1740 LAND 1843 TOTAL TIME 22

PILOTS
Stoeking 15
Schwammiger 23

A/C
DASC Helix TIME 1820 1745
CONTROLLER H-22 TIME 1835 1750
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1800-1835</u>	<u>Enemy position</u> <u>EC</u>	<u>BS 575882</u>	<u>I Corps/ROV</u>

TGT TERRAIN Flat TGT WX 1600 VISIBILITY 10+
REL ANGLE 30° PASSES 6 INTERVAL 30 MIN ALT 1500
REL ALT 3000

ENROUTE ALT 10.5 RETURN ALT 11.5 TARGET AIRSPEED 450

ORDNANCE 10 D2W EXPENDED all JETTISONED 0

ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) 0

BDA 100% 40% ADDITIONAL 7 structures destroyed,
2 structure damaged, 2 Benbers
destroyed

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE

UNIT SUPPORTED Americaf OPERATION Genova Park
(LEAVE BLANK)

ENROUTE WX Same as 1600

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: None
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER HAMILTON TIME 1300 DATE 3 JUNE
SQUADRON 223 CALL SIGN H13458 MSN # 6458 FLT CODE 152/1
T/O 1155 LAND 1243 TOTAL TIME 1.6

PILOTS A/C

HAMILTON WP-1
PEREIRA -2

DASC _____ TIME _____
CONTROLLER TAKE 43 TIME 1200
TYPE CONTROLLER TACA
TYPE MISSION OAS

RR

TOT DESCRIPTION COORDINATES PROVINCE
1710-24 TROOPS IN OPEN BS 343524 PAK/I
TS

TGT TERRAIN Hilly TGT WX 0 VISIBILITY 7
MIN ALT 1.6
REL ANGLE 20 PASSES 10 INTERVAL 30 REL ALT 1.3

ENROUTE ALT 12.5 RETURN ALT 9.5 TARGET AIRSPEED 450

ORDNANCE 16 DIA/409 EXPENDED 10 DIA/409 JETTISONED _____

ORDNANCE/RTB 6 DIA DUDS (SEE NOTE # 1) 5 DIA/209

BDA 100 % 10 % ADDITIONAL 1 STRUC DEST 1 ROAD CUT

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED AMER OPERATION GENEVA PARK
(LEAVE BLANK)

ENROUTE WX 9.0

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD _____
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE _____
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP _____
- (G) DIVERT YES NO GIVE REASON BELOW _____

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION BS 343524 REASON UNK
RECOVERABLE YES FUZE (DELAY/ARM DELAY) 904/8

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ~~ORDNANCE EFFECTIVENESS _____~~

DEBRIEFER BAKER TIME 0935 DATE 3 JUNE 65
SQUADRON 223 CALL SIGN HB MSN # 6450 FLT CODE 152
T/O 0928 LAND 0923 TOTAL TIME 3.6

PILOTS A/C
STANTON WP 11 DASC DONG HA TIME 0859
BAKER 24 CONTROLLER S.W. 922 TIME 0845
TYPE CONTROLLER TACK
TYPE MISSION CAS

RHK

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>045-50</u>	<u>INFILTRATION ROUTE</u> <u>R.O</u>	<u>YD103257</u>	<u>1</u>

TGT TERRAIN FLAT TGT WX 0 VISIBILITY 20+
REL ANGLE 30 PASSES 5 INTERVAL 30 MIN ALT 600
REL ALT 300ft
ENROUTE ALT 18.5 RETURN ALT 19.5 TARGET AIRSPEED 450
ORDNANCE 16 DIA 429 EXPENDED ALL JETTISONED —
ORDNANCE/RTB DUDS (SEE NOTE # 1)
BDA 100% 100% ADDITIONAL 2 BUNKERS DEST

SECONDARY EXPLOSIONS NUMBER SIZE
UNIT SUPPORTED 3RD MAR DIV OPERATION Virginia Ridge
(LEAVE BLANK)

- | | | |
|--------------------------|---|-------------------------------|
| (A) HOSTILE FIRE | YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> | FILE FORM WITH BARREL |
| (B) AIRBURST | YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> | FILE FORM WITH BARREL |
| (C) A/C HIT | YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> | GIVE REASON BELOW |

REMARKS:
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS HARD ORD WOULD HAVE BEEN MORE APPROPRIATE

DEBRIEFER PEREIRA TIME 0710 DATE 3 JUN 69
SQUADRON 223 CALL SIGN H13 MSN # 6200 FLT CODE 352/1
T/O 0513 LAND 0647 TOTAL TIME 3.0

PKK

PILOTS A/C
Preston WP 03 DASC DONG HA TIME 0625
Pereira 00 CONTROLLER SLW 98-22 TIME 0530
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
0540 VC MONITOR POSIT EV 40047626 REUN 1/1
0600 IN THE TREES

TGT TERRAIN Hilly TGT WX 0 VISIBILITY 09+
MIN ALT 2000
REL ANGLE 30° PASSES 6 INTERVAL 30sec REL ALT 3000
ENROUTE ALT 18.5 RETURN ALT 21.5 TARGET AIRSPEED 400KTS
ORDNANCE 40-7 40-24 EXPENDED 10-7 20-24 FETTERED 30-7
ORDNANCE/RTB DUDS (SEE NOTE # 1)
BDA 100% 100% ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
UNIT SUPPORTED 3rd MAR DIV OPERATION Ungava Ridge
(LEAVE BLANK)

ENROUTE WX 0
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER Blackman TIME 0715 DATE 3 JUNE 1969
SQUADRON 223 CALL SIGN HB 202 MSN # 6202 FLT CODE 352
T/O 0525 LAND 0700 TOTAL TIME 3.2

PILOTS A/C
Heise WP-1 DASC Dong-Ha TIME 0540
Blackman 21 CONTROLLER SW9822 TIME 0530
TYPE CONTROLLER TACA
TYPE MISSION CAS

RW

TOT DESCRIPTION COORDINATES PROVINCE
0616-25 Kw. Enemy Pos YD 047626 I R / IV
EC

TGT TERRAIN Hilly TGT WX 0 VISIBILITY 7
REL ANGLE 20 PASSES 6 INTERVAL 30 MIN ALT 600
REL ALT 1200
ENROUTE ALT 20.5 RETURN ALT 19.5 TARGET AIRSPEED 450
ORDNANCE 809 EXPENDED A409 JETTISONED 409
ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) —
BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
UNIT SUPPORTED 3rd MARINES OPERATION LINE VIRGINIA RIDGE
(LEAVE BLANK)

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—
—

DEBRIEFER _____ TIME _____ DATE 3 JUNE
SQUADRON 223 CALL SIGN HBN MSN # 6020 FLT CODE 132/1
T/O 1517 LAND 1630 TOTAL TIME 2.4

PILOTS _____ A/C _____

CARTER WP 20 DASC CANDY TIME 1530
BURNS CI CONTROLLER SW 98-11 TIME 1530
TYPE CONTROLLER TAC(A)
TYPE MISSION CAS

RH

TGT	DESCRIPTION	COORDINATES	PROVINCE
<u>1600-10</u>	<u>TROOPS IN CONTACT</u> <u>TS</u>	<u>YD 050619</u>	<u>RUN I/I</u>

TGT TERRAIN HILLY TGT WX 0 VISIBILITY 10+
MIN ALT 200
REL ANGLE 10° PASSES 6 INTERVAL 30 REL ALT 500'

ENROUTE ALT 12.5 RETURN ALT 16.5 TARGET AIRSPEED 450

ORDNANCE 8D2A/4D9/D20 EXPENDED ALL JETTISONED -

ORDNANCE/RTB - DUDS (SEE NOTE # 1) -

BDA 100% 100% ADDITIONAL 2 KBA (c)

3 BUNKERS DEST, 2 BUNKERS DAM, 1 SEC FIRE

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 3RD MAR DIV OPERATION Virginia Ridge
(LEAVE BLANK)

ENROUTE WX _____

- | | | | |
|--------------------------|--------------------------------------|-------------------------------------|-------------------------------|
| (A) HOSTILE FIRE | YES | <input checked="" type="radio"/> NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | <input checked="" type="radio"/> NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | <input checked="" type="radio"/> NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | <input checked="" type="radio"/> NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | <input checked="" type="radio"/> YES | <input checked="" type="radio"/> NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | <input checked="" type="radio"/> YES | <input checked="" type="radio"/> NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | <input checked="" type="radio"/> NO | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER STOCKING TIME 2130 DATE 3 June 69
 SQUADRON 223 CALL SIGN HB 582 MSN # 658 6582 FLT CODE 352
 T/O 1945 LAND 2115/2121 TOTAL TIME 3.3

PILOTS A/C
WARFIELD WPOZ DASC _____ TIME _____
STOCKING 20 CONTROLLER AN NO1 ASPT TIME 2040
 TYPE CONTROLLER ASPT
 TYPE MISSION TPQ

.TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2052/88</u>	<u>ENEMY</u> <u>TS</u>	<u>8706165495</u>	<u>RVN 3</u>

RK

TGT TERRAIN R TGT WX 02 VISIBILITY 7
 MIN ALT 14000
 REL ANGLE 60 PASSES 2 INTERVAL 1000 REL ALT 14000
 ENROUTE ALT 19.5 RETURN ALT 13.5 TARGET AIRSPEED 290
 ORDNANCE 10014 EXPENDED All JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
 BDA 20% % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 1st M.O. OPERATION Popestone Canyon
 ENROUTE WX 07 (LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: Guards did not have their split together. at 2035 they
 (REFERENCE NOTE #3)
decided they didn't want air. Hostage Oscar was 20 minutes late getting
on station. ASPT finally said our mission number was 6582

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER German TIME 0850 DATE 3 June
SQUADRON 223 CALL SIGN HB152 MSN # 6152 FLT CODE 152/1
T/O 0740 LAND 0840 TOTAL TIME 2.0

R/K

PILOTS A/C
German WP 15 DASC Danang TIME 0450
Ogg WP 20 CONTROLLER Hostile Indo TIME 0755
TYPE CONTROLLER TACA
TYPE MISSION PAS

TOT DESCRIPTION COORDINATES PROVINCE
0820-0824 Bunkers 137033534 TD

TGT TERRAIN Flat TGT WX clear VISIBILITY clear 9+
MIN ALT 2000
REL ANGLE 30 PASSES 2 INTERVAL 3000 REL ALT 3000

ENROUTE ALT 16.5 RETURN ALT 4.5 TARGET AIRSPEED 450

ORDNANCE 4 D3X EXPENDED 4 D3X ATTENTIONED -

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA 90 % 90 % ADDITIONAL 50 meters trench,

1 bunker damaged.

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 1st Mar Div OPERATION Pipestone Chignon
(LEAVE BLANK)

ENROUTE WX clear

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER _____ TIME _____ DATE 3 JUNE
SQUADRON 223 CALL SIGN MAN/24 MSN # 0952 FLT CODE 152/3
T/O 1447 LAND 1525 TOTAL TIME 1.2

THK

PILOTS _____ A/C _____
GNAZZO WP 23 DASC AN HORASRT TIME 1495
SCHWANINGER 15 CONTROLLER # 70 TIME 1500
TYPE CONTROLLER TRIP ASIST
TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1506</u>	<u>ENEMY LOCATION</u> <u>EC</u>	<u>AT 973423</u>	<u>RUN/2/3</u>

TGT TERRAIN R TGT WX 0 VISIBILITY 7
REL ANGLE 00 PASSES 1 INTERVAL - MIN ALT 14500 14.5
REL ALT 14500 14.5

ENROUTE ALT 145 RETURN ALT 145 TARGET AIRSPEED 290

ORDNANCE 10DLW/4 EXPENDED ALL JETTISONED -

ORDNANCE/RTB - DUDS (SEE NOTE # 1) _____

BDA 4% % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 5 MAR 1st M. O OPERATION _____
(LEAVE BLANK)

ENROUTE WX _____

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD _____
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE _____
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP _____
- (G) DIVERT YES NO GIVE REASON BELOW _____

REMARKS: WINGMAN LOST RADIO AFTER T/O DIVERTED TO TPQ
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Oppenhuizen TIME 1530 DATE 3 June 69
SQUADRON 223 CALL SIGN AB462 MSN # 6462 FLT CODE 152
T/O 1338 LAND 1508 TOTAL TIME 3.0

RMR

PILOTS A/C
Warfield WP10 DASC Daranga TIME 1425
Oppenhuizen WP 08 CONTROLLER Trail Port TIME 1430
TYPE CONTROLLER FAC
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1440-50</u>	<u>Enemy Bunkers</u> <u>BF</u>	<u>AT 956523</u>	<u>RVN/T 3</u>

TGT TERRAIN Flat TGT WX 0 VISIBILITY 7
MIN ALT 600
REL ANGLE 20° PASSES 10 INTERVAL 30 REL ALT 1200

ENROUTE ALT 20.5 RETURN ALT 13.5 TARGET AIRSPEED 450

ORDNANCE 16 DIA 409 EXPENDED all JETTISONED

ORDNANCE/RTB DUDS (SEE NOTE # 1)

BDA 100 % 100 % ADDITIONAL 3 Bunkers Dest. 3 structures
Destroyed

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED 2/5 1st Marine Div M.D. OPERATION
(LEAVE BLANK)

ENROUTE WX

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS:
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON

RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER _____ TIME _____ DATE _____
SQUADRON 223 CALL SIGN 264 MSN # 6264 FLT CODE 122
T/O 1210 LAND 1257 TOTAL TIME 0.8

PILOTS _____ A/C _____
Them _____ WP03 _____
DASC _____ TIME _____
CONTROLLER _____ TIME _____
TYPE CONTROLLER _____
TYPE MISSION _____

TOT	DESCRIPTION	COORDINATES	PROVINCE
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
MIN ALT _____
REL ANGLE _____ PASSES _____ INTERVAL _____ REL ALT _____
ENROUTE ALT _____ RETURN ALT _____ TARGET AIRSPEED _____
ORDNANCE _____ EXPENDED _____ JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED _____ OPERATION _____
(LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER WJR TIME 1200 DATE 3 JUNE
SQUADRON 223 CALL SIGN HB236 MSN # 6236 FLT CODE 1C2
T/O 1025 LAND 1200 TOTAL TIME 1.6

PILOTS Rojers A/C 6P17
DASC _____ TIME _____
CONTROLLER _____ TIME _____
TYPE CONTROLLER _____
TYPE MISSION _____

TOT DESCRIPTION COORDINATES PROVINCE

[Large handwritten scribble across the table area]

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
ENROUTE ALT _____ RETURN ALT _____ TARGET AIRSPEED _____
ORDNANCE _____ EXPENDED _____ JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED _____ OPERATION _____
ENROUTE WX _____ (LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

COSTA TIME 1915 DA 4 June 69
N 223 CALL SIGN HB 093 MSN # 6 093 FLT CODE 152
1829 LAND 1900 TOTAL TIME 12

PILOTS A/C
STOCKING 03
COSTA 10

DASC HELIX TIME 1831
CONTROLLER HELIX-35 TIME 1835
TYPE CONTROLLER AMERICAN TECH
TYPE MISSION CAS

AK

TOT DESCRIPTION COORDINATES PROVINCE
1835/1843 KNOWN ENEMY ROCKET BS 790 268 RUN I
POSITION

TGT TERRAIN Mountains TGT WX 90 @ VISIBILITY 7
MIN ALT 2000'
REL ANGLE 30° PASSES 3 INTERVAL 30 REL ALT 3000'
ENROUTE ALT 7.5M RETURN ALT 6.5M TARGET AIRSPEED 450
ORDNANCE 12D-2W/Y EXPENDED 12D-2W/Y JETTISONED -
ORDNANCE/RTB - DUDS (SEE NOTE # 1) -
BDA 100 % 80 % ADDITIONAL -

SECONDARY EXPLOSIONS - NUMBER - SIZE -
UNIT SUPPORTED AMERICAL OPERATION from 1st
(LEAVE BLANK)
ENROUTE WX 60 @ 80 @ 90 7

- (A) HOSTILE FIRE YES NO
 - (B) AIRBURST YES NO
 - (C) A/C HIT YES NO
 - (D) RECON INSERT/EXTRACT YES NO
 - (E) BDA REPORTED YES NO
 - (F) ABORT YES NO
 - (G) DIVERT YES NO
- FILE FORM WITH BARREL
FILE FORM WITH BARREL
FILE FLASH REPORT WITH BARREL
CIRCLE ONE/COORD
IF ADDITIONAL CIRCLE
A/C MALFUNCTION/NO DROP
GIVE REASON BELOW

REMARKS : _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER SM402 TIME 1000 DATE 6/4/69
SQUADRON 223 CALL SIGN H3 223 MSN # 6223 FLT CODE 14
T/O 0902 LAND 0945 TOTAL TIME _____

PILOTS _____ A/C _____
SM402 WP 16 _____
DASC _____ TIME _____
CONTROLLER _____ TIME _____
TYPE CONTROLLER _____
TYPE MISSION _____

TOT	DESCRIPTION	COORDINATES	PROVINCE
	<u>TEST</u>		

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 ENROUTE ALT _____ RETURN ALT _____ TARGET AIRSPEED _____
 ORDNANCE _____ EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____
 ENROUTE WX _____ (LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER NORRIS TIME 1313 DATE 4 JUN
SQUADRON 223 CALL SIGN HB MSN # 6555 FLT CODE 152
T/O 1155 LAND 1256 TOTAL TIME 2.1

R/R

PILOTS A/C
Heise 23
NORRIS 24
DASC _____ TIME _____
CONTROLLER ZUL 23 TIME 1215
TYPE CONTROLLER TACA
TYPE MISSION DAS

TOT DESCRIPTION COORDINATES PROVINCE
1223-31 Enemy Pos 7 0078949 2
EC

TGT TERRAIN MTNS TGT WX 900 VISIBILITY 10+
REL ANGLE 30 PASSES 7 INTERVAL 30 MIN ALT 2000
REL ALT 3000

ENROUTE ALT 18.5 RETURN ALT 17.5 TARGET AIRSPEED 450

ORDNANCE 12 D2X EXPENDED ALL JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA 100 % 25 % ADDITIONAL 2 bombs dest
3 uncovered
10-2

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 2nd Bde 101st A/B OPERATION _____
(LEAVE BLANK) Append 8 Nov

ENROUTE WX _____

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER PEREIRA TIME 1100 DATE 4 JUNE 69
SQUADRON 223 CALL SIGN HB MSN # 6023 FLT CODE 152/1
T/O 0945 LAND 1045 TOTAL TIME 2.0

PILOTS A/C
PALMER WP 10 DASC _____ TIME _____
PEREIRA " 08 CONTROLLER BICK 33 TIME 105.5
TYPE CONTROLLER TACA
TYPE MISSION STOPS LZP

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1000</u>	<u>LZ Prop</u>	<u>4D392082</u>	<u>RUN 2</u>

TGT TERRAIN hilly TGT WX ⊕ VISIBILITY 5
REL ANGLE 30° PASSES 4 INTERVAL 90sec MIN ALT 2000 REL ALT 3000
ENROUTE ALT 14.5 RETURN ALT 13.5 TARGET AIRSPEED 450KTS
ORDNANCE 12 D-2 (D/C) EXPENDED 6 D-2 (D-C) JETTISONED (2)
ORDNANCE/RTB 4 DUDS (SEE NOTE # 1) none
BDA 100 % 20 % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 101ST HB OPERATION Roach Snow
ENROUTE WX 0 (LEAVE BLANK)

- (A) HOSTILE FIRE YES NO
 - (B) AIRBURST YES NO
 - (C) A/C HIT YES NO
 - (D) RECON INSERT/EXTRACT YES NO
 - (E) BDA REPORTED YES NO
 - (F) ABORT YES NO
 - (G) DIVERT YES NO
- FILE FORM WITH BARREL
FILE FORM WITH BARREL
FILE FLASH REPORT WITH BARREL
CIRCLE ONE/COORD
IF ADDITIONAL CIRCLE
A/C MALFUNCTION/NO DROP
GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Knight TIME 4 June 69
SQUADRON 223 CALL SIGN Man 22 MSN # 0939 FLT CODE 152/3
T/O 1142 LAND 1240 TOTAL TIME 2.0

PILOTS A/C

Snyder WP-20 DASC Hillsboro TIME 1150
Hamilton WP-22 CONTROLLER Covey 213 TIME 1152
TYPE CONTROLLER TACA
TYPE MISSION ST

RK

TOT DESCRIPTION COORDINATES PROVINCE
1205/17 STORAGE 105/55/72 G
SP TGT #61
Y0570 030
1524 10723

TGT TERRAIN R TGT WX 9000 ☉ VISIBILITY 7
REL ANGLE 45° PASSES 2 INTERVAL 30' MIN ALT 6.0
REL ALT 8.5
ENROUTE ALT 21.5 RETURN ALT 25.5 TARGET AIRSPEED 450
ORDNANCE 12024 EXPENDED ALL JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
BDA 100 % 100 % ADDITIONAL 1 sec XPL

SECONDARY EXPLOSIONS Yes NUMBER 1 SIZE UNK
UNIT SUPPORTED 7th AF OPERATION _____
(LEAVE BLANK)

ENROUTE WX _____
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER _____ TIME _____ DATE _____
SQUADRON 223 CALL SIGN Man 25 MSN # 0959 FLT CODE 132/1
T/O 1515 LAND 1615 TOTAL TIME 1.0

PILOTS _____ A/C _____
Palmer WP2
DASC Danang TIME 1525
CONTROLLER Danang TIME 1530
TYPE CONTROLLER ASRO
TYPE MISSION TPQ

RR

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1530</u>	<u>Rocket Sides</u>	<u>ZC 189458</u>	<u>I</u>
<u>35</u>	<u>bl</u>		

TGT TERRAIN R TGT WX 4.0 0 VISIBILITY 5
REL ANGLE _____ PASSES 1 INTERVAL _____ MIN ALT 14.1
ENROUTE ALT 17.3 RETURN ALT 20.5 TARGET AIRSPEED 300
ORDNANCE 1001Y EXPENDED all JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
BDA 100% % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 1st M. Co. OPERATION _____
(LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: Wingman down down down
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER COSTA TIME 1545 DATE 4 June 69
SQUADRON 223 CALL SIGN MAN 24 MSN # 0953 FLT CODE 152
T/O 1403 LAND 1423 TOTAL TIME 2.6

PILOTS A/C
FISCHER 08 DASC Da Nang TIME 1450
COSTA 10 CONTROLLER Da Nang ASSET TIME 1500
TYPE CONTROLLER TPQ ASSET
TYPE MISSION TPQ

TOT DESCRIPTION COORDINATES PROVINCE
1500/1515 KNOWN ENEMY ROCKET ZC 190476 RVN I 3
POSITION

RK

TGT TERRAIN FLAT TGT WX 80 @ 1200 VISIBILITY 7
REL ANGLE 0° PASSES 1 INTERVAL — MIN ALT 17.1
REL ALT 10500' 17.1

ENROUTE ALT 18.5M RETURN ALT 17.5M TARGET AIRSPEED 400kts

ORDNANCE 12 D-2W/4 EXPENDED 12 D-2W/4 JETTISONED —

ORDNANCE/RTB — DUDS (SEE NOTE # 1) —

BDA 100% % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 5th MARINES 1st Bn OPERATION —
(LEAVE BLANK)

ENROUTE WX 50 @ 1200 7

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: WX IN LAOS BELOW WORKING MINS
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—
—

DEBRIEFER Oppenhuizen TIME 1200 DATE 4 June 69
SQUADRON 223 CALL SIGN HB 017 MSN # 6017 FLT CODE 152/1
T/O 1103 LAND 1248 TOTAL TIME 1.5

RK

PILOTS A/G
STANTON WP 17 DASC HELIX TIME 1045
Oppenhuizen 07 CONTROLLER Helix 27 TIME 1105
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1105-20</u>	<u>Susp. En. Loc</u> <u>EC</u>	<u>135474778</u>	<u>RVN/II</u>

TGT TERRAIN flat TGT WX 0 VISIBILITY 7
MIN ALT 1500
REL ANGLE 30 PASSES 10 INTERVAL 30 REL ALT 3000

ENROUTE ALT 10.5 RETURN ALT 8.5 TARGET AIRSPEED 450

ORDNANCE 1202 Y/W EXPENDED all JETTISONED

ORDNANCE/RTB DUDS (SEE NOTE # 1)

BDA 95 % 100 % ADDITIONAL 5 struct. Destroyed
2 Dam.

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED Americal OPERATION Geneva Pack
(LEAVE BLANK)

ENROUTE WX

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER German TIME 2150 DATE 4 June 67
SQUADRON 223 CALL SIGN H B 517 MSN # 6517 FLT CODE 852
T/O 1955 LAND 2135 TOTAL TIME 1.7

PILOTS A/C
German WP24 BASE Chula TIME
CONTROLLER Chula ASRT TIME 2125
TYPE CONTROLLER ASRT
TYPE MISSION TPQ

RR

TOT DESCRIPTION COORDINATES PROVINCE
2125 Reetot Post B5430953 IVH
EL

TGT TERRAIN R TGT WX 1500 VISIBILITY 7
REL ANGLE 0° PASSES 2 INTERVAL - MIN ALT 14500
REL ALT 14500

ENROUTE ALT 21.5 RETURN ALT 21.5 TARGET AIRSPEED 290

ORDNANCE 6 D2 EXPENDED 6 D2 JETTISONED -

ORDNANCE/RTB - DUDS (SEE NOTE # 1) -

BDA Hub % 3 ADDITIONAL -

SECONDARY EXPLOSIONS n NUMBER - SIZE -

UNIT SUPPORTED Americal OPERATION GENEVA PARK
(LEAVE BLANK)

ENROUTE WX 1500 2000

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Could not ctc Milky; Vandy ASRT 2 runs
no drop; Chula no drop 1st pass, dropped
2nd pass.

NOTE #1: DUD REPORT LOCATION - REASON -
RECOVERABLE - FUZE (DELAY/ARM DELAY) -

NOTE #2: ECM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -
-
-

DEBRIEFER Blackman TIME 2045 DATE 4 JUNE
SQUADRON 223 CALL SIGN HB521 MSN # 6521 FLT CODE 452
T/O 2050 LAND 2130 TOTAL TIME 07

PILOTS A/C
Blackman WP-17
DASC _____ TIME _____
CONTROLLER CHULAI TIME 0100
TYPE CONTROLLER ASAT
TYPE MISSION TPA

TOT DESCRIPTION COORDINATES PROVINCE
2110 Supp. Enemy Pos 135598822 24VN
EC

PK

TGT TERRAIN R TGT WX 0 VISIBILITY 7
MIN ALT 14.0
REL ANGLE _____ PASSES 1 INTERVAL _____ REL ALT 14.0
ENROUTE ALT 15.5 RETURN ALT 10.5 TARGET AIRSPEED 290
ORDNANCE 602Y EXPENDED 111 JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
BDA 40% % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED America OPERATION General Park
(LEAVE BLANK)

- ENROUTE WX _____
- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS : _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER HAMILTON TIME 0915 DATE 4 JUNE
SQUADRON 223 CALL SIGN HB 013 MSN # 6013 FLT CODE 1521
T/O 0821 LAND 0903 TOTAL TIME 1.4

PILOTS A/C
HAMILTON WP-24 DASC Helix Cont TIME 0825
OPPENHAUSER 23 CONTROLLER HELIX 32 TIME 0826
TYPE CONTROLLER TACA
TYPE MISSION 0830-24 CAS

R/C

TOT DESCRIPTION COORDINATES PROVINCE
0830-45 1KW ENEMY loc BS734412 RUP/I

TGT TERRAIN FLAT TGT WX 0 VISIBILITY 7
REL ANGLE 20 PASSES 6 INTERVAL 30 MIN ALT 7.6
ENROUTE ALT 13.5 RETURN ALT 8.5 TARGET AIRSPEED 450
ORDNANCE 802A/409 EXPENDED All JETTISONED —
ORDNANCE/RTB — DUDS (SEE NOTE # 1) 2 02A
BDA 100 % 30 % ADDITIONAL 2 BUNKERS 1 SEC EXP

SECONDARY EXPLOSIONS 1 NUMBER 1 SIZE SM
UNIT SUPPORTED AMER OPERATION IRON MT
(LEAVE BLANK)
ENROUTE WX —

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION BS 734412 REASON UKN
RECOVERABLE yes FUZE (DELAY/ARM DELAY) 9044 2 SEC 1264

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Schwaninger TIME 1615 DATE 4 June 69
SQUADRON VOA-223 CALL SIGN HB 243 MSN # 6243 FLT CODE 1521
T/O 1500 LAND 1600 TOTAL TIME 2.0

PILOTS A/C
Maj Snyder 20
Maj Schwinger 22
DASC NONE TIME _____
CONTROLLER 319-17 TIME 1530
TYPE CONTROLLER FACA
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1535-1540</u>	<u>Enemy Structure</u>	<u>AT 783315</u>	<u>I Corps RVN</u>

RA

TGT TERRAIN Mtns TGT WX 4000' (A) VISIBILITY 6
REL ANGLE 30° PASSES 17 INTERVAL 45sec MIN ALT 2000' REL ALT 3000'
ENROUTE ALT 18.5m RETURN ALT 11.5m TARGET AIRSPEED 450kts
ORDNANCE 4 D2Y 403Y EXPENDED all JETTISONED 0
ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) 2
BDA 100% / 100% ADDITIONAL 3 Bombers Destroyed, 2 Structures damaged

SECONDARY EXPLOSIONS 0 NUMBER _____ SIZE _____
UNIT SUPPORTED 5th Special Forces OPERATION _____
ENROUTE WX Towering on all Quads, Regged ceilings (LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: PRE STRIKE BRIEFING OFFICER briefed RDZ AS 205°/25 - CH 50 when in FACT CORRECT RDZ was 205°/25 - CH 77

NOTE #1: DUD REPORT LOCATION AT 783315 REASON UNK
All switches properly set at release.
RECOVERABLE no FUZE (DELAY/ARM DELAY) .025

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Lawseth TIME 1545 DA 4 June 68
SQUADRON 223 CALL SIGN HB 559 MSN # 6559 FLT CODE 1521
T/O 1450 LAND 1530 TOTAL TIME 1.4

MC

PILOTS A/C
Newbill 3
Lawseth 7
DASC Helix TIME 1445
CONTROLLER Helix 21 TIME 1455
TYPE CONTROLLER TACA
TYPE MISSION CHS

TOT DESCRIPTION COORDINATES PROVINCE
1455-1505 Bunker BT 661 014 AF
BF

TGT TERRAIN Flat TGT WX 0 VISIBILITY 9+
REL ANGLE 20° PASSES 6 INTERVAL 30 Sec MIN ALT 600'
REL ALT 1300'

ENROUTE ALT 7.5 RETURN ALT 6.5 TARGET AIRSPEED 450

ORDNANCE 8 D2A/4D9 EXPENDED 8 D2A/4D9 JETTISONED -

ORDNANCE/RTB - DUDS (SEE NOTE # 1) 1

BDA 100% 100% ADDITIONAL 1 Bunker Dest, 1 cam in
1 Secondary FIRE

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED America OPERATION _____
(LEAVE BLANK)

ENROUTE WX 0

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION BT 661 014 REASON FINS NO OPEN
Bomb tumbled when
released
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) 2 Sec

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Laws-eth TIME 1.2 DATE 4 June
SQUADRON 223 CALL SIGN HB 5-11 MSN # 6511 FLT CODE 45211
T/O 1924 LAND 2036 TOTAL TIME 1.2

PILOTS Laws-eth A/C WP-2
DASC Vandy ASAT TIME 1950
CONTROLLER # 20 TIME 1955
TYPE CONTROLLER TASAT
TYPE MISSION TRQ

Ric

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1955</u>	<u>Infiltration Rt.</u> <u>RD</u>	<u>YD 036652</u>	<u>I 1</u>

TGT TERRAIN -R TGT WX 4.00 VISIBILITY None 7
REL ANGLE 0° PASSES 1 INTERVAL - MIN ALT 14.5
REL ALT 14.5

ENROUTE ALT 22.5 RETURN ALT 25.5 TARGET AIRSPEED 290

ORDNANCE 6 D2 EXPENDED 6 D2 JETTISONED -

ORDNANCE/RTB - DUDS (SEE NOTE # 1) -

BDA - % - ADDITIONAL -

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 3rd M.D. OPERATION Virginia Ridge
(LEAVE BLANK)

ENROUTE WX _____

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS : _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER BURNS TIME 1115 DATE 7 June 69
SQUADRON 223 CALL SIGN 455 MSN # 6455 FLT CODE 152
T/O 0930 LAND 1100 TOTAL TIME 3.0

PILOTS A/C
BARNES 3 DASC JANDY TIME 0955
BURNS 21 CONTROLLER SW 98-4 TIME 1000
TYPE CONTROLLER TACA
TYPE MISSION ~~DA-5~~ DA-5

TOT DESCRIPTION COORDINATES PROVINCE
1015-25 ENEMY POSIT X096330S RVN/I
EC

TGT TERRAIN HILLY TGT WX 40 01 VISIBILITY 5
REL ANGLE 20 PASSES 5 INTERVAL 30 sec MIN ALT ~~2300~~
ENROUTE ALT 21.5 RETURN ALT 20.5 TARGET AIRSPEED 450
ORDNANCE 1601/409 EXPENDED 801/104 JETTISONED _____
ORDNANCE/RTB 801/304 DUDS (SEE NOTE # 1) _____
BDA 100 % 400 % ADDITIONAL NEUTRALIZED FIRE

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 3rd MAC DIV OPERATION RAMBOW FALLS
(LEAVE BLANK)

- (A) HOSTILE FIRE YES NO
 - (B) AIRBURST YES NO
 - (C) A/C HIT YES NO
 - (D) RECON INSERT/EXTRACT YES NO
 - (E) BDA REPORTED YES NO
 - (F) ABORT YES NO
 - (G) DIVERT YES NO
- FILE FORM WITH BARREL
FILE FORM WITH BARREL
FILE FLASH REPORT WITH BARREL
CIRCLE ONE/COORD
IF ADDITIONAL CIRCLE
A/C MALFUNCTION/NO DROP
GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Carter TIME 0950 DATE 4 June
SQUADRON 223 CALL SIGN HB 153 MSN # 6153 FLT CODE 152
T/O 0851 LAND 0936 TOTAL TIME 1.6

PILOTS A/C
Carter WP 15 DASC Panang TIME 0855
Schunaberger 22 CONTROLLER Holtge Juhl TIME 0901
TYPE CONTROLLER TACA
TYPE MISSION CHS

TOT DESCRIPTION COORDINATES PROVINCE
0900-20 Bunkers + tree line AT 982558 RUN/E/3

RP

TGT TERRAIN Flat TGT WX 0 10 VISIBILITY 10 +
REL ANGLE 30' PASSES 6 INTERVAL 30 MIN ALT 1500'
REL ALT 3000'
ENROUTE ALT 12.5 RETURN ALT 11.5 TARGET AIRSPEED 450
ORDNANCE 10 021 EXPENDED All JETTISONED none
ORDNANCE/RTE none DUDS (SEE NOTE # 1) none
BDA 90 % 90 % ADDITIONAL none

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 3/5 Marines 15m.0. OPERATION _____
ENROUTE WX 0 10+ (LEAVE BLANK)

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: Proper ordnance - not much of a target!
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER D TIME 2400 DATE 7 June
SQUADRON 223 CALL SIGN HB 573 MSN # 6573 FLT CODE 352
T/O 2242 LAND 2342 TOTAL TIME 2.0

PILOTS Newbill A/C WP15 DASC _____ TIME _____
Barnes 07 CONTROLLER Hosmer I TIME 2248
TYPE CONTROLLER TACA
TYPE MISSION CAS

RC TOT 2254/312 DESCRIPTION Enemy Position/Local site COORDINATES AT 865560 PROVINCE 3
FAA

TGT TERRAIN FLT TGT WX 1200 VISIBILITY 7+
REL ANGLE 30° PASSES 9 INTERVAL 45 MIN ALT 1500
REL ALT 3000
ENROUTE ALT 125 RETURN ALT 11.5 TARGET AIRSPEED 450
ORDNANCE 8D2 8D22A EXPENDED 7D2 JETTISONED _____
ORDNANCE/RTB 8D22A 102 DUDS (SEE NOTE # 1) 0
BDA 90 % 90 % ADDITIONAL silenced local site

SECONDARY EXPLOSIONS 0 NUMBER _____ SIZE _____
UNIT SUPPORTED 1st MAE DIV OPERATION _____
(LEAVE BLANK)

ENROUTE WX _____
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL 30(I)
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER BURNS TIME 1520 DATE 4 June 69
SQUADRON 223 CALL SIGN 463 MSN # 6463 FLT CODE 152
T/O 1340 LAND 1500 TOTAL TIME 2.6

PILOTS A/C
FREEMAN 15 DASC DANANG TIME 1429
BURNS 21 CONTROLLER HOSTAGE B TIME 1431
TYPE CONTROLLER TACA
TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1439-45</u>	<u>ENEMY POSIT</u> <u>SC</u>	<u>BT 043547</u>	<u>RVN</u>

TGT TERRAIN FLAT TGT WX 5.00 VISIBILITY 10
REL ANGLE 20 PASSES 7 INTERVAL 30 sec MIN ALT 600
REL ALT 1200

ENROUTE ALT 18.5 RETURN ALT 7.5 TARGET AIRSPEED 450

ORDNANCE 1201A / 409 EXPENDED ALL JETTISONED

ORDNANCE/RTB DUDS (SEE NOTE # 1)

BDA 100 % 100 % ADDITIONAL 100 meters Tee Line Dist

1 KBA 2 bunkers Destroyed

SECONDARY EXPLOSIONS 1 NUMBER 1 SIZE 50 ft

UNIT SUPPORTED 1st MAR Div OPERATION Pipes and Ordnance
(LEAVE BLANK)

ENROUTE WX

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER SJT TIME 0900 DATE 4 JUNE 69
SQUADRON VMA23 CALL SIGN HB151 MSN # 6151 FLT CODE 15211
T/O 0750 LAND 0846 TOTAL TIME 1.8

PILOTS A/C
HEISE WP1
FOGERTY WP20
DASC DA NANG TIME 0800
CONTROLLER (Posi. York) TIME 0810
TYPE CONTROLLER TACCA
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
0810-25 BUNKERS + TRENCH LINE BT035542 RVN/I/3
OF

PK

TGT TERRAIN FLAT TGT WX 1500 VISIBILITY 20+
REL ANGLE 30° PASSES 3 INTERVAL 30' MIN ALT 1500
REL ALT 3500
ENROUTE ALT 14.5 RETURN ALT 13.5 TARGET AIRSPEED 450+
ORDNANCE 402X+403X EXPENDED All JETTISONED ~~402X+403X~~
ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) NONE
BDA 95% 95% ADDITIONAL 2 BUNKERS 20 MTRS TRENCH LINE

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0
UNIT SUPPORTED 157th A. OPERATION Pipe Stone Cañon
ENROUTE WX 030 CAVV (LEAVE BLANK)

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: NONE
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Keight TIME _____ DATE 5 June 69
SQUADRON 223 CALL SIGN MAN 24 MSN # 0952 FLT CODE 132
T/O 1430 LAND 1605 TOTAL TIME 3.2

PILOTS A/C
LTCOL NEW 7 DASC H. H. Stone TIME 1400
Burns 24 CONTROLLER Misty 14 TIME 1405
TYPE CONTROLLER TACA
TYPE MISSION ST

TOT DESCRIPTION COORDINATES PROVINCE
1500/10 SP STURNAC YC 065100 Laos (G)
1528 10645

TGT TERRAIN R TGT WX 17.0 VISIBILITY 10+
REL ANGLE 45° PASSES 3 INTERVAL 30 MIN ALT 3000
REL ALT 5200

ENROUTE ALT 22.5 RETURN ALT 17.5 TARGET AIRSPEED 450

ORDNANCE 1202K EXPENDED 024 JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA 100 % 100 % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 2th AF OPERATION _____ (LEAVE BLANK)

ENROUTE WX _____

- (A) HOSTILE FIRE called YES NO FILE FORM WITH BARREL
- (B) AIRBURST Howler YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD _____
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE _____
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP _____
- (G) DIVERT YES NO GIVE REASON BELOW _____

REMARKS: _____ (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Walt TIME _____ DATE 5 June 69

SQUADRON 223 CALL SIGN MAN 25 MSN # 0958 FLT CODE 150

T/O 1500 LAND 1612 TOTAL TIME 2.9

PILOTS 1500 A/C _____

STOCKING WP 10 DASC Hillsboro TIME 1515
Blackman WP 1 CONTROLLER Stormy 03 TIME 1525
TYPE CONTROLLER TACA
TYPE MISSION ST/DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1535</u>	<u>Storage Area</u> <u>(SP)</u>	<u>XD 172524</u>	<u>LAOS</u> <u>1647/0606</u>

TGT TERRAIN m TGT WX 500 VISIBILITY 7
 REL ANGLE 45 PASSES 2 INTERVAL 30 MIN ALT 8000
 ENROUTE ALT 20.5 RETURN ALT 25.5 TARGET AIRSPEED 450
 ORDNANCE 12024 EXPENDED ALL JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
 BDA 100 % _____ % ADDITIONAL _____
100 within 50 metres 1 Peak Sec Fire

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 7th AF OPERATION _____
 (LEAVE BLANK)
 ENROUTE WX _____

- | | | | |
|--------------------------|-----|--|-------------------------------|
| (A) HOSTILE FIRE | YES | <input checked="" type="checkbox"/> NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | <input checked="" type="checkbox"/> NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | <input checked="" type="checkbox"/> NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | <input checked="" type="checkbox"/> NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | <input checked="" type="checkbox"/> NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | <input checked="" type="checkbox"/> NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | <input checked="" type="checkbox"/> NO | GIVE REASON BELOW |

REMARKS: WX divert By Hillsboro
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER STA TIME 1334 DATE 5 June 69
SQUADRON 223 CALL SIGN MAN 22 MSN # 0938 FLT CODE 152
T/O 1143 LAND 1315 TOTAL TIME 3.0

PILOTS A/C
SNYDER 15
COSTA 10
DASC DaNang TIME 1250
CONTROLLER ASRT TIME 1255
TYPE CONTROLLER ASRT
TYPE MISSION TPQ

TOT DESCRIPTION COORDINATES PROVINCE
1256/1328 Enemy Bunkers BT023,5594 RVN I
BF

TGT TERRAIN FLAT TGT WX 1800 VISIBILITY 7
REL ANGLE 0 PASSES 1 INTERVAL - MIN ALT 15.2
REL ALT 15.2

ENROUTE ALT 29.5m RETURN ALT 23.5m TARGET AIRSPEED 400 kts

ORDNANCE 10 D-24 EXPENDED 10 D-24 JETTISONED -

ORDNANCE/RTB 10 DUDS (SEE NOTE # 1) 10

BDA 100% 100% ADDITIONAL 6 known KBA

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED ROK Marines OPERATION Victory Dragon
(LEAVE BLANK)

ENROUTE WX 1200 1800 7+

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: Divert by Hillsboro to Milky further
divert to DaNang ASRT (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER PEREIRA TIME 2152 D 5 JUNE 69
SQUADRON 223 CALL SIGN HB MSN # 6507 FLT CODE 45211
T/O 1912 LAND 2032 TOTAL TIME 1.4

PILOTS A/C
PEREIRA WP22 DASC MILKY TIME
CONTROLLER MILKY TIME 1945
TYPE CONTROLLER MSO
TYPE MISSION TOP

TGT DESCRIPTION COORDINATES PROVINCE
1952 Known Enemy Loc 4D 204 0011 RON 2
EC

TGT TERRAIN R TGT WX 4.00 VISIBILITY 7
MIN ALT 14.5
REL ANGLE 6000 PASSES 1 INTERVAL — REL ALT 14.5
ENROUTE ALT 22.5 RETURN ALT 25.5 TARGET AIRSPEED 305KTS
ORDNANCE 6 D-24 EXPENDED ALL JETTISONED —
ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
BDA Blk % — ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
UNIT SUPPORTED 101st A.B. OPERATION 1-Phase Snow
(LEAVE BLANK)

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—

DEBRIEFER John TIME 1815 DATE 6-5-69
SQUADRON 223 CALL SIGN HB 466 MSN # 6466 FLT CODE 152
T/O 1720 LAND ¹³⁰⁵ 1805 TOTAL TIME 1.6

PILOTS A/C
BARNES WP 02
PEREIRA WP 03
LOPEZ Control
DAS TIME 1725
CONTROLLER LOPEZ G1 TIME 1730
TYPE CONTROLLER TACA
TYPE MISSION DAS

RK

TOT DESCRIPTION COORDINATES PROVINCE
1935-50 TROOPS BT 20 498 4
TS

TGT TERRAIN FLAT TGT WX 0 VISIBILITY 10+
REL ANGLE 20° PASSES 8 INTERVAL 45 MIN ALT 600
ENROUTE ALT 8.5 RETURN ALT 3.5 TARGET AIRSPEED 450

ORDNANCE 16 DIA 4D9 EXPENDED ALL JETTISONED _____
ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) 1 DIA
BDA 100% 150% ADDITIONAL 6 STRUCTURES DESTROYED
11 KBA(C)

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED ARVN OPERATION _____
(LEAVE BLANK)
ENROUTE WX _____

- | | | |
|--------------------------|--------|-------------------------------|
| (A) HOSTILE FIRE | YES NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES NO | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION BT 201 498 REASON UNIK Probable
Fuze
RECOVERABLE No FUZE (DELAY/ARM DELAY) INST.

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Oppenhuizer TIME 0800 DATE 5 June 69
SQUADRON 223 CALL SIGN H0556 MSN # 6556 FLT CODE 152/1
T/O 0645 LAND 0730 TOTAL TIME 1.6

PILOTS GNA 220 A/C WP. 21 DASC _____ TIME _____
Oppenhuizer 10 CONTROLLER JACK 42 TIME 0705
TYPE CONTROLLER TACA
TYPE MISSION LLZ PREP

R.R.

TOT 0710-15 DESCRIPTION LLZ PREP COORDINATES BS 462 845 PROVINCE 4
U.N

TGT TERRAIN flat TGT WX 0 VISIBILITY 9+
REL ANGLE 30 PASSES 3 INTERVAL 30 MIN ALT 1600
REL ALT 3000
ENROUTE ALT 11.5 RETURN ALT 10.5 TARGET AIRSPEED 450
ORDNANCE 12 D2Y(DC) EXPENDED all JETTISONED none
ORDNANCE/RTB none DUDS (SEE NOTE # 1) _____
BDA 100 % 100 % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED American ARVN OPERATION _____
(LEAVE BLANK)
ENROUTE WX _____

- | | | | |
|--------------------------|---|-----------------------------|-------------------------------|
| (A) HOSTILE FIRE | YES | <input type="checkbox"/> NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | <input type="checkbox"/> NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | <input type="checkbox"/> NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | <input type="checkbox"/> NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | <input checked="" type="checkbox"/> YES | <input type="checkbox"/> NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | <input type="checkbox"/> NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | <input type="checkbox"/> NO | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS good for LLZ prep

DEBRIEFER German TIME 1000 DATE 5 June
SQUADRON 223 CALL SIGN HB 558 MSN # 6558 FLT CODE 152/1
T/O 0837 LAND 0947 TOTAL TIME 2.4

PK

PILOTS A/C
German WP 20 DASC Dong Ha TIME 0900
Costa WP 22 CONTROLLER SW 97-2 TIME 0915
TYPE CONTROLLER TACA
TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0915-0925</u>	<u>Rocket Posit</u> <u>EL</u>	<u>YD249761</u>	<u>T</u>

TGT TERRAIN Flat TGT WX Clear 0 VISIBILITY 9+
REL ANGLE 30° PASSES 4 INTERVAL 30sec MIN ALT 1000
ENROUTE ALT 18.5 RETURN ALT 21.5 TARGET AIRSPEED 450
ORDNANCE 4D3 EXPENDED 4D3 JETTISONED
ORDNANCE/RTB 0 DUDS (SEE NOTE # 1)
BDA 60 % 60 % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
UNIT SUPPORTED 2nd ARVN OPERATION
ENROUTE WX Clear (LEAVE BLANK)

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION YD249761 REASON ?
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER Wallace TIME 1045 DATE 5 June 69
SQUADRON 223 CALL SIGN HB MSN # 6018 FLT CODE 152
T/O 0928 LAND 1040 TOTAL TIME 2.4

PILOTS A/C
Wallace WP 17
PEREIRA 23
DASC _____ TIME _____
CONTROLLER BULK 37 TIME 0937
TYPE CONTROLLER TAEA
TYPE MISSION L2P

TOT DESCRIPTION COORDINATES PROVINCE
0945/00 ~~H119~~ 4D 418060 RUTO/E
L2P

TGT TERRAIN H119 TGT WX 800 VISIBILITY 10+
REL ANGLE 30 PASSES 6 INTERVAL 30 MIN ALT 1.5
ENROUTE ALT 14.5 RETURN ALT 15.5 TARGET AIRSPEED 450
ORDNANCE 4D34DC/4024DC EXPENDED 403/302 JETTISONED _____
ORDNANCE/RTB 102DC DUDS (SEE NOTE # 1) _____
BDA 100 % 100 % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 3/101ST AB OPERATION Kentucky Jump
(LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER SJ 7 TIME 0830 DATE 5 Jun 67
SQUADRON 222 CALL SIGN #B150 MSN # 6150 FLT CODE 152/1
T/O 0710 LAND 0810 TOTAL TIME 2.1

PILOTS A/C
WARFIELD WP 1 DASC BILK TIME 0715
FOGERTY 23 CONTROLLER BILK35 TIME 0730
TYPE CONTROLLER TAC(A)
TYPE MISSION LZP

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0734-44</u>	<u>LZ Prep</u> <u>UN</u>	<u>YD406046</u>	<u>2</u>

AK

TGT TERRAIN MTNS TGT WX 1000 VISIBILITY 10
REL ANGLE 30° PASSES 66 INTERVAL 30' MIN ALT 3000
ENROUTE ALT 185 RETURN ALT 22.5 TARGET AIRSPEED 450
ORDNANCE 402X-403X EXPENDED ALL JETTISONED 0
ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) 0
BDA 75% 75% ADDITIONAL

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0
UNIT SUPPORTED 3rd of 101st A.B. OPERATION Kentucky Jumper
(LEAVE BLANK)
ENROUTE WX 110

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Oppenhuizen TIME 1900 DATE 5 June
SQUADRON 223 CALL SIGN HD042 MSN # 6042 FLT CODE 152/1
T/O 1805 LAND 1742 TOTAL TIME 1.2

PILOTS Rogers A/C WP15 DASC Helix TIME 1810
Oppenhuizen 712 CONTROLLER Helix #2 TIME 1815
TYPE CONTROLLER TACA
TYPE MISSION CAS

RK

TOT 1820-25 DESCRIPTION Act. En. Loc COORDINATES B5653342 PROVINCE RVN 5
EC

TGT TERRAIN flat TGT WX 2.6 VISIBILITY 5
REL ANGLE 30 PASSES 8 INTERVAL 30 MIN ALT 1600
ENROUTE ALT 9.5 RETURN ALT 4.5 TARGET AIRSPEED 450
ORDNANCE 20 D2w/y EXPENDED all JETTISONED none
ORDNANCE/RTB none DUDS (SEE NOTE # 1)
BDA 100 % 100 % ADDITIONAL 2 Bunkers out

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED Americal OPERATION Geneva Park
ENROUTE WX 0 (LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS good ord.

DEBRIEFER 066 TIME 1620 DATE JUN 5
SQUADRON 223 CALL SIGN 014 MSN # 6014 FLT CODE 152/1
T/O 0910 LAND 1003 TOTAL TIME 1.8

RK

PILOTS A/C
HEISE 7 DASC HELIX TIME
066 3 CONTROLLER HEZ.37 TIME 18
TYPE CONTROLLER TACA
TYPE MISSION OAS

TOT DESCRIPTION COORDINATES PROVINCE
0930-37 ENEMY POSIT BS 702 302 QUANG CNAI
EC

TGT TERRAIN MOUNTAIN TGT WX 0 VISIBILITY UNDETERMINED
REL ANGLE 20° PASSES 7 INTERVAL 30SEC MIN ALT 600 REL ALT 1080
ENROUTE ALT 12.5 RETURN ALT 13.5 TARGET AIRSPEED 450
ORDNANCE 802A/409 EXPENDED ALL JETTISONED NONE
ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) NONE
BDA 90% 80% ADDITIONAL 1 SEC. EXPLOSION
25 M. TRAIL

SECONDARY EXPLOSIONS YES NUMBER 1 SIZE WHITE SMOKE
200' HIGH
UNIT SUPPORTED AMCAL OPERATION GENEVA PARK
(LEAVE BLANK)
ENROUTE WX 0

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS : _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER FISCHER TIME _____ DATE _____

SQUADRON 223 CALL SIGN HEN MSN # 6012 FLT CODE 152

T/O 0807 LAND 0856 TOTAL TIME 1.7

PILOTS _____ A/C _____

<u>FISCHER</u>	<u>WP02</u>	DASC <u>HELIK</u>	TIME <u>0810</u>
<u>SEBASTIAN RAINGER</u>	<u>24</u>	CONTROLLER <u>HELIK 03</u>	TIME <u>0812</u>
_____	_____	TYPE CONTROLLER _____	<u>TAC(A)</u>
_____	_____	TYPE MISSION _____	<u>CAS</u>

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0825-35</u>	<u>KHAWN ENEMY BASE CAMP</u>	<u>B8 607326</u>	<u>RUN/15</u>
	<u>EC</u>	<u>05</u>	

TGT TERRAIN HILLSIDE TGT WX 0 VISIBILITY 10T

REL ANGLE 20 PASSES 4 INTERVAL 30SEC MIN ALT 600 REL ALT 1500

ENROUTE ALT 115 RETURN ALT 85 TARGET AIRSPEED 450

ORDNANCE 8 DLA/409 EXPENDED ALL JETTISONED NONE

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA 100 % 100 % ADDITIONAL _____

RK

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED AMERICAC OPERATION Genova Park
(LEAVE BLANK)

ENROUTE WX _____

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD _____ |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE _____ |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS : _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Lawseth TIME 1420 DATE 5 June
SQUADRON 223 CALL SIGN HB 578 MSN # 6578 FLT CODE 15211
T/O 1332 LAND 1408 TOTAL TIME 1.2

PILOTS A/C
Lawseth WP-3 DASC Helix TIME 1325
STANTON WP-22 CONTROLLER Helix 22 TIME 1335
TYPE CONTROLLER TACA
TYPE MISSION CAS

RK

TOT DESCRIPTION COORDINATES PROVINCE
1340-1350 Struct. B S 46/776 E 4
BL

TGT TERRAIN Flat TGT WX 7.0 M VISIBILITY 15
REL ANGLE 20° PASSES 6 INTERVAL 30 Sec MIN ALT 100'
REL ALT 1300'

ENROUTE ALT 7.5 RETURN ALT 4.5 TARGET AIRSPEED 450

ORDNANCE 8 D2A/4 D9 EXPENDED 8 D2A/4 D9 JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA 100 % 90 % ADDITIONAL 4 STRU. Dest.
3 STRU. Burning
10 KBA(C)

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED Amphib OPERATION GENEVA PARK
(LEAVE BLANK)

ENROUTE WX _____

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Schwungen TIME 1300 DATE 5th May
SQUADRON 104-223 CALL SIGN HB 458 MSN # 6458 FLT CODE 15211
T/O 1135 LAND 1255 TOTAL TIME 2.8

PILOTS A/C
May Heiser 21
May Schwungen 24
DASC Helix Cont TIME 1210
CONTROLLER H-22 TIME 1215
TYPE CONTROLLER TACA
TYPE MISSION CAS

RK

TOT DESCRIPTION COORDINATES PROVINCE
1220-1235 Enemy troops in trees BS 458 831 104th Col's RW
TS

TGT TERRAIN mtns TGT WX 4.0 0 VISIBILITY 105
REL ANGLE 20° PASSES 6 INTERVAL 30^{Sec} MIN ALT 1000'
REL ALT 1300'
ENROUTE ALT 20.5 RETURN ALT 11.5 TARGET AIRSPEED 450 KAS
ORDNANCE 16 DIA/409 EXPENDED 15 DIA/409 JETTISONED 0
ORDNANCE/RTB 1 DIA DUDS (SEE NOTE # 1) 0
BDA 90 % 50 % ADDITIONAL UNK will call in

SECONDARY EXPLOSIONS 0 NUMBER SIZE
UNIT SUPPORTED AMERICAN OPERATION IRON MT
(LEAVE BLANK)
ENROUTE WX SAME CO TBT

- (A) HOSTILE FIRE YES NO
 - (B) AIRBURST YES NO
 - (C) A/C HIT YES NO
 - (D) RECON INSERT/EXTRACT YES NO
 - (E) BDA REPORTED YES NO
 - (F) ABORT YES NO
 - (G) DIVERT YES NO
- FILE FORM WITH BARREL
FILE FLASH REPORT WITH BARREL
CIRCLE ONE/COORD
IF ADDITIONAL CIRCLE
A/C MALFUNCTION/NO DROP
GIVE REASON BELOW

REMARKS: AIRBORNE Cap diverted from CH-69 RD2
to Helix RD2 200° 12 NM CH50
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER 044 TIME 2200 DATE JUNES 69
SQUADRON 223 CALL SIGN 526 MSN # 6526 FLT CODE 352/3
T/O 2008 LAND 2130 TOTAL TIME 1.4

PK

PILOTS 044 A/C WP 03
DASC _____ TIME _____
CONTROLLER MILKY TIME 2040
TYPE CONTROLLER MEG
TYPE MISSION TPR

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>20 40-50</u>	<u>ENERGY LOCATION</u> <u>EC</u>	<u>YC 245 945</u>	<u>2</u>

TGT TERRAIN R TGT WX 0 VISIBILITY UNLIMITED
MIN ALT 22.5
REL ANGLE LEVEL PASSES 1 INTERVAL _____ REL ALT 22.5
ENROUTE ALT 16.5 RETURN ALT 21.5 TARGET AIRSPEED 280 IAS
ORDNANCE 602 W/K EXPENDED ALL JETTISONED NONE
ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) NONE
BDA W/bs % _____ ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 101st AB OPERATION Kentucky Jumper
(LEAVE BLANK)
ENROUTE WX 0

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD _____ |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE _____ |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER SMY22 TIME 2130 DATE 5 JUNE 1969
SQUADRON 223 CALL SIGN HR 576 MSN # 6576 FLT CODE 352/1
T/O 1943 LAND 2100 TOTAL TIME 1.3

PILOTS A/C
SMY22 WP-7
DASC _____ TIME _____
CONTROLLER MILK4 TIME 2010
TYPE CONTROLLER _____ MSG
TYPE MISSION TRR

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2027-37</u>	<u>EC</u>	<u>[REDACTED]</u> <u>Y0245090</u>	<u>2</u>

RR

TGT TERRAIN R TGT WX 0 VISIBILITY 9+
REL ANGLE _____ PASSES 1 INTERVAL _____ MIN ALT 72000
REL ALT 22,500
ENROUTE ALT 16.5 RETURN ALT 21.5 TARGET AIRSPEED 2801AS
ORDNANCE 6 D2W/K4 EXPENDED All JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
BDA Blank % _____ ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 101 SFAB OPERATION Kentucky Jump
(LEAVE BLANK) ✓

- | | | | |
|--------------------------|---|-----------------------------|-------------------------------|
| (A) HOSTILE FIRE | YES | <input type="checkbox"/> NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | <input type="checkbox"/> NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | <input type="checkbox"/> NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | <input type="checkbox"/> NO | CIRCLE ONE/COORD _____ |
| (E) BDA REPORTED | YES | <input type="checkbox"/> NO | IF ADDITIONAL CIRCLE _____ |
| (F) ABORT | YES | <input type="checkbox"/> NO | A/C MALFUNCTION/NO DROP _____ |
| (G) DIVERT | <input checked="" type="checkbox"/> YES | <input type="checkbox"/> NO | GIVE REASON BELOW _____ |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Buans TIME 1915 DATE 5 June 69
SQUADRON 223 CALL SIGN 156 MSN # 6156 FLT CODE 152
T/O 1745 LAND 1906 TOTAL TIME 2.8

PILOTS A/C
Baker 27
Buans 23

DASC VANDY TIME 1805
CONTROLLER SUP 98-14 TIME 1806
TYPE CONTROLLER TRCA
TYPE MISSION L2A

pk

TOT DESCRIPTION COORDINATES PROVINCE
1817-36 L2 Prep XD888639 RUN/I1
UN

TGT TERRAIN Hilly TGT WX 0 VISIBILITY 10
REL ANGLE 80 PASSES 5 INTERVAL 30Sec MIN ALT 2000
REL ALT 3000

ENROUTE ALT 14.5 RETURN ALT 17.5 TARGET AIRSPEED 450

ORDNANCE 40340C 40240C EXPENDED ALL JETTISONED ---

ORDNANCE/RTE --- DUDS (SEE NOTE #1) ---

BDA 100 % 100 % ADDITIONAL 2 SEC EXPLOSIONS
1 Secondary Fire

SECONDARY EXPLOSIONS --- NUMBER --- SIZE ---

UNIT SUPPORTED 4 TEMAR OPERATION Virginia Ridge
(LEAVE BLANK)

ENROUTE WX ---

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: ---
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION --- REASON ---
RECOVERABLE --- FUZE (DELAY/ARM DELAY) ---

NOTE #2: ECM ENCOUNTERED --- TIME --- HOW DIRECTED ---

NOTE #3: ORDNANCE EFFECTIVENESS ---

DEBRIEFER Start TIME 2115 DATE 5 JUNE 69
SQUADRON 223 CALL SIGN HB 520 MSN # 6520 FLT CODE 352/1
T/O 1947 LAND 2053 TOTAL TIME 1.1

PILOTS Start A/C W2
DASC DONALD TIME 2005
CONTROLLER --- TIME ---
TYPE CONTROLLER --- ASEB
TYPE MISSION TRP

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2017/20</u>	<u>KNOWN ENEMY POST</u> <u>EC</u>	<u>YD015639</u>	<u>1</u>

RR

TGT TERRAIN R TGT WX 0 VISIBILITY 7
MIN ALT 14.3
REL ANGLE Level PASSES 0 INTERVAL --- REL ALT 14.3
ENROUTE ALT 18.5 RETURN ALT 22.5 TARGET AIRSPEED 290
ORDNANCE 6D2W/4 EXPENDED 6D2W/4 JETTISONED ---
ORDNANCE/RTE --- DUDS (SEE NOTE # 1) ---
BDA 4mb % --- ADDITIONAL ---

SECONDARY EXPLOSIONS --- NUMBER --- SIZE ---
UNIT SUPPORTED 3RD MARDIV OPERATION Virginia Ridge
(LEAVE BLANK)

- ENROUTE WX ---
- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: ---
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION --- REASON ---
RECOVERABLE --- FUZE (DELAY/ARM DELAY) ---

NOTE #2: ECM ENCOUNTERED --- TIME --- HOW DIRECTED ---

NOTE #3: ORDNANCE EFFECTIVENESS ---

DEBRIEFER Brown TIME 1900 DATE _____
SQUADRON 223 CALL SIGN HB 576 MSN # 6576 FLT CODE 152
T/O 1300 LAND 1355 TOTAL TIME 1.6

PILOTS A/C
BARNES 02 DASC Helix TIME 1310
BLACKMAN 20 CONTROLLER Helix 13 TIME 1315
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1325-43 Enemy Position B7 185185 4
EC

RK

TGT TERRAIN FLAT TGT WX 700 VISIBILITY 7+
REL ANGLE 20° PASSES 12 INTERVAL 45 MIN ALT 600
ENROUTE ALT 10.5 RETURN ALT 3.5 TARGET AIRSPEED 450

ORDNANCE 409 BD2A EXPENDED all JETTISONED _____
ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) _____
BDA 100% 80% ADDITIONAL 4 structures destroyed
3 KBA (more probable)

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED American OPERATION _____
(LEAVE BLANK)

- ENROUTE WX _____
- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 - (B) AIRBURST YES NO FILE FORM WITH BARREL
 - (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
 - (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 - (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
 - (F) ABORT YES NO A/C MALFUNCTION/NO DROP
 - (G) DIVERT YES NO GIVE REASON BELOW

REMARKS : _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER LAVIHO TIME 1945 DATE 3 JUNE 1969
SQUADRON 223 CALL SIGN HQ 512 MSN # 6512 FLT CODE 153/1
T/O 1825 LAND 1925 TOTAL TIME 10

PILOTS LAVIHO A/C wp-01 DASC Davy Ha TIME 1853
CONTROLLER Davy Ha "13" TIME 1900
TYPE CONTROLLER ASRT
TYPE MISSION TP9

RR

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1900</u>	<u>Known enemy location</u>	<u>XD 944286</u>	<u>1</u>
	<u>EC</u>		

TGT TERRAIN Mountains TGT WX clear VISIBILITY 10
MIN ALT 20.3
REL ANGLE 0 PASSES 1 INTERVAL — REL ALT 20.3
ENROUTE ALT 20.5 RETURN ALT 21.5 TARGET AIRSPEED 290
ORDNANCE 6 Damp EXPENDED all JETTISONED —
ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
BDA — % — ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
UNIT SUPPORTED 9A Marder Coy 307m.O. OPERATION Cameron Falls
(LEAVE BLANK)
ENROUTE WX 10

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER _____ TIME _____ DATE _____
SQUADRON 223 CALL SIGN 59L MSN # 6596/108 FLT CODE 152/1
T/O 1749 LAND 1959 TOTAL TIME 4.4

PILOTS _____ A/C _____

HAMILTON WP 21 DASC Vandl TIME 1815
FISHER 22 CONTROLLER SW 98-15 TIME 1826
TYPE CONTROLLER TACA
TYPE MISSION CAS

PK

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1900/05</u>	<u>NVA TS</u>	<u>XD 793391'</u>	<u>1</u>
<u>1920/25</u>	<u>Plates 23 mm Site</u>	<u>XD 767321</u>	

TGT TERRAIN R TGT WX 4.5 VISIBILITY 7
REL ANGLE 30 PASSES 9 INTERVAL 30 MIN ALT 2.0
ENROUTE ALT 18.5 RETURN ALT 27.5 TARGET AIRSPEED 450
ORDNANCE 4024 407 408 EXPENDED 424 407 108 JETTISONED _____
ORDNANCE/RTB 308 DUDS (SEE NOTE #1) _____
BDA 70 % 70 % ADDITIONAL 1 Large Bomb
100 100 1 Probable 23mm

SECONDARY EXPLOSIONS 1 NUMBER 1 SIZE _____
UNIT SUPPORTED 3rd Recon OPERATION Cameron Falls
(LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD _____
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE _____
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP _____
- (G) DIVERT YES NO GIVE REASON BELOW _____

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER _____ TIME _____ DATE _____
SQUADRON 223 CALL SIGN HB 216 MSN # 6216 FLT CODE 141
T/O 0850 LAND 0925 TOTAL TIME .6

PILOTS _____ A/C _____
BARNES WP 16
DASC _____ TIME _____
CONTROLLER _____ TIME _____
TYPE CONTROLLER _____
TYPE MISSION TEST

TOT _____ DESCRIPTION _____ COORDINATES _____ PROVINCE _____
TEST

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
ENROUTE ALT _____ RETURN ALT _____ TARGET AIRSPEED _____
ORDNANCE _____ EXPENDED _____ JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
BDA _____ % _____ % _____ ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED _____ OPERATION _____ (LEAVE BLANK)
ENROUTE WX _____

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Start TIME 1200 DATE 5 June 69
SQUADRON 223 CALL SIGN H8220 MSN # 6226 FLT CODE 14
T/O 1115 LAND 1145 TOTAL TIME 25

PILOTS Start A/C Wpcc
DASC _____ TIME _____
CONTROLLER _____ TIME _____
TYPE CONTROLLER _____
TYPE MISSION _____

TOT _____ DESCRIPTION TEST COORDINATES _____ PROVINCE _____

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
MIN ALT _____
REL ANGLE _____ PASSES _____ INTERVAL _____ REL ALT _____
ENROUTE ALT _____ RETURN ALT _____ TARGET AIRSPEED _____
ORDNANCE _____ EXPENDED _____ JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED _____ OPERATION _____ (LEAVE BLANK)
ENROUTE WX _____

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD _____
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE _____
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP _____
- (G) DIVERT YES NO GIVE REASON BELOW _____

REMARKS : _____ (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER BAKER TIME 2359 DATE 5 June
SQUADRON 223 CALL SIGN HB MSN # 6582 FLT CODE 352
T/O 2223 LAND 2348 TOTAL TIME 2.8

Handwritten mark

PILOTS A/C
BAKER WP 24
FREEMAN 8

DASC DANAWG TIME 2234
CONTROLLER Hostage TIME 2245
TYPE CONTROLLER uniform TACT
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2310-37</u>	<u>ENEMY POSIT</u> <u>EC</u>	<u>AT 835500</u>	<u>3</u>

TGT TERRAIN FLAT TGT WX 8.0 @ VISIBILITY 15
6 ORDNANCE MIN ALT 2000
REL ANGLE 30 PASSES NO PAUSE INTERVAL 60 REL ALT 2000
ENROUTE ALT 16.5 RETURN ALT 13.5 TARGET AIRSPEED 450
ORDNANCE 6D2Y 4D7 4D2A EXPENDED 4D7 3D2A JETTISONED none
ORDNANCE/RTB 1D22A DUDS (SEE NOTE # 1) _____
BDA 90 % 90 % ADDITIONAL

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 5th MARINES 1ST B. P. OPERATION _____
ENROUTE WX _____ (LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD _____
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE _____
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP _____
- (G) DIVERT YES NO GIVE REASON BELOW _____

REMARKS : _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER REED TIME 1600 DATE 6 June 69
SQUADRON 223 CALL SIGN HB 023 MSN # 6023 FLT CODE 153/1
T/O 1350 LAND 1525 TOTAL TIME 33

PILOTS A/C
SNYDER WP 03 DASC BIK TIME 1410
REED 28 CONTROLLER BIK 33 TIME 1420
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1430/1500 TROOPS IN CONTACT YD 850840 2 COMPS
T 5 850040

TGT TERRAIN Hilly TGT WX 6.0/ff VISIBILITY 7
REL ANGLE 20 PASSES 6 INTERVAL 30sec MIN ALT 1000
REL ALT 2500

ENROUTE ALT 18.5 RETURN ALT 19.5 TARGET AIRSPEED 450

ORDNANCE 12 D2 w/y EXPENDED 11 JETTISONED -

ORDNANCE/RTB - DUDS (SEE NOTE # 1) -

BDA 100% ADDITIONAL -

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED VNK 101ST A.B. OPERATION Kentucky Jumper
(LEAVE BLANK)

ENROUTE WX _____

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS : _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER BAKER TIME 1135 DATE 6 June
SQUADRON 223 CALL SIGN HB MSN # 6019 FLT CODE 192
T/O 1030 LAND 1126 TOTAL TIME 18

PILOTS A/C
COSTA WP 2
BAKER 8

DASC BULL TIME 1044
CONTROLLER BULL 35 TIME 1046
TYPE CONTROLLER TACT
TYPE MISSION 122P

TOT DESCRIPTION COORDINATES PROVINCE
105055 170 4D478052 2
UN

TGT TERRAIN MTN TGT WX 8.0 0 VISIBILITY 15
REL ANGLE 30 PASSES 4 INTERVAL 30 MIN ALT 2000 MSL
ENROUTE ALT 18.5 RETURN ALT 17.5 TARGET AIRSPEED 450
ORDNANCE 403DC 4020C EXPENDED ALL JETTISONED —
ORDNANCE/RTB none DUDS (SEE NOTE # 1) —
BDA 100% 60% ADDITIONAL —

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 3RD / 101ST AB OPERATION Kentucky Jump
(LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) REGON INSERT/EXTRACT YES NO CIRCLE ONE/COORD _____
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE _____
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP _____
- (G) DIVERT YES NO GIVE REASON BELOW _____

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER HEISE TIME 1125 DATE 6 June 69
SQUADRON 223 CALL SIGN HB 555 MSN # 6555 FLT CODE 152/1
T/O 0936 LAND 1055 TOTAL TIME 2.6

PILOTS A/C
Col Nichols WP-3 DASC BILK TIME 0950
HEISE WP-24 CONTROLLER BILK 23 TIME 1000
TYPE CONTROLLER TACA TIME 0952
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1005-1015 ENEMY LOCATION AT 823945 RLN
1030-1035 2C 11495 ENEMY LOCATION 2C 114958 RW

TGT TERRAIN MTS TGT WX 600 VISIBILITY 10
REL ANGLE 30°/20° PASSES 7 INTERVAL 1 MIN MIN ALT 700/1500
ENROUTE ALT 18.5 RETURN ALT 17.5 TARGET AIRSPEED 450

ORDNANCE 6 D2W/8 DIA/209 EXPENDED ALL JETTISONED -

ORDNANCE/RTB - DUDS (SEE NOTE # 1) -

C

BDA 100 % 75 % ADDITIONAL 2 BUNKERS DESTROYED, 1 MILITARY
STRUCTURE DESTROYED, 3 BUNKERS UNCOVERED

SECONDARY EXPLOSIONS - NUMBER - SIZE -

UNIT SUPPORTED 2ND BRIGADE 101ST AB OPERATION Kentucky Jump
(LEAVE BLANK) ✓

ENROUTE WX 600 250 @ 10

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Swans TIME 1830 DATE 6 June 68
SQUADRON 223 CALL SIGN 043 MSN # 6043 FLT CODE 152
T/O 1736 LAND 1815 TOTAL TIME 1.4

PILOTS A/C
Palmer 2 DASC HELIX TIME 1740
Swans 16 CONTROLLER HELIX 03 TIME 1741
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1745-1754 Tunnel Complex BS 930268 RUB/I
EC

TGT TERRAIN FLAT TGT WX 5.0-D VISIBILITY 1.5-0
REL ANGLE 30 PASSES 6 INTERVAL 30 MIN ALT 2000
ENROUTE ALT 10.5 RETURN ALT 9.5 TARGET AIRSPEED 450
ORDNANCE 403X 402X EXPENDED ALL JETTISONED -
ORDNANCE/RTB - DUDS (SEE NOTE #1) -
BDA 100 % 100 % ADDITIONAL 1 S&L FIRE

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED AMERICAN OPERATION Fredrick Hill
(LEAVE BLANK)

ENROUTE WX _____
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Fischer TIME 1815 DATE 6 Jan 69
SQUADRON 223 CALL SIGN HBN MSN # 6597 FLT CODE 15211
T/O 1648 LAND 1804 TOTAL TIME 2.6

PILOTS A/C
SWANER WP 22 DASC HELIX TIME 1655
FISHER 23 CONTROLLER HELIX 23 TIME 1730
TYPE CONTROLLER Tactical
TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>174555</u>	<u>BRIDGE</u> <u>BR</u>	<u>B5434784</u>	<u>RVA/I</u>

TGT TERRAIN FLW TGT WX 1.00 0 VISIBILITY 107
REL ANGLE 30° PASSES 5 INTERVAL 30 MIN ALT 1500 REL ALT 3000
ENROUTE ALT 115 RETURN ALT 3.5 TARGET AIRSPEED 450
ORDNANCE 4D24/4D7/4D8 EXPENDED 4D24/4D7 JETTISONED
ORDNANCE/RTB 4D8 DUDS (SEE NOTE # 1)
BDA 100% 100% ADDITIONAL 1 BRIDGE DESTROYED

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED Americal OPERATION Iron MT
(LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

C

REMARKS: D8 CAP TO WORK WITH BIKK II, DIVERTED
TO HELIX 26 BECAUSE OF WEATHER, DID NOT
EXPEND D8

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER WAT TIME _____ DATE 6 JUNE 69
SQUADRON 223 CALL SIGN HBO3 MSN # 6013 FLT CODE 1521
T/O 0800 LAND 0922 TOTAL TIME 7.8

PILOTS BARNES A/C WIP-21 DASC Helix TIME 0815
Rogers -07 CONTROLLER Helix TIME 0850
TYPE CONTROLLER TAC
TYPE MISSION DAS

TOT 0917-24 DESCRIPTION E Nemy location COORDINATES RS 689289 PROVINCE (S)
EC

TGT TERRAIN MOUNT. TGT WX 0 VISIBILITY 10
REL ANGLE 200 PASSES 6 INTERVAL 30 sec MIN ALT 660'
REL ALT 1250'

ENROUTE ALT 175 RETURN ALT B.S TARGET AIRSPEED 450

ORDNANCE 802A/409 EXPENDED ALL JETTISONED NONE

ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) NONE

BDA 100% 70% ADDITIONAL 2 BUNKERS, 1 fuel cut,
20 meters trench line

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED Americal OPERATION IRON MT.
(LEAVE BLANK)

ENROUTE WX _____

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD _____
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE _____
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP _____
- (G) DIVERT YES NO GIVE REASON BELOW _____

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Turner TIME 1240 DATE 6 June 69
SQUADRON 223 CALL SIGN HB 557 MSN # 6557 FLT CODE 152
T/O 1155 LAND 1230 TOTAL TIME 1.2

PILOTS A/C
BARNES WP WP 17 DASE Helix Control TIME 1200
066 " 23 CONT WP 23 TIME 1202
TYPE CONTROLLER TACA
TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1305-14</u>	<u>ENEMY POSITION</u> <u>EC</u>	<u>BS 457916</u>	<u>4</u>

TGT TERRAIN HTNS TGT WX 0 VISIBILITY 10+
REL ANGLE 20° PASSES 8 INTERVAL 40 MIN ALT 600
ENROUTE ALT 8.5 RETURN ALT 3.5 REL ALT 1350
TARGET AIRSPEED 450
ORDNANCE RD2A 4D9 EXPENDED A11 JETTISONED -

ORDNANCE/RTB - DUDS (SEE NOTE # 1) -
BDA 100 % 100 % ADDITIONAL 1 underground cave /
tunnel complex destroyed 3 fighting holes dest.

C

SECONDARY EXPLOSIONS 0 NUMBER - SIZE -
UNIT SUPPORTED America 1 OPERATION Geneva Park
(LEAVE BLANK)

ENROUTE WX -
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -
RECOVERABLE - FUZE (DELAY/ARM DELAY) -

NOTE #2: ECM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -

DEBRIEFER PEREIRA TIME 1015 DATE 6 June 67
SQUADRON 203 CALL SIGN HB MSN # 6015 FLT CODE 18211
T/O 0920 LAND 0956 TOTAL TIME 1.2

PILOTS A/C
CARTER WP 10 DASC HELIX TIME
PEREIRA 20 CONTROLLER HELIX 16 TIME 0922
TYPE CONTROLLER TACH
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
0925 Enemy Location BT 194179 RON 4
EC

TGT TERRAIN LEVEL TGT WX 0 VISIBILITY 9+
MIN ALT 600
REL ANGLE 20 PASSES 6 INTERVAL 30Sec REL ALT 1250
ENROUTE ALT 14,5 RETURN ALT 7,500 TARGET AIRSPEED 450KTS
ORDNANCE 80-2A 40-9 EXPENDED ALL JETTISONED
ORDNANCE/RTB DUDS (SEE NOTE # 1)
BDA 100% 80 % ADDITIONAL
4 STRUCTURES DEST 3 Sec Fuze
1 " Damaged

C

SECONDARY EXPLOSIONS NUMBER SIZE
UNIT SUPPORTED Americal OPERATION (LEAVE BLANK)
ENROUTE WX 0

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER NORRIS TIME 0700 DATE 6 JAN
SQUADRON 223 CALL SIGN HR MSN # 6451 FLT CODE 157
T/O 0730 LAND 0845 TOTAL TIME 2.6

PILOTS A/C
GAZZO 1 DASC Don Ho TIME 0745
NORRIS 15 CONTROLLER Controller TIME 0750
TYPE CONTROLLER TACA
TYPE MISSION BAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0800-15</u>	<u>GOES IN RANGE</u> <u>TS</u>	<u>4D022668</u>	<u>1</u>

TGT TERRAIN Hilly TGT WX 30 VISIBILITY 107
REL ANGLE 20° PASSES 8 INTERVAL 30 MIN ALT 600
ENROUTE ALT 16.5 RETURN ALT 17.5 TARGET AIRSPEED 450
ORDNANCE 12 DIA 400 EXPENDED ALL JETTISONED

ORDNANCE/RTB DUDS (SEE NOTE # 1)
BDA 100 % 100 % ADDITIONAL 2 KBO 1 Probe KBA
Gambler dust
have see fire

SECONDARY EXPLOSIONS NUMBER SIZE
UNIT SUPPORTED 108 & Art. 3 n.p. OPERATION Virginia Ridge
(LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: FN was needed
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER K. Holt TIME _____ DATE 6 JUNE 69
SQUADRON 223 CALL SIGN MAN 25 MSN # 0959 FLT CODE 182/3
T/O 1513 LAND 1635 TOTAL TIME 2.8

PILOTS A/C
CTCOC NEWBILL WP-24 DASC Hillsboro TIME 1530
FOGARTY WP-17 CONTROLLER Misty 91 TIME 1535
TYPE CONTROLLER TACP
TYPE MISSION ST/ONS

TOT	DESCRIPTION	COORDINATES	PROVINCE
1545/00			
<u>1545/00</u>	<u>23 min site</u>	<u>XD 559285</u>	<u>LAOS 6</u>
	<u>AA</u>	<u>1632</u>	<u>10628</u>

TGT TERRAIN F TGT WX 3000 φ VISIBILITY 20+
REL ANGLE 30 PASSES 6 INTERVAL 30 MIN ALT 2500
REL ALT 4000

ENROUTE ALT 19.5 RETURN ALT 20.5 TARGET AIRSPEED 450

ORDNANCE 12027 EXPENDED 11 JETTISONED _____

ORDNANCE/RTB 1 RTB DUDS (SEE NOTE # 1) _____

BDA 1% ADDITIONAL _____

100% within 100 meters 50% within 50 meters

no visible damage

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 7th AF OPERATION _____

(LEAVE BLANK)

ENROUTE WX _____

- (A) HOSTILE FIRE CALLER YES NO FILE FORM WITH BARREL
- (B) AIRBURST Hoover YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: Did not hit Briefed TGT.
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER _____ TIME _____ DATE 6 June 69
SQUADRON 223 CALL SIGN MAN 23 MSN # 0949 FLT CODE 182
T/O 1345 LAND 1450 TOTAL TIME 3.3

PILOTS _____ A/C _____
STOCKING WP-7 DASC Hillsboro TIME 1355
BLACKMAN WP-20 CONTROLLER NAK116 TIME 1405
FISHER WP-21 TYPE CONTROLLER TACA
TYPE MISSION ST

TOT _____ DESCRIPTION _____ COORDINATES _____ PROVINCE _____
140/15 Sus Enemy Loc XO 983018 Laos (F)
EC 1619 10650

TGT TERRAIN B TGT WX 6000 Ø VISIBILITY 7
REL ANGLE 30 PASSES 3 INTERVAL 30 MIN ALT 4.5
REL ALT 60

ENROUTE ALT 18.5 RETURN ALT 17.5 TARGET AIRSPEED 450

ORDNANCE 18024 EXPENDED ALL JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA _____ % _____ % ADDITIONAL 100% 100 metres 30% 25 metres

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 7th AF OPERATION _____

ENROUTE WX _____ (LEAVE BLANK)

- (A) HOSTILE FIRE called YES NO FILE FORM WITH BARREL
- (B) AIRBURST Howver YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD _____
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE _____
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP _____
- (G) DIVERT YES NO GIVE REASON BELOW _____

REMARKS: _____ (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER CARTER TIME 1.2 DATE 6 June 69
SQUADRON 223 CALL SIGN HR209 MSN # 6209 FLT CODE 1L2
T/O 1047 LAND 1205 TOTAL TIME 1.2

PILOTS CARTER A/C WP11
DASC _____ TIME _____
CONTROLLER _____ TIME _____
TYPE CONTROLLER _____
TYPE MISSION HR209

TOT	DESCRIPTION	COORDINATES	PROVINCE

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
MIN ALT _____
REL ANGLE _____ PASSES _____ INTERVAL _____ REL ALT _____
ENROUTE ALT _____ RETURN ALT _____ TARGET AIRSPEED _____
ORDNANCE None EXPENDED _____ JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED _____ OPERATION _____
(LEAVE BLANK)
ENROUTE WX _____

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Stanta TIME 1130 DATE 6 June 69
SQUADRON 223 CALL SIGN AB219 MSN # 6219 FLT CODE 14
T/O Law LAND 1105 TOTAL TIME 1.1

PILOTS Stanta A/C 418
DASC _____ TIME _____
CONTROLLER _____ TIME _____
TYPE CONTROLLER _____
TYPE MISSION Test

TOT	DESCRIPTION	COORDINATES	PROVINCE
	<u>TEST</u>		

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
MIN ALT _____
REL ANGLE _____ PASSES _____ INTERVAL _____ REL ALT _____
ENROUTE ALT _____ RETURN ALT _____ TARGET AIRSPEED _____
ORDNANCE _____ EXPENDED _____ JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED _____ OPERATION _____
(LEAVE BLANK)
ENROUTE WX _____

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD _____
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE _____
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP _____
- (G) DIVERT YES NO GIVE REASON BELOW _____

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER HEISE TIME 0800 DATE 6 JUN 69
SQUADRON 223 CALL SIGN HB 207 MSN # 6207 FLT CODE 1L2
T/O 0725 LAND 0755 TOTAL TIME .5

PILOTS HEISE A/C WP 16
DASC _____ TIME _____
CONTROLLER _____ TIME _____
TYPE CONTROLLER _____
TYPE MISSION TEST

TOT _____ DESCRIPTION TEST COORDINATES _____ PROVINCE _____

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
ENROUTE ALT _____ RETURN ALT _____ TARGET AIRSPEED _____
ORDNANCE _____ EXPENDED _____ JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED _____ OPERATION _____
ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER PYCIOR TIME 2200 DATE 6 JUNE 69
SQUADRON 223 CALL SIGN 13511 MSN # 6511 FLT CODE 325
T/O 2056 LAND 2150 TOTAL TIME .9

PILOTS A/C
PYCIOR WP-24
DASC DANANG ASRT TIME 2101
CONTROLLER Antua TIME 2102
TYPE CONTROLLER TPASRTT
TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2125-2134</u>	<u>HARBOR SITE SY</u>	<u>AT 859 718'</u>	<u>3</u>
		<u>AT 866 685</u>	

TGT TERRAIN UNKR TGT WX 1400/0 VISIBILITY 0-5
 REL ANGLE Level PASSES 2 INTERVAL — MIN ALT 14.1
 ENROUTE ALT 16.5 RETURN ALT 11.5 TARGET AIRSPEED 290
 ORDNANCE 602014 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA unk % — ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 7th MAR 1ST M.D. OPERATION —
 ENROUTE WX 150/0 (LEAVE BLANK)

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—

DEBRIEFER BAKER TIME 0915 DATE 6 June
SQUADRON 223 CALL SIGN HB MSN # 6155 FLT CODE 152
T/O 0250 LAND 0912 TOTAL TIME 2.7

PILOTS A/C
BAKER WP 17
COSTA 23
DASC DANANG TIME 0804
CONTROLLER Host 'B' TIME 0806
TYPE CONTROLLER TACA
TYPE MISSION NA3

TOT DESCRIPTION COORDINATES PROVINCE
0827-35 BUNKERS BT017528 3
BF

TGT TERRAIN FLAT TGT WX 80 00 VISIBILITY 20
REL ANGLE 30 PASSES 6 INTERVAL 30 MIN ALT 2000
ENROUTE ALT 18.5 RETURN ALT 5.5 TARGET AIRSPEED 450
ORDNANCE 4D3x 4D2 EXPENDED ALL JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
BDA 95 % 95 % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 1st Air Div OPERATION Pipestone Canyon
(LEAVE BLANK)

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS : _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION BT017528 REASON UNIK
RECOVERABLE 804 X FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER BURNS TIME 1430 DATE 16 June 69
SQUADRON 223 CALL SIGN 459 MSN # 6459 FLT CODE 152
T/O 1200 LAND 1410 TOTAL TIME 4.4

PILOTS A/C
NEWBILI 22
BURNS 15

DASC DONGHA TIME 1310
CONTROLLER SW 98-2 TIME 1320
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1340-57</u>	<u>Every Posit</u> <u>EC</u>	<u>10 025361</u>	<u>RVNI</u>

TGT TERRAIN Hilly TGT WX 5000 VISIBILITY 10
REL ANGLE 20° PASSES 4 INTERVAL 30 MIN ALT 2000
ENROUTE ALT 20.5 RETURN ALT 17.5 TARGET AIRSPEED 450
ORDNANCE 401A/20A/602Y EXPENDED ALL JETTISONED -
ORDNANCE/RTB DUDS (SEE NOTE # 1)
BDA 100% 100% ADDITIONAL

(Handwritten mark)

SECONDARY EXPLOSIONS NUMBER SIZE
UNIT SUPPORTED 4th MAR 3rd m.p. OPERATION Cameron Falls
(LEAVE BLANK)
ENROUTE WX

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER Blackman TIME 2000 D 6 JUNE 1969
SQUADRON 223 CALL SIGN HB505 MSN # 6505 FLT CODE 452
T/O 1830 LAND 1936 TOTAL TIME 1.1

PILOTS _____ A/C _____
Blackman WP 20 DASC DONE HA TIME 1845
CONTROLLER VANDU 20 TIME 1855
TYPE CONTROLLER ASRT
TYPE MISSION TRP

TOT _____ DESCRIPTION _____ COORDINATES _____ PROVINCE _____
1902 Rocket Site XD 912461 IRUN
_____ EL _____

TGT TERRAIN R TGT WX 1.00 VISIBILITY 7
REL ANGLE _____ PASSES 1 INTERVAL _____ MIN ALT 2000
REL ALT 2000
ENROUTE ALT 18.5 RETURN ALT 19.5 TARGET AIRSPEED 290
ORDNANCE 602 w/y EXPENDED All JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
BDA Units % _____ ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED _____ OPERATION _____
ENROUTE WX BAD 300 M.P. (LEAVE BLANK) Cameroon Falls

- (A) HOSTILE FIRE YES NO
 - (B) AIRBURST YES NO
 - (C) A/C HIT YES NO
 - (D) RECON INSERT/EXTRACT YES NO
 - (E) BDA REPORTED YES NO
 - (F) ABORT YES NO
 - (G) DIVERT YES NO
- FILE FORM WITH BARREL
FILE FORM WITH BARREL
FILE FLASH REPORT WITH BARREL
CIRCLE ONE/COORD _____
IF ADDITIONAL CIRCLE _____
A/C MALFUNCTION/NO DROP
GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Hickerson TIME 0815 DATE 7 Jun 69
 SQUADRON 223 CALL SIGN Hb 010 MSN # 6010 FLT CODE 152/1
 T/O 0645 LAND 0754 TOTAL TIME 2.4

PILOTS A/C
NEWBILL WP 02 BASS BILK TIME 0700
Hickerson WP 16 CONTROLLER BILK 33 TIME 0705
 TYPE CONTROLLER TAC(A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0113-33</u>	<u>Enemy Posit</u> <u>EC</u>	<u>YD 331083</u>	<u>RVN, I 2</u>

TGT TERRAIN MTNS. TGT WX 19.0 @ VISIBILITY 10+
 REL ANGLE 30° PASSES 4 INTERVAL 30sec MIN ALT 105
 ENROUTE ALT 18.5 RETURN ALT 17.5 TARGET AIRSPEED 450
 ORDNANCE 403Y/402Y EXPENDED ALL JETTISONED NONE
 ORDNANCE/RTB DUDS (SEE NOTE # 1)
 BDA 100% 100% ADDITIONAL V

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 101st A.B. OPERATION Apache Snow
 (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS GOOD HI ONE TARGET

DEBRIEFER Schwinn TIME 1830 DA 7 May 69
SQUADRON 223 CALL SIGN HB 466 MSN # 6466 FLT CODE 152/1
T/O 1804 LAND 1809 TOTAL TIME 4.1

PILOTS A/C
H. G. Wierfield 07
Major Schwinn 01

DASC BILK TIME 1712
CONTROLLER Speedy II TIME 1715
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT 1727-1733 DESCRIPTION Suspected enemy caves COORDINATES 155049 PROVINCE I Corps AON

TGT TERRAIN mtns TGT WX #0 0000 VISIBILITY 6+
REL ANGLE 20 PASSES 6 INTERVAL 30 Sec MIN ALT 1000'
ENROUTE ALT 20.5m RETURN ALT 21.5m TARGET AIRSPEED 450
ORDNANCE 16014/429 EXPENDED all JETTISONED 0
ORDNANCE/RTB 0 DUDS (SEE NOTE # 1)

BDA 100% 0% ADDITIONAL Suspected Caves,
Nothing uncovered

SECONDARY EXPLOSIONS 0 NUMBER _____ SIZE _____
UNIT SUPPORTED 10th A.C. OPERATION Apache Snow
ENROUTE WX Same as for (LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/G MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER [Signature] TIME 2230 DATE 7 JUN 69
SQUADRON 223 CALL SIGN HBS36 MSN # 65 FLT CODE 352/3
T/O 2010 LAND 2125 TOTAL TIME 1.3

PILOTS A/C
FOGERTY, PJ WP24 DASC VS TIME 2012
CONTROLLER BIRMINGHAM TIME
TYPE CONTROLLER [Signature] ASST
TYPE MISSION TPQ

TOT DESCRIPTION COORDINATES PROVINCE

~~223~~
2040-4S KNOWN EN. POSIT YC226995 ~~2~~

TGT TERRAIN UNK TGT WX 12.00 VISIBILITY UNK
REL ANGLE LEVEL PASSES 1 INTERVAL NONE MIN ALT 21.4
ENROUTE ALT 25000 RETURN ALT 27.500 TARGET AIRSPEED 290
ORDNANCE 6 02Y CONICALS EXPENDED ALL JETTISONED 0
ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) UNK
BDA UNK % ADDITIONAL

C

SECONDARY EXPLOSIONS NUMBER SIZE
UNIT SUPPORTED 101ST ABNE OPERATION Apache Stron
(LEAVE BLANK)
ENROUTE WX SLTRO TSTMS

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON

RECOVERABLE FUZE (DELAY/ARM DELAY)
NOTE #2: POSSIBLE ~~ECM~~ INTERFERENCE WITH TACAN SIGS FROM GP+109 IN
ECM ENCOUNTERED TIME HOW DIRECTED
ASHAN AREA GIVING FALSE/ERRONEOUS LOCKONS -

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER Hickerson TIME 1135 DATE 7 JUN 69
SQUADRON 223 CALL SIGN Hb 154 MSN # 6154 FLT CODE LS2/1
T/O 1017 LAND 1119 TOTAL TIME 2.0

PILOTS A/C
HAMILTON WP 7 DASC HELIX CNT. TIME 1020
HICKERSON 11 CONTROLLER BILK 03 TIME 1022
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1050-1105 ENEMY BT 200117 ROTT, I
TS

TGT TERRAIN MTNS. TGT WX 0 VISIBILITY 6
MIN ALT 600'
REL ANGLE 200 PASSES 6 INTERVAL 3000' REL ALT 1200'
ENROUTE ALT 10.5 RETURN ALT 9.5 TARGET AIRSPEED 450
ORDNANCE 802A/409 EXPENDED ALL JETTISONED -
ORDNANCE/RTB - DUDS (SEE NOTE # 1) -
BDA 80% 50% ADDITIONAL 1 SMOKE FIRE

C

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED .1015' A.S OPERATION LAMAR PLAIN
(LEAVE BLANK)

ENROUTE WX _____
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS SNAKE + NARE NECESSARILY
DUE TO PROXIMITY OF TROOPS

DEBRIEFER BURNS TIME 1430 DA 7 June 69
SQUADRON 223 CALL SIGN 156 MSN # 6156 FLT CODE 152
T/O 1325 LAND 1400 TOTAL TIME 1.6

PILOTS A/C
Freeman 02
BURNS 16

DASC DANANG TIME 1331
CONTROLLER Ray Ace 10 TIME 1335
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1345-1400</u>	<u>Enemy Post EC</u>	<u>BTO13554</u>	<u>QUIN</u>

TGT TERRAIN FLAT TGT WX 600 0 VISIBILITY 10
 REL ANGLE 30 PASSES 6 INTERVAL 30 sec MIN ALT 2000 REL ALT 3000
 ENROUTE ALT 10.5 RETURN ALT 9.5 TARGET AIRSPEED 450
 ORDNANCE 403x/402x EXPENDED ALL JETTISONED
 ORDNANCE/RTE DUDS (SEE NOTE # 1)
 BDA 90 % 85 % ADDITIONAL 2 Bunkers Destroyed
50 meters of trench line Destroyed

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED ARVN OPERATION (LEAVE BLANK)
 ENROUTE WX

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER _____ TIME _____ DA _____
SQUADRON 223 CALL SIGN 594 MSN # 6594 FLT CODE 152
T/O 1450 LAND 1620 TOTAL TIME 3.0

PILOTS _____ A/C _____
PALMA WP 23 DASC Da Nang TIME _____
PROPERTY 20 CONTROLLER _____ TIME _____
TYPE CONTROLLER TACA
TYPE MISSION _____

TOT	DESCRIPTION	COORDINATES	PROVINCE
_____	_____	_____	_____
_____	<u>No Drop</u>	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
ENROUTE ALT 26.5 RETURN ALT 19.5 TARGET AIRSPEED _____
ORDNANCE 4 on 4 on 4 on EXPENDED _____ JETTISONED _____
ORDNANCE/RTB Nil DUDS (SEE NOTE # 1) _____
BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED _____ OPERATION _____
ENROUTE WX _____ (LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: No 7918
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Schwartz TIME 0800 DATE 17 June 49
SQUADRON VM 223 CALL SIGN HB 152 MSN # 61520 FLT CODE 18211
T/O 0634 LAND 0800 TOTAL TIME 2.8

PILOTS A/C
GNAZZO 10
Schwartz 15

DASC JAKE Control TIME 0733
CONTROLLER Jake 47 TIME 0735
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
0746-0745 Structure B5 465768 4
BL Cap's Run

TGT TERRAIN Level Low TGT WX 4.0 VISIBILITY 10
REL ANGLE 20° PASSES 4 INTERVAL 30sec MIN ALT 600
ENROUTE ALT 14.5 RETURN ALT 15.5 TARGET AIRSPEED 450

ORDNANCE 12 DIA/409 EXPENDED ALL JETTISONED 0
ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) 0

BDA 100% 100% ADDITIONAL 4 Structure Destroyed

SECONDARY EXPLOSIONS 0 NUMBER SIZE

UNIT SUPPORTED 2nd Armored Cavalry OPERATION GENEVA Pack
ENROUTE WX Same as T/O (LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: Diverted from Dong Ha DASC (Seaworthy 98-1)
Due to Controller Saturation (4 flights on same tot)
NEG TANKER - Switched to Jake Control by Vice Squad.

NOTE #1: DUD REPORT LOCATION REASON
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER BAKER TIME 1040 DATE 7 June
SQUADRON 223 CALL SIGN HB MSN # 6014 FLT CODE BZ
T/O 0933 LAND 1020 TOTAL TIME 1.6

PILOTS A/C
Col McHales WP 24 DASC None TIME 0937
AAJ BAKER 8 CONTROLLER None TIME 0937
TYPE CONTROLLER TAC
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0950</u>	<u>EN 1CL</u>	<u>BT 170191</u>	<u>4</u>
<u>1003</u>	<u>EC</u>		

TGT TERRAIN Hilly TGT WX 0 ~~1200~~ VISIBILITY 20
REL ANGLE 20° PASSES 5 INTERVAL 30 MIN ALT 600
ENROUTE ALT 10.5 RETURN ALT 5.5 TARGET AIRSPEED 450
ORDNANCE 8D2A 409 EXPENDED 6D2A 309 JETTISONED —
ORDNANCE/RTB 2D2A 109 DUDS (SEE NOTE # 1) 3D2A 109
BDA 70 % 50 % ADDITIONAL —

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED Amcl OPERATION _____ (LEAVE BLANK)
ENROUTE WX _____

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD _____
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE _____
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP _____
- (G) DIVERT YES NO GIVE REASON BELOW _____

REMARKS : _____ (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION BT170191 REASON UNK
ALL ARMING WIRE FOR RETURNED w/AC
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) Y

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Oppenhuizen TIME 1200 DATE 7 June 69
SQUADRON 223 CALL SIGN AB020 MSN # 6020 FLT CODE 152/1
T/O 1023 LAND 1124 TOTAL TIME 20

PILOTS A/C
Newbill WP 17 DASC Vandy TIME 1040
Oppenhuizen 10 CONTROLLER Singh.8 TIME 1042
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1050-1105 En. posit X0912522 RUN II
EC

TGT TERRAIN Hilly TGT WX 3.0 VISIBILITY 6
REL ANGLE 10 PASSES 6 INTERVAL 300 MIN ALT 260
ENROUTE ALT 18.5 RETURN ALT 21.5 TARGET AIRSPEED 450
ORDNANCE 802A 409 EXPENDED all JETTISONED —
ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
BDA 100 % 100 % ADDITIONAL —

C

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 4th Marines 3 OPERATION refn. V. ~~Virginia Ridge~~
ENROUTE WX 800 100 (LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER _____ TIME _____ DATE _____
SQUADRON 223 CALL SIGN HB577 MSN # 6577 FLT CODE 452/1
T/O 0028 LAND 0158 TOTAL TIME 3.0

PILOTS A/C
Stanton WP3
Palmer 8
DASC Damang TIME 0045
CONTROLLER Hostage TIME 0050
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
0110/0115 Enemy Position AT 803554 IB
EC

TGT TERRAIN Mts TGT WX 4.0 @ VISIBILITY 5
REL ANGLE 30 PASSES 4 INTERVAL 30 MIN ALT 1500
REL ALT 3000

ENROUTE ALT 16.5 RETURN ALT 17.5 TARGET AIRSPEED 450

ORDNANCE 402 EXPENDED all JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA 100 % 100 % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED ~~TACA~~ OPERATION _____
1.57 M.O. (LEAVE BLANK)

ENROUTE WX _____

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS : _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER COSTA TIME 2115 DATE 7 June 69
SQUADRON 223 CALL SIGN HB 223 MSN # 6529 FLT CODE 452
T/O 1930 LAND 2106 TOTAL TIME 1.6

PILOTS A/C
COSTA 17
DASC Danang TIME 2030
CONTROLLER 65 TIME 2038
TYPE CONTROLLER ASST
TYPE MISSION TDQ

TOT DESCRIPTION COORDINATES PROVINCE
2038/2045 Known Enemy Pos BTO450 5445 RUNI

TGT TERRAIN FLAT TGT WX 3060 VISIBILITY 5
REL ANGLE 0 PASSES 1 INTERVAL — MIN ALT — REL ALT 1990'
ENROUTE ALT 22.5M RETURN ALT 19.5M TARGET AIRSPEED 400 kts
ORDNANCE 6D-2W/4 EXPENDED 6D-2W/4 JETTISONED —
ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
BDA — % — % ADDITIONAL —

C

SECONDARY EXPLOSIONS — NUMBER — SIZE —
UNIT SUPPORTED 3060 RECONNAISSANCE 157M.D. OPERATION P.M. STOLE (LEAVE BLANK) CANYA
ENROUTE WX 3060 TOP 250

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: VANDY HAD HANDS FULL
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—

0

DEBRIEFER Carter TIME 1500H DATE 7 June 69
 SQUADRON 223 CALL SIGN HB232 MSN # 6232 FLT CODE 152
 T/O 1330 LAND 1445 TOTAL TIME 1.3

PILOTS Carter A/C WP15
 DASC Vandegrift TIME 1407
 CONTROLLER SW98-9 TIME 1413
 TYPE CONTROLLER TACA
 TYPE MISSION PAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1414-19</u>	<u>Bunkers</u> <u>BF</u>	<u>YD022675</u>	<u>RVN/B/10</u>

TGT TERRAIN mount TGT WX 30 @ VISIBILITY 5
 REL ANGLE 10° PASSES # MIN ALT 1000'
 INTERVAL 30 REL ALT 2200
 ENROUTE ALT 18.5 RETURN ALT 19.5 TARGET AIRSPEED 450
 ORDNANCE #402Y EXPENDED A11 JETTISONED none
 ORDNANCE/RTB none DUDS (SEE NOTE # 1)
 BDA 90% 90% ADDITIONAL
3 bunk. lost.

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 2nd Mar Div OPERATION Virginie Ridge
 (LEAVE BLANK)
 ENROUTE WX 010

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: diverted from TPO w/ MILKY - no contact. Joined with
HB228 for emerg. recon extract - unable to cap-bingo fuel.
dropped with SW98-9.

NOTE #1: DUD REPORT LOCATION REASON
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER Carter TIME 1500 DATE 7 June 69
SQUADRON 223 CALL SIGN HB228 MSN # 6228 FLT CODE 152
T/O 1310 LAND 1445 TOTAL TIME 1.6

PILOTS A/C
HEISE WP 21
~~CONTRACTOR~~
DASC Vandy TIME 1407
CONTROLLER EW 98-9 TIME 1413
TYPE CONTROLLER TMA
TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1414-19</u>	<u>Bunkers</u>	<u>YD 022675</u>	<u>D 1</u>
	<u>BF</u>		

TGT TERRAIN rolling TGT WX 30 B.S. VISIBILITY 5
REL ANGLE 10° PASSES 4 INTERVAL 30 MIN ALT 1000'
REL ALT 2200'
ENROUTE ALT 18.5 RETURN ALT 19.5 TARGET AIRSPEED 450
ORDNANCE 6 DZY EXPENDED All JETTISONED none
ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
BDA 90 % 90 % ADDITIONAL _____
3 bunkers dest

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 3rd Mar Div OPERATION Virginia Ridge
(LEAVE BLANK)
ENROUTE WX 0/0

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD _____
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE _____
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP _____
- (G) DIVERT YES NO GIVE REASON BELOW _____

REMARKS: Joined w/ HB232 for DAS - diverted by
Vandy for emerg. recon CAP from TPO.
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER FISCHER TIME 0130 DATE _____
SQUADRON 223 CALL SIGN H8V MSN # 650 FLT CODE 1521
T/O 0620 LAND 0720 TOTAL TIME 2.0

PILOTS A/C
BAKER WP7 DASC DONG HA TIME 0632
FISCHER 20 CONTROLLER 2378-1 TIME 0636
TYPE CONTROLLER TACA
TYPE MISSION L2P

TOT DESCRIPTION COORDINATES PROVINCE
40-48 L2P YD 020648 RUN/1/
UN

TGT TERRAIN H104 TGT WX 0 VISIBILITY 10T
MIN ALT 600
REL ANGLE 20 PASSES 8 INTERVAL 30 REL ALT 1500

ENROUTE ALT 185 RETURN ALT 215 TARGET AIRSPEED 450

ORDNANCE 1601A/409 EXPENDED ACC JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA 90% 100% ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 3RD MAW DIV OPERATION Virginia Ridge
(LEAVE BLANK)

ENROUTE WX _____

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD _____ |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE _____ |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER [Signature] TIME 1700 DATE 7 Jun
SQUADRON 223 CALL SIGN H0592 MSN # 6592 x FLT CODE 1521
T/O 1320 LAND 1450 TOTAL TIME 3.0

PILOTS A/C
PALMER WP23 DASC Donna TIME 1325
FOGERTY 20 CONTROLLER Hostage TIME 1905
TYPE CONTROLLER TAC(A)
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1530-150</u>	<u>2 ONVA IN A KUC</u> <u>VL</u>	<u>BT 072632</u>	<u>3</u>

TGT TERRAIN FLAT TGT WX 5.0 @ 000 VISIBILITY 4
REL ANGLE 30' PASSES 8 INTERVAL 30' MIN ALT 100
REL ALT 1050

ENROUTE ALT 26.5 RETURN ALT 19.5 TARGET AIRSPEED 450

ORDNANCE 4021/407/1022/102 EXPENDED ALL JETTISONED 0

ORDNANCE/RTB 408 DUDS (SEE NOTE # 1) 0

BDA 100 % / 100 % ADDITIONAL 3 STRUCT. DKS. 2 OTH. DAMAGED

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 1 MAR DIV OPERATION Pipestone Canyon
(LEAVE BLANK)

ENROUTE WX 6 @ 25 @

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD _____
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE _____
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP _____
- (G) DIVERT YES NO GIVE REASON BELOW _____

REMARKS: 8000# JP 4 TAKEN FM VMGR152
WHILE ABNE (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER NORRIS TIME 2000 DATE 7 Jun
SQUADRON 223 CALL SIGN HR MSN # 6522 FLT CODE 452
T/O 1845 LAND 1951 TOTAL TIME 1.1

PILOTS A/C
NORRIS 10
DASC _____ TIME _____
CONTROLLER DNA ASST TIME 1300
TYPE CONTROLLER ASST # 55
TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1845</u>	<u>HARBOR SITE</u>	<u>A7E93392</u>	<u>3</u>
	<u>54</u>		

TGT TERRAIN -R TGT WX 000 VISIBILITY 0
REL ANGLE None PASSES 1 INTERVAL 1 MIN ALT 18.4
REL ALT 18.4

ENROUTE ALT 19.1 RETURN ALT 17.5 TARGET AIRSPEED 250

ORDNANCE 6-22-60 EXPENDED 2.2 JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA 100% % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 5.2.10 18.4.0 OPERATION _____
(LEAVE BLANK)

ENROUTE WX _____

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER PEREIRA TIME 1435 DATE 7 JUN 69
SQUADRON 223 CALL SIGN H13 MSN # 6230 FLT CODE 152/1
T/O 1305 LAND 1415 TOTAL TIME 1.2

PILOTS A/C
PEREIRA WP22 DASC DANANG TIME 1310
CONTROLLER WACDE TIME _____
TYPE CONTROLLER ASRT
TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1315</u>	<u>ENEMY BUILD UP</u>	<u>N 7 833523</u> <u>E 1 837520</u>	<u>RDND 3</u>
	<u>TS</u>		

TGT TERRAIN R TGT WX 4.00 VISIBILITY 7
MIN ALT 18000

REL ANGLE LEADER PASSES 2 INTERVAL - REL ALT 18000

ENROUTE ALT 16.5 RETURN ALT 20.5 TARGET AIRSPEED 450KTS

ORDNANCE 60-24 EXPENDED ALL JETTISONED -

ORDNANCE/RTE _____ DUDS (SEE NOTE # 1) _____

BDA 40% % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 5th MINT REG 1ST BR OPERATION _____
(LEAVE BLANK)

ENROUTE WX _____

- (A) HOSTILE FIRE YES NO
 - (B) AIRBURST YES NO
 - (C) A/C HIT YES NO
 - (D) RECON INSERT/EXTRACT YES NO
 - (E) BDA REPORTED YES NO
 - (F) ABORT YES NO
 - (G) DIVERT YES NO
- FILE FORM WITH BARREL
FILE FORM WITH BARREL
FILE FLASH REPORT WITH BARREL
CIRCLE ONE/COORD
IF ADDITIONAL CIRCLE
A/C MALFUNCTION/NO DROP
GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER WJR TIME _____ DATE 7 JUN 69
SQUADRON 223 CALL SIGN HB556 MSN # 6536 FLT CODE 152
T/O 0720 LAND 0825 TOTAL TIME 2.2

PILOTS A/C
Snyder UP 22 DASC VANDY TIME 0740
Rogers 2 CONTROLLER SW97-2 TIME 0745
TYPE CONTROLLER TALA
TYPE MISSION DAS

TOT DESCRIPTION COORDINATES PROVINCE
0800-05 trails & bunkers XB752357 1
RD

TGT TERRAIN Hilly TGT WX 0 VISIBILITY 10
REL ANGLE 30° PASSES 2 INTERVAL 3000 MIN ALT 3.0
ENROUTE ALT 10.5 RETURN ALT 17.5 TARGET AIRSPEED 450
ORDNANCE 12020 EXPENDED All JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
BDA 100 % 100 % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 3rd Recon OPERATION Heekimae MT
(LEAVE BLANK)

ENROUTE WX _____
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Oppenhuizen TIME 0830 DATE 7 June 1969
 SQUADRON 227 CALL SIGN #12552 MSN # 6552 FLT CODE 152/1
 T/O 0652 LAND 0807 TOTAL TIME 2.6

PILOTS A/C
Hamilton WP23 DASC Kandy TIME 0715
Oppenhuizen 17 CONTROLLER SW 97-2 TIME 0720
 TYPE CONTROLLER TACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0735-40</u>	<u>En Loc.</u> <u>EC</u>	<u>X0752357</u>	<u>RVN/I</u>

TGT TERRAIN flat TGT WX 5.0 VISIBILITY 5
 MIN ALT 1500
 REL ANGLE 30 PASSES 2 INTERVAL 30 REL ALT 3000
 ENROUTE ALT 16.5 RETURN ALT 23.5 TARGET AIRSPEED 450
 C
 ORDNANCE 12 D2 Q EXPENDED 11 D2 Q JETTISONED
 ORDNANCE/RTB 1 D2 Q DUDS (SEE NOTE # 1)
 BDA 100 % 100 % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 3 RD Recon OPERATION Heckler PVT.
 (LEAVE BLANK)
 ENROUTE WX 50 100

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER FISCHER TIME 1200 DATE 7 JUN 68
SQUADRON 223 CALL SIGN HBN MSN # 6454 FLT CODE 1841
T/O 0943 LAND 1144 TOTAL TIME 4.0

PILOTS A/C
ROGERS WP 1 DASC DONG HA TIME 1000
FISCHER 18 CONTROLLER BARBY 17 TIME 1050
TYPE CONTROLLER TAC(A)
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1702-13</u>	<u>KNOWN ENERGY LOCATION</u> <u>EL</u>	<u>YD 332 345</u>	<u>BUN (I)</u>

TGT TERRAIN HILLSIDE TGT WX 350 VISIBILITY 10+
REL ANGLE 28° MIN ALT 600
PASSES 8 INTERVAL 30 REL ALT 1200
ENROUTE ALT 185 RETURN ALT 195 TARGET AIRSPEED 450
ORDNANCE 1601A/409/1020 EXPENDED ALL JETTISONED
ORDNANCE/RTB DUDS (SEE NOTE # 1)
BDA 100 % 100 % ADDITIONAL

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 101st A.B. OPERATION Douche Snow
(LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER HICKERSON TIME 1030 D 8
SQUADRON 223 CALL SIGN Hb 155 MSN # 6155 FLT CODE 152/1
T/O 0742 LAND 1025 TOTAL TIME 5.6

PILOTS A/C
PALMER WP15 DASC JANDY TIME 0800
HICKERSON 20 CONTROLLER Sub 98-2 TIME
TYPE CONTROLLER TACA
TYPE MISSION 015 (L2P)

TOT DESCRIPTION COORDINATES PROVINCE
1001/1016 LANDING ZONE XD862648 RUN, T
UN

TGT TERRAIN MTNS. TGT WX 350 VISIBILITY 10+
REL ANGLE 20° PASSES 8 INTERVAL 30 SEC MIN ALT 1500
REL ALT 2000'

ENROUTE ALT 22.5 RETURN ALT 23.5 TARGET AIRSPEED 450

ORDNANCE 408/407 EXPENDED 407/208 JETTISONED 208

ORDNANCE/RTB ~~208/208~~ DUDS (SEE NOTE # 1)

BDA 90 % 50 % ADDITIONAL

C

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 3RD Recon Bn. OPERATION See Note #3
(LEAVE BLANK)

ENROUTE WX _____

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER L. Lawseth TIME 0930 DATE 8 June
SQUADRON 223 CALL SIGN HA 153 MSN # 6153 FLT CODE 15211
T/O 0706 LAND 0911 TOTAL TIME 4.2

PILOTS A/C
STANTON WP 2 DASC Helix TIME 0840
LAWSETH " 16 CONTROLLER Helix 23 TIME 0845
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0850-0900</u>	<u>Enemy Posit/unload clock</u> <u>EC</u>	<u>B5 468 775</u>	<u>H</u>

TGT TERRAIN Flat TGT WX 120 @ VISIBILITY 15
REL ANGLE 30° PASSES 8 INTERVAL 30 Sec MIN ALT 1800'
ENROUTE ALT 20.5 RETURN ALT 19.5 TARGET AIRSPEED 450

ORDNANCE 12 D2 EXPENDED ALL JETTISONED
ORDNANCE/RTB DUDS (SEE NOTE # 1)
BDA 100 % 45 % ADDITIONAL 2 Bunkers Dest 6 milit
Park units (PA)

SECONDARY EXPLOSIONS NUMBER SIZE
UNIT SUPPORTED American OPERATION Stevens Park
(LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS:
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER FISCHER TIME _____ DATE 8 JUNE 1969
 SQUADRON 222 CALL SIGN HBN MSN # 8011 FLT CODE 15211
 T/O 0659 LAND 0739 TOTAL TIME 1.4

PILOTS A/C
SMYDER WP39 DASC HELIX TIME 00
FISCHER 7 CONTROLLER HELIX 32 TIME 63
 TYPE CONTROLLER TAC/
 TYPE MISSION LZP

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0705-20</u>	<u>LZP</u>	<u>85 755 249</u>	<u>RON I/1</u>
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

TGT TERRAIN HILLY TOP TGT WX 500 VISIBILITY 10T
 REL ANGLE 50° PASSES 6 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 28.5 RETURN ALT 13.5 TARGET AIRSPEED 450
 ORDNANCE 2D3DC/8D2DC EXPENDED ALL JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
 BDA 100% 30% ADDITIONAL 1 ORANGE SEC EXPLOSION

SECONDARY EXPLOSIONS NUMBER SIZE _____
 UNIT SUPPORTED AMERICAL OPERATION From Mt.
 (LEAVE BLANK)
 ENROUTE WX _____

- | | | | |
|--------------------------|-----|--|-------------------------------|
| (A) HOSTILE FIRE | YES | <input checked="" type="checkbox"/> NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | <input checked="" type="checkbox"/> NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | <input checked="" type="checkbox"/> NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | <input checked="" type="checkbox"/> NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | <input checked="" type="checkbox"/> NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | <input checked="" type="checkbox"/> NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | <input checked="" type="checkbox"/> NO | GIVE REASON BELOW |

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER NORRIS TIME 1130 D 850N
SQUADRON 223 CALL SIGN HB MSN # 6455 FLT CODE 152
T/O 1030 LAND 1110 TOTAL TIME 1.4

PILOTS A/C
NEWMILL 21 DASC _____ TIME _____
NORRIS 7 CONTROLLER BIS12 TIME 1035
TYPE CONTROLLER TACA
TYPE MISSION C.R.S

TOT DESCRIPTION COORDINATES PROVINCE
1035-41 UC Trees AT 790.340 4
TS

TGT TERRAIN FLAT TGT WX 900 VISIBILITY 107
REL ANGLE 30° PASSES 8 INTERVAL 30 MIN ALT 600
REL ALT 200

ENROUTE ALT 125 RETURN ALT 115 TARGET AIRSPEED 450

ORDNANCE 10014409 EXPENDED ALL JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA 100% 50% ADDITIONAL Extracted
1 Sec Pin

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED Americid OPERATION _____

ENROUTE WX 0 (LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: no duds seen
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER 044 TIME 0915 DATE JUNE 8 '69
 SQUADRON 223 CALL SIGN 451 MSN # 6151 FLT CODE 152/1
 T/O 0859 LAND 0950 TOTAL TIME 1.8

PILOTS A/C
WARFIELD WP 21
044 WP 23
 DASC _____ TIME _____
 CONTROLLER JAKE 73 TIME 0910
 TYPE CONTROLLER TAC(A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0930-37</u>	<u>TRENCHLINE</u>	<u>BS 301 292</u>	<u>QUANG TIN</u>

TGT TERRAIN FLAT TGT WX 0 VISIBILITY 9+
 REL ANGLE 20° PASSES 16 INTERVAL 30SEC MIN ALT 600
 ENROUTE ALT 18.5 RETURN ALT 13.5 TARGET AIRSPEED 450
 ORDNANCE 16 DIA / 409 EXPENDED ALL JETTISONED NONE
 ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) 1
 BDA 100 % 90 % ADDITIONAL 1 STRUC. DAM.

C

50 METERS TRENCHLINE

SECONDARY EXPLOSIONS NONE NUMBER _____ SIZE _____
 UNIT SUPPORTED ARVN OPERATION _____
 ENROUTE WX 0 (LEAVE BLANK)

- | | | | | | |
|--------------------------|-----|-------------------------------------|----|--------------------------|-------------------------------|
| (A) HOSTILE FIRE | YES | <input type="checkbox"/> | NO | <input type="checkbox"/> | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | <input type="checkbox"/> | NO | <input type="checkbox"/> | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | <input type="checkbox"/> | NO | <input type="checkbox"/> | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | <input type="checkbox"/> | NO | <input type="checkbox"/> | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | <input checked="" type="checkbox"/> | NO | <input type="checkbox"/> | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | <input type="checkbox"/> | NO | <input type="checkbox"/> | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | <input type="checkbox"/> | NO | <input type="checkbox"/> | GIVE REASON BELOW |

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION BS 301 292 REASON FINS FAILED TO OPEN
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER 97 TIME 1230 DA 8 JUNE 69
SQUADRON 223 CALL SIGN HB017 MSN # 6017 FLT CODE 152
T/O 1103 LAND 1200 TOTAL TIME 2.0

PILOTS
HAMILTON A/C WP08 DASC VS. TIME 1107
FRANSON A/C WP10 CONTROLLER BILK14 TIME 1110
TYPE CONTROLLER TACCA
TYPE MISSION CAS

TOT 1135-45 DESCRIPTION Known VC. posit. COORDINATES BT202123 PROVINCE QUANG TINH
FC

TGT TERRAIN HILLSIDE TGT WX 050 VISIBILITY 10
REL ANGLE 30° PASSES 6 INTERVAL 30' MIN ALT 1500
REL ALT 3000'
ENROUTE ALT 12.5 RETURN ALT 9.5 TARGET AIRSPEED 450KTS
ORDNANCE 12 02X 400RDS 020 EXPENDED ALL JETTISONED NONE
ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) NONE
BDA 100 % 50 % ADDITIONAL NOTHING FURTHER

C

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0
UNIT SUPPORTED 101ST ASW OPERATION LAMAR TRAIN
(LEAVE BLANK)
ENROUTE WX _____

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS: FRIENDLIES 200M @ 3 o'clock -
WOULD'VE BEEN BETTER FOR STN
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS GOOD COVERAGE: POINT TGT.

DEBRIEFER BAKER TIME 1100 DATE 8 JUNE 1969
SQUADRON 223 CALL SIGN HB MSN # 6015 FLT CODE 1524
T/O 0915 LAND 1041 TOTAL TIME 2.8

PILOTS A/C
BAKER WD 10 DASC WALK TIME 0903
COSTA 11 CONTROLLER BUK 14 TIME 0922
TYPE CONTROLLER FACIA
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1010-20</u>	<u>EN LCL</u>	<u>BT 202123</u>	<u>11</u>

TGT TERRAIN Hilly TGT WX 0 VISIBILITY 9.5
REL ANGLE 30 PASSES 6 INTERVAL 30 MIN ALT 2000
ENROUTE ALT 16.5 RETURN ALT 5.5 TARGET AIRSPEED 450
ORDNANCE 1202X EXPENDED ALL JETTISONED
ORDNANCE/RTB DUDS (SEE NOTE # 1)
BDA 100 % 50 % ADDITIONAL 1 BUNKER OUT

SECONDARY EXPLOSIONS NUMBER SIZE
UNIT SUPPORTED 1st 101st AB OPERATION LAMOUR PLAIN
(LEAVE BLANK)

- ENROUTE WX
- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 - (B) AIRBURST YES NO FILE FORM WITH BARREL
 - (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
 - (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 - (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
 - (F) ABORT YES NO A/C MALFUNCTION/NO DROP
 - (G) DIVERT YES NO GIVE REASON BELOW

REMARKS:
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER Wim TIME 1300 DATE 8 June 69
SQUADRON 223 CALL SIGN #M2 MSN # 0939 FLT CODE 152
T/O 1144 LAND 1234 TOTAL TIME 1.6

PILOTS
Rogers A/C WP-02 DASC Hillboro TIME 1154
Barnes 16 CONTROLLER Cover TIME 1157
TYPE CONTROLLER 1283 TADA
TYPE MISSION ST

TOT DESCRIPTION COORDINATES PROVINCE
1203-01 SUPPLY POINT XD934147 LAOS
SP 1624 10648

TGT TERRAIN Mount TGT WX 1500 VISIBILITY 7
REL ANGLE 450 PASSES 2 INTERVAL 1500 MIN ALT 4.5
ENROUTE ALT 20.5 RETURN ALT 13.5 TARGET AIRSPEED 450
REL ALT 5.5

ORDNANCE 12 D24 EXPENDED ALL JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
BDA 100 % with in 50 miles ADDITIONAL Nothing further

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 7th AF OPERATION _____
ENROUTE WX 150 @ 75 @ 7 (LEAVE BLANK)

- (A) HOSTILE FIRE NO YES NO FILE FORM WITH BARREL
- (B) AIRBURST NO YES NO FILE FORM WITH BARREL
- (C) A/C HIT NO YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT NO YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED NO YES NO IF ADDITIONAL CIRCLE
- (F) ABORT NO YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT NO YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER German TIME 1015 DATE 9 June 61
SQUADRON 773 CALL SIGN HB557 MSN # 6557 FLT CODE 152/1
T/O 0920 LAND 1000 TOTAL TIME 1.4

PILOTS A/C
German WPOY DASC DNA TIME 0925
Fogerty " 10 CONTROLLER Hostage Pot TIME 0930
TYPE CONTROLLER TACB
TYPE MISSION 22P

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0940</u>	<u>L 2 f</u>	<u>BT001951</u>	<u>III</u>

TGT TERRAIN Flat TGT WX clear VISIBILITY 20 miles
REL ANGLE 0° PASSES 2 INTERVAL 30 sec MIN ALT 200'
ENROUTE ALT 14.5 RETURN ALT 7.5 TARGET AIRSPEED 450
ORDNANCE 4 D21 EXPENDED 4 D21 JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
BDA fair % 8 ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED ROK? OPERATION Hostage?
ENROUTE WX clear (LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS Not very good; smoke is
not evenly distributed. Came out in large
clumps then nothing.

DEBRIEFER Haise TIME 1245 DA 9 June
SQUADRON 223 CALL SIGN HB560 MSN # 6560 FLT CODE 152/1
T/O 1144 LAND 1224 TOTAL TIME 1.4

PILOTS A/C
WARFIELD WP-3
HEUSE -11
DASC DANANG TIME 1150
CONTROLLER KIMCHI TIME 1152
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1157-05 TREE LINE B7065534 AVN 3
EC

TGT TERRAIN FLAT TGT WX 400 VISIBILITY 10
REL ANGLE 20° PASSES 8 INTERVAL 30sec MIN ALT 600
REL ALT 1050

ENROUTE ALT 12.5 RETURN ALT 11.5 TARGET AIRSPEED 450

ORDNANCE 802A/409 EXPENDED ALL JETTISONED —

ORDNANCE/RTB — DUDS (SEE NOTE # 1) 2

BDA 80% 80% ADDITIONAL 2 SUSTAINED FIRES,
100 METERS TREE LINE, 1 BUNICER DAMAGED

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED ROK MARINES OPERATION Dragon
(LEAVE BLANK)

ENROUTE WX GOOD

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION BT-065534 REASON UKN
RECOVERABLE — FUZE (DELAY/ARM DELAY) 2 SEC ARM

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER BURNS TIME 1720 DATE 9 June 69
SQUADRON 223 CALL SIGN 592 MSN # 6592 FLT CODE 152
T/O 1335 LAND 1702 TOTAL TIME 7.0

PILOTS A/C
HAMILTON 08
BURNS 16
DASC HELIX TIME 1725
CONTROLLER HELIX 22 TIME 1730
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1732-42 Supp. Enemy Pos BT 672018 RJ 4 D
EC

TGT TERRAIN FLAT TGT WX 0 VISIBILITY 10
REL ANGLE 30° PASSES 8 INTERVAL 30s MIN ALT 2000
ENROUTE ALT 18.5 RETURN ALT 19.5 TARGET AIRSPEED 450

ORDNANCE 407/4024/4014 EXPENDED ALL JETTISONED —
ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
BDA 100% 70% ADDITIONAL 2 Small Explosions,
2 Military Structure Dest, 1 Tanker Dest.

SECONDARY EXPLOSIONS 2 NUMBER 2 SIZE Small
UNIT SUPPORTED American OPERATION —
(LEAVE BLANK)
ENROUTE WX —

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—

DEBRIEFER Start TIME 1200 DATE 9 June 69
SQUADRON 223 CALL SIGN 4B016 MSN # 6016 FLT CODE 1521
T/O 1107 LAND 1147 TOTAL TIME 1.4

PILOTS A/C
Start 02
Navilo 15
DASC Helio TIME 1108
CONTROLLER Helio 03 TIME 1109
TYPE CONTROLLER LEAVE TRAFFIC
TYPE MISSION CAS

TCT DESCRIPTION COORDINATES PROVINCE
1115/30 Troops in contact BT 130234 4

TGT TERRAIN Hilly TGT WX 0 VISIBILITY 2
REL ANGLE 20 PASSES 6 INTERVAL 30 MIN ALT 800
REL ALT 1300

ENROUTE ALT 8.5 RETURN ALT 7.5 TARGET AIRSPEED 450

ORDNANCE 401/802A EXPENDED Same JETTISONED

ORDNANCE/RTB DUDS (SEE NOTE # 1)

BDA 100 % 95 % ADDITIONAL

3 Structures Dest
4 Bunkers Dest

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED Amcau OPERATION (LEAVE BLANK)

ENROUTE WX

- (A) HOSTILE FIRE YES NO
 - (B) AIRBURST YES NO
 - (C) A/C HIT YES NO
 - (D) RECON INSERT/EXTRACT YES NO
 - (E) BDA REPORTED YES NO
 - (F) ABORT YES NO
 - (G) DIVERT YES NO
- FILE FORM WITH BARREL
FILE FORM WITH BARREL
FILE FLASH REPORT WITH BARREL
CIRCLE ONE/COORD
IF ADDITIONAL CIRCLE
A/C MALFUNCTION/NO DROP
GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER NORRIS TIME 1000 DATE 9 JUN
SQUADRON 223 CALL SIGN HR MSN # 6552 FLT CODE 157
T/O 0819 LAND 0937 TOTAL TIME 26

PILOTS A/C
Woolhill 11
NORRIS 16
DASC Woods TIME 0835
CONTROLLER JAKE TIME 0857
TYPE CONTROLLER TACA
TYPE MISSION CHS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0207-02</u>	<u>OC. Aludun</u>	<u>25003924</u>	<u>4</u>

TGT TERRAIN Hilly TGT WX C VISIBILITY 10+
REL ANGLE 300 PASSES 6 INTERVAL 30 MIN ALT 600
REL ALT 300

ENROUTE ALT 12.5 RETURN ALT 12.5 TARGET AIRSPEED 450

ORDNANCE 1 D2A EXPENDED 1 D2A JETTISONED

ORDNANCE/RTB 1 D2A DUDS (SEE NOTE # 1) 1

BDA 100 % 20 % ADDITIONAL

2 Structures dest

2 structures dam 1 bunker dest

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED A/CAL OPERATION

ENROUTE WX 0 (LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION TGT REASON ?

RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER _____ TIME _____ DATE _____
SQUADRON 223 CALL SIGN NR 562 MSN # 6562 FLT CODE 152
T/O 1400 LAND 1450 TOTAL TIME 1.8

PILOTS A/C
BARNES AP 15
GROSE 23

DASC 13 TIME 145
CONTROLLER 1417-27 TIME 1415
TYPE CONTROLLER 1417-27 TACA
TYPE MISSION CR

TOT DESCRIPTION COORDINATES PROVINCE
1430 Suspect Enemy Location RS 448342 ICORPT RVP
EC

TGT TERRAIN M TGT WX 6000 VISIBILITY 7
REL ANGLE 30 PASSES 10 INTERVAL 30/12 MIN ALT 1500
REL ALT 300
ENROUTE ALT 10.5 RETURN ALT 9.5 TARGET AIRSPEED 450
ORDNANCE 1002 w/y EXPENDED 111 JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
BDA 100 % 100 % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED Americal OPERATION Geneva Park
(LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Fleming TIME 0900 DATE 9 JUNE
SQUADRON 223 CALL SIGN 21 MSN # 0908 FLT CODE LS2
T/O 0710 LAND 0823 TOTAL TIME 2.4

PILOTS A/C

Fleming
0900
CY RAY

BAKER 3
BURNS 8

DASC HILLBORD TIME 0720
CONTROLLER NAIC 113 TIME 0730
TYPE CONTROLLER TACP
TYPE MISSION SIT

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0735/55</u>	<u>BOXES</u>	<u>XD723017</u>	<u>LAOS</u>
	<u>SP</u>	<u>1685-10604</u>	
		<u>1660-10610</u>	
		<u>1617 10637</u>	

TGT TERRAIN F TGT WX 0.0 VISIBILITY 7
REL ANGLE 450 PASSES 6 INTERVAL 30° MIN ALT 4000
ENROUTE ALT 20.5 RETURN ALT 25.5 TARGET AIRSPEED 450
ORDNANCE 1202 EXPENDED ALL JETTISONED —
ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
BDA 100% ~~6~~ % in tgt area ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
UNIT SUPPORTED 7th A.F. OPERATION —
(LEAVE BLANK)

- | | | | |
|--------------------------|------------------------------|--|-------------------------------|
| (A) HOSTILE FIRE | YES <input type="checkbox"/> | NO <input checked="" type="checkbox"/> | FILE FORM WITH BARREL |
| (B) AIRBURST | YES <input type="checkbox"/> | NO <input checked="" type="checkbox"/> | FILE FORM WITH BARREL |
| (C) A/C HIT | YES <input type="checkbox"/> | NO <input checked="" type="checkbox"/> | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES <input type="checkbox"/> | NO <input checked="" type="checkbox"/> | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES <input type="checkbox"/> | NO <input checked="" type="checkbox"/> | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES <input type="checkbox"/> | NO <input checked="" type="checkbox"/> | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES <input type="checkbox"/> | NO <input checked="" type="checkbox"/> | GIVE REASON BELOW |

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—
—

DEBRIEFER Dunn TIME 1030 DATE 6-9-69
SQUADRON 223 CALL SIGN HB 014 MSN # 6014 FLT CODE 152
T/O 0915 LAND 1015 TOTAL TIME 2.0

PILOTS A/C
FREEMAN W/P 17 DASC Helix TIME 0920
BARNES 18 CONTROLLER BILICIL TIME 0923
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0930-50</u>	<u>Known Enemy Position</u>	<u>BT 20118</u>	<u>4</u>
	<u>EC</u>		

TGT TERRAIN Hilly TGT WX 0 VISIBILITY 10T
REL ANGLE 30° PASSES 8 INTERVAL 45 MIN ALT 2000
REL ALT 3000

ENROUTE ALT 10.5 RETURN ALT 7.5 TARGET AIRSPEED 450

ORDNANCE 12 D2' y/w EXPENDED all JETTISONED 0

ORDNANCE/RTE 0 DUDS (SEE NOTE # 1)

BDA 100 % 50 % ADDITIONAL 2 BUNKERS destroyed
1 50 cal site destroyed 20 meters trench destroyed
50 meters trail destroyed

SECONDARY EXPLOSIONS 0 NUMBER SIZE

UNIT SUPPORTED 1015 Airborne OPERATION Lamar Plain
(LEAVE BLANK)

ENROUTE WX

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON

RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER Lawseth TIME 1815 DATE 9 June
SQUADRON 223 CALL SIGN HB 466 MSN # 6466 FLT CODE 152/1
T/O 1653 LAND 1800 TOTAL TIME 4.2

PILOTS A/C
Heise WP-3 DASC Vandy TIME 1700
Lawseth WP-24 CONTROLLER See Worthy 98 TIME 1702
TYPE CONTROLLER 15+AEA
TYPE MISSION LAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1705-1727</u>	<u>Ridge line/bunk.</u> <u>BF</u>	<u>VD 028 636</u>	<u>51</u>

TGT TERRAIN Hilly TGT WX 130 VISIBILITY 15
REL ANGLE 20° PASSES 8 INTERVAL 30 sec MIN ALT 600'
REL ALT 1300'

ENROUTE ALT 20.5 RETURN ALT 17.5 TARGET AIRSPEED 450

ORDNANCE 8 D2A 409 EXPENDED 8 D2A 409 JETTISONED

ORDNANCE/RTB DUDS (SEE NOTE # 1)

BDA 70 % 100 % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED 3rd MAW Div OPERATION Virginia Ridge
(LEAVE BLANK)

ENROUTE WX

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS :
(REFERENCE NOTE #3)

NOTE #1: ^{(2) duds} DUD REPORT LOCATION VD 028 636 REASON Fires came off
^{(1) fuze}

RECOVERABLE No FUZE (DELAY/ARM DELAY) 2 sec. delay

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER CAPT SCHNELL TIME 173614 DATE 9 Jun 69
SQUADRON 223 CALL SIGN HR 564 MSN # 6564 FLT CODE 152
T/O 1603 LAND 1728 TOTAL TIME 2.8

PILOTS A/C
SCHNELL WP-18 DASC Vandy TIME 1630
Rogers 17 CONTROLLER PA 98-15 TIME 1635
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1635-51</u>	<u>Enemy Posit</u> <u>EC</u>	<u>4D028636</u>	<u>1</u>

TGT TERRAIN Hilly TGT WX 0 to VISIBILITY 10
REL ANGLE 20 PASSES 15 INTERVAL 30 MIN ALT 600'
ENROUTE ALT 16.5 RETURN ALT 15.5 TARGET AIRSPEED 450
ORDNANCE 8D2A 4D9 D20 EXPENDED ALL JETTISONED NONE
ORDNANCE/RTB NONE DUDS (SEE NOTE # 1)
BDA 100 % 100 % ADDITIONAL 2 Secondary Explosions
2 Bunker DEST

SECONDARY EXPLOSIONS 2 YES NUMBER 2 SIZE Small Arms
Flare Ammo
UNIT SUPPORTED 2 BATT 3rd Man OPERATION Virginia Ridge
(LEAVE BLANK)
ENROUTE WX 010

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: Mission could have been performed with
Hidden. (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Wallace TIME 0740 DATE 9 June 69
SQUADRON 223 CALL SIGN HB MSN # 6150 FLT CODE 152
T/O 0619 LAND 0730 TOTAL TIME 2.4

PILOTS A/C
WALLACE WP 07 DASC Don't Ha TIME 0630
NORRIS 15 CONTROLLER Sullivan 97 TIME 0637
TYPE CONTROLLER TACA
TYPE MISSION C-130

TOT DESCRIPTION COORDINATES PROVINCE
0640/0710 POSSIBLE EN LOCOMOT YD2553 RUN/1/10
EC YD255300 11

TGT TERRAIN Small Hills TGT WX 0 VISIBILITY 10+
REL ANGLE 20 PASSES 5 INTERVAL 30 MIN ALT 600
ENROUTE ALT 18.5 RETURN ALT 17.5 TARGET AIRSPEED 350
ORDNANCE 8 D32 EXPENDED All JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
BDA 100 % 100 % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED QUANG TRI DEFENSE OPERATION MADAGASCAR
(LEAVE BLANK)
ENROUTE WX _____

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD _____
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE _____
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP _____
- (G) DIVERT YES NO GIVE REASON BELOW _____

REMARKS: WIND DIRECTION TOWARD QUANG TRI BASE WAS
NOTED BY LEADER & TACA. TACA CALLED INTO TO
QUANG TRI, QUANG TRI SAID OK TO DROP WITH WIND
TOWARD THEM.
NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER WHA TIME 1130 DATE 9 JUN 69
SQUADRON 223 CALL SIGN HBN MSN # 8954 FLT CODE 182
T/O 0934 LAND 1115 TOTAL TIME 3.4

PILOTS A/C
FISCHER WP 21 DASC DNG TIME 1020
BLACKMAN 23 CONTROLLER HST LIMA TIME 1035
TYPE CONTROLLER TACH
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
40-57 FORT. VILL BT 021607 RUN / I / 3
VL

TGT TERRAIN FLAT TGT WX 950 VISIBILITY 10+
REL ANGLE 20° PASSES 10 INTERVAL 30 MIN ALT 600
REL ALT 400
ENROUTE ALT 18.5 RETURN ALT 7.5 TARGET AIRSPEED 450
ORDNANCE 16 DRA / 409 EXPENDED ALL JETTISONED —
ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
BDA 85 % 90 % ADDITIONAL 1 STRUCT DES

SECONDARY EXPLOSIONS — NUMBER — SIZE —
UNIT SUPPORTED 1ST MAINT OPERATION —
(LEAVE BLANK)
ENROUTE WX —

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS: — CAP, ONE FUG
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—
—

DEBRIEFER MCL TIME 1455 DATE 9 June 69

SQUADRON 223 CALL SIGN M 23 ASN # 0948 FLT CODE 151/3

T/O 1323 LAND 1423 TOTAL TIME 3.0

PILOTS A/C

<u>SCHNELL</u>	<u>WP 18</u>	DASC <u>Hillsboro</u>	TIME <u>1335</u>
<u>OGG</u>	<u>21</u>	CONTROLLER <u>to</u>	TIME <u>1340</u>
<u>FISCHER</u>	<u>17</u>	TYPE CONTROLLER <u>cover 218</u>	<u>TACT</u>
		TYPE MISSION	<u>S.T.</u>

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1345-55</u>	<u>Transshipment point</u>	<u>XC 930160</u>	<u>LOS</u>
	<u>(TIC)</u>	<u>1531 10648</u>	

TGT TERRAIN MPS TGT W/ 2000 VISIBILITY gt

REL ANGLE 450 PASSES 4 INTERVAL 30 MIN ALT 6000 REL ALT 8500

ENROUTE ALT 20.5 RETURN ALT 21.5 TARGET AIRSPEED 450

ORDNANCE 18/024 EXPANDED AU JETTISONED -

ORDNANCE/RTB - DUDS (SEE NOTE #1) -

BDA 100 % 100 % ADDITIONAL -

SECONDARY EXPLOSIONS possible NUMBER 1 SIZE -

UNIT SUPPORTED 7th A.F. OPERATION - (LEAVE BLANK)

ENROUTE WX -

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(E) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

Mel 1500 VACUUA

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -
RECOVERABLE - FUZE (DELAY/ARM DELAY) -

NOTE #2: ECM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -

DEBRIEFER _____ TIME _____ DATE _____
SQUADRON 223 CALL SIGN 594 MSN # 6594 FLT CODE 152
T/O 1335 LAND 1702 TOTAL TIME 7.0

PILOTS _____ A/C _____
HAMILTON WP 08 DASC _____ TIME _____
BURNS IL CONTROLLER _____ TIME _____
TYPE CONTROLLER TACA
TYPE MISSION _____

TOT	DESCRIPTION	COORDINATES	PROVINCE

No Drop

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
REL ALT _____
ENROUTE ALT 18.5 RETURN ALT 19.5 TARGET AIRSPEED _____
ORDNANCE 407/402/4014 EXPENDED _____ JETTISONED _____
ORDNANCE/RTB ALL DUDS (SEE NOTE # 1) _____
BDA _____ % _____ % ADDITIONAL _____

C

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED _____ OPERATION _____
(LEAVE BLANK)
ENROUTE WX _____

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: No Jate
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER MCL TIME 1710 DATE 9 June 69

SQUADRON 223 CALL SIGN M26 MSN # 0964 FLT CODE 152/3

T/O 1540 LAND 1644 TOTAL TIME 2.2

PILOTS A/C

<u>Reed</u>	<u>WP 01</u>	DASC <u>Hillsboro</u>	TIME <u>1550</u>
<u>Steeking</u>	<u>02</u>	CONTROLLER <u>04215</u>	TIME <u>1605</u>
		TYPE CONTROLLER <u>TACT</u>	
		TYPE MISSION <u>S.T.</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1610-16</u>	<u>transshipment point</u>	<u>XC9347147</u>	<u>LOS</u>
		<u>1530 10648</u>	

TGT TERRAIN F TGT WX 1000 VISIBILITY 7

REL ANGLE 45° PASSES 2 INTERVAL 30 MIN ALT 6000 REL ALT 8000

ENROUTE ALT 18.5 RETURN ALT 21.5 TARGET AIRSPEED 450

ORDNANCE 12/02w/y EXPENDED All REJECTED -

ORDNANCE/RTE - DUDG (SEE NOTE #1) -

BDA 100 % 100 % ADDITIONAL -

C

SECONDARY EXPLOSIONS - NUMBER - SIZE -

UNIT SUPPORTED 7-14 A.F. OPERATION - (LEAVE BLANK!)

ENROUTE WX -

- | | | | |
|--------------------------|-----|--|-------------------------------|
| (A) HOSTILE FIRE | YES | <input checked="" type="checkbox"/> NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | <input type="checkbox"/> NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | <input type="checkbox"/> NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | <input type="checkbox"/> NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | <input type="checkbox"/> NO | IF ADDITIONAL CIRCLE |
| (F) ABCRT | YES | <input type="checkbox"/> NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | <input type="checkbox"/> NO | GIVE REASON BELOW |

MCL
1920
MACULA

REMARKS: - (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -
RECOVERABLE - FUZE (DELAY/ARM DELAY) -

NOTE #2: ECM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -

DEBRIEFER L. J. ... TIME 1342 DATE 9 JUL 69
SQUADRON 223 CALL SIGN MD 156 MSN # 6156 FLT CODE 153/1
T/O 1212 LAND 1335 TOTAL TIME 2.4

PILOTS A/C
FREEMAN ap-07 DASC Vicksgund TIME 1212
LAKERS 6210 CONTROLLER 157133 TIME 1225
TYPE CONTROLLER TACD
TYPE MISSION DD

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1250-59</u>	<u>Known enemy location</u>	<u>YC 290912</u>	<u>2</u>
	<u>EC</u>	<u>YC 290917</u>	

TGT TERRAIN Mountain TGT WX 4.0 D VISIBILITY 7
REL ANGLE 30° PASSES 6 INTERVAL 35 MIN ALT 1500
ENROUTE ALT 16.5 RETURN ALT 19.5 TARGET AIRSPEED 250
ORDNANCE 4D3X/1120X EXPENDED 1/1 JETTISONED —
ORDNANCE/RTB — DUDS (SEE NOTE # 1) 1 DUD
BDA 90% 100% ADDITIONAL 2 Bunkers destroyed

C

SECONDARY EXPLOSIONS — NUMBER — SIZE —
UNIT SUPPORTED 1st Airborne OPERATION Apache Snow
(LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION YC 290917 REASON UNKNOWN
RECOVERABLE — FUZE (DELAY/ARM DELAY) XIPAY

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER Start TIME 0755 DATE 9 June 69
SQUADRON 223 CALL SIGN HB010 MSN # 6010 FLT CODE 152/1
T/O 0638 LAND 0735 TOTAL TIME 2.0

PILOTS A/C
Start 2
Blackman 10
DASC DONG HA TIME 0655
CONTROLLER BARKEY 18 TIME 0657
TYPE CONTROLLER TACF
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0708</u>	<u>Bunkers complex</u>	<u>YD323337</u>	<u>2</u>

TGT TERRAIN Hilly TGT WX 0 VISIBILITY 7
REL ANGLE 30° PASSES 4 INTERVAL 30 MIN ALT 1500
ENROUTE ALT 18.5 RETURN ALT 21.5 TARGET AIRSPEED 450
ORDNANCE 4D3X/4D2X EXPENDED Save JETTISONED
ORDNANCE/RTB DUDS (SEE NOTE # 1)
BDA 95 % 70 % ADDITIONAL 2 Bunkers Post,
7 Secondary Sites

SECONDARY EXPLOSIONS NUMBER SIZE
UNIT SUPPORTED 3101 OPERATION APACHE
(LEAVE BLANK)
ENROUTE WX 1200 ?

C

- (A) HOSTILE FIRE YES NO
 - (B) AIRBURST YES NO
 - (C) A/C HIT YES NO
 - (D) RECON INSERT/EXTRACT YES NO
 - (E) BDA REPORTED YES NO
 - (F) ABORT YES NO
 - (G) DIVERT YES NO
- FILE FORM WITH BARREL
FILE FORM WITH BARREL
FILE FLASH REPORT WITH BARREL
CIRCLE ONE/COORD
IF ADDITIONAL CIRCLE
A/C MALFUNCTION/NO DROP
GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER 069 TIME 1130 DATE JUNE 9 '69
SQUADRON 223 CALL SIGN HB 018 MSN # 6018 FLT CODE 152/1
T/O 1005 LAND 1110 TOTAL TIME 2.2

PILOTS A/C
069 WP 01 DASC BLK CONT. TIME 1020
BAKER WP 24 CONTROLLER BLK 37 TIME 1025
TYPE CONTROLLER TAC(A)
TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1030-43</u>	<u>ROCKET SITE</u>	<u>YC 280 916</u>	<u>THUA THIEN</u>

TGT TERRAIN MOUNTAINS TGT WX 80 0 VISIBILITY 10
REL ANGLE 30° PASSES 8 INTERVAL 30 SEC MIN ALT 1500
REL ALT 3000

ENROUTE ALT 16.5 RETURN ALT 17.5 TARGET AIRSPEED 450

ORDNANCE 4 D3Y-DC/AD2Y-DC EXPENDED ALL JETTISONED NONE

ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) NONE

BDA 100 % 100 % ADDITIONAL

C

SECONDARY EXPLOSIONS NONE NUMBER SIZE

UNIT SUPPORTED 101st A.B. OPERATION Recon Support
(LEAVE BLANK)

ENROUTE WX

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS :
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER Oppenhuizen TIME 0715 DATE 8 June 1969
 SQUADRON 223 CALL SIGN H.B.151 MSN # 0151 FLT CODE 15211
 T/O 0645 LAND 0700 TOTAL TIME 2.6

PILOTS A/C
GNA220 WP 8 DASC Vandy TIME 0705
Oppenhuizen 17 CONTROLLER SW 98-25 TIME 0709
 TYPE CONTROLLER TACA
 TYPE MISSION LAZ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0715-35</u>	<u>LL PREP</u> <u>LAN</u>	<u>20 862648</u>	<u>RVN/I</u>

TGT TERRAIN Hilly TGT WX 6.0 VISIBILITY 7
 REL ANGLE 30° PASSES 7 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 14.5 RETURN ALT 19.5 TARGET AIRSPEED 450
 ORDNANCE 12 D24(DC) EXPENDED 11 D24(DC) JETTISONED 1 D24(DC)

C

ORDNANCE/RTB DUDS (SEE NOTE # 1)
 BDA 90 % 90 % ADDITIONAL 3 sec expl

SECONDARY EXPLOSIONS NUMBER 3 SIZE small
 UNIT SUPPORTED 3RD Recon - 4TH MAR OPERATION Heckman MNT
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES <input type="checkbox"/>	NO <input type="checkbox"/>	FILE FORM WITH BARREL
(B) AIRBURST	YES <input type="checkbox"/>	NO <input type="checkbox"/>	FILE FORM WITH BARREL
(C) A/C HIT	YES <input type="checkbox"/>	NO <input type="checkbox"/>	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES <input type="checkbox"/>	NO <input type="checkbox"/>	CIRCLE ONE/COORD
(E) BDA REPORTED	YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>	IF ADDITIONAL CIRCLE
(F) ABORT	YES <input type="checkbox"/>	NO <input type="checkbox"/>	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES <input type="checkbox"/>	NO <input type="checkbox"/>	GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER S TIME 1000 DA 10 June
SQUADRON 223 CALL SIGN HB 233 MSN # 6233 FLT CODE 121
T/O 0910 LAND 0940 TOTAL TIME .5

PILOTS Barnes A/C WP-11
DASC _____ TIME _____
CONTROLLER _____ TIME _____
TYPE CONTROLLER _____
TYPE MISSION _____

TOT _____ DESCRIPTION _____ COORDINATES _____ PROVINCE _____

[Large handwritten scribble]

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____

REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
REL ALT _____

ENROUTE ALT _____ RETURN ALT _____ TARGET AIRSPEED _____

ORDNANCE _____ EXPENDED _____ JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____
(LEAVE BLANK)

ENROUTE WX _____

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER BAKER TIME 0900 DA 10 June
SQUADRON 223 CALL SIGN 4B MSN # 6225 FLT CODE 14
T/O 0817 LAND 0847 TOTAL TIME 30

PILOTS BAKER A/C WD 11
DASC _____ TIME _____
CONTROLLER _____ TIME _____
TYPE CONTROLLER _____
TYPE MISSION _____

TOT DESCRIPTION COORDINATES PROVINCE

TEST

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
ENROUTE ALT _____ RETURN ALT _____ TARGET AIRSPEED _____
ORDNANCE _____ EXPENDED _____ JETTISONED _____
ORDNANCE/RTB _____ BUDS (SEE NOTE # 1) _____
BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED _____ OPERATION _____
ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Oppenhuizen TIME 2130 DATE 10 June 69
SQUADRON 222 CALL SIGN 11B535 MSN # 6535 FLT CODE 352
T/O 2000 LAND 2100 TOTAL TIME 1.0

PILOTS Oppenhuizen A/C WP02

DASC CHULAI ASRT TIME 2010
CONTROLLER 444 TIME 2010
TYPE CONTROLLER ARGENT
TYPE MISSION 11:15

TGT DESCRIPTION COORDINATES PROVINCE
2015-25 Rocket Posit B3 447 971 B3 475 931 RVN/134

TGT TERRAIN R TGT WX 0 VISIBILITY 6
REL ANGLE Level PASSES 2 INTERVAL ----- MIN ALT 14.5
REL ALT 14,500

ENROUTE ALT 14.5 RETURN ALT 20.0 TARGET AIRSPEED 270

ORDNANCE 602y EXPENDED all JETTISONED -----

ORDNANCE/RTB ----- DUDS (SEE NOTE # 1) -----

BDA ----- % ----- % ADDITIONAL -----

SECONDARY EXPLOSIONS ----- NUMBER ----- SIZE -----

UNIT SUPPORTED Americal OPERATION Geneva Park
(LEAVE BLANK)

ENROUTE WX clear

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS : (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION ----- REASON -----
RECOVERABLE ----- FUZE (DELAY/ARM DELAY) -----

NOTE #2: ECM ENCOUNTERED ----- TIME ----- HOW DIRECTED -----

NOTE #3: ORDNANCE EFFECTIVENESS -----

DEBRIEFER Blackman TIME 2030 DA 10 JUNE 1969
SQUADRON 223 CALL SIGN HB531 MSN # 6531 FLT CODE 152
T/O 1915 LAND 2000 TOTAL TIME 08

PILOTS Blackman A/C UP18
DASC _____ TIME _____
CONTROLLER CHU LAI 44 TIME 1920
TYPE CONTROLLER CHU LAI 44 ASRT
TYPE MISSION TPA

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1925</u>	<u>Rocket Site</u>	<u>BS 484995</u>	<u>I RVN</u>

TGT TERRAIN MTN TGT WX VISIBILITY 7
REL ANGLE PASSES 1 INTERVAL MIN ALT 14.5
REL ALT 14.5
ENROUTE ALT 14.5 RETURN ALT 13.5 TARGET AIRSPEED 290
ORDNANCE 6D2Y EXPENDED ALL JETTISONED
ORDNANCE/RTB DUDS (SEE NOTE # 1)
BDA % ADDITIONAL

C

SECONDARY EXPLOSIONS NUMBER SIZE
UNIT SUPPORTED Americal OPERATION Genoa Park
(LEAVE BLANK)

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER SM4022 TIME 1605 DATE 10 June 69
SQUADRON 223 CALL SIGN H8019 MSN # 6019 FLT CODE 151/1
T/O 1512 LAND 1557 TOTAL TIME 1.6

PILOTS A/C
FREEMAN WP-02 DASC _____ TIME _____
SANDER WP-24 CONTROLLER H11226 TIME 1515
TYPE CONTROLLER TACA
TYPE MISSION CAT

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1525-1540</u>	<u>TARGET/BUNKER</u>	<u>BS-492758 (1)</u>	<u>4</u>
	<u>TS</u>	<u>BS-497758 (2)</u>	

TGT TERRAIN FLAT TGT WX CU02 VISIBILITY 15+
REL ANGLE 30 PASSES 6 INTERVAL 30 MIN ALT 1500
REL ALT 3000

ENROUTE ALT 10.5 RETURN ALT 7.5 TARGET AIRSPEED 450TAS

ORDNANCE 12 D1W/4 EXPENDED ALL JETTISONED 0

ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) 0

BDA 100 % 50 % ADDITIONAL 14 BUNKERS DESTROYED
1 BUNKER DESTROYED

SECONDARY EXPLOSIONS 0 NUMBER _____ SIZE _____

UNIT SUPPORTED AMERICAN/AVIA OPERATION GENEVA PARK
(LEAVE BLANK)

ENROUTE WX _____

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD _____
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE _____
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP _____
- (G) DIVERT YES NO GIVE REASON BELOW _____

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS ALL OK

DEBRIEFER COSTA TIME 0800 DATE 10 June 69
SQUADRON 223 CALL SIGN HB 151 MSN # 6151 FLT CODE 152
T/O 0630 LAND 0750 TOTAL TIME 2.6

PILOTS A/C
PALMER WP 8 DASC BILK TIME -
COSTA WP 16 CONTROLLER BILK-39 TIME 0720
TYPE CONTROLLER Autobombing
TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0720/0726</u>	<u>Suspected Enemy Position</u>	<u>YC 399928</u>	<u>RUN I</u>

TGT TERRAIN Mountains TGT WX 120 0 VISIBILITY 15+
REL ANGLE 30° PASSES 7 INTERVAL 30 sec MIN ALT 1500'
ENROUTE ALT 18.5 M RETURN ALT 19.5 M TARGET AIRSPEED 450 kts
ORDNANCE 8D-24 4D-7 EXPENDED 8D-2 4D-7 JETTISONED -
ORDNANCE/RTB - DUDS (SEE NOTE # 1) -
BDA 100 % 50 % ADDITIONAL 4 Bunkers destroyed

C

SECONDARY EXPLOSIONS - NUMBER - SIZE -
UNIT SUPPORTED 3 Brig 101st AB OPERATION Kontakou of Ganga
ENROUTE WX 12 0 140 10+ (LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -
RECOVERABLE - FUZE (DELAY/ARM DELAY) -

NOTE #2: ECM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -
-
-
-

DEBRIEFER Lawson TIME 1825 DATE 10 June
SQUADRON 223 CALL SIGN HB 561 MSN # 6541 FLT CODE 1521
T/O 1705 LAND 1810 TOTAL TIME 2.2

PILOTS A/C
HEISE 23
LAWSOHN 15

DASC Doug Ha TIME 1725
CONTROLLER BARRY W TIME 1726
TYPE CONTROLLER TACM
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1730-1745 Suspected Enm. Posit. YD 338371 I 2

TGT TERRAIN Hilly TGT WX 0 VISIBILITY 39
REL ANGLE 30° PASSES 7 INTERVAL 30 Sec MIN ALT 15000
ENROUTE ALT 18.5 RETURN ALT 19.5 TARGET AIRSPEED 450
ORDNANCE 10 D2 W/ D20 EXPENDED 10 D2 W/ D20 JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
BDA 100 % 50 % ADDITIONAL _____

C

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 1/5 Red Bull OPERATION Kentucky
(LEAVE BLANK)

ENROUTE WX _____
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS : _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER LA VIANO TIME 1020 DATE 10 JUN 69
SQUADRON 273 CALL SIGN 17B155 MSN # 6153 FLT CODE 152/1
T/O 0843 LAND 1000 TOTAL TIME 2.6

PILOTS A/C
LTCOL Newbill 42-24 DASC Viesgaard TIME 0846
CAPT LA VIANO 42-19 CONTROLLER BELMIL TIME 0840
TYPE CONTROLLER TACA
TYPE MISSION CAS

TGT	DESCRIPTION	COORDINATES	PROVINCE
<u>0930-50</u>	<u>Known enemy location</u>	<u>BT 206125</u>	<u>4</u>
	<u>P.C.</u>		

TGT TERRAIN Mountains TGT WX clear VISIBILITY 10
REL ANGLE 90° PASSES 6 INTERVAL 30 MIN ALT 600
REL ALT 1300
ENROUTE ALT 16.5 RETURN ALT 7.5 TARGET AIRSPEED 450
ORDNANCE 8 D20/4D9 EXPENDED all JETTISONED —
ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
BDA 100% 20% ADDITIONAL —

C

SECONDARY EXPLOSIONS 1 NUMBER unknown SIZE —
UNIT SUPPORTED 101st Airborne OPERATION Lamar Plain
(LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD —
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE —
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—
—

DEBRIEFER GN 20 TIME 1655 DATE 10 June 69
SQUADRON 223 CALL SIGN MAN 27 MSN # 0965 FLT CODE 15213
T/O 1555 LAND 1647 TOTAL TIME 1.8

PILOTS A/C
GN 220 WP-11
Stocking WP-01

DASC Hillsboro TIME 1600
CONTROLLER Covey 213 TIME 1605
TYPE CONTROLLER TAC (M)
TYPE MISSION SPECIAL

TOT DESCRIPTION COORDINATES PROVINCE
140-27 Storage Area Y 579081 Lebanon
1526 10724

TGT TERRAIN mountainous TGT WX 14.0 @ 14.0 VISIBILITY 7
REL ANGLE 45° PASSES 2 INTERVAL 15 MIN ALT 3.0
ENROUTE ALT 18.5 RETURN ALT 17.5 TARGET AIRSPEED 450
ORDNANCE 1202wly EXPENDED all JETTISONED /
ORDNANCE/RTB / DUDS (SEE NOTE # 1) /
BDA 100% within 50 meters ADDITIONAL /

SECONDARY EXPLOSIONS NUMBER SIZE
UNIT SUPPORTED 7th An Force OPERATION (LEAVE BLANK)
ENROUTE WX G.D @ 14.0 (11) - @ Buildings in West

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS good; all 12 away

1740
UPS
to
VACULA

DEBRIEFER Fleming TIME 0830 DATE 10 JUNE

SQUADRON 223 CALL SIGN m21 MSN # 0909 FLT CODE 1592

T/O 0853 LAND 0807 TOTAL TIME 2.6

PILOTS _____ A/C _____

WARFIELD WP15 DASC HILLBORO TIME 0715
OGG 21 CONTROLLER NALL 113 TIME 0720
TYPE CONTROLLER TACA
TYPE MISSION S.T.

TGT	DESCRIPTION	COORDINATES	PROVINCE
<u>0730/40</u>	<u>STORAGE AREA</u>	<u>XC 840980</u>	
	<u>SP</u>	<u>16014/16043</u>	
		<u>16014/16043</u>	

TGT TERRAIN M TGT WX 1.5 BD VISIBILITY 15

REL ANGLE 045° PASSES 2 INTERVAL 30° MIN ALT 3500
REL ALT 5200

ENROUTE ALT 20.5 RETURN ALT 19.5 TARGET AIRSPEED 450

ORDNANCE 1202WY EXPENDED ALL JETTISONED _____

ORDNANCE/RTE _____ DUES (SEE NOTE #1) _____

BDA 100% 100% % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 2nd AF OPERATION _____ (LEAVE BLANK)

ENROUTE WX _____

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____ (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIFER MCL TIME 1345 DATE 10 June 69

SQUADRON 223 CALL SIGN M23 MSN # 0939 FLT CODE 152/3

T/O 1152 LAND 1310 TOTAL TIME 2.6

PILOTS A/C

Newbill WP 11 DASC Hillsboro TIME 1205
099 23 CONTROLLER Coy 233 TIME 1215
TYPE CONTROLLER TACH
TYPE MISSION S.T.

TOT 381 DESCRIPTION COORDINATES PROVINCE

120-40 Energy pas YD 060 080 LAOS
Troops in Contact (EXMFGK) YD (E)
TS 1616 10653

TGT TERRAIN M TGT WX 1600 VISIBILITY 7

REL ANGLE 45° PASSES 6 INTERVAL 30 MIN ALT 1500 REL ALT 4000

ENROUTE ALT 20.5 RETURN ALT 21.5 TARGET AIRSPEED 450

ORDNANCE 12/02wy EXPENDED All JETTISONED —

ORDNANCE/RTE — DUDS (SEE NOTE #1) —

BDA % % ADDITIONAL 100% on tgt

none further

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 7th A.C. OPERATION (LEAVE BLANK)

ENROUTE WX —

- | | | | | |
|--------------------------|---------------|-----|-----------|-------------------------------|
| (A) HOSTILE FIRE | <u>MCL</u> | YES | <u>NO</u> | FILE FORM WITH BARREL |
| (B) AIRBURST | <u>1355</u> | YES | <u>NO</u> | FILE FORM WITH BARREL |
| (C) A/C HIT | <u>VACULA</u> | YES | <u>NO</u> | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | | YES | <u>NO</u> | CIRCLE ONE/COORD |
| (E) BDA REPORTED | | YES | <u>NO</u> | IF ADDITIONAL CIRCLE |
| (F) ABORT | | YES | <u>NO</u> | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | | YES | <u>NO</u> | GIVE REASON BELOW |

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER Oppenhuizen TIME 1600 DATE 10 June 69
 SQUADRON 223 CALL SIGN MN 25 MSN # 0953 FLT CODE 152/3
 T/O 1418 LAND 1542 TOTAL TIME 2.4
 PILOTS BAKER A/C WP 18
Oppenhuizen 17
 DASC Hillsboro TIME 1440
 CONTROLLER MSTY 51 TIME 1450
 TYPE CONTROLLER TACA
 TYPE MISSION ST

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1500-10</u>	<u>TRUCK under bridge</u>	<u>XD 276433</u>	<u>LAOS</u>
		<u>16³⁸ 10612</u>	<u>(F)</u>

TGT TERRAIN flat TGT WX 1000 VISIBILITY 6
 REL ANGLE 45 PASSES 4 INTERVAL 30 MIN ALT 3000
 ENROUTE ALT 18.5 RETURN ALT 25.5 TARGET AIRSPEED 450
 ORDNANCE 1202Y EXPENDED all JETTISONED _____
 ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) 0
 BDA _____% _____% ADDITIONAL 100% - 50m 80° - 15m

C

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 714 AF. OPERATION _____
 ENROUTE WX 1000 (LEAVE BLANK)

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: Diverted by Hillsboro
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS good

DEBRIEFER GNA220 TIME 2130 DATE 10 June
SQUADRON 223 CALL SIGN AB539 MSN # 6539 FLT CODE 352/1
T/O 2015 LAND 2116 TOTAL TIME 1.0

PILOTS A/C
GNA220 WP-16
DASC Danang ASST TIME 2030
CONTROLLER #92 TIME 2030
TYPE CONTROLLER ASST
TYPE MISSION TPR

TOT DESCRIPTION COORDINATES PROVINCE
2059 Rocket Storage + 2C 204383 RUN 11/4
House Area
EC

TGT TERRAIN R TGT WX VCB VISIBILITY 10+
REL ANGLE level PASSES 1 INTERVAL — MIN ALT 13.5
REL ALT 13.8

ENROUTE ALT 14.5 RETURN ALT 13.5 TARGET AIRSPEED 290

ORDNANCE 6 D24 EXPENDED all JETTISONED —

ORDNANCE/RTB — DUDS (SEE NOTE # 1) —

BDA — % — % — ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 5th Marine Regiment / S.M.D. OPERATION —

ENROUTE WX 10.5 ☉ (LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: Diverted at Dong Ha to Danang
by J. guide. Not that good a
deal. (REFERENCE NOTE #30)

NOTE #1: DUD REPORT LOCATION — REASON —
RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
Excellent

DEBRIEFER BURNS TIME 0910 DATE 10 JUNE 69
SQUADRON 223 CALL SIGN 555 MSN # 6555 FLT CODE 152
T/O 0742 LAND 0855 TOTAL TIME 2.4

PILOTS A/C
STANTON 23
BURNS 18

DASC DA NANG TIME 0755
CONTROLLER Host 'Y' TIME 0810
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0815-30</u>	<u>ENEMY VILL</u>	<u>BT 005547</u>	<u>QUANG</u>

TGT TERRAIN FLAT TGT WX 0 VISIBILITY 10
REL ANGLE 30° PASSES 6 INTERVAL 30 SEC MIN ALT 2000
ENROUTE ALT 14.5 RETURN ALT 13.5 TARGET AIRSPEED 450

C

ORDNANCE 1202X EXPENDED ALL JETTISONED
ORDNANCE/RTB DUDS (SEE NOTE # 1)
BDA 100 % ADDITIONAL 3 BUNKERS DEST,
50 METERS OF TANKLINE DEST.

SECONDARY EXPLOSIONS NUMBER SIZE
UNIT SUPPORTED 1st B. Co. OPERATION Propaganda Campaign
(LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER COSTA TIME 1200 DATE 10 June 69
SQUADRON 223 CALL SIGN HB 955 MSN # 6955 FLT CODE 152
T/O 1034 LAND 1144 TOTAL TIME 2.6

PILOTS A/C

HAMILTON WP 18
COSTA WP 21

DASC DaNang TIME 1050
CONTROLLER Hostage 'S' TIME 1113
TYPE CONTROLLER Attendant
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>113/113</u>	<u>Troops in open</u> <u>75</u>	<u>BT066536</u>	<u>RVN I</u>

TGT TERRAIN FLAT TGT WX 1200 VISIBILITY 7+
REL ANGLE 20° PASSES 9 INTERVAL 30^{sec} MIN ALT 600'
REL ALT 1800'

ENROUTE ALT 16.5M' RETURN ALT 11.5M' TARGET AIRSPEED 450
ORDNANCE BD-2A 4D9 EXPENDED BD-2 4D9 JETTISONED 300 D-20

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA 100% 80% ADDITIONAL 50' Tree line destroyed

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 1st Division OPERATION P. pestane Organ
(LEAVE BLANK)

ENROUTE WX 1200 / 10

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD _____
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE _____
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP _____
- (G) DIVERT YES NO GIVE REASON BELOW _____

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER S402 TIME 1050 DATE 10 June 69
SQUADRON 223 CALL SIGN HB 015 MSN # 6015 FLT CODE 151
T/O 0927 LAND 1039 TOTAL TIME 2:04

PILOTS A/C
NICHOLS W 16 DASC Doug HA TIME 0942
S4022 W 2 CONTROLLER ATKILL TIME 0950
TYPE CONTROLLER TACA
TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0925-1010</u>	<u>BUNKER</u>	<u>YD160745</u>	<u>1</u>

TGT TERRAIN flat TGT WX 04 VISIBILITY 107
REL ANGLE 30 PASSES 7 INTERVAL 30 MIN ALT 2500
ENROUTE ALT 19.5 RETURN ALT 23.5 TARGET AIRSPEED 450TAS

ORDNANCE 1202W/4 EXPENDED All JETTISONED 0

ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) 0

BDA 80 % 80 % ADDITIONAL 1 BUNKER, 30 MINS TRAIL

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0

UNIT SUPPORTED 108 Aca. COP 3rd W. A. OPERATION MASS BAY
(LEAVE BLANK)

ENROUTE WX _____

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS All EXPLODED

DEBRIEFER REED TIME 1645 DATE 10 JUNE 69
SQUADRON 223 CALL SIGN HB 593 MSN # 6593/6595 FLT CODE 152/1
T/O 1335 LAND 1624 TOTAL TIME 5.8

PILOTS A/C
PALMER WP 21 DASC DAUG HA TIME _____
REED 08 CONTROLLER KATRILLER 145 TIME 18 15 10
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1547/1553 BUNKERS 4D 180757 I CORPS 1

TGT TERRAIN LVL TGT WX 40 φ VISIBILITY 7
REL ANGLE 20° PASSES 4 INTERVAL 30 MIN ALT 1000
REL ALT 1800

ENROUTE ALT 265 RETURN ALT 27.5 TARGET AIRSPEED 450

ORDNANCE 407A/408/2D24 EXPENDED 407/2D24 JETTISONED _____

ORDNANCE/RTB 408 DUDS (SEE NOTE # 1) _____

BDA 90 % 90 % ADDITIONAL 3 BUNKERS DEST

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 3rd MAR DIV OPERATION MAS 5 6A4
(LEAVE BLANK)

ENROUTE WX _____

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: Super Cap, 2 Missions
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Stute TIME 1250 DATE 10
SQUADRON 223 CALL SIGN HB017 MSN # 6017 FLT CODE 152/1
T/O 1115 LAND 1237 TOTAL TIME 2.6

PILOTS A/C
Stute 1 DASC Bill TIME 1125
Burns 10 CONTROLLER SW 97-6 TIME 1135
TYPE CONTROLLER TACA
TYPE MISSION DAS

TOT DESCRIPTION COORDINATES PROVINCE
1140/50 Trail complete YD103755 1
RP

TGT TERRAIN Flam TGT WX 0 VISIBILITY 2
REL ANGLE 30 PASSES 6 INTERVAL 30 MIN ALT 2000
REL ALT 3000

ENROUTE ALT 16.5 RETURN ALT 13.5 TARGET AIRSPEED 450

ORDNANCE 4D3V(DC) 4D2V(DC) EXPENDED 10 JETTISONED 0

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA 90 % 90 % ADDITIONAL 2 TRAIL cuts

1

1 Residual fire

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 357 T.O. OPERATION Victorian Village

ENROUTE WX 0 (LEAVE BLANK)

- (A) HOSTILE FIRE YES NO
 - (B) AIRBURST YES NO
 - (C) A/C HIT YES NO
 - (D) RECON INSERT/EXTRACT YES NO
 - (E) BDA REPORTED YES NO
 - (F) ABORT YES NO
 - (G) DIVERT YES NO
- FILE FORM WITH BARREL
FILE FORM WITH BARREL
FILE FLASH REPORT WITH BARREL
CIRCLE ONE/COORD
IF ADDITIONAL CIRCLE
A/C MALFUNCTION/NO DROP
GIVE REASON BELOW

REMARKS: _____ (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS Would not consider
Daisy cutters an effective weapon against
trails + feeding sigs

DEBRIEFER Blackman TIME 1800 DATE 10 June 69
SQUADRON 223 CALL SIGN HB 463 MSN # 6463 FLT CODE 152/1
T/O 1410 LAND 1537 TOTAL TIME 3.0

PILOTS A/C
Hamilton WP-15 DASC VANDY TIME 1425
Blackman 11 16 CONTROLLER 50898-11 TIME 1450
TYPE CONTROLLER TACA
TYPE MISSION CRS

TOT DESCRIPTION COORDINATES PROVINCE
1500-1504 Troops in Contact ~~10944636~~ I RVN

TGT TERRAIN Hilly TGT WX 0" VISIBILITY 7
REL ANGLE 10 PASSES 2 INTERVAL 40 MIN ALT 350
REL ALT 500
ENROUTE ALT 18.5 RETURN ALT 23.5 TARGET AIRSPEED 450
ORDNANCE 802A/09 EXPENDED 409 JETTISONED NONE
ORDNANCE/RTB 802A DUDS (SEE NOTE # 1)
BDA 100 % 100 % ADDITIONAL

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 3RD MARINE DIV OPERATION Virginia Ridge
(LEAVE BLANK)
ENROUTE WX 0

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: Refused to let HB flight drop D2A because
of Proximity of friendlies. (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER REED TIME 2030 DATE 10 JUN 69
SQUADRON 223 CALL SIGN AB 527 MSN # 6527 FLT CODE 352/1
T/O 1830 LAND 2010 TOTAL TIME 1.7

PILOTS A/C
REED WP 11
DASC VANDYBRT TIME 1900
CONTROLLER # 20 TIME 1900
TYPE CONTROLLER TPQ
TYPE MISSION TPQ

TOT DESCRIPTION COORDINATES PROVINCE
905-1925 BUNKER COMPLEX XD 974658 I CORPS

TGT TERRAIN 2 TGT WX 0 VISIBILITY 7
MIN ALT 20.5
REL ANGLE 20L PASSES 4 INTERVAL --- REL ALT 20.5

(

ENROUTE ALT 20.5 RETURN ALT 21.5 TARGET AIRSPEED 290

ORDNANCE 602 F EXPENDED ALL JETTISONED ---

ORDNANCE/RTE --- DUDS (SEE NOTE # 1) ---

BDA --- % --- ADDITIONAL ---

SECONDARY EXPLOSIONS --- NUMBER --- SIZE ---

UNIT SUPPORTED 3rd Div OPERATION Virginia Ridge
(LEAVE BLANK)

ENROUTE WX 107

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD ---
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE ---
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP ---
- (G) DIVERT YES NO GIVE REASON BELOW ---

REMARKS : (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION --- REASON ---
RECOVERABLE --- FUZE (DELAY/ARM DELAY) ---

NOTE #2: ECM ENCOUNTERED --- TIME --- HOW DIRECTED ---

NOTE #3: ORDNANCE EFFECTIVENESS ---

DEBRIEFER [Signature] TIME 0800 DATE 10 JUN 69
SQUADRON 225 CALL SIGN HB 011 MSN # 6011 FLT CODE 152/1
T/O 0640 LAND 0751 TOTAL TIME 1.8

PILOTS A/C
BARNES WP1 DASC HELIX TIME 0650
~~BARNES~~ WP2 CONTROLLER HELIX 43 TIME 0650
FOGERTY TYPE CONTROLLER TAC (A)
TYPE MISSION CLOSE A.S.

TOT	DESCRIPTION	COORDINATES	PROVINCE
0701-0709	<u>TROOPS IN BNKRS</u>	<u>13T 129234</u>	

TGT TERRAIN MTNS TGT WX 050 VISIBILITY 50
REL ANGLE 30° PASSES 8 INTERVAL 30' MIN ALT 1500
ENROUTE ALT 10.5 RETURN ALT 3.5 TARGET AIRSPEED 450
ORDNANCE 402Y 403Y DC. EXPENDED ALL JETTISONED 0
ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) 0
BDA 100 % 90 % ADDITIONAL 2 BNKRS, 2 KBA(C)

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0
UNIT SUPPORTED TOTAL AM CAL OPERATION ...
ENROUTE WX 1-07 (LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: RIGHT SIZE BOMBS - REGULAR FUSES VICE
36" D.C. WOULD HAVE BEEN BETTER. (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER CO. A TIME 1023 DA 11 June 69
 SQUADRON 223 CALL SIGN HB 228 MSN # 6218 FLT CODE 152
 T/O 0900 LAND 1008 TOTAL TIME 2.2

PILOTS A/C
SNYDER WP 1 DASC DoNang TIME 0915
COSTA WP 2 CONTROLLER Hostage "6" TIME 0935
 TYPE CONTROLLER Airborne TACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0935/0950</u>	<u>Known Enemy location</u> <u>EC</u>	<u>AT 821469</u>	<u>RVN I</u> <u>(3)</u>

TGT TERRAIN FLAT TGT WX 700/-0 VISIBILITY 10+
 REL ANGLE 20° PASSES 8 INTERVAL 30 MIN ALT 600'
 REL ALT 1500'

ENROUTE ALT 10.5m RETURN ALT 9.5m TARGET AIRSPEED 950kts

ORDNANCE 16D-1A 489 EXPENDED 16D-1A 489 DOTTIONED —

ORDNANCE/RTB — DUDS (SEE NOTE # 1) 6 D-1A

BDA 70% 90% ADDITIONAL 2 Sec Fires / Bunker
1 structure, 1 secondary explosion

SECONDARY EXPLOSIONS Yes NUMBER 1 SIZE Small

UNIT SUPPORTED 1st MARDIV OPERATION ~~Hostage~~

ENROUTE WX 700/-0 10+ (LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION AT 821469 REASON ?

RECOVERABLE ? FUZE (DELAY/ARM DELAY) A fuze 2sec.

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER NOIRIS TIME 1815 D. 1134N
SQUADRON 223 CALL SIGN HB MSN # 6264 FLT CODE 152
T/O 1700 LAND 1800 TOTAL TIME 2.0

PILOTS A/C
Snader 17 DASC DANING TIME 1715
NOIRIS 7 CONTROLLER 1825 TIME 1720
TYPE CONTROLLER SACB
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1723/35</u>	<u>UNCL</u>	<u>AT839483</u>	

TGT TERRAIN FLAT TGT WX GOO VISIBILITY 5
REL ANGLE 20° PASSES 10 INTERVAL 30 MIN ALT 600
ENROUTE ALT 10.5 RETURN ALT 7.5 REL ALT 1300
TARGET AIRSPEED 450
ORDNANCE 16D19407 EXPENDED ALL JETTISONED
ORDNANCE/RTB _____ DUDS (SEE NOTE # 1)
BDA 100 % 100 % ADDITIONAL 6 strike
1 more sec fire

C

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED LAVINIA PLAN OPERATION _____
ENROUTE WX GOO-1007 (LEAVE BLANK)

- (A) HOSTILE FIRE YES/NO FILE FORM WITH BARREL
- (B) AIRBURST YES/NO FILE FORM WITH BARREL
- (C) A/C HIT YES/NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES/NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES/NO IF ADDITIONAL CIRCLE
- (F) ABORT YES/NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES/NO GIVE REASON BELOW

REMARKS: Needle Smoke
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Burns TIME 1700 DATE 11 June 69
SQUADRON 223 CALL SIGN ZSC4 MSN # 6254 FLT CODE 152
T/O 1500 LAND 1635 TOTAL TIME 3.2

PILOTS A/C
Palmer 18 DASC Done HA TIME 1515
Burns 24 CONTROLLER ~~_____~~ TIME ~~_____~~
TYPE CONTROLLER TACA
TYPE MISSION ~~_____~~

TOT DESCRIPTION COORDINATES PROVINCE
~~152000~~ Recon EXTRACT _____ RUN/I

_____ **No Drop** _____

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
REL ALT _____
ENROUTE ALT 21.4 RETURN ALT 19.3 TARGET AIRSPEED _____
ORDNANCE 1601A/409 EXPENDED None JETTISONED 409
ORDNANCE/RTB 1601A DUDS (SEE NOTE # 1) _____
BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED _____ OPERATION _____
(LEAVE BLANK)
ENROUTE WX _____

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: Recon Extract No reason to drop
(REFERENCE NOTE #3) No Tests

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER WJ TIME 1930 DA 11JUN
SQUADRON 223 CALL SIGN HB272 MSN # 6272 FLT CODE 152
T/O 1813 LAND 1922 TOTAL TIME 2.4

PILOTS A/C
Rogers WDS DASC VANDY TIME 1930
Oppenheimer -18 CONTROLLER PAWHADE TIME 1835
TYPE CONTROLLER DACA
TYPE MISSION DAC

TOT DESCRIPTION COORDINATES PROVINCE
1842-1900 Suspect Enemy XD993294 (1)
Location EC XD990294

TGT TERRAIN Mount TGT WX 90 @ VISIBILITY 10
REL ANGLE 300 PASSES 8 INTERVAL 30 sec MIN ALT 1500
REL ALT 3000

ENROUTE ALT 22.5 RETURN ALT 30.5 TARGET AIRSPEED 450k

ORDNANCE 16018 EXPENDED ALL JETTISONED ---

ORDNANCE/RTE --- DUDS (SEE NOTE # 1) ---

BDA 100 % 100 % ADDITIONAL ---

SECONDARY EXPLOSIONS --- NUMBER --- SIZE ---

UNIT SUPPORTED 9th MARINES 2nd Bn OPERATION Cameron Falls
(LEAVE BLANK)

ENROUTE WX ---

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: ---
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION --- REASON ---
RECOVERABLE --- FUZE (DELAY/ARM DELAY) ---

NOTE #2: ECM ENCOUNTERED --- TIME --- HOW DIRECTED ---

NOTE #3: ORDNANCE EFFECTIVENESS ---

DEBRIEFER HAMILTON TIME 1210 DA 11 JUNE
SQUADRON 223 CALL SIGN HB 228 MSN # 6228 FLT CODE 152/1
T/O 1037 LAND 1145 TOTAL TIME 2.3

PILOTS A/C
~~HAWK~~ GUZZO WP 23 DASC VAUDY TIME 1050
HAMILTON 15 CONTROLLER SW 98-8 TIME 1052
TYPE CONTROLLER RACA
TYPE MISSION L2P

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1107-15</u>	<u>L2P</u> <u>UN</u>	<u>9D 06135-2</u>	<u>RUN/I</u> <u>(1)</u>

TGT TERRAIN Rolling TGT WX 900 0 VISIBILITY 7
REL ANGLE 30 PASSES 10 INTERVAL 30 MIN ALT 165
ENROUTE ALT 16.5 RETURN ALT 15.5 TARGET AIRSPEED 450
ORDNANCE 18 101 W/P EXPENDED 111 JETTISONED
ORDNANCE/RTB DUDS (SEE NOTE # 1)
BDA 80 % 100 % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
UNIT SUPPORTED 94 MA35 OPERATION Cameroon Falls
(LEAVE BLANK)

- ENROUTE WX
- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 - (B) AIRBURST YES NO FILE FORM WITH BARREL
 - (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
 - (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 - (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
 - (F) ABORT YES NO A/C MALFUNCTION/NO DROP
 - (G) DIVERT YES NO GIVE REASON BELOW

REMARKS:
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER Lanseth TIME 1230 DA 11 June
SQUADRON 223 CALL SIGN 226 MSN # 6226 FLT CODE 1526/
T/O 0940/1047 LAND 1006/1206 TOTAL TIME 3.6

PILOTS A/C
Stanton WP 11 DASC Vandy TIME 1115
Lanseth 8 CONTROLLER S. Worthy TIME 1106
TYPE CONTROLLER FAAA
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1128-1135 Marker Posit XD 977313 (D)
AA

TGT TERRAIN MTN. TGT WX 25.0 @ VISIBILITY 15-
REL ANGLE 20° PASSES 8 INTERVAL 30 Sec MIN ALT 600'
REL ALT 1350'

ENROUTE ALT 18,500 RETURN ALT 19,500 TARGET AIRSPEED 450

ORDNANCE 8 D1A, 4 D2A, 4 D9 EXPENDED 4 D1A, 4 D2A JETTISONED -

ORDNANCE/RTB - DUDS (SEE NOTE # 1) 2 D9, 2 D2A, 1 D1A

BDA 90 % 80 % ADDITIONAL 1 Secondary explos

SECONDARY EXPLOSIONS Yes NUMBER 1 SIZE -

UNIT SUPPORTED 9th AAA3rd DIVISION OPERATION Cameroon Falls
(LEAVE BLANK)

ENROUTE WX -

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION XD 977313 REASON Prop. AAM Solenoid
4 Duds on 1 AC, 1 Dud on other
RECOVERABLE NO FUZE (DELAY/ARM DELAY) 2 Sec Delay

NOTE #2: ECM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -

DEBRIEFER _____ TIME _____ DA _____
SQUADRON 223 CALL SIGN H/B 260 MSN # 10260 FLT CODE 152
T/O 1558 LAND 1658 TOTAL TIME 2.0

PILOTS A/C
Stockins WP 15
Grise 23
DASC WVH TIME 1615
CONTROLLER Porter TIME 1620
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1620/32 Worton Pbs XD 979324 I Corp
EL (1)

TGT TERRAIN M TGT WX 1020 VISIBILITY 7
REL ANGLE 30 PASSES 6 INTERVAL 30sec MIN ALT 1500
ENROUTE ALT 16.5 RETURN ALT 15.5 TARGET AIRSPEED 450
ORDNANCE 16 D104/w EXPENDED 14 JETTISONED _____
ORDNANCE/RTB 2 D1 DUDS (SEE NOTE # 1) _____
BDA 100 % 100 % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 3rd MAW DIV OPERATION Cameron Falls
(LEAVE BLANK)

C

- ENROUTE WX _____
- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS : _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER [Signature] TIME 1300 D 11 June 69
SQUADRON 223 CALL SIGN HB238 MSN # 6238 FLT CODE 152/1
T/O 1120 LAND 1215 TOTAL TIME 1.8

PILOTS A/C
K/Col GERMAN WP2 DASC HELIX TIME 1130
ROBERTY, P.J. 18 CONTROLLER HELIX2 TIME 1135
TYPE CONTROLLER TAC(A)
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>11 40-1155</u>	<u>EN. POSIT</u> <u>EC</u>	<u>BT 352</u> ⁰⁸⁶ 208	<u>4</u>

C

TGT TERRAIN ESS FLAT TGT WX 0 VISIBILITY 50+
REL ANGLE 20° PASSES 8 INTERVAL 30' MIN ALT 600'
ENROUTE ALT 12.5 RETURN ALT 11.5 TARGET AIRSPEED 450
ORDNANCE 409 1601A EXPENDED ALL JETTISONED 0
ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) 0
BDA 100 % 100 % ADDITIONAL NOTHING FURTHER

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED AMCAL OPERATION _____
ENROUTE WX 1-07 (LEAVE BLANK)

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: FRIENDLIES CLOSE - 100 METERS
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER German TIME 1030 D. 11 Jun 69
 SQUADRON 223 CALL SIGN HB 224 MSN # 6224 FLT CODE 152/1
 T/O 0915 LAND 1010 TOTAL TIME 1.8

PILOTS A/C
German WP18 DASC Helix TIME 0930
Fogarty WP17 CONTROLLER B.K.03 TIME 0940
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0945-1000</u>	<u>En Bunkers</u>	<u>BT177107</u>	<u>IV 4</u>

TGT TERRAIN hilly TGT WX clear 0 VISIBILITY 20 miles
 MIN ALT 1500'

REL ANGLE 30° PASSES 10 INTERVAL 30 REL ALT 3000'

ENROUTE ALT 12.5 RETURN ALT 7.5 TARGET AIRSPEED 450

ORDNANCE 20 DIY EXPENDED 19DIY JETTISONED —

ORDNANCE/RTB 1DIY DUDS (SEE NOTE # 1) —

BDA 100% 30% ADDITIONAL 3 structures destroyed
1 damaged, 1 bunker destroyed

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 10/5 + AB 1st Brigade OPERATION Lamar Plain
 (LEAVE BLANK)

ENROUTE WX clear

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER HOSE TIME 1200 DATE 12 JUNE 69
SQUADRON 223 CALL SIGN H8232 MSN # 6232 FLT CODE 152/1
T/O 1048 LAND 1133 TOTAL TIME 1.6

PILOTS A/C
HEISE WP 24 DASC DA NANG TIME 1100
OGG WP 07 CONTROLLER H087 PAPA TIME 1105
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1108-20</u>	<u>ENEMY IN TREE LINE</u>	<u>AT 968530</u>	<u>RVN</u>
	<u>EC</u>		<u>(3)</u>

TGT TERRAIN FLAT TGT WX 1000 VISIBILITY 7
REL ANGLE 30° PASSES 12 INTERVAL 30 SEC MIN ALT 1500
ENROUTE ALT 12.5 RETURN ALT 15.5 TARGET AIRSPEED 450
ORDNANCE 20 D1Y EXPENDED ALL JETTISONED -
ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) NONE
BDA 95% 95% ADDITIONAL 50 METERS OF
TRENCH LINE DESTROYED

SECONDARY EXPLOSIONS - NUMBER - SIZE -
UNIT SUPPORTED 1ST MAR DIV OPERATION ~~XXXXXXXXXXXX~~
ENROUTE WX 10007 (LEAVE BLANK)
PIPE BOMB CANYON

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: NONE
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER LA SETH TIME 0840 DATE 12 June
SQUADRON 223 CALL SIGN HB 003 MSN # 6003 FLT CODE 15211
T/O 0725 LAND 0825 TOTAL TIME 2.0

PILOTS A/C
BARNES 3
Law SETH 17
DASC Billk TIME 0740
CONTROLLER Billk 33 TIME 0741
TYPE CONTROLLER TACA
TYPE MISSION LEPREP

TOT DESCRIPTION COORDINATES PROVINCE
0752-0759 LEP YD 334 358 II

TGT TERRAIN MTN. TGT WX 0 VISIBILITY 15
REL ANGLE 30° PASSES 6 INTERVAL 30 sec MIN ALT 1500'
ENROUTE ALT 18.5 RETURN ALT 17.5 TARGET AIRSPEED 450
ORDNANCE 12 D2 V (DC) EXPENDED 12 D2 V (DC) JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
BDA 90 % 70 % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 101st Air Borne OPERATION Kindergarten
ENROUTE WX 0 (LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER SK402 TIME 0815 DATE 12 June 69
SQUADRON 223 CALL SIGN HB-001 MSN # 6001 FLT CODE 151
T/O 0707 LAND 0802 TOTAL TIME 1.8

PILOTS A/C
SK402 WP-18
OGG WP-8
DASC _____ TIME _____
CONTROLLER Bulk 33 TIME 0725
TYPE CONTROLLER TACA
TYPE MISSION L2 REEF

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0735-0740</u>	<u>L2P</u> <u>u.n</u>	<u>10324258</u>	<u>TAU THAIEN</u>

TGT TERRAIN HNTNS TGT WX 0 VISIBILITY 15+
REL ANGLE 30 PASSES 6 INTERVAL 30 sec MIN ALT 1800
ENROUTE ALT 18.5 RETURN ALT 23.5 TARGET AIRSPEED 450
ORDNANCE 12 D24 EXPENDED 11 JETTISONED 0
ORDNANCE/RTB 1 DUDS (SEE NOTE # 1) _____
BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS 0 NUMBER _____ SIZE _____
UNIT SUPPORTED 3 BGD, 10 PAR DIV OPERATION Kentucky Mountain
(LEAVE BLANK)
ENROUTE WX _____

- | | | | |
|--------------------------|-------------------------------------|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD _____ |
| (E) BDA REPORTED | <input checked="" type="checkbox"/> | NO | IF ADDITIONAL CIRCLE _____ |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION NA REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED NA TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS 11 EXPLODED, 1 RTB A/C
MALFUNCTION

DEBRIEFER COA TIME 1835 DATE 12 June 69
SQUADRON 223 CALL SIGN HB257 MSN # 6257 FLT CODE 152
T/O 1715 LAND 1725 TOTAL TIME 2.9

PILOTS A/C
FREEMAN WP 24 DASC Dona Ha TIME 1735
COSTA WP 3 CONTROLLER TRAIL 6A TIME 1742
TYPE CONTROLLER TRAIL 6A
TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1742/1757</u>	<u>BOONERS IN BUNKER</u>	<u>YD160727</u>	<u>RVN I</u>

TGT TERRAIN FLAT TGT WX 500/10 VISIBILITY 8 7/8 mi
REL ANGLE 20° PASSES 10 INTERVAL 30 MIN ALT 600
REL ALT 1500
ENROUTE ALT 18.5M RETURN ALT 17.5 M TARGET AIRSPEED 450 kts
ORDNANCE 16 DIA 9D9 EXPENDED 16 DIA 9D9 JETTISONED
ORDNANCE/RTB DUDS (SEE NOTE # 1)
BDA 100 % 100 % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
UNIT SUPPORTED RRVN OPERATION (LEAVE BLANK)
ENROUTE WX 1200 1400

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: Damn Good Bombing
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER 044 TIME 1203 DATE JUNE 12
SQUADRON 223 CALL SIGN 223 MSN # 6223 FLT CODE 151/3
T/O 1043 LAND 1143 TOTAL TIME 2.0

PILOTS A/C
SNYDER 3
044 8
DASC BILK CONT. TIME _____
CONTROLLER BILK 35 TIME 17:00
TYPE CONTROLLER TACA
TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1106-12</u>	<u>SHALL VILLE</u>	<u>251 932</u>	<u>2</u>

TGT TERRAIN MOUNTAINS TGT WX 35 0 VISIBILITY 7
MIN ALT 600
REL ANGLE 20° PASSES 9 INTERVAL 30 SEC REL ALT 1050
ENROUTE ALT 18.5 RETURN ALT 19.5 TARGET AIRSPEED 450
ORDNANCE 1201A/409 EXPENDED ALL JETTISONED NONE
ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) NONE
BDA 100 % 100 % ADDITIONAL 5 STRUC., 2 BUNKERS

SECONDARY EXPLOSIONS NONE NUMBER _____ SIZE _____
UNIT SUPPORTED 1st A.B. OPERATION Kantrichy Jumper
(LEAVE BLANK)

- | | | | |
|--------------------------|-------------------------------------|--------------------------|-------------------------------|
| (A) HOSTILE FIRE | YES | <input type="checkbox"/> | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | <input type="checkbox"/> | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | <input type="checkbox"/> | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | <input type="checkbox"/> | CIRCLE ONE/COORD |
| (E) BDA REPORTED | <input checked="" type="checkbox"/> | <input type="checkbox"/> | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | <input type="checkbox"/> | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | <input type="checkbox"/> | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Sam TIME _____ DATE _____
 SQUADRON 223 CALL SIGN HB 225 MSN # 6225 FLT CODE 152
 T/O 1125 LAND 1305 TOTAL TIME 2.2

PILOTS A/C
BARNES WP 23 DASC Helix Cont TIME 45
LAWSETH 17 CONTROLLER Buck II TIME 78
 TYPE CONTROLLER TACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1251-53</u>	<u>social site</u> <u>AR</u>	<u>BT170035</u>	<u>4</u>

TGT TERRAIN HHNS TGT WX 0 VISIBILITY 20
 REL ANGLE 30° PASSES 2 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 18.5 RETURN ALT 19.5 TARGET AIRSPEED 450
 ORDNANCE 20 D1Y EXPENDED ALL JETTISONED _____
 ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) _____
 BDA 100 % 50 % ADDITIONAL Nothing due to smoke

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 101st Airborne OPERATION LAMAR PLAIN
 (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: FLIGHT SCRAMBLED FOR DONG HA! WHEN TO
Two Controller's who couldn't use us. Went to
Vandy DASC & got another controller & he couldn't
use us due to coordination. An HQ ASRT
 NOTE #1: DUD REPORT LOCATION REASON
couldn't be raised AFTER VICE SQUAD SENT
US TO THEM. FINALLY I went to Helix
CONTROLLER AND THEY HAD A DIRECTED TARGET
FOR US. 1.9 Flight time for 3min on
 NOTE #2: ORDNANCE EFFECTIVENESS
A TARGET 15 NM FROM CHU LAI IS RATHER
shitty!

DEBRIEFER GNA220 TIME 1255 DATE 12 June 69
SQUADRON 223 CALL SIGN HB229 MSN # 6229 FLT CODE 15211
T/O 1158 LAND 1240 TOTAL TIME 1.4

PILOTS A/C
GNA220 WP-02
FOGELBY WP-24
DASC Helix Cont TIME 1200
CONTROLLER Helix 41 TIME 1205
TYPE CONTROLLER JPC(A)
TYPE MISSION CB3

TOT DESCRIPTION COORDINATES PROVINCE 4
1207-25 Troops in tree line BT 206468 RUN/IL/4
TS

TGT TERRAIN Flat TGT WX VFR 0 VISIBILITY 10+
REL ANGLE --- PASSES 3 INTERVAL --- MIN ALT 600
REL ALT 1300
ENROUTE ALT 10.5 RETURN ALT 9.5 TARGET AIRSPEED 450
ORDNANCE 16 DIA 4129 EXPENDED all JETTISONED ---
ORDNANCE/RTB --- DUDS (SEE NOTE # 1) ---
BDA 100 % 100 % ADDITIONAL 2 structure dest
300 meters tree line dest,

SECONDARY EXPLOSIONS --- NUMBER --- SIZE ---
UNIT SUPPORTED Amended Div. OPERATION ---
ENROUTE WX VFR (LEAVE BLANK)

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION --- REASON ---
RECOVERABLE --- FUZE (DELAY/ARM DELAY) ---

NOTE #2: ECM ENCOUNTERED --- TIME --- HOW DIRECTED ---

NOTE #3: ORDNANCE EFFECTIVENESS good

DEBRIEFER Heise TIME 1530 DATE 12 JUNE 69
SQUADRON 223 CALL SIGN HB 245 MSN # 6245 FLT CODE 152/1
T/O 1420 LAND 1505 TOTAL TIME 1.6

PILOTS A/C
Heise WP 02
Reed WP 17
DASC Helix TIME 1427
CONTROLLER Helix 03 TIME 1428
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1445-1454</u>	<u>ACTIVE .50 CAL SITE</u>	<u>BT 102218</u>	<u>RVN</u>

TGT TERRAIN FLAT TGT WX 80 00 VISIBILITY 10
REL ANGLE 30° PASSES 10 INTERVAL 30 MIN ALT 1500
ENROUTE ALT 14.5 RETURN ALT 7.5 TARGET AIRSPEED 450

ORDNANCE 20 DIY EXPENDED ALL JETTISONED -

ORDNANCE/RTB - DUDS (SEE NOTE # 1) -

BDA 100 % 100 % ADDITIONAL 5 STRUCTURES DESTROYED
NUMEROUS TUNNELS & BUNKERS UNCOVERED

SECONDARY EXPLOSIONS - NUMBER - SIZE -

UNIT SUPPORTED AMERICAN OPERATION (LEAVE BLANK)

ENROUTE WX 80 0 10

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER FISHER TIME 1600 DATE 12 JUN 1969
 SQUADRON 223 CALL SIGN HBN MSN # 6253 FLT CODE 1521
 T/O 1458 LAND 1607 TOTAL TIME 2.4

PILOTS A/C
GROSE WP 23 DASC DONG HA TIME 1520
FISHER 7 CONTROLLER SW 9814 TIME 1525
 TYPE CONTROLLER TACAL
 TYPE MISSION EAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>30-42</u>	<u>BUNKERS</u> <u>BP</u>	<u>YD038681</u>	<u>RUN/I/O</u>

TGT TERRAIN HILLY TGT WX 6:0 VISIBILITY 101
 REL ANGLE 20° PASSES 6 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 1615 RETURN ALT 175 TARGET AIRSPEED 750
 ORDNANCE 16 DIA/409 EXPENDED ALL JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE # 1)
 BDA 100 % 100 % ADDITIONAL 2 BUNKERS UNCOVERED
2 BUNKERS DESTROYED

SECONDARY EXPLOSIONS YES NUMBER 1 SIZE MARK
 UNIT SUPPORTED 3RD MAR DIV OPERATION Virginia Ridge
 ENROUTE WX (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS :
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER 7 TIME 1030 DATE 12 JUN 69
SQUADRON 223 CALL SIGN HB215 MSN # 6215 FLT CODE 1821
T/O 0900 LAND 1010 TOTAL TIME 2.4

PILOTS A/C
GNAZZO WP 21 DASC VANDY TIME 0915
FOGERTY 16 CONTROLLER SW988 TIME 0919
TYPE CONTROLLER TACA
TYPE MISSION OAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0920-31</u>	<u>FIRE SORT BASE</u>	<u>XD873429</u>	<u>Q.T.1</u>
	<u>85</u>		

TGT TERRAIN MOUNTAIN TGT WX 100 VISIBILITY 5
REL ANGLE 10° PASSES 6 INTERVAL 30' MIN ALT 2700'
ENROUTE ALT 16.5 RETURN ALT 15.5 TARGET AIRSPEED 350KTS
ORDNANCE 407, 4024 EXPENDED 407 JETTISONED —
ORDNANCE/RTB 4024 DUDS (SEE NOTE #1) —
BDA 80 % 80 % ADDITIONAL N.F.

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0
UNIT SUPPORTED 223 OPERATION SEARCH
ENROUTE WX 1-0/07 (LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: TGT WX UNSUITABLE FOR HI DIVE
WITH ANY ORDNANCE (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS GUN PODS - ALL H
DID NOT FIRE, 2 UNITS OK

DEBRIEFER BAKER TIME 0830 DATE 12 June
SQUADRON 223 CALL SIGN HB MSN # 6207 FLT CODE 152
T/O 0702 LAND 0807 TOTAL TIME 2.2

PILOTS A/C
BAKER WP 2 DASC WANDY TIME 0717
UBERIS 11 CONTROLLER SW 98-1 TIME 0730
TYPE CONTROLLER TACA
TYPE MISSION L2P

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0731-40</u>	<u>L2P</u>	<u>XD 943 476</u>	<u>1</u>

TGT TERRAIN MTN TGT WX 250 VISIBILITY 10
REL ANGLE 10° PASSES 6 INTERVAL 30 MIN ALT 600
REL ALT 900
ENROUTE ALT 18.5 RETURN ALT 21.5 TARGET AIRSPEED 450

ORDNANCE 409 1601A EXPENDED — JETTISONED —
ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
BDA 90 % 90 % ADDITIONAL —

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 9th MARINE OPERATION Virginia Ridge
(LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD _____
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE _____
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP _____
- (G) DIVERT YES NO GIVE REASON BELOW _____

REMARKS: GOOD CHOICE OF ORD - COULD NOT
HAVE USED HARD ORD WITH EXISTING
WX.

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Blackman TIME 1045 DATE 12 June 69
SQUADRON 223 CALL SIGN HB 219 MSN # 6219 FLT CODE 152
T/O 0920 LAND 1024 TOTAL TIME 2.2

PILOTS A/C
WARfield WP15 DASC VANDY TIME 0940
Blackman 24 CONTROLLER Kat Killer 10 TIME 0945
TYPE CONTROLLER TACA
TYPE MISSION DAS

TOT DESCRIPTION COORDINATES PROVINCE
0950-1000 Rocket Site YD 263793 IRUN

TGT TERRAIN flat TGT WX 0 VISIBILITY 10
REL ANGLE 20 PASSES 10 INTERVAL 30 MIN ALT 600
REL ALT 1300
ENROUTE ALT 20.5 RETURN ALT 21.5 TARGET AIRSPEED 450
ORDNANCE 1201A/409 EXPENDED All JETTISONED —
ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
BDA 100 % 100 % ADDITIONAL 5 Rocket Position Dest
1 Rocket Launcher Dam

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 108th ARTY 32nd AF OPERATION Virginia Ridge
(LEAVE BLANK)
ENROUTE WX 1-0

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS : _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER L. H. WAINO TIME 1640 DATE 12 JUNE 1969
SQUADRON 223 CALL SIGN H17243 MSN # 6243 FLT CODE 152/1
T/O 1420 LAND 1620 TOTAL TIME 4.0

PILOTS A/C
STANTON up-15 DASC Dough Ho TIME 1430
LIVIANO up-18 CONTROLLER SW 90-4 TIME 1414
TYPE CONTROLLER SW 90-4 TIME 1546
TYPE MISSION 1.2.0

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1414-1546</u>	<u>12 D12</u>	<u>171318</u>	<u>1</u>
<u>1546-56</u>	<u>Bunk</u>	<u>17038681</u>	

C

TGT TERRAIN Mountain TGT WX 400 VISIBILITY 2
MIN ALT 600
REL ANGLE 80° PASSES 10 INTERVAL 35" REL ALT 1700
ENROUTE ALT 16.5 RETURN ALT 15.5 TARGET AIRSPEED 450
ORDNANCE 16 D12 / 4 D9 EXPENDED all JETTISONED —
ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
BDA 100% 100% 100% ADDITIONAL 1 Bunk

SECONDARY EXPLOSIONS — NUMBER — SIZE —
UNIT SUPPORTED 3rd New Wings OPERATION # 1
(LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: Dropped 12 D12 on 1st target & 4 D12/4 D9
on second target (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER NORRIS TIME 1307 DATE 12 JAN
 SQUADRON 223 CALL SIGN HB MSN # 6037 FLT CODE 152
 T/O 127 LAND 1345 TOTAL TIME 1.6
 PILOTS A/C
NORRIS 16
21
 DASC 3NA TIME 130
 CONTROLLER 1st B TIME 135
 TYPE CONTROLLER CS 1300
 TYPE MISSION AREA 130

TOT	U.C DESCRIPTION	COORDINATES	PROVINCE
<u>123-51</u>	<u>Trop Amb</u>	<u>AT975572</u>	<u>13</u>

TGT TERRAIN FLAT TGT WX 450 VISIBILITY 107
 REL ANGLE 30° PASSES 12 INTERVAL 30 MIN ALT 1500
 REL ALT 3000-4000

ENROUTE ALT 10.5 RETURN ALT 11.5 TARGET AIRSPEED 450

ORDNANCE 400/400 EXPENDED ALL JETTISONED

ORDNANCE/RTB DUDS (SEE NOTE # 1)

BDA 90 % 90 % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED 1st MAF XV OPERATION Position Change

ENROUTE WX 450 (LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: Good flight
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON

RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER COSTA TIME 2030 DATE 12 June 69
SQUADRON 223 CALL SIGN HB267 MSN # 6267 FLT CODE 352
T/O 1930 LAND 2012 TOTAL TIME 1.9

PILOTS A/C
FREEMAN WP08 DASC DaNang TIME 1945
COSTA WP23 CONTROLLER Hostage DATE 1995
TYPE CONTROLLER AIRBORNE
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1945/1957 GOONERS IN OPEN AT 883487 RVN-I

TGT TERRAIN FLAT TGT WX 800 VISIBILITY 7
REL ANGLE 20° PASSES 11 INTERVAL 30 sec MIN ALT 600
ENROUTE ALT 12.5M RETURN ALT 11.5M TARGET AIRSPEED 950
ORDNANCE 16 DIA 9D9 EXPENDED 16 DIA 3D9 JETTISONED
ORDNANCE/RTB 1D9 DUDS (SEE NOTE # 1)
BDA 100% 100% ADDITIONAL 3 Structures destroyed

SECONDARY EXPLOSIONS NUMBER SIZE
UNIT SUPPORTED 1ST MAR DIV OPERATION SEARCH AND SEIZURE
ENROUTE WX 80 @ 120 @ 10 (LEAVE BLANK)

- (A) HOSTILE FIRE YES NO
 - (B) AIRBURST YES NO
 - (C) A/C HIT YES NO
 - (D) RECON INSERT/EXTRACT YES NO
 - (E) BDA REPORTED YES NO
 - (F) ABORT YES NO
 - (G) DIVERT YES NO
- FILE FORM WITH BARREL
FILE FORM WITH BARREL
FILE FLASH REPORT WITH BARREL
CIRCLE ONE/COORD
IF ADDITIONAL CIRCLE
A/C MALFUNCTION/NO DROP
GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER Carter TIME 0715 DATE 13 June 68
SQUADRON 223 CALL SIGN HB200 MSN # 6200 FLT CODE 142
T/O 0630 LAND 0700 TOTAL TIME 15

PILOTS Carter A/C WP12
DASC _____ TIME _____
CONTROLLER _____ TIME _____
TYPE CONTROLLER _____
TYPE MISSION TEST

TOT	DESCRIPTION	COORDINATES	PROVINCE

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
MIN ALT _____
REL ANGLE _____ PASSES _____ INTERVAL _____ REL ALT _____
ENROUTE ALT 20,000' RETURN ALT 20,000' TARGET AIRSPEED _____
ORDNANCE none EXPENDED _____ JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED _____ OPERATION _____
ENROUTE WX 0-10 (LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS : _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER _____ TIME _____ DATE _____

SQUADRON 223 CALL SIGN 242 MSN # 6242 FLT CODE 142

T/O 1510 LAND 16 35 TOTAL TIME 0.4

PILOTS _____ A/C _____

Ther WP 10 DASC _____ TIME _____
CONTROLLER _____ TIME _____
TYPE CONTROLLER _____
TYPE MISSION _____

TOT	DESCRIPTION	COORDINATES	PROVINCE
	<u>TEST</u>		

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____

REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
REL ALT _____

ENROUTE ALT _____ RETURN ALT _____ TARGET AIRSPEED _____

ORDNANCE _____ EXPENDED _____ UNATTACHED _____

ORDNANCE/RTE _____ DUDS. (SEE NOTE #1) _____

BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____
(LEAVE BLANK!)

ENROUTE WX _____

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD _____ |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE _____ |
| (F) ABCRT | YES | NO | A/C MALFUNCTION/NO DROP _____ |
| (G) DIVERT | YES | NO | GIVE REASON BELOW _____ |

REMARKS : _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER 044 TIME 13 JUNE
SQUADRON 223 CALL SIGN HB 220 MSN # 6220 FLT CODE 151
T/O 0934 LAND 1025 TOTAL TIME 1.8

PILOTS A/C
GROSE WPO3 DASC DA NANG TIME 0938
044 WP 11 CONTROLLER KUNCHEE 2 TIME 0940
TYPE CONTROLLER TAC(A)
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>09</u>	<u>45-05 POSSIBLE ENEMY POSIT</u>	<u>BT 058 546</u>	<u>QUANG NAM</u>

TGT TERRAIN FLAT TGT WX 0 VISIBILITY 7
MIN ALT 600
REL ANGLE 20° PASSES 10 INTERVAL 30 SEC REL ALT 1050
ENROUTE ALT 12.5 RETURN ALT 7.5 TARGET AIRSPEED 450
ORDNANCE 20 D1A EXPENDED 19 JETTISONED NONE
ORDNANCE/RTB 1 D1A DUDS (SEE NOTE # 1) NONE
BDA 100 % 100 % ADDITIONAL NONE

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 2nd ROK OPERATION _____
(LEAVE BLANK)
ENROUTE WX 0

- (A) HOSTILE FIRE YES NO
 - (B) AIRBURST YES NO
 - (C) A/C HIT YES NO
 - (D) RECON INSERT/EXTRACT YES NO
 - (E) BDA REPORTED YES NO
 - (F) ABORT YES NO
 - (G) DIVERT YES NO
- FILE FORM WITH BARREL
FILE FLASH REPORT WITH BARREL
CIRCLE ONE/COORD
IF ADDITIONAL CIRCLE
A/C MALFUNCTION/NO DROP
GIVE REASON BELOW

REMARKS: SLICK ORDNANCE WOULD HAVE BEEN
PREFERABLE. (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Stanton TIME 1800 DATE 13 June 69
 SQUADRON 223 CALL SIGN NB 250 MSN # 6250 FLT CODE 15211
 T/O 1637 LAND 1743 TOTAL TIME 1.1

PILOTS	A/C	DASC	TIME
<u>Stanton</u>	<u>02</u>	<u>B-01</u>	<u>1645</u>
<u>Cate</u>	<u>17</u>	CONTROLLER	TIME
		<u>B-01 24</u>	<u>1650</u>
		TYPE CONTROLLER	
		<u>EAFC T-100A</u>	
		TYPE MISSION	
		<u>DA 5</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1655/1719</u>	<u>Kwan Ery Location</u>	<u>YC423843</u>	<u>2</u>
	<u>EC-</u>		

TGT TERRAIN Mountains TGT WX 15 0 VISIBILITY 5
 REL ANGLE 20° PASSES 8 INTERVAL 30 MIN ALT 800
 ENROUTE ALT 16.5 RETURN ALT 13.5 TARGET AIRSPEED 450
 REL ALT 1300

ORDNANCE 16DIA-4D9 EXPENDED same JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA 100% 80% ADDITIONAL _____
10 Hootches Rest 10x30, 1 secondary fire, 1 sustained fire

SECONDARY EXPLOSIONS 2 NUMBER small SIZE _____
 UNIT SUPPORTED 3rd Brig 101st ABN OPERATION Kentucky Hammer
 ENROUTE WX 80 0 7 (LEAVE BLANK)

- | | | |
|--------------------------|---|-------------------------------|
| (A) HOSTILE FIRE | YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> | FILE FORM WITH BARREL |
| (B) AIRBURST | YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> | FILE FORM WITH BARREL |
| (C) A/C HIT | YES <input type="checkbox"/> NO <input type="checkbox"/> | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES <input type="checkbox"/> NO <input type="checkbox"/> | CIRCLE ONE/COORD _____ |
| (E) BDA REPORTED | YES <input type="checkbox"/> NO <input type="checkbox"/> | IF ADDITIONAL CIRCLE _____ |
| (F) ABORT | YES <input type="checkbox"/> NO <input type="checkbox"/> | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES <input type="checkbox"/> NO <input type="checkbox"/> | GIVE REASON BELOW |

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER FLICKER TIME 1030 DATE 13 JUN 69
SQUADRON 223 CALL SIGN HBN MSN # 6216 FLT CODE 152/1
T/O 090Y LAND 103Z TOTAL TIME 3.0

PILOTS A/C

BARNES WP 07
FISCHER 17

DASC Dong Ha, Hue TIME 0915, 1010
CONTROLLER ... TIME 0920, 1025
TYPE CONTROLLER TACAI
TYPE MISSION ...

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1015-24</u>	<u>BUNKERS</u>	<u>BS 494915</u>	<u>RUN / I /</u>

TGT TERRAIN FLAT TGT WX 10,00 VISIBILITY 10+
REL ANGLE 20° PASSES 4 INTERVAL 30 MIN ALT 600
REL ALT 1500

ENROUTE ALT 20.5 RETURN ALT 185 TARGET AIRSPEED 45-0

ORDNANCE 16 DIA, 4 DR EXPENDED ALL JETTISONED -

ORDNANCE/RTB - DUDS (SEE NOTE # 1) -

BDA 100 % 70 % ADDITIONAL 1 SEC FIRE, 3 BUNKERS DEST

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED AMERICAN OPERATION _____

ENROUTE WX _____ (LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT EXTRACT YES NO CIRCLE ONE/COORD 277/25/109
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: DROPPED WITH HELIX AFTER COORDINATE RECON INSERT
WITH SW 98-3 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER REED TIME 1345 DATE 13 JUN 69
SQUADRON 223 CALL SIGN HB 236 MSN # 6236 FLT CODE 157//
T/O 1257 LAND 1337 TOTAL TIME 1.4

PILOTS A/C
NEWBILL WP 17 DASC HELIX TIME
REED 09 CONTROLLER 03 TIME 1305
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1310/1320 TROOPS IN CONTACT BS 863228 I CORPS

TGT TERRAIN MTNS TGT WX 80 φ VISIBILITY 10
REL ANGLE 20 PASSES 8 INTERVAL 30° MIN ALT 600
REL ALT 1300

ENROUTE ALT 9.5 RETURN ALT 6.5 TARGET AIRSPEED 450

ORDNANCE 16 DIA/409 EXPENDED ALL JETTISONED

ORDNANCE/RTE DUDS (SEE NOTE # 1)

BDA 100% 100 % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED AMERICAN OPERATION
(LEAVE BLANK)

ENROUTE WX

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS : (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON

RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER BAKER TIME 1315 DATE 13 June
SQUADRON 223 CALL SIGN HB MSN # 6458 FLT CODE 132
T/O 1139 LAND 1300 TOTAL TIME 2-8

PILOTS A/C
GUZZO WP 24
BAKER 18

DASC Heck TIME 1220
CONTROLLER Helik03 TIME 1223
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1225-40</u>	<u>TROOPS (TAN)</u>	<u>BS 802228</u>	

TGT TERRAIN MTN TGT WX 0 VISIBILITY 15
REL ANGLE 25° PASSES 6 INTERVAL 30 MIN ALT 600
REL ALT 1200

ENROUTE ALT _____ RETURN ALT _____ TARGET AIRSPEED 480

ORDNANCE 409 16DIA EXPENDED ALL JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA 100 % 50 % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED Amcc OPERATION _____
(LEAVE BLANK)

ENROUTE WX _____

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD _____
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE _____
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP _____
- (G) DIVERT YES NO GIVE REASON BELOW _____

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER GNA220 TIME 1010 DATE 13 June 69
SQUADRON 223 CALL SIGN HB218 MSN # 628 FLT CODE 15211
T/O 0914 LAND 0958 TOTAL TIME 1.4

PILOTS A/C
GNA220 WP-15
Baker WP-02

DASC Helix Cont TIME 0910
CONTROLLER Baker 14 TIME 0915
TYPE CONTROLLER EASTAC (A)
TYPE MISSION CR

TOT DESCRIPTION COORDINATES PROVINCE
0925-40 village + Bunkers BT 095217 RVN I/4

TGT TERRAIN rolling TGT WX VFR VISIBILITY 10+
REL ANGLE 30° PASSES 8 INTERVAL 30 MIN ALT 2.0
ENROUTE ALT 10.5 RETURN ALT 9.5 TARGET AIRSPEED 450
ORDNANCE 18 DIA EXPENDED all JETTISONED /
ORDNANCE/RTB / DUDS (SEE NOTE # 1) /
BDA 100% 100% ADDITIONAL 3 Bunkers dest

SECONDARY EXPLOSIONS / NUMBER / SIZE /
UNIT SUPPORTED ammal OPERATION /
ENROUTE WX VFR (LEAVE BLANK)

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD BT 095217
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____ (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS good

DEBRIEFER COSTA TIME 1845 DATE 13 June 69
SQUADRON 223 CALL SIGN HB252 MSN # 6252 FLT CODE 152
T/O 1723 LAND 1835 TOTAL TIME 2.4

PILOTS A/C
ROGERS WP 16 DASC Dong Ha TIME 1750
COSTA WP 21 CONTROLLER CATKILLER 1755
TYPE CONTROLLER ANDBORING TAC
TYPE MISSION DAS

TOT DESCRIPTION COORDINATES PROVINCE
1755/1805 ENEMY IN BUNKERS YD 153796 RVN/I
BF

TGT TERRAIN FLAT TGT WX 8.00 VISIBILITY 7+
REL ANGLE 20° PASSES 12 INTERVAL 30 sec MIN ALT 1000'
REL ALT 2500'

ENROUTE ALT 16.5M RETURN ALT 21.5M TARGET AIRSPEED 450

ORDNANCE 16 DUU 409 EXPENDED ALL JETTISONED ---

ORDNANCE/RTB --- DUDS (SEE NOTE # 1) ---

BDA 100% 100% ADDITIONAL 3 BUNKERS DEST

C

SECONDARY EXPLOSIONS --- NUMBER --- SIZE ---

UNIT SUPPORTED 108th ARTY 3rd Bn OPERATION Virginia Ridge

ENROUTE WX 01D 1200 (LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION --- REASON ---
RECOVERABLE --- FUZE (DELAY/ARM DELAY) ---

NOTE #2: ECM ENCOUNTERED --- TIME --- HOW DIRECTED ---

NOTE #3: ORDNANCE EFFECTIVENESS ---

DEBRIEFER L. K. HAWK TIME 1226 DATE 13 June 69
SQUADRON 283 CALL SIGN HIT 286 MSN # 6226 FLT CODE 152/1
T/O 1100 LAND 1215 TOTAL TIME 2.6

PILOTS A/C
Haise 47-03 DASC Dennis Hoo TIME 1215
L. K. Hawk 47-12 CONTROLLER Carl Walker TIME 1126
TYPE CONTROLLER JACH
TYPE MISSION DUS

TOT DESCRIPTION COORDINATES PROVINCE
1135-50 Troop in open 49153946

TGT TERRAIN FLV TGT WX 450 VISIBILITY 7
REL ANGLE 30° PASSES 8 INTERVAL 35 MIN ALT 1800
REL ALT 3500

ENROUTE ALT 20.5 RETURN ALT 21.5 TARGET AIRSPEED 450

ORDNANCE 20 D4 EXPENDED 011 JETTISONED —

ORDNANCE/RTB — DUDS (SEE NOTE # 1) —

BDA 100% 100% ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 108th ART. OPERATION —
(LEAVE BLANK)

ENROUTE WX —

- (A) HOSTILE FIRE YES FILE FORM WITH BARREL
- (B) AIRBURST YES FILE FORM WITH BARREL
- (C) A/C HIT YES FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES CIRCLE ONE/COORD
- (E) BDA REPORTED YES IF ADDITIONAL CIRCLE
- (F) ABORT YES A/C MALFUNCTION/NO DROP
- (G) DIVERT YES GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—
—

DEBRIEFER NORRIS TIME 1930 DATE 13 JAN
SQUADRON 223 CALL SIGN HB MSN #6256 FLT CODE 152
T/O 1230 LAND 1810 TOTAL TIME 1.4

PILOTS A/C

Snyder WP. D DASC _____ TIME _____
NORRIS 73 CONTROLLER JAKE 43 TIME 1740
TYPE CONTROLLER TACA
TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1939/51</u>	<u>Tunnels</u>	<u>BS 550763</u>	<u>4</u>
	<u>TU</u>		


TGT TERRAIN FLAT TGT WX 0 VISIBILITY 10
REL ANGLE 30° PASSES 6 INTERVAL 30 MIN ALT 1200
REL ALT 3000

ENROUTE ALT 12.5 RETURN ALT 11.5 TARGET AIRSPEED 450

ORDNANCE 20 D19/W EXPENDED ALL JETTISONED _____

ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) _____

BDA 100 % 100 % ADDITIONAL 2 Tunnels called



SECONDARY EXPLOSIONS None NUMBER _____ SIZE _____

UNIT SUPPORTED Americal OPERATION Geneva Park

(LEAVE BLANK)

ENROUTE WX 0 10+

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER STOCKING TIME 1630 DATE 13 June 69
SQUADRON 223 CALL SIGN NB 244 MSN # 6244 FLT CODE 182
T/O 1502 LAND 1618 TOTAL TIME 2.6

PILOTS A/C
PALMER WP-18 DASC Vandy TIME 1515
STOCKING 29 CONTROLLER SW 98-13 TIME 1517
TYPE CONTROLLER TAC A
TYPE MISSION 152P

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1545-51</u>	<u>L2P</u> <u>UN</u>	<u>YD 130440</u>	<u>D</u>

TGT TERRAIN Hill TGT WX GO VISIBILITY 7
MIN ALT 1500

REL ANGLE 30° PASSES 6 INTERVAL 3low REL ALT 3000

ENROUTE ALT 26.5 RETURN ALT 17.5 TARGET AIRSPEED 450

ORDNANCE 20017 EXPENDED AZC JETTISONED

ORDNANCE/RTB DUDS (SEE NOTE # 1)

BDA 90 % 90 % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED 3rd Cav OPERATION MASS BAY
(LEAVE BLANK)

ENROUTE WX D

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER NARRIS TIME 1445 DATE 13 JUN
SQUADRON 223 CALL SIGN HB MSN # 6238 FLT CODE 1541
T/O 1330 LAND 1433 TOTAL TIME 2.2

PILOTS A/C
Snyder 15
NARRIS 7
DASC Don HA TIME 1345
CONTROLLER CATHY TIME 1350
TYPE CONTROLLER TACA
TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1355-05</u>	<u>UC/NVA Fortifications</u>	<u>42213800</u>	<u>1</u>

TGT TERRAIN FLAT TGT WX 0 VISIBILITY 10+
REL ANGLE 30° PASSES 10 INTERVAL 30 MIN ALT 3000
ENROUTE ALT 18.5 RETURN ALT 23.5 TARGET AIRSPEED 450

ORDNANCE 20 D144 EXPENDED ALL JETTISONED
ORDNANCE/RTB - DUDS (SEE NOTE # 1)

C

BDA 100% 100% ADDITIONAL 2 foot. lumber - 3 cult
fields dest - 20M trench dest - 2 sec explosions

SECONDARY EXPLOSIONS white NUMBER 2 SIZE
UNIT SUPPORTED OPERATION 1355 PIT
(LEAVE BLANK)
ENROUTE WX 1500 10+

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER WFR TIME 2015 DATE 13 JUN
SQUADRON 223 CALL SIGN HB260 MSN # 6260 FLT CODE 352
T/O 1915 LAND 2000 TOTAL TIME 1.6

PILOTS A/C
Rogers WP-18 DASC Dennis TIME 1920
Costa -29 CONTROLLER Hot Cat TIME 1925
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1930-41 NVA AT973423 (3)
TS

TGT TERRAIN Mount TGT WX clear VISIBILITY 9+
REL ANGLE 200 PASSES 6 INTERVAL 30 sec MIN ALT 866'
REL ALT 1200'
ENROUTE ALT 10.5 RETURN ALT 9.5 TARGET AIRSPEED 450K
ORDNANCE 2001A/409 EXPENDED 1701A/409 JETTISONED NONE
ORDNANCE/WTE 3 DIA DUDS (SEE NOTE # 1) NO
BDA 95 % 95 % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED 1st MAR DIV OPERATION P. PESTONC CANYON
(LEAVE BLANK)

ENROUTE WX
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER Blackman TIME 1245 DATE 13-JUNE 69
SQUADRON 223 CALL SIGN HB6232 MSN # 6232 FLT CODE 152
T/O 1135 LAND 1220 TOTAL TIME 166

PILOTS A/C
FREEMAN WP-16 DASG DA NANO TIME 1140
Blackman 21 CONTROLLER HOSTAGE I TIME 1145
TYPE CONTROLLER TACP
TYPE MISSION OAS

TOT DESCRIPTION COORDINATES PROVINCE
1154-1204 ENERGY Pos. AT 980560 IRUN

TGT TERRAIN flat TGT WX 100 VISIBILITY 10+
REL ANGLE 30° PASSES 12 INTERVAL 30 MIN ALT 1500
REL ALT 3000

ENROUTE ALT 10.5 RETURN ALT 9.5 TARGET AIRSPEED 450

ORDNANCE 409/4024 EXPENDED ALL JETTISONED —

ORDNANCE/RTB — DUDS (SEE NOTE # 1) —

BDA 80 % 90 % ADDITIONAL 1 Boat + 1 Hut Dest
1 Struct. DAM
1 Sec Expl.

SECONDARY EXPLOSIONS Yes NUMBER 1 SIZE Med

UNIT SUPPORTED 1st MAR OPERATION Operation
(LEAVE BLANK)

ENROUTE WX Clear

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER _____ TIME _____ DATE _____
SQUADRON 223 CALL SIGN HRB 234 MSN # 6234 FLT CODE 152
T/O 1220 LAND 1320 TOTAL TIME 2.0

PILOTS A/C
GRUSE WP 03 DASC DADDDG TIME 1330
OGG WP 11 CONTROLLER HBT 2 TIME 1332
TYPE CONTROLLER TBCA
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1355/05 BKRS Traps in open AT 857200 I (Camp)

TGT TERRAIN M TGT WX 7(11) VISIBILITY 7
REL ANGLE 36 PASSES 8 INTERVAL 30 sec MIN ALT 1500
REL ALT 3000
ENROUTE ALT 12.5 RETURN ALT 11.5 TARGET AIRSPEED 450
ORDNANCE 20 DI 2/4 EXPENDED All JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
BDA 100 % 100 % ADDITIONAL _____

0

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 7th Marine OPERATION _____
(LEAVE BLANK)
ENROUTE WX _____

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER L. J. WINDO TIME 0905 DATE 13 JUNE 69
SQUADRON 223 CALL SIGN H13210 MSN # 6210 FLT CODE 152/1
T/O 0800 LAND 0855 TOTAL TIME 1.8

PILOTS A/C

MAJ. HEISE 47-18 DASC DUNNAN TIME 0805
CAF. LAFKAP 47-24 CONTROLLER Hostage TIME 0815
TYPE CONTROLLER TACA
TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1820-38</u>		<u>AT 858702</u>	

TGT TERRAIN HTS TGT WX CLEAR VISIBILITY 10
MIN ALT 600

REL ANGLE 90° PASSES 12 INTERVAL 35" REL ALT 1300

ENROUTE ALT 16.5 RETURN ALT 9.5 TARGET AIRSPEED 450

ORDNANCE 16 DID / 4 D9 EXPENDED 16 DA / 3 D9 JETTISONED —

ORDNANCE/RTB 1 D9 DUDS (SEE NOTE # 1)

BDA 90 % 100 % ADDITIONAL 2 probable KBA's
1 Sec EXPL

SECONDARY EXPLOSIONS 1 SEC NUMBER 5/NO/1 SIZE —

UNIT SUPPORTED 1ST MWR. Div. OPERATION —

(LEAVE BLANK)

ENROUTE WX —

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

JUN 9 1969

DEBRIEFER BURNS TIME 1715 DATE 24 JUN 1969
SQUADRON 223 CALL SIGN R55 MSN # 6255 FLT CODE 152
T/O 1543 LAND 1653 TOTAL TIME 2.3

PILOTS A/C
HOL WARFIELD 16 DASC BILK TIME 1550
BURNS 12 CONTROLLER (BILK 31) TIME 1600
TYPE CONTROLLER TACA
TYPE MISSION DAS

TOT DESCRIPTION COORDINATES PROVINCE
1613-23 Rocket Posit YC 323983 RBN/T
EL

TGT TERRAIN Hilly TGT WX 5.0 @ VISIBILITY 10
REL ANGLE 30 PASSES 8 INTERVAL 30 MIN ALT 2000
ENROUTE ALT 20.5 RETURN ALT 13.5 TARGET AIRSPEED 450
ORDNANCE 20 D14 EXPENDED 17 D14 JETTISONED _____
ORDNANCE/RTE 3 D14 DUDS. (SEE NOTE #1) _____
BDA 100 % 100 % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT REPORTED 3rd 101st A.B. OPERATION Montgomery Road
(LEAVE BLANK!)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	<input checked="" type="checkbox"/> NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	<input checked="" type="checkbox"/> NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	<input checked="" type="checkbox"/> NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	<input checked="" type="checkbox"/> NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	<input checked="" type="checkbox"/> NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	<input checked="" type="checkbox"/> NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	<input checked="" type="checkbox"/> NO	GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER CAPT SCHNELL TIME 0805H DATE 14 JUNE 69

SQUADRON 223 CALL SIGN H6203 MSN # 6203 FLT CODE 152

T/O 0655 LAND 0750 TOTAL TIME 1.8

PILOTS A/C

<u>SCHNELL</u>	<u>WP-16</u>	DASC <u>Bike Cost</u>	TIME <u>0709</u>
<u>BAKER</u>	<u>24</u>	CONTROLLER <u>Bike 37</u>	TIME <u>0710</u>
		TYPE CONTROLLER <u>TACA</u>	
		TYPE MISSION <u>CAS</u>	

TGT	DESCRIPTION	COORDINATES	PROVINCE
<u>0715-25</u>	<u>Enemy Position</u>	<u>4D940010</u>	<u>2</u>
	<u>EC</u>		

TGT TERRAIN Hmts TGT WX 0 VISIBILITY 7
 REL ANGLE 20 PASSES 6 INTERVAL 30 MIN ALT 600'
 REL ALT 1200'
 ENROUTE ALT 12.5 RETURN ALT 11.5 TARGET AIRSPEED 450 KMH
 ORDNANCE 1601A / 409 EXPENDED All JETTISONED NONE
 ORDNANCE/RTP NONE DUDS (SEE NOTE #1) NONE
 BDA 100 % 100 % ADDITIONAL

C

SECONDARY EXPLOSIONS Yes NUMBER 1 SIZE Small
 UNIT SUPPORTED 101st AB OPERATION Montgomery Bend
 (LEAVE BLANK)
 ENROUTE WX 10500 @ 50

- | | | | |
|--------------------------|--------------------------------------|-------------------------------------|-------------------------------|
| (A) HOSTILE FIRE | YES | <input checked="" type="radio"/> NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | <input checked="" type="radio"/> NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | <input checked="" type="radio"/> NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | <input checked="" type="radio"/> NO | CIRCLE ONE/COORD |
| (E) BDA REQUESTED | <input checked="" type="radio"/> YES | <input checked="" type="radio"/> NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | <input checked="" type="radio"/> NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | <input checked="" type="radio"/> NO | GIVE REASON BELOW |

REMARKS: _____ (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Oppenhuisen TIME 1735 DATE 14 June 69
SQUADRON 223 CALL SIGN AB257 MAN # 6257 FLT CODE 152
T/O 1650 LANDING 1725 TOTAL TIME 1.2

PILOTS A/C
Stocking WP 2 DASC Danang TIME 52
Oppenhuisen 11 CONTROLLER Kimber TIME 1653
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1700-04 VC in trees ~~BT 074544~~ ~~BT 074544~~
TS BT 074544 3

TGT TERRAIN flat TGT WY 6:0 VISIBILITY 6
REL ANGLE 20 PASSES 4 INTERVAL 30 MIN ALT 700
REL ALT 1300

ENROUTE ALT 6.5 RETURN ALT 5.5 TARGET AIRSPEED 450

ORDNANCE 809 EXPENDED all JETTISONED -

ORDNANCE/RTE _____ DUES (SEE NOTE # 1) _____

BDA 90 % ? % ADDITIONAL 5 Sec Fires

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 2 Brigade ROKMC OPERATION Victory Dragon
(LEAVE BLANK!)

ENROUTE WX _____

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD _____ |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE _____ |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP _____ |
| (G) DIVERT | YES | NO | GIVE REASON BELOW _____ |

REMARKS: BT
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS DIA's would have been more effective -

DEBRIEFER WARFIELD TIME _____ DATE 14 June 69
SQUADRON 223 CALL SIGN H8273 MSN # 6273 FLT CODE 452
T/O 2325 LAND 0028 TOTAL TIME 1.1

PILOTS _____ A/C _____
LTCOL WARFIELD WP15 DASC Birmingham TIME 2352
CONTROLLER _____ TIME 2352
TYPE CONTROLLER ASST
TYPE MISSION TPQ

TOT _____ DESCRIPTION _____ COORDINATES _____ PROVINCE _____
2356 Suspected Enemy Position YC332.4980 IP
EL

TGT TERRAIN unk TGT WX 0 VISIBILITY 10+
REL ANGLE Level PASSES 1 INTERVAL _____ MIN ALT 15000
ENROUTE ALT 20.5 RETURN ALT 17.5 TARGET AIRSPEED 290
ORDNANCE 8 DIX EXPENDED 8 DIX JETTISONED _____
ORDNANCE/REP NONE DUDS (SEE NOTE # 1) NONE
BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 101st Airborne OPERATION Montgomery Road
(LEAVE BLANK)

- ENROUTE WX 80 0/0
- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) ATTEMPT | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABOBT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER GERMAN TIME _____ DATE 19 June 69
SQUADRON 223 CALL SIGN H827 PLAN # 6271 FLT CODE 452
T/O 2300 LAND 0015 TOTAL TIME 1.3

PILOTS _____ A/C _____
LTCOL GERMAN WP 7 DASC Birmingham TIME 2350
CONTROLLER _____ TIME 2350
TYPE CONTROLLER _____ ASPT (TPQ)
TYPE MISSION _____ PAS

TOT _____ DESCRIPTION _____ COORDINATES _____ PROVINCE _____
2350-55 En Loc YC3144917d II ?
EC

TGT TERRAIN R TGT WX 4.0 @ VISIBILITY DBK
REL ANGLE 0 PASSES 1 INTERVAL +3500 MIN ALT 15,000
REL ALT 15,000
ENROUTE ALT 20.5 RETURN ALT 13.5 TARGET AIRSPEED 290
ORDNANCE 10 DIX EXPENDED all JETTISONED _____
ORDNANCE/RTE _____ DUDS (SEE NOTE #1) _____
BDA - Undk - % ADDITIONAL _____

C

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 101st Airborne OPERATION Montgomery Road
(LEAVE BLANK)
ENROUTE WX 800/0

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) A.F. BURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD _____ |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE _____ |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: FCM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

JUN 14 1969

DEBRIEFER _____ TIME _____ DATE _____

SQUADRON 223 CALL SIGN HB247 MSN # 6247 FLT CODE 152/1

T/O 1407 LANT 1455 TOTAL TIME 1.6

PILOTS	A/C	DASC	TIME
<u>Snyder</u>	<u>21</u>	<u>B:1k</u>	<u>1415</u>
<u>Palmer</u>	<u>11</u>	<u>B:1k</u>	<u>1420</u>
		TYPE CONTROLLER	<u>TACA</u>
		TYPE MISSION	<u>CA 7</u>

TGT	DESCRIPTION	COORDINATES	PROVINCE
<u>Enemy Posits</u>	<u>1422-35</u>	<u>BT177133</u>	<u>LA</u>
<u>EC</u>			

TGT TERRAIN Flat TGT WX 2000 VISIBILITY 7

REL ANGLE 30 PASSES 6 INTERVAL 30 MIN ALT 600

ENROUTE ALT 12.5 RETURN ALT 9.5 TARGET AIRSPEED 450

ORDNANCE 4 #24 #D7 EXPENDED all UNEXPENDED _____

ORDNANCE/RTE _____ DUDS. (SEE NOTE # 1) _____

BDA Umb % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 101ST AB OPERATION LAMAR PLAIN
(LEAVE BLANK)

ENROUTE WX _____

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD _____ |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE _____ |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER COSTA TIME 1327 DATE 14 June 69
SQUADRON 223 CALL SIGN HB233 ASN # 6233 FLT CODE 152
T/O 1215 LAND 1312 TOTAL TIME 2.0

PILOTS A/C
Lt Col NEWBILL WP 02 DASC HELIX TIME 1230
COSTA WP 23 CONTROLLER HELIX TIME 1240
TYPE CONTROLLER TACQ
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1240/1245 Enemy Troops in Bunkers BT 07A225 RWNI
BF

TGT TERRAIN HILLY TGT WX 1300 VISIBILITY 10+
REL ANGLE 20° PASSES 9 INTERVAL 30 sec MIN ALT 600'
REL ALT 1500'

ENROUTE ALT 12.5m RETURN ALT 11.5m TARGET AIRSPEED 450

ORDNANCE 10 DIA 409 EXPENDED 10 DIA 409 JETTISONED _____

ORDNANCE/RTE _____ DUDS (SEE NOTE # 1) _____

BDA 100% 100% ADDITIONAL Six (6) Bunkers
destroyed 2 bunkers damaged 3 KBA

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED AMERICAN OPERATION _____
(LEAVE BLANK!)

ENROUTE WX _____

- | | | | | |
|--------------------------|----------------------------------|-----------------------|-----------------------|-------------------------------|
| (A) HOSTILE FIRE | YES | <input type="radio"/> | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | <input type="radio"/> | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | <input type="radio"/> | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | <input type="radio"/> | NO | CIRCLE CNE/COORD |
| (E) BDA REPORTED | <input checked="" type="radio"/> | YES | <input type="radio"/> | NO |
| (F) ABORT | YES | <input type="radio"/> | NO | IF ADDITIONAL CIRCLE |
| (G) DIVERT | YES | <input type="radio"/> | NO | A/G MALFUNCTION/NO DROP |
| | | | | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER HAMILTON TIME 1030 DATE 14 JUNE

SQUADRON 223 CALL SIGN HB221 MSN # 6221 FLT CODE 1521

T/O 0935 LAND 1015 TOTAL TIME 1.4

PILOTS	A/C	DASC	TIME
<u>FREEMAN</u>	<u>WP 15</u>	<u>Helix Cont</u>	<u>0940</u>
<u>HAMILTON</u>	<u>7</u>	CONTROLLER	TIME
		<u>Helix 03</u>	<u>0942</u>
		TYPE CONTROLLER	
		<u>TACO</u>	
		TYPE MISSION	
		<u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0950-00</u>	<u>ACTIVE 50 CAL</u>	<u>B7090225</u>	<u>RUH/T</u>
	<u>RR</u>		

TGT TERRAIN Rolling TGT WX 10.5 # VISIBILITY 7
 REL ANGLE 30 PASSES 8 INTERVAL 3.0 MIN ALT 1.5
 REL ALT 3.0

ENROUTE ALT 10.5 RETURN ALT 7.5 TARGET AIRSPEED 450

ORDNANCE 18014 EXPENDED All JETTISONED —

ORDNANCE/RTB — DUDS (SEE NOTE # 1) —

BDA 100 % 100 % ADDITIONAL 1 ACTIVE 50 CAL
SITE DESTROYED!!

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED AIRER OPERATION —
(LEAVE BLANK!)

ENROUTE WX 10.5 # 7

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	<u>YES</u>	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERG	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DESIGNATOR COSTA TIME 0759 DATE 19 June 69
SQUADRON 223 CALL SIGN HB201 MSN # 6201 FLT CODE 152
T/O 0627 LAND 0745 TOTAL TIME 2.6

PILOTS A/C
1/061 NEWBILL WP 12 DASC HELIX TIME 0650
COSTA WP 17 CONTROLLER HELIX-16 TIME 0700
TYPE CONTROLLER TACA
TYPE MISSION LLZ PREP

TOT DESCRIPTION COORDINATES PROVINCE
0700/0727 Enemy in bunkers BT083230 RVNBI
Plus LZ Prep
UN

TGT TERRAIN Hilly TGT WX 110 @ VISIBILITY 0
REL ANGLE 20° PASSES 8 INTERVAL 30 sec MIN ALT 600'
ENROUTE ALT 10.5m' RETURN ALT 9.5m' TARGET AIRSPEED 450
ORDNANCE 16 DIA 429 EXPENDED 16 DIA 429 REMAINING
ORDNANCE/MTB _____ DUDS (SEE NOTE # 1) 3 DIA
BDA 95 % 60 % ADDITIONAL None

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED American OPERATION _____
(LEAVE BLANK!)
ENROUTE WX 110 @ 8

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION BT 083230 REASON unknown
RECOVERABLE ? FUZE (DELAY/ARM DELAY) A

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Carter TIME 1600 DATE 14 June
SQUADRON 223 CALL SIGN HB249 MSN # 6249 FLT CODE 152
T/O 1430 LAND 1535 TOTAL TIME 2.2

PILOTS A/C
Carter WP 43 DASC Don HA TIME 1447
Reed 48 CONTROLLER KK 19 TIME 1448
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1500-11 Bunkers + fighting holes + poss. NVA XD153738 RW/I/O
BF

TGT TERRAIN FLAT TGT WX 4. P. D. VISIBILITY 10
REL ANGLE 10°/20° PASSES 6 INTERVAL 30sec MIN ALT 6000
REL ALT 1000/2
ENROUTE ALT 11.5 RETURN ALT 11.5 TARGET AIRSPEED 450

ORDNANCE 16 DIA/409 EXPENDED All REMAINDERED none
ORDNANCE/TYPE none LBS. (SEE NOTE #1) three
BDA 100 % 100 % ADDITIONAL 3 bunkers destroyed
5 fighting holes "
50 meters trench destroyed
1 fortification destroyed

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 12th Marines/3 Mardiv OPERATION Virginia Ridge
(LEAVE BLANK!)
ENROUTE WX 40 @ 7 RW-

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION on target REASON unknown Failed to return arming wire.
RECOVERABLE yes FUZE (DELAY/ARM DELAY) inst.

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

597
757
459

DEBRIEFER FISCHER TIME 1845 DATE 14 JUNE 67

SQUADRON 223 CALL SIGN HEN MEN # 6261 FLT CODE 152

T/O 1714 LAND 1829 TOTAL TIME 2.6

PILOTS A/C

<u>HEISE</u>	<u>WP 17</u>	DASC <u>DASC NA</u>	TIME <u>1730</u>
<u>FISCHER</u>	<u>18</u>	CONTROLLER <u>CAT KUCAL12</u>	TIME <u>1735</u>
		TYPE CONTROLLER <u>TACA1</u>	
		TYPE MISSION <u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1795-06</u>	<u>NVA FORTIFICATIONS</u> <u>BL</u>	<u>YD166757</u>	<u>RUN/10</u>

TGT TERRAIN FLAT TGT WX 130# VISIBILITY 107

REL ANGLE 28° PASSES 8 INTERVAL 30 MIN ALT 800

ENROUTE ALT 185 RETURN ALT 115 TARGET AIRSPEED 450

ORDNANCE 1600/409 EXPENDED ALL JETTISONED -

ORDNANCE/RTB - DUDS (SEE NOTE # 1) -

BDA 100 % 100 % ADDITIONAL 4 BUNKERS DEST
3 FIGHTING HOLES DEST
60 M. TRENCH CIRC

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 3rd M.D. OPERATION Virginia Ridge
(LEAVE BLANK!)

ENROUTE WX _____

- | | | | |
|--------------------------|--------------------------------------|--------------------------|-------------------------------|
| (A) HOSTILE FIRE | <input checked="" type="radio"/> YES | <input type="radio"/> NO | FILE FORM WITH BARREL |
| (B) AIRBURST | <input checked="" type="radio"/> YES | <input type="radio"/> NO | FILE FORM WITH BARREL |
| (C) A/C HIT | <input checked="" type="radio"/> YES | <input type="radio"/> NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | <input checked="" type="radio"/> YES | <input type="radio"/> NO | CIRCLE ONE/COORD _____ |
| (E) BDA REPORTED | <input checked="" type="radio"/> YES | <input type="radio"/> NO | IF ADDITIONAL CIRCLE _____ |
| (F) ABORT | <input checked="" type="radio"/> YES | <input type="radio"/> NO | A/C MALFUNCTION/NO DROP _____ |
| (G) DIVERT | <input checked="" type="radio"/> YES | <input type="radio"/> NO | GIVE REASON BELOW _____ |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Snyder TIME 1900 DATE 14 JUN 69
SQUADRON 223 CALL SIGN HB-745 SSN # 6245 FLT CODE 111
T/O 1712 LAND 1850 TOTAL TIME 3.0

PILOTS
Snyder WP 05 DASC _____ TIME _____
Rodgers _____ 10 CONTROLLER ADANANG TIME 1815
TYPE CONTROLLER ASERT
TYPE MISSION TRP

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1828</u>	<u>ZC 192477</u>	<u>EC</u> <u>Enemy Loc</u>	<u>3</u>
<u>1835</u>	<u>ZC 187476</u>	<u>Enemy Loc</u>	<u>3</u>

TGT TERRAIN UNK TGT WZ UNKNOWN VISIBILITY 15+
REL ANGLE 0 PASSES 2 INTERVAL _____ MIN ALT 1300
ENROUTE ALT 225 RETURN ALT 7.5 TARGET AIRSPEED 290IAS
ORDNANCE 403/402 EXPENDED All JETTISONED _____
ORDNANCE/RTP 0 DUDS (SEE NOTE #1) _____
BDA UNK % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 5 MAR 15 M.D. OPERATION _____
(LEAVE BLANK)

ENROUTE WX _____

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECOM INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ASERT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: DIVERT FROM PRE BRIF TGT DUE TO WX
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Oppenhuizen TIME 1230 DATE 14 June 69
SQUADRON 223 CALL SIGN HB227 MSN # 6227 FLT CODE 152/1
T/O 1130 LAND 1210 TOTAL TIME 1.6

PILOTS A/C
Grosz WP.17 DASC Denang TIME 1136
Oppenhuizen WP.18 CONTROLLER Wastage TIME 1140
TYPE CONTROLLER Time TACA
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1142-55 En. Bankers AT 145.541 RVAH
BF

TGT TERRAIN flat HGT WX 0 VISIBILITY 7
REL ANGLE 30 PASSES 10 INTERVAL 30 MIN ALT 1600
REL ALT 3000
ENROUTE ALT 12.5 RETURN ALT 11.5 TARGET AIRSPEED 450

ORDNANCE 20014 EXPENDED all JETTISONED -
ORDNANCE/RFB none DUDS. (SEE NOTE # 1.)

BDA 90 % 90 % ADDITIONAL 4 Bankers Dist
2 structures Dist

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 1 MAR DIV OPERATION Pipestone Canyon
(LEAVE BLANK)

ENROUTE WX 10 D

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD _____
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE _____
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP _____
- (G) DIVERT YES NO GIVE REASON BELOW _____

REMARKS: _____ (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TMS _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER HAMILTON TIME 0900 DATE 15 JUNE
SQUADRON 223 CALL SIGN HOBLES MEN # 6155 FLT CODE 152/1
T/O 0735 LAMB 0835 TOTAL TIME 2.0

PILOTS A/C
HAMILTON WP 16 DASC Dong Ha TIME 0755
BLACKMAN 11 CONTROLLER SW 98-1 TIME 0856
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
0903-10 Bunkers 40047179 RUN/T
BF 1

TGT TERRAIN FLAT EGT WX 0 VISIBILITY 7
REL ANGLE 20 PASSES 4 INTERVAL 30 MIN ALT 1.6
REL ALT 1.3

ENROUTE ALT 18.5 RETURN ALT 25.5 TARGET AIRSPEED 450
ORDNANCE 802A/409 EXPENDED ALL JETTISONED ---

ORDNANCE/RTB --- DUDS (SEE NOTE # 1) ---

BDA 100 % 100 % ADDITIONAL 3 BUNKERS (RESIDUAL FIRE)
1 SM SEC EXP.

SECONDARY EXPLOSIONS YES NUMBER 1 SIZE SM

UNIT SUPPORTED 3RD MARDIV OPERATION VIRGINIA RIDGE
(LEAVE BLANK)

ENROUTE WX 0 7

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IS ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUE REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Oppenheimer TIME 1100 DATE 15 June 69
SQUADRON 227 CALL SIGN H13450 ASN # 6450 FLT CODE 15211
T/O 0823 LAND 1038 TOTAL TIME 4.6

PILOTS Hamilton A/C WIP03 DASC Dong Ha TIME 0840
Oppenheimer 24 CONTROLLER SW 98-1 TIME 0855
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT 1005-17 DESCRIPTION BUNKERS - LOCAL ATTS COORDINATES YD 150748 PROVINCE RVN/I
BF

TGT TERRAIN flat TGT WX 8.00 VISIBILITY 7
REL ANGLE 20 PASSES 12 INTERVAL 30 MIN ALT .6
ENROUTE ALT 18.5 RETURN ALT 23.5 TARGET AIRSPEED 450

ORDNANCE 16 DIA/409 EXPENDED All JETTISONED ---
ORDNANCE/PTE --- DUDS (SEE NOTE # 1) ---
BLK 100 % 100 % ADDITIONAL 1-LOCAL SITE DUD - 3 BKRS destroyed

SECONDARY EXPLOSIONS --- NUMBER --- SIZE ---
UNIT SUPPORTED 3rd M20MAR OPERATION Virginia Ridge
(LEAVE BLANK)

ENROUTE WX 8.00
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD YD 150748
(E) BDL REPORTED YES NO IF ADDITIONAL CIRCLE 157546
(F) ABORT YES NO A/C MALFUNCTION/NO DROPPING
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS: Called for RECON INSERTS/EXTRACTS
THEN DIVERTED TO SECONDARY (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
NOTE #3: ORDNANCE EFFECTIVENESS _____

XD 751455
838328
EXT

DEBRIEFER REED TIME 1955 DATE 15 JUN 69
SQUADRON 223 CALL SIGN H8 596 MSN # 6596 FLT CODE 152/1
T/O 1630 LAND 1940 TOTAL TIME 3.2

PILOTS A/C

SNYDER WP 02 DASC DNG TIME
REED 03 CONTROLLER HOSTAGE TIME 1800
TYPE CONTROLLER ITEM TACA
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1800/1825 TROOPS IN CONTACT NT 991442 I 3 ORPS
TS

TGT TERRAIN MTNS TGT WK HAØ VISIBILITY 10
REL ANGLE 30° PASSE 10 INTERVAL 30 sec MIN ALT 1800 REL ALT 3000
ENROUTE ALT 20.5 RETURN ALT 11.5 TARGET AIRSPEED 450
ORDNANCE 8014/407/408 EXPENDED 8014/307/408 JETTISONED
ORDNANCE/RTB 1 D7 DUDS (SEE NOTE # 1)
BDA 90 % 90 % ADDITIONAL 300M TREE LINE DEST

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED ~~BLANK~~ ~~SET~~ 1st M.O. OPERATION P. PESTONE CANYON
(LEAVE BLANK!)

ENROUTE WK _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOVE	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUSE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER BURNS TIME 1205 DATE 15 June 69
SQUADRON 223 CALL SIGN 454 MEN # 6454 FLT CODE 152
T/O 0947 LAND 1150 TOTAL TIME 44

PILOTS A/C
Baker 1 DASC DA NANG TIME 1050
BURNS 12 CONTROLLER Host TIME 1055
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1125-32 Recon Extract AT 955420 RBN I
EC

TGT TERRAIN Willy TGT WX 0 VISIBILITY 10
REL ANGLE 20 PASSES 9 INTERVAL 30 sec MIN ALT 600
REL ALT 1300

ENROUTE ALT 20.5 RETURN ALT 11.5 TARGET AIRSPEED 450

ORDNANCE 20 DIA/409 EXPENDED 20 DIA/309 JETTISONED ---

ORDNANCE/RTB 109 DUDS (SEE NOTE # 1) ---

BDA 100 % 100 \$ ADDITIONAL ---

SECONDARY EXPLOSIONS _____ NUMBER _____ STATE _____

UNIT SUPPORTED 1st M.D. OPERATION Pipestone Canyon
(LEAVE BLANK!)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	<input type="checkbox"/> NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	<input type="checkbox"/> NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	<input type="checkbox"/> NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT <u>EXTRACT</u>	<input checked="" type="checkbox"/> YES	<input type="checkbox"/> NO	CIRCLE ONE/COORD <u>up</u>
(E) BDA REPORTED	YES	<input type="checkbox"/> NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	<input type="checkbox"/> NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	<input type="checkbox"/> NO	GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEERIEFER BURNS TIME 0845 DATE 15 JUN 69
 SQUADRON 223 CALL SIGN 154 MEN # 6154 FLT CODE 152
 T/O 0718 LAND 0833 TOTAL TIME 2.6

PILOTS A/C
Rogers 18 DASC DANANC TIME 0725
BURNS 7 CONTROLLER HIST P TIME 0740
 TYPE CONTROLLER TACA
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
0810-16 VILLE AT845492 RUN/T
VL 3

TGT TERRAIN FLAT TGT WX 0 VISIBILITY 10
 REL ANGLE 30 PASSES 6 INTERVAL 30sec MIN ALT 2000
 ENROUTE ALT 10.5 RETURN ALT 9.5 TARGET AIRSPEED 450

ORDNANCE 403x/402x EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —

BDA 95 % 95 % ADDITIONAL 1 STRUCT DEST
1 STRUCT SEVERELY DAMAGED, 50 METERS OF TREE LINE DESTROYED,
50 METERS OF TRENCH LINE DEST, 1 BUNKER DEST

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 1st Mac DVJ OPERATION Pipestone Canyon
 (LEAVE BLANK!)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER FREEMAN TIME 2305 DATE JUNE 15
SQUADRON 223 CALL SIGN H8574 NBN # 6574 FLT CODE 351/1
T/O 2200 IAND 2255 TOTAL TIME 1.8

PILOTS A/C
STOCKING WP 17 DASC DANANG TIME 2210
FREEMAN 23 CONTROLLER Host. SEDUA TIME 2215
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
2226/38 FORTIFIED VILLAGE AT 888537 ICTB
VL

TGT TERRAIN FLAT TGT WX 0-3 VISIBILITY UNLIMIT
REL ANGLE 30 FASSETS 3 INTERVAL 1min MIN ALT 1500
ENROUTE ALT 12.5M RETURN ALT 9.5M TARGET AIRSPEED 450
ORDNANCE 18D1/4D22A EXPENDED 17D1/4D22 JETTISONED NONE
ORDNANCE/RTB 10/10 DUDS (SEE NOTE # 1) NO
BDA 100 % 100 % ADDITIONAL

SECONDARY EXPLOSIONS NO NUMBER _____ SIZE _____
UNIT SUPPORTED 1ST MAR DIV OPERATION Pipestone Canyon
(LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C ETE	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER _____ TIME _____ DATE _____
SQUADRON 223 CALL SIGN 598 MSN # 6598 FLT CODE 152
T/O 1630 LAND 1940 TOTAL TIME 226.4

PILOTS _____ A/C _____
Snyder WP 02 DASC _____ TIME _____
Reed 03 CONTROLLER _____ TIME _____
TYPE CONTROLLER _____
TYPE MISSION _____

TOT	DESCRIPTION	COORDINATES	PROVINCE

No Drop

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
REL ALT _____
ENROUTE ALT 20.5 RETURN ALT 11.5 TARGET AIRSPEED _____
ORDNANCE 8 D14/407 /408 EXPENDED _____ JETTISONED _____
ORDNANCE/RTB ALL DUDS (SEE NOTE # 1) _____
BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED _____ OPERATION _____
(LEAVE BLANK)

- ENROUTE WX _____
- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD _____ |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE _____ |
| (F) ABORE | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: No TqTs
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUSE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRISER Stanton TIME 0830 DATE 15 Jun 69
SQUADRON 223 CALL SIGN M-21 MSN # 0908 FLT CODE 151/3
T/O 0710 LAND 0814 TOTAL TIME 2.2

PILOTS _____ A/C _____

STANTON WP15 DASC HILLBORO TIME 0720
BLACKMAN 23 CONTROLLER CODEP286 TIME 0730
TYPE CONTROLLER ZACA
TYPE MISSION ST

TOT KARCON DESCRIPTION ENEMY POS COORDINATES 4B375424 PROVINCE G
0738/44 EU 152010625

TGT TERRAIN H TGT WX 3.0 VISIBILITY 7
REL ANGLE 45 PASSES 3 INTERVAL 30° MIN ALT 3500
ENROUTE ALT 18.5 RETURN ALT 17.5 TARGET AIRSPEED 450
ORDNANCE 10 D2 W4 EXTENDED ALL JETTISONED _____
ORDNANCE/WX _____ DUES. (SEE NOTE # 1) _____
BDA 100 % ADDITIONAL 100 WITHIN 50 METERS

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNITS SUPPORTED TH A.F. OPERATION _____ (LEAVE BLANK!)

ENROUTE WX _____
(A) HOSTILE FIRE Fleming YES NO FILE FORM WITH BARREL
(B) AIRBURST 0900 YES NO FILE FORM WITH BARREL
(C) A/C HIT TO YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT KARCON YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____ (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER MCL TIME 1610 DATE JUN 15 1969
SQUADRON 223 CALL SIGN M25 MEN # 0952 FLT CODE 152
T/O 1418 LANT 1535 TOTAL TIME 2.6

PILOTS A/C

GROSJE WP 07 DAGO Hillsboro TIME 1430
BAKER 18 CONTROLLER Mishy St. TIME 1435
TYPE CONTROLLER TAEA
TYPE MISSION S.T.

TCT AA SITE DESCRIPTION AA COORDINATES 20 308 458 PROVINCE LC
1455-05 Gun Pos (Active)
Gun Pos
AA 1642 10613

TGT TERRAIN F TGT WX 4.0 D VISIBILITY 7
REL ANGLE 45 PASSES 2 INTERVAL 30 MIN ALT 3000 REL ALT 5000
ENROUTE ALT 18.5 RETURN ALT 19.5 TARGET AIRSPEED 450
ORDNANCE 12/024 EXPENDED all JETTISONED -
ORDNANCE/RTB - DUES (SEE NOTE # 1) -
BDA - % - % ADDITIONAL 150 20 w. 30 mtrs
1 Gun Pos dest

SECONDARY EXPLOSIONS - NUMBER - SIZE -
UNIT SUPPORTED 7th A.F. OPERATION - (LEAVE BLANK!)
ENROUTE WX -

C

(A) HOSTILE FIRE MCL 1615 RAY YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IS ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS: REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -
RECOVERABLE - FUSE (DELAY/ARM DELAY) -

NOTE #2: ECM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -

DEBRIEFER Preston TIME 1950H DATE June '69
 SQUADRON 223 CALL SIGN HB530 MSN # 6530 FLT CODE 182/1
 T/O 185Z IAND 1937 TOTAL TIME .8

PILOTS Preston A/C WP7
 DASC N/A TIME —
 CONTROLLER BIRMINGHAM TIME 1910
 TYPE CONTROLLER ASPT
 TYPE MISSION TPR

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1915</u>	<u>Known NVA positions</u> <u>EC</u>	<u>4D577098</u>	<u>Z</u>

TGT TERRAIN MtWS TGT WX 0 VISIBILITY 20+
 REL ANGLE 0° PASSES 1 INTERVAL N/A MIN ALT 19.5
 ENROUTE ALT 18.5 RETURN ALT 31.5 TARGET AIRSPEED 290 KIAS
 ORDNANCE 6 D2W/4 CF EXPENDED all JETTISONED none
 ORDNANCE/RTS none DUDS (SEE NOTE # 1) none
 BDA 100 % ADDITIONAL none

SECONDARY EXPLOSIONS none NUMBER N/A SIZE N/A
 UNIT SUPPORTED 101ST Airborne Div OPERATION Kentucky Jumper
 ENROUTE WX Thunder storms in area
 (LEAVE BLANK)

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERG | YES | NO | GIVE REASON BELOW |

REMARKS: none
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____

[Signature]
 Preston

DEBRIEFER STOCKING TIME 1335 DATE 15 June 69
 SQUADRON 223 CALL SIGN AB 562 ASN # 6562 FLT CODE 152
 T/O 1322 IAND 1323 TOTAL TIME 7.0

PILOTS A/C

STOCKING WP 23 DASC LONG HA TIME 1235
PALMER 29 CONTROLLER BARKEY TIME 1250
 TYPE CONTROLLER TACA
 EXPR MISSION DA 5

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>125054</u>	<u>ENEMY POSIT</u> <u>EC</u>	<u>YD 354346</u>	<u>2</u>

TGT TERRAIN HILL CGE WX 04 VISIBILITY 7
 REL ANGLE 20 PASSES 4 INTERVAL 30sec MIN ALT 1000'
 ENROUTE ALT 16.5' RETURN ALT 15.5' TARGET AIRSPEED 450
 ORDNANCE 802A/409 EXPENDED ALL JETTISONED _____
 ORDNANCE/RPB _____ INDS (SEE NOTE # 1) _____
 BDA 100 % 90 \$ ADDITIONAL 2 Structures Dukt
1 Bunker Dukt

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 101ST A.B. OPERATION Montgomery Penal
 (LEAVE BLANK)

ENROUTE WX _____

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD _____ |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE _____ |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUS REPORT LOCATION _____ REASON _____
 RECOVERABLE: _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Oppenhuizen TIME 1300 DATE 15 June 69
SQUADRON 223 CALL SIGN AB 560 MSN # 6560 FLT CODE 152/1
T/O 1151 LAND 1256 TOTAL TIME 2.2

PILOTS Newbill WP 21 DASS Bilk TIME 1202
Oppenhuizen " 0X CONTROLLER Bilk 21 TIME 1205
TYPE CONTROLLER TACA
TYPE MISSION DAS

TOT DESCRIPTION COORDINATES PROVINCE
1214-27 En. Rocket Sites 4C 325 975 RAN/II
EL

TGT TERRAIN Hilly TGT WC 800 VISIBILITY 6
REL ANGLE 30 PASSES 6 INTERVAL 30 MIN ALT 1700
ENROUTE ALT 18.5 RETURN ALT 23.5 TARGET AIRSPEED 450
ORDNANCE 4 D3X EXPENDED 4 ~~1~~ 03X JETTISONED none
ORDNANCE/RTB none DUDS (SEE NOTE # 1) 1
BDA 100 % 75 % ADDITIONAL 2 secondaries Fired

C SECONDARY EXPLOSIONS V NUMBER 2 SIZE small
UNIT SUPPORTED 3RD 101st A.B. OPERATION Montgomery Road
(LEAVE BLANK)
ENROUTE WX 800 1-0

- | | | | |
|--------------------------|---|-----------------------------|-------------------------------|
| (A) HOSTILE FIRE | YES | <input type="checkbox"/> NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | <input type="checkbox"/> NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | <input type="checkbox"/> NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | <input type="checkbox"/> NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | <input checked="" type="checkbox"/> YES | <input type="checkbox"/> NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | <input type="checkbox"/> NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | <input type="checkbox"/> NO | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION 4C 325 975 REASON unknown
RECOVERABLE NO FUZE (DELAY/ARM DELAY) 4 sec delay

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER BUTZER TIME 1230 DATE 15 JUNE 69
SQUADRON 223 CALL SIGN H.R. 558 MSH # 6558 FLT CODE 151
T/O 1123 LANE 1223 TOTAL TIME 2.0

PILOTS A/C
BUTZER W-02 U.S. 5 TIME 1130
STANTON 11 CONTROL BILK 31 TIME 1135
TYPE CONTROLLER TACA
TYPE MISSION DAS

TOT DESCRIPTION COORDINATES PROVINCE
1143-52 SUSPECT VC POSITION YC 320 990 RDU/I
EC

TGT TERRAIN HILLY TGT WX 6000 PPM VISIBILITY 10
REL ANGLE 30° PASSES 6 INTERVAL 30° MIN ALT 1.5 AGL
ENROUTE ALT 14.5 RETURN ALT 17.5 TARGET AIRSPEED 450 TAS
ORDNANCE 4D2X 4D3X EXPENDED ALL JETTISONED _____
ORDNANCE/RFB _____ FMS (SEE NOTE # 1) _____
BDA 100 % 100 % ADDITIONAL 3 BUNKERS DES.

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 3RD OF 101 ST. A.B. OPERATION Montgomery Panel
(LEAVE BLANK)
ENROUTE WX 1400 10+

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: 600D TPR TARGET
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER SPJ TIME 1100 DATE 15 JUN 69
 SQUADRON 233 CALL SIGN H0158 MEN # 6158 FLT CODE 152/1
 T/O 0945 IAND 1042 TOTAL TIME 1.9

PILOTS A/C
FREEMAN, WPO8 DASC BILK TIME 49
FOCKERTY, 17 CONTROLLER BILK31 TIME 59
 TYPE CONTROLLER TAC(A)
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1000-1012</u>	<u>En. Rocket/Mort Posit</u> <u>EL</u>	<u>VC 329970</u>	<u>2</u>

TGT TERRAIN MTN TGT WX 5000 @ VISIBILITY 7
 REL ANGLE 30 PASSES 8 INTERVAL 30' MIN ALT 4000'
 ENROUTE ALT 18.5 RETURN ALT 19.5 TARGET AIRSPEED 450
 ORDNANCE 4027-4D37 (00) seros D20 EXPENDED ALL JETTISONED 0
 ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) NONE
 BDA 100 % 100 % ADDITIONAL 4 BNKRS Dnt

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0
 UNIT SUPPORTED 3rd 101st ABNKE OPERATION Mont'y Remd
 ENROUTE WX 1-0 15 (LEAVE BLANK!)

C

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER NORRIS TIME 0920 DATE 15 JUN

SQUADRON 223 CALL SIGN H.B. MSN # 6020 FLT CODE 152

T/O 0810 LAND 0910 TOTAL TIME 20

PILOTS A/C

<u>NORRIS</u>	<u>21</u>	DASC	<u>BILIC</u>	TIME	<u>0815</u>
<u>NEWBILL</u>	<u>11</u>	CONTROLLER	<u>BILIC</u>	TIME	<u>0820</u>
		TYPE CONTROLLER	<u>TACA</u>		
		TYPE MISSION	<u>DAS</u>		

TOT DESCRIPTION COORDINATES PROVINCE

0841-47 UC TREES 9C329970 V
TS

TGT TERRAIN Hills TGT WX 0 VISIBILITY 10+

REL. ANGLE 30° PASSES 6 INTERVAL 30 MIN ALT 1500

ENROUTE ALT 18.5 RETURN ALT 15.5 TARGET AIRSPEED 450

ORDNANCE 4D2X4D3X EXPENDED ALL JETTISONED —

ORDNANCE/BTB — DUDS (SEE NOTE #1) —

BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED 3rd B15 10th A/B OPERATION Montgomery Road
(LEAVE BLANK)

ENROUTE WX —

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON

RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER SJT TIME 0815 DATE 15 JUN 69
 SQUADRON 223 CALL SIGN H0016 MEN # 6016 FLT CODE 152/1
 T/O 0645 LAND 0745 TOTAL TIME 2.0

PILOTS A/C
BARNES WP08 DASC BILK TIME 0650
FOGERTY 17 CONTROLLER BILK33 TIME 0659
 TYPE CONTROLLER TACCA
 TYPE MISSION DAS

TGT	DESCRIPTION	COORDINATES	PROVINCE
<u>0705-16</u>	<u>SUSP VC MORT/ROCKET POSIT</u>	<u>YC 329978</u>	<u>1</u>
	<u>EL</u>		

TGT TERRAIN MOUNTNS TGT WY 1000 VISIBILITY 7
 REL ANGLE 30° PASSES 5 INTERVAL 30 MIN ALT 4500'
 ENROUTE ALT 18.5 RETURN ALT 17.5 TARGET AIRSPEED 450
 ORDNANCE 402X 403X 50RDS EXPENDED ALL MISSED 0
 ORDNANCE/REP 0 DUDS (SEE NOTE #1) (03)
 BDA 100 % 100 % ADDITIONAL 4 Barnes dest

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0
 UNIT SUPPORTED 3RD BDE 101ST AVN OPERATION Montgomery Blvd
 (LEAVE BLANK!)

- ENROUTE WX _____
- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD _____ |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE _____ |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP _____ |
| (G) DIVERT | YES | NO | GIVE REASON BELOW _____ |

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION YC329978 REASON PROBABLY BAD NOSE ARM SOLENOID - 010 NOT RETAIN LOOP
 RECOVERABLE YES FUZE (DELAY/ARM DELAY) 904E2 WITH X

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER GNA22 TIME 2025 DATE 15 Jun 69
SQUADRON 223 CALL SIGN HB 532 MEN # 2532 PLT CODE 35211
T/O 1935 IAND 2020 TOTAL TIME .8

PILOTS GNA220 A/C WP-15
DASC Birmingham TIME 1955
CONTROLLER # 10 TIME 1955
TYPE CONTROLLER ASST
TYPE MISSION TPO

TOT 1959 DESCRIPTION Enemy Location EC COORDINATES 40591109 PROVINCE RVN I/1

TGT TERRAIN R FGT WX 4FO VISIBILITY 10+
REL ANGLE level PASSES 1 INTERVAL - MIN ALT 20.0
ENROUTE ALT 20.5 RETURN ALT 19.5 TARGET AIRSPEED 290
ORDNANCE 4D2wly EXPENDED all JETTISONED -
ORDNANCE/RTB - DUDS (SEE NOTE # 1) -
BDA unk % ADDITIONAL -

SECONDARY EXPLOSIONS - NUMBER - SIZE -
UNIT SUPPORTED 10th Auburn OPERATION Kentucky Hunger
(LEAVE BLANK)
ENROUTE WX VFR

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE CRASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUSE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS good

JUN 15 1969

DEBRIEFER _____ TIME _____ DATE _____
SQUADRON 223 CALL SIGN H8022 IAW # 6022 FLT CODE 152/1
T/O 0843 IAW 0955 TOTAL TIME 1.6

PILOTS _____ A/C _____
Palmer 3
DACC _____ TIME _____
CONTROLLER Chu Lai ASRT 0900
TYPE CONTROLLER ASRT
TYPE MISSION TPO

TOT _____ DESCRIPTION _____ COORDINATES _____ PROVINCE _____
10915 Emergency Rocket Posit B 5486988 4
EL

TGT TERRAIN R TGT WX 0 VISIBILITY 10
REL ANGLE _____ PASSES 1 INTERVAL _____
MIN ALT 14.5
REL ALT 14.5

ENROUTE ALT 16.5 RETURN ALT 9.5 TARGET AIRSPEED 290

ORDNANCE 203 EXPENDED all JETTISONED _____

ORDNANCE/RTB _____ DUG (SEE NOTE # 1) _____

BDA 6mb % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED American OPERATION Gamma Park
(LEAVE BLANK)

ENROUTE WX _____

- | | | | |
|--------------------------|--------------------------------------|-------------------------------------|-------------------------------|
| (A) HOSTILE FIRE | YES | <input checked="" type="radio"/> NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | <input checked="" type="radio"/> NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | <input checked="" type="radio"/> NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | <input checked="" type="radio"/> NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | <input checked="" type="radio"/> NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | <input checked="" type="radio"/> YES | <input checked="" type="radio"/> NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERSE | <input checked="" type="radio"/> YES | <input checked="" type="radio"/> NO | GIVE REASON BELOW |

REMARKS: Wingman had emergency after takeoff, returned to Chu Lai, lead diverted to ASRT for drop.

NOTE #1: DUG REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Blackman TIME 1145 DATE 15 JUNE 1969
SQUADRON 223 CALL SIGN Moss 22 MON # 0934 FLT CODE 152
T/O 1015 L&D 1120 TOTAL TIME 2.2

PILOTS A/C

Burkes WP-15 DASC Hillsboro TIME 1025
Blackman 7 CONTROLLER Covey 223 TIME 1040
TYPE CONTROLLER TACA
TYPE MISSION ST

TOT DESCRIPTION COORDINATES PROVINCE
1045/53 Road YC 040249 Laos
10 1536 10653

TGT TERRAIN MAN TGR WX 50 VISIBILITY 71

REL ANGLE 45 PASSES 4 INTERVAL 30 MIN ALT 6000
REL ALT 8200

ENROUTE ALT 20.5 RETURN ALT 21.5 TARGET AIRSPEED 450

ORDNANCE 10020/4 EXPENDED All JETTISONED -

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA _____ % _____ % ADDITIONAL 100% with 150
85% with 50
10 metres of Rd out

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 7th AF OPERATION _____
(LEAVE BLANK)

ENROUTE WX 10

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE DASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD _____
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE _____
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: WX divert from Primary went to Secondary
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
RECOVERABLES _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER MCL TIME 1630 DATE JUN 15 1969

SQUADRON 233 CALL SIGN M26 MEN # 0962 FLT CODE 152

T/O 1500 LANT 1605 TOTAL TIME 2.2

PILOTS A/C

German wp 07 DASC Hillsboro TIME 1530

Butler 15 CONTROLLER Covey 289 TIME 1535

TYPE CONTROLLER A/C

TYPE MISSION S.T.

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1540-45</u>	<u>Bunkers</u>	<u>XD 736223</u>	<u>LA F</u>
	<u>BF</u>	<u>1629 10638</u>	

TGT TERRAIN H TGT WX 800 VISIBILITY 10

REL ANGLE 45° PASSES 4 INTERVAL 30 MIN ALT 4500
REL ALT 6000

ENROUTE ALT 20.5 RETURN ALT 25.5 TARGET AIRSPEED 450

ORDNANCE 10/02w/4 EXPENDED AU JETTISONED -

ORDNANCE/RTB - DUDS (SEE NOTE # 1) -

BDA - % - % ADDITIONAL 50% w/ 100 mtrs
none further

SECONDARY EXPLOSIONS - NUMBER - SIZE -

UNIT SUPPORTED 7th A.F. OPERATION -
(LEAVE BLANK)

ENROUTE WX -

- | | | | | |
|--------------------------|--------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | <u>MCL</u> | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | <u>1635</u> | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | <u>NACUA</u> | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | | YES | NO | GIVE REASON BELOW |

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -
RECOVERABLE - FUZE (DELAY/ARM DELAY) -

NOTE #2: ECM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -

DEBRIEFER WFA TIME _____ DATE _____
 SQUADRON 223 CALL SIGN GP 226 MEN # 6226 FLT CODE 142
 T/O 1110 LANDING 1220 TOTAL TIME 112
 PILOTS _____ A/C _____
Rogers WP 6
 DACC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT _____ DESCRIPTION _____ COORDINATES _____ PROVINCE _____

_____ *cut* _____

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MEN ALT _____
 ENROUTE ALT _____ RETURN ALT _____ TARGET AIRSPEED _____
 ORDNANCE _____ EXPENDED _____ JETTISONED _____
 ORDNANCE/RELS _____ BUDS (SEE NOTE # 1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____ (LEAVE BLANK)

ENROUTE WX _____
 (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 (B) AIRBURST YES NO FILE FORM WITH BARREL
 (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
 (F) ABORT YES NO A/C MALFUNCTION/NO DROP
 (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: BUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER _____ TIME _____ DATE JUN 15 1968
SQUADRON 223 CALL SIGN 022 MSN # 6022 FLT CODE 152
T/O 0843 LAND 0955 TOTAL TIME 1.3

PILOTS _____ A/C _____
Butter WP16 DASC _____ TIME _____
CONTROLLER _____ TIME _____
TYPE CONTROLLER _____
TYPE MISSION _____

TOT _____ DESCRIPTION _____ COORDINATES _____ PROVINCE _____
No DROP

TGT TERRAIN _____ TGT WK _____ VISIBILITY _____
REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
REL ALT _____
ENROUTE ALT 16.5 RETURN ALT 9.5 TARGET AIRSPEED _____
ORDNANCE 203 EXPENDED _____ JETTISONED _____
ORDNANCE/REB ALL DURS (SEE NOTE # 1) _____
EDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED _____ OPERATION _____
(LEAVE BLANK)

- ENROUTE WK _____
- (A) HOSTILE FIRE YES NO FIRE FORM WITH BARREL
 - (B) AIRBURST YES NO FIRE FORM WITH BARREL
 - (C) A/C HIT YES NO FIRE FLASH REPORT WITH BARREL
 - (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 - (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
 - (F) ABORT YES NO A/C MALFUNCTION/NO DROP
 - (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: A/c Malfunction (Radio)
(REFERENCE NOTE #3)

NOTE #1: WUD REPORT LOCATION _____ REASON _____
RECOVERABLE _____ FUME (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER FISCH TIME 1800 DATE 15 JUNE 1969
SQUADRON 223 CALL SIGN H8N MSN # 6018 FLT CODE 152
T/O 1700 LANE 1750 TOTAL TIME 1.6

PILOTS A/C
HAMILTON 1 DASC HELIX TIME 1703
FISCHER 12 CONTROLLER HELIX 13 TIME 1705
TYPE CONTROLLER TACW
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1220-30 SUSPECTED PORTAL PASS BT 073213 4
EW

TGT TERRAIN VALLEY TGT WX 0 VISIBILITY 10
REL ANGLE 20° PASSES 8 INTERVAL 30 MIN ALT 100
REL ALT 500
ENROUTE ALT 8.5 RETURN ALT 7.5 TARGET AIRSPEED 450
ORDNANCE 8 D20/409 EXPENDED 7 D20/409 JETTISONED —
ORDNANCE/NEB 1 D20 DUDS (SEE NOTE # 1) —
BDA 100 % 40 % ADDITIONAL 2 STATIONERS Out

SECONDARY EXPLOSIONS NUMBER SIZE
UNIT SUPPORTED AMBIK OPERATION (LEAVE BLANK)
ENROUTE WX

- (A) HOSTILE FIRE YES NO
 - (B) AIRBURST YES NO
 - (C) A/C HIT YES NO
 - (D) RECON INSERT/EXTRACT YES NO
 - (E) BDA REPORTED YES NO
 - (F) ABORT YES NO
 - (G) DIVERT YES NO
- FILE FORM WITH BARREL
FILE FORM WITH BARREL
FILE FLASH REPORT WITH BARREL
CIRCLE ONE/GCCRD
IF ADDITIONAL CIRCLE
A/C MALFUNCTION/NO DROP
GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
RECOVERABLE TUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS