

DEBRIEFER Snyder TIME 1500 DATE 1/10/69
 SQUADRON 223 CALL SIGN HOLLY MSN # 2762 FLT CODE 151

T/O 1535 LAND 1440 TOTAL TIME 2.2

PILOTS Snyder A/C 1021 DASC 1021 TIME 1021
MOSE 1021 CONTROLLER 1021 TIME 1021
 TYPE CONTROLLER 1021
 TYPE MISSION 1021

TOT DESCRIPTION COORDINATES PROVIDENCE

TGT TERRAIN 1021 TGT WK 1021 VISIBILITY 1021
 REL ANGE 1021 PASSES 1021 INTERVAL 1021 MIN ALT 1021
 ENROUTE ALT 1021 RETURN ALT 1021 REL ALT 1021 TGT A/SPI 1021
 ORDNANCE 1021 EXPENDED 1021 JETTISONED 1021
 ORDNANCE/RTB CANON D-31 DUDS (SEE NOTE # 1) 1021
 BDA 1021 % 1021 % ADDITIONAL 1021

SECONDARY EXPLOSIONS 1021 NUMBER 1021 SIZE 1021

UNIT SUPPORTED 1021 OPERATION 1021 (LEAVE BLANK)

ENROUTE WK 1021

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOET	YES	NO	A/C MALFUNCTION/NO. DRO
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: WALKING TRAINING
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION 1021 REASON 1021

RECOVERABLE 1021 FUSE DELAY/ARM DELAY 1021

NOTE #2: ECM ENCOUNTERED 1021 TIME 1021 HOW ELIMINATED 1021

NOTE #3: ORDNANCE EFFECTIVENESS 1021

DEBRIEFED STOCKING TIME 1250 DATE 1 July 69
 SQUADRON 223 CALL SIGN 2M-23 MSN # 0946 FLT CODE 132

T/O 1133 LAND 1237 TOTAL TIME 2.2

PILOTS A/C
BARNES WP-52 DASC _____ TIME _____
STOCKING 06 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION CAPTIVE WALLER

TOT DESCRIPTION COORDINATES PROVIDENCE

TGT TERRAIN _____ TGT WX 07 VISIBILITY 7

REL ANGE _____ PASSES _____ INTERVAL _____ MIN ALT _____

ENROUTE ALT _____ RETURN ALT _____ REL ALT _____ TGT A/SPD _____

ORDNANCE _____ EXPENDED NONE JETTISONED _____

ORDNANCE/RTB 2031/203 DUDS (SEE NOTE #1) _____

BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____

ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOFT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DEFLECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER FISCHER TIME 0750 DATE 1 JULY
 SQUADRON 223 CALL SIGN HBN MSN # 6022 FLT CODE 152/1

T/O 0631 LAND 0737 TOTAL TIME 2.2

PILOTS FISCHER A/C WP 07 DASC BILK TIME 0645
ANDERSEN 17 CONTROLLER BILK 23 TIME 0650
 TYPE CONTROLLER FALLEN
 TYPE MISSION LZP

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
0700-08	<u>LZP</u>	<u>25 176915</u>	<u>2</u>
	<u>UN</u>		

TGT TERRAIN MT SIDE TGT WK 700 VISIBILITY 6.7
 REL ANGE 30° PASSES 7 INTERVAL 30 MIN ALT 1000
 ENROUTE ALT 12.5 RETURN ALT 12.5 REL ALT 3000 TGT A/SPD 4.5
 ORDNANCE 12 D24/DC EXPENDED 11 D24/DC JETTISONED —
 ORDNANCE/RTB 1 D24/DC DUDS (SEE NOTE # 1) —
 BDA 100 % 60 % ADDITIONAL —

SECONDARY EXPLOSIONS 0 NUMBER — SIZE —

UNIT SUPPORTED 2ND BN / 101ST AAVN OPERATION Kentucky Jumper
 (LEAVE BLANK)

ENROUTE WK —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BAIREL
(B) AIRBURST	YES	NO	FILE FORM WITH BAIREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER SCHMIDT TIME 2030 DATE 1 JULY
 SQUADRON 223 CALL SIGN 40524 MSN # 0524 FLT CODE 301

T/O 1945 LAND 2015 TOTAL TIME 0.5

PILOT SCHMIDT A/C WP 3 DASC VS-5 TIME 1947
 CONTROLLER AH 4507 TIME
 TYPE CONTROLLER ASRTO
 TYPE MISSION TPG

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2000-205</u>	<u>TRINCH LINE</u>	<u>BT 125 516</u>	<u>3</u>
	<u>TS</u>		

TGT TERRAIN FLAT TGT WX 1350 VISIBILITY UNPAID
 REL ANGE 14.1 PASSES 1 INTERVAL — MIN ALT 14.1
 ENROUTE ALT 15.5 RETURN ALT 1.5 REL ALT 14.1 TGT A/SPL 270
 ORDNANCE 6024 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB 1 DUDS (SEE NOTE #1) 0
 BDA Unb % ADDITIONAL ?

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED ROK MC OPERATION Victory Dragon
 ENROUTE WX CLEAR (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROI
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARN DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS PRECISE

DEBRIEFER Blackman TIME 1030 DATE 1 July
 SQUADRON 223 CALL SIGN WB012 MSN # 6012 FLT CODE 152

T/O 0930 LAND 1025 TOTAL TIME 1.8

PILOTS Butler A/C WP7 DASC DARKING TIME 0935
Blackman WP-17 CONTROLLER Knatchcock TIME 0940
 TYPE CONTROLLER FACB
 TYPE MISSION CBS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>42/47</u>	<u>ENEMY POSITION</u>	<u>BT 141527</u>	<u>FRVN</u>
	<u>EC</u>		<u>3</u>

TGT TERRAIN Flat TGT WX 10-0 VISIBILITY 10+
 REL ANGE 20 PASSES 8 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 0.5 RETURN ALT 9.5 REL ALT 1300 TGT A/SPD 450
 ORDNANCE 802A/409 EXPENDED ALL JETTISONED -
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
 BDA 100 % 100 % ADDITIONAL 1 Structure Dest.
1 " DWD
2 Sustained Fires

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED RDK Marines OPERATION Victory Dragon
 (LEAVE BLANK)
 ENROUTE WX 10-0

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH RABREL
(C) A/C HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARN DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DESIGNATOR BAKER TIME 1545 DATE 1 July 69
 SQUADRON 223 CALL SIGN HB MSN # 6016 FLT CODE 152

T/O 1442 LAND 1528 TOTAL TIME 16

PILOTS

A/C

REED WP 10
BAK 312 3

DASG Herix TIME 1444
 CONTROLLER HELI 22 TIME 1445
 TYPE CONTROLLER FAC (A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1445</u>	<u>TREE LINE</u>	<u>BS 665999</u>	<u>5</u>
<u>1508</u>	<u>EC</u>		

TGT TERRAIN FLAT TGT WK 950 VISIBILITY 15
 REL ANGE 30 PASSES 6 INTERVAL 30 MIN ALT 1800
 ENROUTE ALT 7.5 RETURN ALT 4.5 REL ALT 3.0 TGT A/SPD 450
 ORDNANCE 12 D24 EXPENDED ALL JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE #1) -
 BDA 100 % 100 % ADDITIONAL -

SECONDARY EXPLOSIONS 0 NUMBER - SIZE -
 UNIT SUPPORTED AMCL OPERATION Geneva Park
 (LEAVE BLANK)
 ENROUTE WX -

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROI
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS:

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -
 RECOVERABLE - FUSE DELAY/ARM DELAY -
 NOTE #2: ECM ENCOUNTERED - TIME - HOW ELECTED -
 NOTE #3: ORDNANCE EFFECTIVENESS -

DESIGNATOR Oppenhuizen TIME 1500 DATE 1 July 69
 SQUADRON 223 CALL SIGN HB566 MSN # 6066 FLT CODE 152/1

T/O 1410 LAND 1450 TOTAL TIME 1.4

PILOTS Schwabinger A/C WP 7 DASC Helix TIME 1414
Oppenhuizen 1 CONTROLLER BILK 18 TIME 1415
 TYPE CONTROLLER FACA
 TYPE MISSION OAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
1417-27	Susp. En. Location	BT 287075	RUN/I
	EC		4

TGT TERRAIN rolling TGT WK 600 VISIBILITY 6
 REL ANGE 30 PASSES 14 INTERVAL 30 MIN ALT 1400
 ENROUTE ALT 14.5 RETURN ALT 15.5 REL ALT 2500 TGT A/SPI 450
 ORDNANCE 12 D2W EXPENDED all JETTISONED none
 ORDNANCE/RTB none DUDS (SEE NOTE # 1)
 BDA 100 % 80 % ADDITIONAL 2 Dinkers dest. 1 struct dest
1 struct. dam

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 101st AB OPERATION LAMAR PLAIN
 (LEAVE BLANK)

ENROUTE WK 80 @

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOET	YES	NO	A/C MALFUNCTION/NO DROF
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARN DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW ELLECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER HAMILTON TIME 1315 DATE 19 July
 SQUADRON 223 CALL SIGN H8564 MSN # 6564 FLT CODE 152/1

TIC 1215 LAND 1303 TOTAL TIME 1.6

PILOTS
HAMILTON WP A/C
LAWSLTH 17

DASC HEXIC TIME 1220
 CONTROLLER BLIK TIME 1224
 TYPE CONTROLLER EACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1225-40</u>	<u>hooches</u>	<u>BT 289027</u>	<u>PVN/I</u>
	<u>BL</u>		<u>4</u>

TGT TERRAIN Rolling TGT WK 0 VISIBILITY 7
 REL ANGE 30 PASSES 8 INTERVAL 30 MIN ALT 1.5

ENROUTE ALT 18.5 RETURN ALT 18.5 REL ALT 3.0 TOT A/SPI 450

ORDNANCE 1202W EXPENDED All JETTISONED —

ORDNANCE/RTB — DUDS (SEE NOTE #1) —

BDA 100 % 40 % ADDITIONAL 3 hooches dest

SECONDARY EXPLOSIONS N NUMBER — SIZE —

UNIT SUPPORTED 101st AB OPERATION Lamar Plain
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DRO
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW ELIMINATED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER _____ TIME _____ DATE _____
 SQUADRON 223 CALL SIGN 154 MSN # 6154 FLT CODE 153/1

T/O 0840 LAND 0930 TOTAL TIME 1.6

PILOTS Ner B. H. A/C WP 15 DASC Delix TIME 0845
Palmer 10 CONTROLLER Delix 31 TIME 0848
 TYPE CONTROLLER Auto FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0855</u>	<u>Enemy Location</u>	<u>BS65452</u>	<u>I</u>
	<u>EC</u>		<u>S</u>

TGT TERRAIN Mts TGT WX 8.000 ① VISIBILITY 7
 REL ANGE 20 PASSES 8 INTERVAL 70 MIN ALT 600
 ENROUTE ALT 13.5 RETURN ALT 11.5 REL ALT 1200' TGT A/SPD 450
 ORDNANCE 8 D2A / 4 D9 EXPENDED all JETTISONED -
 ORDNANCE/RTB ~~100~~ - DUDS (SEE NOTE # 1) -
 BDA 100 % 70 % ADDITIONAL 1 ~~see~~ fire, 1 ~~see~~ exp.

SECONDARY EXPLOSIONS 1 NUMBER 1 SIZE 150' Ryl
 UNIT SUPPORTED ~~1st~~ AmCAL OPERATION Iron Mt
 (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES	☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☒ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☒ NO	FILE FLASH REPORT WITH I
(D) RECON INSERT/EXTRACT	YES	☒ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES	☒ NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	☒ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	☒ NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Carter TIME 1120 DATE 1 JULY 69
 SQUADRON 223 CALL SIGN HB562 MSN # 6562 FLT CODE 152

T/O 1030 LAND 1110/1130 TOTAL TIME (.7) 1.7
(1.0)

PILOTS Carter A/C WP 61 DASC Hx control TIME 1034
Andersen 03 CONTROLLER HX 32 TIME 1025
 TYPE CONTROLLER FAC-A
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1045-53</u>	<u>en. location</u>	<u>BS 65T 445</u>	<u>5</u>
	<u>EC</u>		

TGT TERRAIN Hills TGT WX 0 VISIBILITY 10
 REL ANGE 45° PASSES 56 INTERVAL 30 MIN ALT 2500
 ENROUTE ALT 13.5 RETURN ALT 14.5 REL ALT 4.5 TGT A/SPD 450

ORDNANCE 12D2W/D20 EXPENDED 11 JETTISONED —

ORDNANCE/RTB — DUDS (SEE NOTE # 1) —

BDA 100 % 100 % ADDITIONAL —

3 structures destroyed
1 bunker destroyed

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED America OPERATION Iron Mt
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH I
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Right ord. From Hqs one check No.
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW ELIMINATED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER CRAWZ TIME 2130 DATE 1 JUL 7
 SQUADRON 223 CALL SIGN H8532 MSN # 6532 FLT CODE 38211

T/O 2032 LAND 2115 TOTAL TIME 0.7

PILOTS CRAWZ A/C WP7
 DASC _____ TIME _____
 CONTROLLER CH 641 TIME 2038
 TYPE CONTROLLER ASRA
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2045</u>	<u>RKT POSIT</u>	<u>BT 375055</u>	<u>ROH/L</u>
	<u>EL</u>		

TGT TERRAIN R TGT WX 14.5 @ VISIBILITY 9+
 REL ANGE 0 PASSES 1 INTERVAL _____ MIN ALT 14.1
 ENROUTE ALT 15.5 RETURN ALT 20.0 REL ALT 14.1 TGT A/SPD 290
 ORDNANCE 6 D241x EXPENDED ALL JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
 BDA 100% % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED American OPERATION _____
 ENROUTE WX 14.5 @ (LEAVE BLANK)

(A) HOSTILE FIRE	YES <u>NO</u>	FILE FORM WITH BARREL
(B) AIRBURST	YES <u>NO</u>	FILE FORM WITH BARREL
(C) A/C HIT	YES <u>NO</u>	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES <u>NO</u>	CIRCLE ONE/COORD
(E) BDA REPORTED	YES <u>NO</u>	IF ADDITIONAL CIRCLE
(F) ABOBT	YES <u>NO</u>	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES <u>NO</u>	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER CRANE TIME 1730 DATE 1 JULY
 SQUADRON 223 CALL SIGN HB 018 MSN # 6018 FLT CODE 152/1

T/O 1603 LAND 1725 TOTAL TIME 2.8

PILOTS
CRANE WPF A/C 7
WARFIELD 17
 DASC VANDY TIME 1622
 CONTROLLER SW 99-6 TIME 1627
 TYPE CONTROLLER FAC(A)
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1630/45</u>	<u>SUPPLY INTERDICTION</u>	<u>XD869 226</u>	<u>RON/IX/QT</u>
	<u>SP</u>		

TGT TERRAIN HILLY TGT WX 40 @ VISIBILITY 10
 REL ANGE 20 PASSES 4 INTERVAL 30 MIN ALT 1600
 ENROUTE ALT 18.5 RETURN ALT 21.5 REL ALT 2300 TGT A/SPL 450
 ORDNANCE 802A/409 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 3 MAR DIV OPERATION _____
 ENROUTE WX 160 @/ @ 15 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DRO
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARN DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFEE Burns TIME 1030 DATE 1 July
 SQUADRON 223 CALL SIGN 588 MSN # 6588 FLT CODE 152

T/O 0908 LAND 1015 TOTAL TIME 2.2

PILOTS Fischer A/C 18 DASC _____ TIME _____
Burns 12 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT DESCRIPTION COORDINATES PROVIDENCE

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____

REL ANGE _____ PASSES _____ INTERVAL _____ MIN ALT _____

ENROUTE ALT 14.5 RETURN ALT 13.5 REL ALT _____ TGT A/SPD _____

ORDNANCE 402/408/407 EXPENDED _____ JETTISONED 407

ORDNANCE/RTB 402/408 DUDS (SEE NOTE # 1) _____

BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____

ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Air Abort - Access Door Open
 (REFERENCE NOTE #3)

IN FLIGHT SF

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW LIT/EXTING _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER BURNS TIME 2045 DATE 1 July 68
 SQUADRON 223 CALL SIGN 8520 MSN # 6520 FLT CODE 852

T/O 1935 LAND 2033 TOTAL TIME 1.0

PILOTS BURNS A/C 18
 DASC AN HOA TIME 1945
 CONTROLLER 62 TIME 1945
 TYPE CONTROLLER ASST
 TYPE MISSION TPQ

TOT 1950 DESCRIPTION ACTIVE TRAILS COORDINATES Y 276343 PROVIDENCE RUN/I
RD

TGT TERRAIN R TGT WX 0 VISIBILITY 9+
 REL ANGE — PASSES 1 INTERVAL — MIN ALT 14.1
 ENROUTE ALT 14.5 RETURN ALT 17.5 REL ALT 14.1 TGT A/SPD 270
 ORDNANCE 6 JD2 w/y EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA Unk % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1st Div OPERATION — (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROF
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER 044 TIME 0800 DATE JULY 1st
 SQUADRON 223 CALL SIGN HBO10 MSN # 6010 FLT CODE 152/1

T/O: 0649 LAND 0737 TOTAL TIME 1.6

PILOTS A/C
GNARZO WP 13
044 WP 11

DASC DA NANG TIME 0653
 CONTROLLER HOST. PARA TIME 0653
 TYPE CONTROLLER FAC(A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0700-10</u>	<u>BUNKERS</u>	<u>AT 853 665</u>	<u>I CORPS, RUN</u>
	<u>BF</u>		<u>3</u>

TGT TERRAIN MOUNTAINS TGT WX 0 VISIBILITY UNRESTRICTED
 REL ANGE 20° PASSES 8 INTERVAL 30 SEC. MIN ALT 600'
 ENROUTE ALT 8.5 RETURN ALT 9.5 REL ALT 1300 TGT A/SPD 450
 ORDNANCE 1202A / 409 EXPENDED ALL JETTISONED NONE
 ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) NONE
 BDA 100 % 100 % ADDITIONAL 1 BUNKER dest

SECONDARY EXPLOSIONS NONE NUMBER — SIZE —
 UNIT SUPPORTED 1st MAR. DIV. OPERATION Pipestone Canyon
 ENROUTE WX 0 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS SLICK ORDNANCE COULD
HAVE BEEN USED.

DEBRIEFER HAMILTON TIME 1810 DATE 19 July
 SQUADRON 223 CALL SIGN HB466 MSN # 6486 FLT CODE 152/1

T/O: 1554 LAND 1758 TOTAL TIME 4.2

PILOTS HAMILTON WP-13 DASC DURING TIME 1710
BYTKO 15 CONTROLLER Host BULL TIME 1712
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVIDENCE
1725-34 INFILTRATION Route BT 028476 BH/T
Suppl. 2 SR
 TGT TERRAIN Rolling TGT WX 6.00 VISIBILITY 7
 REL ANGE 20 PASSES 10 INTERVAL 30 MIN ALT .6
 ENROUTE ALT 18.5 RETURN ALT 7.5 REL ALT 1.3 TGT A/SPI 450
 ORDNANCE 16014/409 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 90 % 95 % ADDITIONAL 1 sec exp.
1 hooch Dest

SECONDARY EXPLOSIONS Yes NUMBER 7 SIZE 814
 UNIT SUPPORTED 1st Recon OPERATION Pipestone Canyon
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DRO
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW ELECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

1430
JUL 01 1969

DESIGNER BUTLER TIME 14 DATE 1 JUNE 69
 SQUADRON 223 CALL SIGN H.B.234 MSN # 6234 FLT CODE 142/1

T/O 1306 LAND 1416 TOTAL TIME 1.1

PILOTS BUTLER A/C WR-16 BASE WS 5 TIME 1308
 CONTROLLER TIME
 TYPE CONTROLLER
 TYPE MISSION TEST

TOT DESCRIPTION COORDINATES PROVIDENCE

TGT TERRAIN TGT WX VISIBILITY

REL ANGE PASSES INTERVAL MIN ALT

ENROUTE ALT RETURN ALT REL ALT TGT A/SPD

ORDNANCE EXPENDED JETTISONED

ORDNANCE/RTB DUDS (SEE NOTE # 1)

BDA % % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED OPERATION

ENROUTE WX (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON

RECOVERABLE FUSE DELAY/ARM DELAY

NOTE #2: ECM ENCOUNTERED TIME HOW EFFECTED

NOTE #3: ORDNANCE EFFECTIVENESS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
TGT TERRAIN _____	TGT WX _____	VISIBILITY _____	
REL ANGE _____	PASSES _____	INTERVAL _____	MIN ALT _____
ENROUTE ALT _____	RETURN ALT _____	REL ALT _____	TGT A/SPD _____
ORDNANCE _____	EXPENDED _____	JETTISONED _____	
ORDNANCE/RTB _____	DUDS (SEE NOTE # 1) _____		
BDA _____ %	% ADDITIONAL _____		
_____	_____	_____	_____
SECONDARY EXPLOSIONS _____	NUMBER _____	SIZE _____	
UNIT SUPPORTED _____	OPERATION _____	(LEAVE BLANK)	
ENROUTE WX _____			
(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL	
(B) AIRBURST	YES NO	FILE FORM WITH BARREL	
(C) A/C HIT	YES NO	FILE FLASH REPORT WITH	
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD	
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE	
(F) ABORT	YES NO	A/C MALFUNCTION/NO DRO	
(G) DIVERT	YES NO	GIVE REASON BELOW	

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DEFLECTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____

DEPARTURE YES TIME 2200 DATE 1 July 69
 SQUADRON 223 CALL SIGN HB 536 MSN # 6536 FLT CODE 352

T/O 2054 LAND 2154 TOTAL TIME 1.0

PILOTS FLANAGAN A/C WD 13 DASC AN M04 TIME 2105
 CONTROLLER *62 TIME
 TYPE CONTROLLER ASPR
 TYPE MISSION TPR

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2130</u>	<u>BASE CAMP</u>	<u>2C113447</u>	<u>3</u>
	<u>BS</u>		

TGT TERRAIN R TGT WK 08 VISIBILITY 7

REL ANGE LEVEL PASSES 1 INTERVAL — MIN ALT 14.0

ENROUTE ALT 16.5 RETURN ALT 17.5 REL ALT 14.0 TGT A/SPL 290

ORDNANCE 602W14 EXPENDED ALL JETTISONED —

ORDNANCE/RTB — DUDS (SEE NOTE # 1) —

BDA Unk % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 1st MARDIV OPERATION —

ENROUTE WK — (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOHT	YES	NO	A/C MALFUNCTION/NO DRO
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW ELIMINATED —

NOTE #3: ORDNANCE EFFECTIVENESS —

JUL 01 1969

DEBRIEFER COSTA TIME 1635 DATE 2 July 69
 SQUADRON 223 CALL SIGN HB 594 MSN # 16599 FLT CODE 152

T/O 1603 LAND 1624 TOTAL TIME 2.6
 PILOTS COSTA A/C WP 12 DASC DaNang TIME 1545
PEREIRA WP 18 CONTROLLER BUCKLE UP TIME 1550
 TYPE CONTROLLER FACIA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
1600	Confirmed Enemy Base Camp	02 00 00	02

TGT TERRAIN Mountains TGT WX 30 @ 3 @ VISIBILITY 5
 REL ANGE — PASSES — INTERVAL — MIN ALT —
 ENROUTE ALT 20.5 M RETURN ALT 15.5 M REL ALT — TGT A/SPD —
 ORDNANCE 4D-2Y 4D-7 4D8 EXPENDED NONE JETTISONED 4D-2 4D-7
 ORDNANCE/RTB 4D8 DUDS (SEE NOTE #1) —
 BDA Unh % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED ~~ARVN~~ OPERATION — (LEAVE BLANK)
 ENROUTE WX 30 @ 50 @ 14 @ 10

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH I
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Unh WX Unable to work target due to weather.
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARN DELAY —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW EFFECTED —
 NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER HICKERSON TIME 1300 DATE 1 July 69
 SQUADRON 223 CALL SIGN H0014 MSN # 6014 FLT CODE 152/1

T/O: 1101 LAND 1237 TOTAL TIME 3.2

PILOTS HICKERSON A/C WP13 DASC DONG HA TIME 1120
HICKLE " " CONTROLLER SEN 98-4 TIME 1125
 TYPE CONTROLLER FAC (A)
 TYPE MISSION RECON CAP

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1125-1220</u>	<u>RECON COVER</u>	<u>NONE</u>	<u>RUN</u>
	<u>NO DROP</u>		

TGT TERRAIN FLAT TGT WX SS @ VISIBILITY 10+

REL ANGE — PASSES — INTERVAL — MIN ALT —

ENROUTE ALT 18.5 RETURN ALT 19.5 REL ALT — TGT A/SPD —

ORDNANCE 16 DIA / 409 EXPENDED NONE JETTISONED ALL

ORDNANCE/RTB — DUDS (SEE NOTE # 1) —

BDA — % — % ADDITIONAL —

NO DROP

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 3RD MAR DIV OPERATION —

ENROUTE WX 0 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH J
(D) RECON <u>INSERT/EXTRACT</u>	<u>YES</u>	NO	CIRCLE ONE/COORD <u>CONF</u>
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: no tats
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW EFFECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER _____ TIME _____ DATE JUL 1 1969
 SQUADRON 223 CALL SIGN 592 MSN # 6592 FLT CODE 152

T/O 1356 LAND 1503 TOTAL TIME 2.4

PILOTS COSTA A/C WP 12 DASC _____ TIME _____
Pereira 18 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT DESCRIPTION COORDINATES PROVIDENCE

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____

REL ANGE _____ PASSES _____ INTERVAL _____ MIN ALT _____

ENROUTE ALT 20.5 RETURN ALT 15.5 REL ALT _____ TGT A/SPD _____

ORDNANCE 402 407 408 EXPENDED _____ JETTISONED _____

ORDNANCE/RTB ALL DUDS (SEE NOTE # 1) _____

BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____

ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABCET	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: wx
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Hickerson TIME 1335 DATE 2 July 69
 SQUADRON 223 CALL SIGN mw 23 MSN # 0947 FLT CODE 151/1

T/O 1210 LAND 1320 TOTAL TIME 2.4

PILOTS HEISE A/C WP 06 DASC U.S. TIME 1215
Hickerson 21 CONTROLLER NONE TIME
 TYPE CONTROLLER NONE
 TYPE MISSION ST

TOT DESCRIPTION COORDINATES PROVIDENCE

CAPTIVE WALKER

TGT TERRAIN VR TGT WX VR VISIBILITY VR

REL ANGE VR PASSES VR INTERVAL VR MIN ALT VR

ENROUTE ALT VR RETURN ALT VR REL ALT VR TGT A/SPD VR

ORDNANCE 2031/203 EXPENDED VR JETTISONED VR

ORDNANCE/RTB 2031/203 DUDS (SEE NOTE # 1) VR

BDA VR % VR % ADDITIONAL VR

SECONDARY EXPLOSIONS VR NUMBER VR SIZE VR

UNIT SUPPORTED VR OPERATION VR (LEAVE BLANK)

ENROUTE WX VR

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOFT	YES	NO	A/C MALFUNCTION/NO DROI
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: ABORTED DUE TO WX
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION VR REASON VR

RECOVERABLE VR FUSE DELAY/ARN DELAY VR

NOTE #2: ECM ENCOUNTERED VR TIME VR HOW ELECTED VR

NOTE #3: ORDNANCE EFFECTIVENESS VR

DEBRIEFER BUTLER TIME 1450 DATE 2 JUNE 69
 SQUADRON 223 CALL SIGN AAU 24 MSN # 0959 FLT CODE 172/1

T/O 1320 LAND 1430 TOTAL TIME 2.5

PILOTS BUTLER A/C WP-02 BASE U.S. 5 TIME 1325
OPPENHAUSEN 08 CONTROLLER TIME
 TYPE CONTROLLER TIME
 TYPE MISSION CAPTIVE WALLEYE

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
	<u>NO DROP</u>		
	<u>VK</u>		

TGT TERRAIN TGT WX VISIBILITY
 REL ANGE PASSES INTERVAL MIN ALT
 ENROUTE ALT 14.5 RETURN ALT 17.5 REL ALT TGT A/SPL
 ORDNANCE 2131 303 EXPENDED JETTISONED
 ORDNANCE/RTB 2031 303 DUDS (SEE NOTE # 1)
 BDA % % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED OPERATION
 ENROUTE WX (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOET	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
 RECOVERABLE FUSE DELAY/ARN DELAY
 NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED
 NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER Carter TIME 1530 DATE 4 JUL 69
 SQUADRON 223 CALL SIGN Man 25 MSN # 0959 FLT CODE 102

T/O 1405 LAND 1510 TOTAL TIME 2.2

PILOTS CARTER A/C WP 06 DASC _____ TIME _____
LAWSETH 21 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION VR

TOT DESCRIPTION COORDINATES PROVIDEN

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____

REL ANGE _____ PASSES _____ INTERVAL _____ MIN ALT _____

ENROUTE ALT _____ RETURN ALT _____ REL ALT _____ TOT A/E _____

ORDNANCE 203/2 D31 EXPENDED none JETTISONED _____

ORDNANCE/RTB all DUDS (SEE NOTE # 1) _____

BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____

ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOET	YES	NO	A/C MALFUNCTION/NO DE
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: original msn conc. target wx. Launched for
 (REFERENCE NOTE #3)

training mission in use of D31's.

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER TUF TIME 1845 DATE 2 JULY 69
 SQUADRON 223 CALL SIGN HB 467 MSN # 6467 FLT CODE 152

T/O 1557 LAND 1838 TOTAL TIME 5.0

PILOTS A/C
WARFIELD WP 15 DASC VANDY TIME 1615
FLANAGAN 01 CONTROLLER SW 98-18 TIME 1800
 TYPE CONTROLLER FACG
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1800-1805</u>	<u>BUNKERS</u>	<u>X0860 215</u>	<u>1</u>
	<u>BF</u>		

TGT TERRAIN FLAT TGT WX 5.0 VISIBILITY 1 RAIN
 REL ANGE 20° PASSES 7 INTERVAL 30 MIN ALT .5
 ENROUTE ALT 20.5 RETURN ALT 21.5 REL ALT 1.0 TGT A/SPD 400
 ORDNANCE 16 DIA 409 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 75 % 100 % ADDITIONAL 4 BUNKERS DEST

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 9TH MARINES 3RD B. P. OPERATION UTAH MESA
 ENROUTE WX — (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOET	YES	NO	A/C MALFUNCTION/NO DRO
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —
 NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER PEREIRA TIME 0825 DATE 2 July 69
 SQUADRON 223 CALL SIGN HB 015 MSN # 6015 FLT CODE 152/1

T/O 0640 LAND 1803 TOTAL TIME 2.6

PILOTS

Palmere
Pereira

A/C

WP 24
WP 15

DASC VANDY TIME
 CONTROLLER S.W 98.7 TIME 0720
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0740</u>	<u>UC Bunker Complex</u> <u>DF</u>	<u>XD 926641</u>	<u>POH</u>

TGT TERRAIN HILLS TGT WX 0 VISIBILITY 7
 REL ANGE 20° PASSES 4 INTERVAL 30 Sec MIN ALT 600'
 ENROUTE ALT 18.5 RETURN ALT 27.5 REL ALT 1210 TGT A/SPE 450/175
 C
 ORDNANCE 20D-1A 4D-9 EXPENDED 16D-1A 4D-9 TISONED —
 ORDNANCE/RTB 4D-1A DUDS (SEE NOTE # 1) —
 BDA 80 % 80 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 4th MAR OPERATION NARRANNA Ridge
 (LEAVE BLANK)

ENROUTE WX 1000 2000

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOET	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: BECAUSE OF ANTY DIVERSED FROM S.W 98.2
 (REFERENCE NOTE #3)

to S.W 98.7

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW ELECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER CRAWZ TIME 0915 DATE 2 JUL 7
 SQUADRON 223 CALL SIGN HB 451 MSN # 6457 FLT CODE 1541

T/O 0744 LAND 0908 TOTAL TIME 2.8

PILOTS
CDSTA WP 10
CRAWZ 12

DASC VANDY TIME 0805
 CONTROLLER SW97-1 TIME 0820
 TYPE CONTROLLER FAC(A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0830/45</u>	<u>BK COMPLEX</u>	<u>XD926641</u>	<u>RUN/1/QT</u>
	<u>BF</u>		

TGT TERRAIN HILLY TGT WK 0 VISIBILITY 10+
 REL ANGE 20 PASSES 8 INTERVAL 30 MIN ALT 1900
 ENROUTE ALT 16.5 RETURN ALT 19.5 REL ALT 2300 TGT A/SPI 450
 ORDNANCE 802A/403 EXPENDED 120 JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE # 1) -
 BDA 100 % 100 % ADDITIONAL -
6 BK OUST
1 SEC FIRE

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 4th Marine 3rd M.B. OPERATION H/VIRGINIA Ridge
 ENROUTE WK 140 DV 190 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARN DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Fleming TIME 0845 DATE 2 JULY
 SQUADRON 223 CALL SIGN M21 MSN # 0909 FLT CODE 151/3

T/O 0715 LAND 0814 TOTAL TIME 2.0

PILOTS PRESTON A/O W.P. 18 DASC DONG TIME 0740
OGG 2 CONTROLLER DONG TIME 0740
 TYPE CONTROLLER ASRT-26
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0748</u>	<u>STORAGE AREA</u>	<u>XD670260</u>	<u>1</u>
	<u>SP</u>	<u>XD870260</u>	

TGT TERRAIN M TGT WX 1500 VISIBILITY 5
 REL ANGE — PASSES 1 INTERVAL — MIN ALT 20.5
 ENROUTE ALT 20.5 RETURN ALT 23.5 REL ALT 20.5 TGT A/SPD 290
 ORDNANCE 12D2W/Y EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100% % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3rd MAW DIV OPERATION — (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) EDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Tgt WX - DIRECTED TO DROP
ON PRIMARY BY HILLBORO, ASRT-26
DIVERTED BY DONG HA ASRT-26

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER Schwaminger TIME 0800 DATE 2 July
 SQUADRON VMA-223 CALL SIGN 16011 MSN # 6011 FLT CODE 15211

T/O 0645 LAND 0745 TOTAL TIME 2.0

PILOTS Schwaminger A/C 16 DASC Helicopter TIME 0650
ANDERSON 17 CONTROLLER Helicopter TIME 0700
 TYPE CONTROLLER ECACIN
 TYPE MISSION CAS

TOT 0710/0721 DESCRIPTION Enemy pos COORDINATES B5865253 PROVIDENCE ICaps
EC

TGT TERRAIN MTNS TGT WX 140 @ VISIBILITY 10
 REL ANGE 20 PASSES 6 INTERVAL 30s MIN ALT 650'
 ENROUTE ALT 14.5m RETURN ALT 9.5 REL ALT 1300' TGT A/SPD 150
 ORDNANCE 110 NA/409 EXPENDED 000 JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1) 0
 BDA 80 % 60 % ADDITIONAL 4 Bunkers Destroyed

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0
 UNIT SUPPORTED AMERICAN OPERATION Iron MT.
 (LEAVE BLANK)
 ENROUTE WX 0

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW ELECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEERIEFFER COSTA TIME 1325 DATE 2 July 69
 SQUADRON 223 CALL SIGN HB 459 MSN # 6459 FLT CODE 152

T/O 1145 LAND 1310 TOTAL TIME 2.8

PILOTS COSTA A/C WP 13 DASH HELIX TIME 1225
ANDERSEN WP 16 CONTROLLER HELIX 22 TIME 1230
 TYPE CONTROLLER FAQA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1230/1250</u>	<u>Confirmed Enemy Loc</u>	<u>BS 408818</u>	<u>RVN I</u>
	<u>EC</u>		

TGT TERRAIN HILLY TGT WK 500 VISIBILITY 8-9 miles
 REL ANGE 10° PASSES 6 INTERVAL 30 sec MIN ALT 600'
 ENROUTE ALT 18.5 M RETURN ALT 9.5 M REL ALT 1300' TGT A/SPD 450
 ORDNANCE 16 DIA 409 EXPENDED 14 DIA 409 ATTENTIONED —
 ORDNANCE/RTB 2 DIA DUDS (SEE NOTE # 1) —
 BDA 100 % 30 % ADDITIONAL —

SECONDARY EXPLOSIONS	NUMBER	SIZE
UNIT SUPPORTED <u>Amurical</u>	OPERATION <u>Geneva Ponds</u>	(LEAVE BLANK)
ENROUTE WK <u>950</u> <u>1200</u>	<u>7+</u>	
(A) HOSTILE FIRE	YES <u>NO</u>	FILE FORM WITH BARREL
(B) AIRBURST	YES <u>NO</u>	FILE FORM WITH BARREL
(C) A/C HIT	YES <u>NO</u>	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES <u>NO</u>	CIRCLE ONE/COORD
(E) BDA REPORTED	YES <u>NO</u>	IF ADDITIONAL CIRCLE
(F) ABOET	YES <u>NO</u>	A/C MALFUNCTION/NO DROI
(G) DIVERT	YES <u>NO</u>	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
RECOVERABLE FUSE DELAY/ARM DELAY
 NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED
 NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER Lawsen TIME 1730 DATE 2 July 69
 SQUADRON 223 CALL SIGN 153 MSN # 6153 FLT CODE 15211

T/O 0611 LAND 0720 TOTAL TIME 2.4

PILOTS
SNYDER A/C UP 13
Lawsen " 7
 DASC B111C TIME 0629
 CONTROLLER B1K29 TIME 0630
 TYPE CONTROLLER FAL A
 TYPE MISSION LZD

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
0645-0655	<u>LZD</u>	<u>ZC 054 967</u>	<u>2</u>

UN

TGT TERRAIN MTN TGT WK 0 VISIBILITY 15
 REL ANGE 45° PASSES 6 INTERVAL 30 Sec MIN ALT 1500
 ENROUTE ALT 20.5 RETURN ALT 19.5 REL ALT 4500' TGT A/SPD 450
 ORDNANCE 12 D24 (DC) EXPENDED 12 D24 (DC) JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE #1) -
 BDA 100 % 100 % ADDITIONAL 1 LZ Prepared
1 Bunker Out

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 2nd Bde 101 A.B. OPERATION Kentucky Jump
 ENROUTE WK 150 Ø, 190 Ø (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES ☐ NO	IF ADDITIONAL CIRCLE
(F) ABOET	YES ☐ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARN DELAY _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Oppenhuizen TIME 0700 DATE 2 July 69
 SQUADRON 223 CALL SIGN AB151 MSN # 6151 FLT CODE 152/1

T/O: 0557 LAND 0643 TOTAL TIME 1.6

PILOTS 6NAZZO A/C WR.1 DASC PILK TIME 0608
Oppenhuizen 3 CONTROLLER BILK 29 TIME 0610
 TYPE CONTROLLER FACA
 TYPE MISSION L2P

TOT DESCRIPTION COORDINATES PROVIDENCE
0615-25 L2 Prep 2C 116 995 RDN/I
UN
 TGT TERRAIN hilly TGT WX 1000 VISIBILITY 6
 REL ANGE 30 PASSES 8 INTERVAL 30 MIN ALT 1400
 ENROUTE ALT 14.5 RETURN ALT 13.5 REL ALT 3000 TGT A/SPD
 ORDNANCE 12 D24 (DC) EXPENDED all JETTISONED none
 ORDNANCE/RTB none DUDS (SEE NOTE #1) X
 BDA 100 % 50 % ADDITIONAL 1 Sec. Fire

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 2 Br. 101st AB OPERATION Kentucky Jumper
 (LEAVE BLANK)
 ENROUTE WX 1000

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION 2C 116 995 REASON unknown (probably
faulty solenoid)
 RECOVERABLE no FUSE DELAY/ARM DELAY 4 SEC DC1

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Burns TIME 1525 DATE 2 July 6
 SQUADRON 223 CALL SIGN 593 MSN # 6593 FLT CODE 152

T/O 1324 LAND 1505 TOTAL TIME 3.4

PILOTS Fischer A/C 11 DASC Donc HA TIME
Burns 3 CONTROLLER DARK 13 TIME 1405
 TYPE CONTROLLER FAC(A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1405-40</u>	<u>Bunkers</u> <u>BF</u>	<u>70334390</u>	<u>Q22/I</u>

TGT TERRAIN FLAT TGT WX 400 VISIBILITY 10
 REL ANGE 30 PASSES 8 INTERVAL 30 sec MIN ALT 2000
 ENROUTE ALT 18.5 RETURN ALT 19.5 REL ALT 3000/450 TGT A/SPD
 ORDNANCE 402/407/408 EXPENDED 402/407 JETTISONED
 ORDNANCE/RTB 408 DUDS (SEE NOTE # 1)
 BDA 100 % 100 % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 1st Bn 5th Bn 6/11 5th A.B. OPERATION Kentucky Jumper
 ENROUTE WX (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
 RECOVERABLE FUSE DELAY/ARM DELAY

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEPARTURE Stanton TIME 1615 DATE 2 July 69
 SQUADRON 223 CALL SIGN HB017 MSN # 6017 FLT CODE 15211

TPO 1500 LAND 1603 TOTAL TIME 2.2

PILOTS STANTON A/C WP 18 DASC Helix TIME 1500
HART WP 12 CONTROLLER BILK 13 TIME 1505
 TYPE CONTROLLER FACAS
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1513/20</u>	<u>Bunker/Hootch Complex</u>	<u>BT261014</u>	<u>4</u>
	<u>BF</u>		

TGT TERRAIN Hilly TGT WK 40 VISIBILITY 7
 REL ANGE 300 PASSES 6 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 8.5 RETURN ALT 9.5 REL ALT 30 TGT A/SPD 450
 ORDNANCE 1202W/4 EXPENDED 1202W/4 JETTISONED —
 ORDNANCE/RTB None DUDS (SEE NOTE #1) —
 BDA 100 % 30 % ADDITIONAL 3 Structures Dest
2 Structures Damaged

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 101ST ABN OPERATION LAMAR Plains
 ENROUTE WK E80 R/07 (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES ☒ NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES ☒ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☒ NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER HAMILTON TIME 0805 DATE 2 July
 SQUADRON 223 CALL SIGN HB 043 MSN # 6043 FLT CODE 157/1

T/O 0710 LAND 0752 TOTAL TIME 1.4

PILOTS BARNES WP A/C 6
HAMILTON 21
 DASC DAWANG TIME 0722
 CONTROLLER BLACK ACE TIME 0723
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>#0726-36</u>	<u>BASE CAMP</u>	<u>AT 858903</u>	<u>RBR/H</u>
	<u>BS</u>		

TGT TERRAIN Rolling TGT WK 704 AMM VISIBILITY 7
 REL ANGE 20 PASSES 8 INTERVAL 30 MIN ALT 1.0
 ENROUTE ALT 10.5 RETURN ALT 7.5 REL ALT 2.0 TGT A/SPD 450
 ORDNANCE 12 DZ W/S EXPENDED All JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL 4 STRUCTURES DEST

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1 ARVN OPERATION — (LEAVE BLANK)
 ENROUTE WK —

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABOET	YES ☐ NO ☒	A/C MALFUNCTION/NO DROI
(G) DIVERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: —

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER Stanton TIME 1300 DATE 2 July 69
 SQUADRON VMA 223 CALL SIGN HB 227 MSN # 6227 FLT CODE 17 / 1

T/O 1025 LAND 1155 TOTAL TIME 2.8

PILOTS STANTON A/C WP 7 DASC VS TIME 1028
HART WP 1 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION VR

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
	<u>VR</u>		

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 ENROUTE ALT _____ RETURN ALT _____ REL ALT _____ TGT A/SPD _____
 ORDNANCE D-20 EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB D-20 DUDS (SEE NOTE # 1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____
 ENROUTE WX 80 0/0 7 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOET	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Mcl TIME 1710 DATE 2 July 69
 SQUADRON 223 CALL SIGN M 27 MSN # 0977 FLT CODE 152/3

T/O 1529 LAND 1646 TOTAL TIME 2.6

PILOTS A/C
Stocking WP 10
099 17

DASC Hillsboro TIME 1545
 CONTROLLER NALOS TIME 1550
 TYPE CONTROLLER PACA
 TYPE MISSION S.T.

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1554-59</u>	<u>Storage Area</u>	<u>YC012998</u>	
	<u>SP</u>	<u>1616 10653</u>	<u>F</u>

TGT TERRAIN F TGT WK 4.0 OD VISIBILITY 5
 REL ANGE 450 PASSES 4 INTERVAL 30 MIN ALT 4.0
 ENROUTE ALT 20.5 RETURN ALT 21.5 REL ALT 8.5 TGT A/SPD 480
 ORDNANCE 12102w/y EXPENDED AN JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE #1) -
 BDA 100 ^{w/}% 75 mtrs % ADDITIONAL none further

SECONDARY EXPLOSIONS No NUMBER - SIZE -
 UNIT SUPPORTED 7th A-F OPERATION - (LEAVE BLANK)
 ENROUTE WX -

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) DDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

Mcl 1715 Ray

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -
 RECOVERABLE - FUSE DELAY/ARN DELAY -

NOTE #2: ECM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -

DEBRIEFER _____ TIME _____ DATE 3 July 69
 SQUADRON 223 CALL SIGN 592 MSN # 6592 FLT CODE 152

T/O 1350 LAND 1500 TOTAL TIME 2.6

PILOTS _____ A/C _____
Fischer WP 16 DASC _____ TIME _____
Pearce 12 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT _____ DESCRIPTION _____ COORDINATES _____ PROVIDENCE _____

No Drop

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____

REL ANGE _____ PASSES _____ INTERVAL _____ MIN ALT _____

ENROUTE ALT 19.5 RETURN ALT 7.5 REL ALT _____ TGT A/SPD _____

ORDNANCE 407 408 402 EXPENDED _____ JETTISONED _____

ORDNANCE/RTB ALL DUDS (SEE NOTE # 1) <

BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____

ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: No Drop
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARN DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER _____ TIME _____ DATE _____
 SQUADRON 223 CALL SIGN HB556 MSN # 6556 FLT CODE 152/1

T/O 0640 LAND 0735 TOTAL TIME 1.8

PILOTS Palmer A/C WP1 DASC Helix TIME 0645
Hart 15 CONTROLLER Helix 3/1 TIME 0650
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>Enr Vll</u>	<u>0715/25</u>	<u>B5812424</u>	<u>5T</u>
<u>VL</u>			

TGT TERRAIN MTs TGT WX 0 VISIBILITY 10
 REL ANGE 30 PASSES 10 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 15.5 RETURN ALT 6.5 REL ALT 3000 TGT A/SPD 450

ORDNANCE 12 D2 EXPENDED all JETTISONED —

ORDNANCE/RTB — DUDS (SEE NOTE #1) —

BDA 100 % 80 % ADDITIONAL 6 structures destroyed, 4 dam,
2 Barbers destroyed

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED America OPERATION IRON MT.
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES ☐	NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐	NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐	NO ☒	FILE FLASH REPORT WITH BAR
(D) RECOM INSERT/EXTRACT	YES ☐	NO ☒	CIRCLE ONE/COORD
(E) BTA REPORTED	YES ☒	NO ☐	IF ADDITIONAL CIRCLE
(F) ACORT	YES ☐	NO ☒	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐	NO ☒	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Snider TIME .7 DATE 3 July
 SQUADRON 223 CALL SIGN H8210 MSN # 6210 FLT CODE 1L

T/O 0910 LAND 1000 TOTAL TIME .7

PILOTS Snider A/G W07 DASC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT DESCRIPTION COORDINATES PROVIDENCE

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____

REL ANGE _____ PASSES _____ INTERVAL _____ MIN ALT _____

ENROUTE ALT _____ RETURN ALT _____ REL ALT _____ TGT A/SPD _____

ORDNANCE NEG EXPENDED _____ JETTISONED _____

ORDNANCE/RTB 1 DUDS (SEE NOTE # 1) _____

BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____ (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROI
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: TEST FLT
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW ELLECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEERIEFFER _____ TIME _____ DATE _____
 SQUADRON 1MH-223 CALL SIGN HA 958 MSN # 0958 FLT CODE 15211
 T/O 1340 LAND 1445 TOTAL TIME 1.1
 PILOTS Shawwinger ME A/C 06 DASC VICE SQUAD TIME 1345
 CONTROLLER _____ TYPE CONTROLLER _____
 TYPE MISSION ACTIVE WALL EYE

TOT NA DESCRIPTION NA COORDINATES NA PROVIDENCE _____
 TGT TERRAIN _____ VISIBILITY _____
 REL ANGE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 ENROUTE ALT _____ RETURN ALT _____ REL ALT _____ TGT A/SPD _____
 ORDNANCE _____ EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____ (LEAVE BLANK)
 ENROUTE WX 1000 10+

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARN DELAY _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER 044 TIME 2300 DATE JULY
 SQUADRON 223 CALL SIGN HAN 26 MSN # 0976 FLT CODE 352/3

T/O 2200 ~~2200~~ LAND 2240 ~~2240~~ TOTAL TIME 1.4

PILOTS STOCKING A/C WP 24
049 WP 10
 DASC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
—	<u>NONE</u>	<u>NONE</u>	
	<u>Ferry</u>		

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 ENROUTE ALT _____ RETURN ALT _____ REL ALT _____ TGT A/SPD _____
 ORDNANCE _____ EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____
 ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) EPA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: RETURN FROM UBON
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER FXN TIME 0800 DATE 3 JUL
 SQUADRON 223 CALL SIGN HB MSN # 6042 FLT CODE 152

T/O 0702 LAND 0743 TOTAL TIME 1.4

PILOTS A/C
Heise 8
Norris 17

DASO DANNA TIME 0715
 CONTROLLER WV TIME 0720
 TYPE CONTROLLER FAC (A)
 TYPE MISSION LZ DROP

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0720/30</u>	<u>LZ drop</u> <u>WN</u>	<u>BT 139519</u>	<u>3</u>

TGT TERRAIN FLAT TGT WX 0 VISIBILITY 10+
 REL ANGE 30° PASSES 4 INTERVAL 30 sec MIN ALT 1500
 ENROUTE ALT 12.5 RETURN ALT 11.5 REL ALT 3000 TGT A/SPE 450
 ORDNANCE 1202 EXPENDED ALL JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE #1) -
 BDA 100% 100% ADDITIONAL 16 blades of grass

SECONDARY EXPLOSIONS - NUMBER - SIZE -

UNIT SUPPORTED ROK 5th M.O. OPERATION Pipestone Canyon
 (LEAVE BLANK)

ENROUTE WX 010+

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOFT	YES	NO	A/C MALFUNCTION/NO DRO
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -

RECOVERABLE - FUSE DELAY/ARN DELAY -

NOTE #2: ECM ENCOUNTERED - TIME - HOW LIECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -

DESIGNER Stanton TIME 0900 DATE 3 July 69
 SQUADRON VMA 223 CALL SIGN HB 010 MSN # 6010 FLT CODE 152/1

T/O 0801 LAND 0855 TOTAL TIME 2.6

PILOTS	A/C	DASC <u>DANANG</u> TIME <u>0805</u>
<u>Stanton</u>	<u>11</u>	CONTROLLER <u>Hostage</u> TIME <u>0810</u>
<u>Hart</u>	<u>12</u>	TYPE CONTROLLER <u>EACA</u>
<u>Wright</u>	<u>10</u>	TYPE MISSION <u>L2P</u>

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0827/35</u>	<u>L2 Prep</u>	<u>BT143508</u>	<u>±3</u>
	<u>UN</u>		

TGT TERRAIN Flat TGT WX 07 VISIBILITY 7
 REL ANGE 30° PASSES 9 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 10.5 RETURN ALT 9.5 REL ALT 3000 TGT A/SFD 450
 ORDNANCE 18D2 Y(DC) EXPENDED same JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) Yes
 BDA 100 % 100 % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED Rak ^{1ST M.A} ~~MAKIN~~ OPERATION P. pestone Canyon
 ENROUTE WX 30 0 45 0 7 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROI
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Second A/C for MSN 6012 went down in chocks. DASH
 (REFERENCE NOTE #3)

one joined 6010 FLIGHT AND BOTH MISSIONS COVERED BY 3 A/C.

NOTE #1: DUD REPORT LOCATION BT143508 REASON ARMING WIRES
1st A/C WITH 3 BOMBS
 RECOVERABLE ? FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW ELIMINATED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

VEHICLE Oppenhuizen TIME 1230 DATE 3 July 69
 SQUADRON 223 CALL SIGN HD458 MSN # 6458 FLT CODE _____

T/O 1205 LAND 1220 TOTAL TIME 2.6

PILOTS Barnes A/C VXP17 DASC Danang TIME 30
Oppenhuizen 11 CONTROLLER Colpoke TIME 235
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1240-55</u>	<u>En. Location</u>	<u>AT973399</u>	<u>RBNPI</u>
	<u>EC</u>		

TGT TERRAIN Hilly TGT WX 800 VISIBILITY 6
 REL ANGE 20 PASSES 8 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 22.5 RETURN ALT 7.5 REL ALT 1300 TGT A/SPI
 ORDNANCE 16 DIA 409 EXPENDED all JETTISONED none
 ORDNANCE/RTB none DUDS (SEE NOTE #1) _____
 BDA 95 % 95 % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 1st Lt Bn D. OPERATION _____
 ENROUTE WX 600 1200 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOET	YES	NO	A/C MALFUNCTION/NO DRO
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW ELIMINATED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER DTF TIME 2000 DATE 3 JULY 69
 SQUADRON 223 CALL SIGN MB 512 MSN # 6512 FLT CODE 352

T/O 1810 LAND 1944 TOTAL TIME 1.6

PILOTS FINAGAN A/C WP 01 DASC ANMOA TIME 1825
 CONTROLLER " TIME "
 TYPE CONTROLLER ASST
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1900</u>	<u>ENEMY INFILTRATION</u> <u>RD ROUTE</u>	<u>2C 178 441</u>	<u>3</u>

TGT TERRAIN FLAT TGT WX 0 VISIBILITY 7

REL ANGE LEAVE PASSES 1 INTERVAL MIN ALT 13.8

ENROUTE ALT 16.5 RETURN ALT 13.5 REL ALT 13.8 TGT A/SPD 290

ORDNANCE 6 D2W/y EXPENDED ALL JETTISONED

ORDNANCE/RTB DUDS (SEE NOTE # 1)

BDA % % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED 5th AF 1st MD OPERATION (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) EPA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) SHORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	<u>YES</u>	NO	GIVE REASON BELOW

REMARKS: V.S. DIVERTED ME FROM MILKY TO ANMOA ASST.
 (REFERENCE NOTE #3)

NO REASON GIVEN!

NOTE #1: DUD REPORT LOCATION REASON

RECOVERABLE FUSE DELAY/ARM DELAY

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER GNAR20 TIME 0905 DATE 3 July 69
 SQUADRON 223 CALL SIGN BB018 MSN # 6018 FLT CODE 15211

T/O 0745 LAND 0901 TOTAL TIME 2.6

PILOTS
GNAR20 WP-180
CRANE WP-01
 DASC Day 1/2 TIME 0810
 CONTROLLER SW 92-1 TIME 0812
 TYPE CONTROLLER FAC(A)
 TYPE MISSION CAS

TGT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0820-30</u>	<u>Active Mtn Position</u>	<u>045675</u>	<u>RUN 1/1</u>
	<u>EL</u>	<u>YD 045675</u>	

TGT TERRAIN Rolling TGT WK 8.000 VISIBILITY 7
 REL ANGE 20° PASSES 6 INTERVAL 30 MIN ALT 600'
 ENROUTE ALT 18.5 RETURN ALT 21.5 REL ALT 1.9 TGT A/SPD 450
 ORDNANCE 802A 409 EXPENDED all JETTISONED 1
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA 90 % / 90 % ADDITIONAL 5 Bunkers Destroyed

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 3rd Marine OPERATION Virgin Ridge
 ENROUTE WK 8.000 - 14.000 - 19.000 (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☒ NO ☐	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES ☒ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒ NO ☐	A/C MALFUNCTION/NO DROI
(G) DIVERT	YES ☒ NO ☐	GIVE REASON BELOW

REMARKS: Target could not have been covered
 (REFERENCE NOTE #3)

adequately with light direct ordnance.

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS
Excellent

DEBRIEFER SWN TIME 1830 DATE 3 JUL
 SQUADRON 223 CALL SIGN 11B MSN # 6568 FLT CODE 152

T/O 1710 LAND 1810 TOTAL TIME 2.0

PILOTS SWN A/C 18 DASC UADR TIME 1720
NOV 15 DX CONTROLLER SWN TIME 1725
 TYPE CONTROLLER 18-16 FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1725-46</u>	<u>UC Bunker</u>	<u>XD932654</u>	<u>TI</u>
	<u>BF</u>		

TGT TERRAIN HILL TGT WX 0 VISIBILITY 10+
 REL ANGE 30° PASSES 6 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 225 RETURN ALT 9.5 REL ALT 1300 TGT A/SPD 450
 ORDNANCE 8D2A4D9 EXPENDED A-L JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE #1) -
 BDA 85% 85% % ADDITIONAL -

SECONDARY EXPLOSIONS - NUMBER - SIZE -
 UNIT SUPPORTED 4th MBR m. P. OPERATION Virginia Ridge
 ENROUTE WX 0 10+ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON, INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) ETA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -

RECOVERABLE - FUSE DELAY/ARM DELAY -

NOTE #2: ECM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -

DESIGNER BAKER TIME 1115 DATE 3 Jul 69
 SQUADRON 223 CALL SIGN HB MSN # 6154 FLT CODE 152

T/O 0843 LAND 1101 TOTAL TIME 4.6

PILOTS

BAKER ^{A/C} WP 24
OPPENHAUSEN " 18

DASC VANDY TIME 0858
 CONTROLLER Scaworth TIME 0908
 TYPE CONTROLLER PAC (A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1015-30</u>	<u>FWY LCL</u>	<u>XD 871536</u>	<u>1</u>
	<u>EC</u>		

TGT TERRAIN MTN TGT WX 3.0 @ VISIBILITY 10
 REL ANGE 20° PASSES 6 INTERVAL 30 MIN ALT 600

ENROUTE ALT 18.5 RETURN ALT 25.5 REL ALT 1400 TGT A/SPD 450

ORDNANCE 1601A 4DP EXPENDED 422 JETTISONED —

ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) —

BDA 90 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 3rd m.O. OPERATION Herbyman mt.
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW ELIMINATED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER _____ TIME _____ DATE _____
 SQUADRON 223 CALL SIGN MN 27 MSN # 0975 FLT CODE 18/2/3

T/O 1536 LAND 1630 TOTAL TIME 2.0

PILOTS RUPEN UP/5 DASC 11/150000 TIME 1536
CRWE 1 CONTROLLER 614 212 TIME 1535
 TYPE CONTROLLER PAC
 TYPE MISSION ST

TOT 1535/1600 DESCRIPTION Bridges COORDINATES X 915272 PROVIDENCE _____

TGT TERRAIN M TGT WK 50 (11) / (11) VISIBILITY 10
 REL ANGE 30 PASSES 4 INTERVAL 30 MIN ALT 3000
 ENROUTE ALT 18.5 RETURN ALT 23.5 REL ALT 3000 TGT ASPD 457
 ORDNANCE 1202 w/y EXPENDED DN JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
 BDA 100 % 100 % ADDITIONAL 1 Bridge Destroyed

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 7th AF OPERATION _____ (LEAVE BLANK)
 ENROUTE WK _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BFA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) A/C REPORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW LIT/EXTINCT _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER FISCHER TIME 1900 DATE 3 JUL
 SQUADRON 223 CALL SIGN HBN MSN # 6570 FLT CODE 152

T/O 1740 LAND 1820 TOTAL TIME 1.4

PILOTS SCHMAZ A/C W103 DASC HELI TIME 1740
FISCHER 07 CONTROLLER HELI 22 TIME 1745
 TYPE CONTROLLER FAC (A)
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVIDENCE
1745-1805 HEAVILY BOOBY BS 549898 4
TRAPPED TREE LINE
EC
 TGT TERRAIN FLAT TGT WX 5.00 VISIBILITY 101
 REL ANGE 30° PASSES 39 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 7.5 RETURN ALT 8.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 12 D2W/14 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 50 % ADDITIONAL

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED AMERICAN OPERATION GENEVA PARK
 ENROUTE WX — (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARRYL
(B) AIRBURST	YES	NO	FILE FORM WITH BARRYL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) PDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER Schwanger TIME 1930 DATE 3 July 69
 SQUADRON Vna 223 CALL SIGN HB 54 MSN # 6514 FLT CODE 18211

T/O 1840 LAND 1915 TOTAL TIME -4

PILOTS
Schwanger me A/C 16

DASC Cthai ASPR TIME 1845
 CONTROLLER 29 TIME 1850
 TYPE CONTROLLER ASPR
 TYPE MISSION TPB

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1855-1900</u>	<u>Enemy location</u>	<u>BS 538 871</u>	<u>IC types</u>
<u>1900-1910</u>	<u>Enemy mortar position</u>	<u>BT 483 002</u>	<u>"</u>

TGT TERRAIN mts TGT WX 1200 VISIBILITY 10+
 REL ANGE Level PASSES 2 INTERVAL — MIN ALT 14500
 ENROUTE ALT 14.5 RETURN ALT 9.5 REL ALT 14500 TGT A/SPD 290
 ORDNANCE 6 D2 w/y EXPENDED all JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1) 0
 BDA — % — % ADDITIONAL —

UNK

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED Americas OPERATION Genova PARK
 ENROUTE WX Same as TGT (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) EPA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

OPERATOR PEREIRA TIME 1650 DATE 3 JULY 69
 SQUADRON 223 CALL SIGN HB594 MSN # 1094/1094 FLT CODE 152/1
 T/O 1500 LAND 1632 TOTAL TIME 2-8
 PILOTS Fischer A/C WP 16 DASC DONNA TIME
PEREIRA WP 12 CONTROLLER HELIX 26 TIME 1555
 TYPE CONTROLLER ECCH
 TYPE MISSION ECCH / CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1600</u>	<u>Suspected Enemy</u>	<u>BS 544854</u>	<u>R4W</u>
<u>1605</u>	<u>LOCATION EC</u>		
<u>1615</u>			

TGT TERRAIN HILLS TGT WX 0 VISIBILITY 7
 REL ANGE 30° PASSES 6 INTERVAL 30Sec MIN ALT 1500'
 ENROUTE ALT 18.5 RETURN ALT 7.5 REL ALT 3600 TOT A/SP 402KX
 ORDNANCE 4D-7, 4D-8, 4D-24 EXPENDED 4D-7, 4D-24 JETTISONED —
 ORDNANCE/RTB 4D-8 DUDS (SEE NOTE #1) —
 BDA 100 % 50 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED Americal OPERATION Geneva Pub
 ENROUTE WX 100 @ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECOM INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOET	YES	NO	A/C MALFUNCTION/NO DRG
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: DIVERTED FROM SUPER CAP AFTER PLUG
 (REFERENCE NOTE #3)

WENT THROUGH 5 CONTROLLERS

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW ELIMINATED —
 NOTE #3: ORDNANCE EFFECTIVENESS —

MISSION Stanton TIME 1600 DATE 3 Jul 69
 SQUADRON 223 CALL SIGN HB 016 MSN # 6016 FLT CODE 152/1

T/O 1452 LAND 1542 TOTAL TIME 1.6

PILOTS Stanton A/C 15 DASH Helix TIME 1457
HART 1 CONTROLLER B.116 B TIME 1458
 TYPE CONTROLLER FACR
 TYPE MISSION OAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1508/1508</u>	<u>SUSP ENY LOCATION</u>	<u>AS 935955</u>	<u>4</u>
	<u>EC</u>	<u>AS 935955</u>	

TGT TERRAIN Hilly TGT WX 7.00 VISIBILITY 7
 REL ANGE 30° PASSES 6 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 8.5 RETURN ALT 13.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 12 D2Y EXPENDED 1202Y JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 101 ABN OPERATION Lamar Plain
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROI
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEPARTURE June TIME 1045 DATE 3 July
 SQUADRON 223 CALL SIGN HB 156 MSN # 6156 FLT CODE 152

T/O 0850 LAND 1032 TOTAL TIME 1.4

PILOTS My Barnes A/C WP13 DASC Hebix TIME 0955
Del Michel WP03 CONTROLLER Buck 13 TIME 0958
 TYPE CONTROLLER EACIA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1006-14</u>	<u>Enemy location</u>	<u>BT 151050</u>	<u>4</u>
	<u>Infantry Route</u>		
	<u>RO</u>		

TGT TERRAIN 14145 TGT WK 350 VISIBILITY 10+
 REL ANGE 30° PASSES 6 INTERVAL 45 MIN ALT 3000
 ENROUTE ALT 14.5 RETURN ALT 125 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 12 D2W4 EXPENDED all JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1) 0
 BDA 100 % 100 % ADDITIONAL 100 meters trail destroyed 300 meters trail uncovered.

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0
 UNIT SUPPORTED 10th Airborne OPERATION Lamar Plain
 (LEAVE BLANK)
 ENROUTE WX 0

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION 0 REASON 0

RECOVERABLE 0 FUSE DELAY/ARN DELAY 0

NOTE #2: ECM ENCOUNTERED 0 TIME 0 HOW DIRECTED 0

NOTE #3: ORDNANCE EFFECTIVENESS 0

DEBRIEFER Carter TIME 20204 DATE 3 JUL 69
 SQUADRON 223 CALL SIGN HB566 MSN # 6566 FLT CODE 152

T/O 1615 LAND 1655 TOTAL TIME 1.4

PILOTS
ROGERS A/C WP02
CARTER 11

DASC Hx Control TIME 1610 (before T/O)
 CONTROLLER BILK 16 TIME 1620
 TYPE CONTROLLER FACA
 TYPE MISSION DAE

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1630-45</u>	<u>enemy location</u>	<u>AS 902985</u>	<u>4</u>
	<u>EC</u>		

TGT TERRAIN Mount. TGT WX 100 10 VISIBILITY 10+
 REL ANGE 30° PASSES 6 INTERVAL 30 sec MIN ALT 2500
 ENROUTE ALT 12.5 RETURN ALT 9.5 REL ALT 3,500 TGT A/SPD 450
 ORDNANCE 1202W EXPENDED 11 JETTISONED —
 ORDNANCE/RTB 1 DZ DUDS (SEE NOTE # 1) —
 BDA 100 % 100 % ADDITIONAL none

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 101st Airborne OPERATION Lamar Plains
 ENROUTE WX 10 10+ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER FREEMAN TIME 2105 DATE 3 JUL 69
 SQUADRON 223 CALL SIGN HBS 518 MSN # 6578 FLT CODE 8251

T/O 1930 LAND 2045 TOTAL TIME 1.3

PILOTS FREEMAN RA A/C WP 11 DASC _____ TIME _____
 CONTROLLER BILGAIN 5A01 TIME 2000
 TYPE CONTROLLER ASRT
 TYPE MISSION TP2

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2020</u>	<u>KNOWN ENEMY LOCATION</u>	<u>YC 706897</u>	<u>RTZ</u>
	<u>EC</u>		

TGT TERRAIN UNK TGT WX OTTCIOR VISIBILITY 10+
 REL ANGE LHL PASSES 1 INTERVAL — MIN ALT 20.5
 ENROUTE ALT 21.5 RETURN ALT 21.5 REL ALT 20.5 TGT A/SPD 290
 ORDNANCE 682 EXPENDED ALL JETTISONED Ø
 ORDNANCE/RTB Ø DUDS (SEE NOTE # 1) Ø
 BDA UNK % UNK % ADDITIONAL _____

SECONDARY EXPLOSIONS UNK NUMBER _____ SIZE _____
 UNIT SUPPORTED 101ST ABN OPERATION Kentucky Hunger
 (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) EPA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER 044 TIME 7300 DATE JUL 83 69
 SQUADRON 223 CALL SIGN MAN 27 MSN # 0926 FLT CODE 152/1

T/O 1530 LAND 1700 TOTAL TIME 3.0

PILOTS STOCKING A/C WP 28 DASC DA NANG TIME 1600
044 WP 10 CONTROLLER BLACKACRE TIME 1610
 TYPE CONTROLLER PACCA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
	<u>1621-24 ASSEMBLY AREA</u>	<u>AT 979423</u>	<u>2 CORPS</u>
	<u>EC</u>		

TGT TERRAIN MOUNT TGT WX 0 VISIBILITY 10
 REL ANGE 30° PASSES 2 INTERVAL 36 SEC MIN ALT 1500
 ENROUTE ALT 18.5 RETURN ALT 21.5 REL ALT 3600 TGT A/SPD 450
 ORDNANCE 12 D2W/4 EXPENDED ALL JETTISONED NONE
 ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) NONE
 BDA 100 % 100 % ADDITIONAL _____

SECONDARY EXPLOSIONS NONE NUMBER _____ SIZE _____
 UNIT SUPPORTED 1st ARVN OPERATION ~~Report~~
 ENROUTE WX 0 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARRYL
(B) AIRBURST	YES	NO	FILE FORM WITH BARRYL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARRYL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) EPA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) SMOET	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: ST DIVERTED IN COUNTRY T2TWX
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Lawseth TIME 0930 DATE 3 July 64
 SQUADRON 223 CALL SIGN Man 21 MSN # 0908 FLT CODE 152/3

T/O 0805 LAND 0910 TOTAL TIME 2.2

PILOTS Hamilton A/C WP 2 DASC Hillsboro TIME 0815
Lawseth WP 6 CONTROLLER WAIC 07 TIME 0816
 TYPE CONTROLLER FAC A
 TYPE MISSION ST

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0823-0830</u>	<u>Truck Park</u>	<u>XD 898 002</u>	<u>F</u>
	<u>TP</u>	<u>1617 10645</u>	

TGT TERRAIN FLAT TGT WX 120 VISIBILITY 15

REL ANGE 45° PASSES 6 INTERVAL 30 Sec MIN ALT 3000

ENROUTE ALT 22.5 RETURN ALT 12.5 REL ALT 4500' TGT A/SPD 450

ORDNANCE 12 D2 WY EXPENDED 12 D2 WY JETTISONED -

ORDNANCE/RTB - DUDS (SEE NOTE # 1) -

BDA 100 % w/in 20 meters ADDITIONAL 1 Secondary exp

SECONDARY EXPLOSIONS Yes NUMBER 1 SIZE Small

UNIT SUPPORTED 74 AF OPERATION (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) EDA REPORTED	<u>YES</u>	NO	IF ADDITIONAL CIRCLE
(F) ABOET	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS:

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARN DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER _____ TIME _____ DATE 4 July 69
 SQUADRON 223 CALL SIGN 0975 MSN # 0975 FLT CODE 142

T/O 1810 LAND 1810 TOTAL TIME 2.0

PILOTS Rodgers A/C WP 25 DASC _____ TIME _____
066 4 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT DESCRIPTION COORDINATES PROVIDENCE

_____ FERRY _____

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____

REL ANGE _____ PASSES _____ INTERVAL _____ MIN ALT _____

ENROUTE ALT _____ RETURN ALT _____ REL ALT _____ TGT A/SPD _____

ORDNANCE _____ EXPENDED _____ JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____ (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

INTERVIEWER Newbill TIME 2045 DATE 4 July
 SQUADRON 223 CALL SIGN HB 529 MSN # 6529 FLT CODE 352
 TO: 1930 LAND 2030 TOTAL TIME 1.0
 PILOTS Newbill A/C WP-3
 DASC ANHOA TIME 1745
 CONTROLLER ANHOA 62 TIME 2000
 TYPE CONTROLLER ASAT
 TYPE MISSION TRQ

TOT	DESCRIPTION	COORDINATES	PROVIDEN
<u>2000-2015</u>	<u>Infiltration Recs</u>	<u>AT 926378</u>	<u>3</u>
	<u>RD</u>		

TOT TERRAIN R TGT WX 4.0 VISIBILITY 5
 REL ANGE 401 PASSES 1 INTERVAL — MIN ALT 14.0
 ENROUTE ALT 16.5 RETURN ALT 13.5 REL ALT 11.0 TGT A/E 290
 ORDNANCE 6 D2 W/Y EXPENDED ALL JETTISONED —
 ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) —
 BDA 4mb % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1st Recon OPERATION — (LEAVE BLANK)
 ENROUTE WX 0

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARRE
(B) AIRBURST	YES	NO	FILE FORM WITH BARRE
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ADOPT	YES	NO	A/C MALFUNCTION/NO DI
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —

(REFERENCE NOTE #3)

NOTE #1: DUP REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ZCH ENCOUNTERED — TIME — HOW ELLECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER FRN TIME 1145 DATE 4 JUL
 SQUADRON 223 CALL SIGN H/B MSN # 6455 FLT CODE 152/1

T/O 1000 LAND 1130 TOTAL TIME 1.5

PILOTS 1 A/C
NORRIS 18
BARNES 27

DASC DANANG TIME 1103
 CONTROLLER HST FAX TIME 1104
 TYPE CONTROLLER FAC A
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1103/14</u>	<u>UILL (U.C)</u>	<u>AT 842477</u>	<u>3</u>
	<u>VL</u>		

TGT TERRAIN FLAT TGT WK 0 VISIBILITY 10
 REL ANGE 30° PASSES 6 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 18.5 RETURN ALT 12.5 REL ALT 1300 TGT A/SPD 450
 ORDNANCE 16DIA 409 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 9900% 100% ADDITIONAL 2 loads + 16.6 dwt
1.5 minutes on

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 5th 1st MA OPERATION Pipestone Canyon
 (LEAVE BLANK)
 ENROUTE WK 010+

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER COSTA TIME 1210 DATE 4 July 69
 SQUADRON 223 CALL SIGN HB015 MSN # 6085 FLT CODE 152

T/O 1042 LAND 1200 TOTAL TIME 2.6

PILOTS COSTA A/C WP 1 DASC VANDY TIME 1110
OGG WP 3 CONTROLLER Seaworth 977 TIME 1115
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT DESCRIPTION COORDINATES PROVIDENCE
1115/1120 TROOPS IN OPEN 073191 R/N I
TS X0873191

TGT TERRAIN HILLY TGT WK 500 VISIBILITY 12
 REL ANGE 20° PASSES 8 INTERVAL 30 Sec MIN ALT 600'
 ENROUTE ALT 18.5 M' RETURN ALT 17.5 M' REL ALT 1300 TGT A/SED 450
 ORDNANCE 8D-2A 4D9 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100 % 100 % ADDITIONAL 2 SUNKERS Don't PANCHO
FA

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3rd MAR DIV OPERATION —
 ENROUTE WK 500 1500 20 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOET	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARN DELAY —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW ELIMATED —
 NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER Stanton TIME 1400 DATE 4 July 69
 SQUADRON 223 CALL SIGN HB555 MSN # 6555 FLT CODE 152/1

T/O 1258 LAND 1405 TOTAL TIME 1.9

PILOTS Stanton A/C 11 DASC Heli TIME 1300
Hart 8 CONTROLLER 31 TIME 1302
 TYPE CONTROLLER FAC(A)
 TYPE MISSION FREE CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1305/16</u>	<u>Known Eng. Post</u>	<u>B5688428</u>	<u>5</u>
	<u>EC</u>		

TGT TERRAIN Mountain TGT WX 200 VISIBILITY 2
 REL ANGLE 30° PASSES 6 INTERVAL 30 MIN ALT 1800
 ENROUTE ALT 10.5 RETURN ALT 20.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 12 D2W EXPENDED 12 D2W JETTISONED —
 ORDNANCE/RTB 1 D2W DUDS (SEE NOTE # 1) —
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED Americal OPERATION Iron int.
 ENROUTE WX 30 @ / @ ? (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARN DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW ELIMINATED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER CAPT SCHNEEL TIME 1510 H DATE 4 July 69
 SQUADRON 223 CALL SIGN HBS59 MSN # 6559 FLT CODE 152

T/O 1422 LAND 1500 TOTAL TIME 1.2

PILOTS SCHNEEL A/C WR-24 DASC 1416 TIME 1425
17 CONTROLLER HQ 1232 TIME 1426
 TYPE CONTROLLER PAK (A)
 TYPE MISSION DAB

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1435-45</u>	<u>Suspected VC Location</u> <u>EC</u>	<u>B5852262</u>	<u>5</u>

TGT TERRAIN Hilly TGT WK 6000 VISIBILITY 10
 REL ANGE 20 PASSES 10 INTERVAL 20 MIN ALT 16
 ENROUTE ALT 7.5 RETURN ALT 6.5 REL ALT 1.2 TGT A/SPD 480
 ORDNANCE 802A/409/D20 EXPENDED ALL JETTISONED NONE
 ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) NO
 BDA 100 % 100 % ADDITIONAL 1 Secondary Explosion

SECONDARY EXPLOSIONS YES NUMBER 1 SIZE LINK
 UNIT SUPPORTED ARMAA DEW OPERATION Iron mt.
 (LEAVE BLANK)
 ENROUTE WK 0 10

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) ETA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ALOFT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS:

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW EFFECTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER FISCHER TIME 1215 DATE 4 JULY
 SQUADRON 223 CALL SIGN HBN MSN # 6589/91 FLT CODE 152/1

T/O 0917 LAND 1200 TOTAL TIME 5.4

PILOTS FISCHER A/C WP 12 DASC HELIX TIME 1115
CARTER 15 CONTROLLER HELIX 17 TIME 1135
 TYPE CONTROLLER FAC(A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1130-37</u>	<u>KNOWN EN LOCAT.</u>	<u>BT137207</u>	<u>4</u>
	<u>EC</u>		

TGT TERRAIN 1145102 TGT WX 0 VISIBILITY 107
 REL ANGE 30° PASSES 6 INTERVAL 3080 MIN ALT 1500
 ENROUTE ALT 20.5 RETURN ALT 7.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 4024/407/408 EXPENDED 4024/407 JETTISONED -
 ORDNANCE/RTB 408 DUDS (SEE NOTE # 1) -
 BDA 100 % 80 % ADDITIONAL -

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED AMERICAL OPERATION _____
 ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ADOPT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARN DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW EJECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER PEREIRA TIME 0950 DATE 4 of July
 SQUADRON 223 CALL SIGN 4B 451 MSN # 6451 FLT CODE 152/1

T/O 0754 LAND 0925 TOTAL TIME 3.0

PILOTS A/C
BATER WP 13
PEREIRA WP 17
 DASC Uandy TIME 2.8
 CONTROLLER Schroeder TIME 0846
 TYPE CONTROLLER PACA
 TYPE MISSION CRS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0900</u>	<u>VC MORTAR POSIT</u>	<u>X D873303</u>	<u>RdN</u>
<u>0915</u>	<u>EL</u>		

C
 TGT TERRAIN Hilly TGT WK 4.0 VISIBILITY 7
 REL ANGE 10° PASSES 6 INTERVAL 30Sec MIN ALT 600'
 ENROUTE ALT 18.5 RETURN ALT 21.5 REL ALT 1050 TGT A/SPD 400Kts
 ORDNANCE 160-1A 40-9 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) —
 BDA 100 % 100 % ADDITIONAL —
1 Secondary Cxpl

SECONDARY EXPLOSIONS ✓ NUMBER 1 SIZE Small
 UNIT SUPPORTED 9th MAR M.D. OPERATION und TAK MESA
 ENROUTE WK 100 00 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Good SYN hop
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Hickerson TIME 2045 DATE 4 July 69
 SQUADRON 223 CALL SIGN 146531 MSN # 6531 FLT CODE 352/1

T/O 1928 LAND 2038 TOTAL TIME 1.2

PILOTS Hickerson A/C WP24 DASC TPQ TIME 1945
 CONTROLLER Dong Ha Area TYPE CONTROLLER ASRT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2005</u>	<u>EN. LOCAT.</u>	<u>YD 022655</u>	<u>1</u>
	<u>EC</u>		

TGT TERRAIN FLAT TGT WK 0 VISIBILITY 10+
 REL ANGE 6000 PASSES 3 INTERVAL — MIN ALT 14.5
 ENROUTE ALT 20.5 RETURN ALT 19.5 REL ALT 14.5 TGT A/SPD 290
 ORDNANCE 6 02W74 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA unk % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3rd M.O. OPERATION Virginia Ridge
 ENROUTE WK — (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARRYL
(B) AIRBURST	YES	NO	FILE FORM WITH BARRYL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BTA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW EFFECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER TCF TIME 1400 DATE 4 JULY 69
 SQUADRON 223 CALL SIGN MB 409 MSN # 6459 FLT CODE 152

T/O 1212 LAND 1348 TOTAL TIME 3.2

PILOTS A/C
HEISE WP10
FLANAGAN 13
 DASC HEUX TIME 1300
 CONTROLLER HEUX TIME 1300
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1305/20</u>	<u>ENEMY STRUCT</u>	<u>B5555 768</u>	<u>4</u>
	<u>BL</u>		

TGT TERRAIN FLAT TGT WX 04 VISIBILITY 10
 REL ANGE 20 PASSES 9 INTERVAL 30 MIN ALT 6
 ENROUTE ALT 20.5 RETURN ALT 9.5 REL ALT 1.3 TGT A/SPD 400
 ORDNANCE 16 DIA 409 EXPENDED 14 DIA 409 JETTISONED
 ORDNANCE/RTB 2 DIA DUDS (SEE NOTE # 1)
 BDA 90 % 40 % ADDITIONAL 4 STRUCT DEST, 2 STRUCT DAM.

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED AMERICAN OPERATION Geneva Park
 ENROUTE WX _____ (LEAVE BLANK)

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) A/C HIT
 (D) RECON INSERT/EXTRACT
 (E) EPA REPORTED
 (F) ABORT
 (G) DIVERT

YES	NO	FILE FORM WITH BARREL
YES	NO	FILE FORM WITH BARREL
YES	NO	FILE FLASH REPORT WITH BAR
YES	NO	CIRCLE ONE/COORD
YES	NO	IF ADDITIONAL CIRCLE
YES	NO	A/C MALFUNCTION/NO DROP
YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER _____ TIME _____ DATE 4 July 69
 SQUADRON 223 CALL SIGN 021 MSN # 6021 FLT CODE 152-1

T/O 1719 LAND 1815 TOTAL TIME 1.9

PILOTS A/C
Stanton WP 17 DASC Helix TIME 1720
Hart 24 CONTROLLER Helix 27 TIME 1725
 TYPE CONTROLLER FACP
 TYPE MISSION OAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1735/55</u>	<u>Snapped Empty Pst</u>	<u>BS 240768</u>	<u>4</u>
	<u>EC</u>		

TGT TERRAIN m TGT WX 7.0 @ VISIBILITY 7
 REL ANGE 30 PASSES 8 INTERVAL 30 MIN ALT 1000
 ENROUTE ALT 10.5 RETURN ALT 13.5 REL ALT 3000 TGT A/SPD 450
 C
 ORDNANCE 12 0244 D20 EXPENDED ALL JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE # 1) -
 BDA 90 % 40 % ADDITIONAL 1 Structure Dest

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED Americal OPERATION Geneva Pack
 (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOET	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARN DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER PYTKO TIME 2015 DATE 4 JULY 69
 SQUADRON 223 CALL SIGN HB 527 MSN # 6527 FLT CODE 382

T/O 1907 LAND 2010 TOTAL TIME 1.1

PILOTS PYTKO A/C WP 31 DASC CHU 2158 TIME 1920
 TYPE CONTROLLER ASRT
 TYPE MISSION TPD

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
1920-27	ROCKET POSITION ^{EL}	BS 485910	4
1937-45	ROCKET POSITION	BS 532914	

TGT TERRAIN MTNS TGT WX 0 VISIBILITY 7
 REL ANGE 14.5 PASSES 2 INTERVAL — MIN ALT 13.5
 ENROUTE ALT 14.5 RETURN ALT 7.5 REL ALT 13.5 TGT A/SPD 290
 ORDNANCE 6 D2W/Y EXPENDED ALL JETTISONED —
 ORDNANCE/RTB NOVB DUDS (SEE NOTE # 1) —
 BDA amb % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED Ameribal OPERATION Geneva Park
 ENROUTE WX OVD (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER GNA220 TIME 2122 DATE 4 July 69
 SQUADRON 223 CALL SIGN HB533 MSN # 6533 FLT CODE 352/1

T/O 1953 LAND 2108 TOTAL TIME 1.3

PILOTS
GNA220 W/A/C

DASC Chu Lai TIME 2030
 CONTROLLER H58 TIME 2030
 TYPE CONTROLLER H58
 TYPE MISSION TPD

TOT 2035-2041 DESCRIPTION Rocket Site COORDINATES BS 453991 PROVIDENCE RVN I/5
EL

TGT TERRAIN R TGT WX 14.0 D VISIBILITY 10+
 REL ANGE level PASSES 2 INTERVAL — MIN ALT 13.8
 ENROUTE ALT 14.5 RETURN ALT 13.5 REL ALT 13.8 TGT A/SPD 290
 ORDNANCE GDZ w/ly EXPENDED all JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA — umb % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED Americal Div OPERATION Geneva Park
 ENROUTE WX 8.0 D 14.0 D 10+ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARRYL
(B) AIRBURST	YES	NO	FILE FORM WITH BARRYL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARRYL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) ETA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ASORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: — (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER BUTLER TIME 1750 DATE 4 July 69
 SQUADRON 223 CALL SIGN H.B. 561 MSN # 6561 FLT CODE 15211

T/O 1620 LAND 1740 TOTAL TIME 2.6

PILOTS
FREEMAN
BUTLER

A/C
WP-16
06

BASE U.S. 5 TIME 1622
 CONTROLLER BILK 34 TIME 1649
 TYPE CONTROLLER TAC (A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1650-</u> <u>1712</u>	<u>TROOPS IN CONTACT</u> <u>TS</u>	<u>YC 473857</u>	<u>R20/I</u>

TGT TERRAIN HIGH FLAT TGT WX 900 VISIBILITY 7
 REL ANGE 30° PASSES 8 INTERVAL 30° MIN ALT 1.5'
 ENROUTE ALT 16.5 RETURN ALT 19.5 REL ALT 3.0' AGL TGT A/SPD 450
 ORDNANCE 4 D3Y 4 D2 a/y EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL NO FURTHER

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 101 ST. A.B. BRIG. OPERATION Montgomery Road
AIR BORNE (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) PTA REPORTED	<u>YES</u>	NO	IF ADDITIONAL CIRCLE
(F) A/C HIT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: TROOPS 400 METERS WITH D3's
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER EXN TIME 0730 DATE 4 JUL
 SQUADRON 223 CALL SIGN HB MSN # 6155 FLT CODE 152

T/O 0602 LAND 0711 TOTAL TIME 2.4

PILOTS Preston A/C 10
NORRIS 11
 DASC B.LK TIME
 CONTROLLER B.LK 27 TIME 0615
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0640-47</u>	<u>UC TREES</u>	<u>40596170</u>	<u>2</u>
	<u>TS</u>		

TGT TERRAIN H₂O TGT WK 1400 VISIBILITY 10+
 REL ANGE 20° PASSES 6 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 16.5 RETURN ALT 15.5 REL ALT 1300 TGT A/SPD 450
 ORDNANCE FD244DS EXPENDED 6024208 JETTISONED NONE
 ORDNANCE/RTB 2 D2A DUDS (SEE NOTE # 1) 2
 BDA 100 % 100 % ADDITIONAL 2 Gunners Dest

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 2nd 8th 101st AB OPERATION Kentucky Jump
 ENROUTE WK 1400/10 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) EPA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: High dive sound like true
 (REFERENCE NOTE #3)

NOTE #1: 101st DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —
 NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER FISCHER TIME 0645 DATE 4 JUL 69
 SQUADRON 222 CALL SIGN HBN MSN # 651 FLT CODE 382/1

T/O 0550 LAND 0636 TOTAL TIME 116

PILOTS GNAZZO A/C WP 1 DASC BLK TIME 0555
FISCHER 3 CONTROLLER BLK 29 TIME 0558
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0600-10</u>	<u>BUNKERS</u>	<u>2C074918</u>	<u>2</u>
	<u>BF</u>		

TGT TERRAIN MT RIDGE TGT WX 1200 VISIBILITY 10+
 REL ANGE 90° PASSES 6 INTERVAL 30 SEC MIN ALT 1500
 ENROUTE ALT 14.5 RETURN ALT 9.5 REL ALT 3000 TGT A/SPD 450
 C ORDNANCE 12 D40/DC EXPENDED ACC JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 2ND BGD / 101ST A.B. OPERATION Kentucky Hammer
 ENROUTE WX (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) ETA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS SHITTY DAISY CUTTERS ON
BUNKERS - PERHAPS A FEW SOBS EARS BUT THAT'S IT.

DEBRIEFER COSTA TIME 0712 DATE 4 July 69
 SQUADRON 223 CALL SIGN H8153 MSN # 6153 FLT CODE 152

T/O 0555 LAND 0700 TOTAL TIME 2.2

PILOTS
BARNES
COSTA

A/C
WP7
WP8

DASC BILK TIME 0610
 CONTROLLER BILK 29 TIME 0615
 TYPE CONTROLLER FACCD
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0630/0640</u>	<u>Sus. Enemy Location</u>	<u>TD 584136</u>	<u>RVL I</u>
	<u>EC</u>		

TGT TERRAIN HILLY TGT WX 1200 VISIBILITY 12
 REL ANGE 30° PASSES 6 INTERVAL 30 sec MIN ALT 1500'
 ENROUTE ALT 18.5M' RETURN ALT 11.5M' REL ALT 3000' TGT A/SPD 450
 ORDNANCE 12 D-24 DC EXPENDED ALL JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE # 1)
 BDA 100 % 100 % ADDITIONAL 1 Bunker Dest

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 2nd Brig 101st A.B. OPERATION Kentucky Jumps
 ENROUTE WX 1100 1200 19 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) EPA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ADOPT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
 RECOVERABLE FUSE DELAY/ARM DELAY
 NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED
 NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER HEISE TIME 0750 DATE 4 July
 SQUADRON UMA 223 CALL SIGN HB 011 MSN # 6011 FLT CODE 152/1

T/O 0630 LAND 0733 TOTAL TIME 2.2

PILOTS HEISE A/C WP 16 DASC VANDY TIME 0645
PALMER WP 02 CONTROLLER BARKY 19 TIME 0647
 TYPE CONTROLLER FAC(A)
 TYPE MISSION OAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0650-0700</u>	<u>KNOWN ENEMY POSIT</u>	<u>XD895210</u>	<u>RAN</u>
	<u>EC</u>		

TGT TERRAIN MTS TGT WX 700 VISIBILITY 10
 REL ANGE LEVEL PASSES 4 INTERVAL 30 MIN ALT 200'
 ENROUTE ALT 18.5 RETURN ALT 13.5 REL ALT 200' TGT A/SPD 350
 ORDNANCE 8 D32 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) —
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS NO NUMBER — SIZE —
 UNIT SUPPORTED 1st, 4th, 8th, 10th, 12th, 14th, 16th, 18th, 20th, 22nd, 24th, 26th, 28th, 30th, 32nd, 34th, 36th, 38th, 40th, 42nd, 44th, 46th, 48th, 50th, 52nd, 54th, 56th, 58th, 60th, 62nd, 64th, 66th, 68th, 70th, 72nd, 74th, 76th, 78th, 80th, 82nd, 84th, 86th, 88th, 90th, 92nd, 94th, 96th, 98th, 100th OPERATION REMARKS
 ENROUTE WX 700 130 @ 10 (LEAVE BLANK)
 (A) HOSTILE FIRE YES NO FILE FORM WITH BARRYL
 (B) AIRBURST YES NO FILE FORM WITH BARRYL
 (C) A/C HIT YES NO FILE FLASH REPORT WITH BARRYL
 (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 (E) EPA REPORTED YES NO IF ADDITIONAL CIRCLE
 (F) A/C MALFUNCTION/NO DROP YES NO A/C MALFUNCTION/NO DROP
 (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER COSTA TIME 1800 DATE 7 July 69
 SQUADRON 223 CALL SIGN HB 563 MSN # 6563 FLT CODE 152

T/O 1655 LAND 1755 TOTAL TIME 2.0

PILOTS STOCKING A/C WP 8 DASC Don Ha TIME 120
COSTA WP 11 CONTROLLER BARLEY TIME 1710
 TYPE CONTROLLER 885 FACH
 TYPE MISSION OFF

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1710/1720</u>	<u>Suspect Enemy Loc</u>	<u>YP 330 385</u>	<u>RINJ</u>
	<u>EC</u>		

TGT TERRAIN HILLY TGT WX 700 VISIBILITY 6

REL ANGE 20° PASSES 8 INTERVAL 30sec MIN ALT 600

ENROUTE ALT 16.5M' RETURN ALT 11.5M' REL ALT 1300' TGT A/SPD 450

ORDNANCE 88D-2A 409 EXPENDED ALL JETTISONED -

ORDNANCE/RTB - DUDS (SEE NOTE # 1)

BDA 100% 100% ADDITIONAL -

SECONDARY EXPLOSIONS 3rd ARVN NUMBER 14 SIZE -

UNIT SUPPORTED 3rd ARVN OPERATION -
 (LEAVE BLANK)

ENROUTE WX 700 1200 14

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) PTA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ACFT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -

RECOVERABLE - FUSE DELAY/ARN DELAY -

NOTE #2: ECM ENCOUNTERED - TIME - HOW ELIMINATED -

NOTE #3: ORDNANCE EFFECTIVENESS -

DEBRIEFER MCL TIME 1725 DATE 4 July 61
 SQUADRON 227 CALL SIGN M 28 MSN # 0977 FLT CODE 132/3

T/O 1635 LAND 1754 TOTAL TIME 2.6

PILOTS Newbill A/C WP 03 DASC Hullybrow TIME 1700
099 18 CONTROLLER Enven SK TIME 1710
 TYPE CONTROLLER PACA
 TYPE MISSION S.T.

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1715-20</u>	<u>Assembly Area</u>	<u>XD 610115</u>	<u>F</u>
	<u>EC</u>	<u>1623 10631</u>	
TGT TERRAIN <u>F</u>	TGT WX <u>500</u>	VISIBILITY <u>2</u>	
REL ANGE <u>20°</u>	PASSES <u>2</u>	INTERVAL <u>30</u>	MIN ALT <u>1.0</u>
ENROUTE ALT <u>20.5</u>	RETURN ALT <u>21.5</u>	REL ALT <u>2.5</u>	TGT A/SPD <u>450</u>
ORDNANCE <u>12/02 w/y</u>	EXPENDED <u>10/02</u>	JETTISONED <u>2/02</u>	
ORDNANCE/RTB <u>—</u>	DUDS (SEE NOTE # 1) <u>—</u>		
BDA <u>100 %</u>	<u>25 %</u> ADDITIONAL <u>none further - w/y</u>		

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTER 7th A.F. OPERATION _____
 (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	<u>YES</u>	NO	GIVE REASON BELOW

REMARKS: diverted from primary secondary target
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER STOCKING TIME 1940 DATE 5 July 69
 SQUADRON 223 CALL SIGN HB 538 MSN # 6538 FLT CODE 182

T/O 1844 LAND 1936 TOTAL TIME .8

PILOTS STOCKING A/C WP-08 DASC TIME
 CONTROLLER CHU LAI ASET TIME 1855
 TYPE CONTROLLER ASP7
 TYPE MISSION TP9

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1907</u>	<u>Rocket Sats EL</u>	<u>BS 454969</u>	<u>#</u>
<u>1915</u>	<u>"</u>	<u>BS 435970</u>	<u>J</u>

TGT TERRAIN FLAT TGT WX 0 VISIBILITY 7
 REL ANGE L PASSES 2 INTERVAL — MIN ALT 13.8
 ENROUTE ALT 14.5 RETURN ALT ↓ REL ALT 13.8 TGT A/SPD 290
 ORDNANCE 6 D2W/X EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 642 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED America OPERATION Crews Park
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) ETA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOET	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW ELIMINATED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER WARFIELD TIME 19.33 DATE 5 Jul
 SQUADRON VMA-223 CALL SIGN H.B.536 MSN # 6536 FLT CODE 182/1

T/O 1845 LAND 1917 TOTAL TIME 06

PILOTS WARFIELD, C.D. A/C WP 15 DASC _____ TIME _____
 CONTROLLER Chen Tai TIME 1855
 TYPE CONTROLLER ASRT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1907</u>	<u>ROCKET RESIT</u>	<u>BS454969</u>	<u>4</u>
	<u>EL</u>		

TGT TERRAIN UR TGT WX 00 VISIBILITY 7
 REL ANGE Level PASSES 1 INTERVAL _____ MIN ALT 13.5
 ENROUTE ALT 14.5 RETURN ALT 13.5 REL ALT 13.5 TGT A/SPD 290
 ORDNANCE 602 EXPENDED 602 JETTISONED _____
 ORDNANCE/RTB NONE DUDS (SEE NOTE #1) NONE
 BDA _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED AMERICAN L OPERATION Genova Park
 (LEAVE BLANK)
 ENROUTE WX 07

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER BUTLER TIME 1535 DATE 5 July 69
 SQUADRON 223 CALL SIGN H.B. 462 MEN # 6462 FLT CODE 15211

T/O 1405 LAND 1515 TOTAL TIME 2.4

PILOTS BUTLER A/C WP-03 BASE U.S. 5 TIME 1408
SCHWANINGER 12 CONTROLLER HELIX-11 TIME 1445
 TYPE CONTROLLER FAC(A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1445-1500</u>	<u>TROOPS IN CONTACT</u>	<u>BT 085502</u>	<u>RTH/I</u>
	<u>TS</u>	<u>BT 085499</u>	<u>"</u>

TOT TERRAIN FLAT TGT WX 500 VISIBILITY 8
 REL ANGE 20° PASSES 10 INTERVAL 30° MIN ALT 600'
 ENROUTE ALT 18.5 RETURN ALT 5.5 REL ALT 1.3' TGT A/SPD 450
 ORDNANCE 16 DIA 409 ^{D-20} 100 EXPENDED 12 DIA 409 JETTISONED
 ORDNANCE/RTB 4 DIA DUDS (SEE NOTE #1)
 BDA 100 % 100 % ADDITIONAL 6 STRUCTURES DESTROYED
3 STRUCTURED DAMAGED

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED AMERICAN OPERATION

ENROUTE WX 1700/0 (LEAVE BLANK)

(A) HOSTILE FIRE	☒ YES	☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	☐ YES	☒ NO	FILE FORM WITH BARREL
(C) A/C HIT	☐ YES	☒ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	☐ YES	☒ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES	☐ NO	IF ADDITIONAL CIRCLE
(F) ABORT	☐ YES	☒ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	☐ YES	☒ NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON

RECOVERABLE FUSE DELAY/ARM DELAY

NOTE #2: ECM ENCOUNTERED TIME HOW ELIECTED

NOTE #3: ORDNANCE EFFECTIVENESS VERY GOOD HOP - Bombs
ON T&T

DEBRIEFER _____ TIME _____ DATE _____
 SQUADRON 223 CALL SIGN HB 230 MSN # 6230 FLT CODE 152/1

T/O 1120 LAND 1215 TOTAL TIME 7.0

PILOTS
LAWSETH WP A/C 24
GROSE ZI
 DASC 1106 Sqnd TIME 1125
 CONTROLLER RILK 25 TIME 1135
 TYPE CONTROLLER FAC(A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1140/50</u>	<u>2C 174974 Every Location</u> <u>EC</u>	<u>2C 174974</u>	<u>Temp ROK</u>

TGT TERRAIN m TGT WX 0 VISIBILITY 10
 REL ANGE 30° PASSES 8 INTERVAL 30sec MIN ALT 1500
 ENROUTE ALT 18.5 RETURN ALT 15.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 2001 WY EXPENDED All JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
 BDA 100 % 100 % ADDITIONAL 2 Military Structures + 1 Bunker Destroyed

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 2nd Bde 101 Airborne OPERATION Kentucky Jump
 ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☒ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☒ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	☒ NO	CIRCLE ONE/COORD
(E) BTA REPORTED	☒ YES	☒ NO	IF ADDITIONAL CIRCLE
(F) ADVERT	☒ YES	☒ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	☒ YES	☒ NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Rogers TIME 1045 DATE _____
 SQUADRON 223 CALL SIGN HB224 MSN # 6224 FLT CODE 1L2

T/O 0945 LAND 1030 TOTAL TIME .7

PILOTS Rogers A/C WP 07 DASC VS TIME 0950
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT DESCRIPTION Test COORDINATES _____ PROVIDENCE _____

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____

REL ANGE _____ PASSES _____ INTERVAL _____ MIN ALT _____

ENROUTE ALT _____ RETURN ALT _____ REL ALT _____ TGT A/SPD _____

ORDNANCE _____ EXPENDED _____ JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____

ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BTA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) REPORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Blackman TIME 1515 DATE 5 July
 SQUADRON 223 CALL SIGN HB 248 MSN # 6248 FLT CODE 152

T/O 1427 LAND 1457 TOTAL TIME 1.0

PILOTS Snyder A/C WP 18 DASC TIME
Blackman 1 CONTROLLER TIME
 TYPE CONTROLLER
 TYPE MISSION

TOT DESCRIPTION COORDINATES PROVIDENCE

Die Abort

TGT TERRAIN _____ TGT WK _____ VISIBILITY _____

REL ANGE _____ PASSES _____ INTERVAL _____ MIN ALT _____

ENROUTE ALT 14.2 RETURN ALT 16.1 REL ALT _____ TGT A/SPD _____

ORDNANCE 20 D1W/4 EXPENDED _____ JETTISONED All

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____

ENROUTE WK _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☐ NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	☐ NO	CIRCLE ONE/COORD
(E) BVA REPORTED	YES	☐ NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	☒ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	☐ NO	GIVE REASON BELOW

REMARKS: Fuel Problems on WP 01
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER BUTLER TIME 1750 DATE 5 JULY 69
 SQUADRON 223 CALL SIGN HIB 254 MSN # 6254 FLT CODE 152/1

T/O 1640 LAND 1745 TOTAL TIME 2.2

PILOTS A/C
SCHWANINGER WP-10
BUTLER 13
 DASC U.S. 5 TIME 1643
 CONTROLLER HELIX-02 TIME 1710
 TYPE CONTROLLER FAC(A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1710-20</u>	<u>TROOPS IN CONTACT</u>	<u>BT 089499</u>	<u>ROK/I</u>
	<u>TS</u>		

TGT TERRAIN FLAT TGT WX 400 VISIBILITY 7
 REL ANGE 20° PASSES 6 INTERVAL 30" MIN ALT 600'
 ENROUTE ALT 12.5 RETURN ALT 5.5 REL ALT 1.3' TGT A/SPD 450

ORDNANCE 20 DIA 4D9 EXPENDED ALL JETTISONED —

ORDNANCE/RTB — DUDS (SEE NOTE #1) —

BDA 80 % 80 % ADDITIONAL 3 BUNKERS DESTROYED

3 STRUCTURES DESTROYED
4 X B A (C)

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED AMERICAN OPERATION —
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER Rogers TIME 2100 DATE 5 JULY
 SQUADRON 223 CALL SIGN HB540 MSN # 6540 FLT CODE 352/1

T/O 1930 LAND 2051 TOTAL TIME 1.4

PILOTS

A/C

RogersWD-01

DASC V5 TIME 1935
 CONTROLLER CHU LAI TIME
 TYPE CONTROLLER ASRT
 TYPE MISSION 729

TOT

DESCRIPTION

COORDINATES

PROVIDENCE

NO DROPNO DROP

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____

REL ANGE _____ PASSES _____ INTERVAL _____ MIN ALT _____

ENROUTE ALT 14.5 RETURN ALT 15.2 REL ALT _____ TGT A/SPD _____

ORDNANCE 602WY EXPENDED _____ JETTISONED _____

ORDNANCE/RTB 602WY DUDS (SEE NOTE # 1) _____

BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____

(LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BEA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) A/C HIT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Diverted by Vice Squad to Chu Lai
 (REFERENCE NOTE #3)

asrt: MILKY COULDN'T DROP BANDED SNAKES,
CITU LAI ASRT LOST RADIOS PRIOR TO DROP
 NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER FISCHER TIME 1600 DATE 5 JULY 1967
 SQUADRON 223 CALL SIGN MAN 26 MSN # 0964 FLT CODE 152/3

T/O 1447 LAND 1550 TOTAL TIME 2.2

PILOTS NORRIS A/C WP 15 DASC HBAO TIME 1450
FISCHER 8 CONTROLLER COUH 272 TIME 1500
 TYPE CONTROLLER FAC(A)
 TYPE MISSION ST

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1505-14</u>	<u>ROAD CUT</u>	<u>XC 925 524</u>	<u>LAOS</u>
	<u>RP</u>	<u>1551 10648</u>	<u>F</u>

TGT TERRAIN HILLSIDE TGT WX 4.00 VISIBILITY 10+
 REL ANGE 30° PASSES 3 INTERVAL 30 MIN ALT 3000'
 ENROUTE ALT 20.5 RETURN ALT 21.5 REL ALT 5200' TGT A/SPD 350
 ORDNANCE 20 DIW/4 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100 % 100 % ADDITIONAL 100 % WITHIN 10 METERS
2 TEMPER ROAD CUT 1

SECONDARY EXPLOSIONS No NUMBER — SIZE —
 UNIT SUPPORTED 724 AF OPERATION — (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BTA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

McL 1620 Clark

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER COSTA TIME 1123 DATE 5 July 69
 SQUADRON 223 CALL SIGN HB228 MSN # 6228 FLT CODE 152

T/O 1019 LAND 1119 TOTAL TIME 2.0

PILOTS COSTA A/C LOP10 DASC DONGHA TIME 1030
HICKERSON LOP13 CONTROLLER BACKY 12 TIME 1035
 TYPE CONTROLLER FACIA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1035/1050</u>	<u>Confirmed Enemy Loc</u> <u>EC</u>	<u>YD 365387</u>	<u>RNVI</u>

TGT TERRAIN HILLY TGT WK 400 VISIBILITY 13

REL ANGE 20° PASSES 10 INTERVAL 30 sec MIN ALT 600

ENROUTE ALT 16.5M RETURN ALT 17.5M REL ALT 1380 TGT A/SPD 450

ORDNANCE 16 DIA 409 EXPENDED JETTISONED

ORDNANCE/RTB DUDS (SEE NOTE # 1)

BDA 100 % 100 % ADDITIONAL 2 BUNKERS Dest

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED ARVN OPERATION

ENROUTE WK 1200 13 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BTA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON

RECOVERABLE FUSE DELAY/ARN DELAY

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER _____ TIME _____ DATE 5/1/64
 SQUADRON 223 CALL SIGN HB 208 MSN # 6208 FLT CODE 152/1

T/O 0850 LAND 0945 TOTAL TIME 1.8

PILOTS PALMER A/C WP 11 DASC DANANG TIME 0850
HART 2 CONTROLLER 72 TIME 0855
 TYPE CONTROLLER ASSAULT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0910-0920</u>	<u>ENEMY BASE CAMP & TRAIL</u>	<u>AT 972421</u>	<u>B</u>
	<u>BS</u>		

TGT TERRAIN MTS TGT WX 0 VISIBILITY 10
 REL ANGE 1000 PASSES 1 INTERVAL — MIN ALT 14,000
 ENROUTE ALT 15.5 RETURN ALT 13.5 REL ALT 14,000 TGT A/SPD 290 IND
 ORDNANCE 20 D1 BARRD SNM EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA UNIC % UNIC % ADDITIONAL UNK

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED Sth MAF/150 OPERATION P. pe Stone Canyon
 ENROUTE WX clear (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES ☐	CIRCLE ONE/COORD
(E) BTA REPORTED	YES ☐	IF ADDITIONAL CIRCLE
(F) ADVERT	YES ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Heise TIME 1400 DATE 5 July 69
 SQUADRON VMA 223 CALL SIGN HB 240 MSN # 6240 FLT CODE 152

T/O 1300 LAND 1345 TOTAL TIME 1.4

PILOTS FREEMAN A/C WP 02 DASC DANANG TIME 1310
Heise WP 11 CONTROLLER HIST. FOX TIME 1312
 TYPE CONTROLLER FAC (A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1315-1330</u>	<u>ENEMY BASE CAMP</u>	<u>HT 830305</u>	<u>SBN</u>
	<u>BS</u>		
TGT TERRAIN	<u>HILLY</u>	TGT WK <u>100</u>	VISIBILITY <u>10</u>
REL ANGE	<u>20°</u>	PASSES <u>14</u>	INTERVAL <u>45 sec</u> MIN ALT <u>600'</u>
ENROUTE ALT	<u>10.5</u>	RETURN ALT <u>9.5</u>	REL ALT <u>1300</u> TGT A/SPD <u>450</u>
ORDNANCE	<u>16 DIA / 409</u>	EXPENDED <u>ALL</u>	JETTISONED <u>—</u>
ORDNANCE/RTB	<u>—</u>	DUDS (SEE NOTE # 1)	<u>—</u>
BDA	<u>100 %</u>	<u>100 %</u>	ADDITIONAL <u>—</u>

SECONDARY EXPLOSIONS NO NUMBER — SIZE —
 UNIT SUPPORTED 1ST MARINE RECON OPERATION —
 (LEAVE BLANK)
 ENROUTE WK 100 / 100 10

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BPA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) A/C HIT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER GNA220 TIME 1945 DATE 5 July 69
 SQUADRON 223 CALL SIGN B 534 MSN # 6534 FLT CODE 1521

T/O 1824 LAND 1933 TOTAL TIME 1.2

PILOTS GNA220, R A/C WP-18
 DASC Dong HA TIME 1850
 CONTROLLER # 7 TIME 850
 TYPE CONTROLLER ASRT
 TYPE MISSION TRQ

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1905</u>	<u>Enemy Location</u>	<u>XD 897215</u>	<u>RVA/IL</u>
	<u>EC</u>		

TGT TERRAIN Mountainous TGT WK 14.0 VISIBILITY 10+
 REL ANGE 200 PASSES 1 INTERVAL — MIN ALT 14.6
 ENROUTE ALT 14.5 RETURN ALT 23.5 REL ALT 14.6 TGT A/SPD 290
 ORDNANCE 10 D14 EXPENDED all JETTISONED 1
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 9th MAB 3rd M.D. OPERATION —
 ENROUTE WK 8.0 14.0 CBUs 27.0 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BEA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ASOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER Flaming ⁶ TIME 1040 DATE 5 June
 SQUADRON 223 CALL SIGN H-204 MSN # 6204 FLT CODE 152/1

T/O 0812 LAND 1009 TOTAL TIME 3.9

PILOTS CRANE A/C WP 3 DASC DONALD TIME 0825
PRESTON 12 CONTROLLER PARK II TIME 0915
 TYPE CONTROLLER EACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0925/35</u>	<u>ENEMY LOC</u>	<u>4D360579</u>	<u>1</u>
	<u>EC</u>		

TGT TERRAIN H TGT WX 0 VISIBILITY 9
 REL ANGE 20° PASSES 8 INTERVAL 30 MIN ALT 900
 ENROUTE ALT 18.5 RETURN ALT 17.5 REL ALT 1600 TGT A/SPD 450
 ORDNANCE 8 DIA 409 EXPENDED 8 DIA 229 JETTISONED —
 ORDNANCE/RTB 8 DIA 209 DUDS (SEE NOTE # 1) 129
 BDA 50 % 75 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTING 1 MEX M.D. OPERATION — (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	☒ YES	FILE FORM WITH BARREL <u>30cal (M)</u>
(B) AIRBURST	☐ YES	FILE FORM WITH BARREL
(C) A/C HIT	☐ YES	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	☐ YES	CIRCLE ONE/COORD
(E) BDA REPORTED	☐ YES	IF ADDITIONAL CIRCLE
(F) ABORT	☐ YES	A/C MALFUNCTION/NO DROP
(G) DIVERT	☐ YES	GIVE REASON BELOW

REMARKS: Did not need the aircraft for target
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DETECTED —
 NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER PEREIRA TIME 1515 DATE 5 JUL 69
 SQUADRON 223 CALL SIGN HB242 MSN # 6242 FLT CODE 152/3

T/O 1320 LAND 1444 TOTAL TIME 2.8

PILOTS PEREIRA A/C WP 06 DASC WANDU TIME
NEWBILL WP 16 CONTROLLER Panhandle TIME 1850
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1400</u>	<u>UC Bunker & Hut</u> ^{BF}	<u>XD 727245</u>	<u>1</u>
<u>1415</u>	<u>Gun Posix & etc.</u>	<u>XD 723232</u>	

TGT TERRAIN HILLS TGT WX 800 VISIBILITY 7
 REL ANGE 30° PASSES 16 INTERVAL 30 Sec MIN ALT 1200
 ENROUTE ALT 18.5 RETURN ALT 21.5 REL ALT 3500 TGT A/SPD 450
 ORDNANCE 4D-9 4D-24 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB A Few 20mm Rds DUDS (SEE NOTE # 1) —
 BDA 100 % 100 % ADDITIONAL —
26 Gun PITS, 3 Bunkers, 0 STRAPPED Huts

SECONDARY EXPLOSIONS 1 NUMBER 1 SIZE Small
 UNIT SUPPORTED 9th MAR OPERATION LITAH MESSIA
 ENROUTE WX 10 D (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BUA REPORTED	<u>YES</u>	NO	IF ADDITIONAL CIRCLE
(F) ASSET	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
RECOVERABLE — FUSE DELAY/ARM DELAY —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —
 NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER FA TIME 1400 DATE 6 July
 SQUADRON 223 CALL SIGN H13 MSN NO. 0920 FLT 1
 T/O 154 ¹²⁴⁵ 1620 LANE 1620 TOTAL TIME 4.0

See
Remarks
V

PILOTS COSTA A/C 10 DASC TIME
1122.2 12 CONTROLLER 112 - 25 TIME 1500
 TYPE CONTROLLER 112 - 25
 TYPE MISSION 112 - 25

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1540</u>	<u>1122.2</u>	<u>1620</u>	<u>1620</u>

TGT TERRAIN 1122.2 TGT WX 1122.2 VISIBILITY 10+
 REL ANGLE 1122.2 PASSES 1122.2 INTERVAL 1122.2 MIN ALT 1122.2
 ENROUTE ALT 1122.2 RETURN ALT 1122.2 TGT AIRSPEED 1122.2
 ORDNANCE/ 1122.2 EXPENDED 1122.2 JETTISONED 1122.2
 CRDNANCE/RTB 1122.2 DUDS (SEE NOTE # 1) 1122.2
 BDA 1122.2 % 1122.2 %ADDITIONAL 1122.2

SECONDARY EXPLOSIONS 1122.2 NUMBER 1122.2 SIZE 1122.2
 UNIT SUPPORTED 1122.2 OPERATION 1122.2 (LEAVE BLANK)

ENROUTE WX 1122.2
 (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 (B) AIRBURST YES NO FILE FORM WITH BARREL
 (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLES
 (F) ABOUT YES NO A/C MALFUNCTION/ NO DROP
 (G) DIRECT YES NO GIVE REASON BELOW

REMARKS: 1122.2
 (REFERENCE NOTE #3)
1122.2
1122.2

NOTE #1: DUD REPORT LOCATION 1122.2 REASON FOR 1122.2
 RECOVERABLE 1122.2 FUZE (DELAY/ARM DELAY) 1122.2
 NOTE #2: ECM ENCOUNTERED 1122.2 TIME 1122.2 HOW DIRECTED 1122.2

NOTE #3: ORDNANCE EFFECTIVENESS 1122.2
1122.2
1122.2

DEBRIEFER BUTLER TIME 1940 DATE 6 JULY 69
 SQUADRON 223 CALL SIGN H.B. 525 MSN # 6525 FLT CODE 352/1

T/O 1845 LAND 1920 TOTAL TIME .6

PILOTS BUTLER A/C WP-18

BASG U.S. 5 TIME 1843
 CONTROLLER CAH 241 TIME 1849
 TYPE CONTROLLER ASRT
 TYPE MISSION TPB

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1855</u>	<u>VC POSITION</u>	<u>BS 463912</u>	<u>Rok/T</u>
	<u>EC</u>		

TGT TERRAIN R TGT WX 1400 2 VISIBILITY 8
 REL ANGE 0° PASSES 2 INTERVAL — MIN ALT 14.5
 ENROUTE ALT 14.5 RETURN ALT 5.5 REL ALT 14.5 TGT A/SPD 290 IAS
 ORDNANCE 6 D2 w/y EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA — amb % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED AMERICAN OPERATION Geneva Park
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) EDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOET	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER HAMILTON TIME 1250 DATE 6 JUNE
 SQUADRON 223 CALL SIGN AB241 MSN # 6241 FLT CODE 1521

T/O 1143 LAND 1230 TOTAL TIME 1.6

PILOTS SNYDER A/C 15 DASC — TIME —
HAMILTON 18 CONTROLLER TAKE 23 TIME 1150
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1200-18</u>	<u>C.P</u>	<u>AT 961133</u>	<u>RTN/I</u>
	<u>CP</u>		

TGT TERRAIN Rolling TGT WK 0 VISIBILITY 7

REL ANGE 20 PASSES 8 INTERVAL 30 MIN ALT .6

ENROUTE ALT 16.5 RETURN ALT 7.5 REL ALT 1.3 TGT A/SPD 450

ORDNANCE 8024/4PS EXPENDED ALL JETTISONED —

ORDNANCE/RTB — DUDS (SEE NOTE # 1) —

BDA 100 % 100 % ADDITIONAL 1 BUNKER DEST

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 5th ARVN OPERATION — (LEAVE BLANK)

ENROUTE WK —

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARR
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABOET	YES ☒ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☒ NO ☐	GIVE REASON BELOW

REMARKS: DIVERTED by US To WORK WITH
 (REFERENCE NOTE #3)

TAKE

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER _____ TIME _____ DATE _____
 SQUADRON 223 CALL SIGN 237 MSN # 6237 FLT CODE 132/1

T/O 1135 LAND 1230 TOTAL TIME 1.8

PILOTS A/C
Palmer 17
Rogers 6
 DASC Jake TIME 1140
 CONTROLLER Jake 42 TIME 1145
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT DESCRIPTION COORDINATES PROVIDENCE
Enemy Sleeping Bags! 1202 B5442449 15
EC
 TGT TERRAIN Mds TGT WX 0 VISIBILITY 10
 REL ANGE 30 PASSES 10 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 17.5 RETURN ALT 7.5 REL ALT 1500 TGT A/SPD 450
 ORDNANCE Gumpeds 4024 EXPENDED all JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA 100 % 100 % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED Amer ARVN OPERATION _____
 ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☒ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☒ NO	FILE FLASH REPORT WITH BARR
(D) RECON INSERT/EXTRACT	YES	☒ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	☒ NO	IF ADDITIONAL CIRCLE
(F) ABOFT	YES	☒ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	☒ NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER _____ TIME _____ DATE _____
 SQUADRON 222 CALL SIGN HR527 MSN # 6527 FLT CODE 35211

T/O 1852 LAND 2029 TOTAL TIME 16

PILOTS 6856 A/C WP 12 DASC VR TIME 1853
 CONTROLLER 16 TIME 1945
 TYPE CONTROLLER ASST
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1945</u>	<u>Assembly Area</u> <u>EL</u>	<u>YD338372</u>	<u>1</u>

TGT TERRAIN R TGT WK 0 VISIBILITY 9+

REL ANGE _____ PASSES 2 INTERVAL _____ MIN ALT 150

ENROUTE ALT 20.5 RETURN ALT 23.5 REL ALT 15.0 TGT A/SPD 450

ORDNANCE AD144 EXPENDED ALL JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA amb % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 1st ARVN OPERATION _____ (LEAVE BLANK)

ENROUTE WK _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH RAI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) FOM REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Preston TIME 1930H DATE 06 July 69
 SQUADRON 223 CALL SIGN HB523 MSN # 6523 FLT CODE 152/1

T/O 1817 LAND 1857 TOTAL TIME .7

PILOTS

A/C

PrestonWP 7

DASC

TIME

CONTROLLER BIRMINGHAM TIME 1835TYPE CONTROLLER ASRTTYPE MISSION TPA

TOT 1835 DESCRIPTION Known enemy location COORDINATES 40.704848 PROVIDENCE 2
EL
 TGT TERRAIN mntns TGT WX 160 VISIBILITY 10+
 REL ANGE 0° PASSES 1 INTERVAL — MIN ALT 14.5
 ENROUTE ALT 18.5 RETURN ALT 15.5 REL ALT 14.5 TGT A/SPD 290
 ORDNANCE 6 Drw/y BSF EXPENDED all JETTISONED none
 ORDNANCE/RTB none DUDS (SEE NOTE # 1) none
 BDA 100 % 10 % ADDITIONAL none

SECONDARY EXPLOSIONS none NUMBER — SIZE —

UNIT SUPPORTED 101st Air Borne OPERATION Kentucky Jump

ENROUTE WX TWR Cu

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) DDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER James TIME 1510 DATE 6 July
 SQUADRON 223 CALL SIGN HE251 MSN # 6251 FLT CODE 752

T/O 1420 L/D 1500 TOTAL TIME 1.4

PILOTS James A/C 18
McCully 07
 DASC Helix TIME 1423
 CONTROLLER BK18 TIME 1425
 TYPE CONTROLLER FAC A
 TYPE MISSION CAS

TOT 1435-45 DESCRIPTION Com Center/Bunkers COORDINATES BS 270977 PROVIDENCE 4
BF

TGT TERRAIN MNS TGT WX 5.50 VISIBILITY 5
 REL ANGE 30° PASSES 8 INTERVAL 45 MIN ALT 2000
 ENROUTE ALT 1015 RETURN ALT 11.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 12 D2X EXPENDED — JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100 % 50 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1015 AB OPERATION James Pharis
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —
 ** (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER

Hart

TIME

1100

DATE

6/1/89

SQUADRON

223

CALL SIGN

557

MSN #

6557

FLT CODE

152/1

T/O

0945

LAND

1038

TOTAL TIME

1.8

PILOTS

SCAWANING

A/C

17HART12

DASC DANANG

TIME 0950CONTROLLER Kim Chee TIME 0953-1013

TYPE CONTROLLER

FAC(A)

TYPE MISSION

CAS

TOT

DESCRIPTION

COORDINATES

PROVIDENCE

0953HUTSBT 1525213 Cops1013B2

TGT TERRAIN

PAVED

TGT WX

0

VISIBILITY

10

REL ANGE

30°

PASSES

6

INTERVAL

30 sec MIN ALT 1500'

ENROUTE ALT

11.5

RETURN ALT

6.5

REL ALT

2500TGT A/SPD 450

ORDNANCE

20 DIA

EXPENDED

18 DIA

JETTISONED

ORDNANCE/RTB

2 DIA

DUDS (SEE NOTE # 1)

BDA

90 %/40

% ADDITIONAL

2 STRUCTURE DESTROYED1DAMAGED70 FEET TRAIL SHOT UP.

SECONDARY EXPLOSIONS

NUMBER

SIZE

UNIT SUPPORTED

2BDZ120KMC

OPERATION

Victory Dragon

(LEAVE BLANK)

ENROUTE WX

0 10

(A) HOSTILE FIRE

YES

☒ NO

FILE FORM WITH BARREL

(B) AIRBURST

YES

☒ NO

FILE FORM WITH BARREL

(C) A/C HIT

YES

☒ NO

FILE FLASH REPORT WITH BARI

(D) RECON INSERT/EXTRACT

YES

☒ NO

CIRCLE ONE/COORD

(E) BEA REPORTED

YES

☒ NO

IF ADDITIONAL CIRCLE

(F) ABORT

YES

☒ NO

A/C MALFUNCTION/NO DROP

(G) DIVERT

YES

☒ NO

GIVE REASON BELOW

REMARKS:

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION

REASON

RECOVERABLE

FUSE DELAY/ARM DELAY

NOTE #2: ECM ENCOUNTERED

TIME

HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER Schwaninger TIME 0800 DATE 6 July
 SQUADRON VMA-223 CALL SIGN HBS53 MSN # 16553 FLT CODE 152/1

T/O 0714 LAND 0758 TOTAL TIME 1.4

PILOTS Schwaninger m2 A/C 15
HART C.R. 18
 DASC N/A TIME 0720
 CONTROLLER BIS-18 TIME 0720
 TYPE CONTROLLER EAC(A)
 TYPE MISSION DAS

TOT 0725/0740 DESCRIPTION Suspected Emission COORDINATES BS 444 799 PROVIDENCE ICAPS
EC

TGT TERRAIN MTNS TGT WX 1400 VISIBILITY 10T
 REL ANGE 20 PASSES 8 INTERVAL 45sec MIN ALT 600'
 ENROUTE ALT 8.5 RETURN ALT 9.5 REL ALT 1200' TGT A/SPD 450
 ORDNANCE 8 D2A/409 EXPENDED all JETTISONED 0
 ORDNANCE/RTB 6 DUDS (SEE NOTE # 1) 3 D2A
 BDA 100 % 50 % ADDITIONAL 4 structures destroyed

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED ADFERAL OPERATION Geneva PARK
 ENROUTE WX SAFELY AS TRO (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BCA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION BS 444 799 REASON UNK
 RECOVERABLE UNK FUSE DELAY/ARM DELAY INST/2.5sec

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER PEREIRA TIME 2135 DATE 6 JULY 69
 SQUADRON 223 CALL SIGN HB 529 MSN # 6529 FLT CODE 452/1

T/O 1735 LAND 2115 TOTAL TIME 1.6

PILOTS PEREIRA A/C WP13 ASPT Dong HA TIME 2000
 CONTROLLER Dong HA TIME —
 TYPE CONTROLLER ASPT
 TYPE MISSION TRQ

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2025</u>	<u>UC LOCATION</u>	<u>4D140471</u>	<u>RAN</u>
	<u>EC</u>		

TGT TERRAIN R TGT WK 0 VISIBILITY 7

REL ANGE 0 PASSES 2 INTERVAL — MIN ALT 14.5

ENROUTE ALT 18.5 RETURN ALT 21.5 REL ALT 14.5 TGT A/SPD 290KTS

ORDNANCE 6 D-2W/4 EXPENDED ALL JETTISONED —

ORDNANCE/RTB None DUDS (SEE NOTE # 1) —

BDA — Bomb — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 3rd MAR DIV OPERATION Irigoon Grove

ENROUTE WK 200 MD (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) EDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW ELLECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER COSTA TIME 1920 DATE 6 July 69
 SQUADRON 223 CALL SIGN HB259 MSN # 6259 FLT CODE 152

T/O 1800 LAND 1905 TOTAL TIME 2.2

PILOTS COSTA A/C WP24 DASC Don't TIME 1825
NORRIS WP1 CONTROLLED Seaworth 9815 TIME 1830
 TYPE CONTROLLER FDA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1830/1840</u>	<u>Enemy Storage Area</u>	<u>4D131501</u>	<u>ADN I</u>
	<u>SP</u>		

TGT TERRAIN HILLY TGT WX 8.0 @ VISIBILITY 7+
 REL ANGE 20° PASSES 8 INTERVAL 30sec MIN ALT 600
 ENROUTE ALT 18.5 M' RETURN ALT 13.5 M' REL ALT 1300 TGT A/SPD 450
 ORDNANCE 4D-2A 8D1A 9D9 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100 % 100 % ADDITIONAL 1 Bunker Out 3 Sec Exp.

SECONDARY EXPLOSIONS Yes NUMBER 3 SIZE Large
 UNIT SUPPORTED 3rd MAR DIV OPERATION Target in Bunker
 ENROUTE WX 170 @ 12 (LEAVE BLANK)
IRQUICK GROVE

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) ICA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARN DELAY _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Lawson TIME 1140 DATE 6 July 69
 SQUADRON 223 CALL SIGN HB 217 MSN # 6217 FLT CODE 15211

T/O 0827 LAND 1125 TOTAL TIME 6.0

PILOTS Lawson A/C WP 8 DASC Dmc HA TIME 0845
Newbill WP 11 CONTROLLER See U. 98-3 TIME 0850
 TYPE CONTROLLER FAC A
 TYPE MISSION CAP, Rem Insert

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0850-1050</u>	<u>CAP 7 Rem Inserts</u>	<u>Drop</u>	<u>5</u>
	<u>No</u>		

TGT TERRAIN - TGT WX - VISIBILITY -
 REL ANGE - PASSES - INTERVAL - MIN ALT -
 ENROUTE ALT 18.5 RETURN ALT 17.5 REL ALT - TGT A/SPD -
 ORDNANCE 8 D2A / 4 D9 EXPENDED - JETTISONED -
 ORDNANCE/RTB 8 D2A / 4 D9 DUDS (SEE NOTE # 1) -
 BDA - % - % ADDITIONAL -

SECONDARY EXPLOSIONS - NUMBER - SIZE -
 UNIT SUPPORTED - OPERATION - (LEAVE BLANK)
 ENROUTE WX -

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOET	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: No Tgt's
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -
 RECOVERABLE - FUSE DELAY/ARN DELAY -

NOTE #2: ECM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -

DEBRIEFER _____ TIME _____ DATE _____
 SQUADRON 223 CALL SIGN HB 235 MSN # 6235 FLT CODE 182/1

T/O 1110 LAND 1155 TOTAL TIME 1.4

PILOTS CRUSE DR A/C WP 13
Hickie 01

DASC Damoc TIME 1125
 CONTROLLER Not Voke TIME 1130
 TYPE CONTROLLER FAC(A)
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1130/37</u>	<u>Enemy Base Camp</u> <u>BS</u>	<u>7C 190595</u>	<u>3</u>

TGT TERRAIN M TGT WX 0 VISIBILITY 10
 REL ANGE 30 PASSES 6 INTERVAL 3000 MIN ALT 1500
 ENROUTE ALT 12.5 RETURN ALT 13.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 1202 WP EXPENDED All JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
 BDA 100 % 100 % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 7th Mdn OPERATION _____ (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARE
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) A/C HIT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARN DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Schwanger TIME 1530 DATE 7 June 69
 SQUADRON VMA-223 CALL SIGN H8 242 MSN # 6292 FLT CODE 15211

T/O 1405 LAND 1575 TOTAL TIME 2.2

PILOTS
Schwanger A/C 01
Reed 12

DASC DANANG TIME 1410
 CONTROLLER ALAKING TIME 1415
 TYPE CONTROLLER JEAL (G)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1415-1445</u>	<u>AT 852518</u>	<u>Booby Trapped</u> <u>position</u> <u>ML</u>	<u>I. Borgo</u>

TGT TERRAIN mnts TGT WX 800 VISIBILITY 10
 REL ANGE 20° PASSES 6 INTERVAL 30s MIN ALT 600
 ENROUTE ALT 12.5 RETURN ALT 9.5 REL ALT 1300 TGT A/SPD 450
 ORDNANCE 8 D2A / 409 EXPENDED all JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) 2
 BDA 100 % 100 % ADDITIONAL UNK
1 secondary expl

SECONDARY EXPLOSIONS YES NUMBER 1 SIZE Small
 UNIT SUPPORTED 1st M.A OPERATION Forsyth Grove
 ENROUTE WX

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARRFF
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) MIA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOFT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS:

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION AT 852518 REASON FINS FAILED TO OPEN
on (2) D2A

RECOVERABLE UNK FUSE DELAY/ARM DELAY 2/45s

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER Scum TIME 1605 DATE 7 July
 SQUADRON 223 CALL SIGN H256 MSN # 6256 FLT CODE 152

T/O 1515 LAND 1602 TOTAL TIME 1.1

PILOTS FAYNES A/C WP-11 DASC TIME
CARTER WP-24 CONTROLLER DANANG APT TIME 1520
 TYPE CONTROLLER ASPT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1542</u>	<u>BASE CAMP</u>	<u>A7577378</u>	<u>3</u>
	<u>BS</u>		

TGT TERRAIN FLAT TGT WX 800 VISIBILITY 10+
 REL ANGE 4001 PASSES 1 INTERVAL — MIN ALT 14.0
 ENROUTE ALT 14.0 RETURN ALT 9.5 REL ALT 14000 TGT A/SFD 290 ZAS
 ORDNANCE 10 D2 w/4 EXPENDED 400 JETTISONED —
 ORDNANCE/RTB 10 D2 w/4 DUDS (SEE NOTE # 1) —
 BDA — % ADDITIONAL UNK

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 1ST MADE DIV OPERATION Forsyth Grove
 (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) PDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: -2 Airborne Abort due to gear
prob. Original Mission was to SW 98-13
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER MILLER TIME 2140 DATE 7 JULY
 SQUADRON 211 CALL SIGN HB 508 MSN # 6508 FLT CODE 352

T/O 2010 LAND 2130 TOTAL TIME 1.3

PILOTS _____ A/C _____
MILLER 20 ASRT
 DASC _____ TIME 2020
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER ASRT
 TYPE MISSION TPR

TOT 2050 DESCRIPTION BUNKER COORDINATES AT 955434 PROVIDENCE 3
HARBOR SITE
BF

TGT TERRAIN R TGT WX 0 VISIBILITY 25+
 REL ANGE 0 PASSES 1 INTERVAL _____ MIN ALT 16.5
 ENROUTE ALT 16.5 RETURN ALT 20.5 REL ALT 16.5 TGT A/SPD 270
 ORDNANCE 602 EXPENDED ALL JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA Unb % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 1ST M.O. OPERATION FORSYTH GROVE
 ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER _____ TIME _____ DATE _____
 SQUADRON 223 CALL SIGN HB228 MSN # 6228 FLT CODE 152

T/O 1030 LAND 1121 TOTAL TIME 1.8

PILOTS Rogers Butler A/C WP 11 -12
 DASC DD TIME 1035
 CONTROLLER Hos7 D TIME 1037
 TYPE CONTROLLER FAC (A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1050-1104</u>	<u>NVA troops</u>	<u>AT871556</u>	<u>(3)</u>
	<u>TS</u>		

TGT TERRAIN FLY TGT WX 0 VISIBILITY 10
 REL ANGE 20° PASSES 6 INTERVAL 30 sec MIN ALT 600
 ENROUTE ALT 10.5 RETURN ALT 13.5 REL ALT 1350 TGT A/SPD 450
 ORDNANCE 802A/409 EXPENDED 702A/409 JETTISONED -
 ORDNANCE/RTB 102A DUDS (SEE NOTE # 1) -
 BDA 100 % 100 % ADDITIONAL 7 KBA(c)
1 Structure Dest
2 BUNKERS Dest

SECONDARY EXPLOSIONS 0 NUMBER - SIZE -
 UNIT SUPPORTED 54ST MAZDUS OPERATION Pipestone Canyon
 ENROUTE WX _____
 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) FUA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW ELLECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Blackman TIME 1802 DATE 7 June 1969
 SQUADRON 223 CALL SIGN HB266 MSN # 6266 FLT CODE 152

T/O 1500 LAND 1535 TOTAL TIME 1.2

PILOTS A/C
Blackman WP-12
FREEMAN WP-8
 DASC Danawb TIME 1505
 CONTROLLER LOPEZ TIME 1510
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT DESCRIPTION COORDINATES PROVIDENCE
1515-1520 ENEMY Position BT 115350 IR 3N
EC

TGT TERRAIN Flat TGT WK 65000 VISIBILITY 7+
 REL ANGE 30 PASSES 8 INTERVAL 30 sec MIN ALT 1500
 ENROUTE ALT 8.5 RETURN ALT 9.5 REL ALT 3300 TGT A/SPD 450
 ORDNANCE HD24/407 EXPENDED All JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED ROK MARKER OPERATION — (LEAVE BLANK)
 ENROUTE WK 07+

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARGE
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) FUA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW LIECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER Oppenheimer TIME 2200 DATE 7 July 69
 SQUADRON 227 CALL SIGN AP518 MSN # 6518 FLT CODE 352/1

T/O 2010 LAND 2130 TOTAL TIME 1.3

PILOTS Oppenheimer A/C WP 24 DASC AN H0A TIME 2015
 CONTROLLER # 62 TIME 2015
 TYPE CONTROLLER ASKT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2045</u>	<u>BKRS + Harbor</u>	<u>AT 954 439</u>	<u>RBN/I</u>
	<u>BL</u>		

TGT TERRAIN R TGT WX 800 VISIBILITY 5
 REL ANGE Left PASSES 1 INTERVAL — MIN ALT 15.1
 ENROUTE ALT 15.1 RETURN ALT 21.0 REL ALT 15.1 TGT A/SPD 290
 ORDNANCE 6 D2 W/Y EXPENDED all JETTISONED none
 ORDNANCE/RTB none DUDS (SEE NOTE # 1) —
 BDA Left % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 5th Mdr ⁵⁰ A.D. OPERATION Forsyth Grove
 ENROUTE WX 800 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER Rerein TIME 2030 DATE 7 July 69
 SQUADRON 223 CALL SIGN 118514 MSN # 6514 FLT CODE 452/1

T/O 1900 LAND 2030 TOTAL TIME 1.5

PILOTS Rerein A/C WP01 DASC WP01 TIME 1935
 CONTROLLER WP01 TYPE CONTROLLER ASPT
 TYPE MISSION TRQ

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1945</u>	<u>1st POSIT</u>	<u>XD 812362</u>	<u>RON</u>
	<u>TS</u>		

TGT TERRAIN R TGT WK 0 VISIBILITY 9+
 REL ANGE Level PASSES 1 INTERVAL — MIN ALT 13,000
 ENROUTE ALT 18,5 RETURN ALT 25,5 REL ALT 15,5 TGT A/SPD 290
 ORDNANCE 60-2W/4 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) —
 BDA — % — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 3rd MAR DW OPERATION Artington Canyon
 (LEAVE BLANK)

ENROUTE WK 200 00

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) FDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER BUTLER TIME 0845 DATE 7 JULY 69
 SQUADRON 223 CALL SIGN HB.204 MSN # 6204 FLT CODE 142/1

T/O 0725 LAND 0825 TOTAL TIME 1.0

PILOTS BUTLER A/C WP-07 BASE U.S. 5 TIME 0728
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT DESCRIPTION COORDINATES PROVIDENCE

TEST

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____

REL ANGE _____ PASSES _____ INTERVAL _____ MIN ALT _____

ENROUTE ALT _____ RETURN ALT _____ REL ALT _____ TGT A/SPD _____

ORDNANCE _____ EXPENDED _____ JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____

ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) IMA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOFT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW ELLECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER _____ TIME _____ DATE _____
 SQUADRON 223 CALL SIGN 210 MSN # 6210 FLT CODE 1L

T/O 1500 LAND 1600 TOTAL TIME 1.0

PILOTS Palmer A/C 4
 DASC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT DESCRIPTION COORDINATES PROVIDENCE

Test

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____

REL ANGE _____ PASSES _____ INTERVAL _____ MIN ALT _____

ENROUTE ALT _____ RETURN ALT _____ REL ALT _____ TGT A/SPD _____

ORDNANCE _____ EXPENDED _____ JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____

ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BCA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DETECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Rogers TIME 1600 DATE 7 JULY
 SQUADRON 223 CALL SIGN 250 MSN # 6250 FLT CODE 102

T/O 1442 LAND 1527 TOTAL TIME 8

PILOTS Rogers A/C WP 03
 DASC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT DESCRIPTION COORDINATES PROVIDENCE

Test

TGT TERRAIN _____ TGT WK _____ VISIBILITY _____

REL ANGE _____ PASSES _____ INTERVAL _____ MIN ALT _____

ENROUTE ALT _____ RETURN ALT _____ REL ALT _____ TGT A/SPD _____

ORDNANCE _____ EXPENDED _____ JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____

ENROUTE WK _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) FMA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER FISCHER TIME 0830 DATE 2 JUL 69
 SQUADRON 223 CALL SIGN HBN MSN # 6206 FLT CODE 152

T/O 0730 LAND 0815 TOTAL TIME 1.4

PILOTS HEISE A/C WP 12 DASC — TIME —
FISCHER 13 CONTROLLER MARK 42 TIME 0735
 TYPE CONTROLLER FACCA
 TYPE MISSION CS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0751-59</u>	<u>SUSPECTED ENEMY</u>	<u>BS 538710</u>	<u>4</u>
	<u>TREELINE EC</u>		

TGT TERRAIN FLAT TGT WK 0 VISIBILITY 10T
 REL ANGE 20° PASSES 1B INTERVAL 30 SEC MIN ALT 600'
 ENROUTE ALT 10.5 RETURN ALT 7.5 REL ALT 1570' TGT A/SPD 450+
 ORDNANCE 409/8D2A EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) 1 D2A
 BDA 100 % 30 % ADDITIONAL 2 STRUCT D2A

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 2ND ARVN OPERATION —
 ENROUTE WK 0 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☒ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☒ NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	☒ NO	CIRCLE ONE/COORD
(E) RDA REPORTED	☒ YES	☒ NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	☒ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	☒ NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION BS 538710 REASON UNK

RECOVERABLE YES FUSE DELAY/ARN DELAY 1405 / 2 SEC

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER Oppenhuizer TIME 1100 DATE 7 July 69
 SQUADRON 222 CALL SIGN 11226 MSN # 6226 FLT CODE 15211

T/O 1000 LAND 1045 TOTAL TIME 1.5

PILOTS Hamilton A/C WP6 DASC Jake TIME 1005
Oppenhuizer 17 CONTROLLER Jake TIME 1010
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1012-22</u>	<u>En. posit</u>	<u>BS539731</u>	<u>RVN/2</u>
	<u>EC</u>		<u>4</u>

TGT TERRAIN rolling TGT WK 0 VISIBILITY 7
 REL ANGE 30 PASSES 5 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 7.5 RETURN ALT 6.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 4024 407 EXPENDED 407 JETTISONED —
 ORDNANCE/RTB 4024 DUDS (SEE NOTE # 1) —
 BDA 100 % 30 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 2nd Arvn OPERATION — (LEAVE BLANK)

ENROUTE WK 0

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) RDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER FRN TIME 1300 DATE 7 JULY
 SQUADRON 223 CALL SIGN HB MSN # 6236 FLT CODE 152

T/O 1203 LAND 1245 TOTAL TIME 14

PILOTS Preston A/C 18 DASC JAKE TIME 1205
NORRIS 24 CONTROLLER JACK TIME 1210
 TYPE CONTROLLER ETAC A
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1240-30</u>	<u>U/C U14L</u> <u>VL</u>	<u>BT 240132</u>	<u>4</u>

TGT TERRAIN FLAT TGT WX 0 VISIBILITY 10+
 REL ANGE 30° PASSES 14 INTERVAL 30 MIN ALT 1300
 ENROUTE ALT 12.5 RETURN ALT 11.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 12D24/4 EXPENDED ALL JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE #1) -
 BDA 90 % 90 % ADDITIONAL 8 blue dots, 2 green
2 secondary fuses

SECONDARY EXPLOSIONS - NUMBER - SIZE -
 UNIT SUPPORTED ARLINS OPERATION - (LEAVE BLANK)
 ENROUTE WX 010+

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) FDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER HART TIME 12 20 DATE 7 July 69
 SQUADRON 223 CALL SIGN A B MSN # 6556 FLT CODE 152/1

T/O 1058 LAND 1203 TOTAL TIME 2.2

PILOTS PALMER A/C 2 DASC TIME
HART 10 CONTROLLER BLK 33 TIME 1110
 TYPE CONTROLLER FAC (A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1120/31</u>	<u>Troops</u>	<u>YC 421 943</u>	<u>2</u>
	<u>TS</u>		
	TS		
	TS		

TGT TERRAIN MTN TGT WX 6.4 ~~5.0~~ VISIBILITY 10
 REL ANGE 20 PASSES 6 INTERVAL 30 sec MIN ALT 1000'
 ENROUTE ALT 18.5 RETURN ALT 17.5 REL ALT 2000' TGT A/SPD 450
 ORDNANCE 4 D24 4 D7 EXPENDED 4 D24 307 JETTISONED 1 D7
 ORDNANCE/RTB UNK D24 (D-20s) DUDS (SEE NOTE # 1)
 BDA 100 % 100 % ADDITIONAL

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 101ST A.B. OPERATION Kentucky Hopper
 ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) KMA REPORTED	YES ☐ NO ☒	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER 069 TIME 1120 DATE 7 JULY 69
 SQUADRON 223 CALL SIGN H220 MSN # 6220 FLT CODE 152

T/O 0948 LAND 1100 TOTAL TIME 2.5

PILOTS A/C
WAREFIELD WP 13
069 WP 16

① DONGHA
 DASH HELI TIME ① 1100 ② 1035
 CONTROLLER MSW-EC TIME ① 1105
 TYPE CONTROLLER EAC(A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
① <u>1112-20</u>	<u>ENEMY POSIT</u> <u>EC</u>	<u>YD 017 396</u>	<u>JL PRPS</u>
② <u>1040-45</u>	<u>" "</u>	<u>BS 578 828</u>	<u>I CORPS</u>

TGT TERRAIN ① MOUNTAINS TGT WX ② 3.0 ① VISIBILITY 10
 REL ANGE 20° PASSES ② 6 INTERVAL 30 SEC MIN ALT 600'
 ENROUTE ALT 20.5 RETURN ALT 21.5 REL ALT 1300' TGT A/SPD 950
 ORDNANCE 402A/409/1004A EXPENDED ALL JETTISONED NONE
 ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) NONE
 BDA ① 75/100 % ADDITIONAL ① NO FURTHER

SECONDARY EXPLOSIONS NONE NUMBER — SIZE —
 UNIT SUPPORTED ③ 2nd REG. REIN. BATT. D. OPERATION Iriguan Grove
 ENROUTE WX ② AMCAL (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) MDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ADOPT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER HART TIME 2010 DATE 7 July
 SQUADRON 223 CALL SIGN HB MSN # 6512 FLT CODE 15211

T/O 1835 LAND 1955 TOTAL TIME 1.3

PILOTS HART A/C 12 DASC TIME
 CONTROLLER VANDERGRIFT TIME 1855
 TYPE CONTROLLER ASRT
 TYPE MISSION TPC

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1904</u>	<u>ENEMY POSIT</u>	<u>XD 897407</u>	<u>Z</u>
	<u>EC</u>		

TGT TERRAIN MTN TGT WK 15000 VISIBILITY 10

REL ANGE front PASSES alt INTERVAL — MIN ALT 15,000

ENROUTE ALT 18.5 RETURN ALT 23.5 REL ALT 15000 TGT A/SPD 290 IND

ORDNANCE 6 D2 EXPENDED 6 D2 JETTISONED —

ORDNANCE/RTB none DUDS (SEE NOTE #1) —

BDA — % — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 1200 3rd M.O. OPERATION UTAH mesa
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) PDA REPORTED	YES ☐ NO ☒	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER STOCKING TIME 2040 DATE 7 July 69
 SQUADRON 223 CALL SIGN HB516 MSN # 6578 FLT CODE 352

T/O 1930 L/D 2035 TOTAL TIME 1.1

PILOTS STOCKING A/C WP-11 DASC TIME
 CONTROLLER UNDDY ASRT TIME 1950
 TYPE CONTROLLER ASRT
 TYPE MISSION TPP

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2009</u>	<u>V.C.</u>	<u>10 025648</u>	<u>#</u>
	<u>TS</u>		

TGT TERRAIN R TGT WX G VISIBILITY 7
 REL ANGE 4 PASSES 1 INTERVAL MIN ALT 14.8
 ENROUTE ALT 16.5 RETURN ALT 17.5 REL ALT 14.8 TGT A/SPD 290
 ORDNANCE 6027 EXPENDED ALL JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE # 1)
 BDA 6027 % ADDITIONAL

SECONDARY EXPLOSIONS 2 NUMBER SIZE
 UNIT SUPPORTED 3rd m.D. OPERATION Virginia Ridge
 ENROUTE WX

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
 RECOVERABLE FUSE DELAY/ARN DELAY

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER GROSE TIME 1700 DATE 8 Jul 69
 SQUADRON 223 CALL SIGN HR264 MSN # 6264 FLT CODE 152/1

T/O 1621 LAND 1650 TOTAL TIME 1.0

PILOTS
BAKER WP A/C
GROSE 21
 DASC 1/8 TIME 1623
 CONTROLLER BILK 14 TIME 1630
 TYPE CONTROLLER FAC(A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1640</u>	<u>Enemy Base Camp</u> <u>BS</u>	<u>BS286985</u>	<u>4</u>

TGT TERRAIN m TGT WX 0 VISIBILITY 10
 REL ANGE 30 PASSES 6 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 10.5 RETURN ALT 9.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 12.52 w/y EXPENDED All JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100 % 50 % ADDITIONAL —

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 101st Airborne OPERATION LAMAR PLAIN
 (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) IFA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOFT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER STOCKING TIME 2020 DATE 8 July 69
 SQUADRON 223 CALL SIGN HP517 MSN # 6517 FLT CODE 3S2

T/O 1903 LAND 2007 TOTAL TIME 1.1

PILOTS STOCKING A/C WP-07 DASC CHULA TIME 1912
 TYPE CONTROLLER ASPT
 TYPE MISSION TRP

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2045</u>	<u>VC</u>	<u>BS467837</u>	<u>4</u>
	<u>TS</u>		

TGT TERRAIN R TGT WX 0 VISIBILITY 7
 REL ANGE + PASSES 1 INTERVAL — MIN ALT 140
 ENROUTE ALT 15.0 RETURN ALT 14.0 REL ALT 14.0 TGT A/SPD 290
 ORDNANCE 6 D24/W EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA Unb % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED Amical OPERATION Geneva Park
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) RMA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER Janus TIME 1630 DATE _____
 SQUADRON 223 CALL SIGN H6241 MSN # 6241 FLT CODE 152

T/O 1510 LAND 1620 TOTAL TIME 2.4

PILOTS Janus A/C WP21 DASC JAKCCH TIME 1515
Stan Tom 16 CONTROLLER JACE 48 TIME 1525
 TYPE CONTROLLER FACIA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1540-53</u>	<u>Engng Boats/Villages</u>	<u>BS 341463</u>	<u>4</u>
	<u>WV</u>		

TGT TERRAIN Div R TGT WX 900 VISIBILITY 10+
 REL ANGE 30° PASSES 7 INTERVAL 75 MIN ALT 2000
 ENROUTE ALT 10.5 RETURN ALT 21.5 REL ALT 3000 TGT A/SPD 45
 ORDNANCE 2 224 EXPENDED all JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA 100 % 50 % ADDITIONAL

2-224 BOATS DESTROYED 12 STRUCTURES DESTROYED
2 STRUCTURES DAMAGED

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED ARVN's OPERATION _____
 ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARN DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Blackman TIME 1400 DATE 8 July
 SQUADRON 223 CALL SIGN HB245 MSN # 6245 FLT CODE 152/

T/O 1430 LAND 1535 TOTAL TIME 2.2

PILOTS FREEMAN A/C WP-15 DASC Dang Ha TIME 1445
Blackman 8 CONTROLLER Barney TIME 1447
 TYPE CONTROLLER EACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1450/06</u>	<u>Enemy Position</u>	<u>YD363372</u>	<u>IRVN</u>
	<u>EC</u>		

TGT TERRAIN Hilly TGT WK 4500 @ VISIBILITY 7+
 REL ANGE 10° PASSES 14 INTERVAL 30 MIN ALT 300'
 ENROUTE ALT 18.5 RETURN ALT 17.5 REL ALT 500 TGT A/SPD 450
 ORDNANCE 802A/409 EXPENDED All JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) 1
 BDA 100 % 90 % ADDITIONAL 1 Bunk 1 Sec Exp
1 Sec FIRE

SECONDARY EXPLOSIONS Yes NUMBER 1 SIZE Med
 UNIT SUPPORTED IRVN OPERATION _____
 (LEAVE BLANK)
 ENROUTE WK 500 @

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOET	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: FRIENDLY Troop very close at 2 o'clock
 (REFERENCE NOTE #3)

with a heavy X wind into troops

NOTE #1: DUD REPORT LOCATION YD363372 REASON Wiring
Napalm - Berke up
 RECOVERABLE No FUSE DELAY/ARN DELAY Inst

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW LIECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

SQUADRON 223 SIG 511 ISN # 651 FLT CODE 352/1

T/O 1830 LAND 1905 TOTAL TIME .6

PILOTS

A/C SIDE NO

Palmer WP1 DASC — TIME —
 COPILOT Chm Lai TIME —
 TYPE COPILOT ASAT
 *TYPE MISSION TPQ

TOT DESCRIPTION OCCURRENCES GATE/COMPS/LBO

1845 none none

TOT TERRAIN — TOT —

REL ANGLE — PASSES — INTERVAL — REL ALT — REL AL —

RECOVER ALT 15.1 REMAIN ALT 14.1 TOT ALTITUDE

ORDNANCE 6 D2 EXPLODED — JETT all DUDS —

BDA none

SECONDARY MISSIONS NUMBER COLOR HEIGHT

UNIT SUBMITTED OPERATION

RECOVER IN BASES TOTS

(A) HOSTILE FIRE YES ☒ NO
 (B) AIRBURST YES ☒ NO
 (C) A/C HIT YES ☒ NO
 (D) RECOVER IN BASE/RETRACT YES ☒ NO
 (E) AIRBURST YES ☒ NO
 (F) ABORT YES ☒ NO
 (G) DIVERT YES ☒ NO
 YES ☒ NO ☒ GIVE REASON BELOW
 YES ☒ NO ☒ GIVE REASON BELOW

REMARKS: CF lost radio, returned to base

REF — TOT — RTE —

DUD GRD RECOVERY LOCATION DELAY

REASON — RECOVERABLE — FUSE —

NOT RECOVERED — TIME — NOT DIRECTED —

DESPATCH TIME DATE
 SQUADRON 223 CALL SIGN 593 MSN NO. 6593 FLT 152
 TO 1302 JAN 1400 TOTAL TIME 3.8

PILOTS A/C
GROSC WP 11 DASC TIME
BURNS 10 CONTROLLER TIME
 TYPE CONTROLLER
 TYPE MISSION

TOT DESCRIPTION COORDINATES PROVINCE

No Drop
 No Drop

TGT TERRAIN TGT WX VISIBILITY
 REL ANGLE PASSES INTERVAL MIN ALT
 ENROUTE ALT 16.5 RETURN ALT 7.5 TGT AIRSPEED
 ORDNANCE/ 402 408 407 EXPENDED JETTISONED
 ORDNANCE/RTB ALL DUDS (SEE NOTE # 1)
 BDA % ADDITIONAL

SECONDARY EXPLCSIONS NUMBER SIZE
 UNIT SUPPORTED OPERATION
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 (B) AIRBURST YES NO FILE FORM WITH BARREL
 (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
 (F) ABOUT YES NO A/C MALFUNCTION/ NO DROP
 (G) DIRERT YES NO GIVE REASON BELOW

REMARKS: No Tgt's
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME RW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER BURNS TIME 1720 DATE 8 July
 SQUADRON 223 CALL SIGN 257 MSN # 6257 FLT CODE 152

T/O 1623 LAND 1702 TOTAL TIME 1.2

PILOTS Newsall A/C 1 DASC DANANG TIME 1625
BURNS 18 CONTROLLER HOST 5 TIME 1625
 TYPE CONTROLLER PAC (A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1630-42</u>	<u>troops in contact</u>	<u>AT 836546</u>	<u>R3</u>
	<u>TS</u>		

TGT TERRAIN FLAT TGT WX 6000 VISIBILITY 10
 REL ANGE 20 PASSES 6 INTERVAL 30 sec MIN ALT 600
 ENROUTE ALT 74.5 RETURN ALT 13.5 REL ALT 1200 TGT A/SPD 450
 ORDNANCE 602/409 EXPENDED ALL JETTISONED ---
 ORDNANCE/RTB --- DUDS (SEE NOTE # 1) ---
 BDA 90 % 90 % ADDITIONAL 1 BUNKER DEST
50 MILES FROM DEST.

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 1st M.D. OPERATION Forsyth Grove
 (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW LINED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Schwartz TIME 1130 DATE 8 July 69
 SQUADRON VA-223 CALL SIGN MANE2 MSN # 6929 FLT CODE 152/1

T/O 1005 LAND 1120 TOTAL TIME 2.6

PILOTS Schwartz A/C 01
Heat 18

DASC DA Wang TIME 1010
 CONTROLLER Wang TIME 1015
 TYPE CONTROLLER ENCA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1035/51</u>	<u>Enemy position</u>	<u>2C198587</u>	<u>I Corps</u>
	<u>EE</u>		

TGT TERRAIN MTNS TGT WK 8.00 VISIBILITY 10 +
 REL ANGE 30° PASSES 8 INTERVAL 3500 MIN ALT 2000'
 ENROUTE ALT 10.5 RETURN ALT 9.5 REL ALT 3600' TGT A/SPD 450
 ORDNANCE 12 D2 w/y EXPENDED 12 JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) 1
 BDA 95 % 95 % ADDITIONAL LINK

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0
 UNIT SUPPORTED 7th MAF OPERATION Forsyth Grove
 ENROUTE WK Same as 7.65 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOFT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS:

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION 2C198587 REASON LINK

RECOVERABLE LINK FUSE DELAY/ARM DELAY 1/4000

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED TIME

NOTE #3: ORDNANCE EFFECTIVENESS TIME

DEBRIEFER WARFIELD TIME 2320 DATE 8
 SQUADRON 223 CALL SIGN H.B.271 MSN # 6271 FLT CODE 332

T/O 2118 LAND 2259 TOTAL TIME 1.7

PILOTS A/C
NEWBILL WP 03 DASC DNB TIME 2125
WARFIELD WP 12 CONTROLLER HOST FOR TIME 2130
 TYPE CONTROLLER FAC(A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2130</u> <u>2245</u>	<u>ENEMY</u> <u>TSI</u>	<u>AT 939405</u>	<u>3</u>

TGT TERRAIN Hilly TGT WX 810 0 VISIBILITY 5
 REL ANGE 100 PASSES 6 INTERVAL 30 MIN ALT 500
 ENROUTE ALT 21.5 RETURN ALT 22.0 REL ALT 1000 TGT A/SED 450
 ORDNANCE 2D9 4100 A EXPENDED SABLE ATTENTIONED ---
 ORDNANCE/RTB --- DUDS (SEE NOTE # 1) ---
 BDA 100% 100% ADDITIONAL ---

SECONDARY EXPLOSIONS --- NUMBER --- SIZE ---

UNIT SUPPORTED 1st Recon OPERATION Pipestone Canyon
 (LEAVE BLANK)

ENROUTE WX 60 0 100 0

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: ---
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION --- REASON ---

RECOVERABLE --- FUSE DELAY/ARM DELAY ---

NOTE #2: ECM ENCOUNTERED --- TIME --- HOW DIRECTED ---

NOTE #3: ORDNANCE EFFECTIVENESS ---

DEBRIEFER WARFIELD TIME 1.1 DATE 8 July 69
 SQUADRON 223 CALL SIGN HBS13 MSN # 6518 FLT CODE 132/1

T/O 1834 LAND 1930 TOTAL TIME 1.1

PILOTS WARFIELD A/C WP 15
 DASC _____ TIME _____
 CONTROLLER ANNOA TIME 1905
 TYPE CONTROLLER ASR
 TYPE MISSION TDR

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1915</u>	<u>Enemy Posit</u> <u>EC</u>	<u>A7977420</u>	<u>3</u>

TGT TERRAIN Level TGT WX 0 VISIBILITY 7
 REL ANGE 2000 PASSES 1 INTERVAL — MIN ALT 13.9
 ENROUTE ALT 20.5 RETURN ALT 15.1 REL ALT 13.9 TGT A/SPD 290
 ORDNANCE 6D2 EXPENDED 6D2 JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 6mb % ADDITIONAL —

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 5TH 15TH MAR OPERATION Pipestone Canyon
 (LEAVE BLANK)

ENROUTE WX 0

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOFT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW LIECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER PEREIRA TIME 2300 DATE 8 July 69
 SQUADRON 223 CALL SIGN H B 273 MSN # 6273 FLT CODE 392/1

T/O 2115 LAND 2239 TOTAL TIME 2.6

PILOTS COSTA A/C WP 01 DASC Da Nang TIME 2125
PEREIRA WP 21 CONTROLLER HOSTAGE PORTIME 2130
 TYPE CONTROLLER FB (A)
 TYPE MISSION CHS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2140/2220</u>	<u>Troops in Contact</u>	<u>AT939399</u>	<u>R D N I</u>
	<u>TS</u>		

TGT TERRAIN MOUNTAINS TGT WK 400 VISIBILITY 5
 REL ANGE 30° PASSES 4 INTERVAL 30 MIN ALT 1000'
 ENROUTE ALT 14.5M' RETURN ALT 13.5M' REL ALT 2000' TGT A/SPD 150
 ORDNANCE 12 D-2MM EXPENDED 6 D-2 JETTISONED —
 ORDNANCE/RTB 6 D-2 DUDS (SEE NOTE # 1) —
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1st RECON OPERATION Pipestone Canyon
 ENROUTE WK 60 D 100 D (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) HMA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW ELLECTED —
 NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER PEREIRA TIME 2057 DATE 8 JULY 69
 SQUADRON 223 CALL SIGN H3515 MSN # 6515 FLT CODE 45211

T/O 1847 LAND 2024 TOTAL TIME 1.6

PILOTS PEREIRA, D.T. A/C WPOY
 DASC _____ TIME _____
 CONTROLLER DUNN TIME 1900
 TYPE CONTROLLER ASST
 TYPE MISSION TAG

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1915</u>	<u>Suspected Bunker</u>	<u>AT 979423</u>	<u>ROB</u>
	<u>Complex BF</u>		

TGT TERRAIN R TGT WX 0 VISIBILITY 7
 REL ANGE 0 PASSES 1 INTERVAL 0 MIN ALT 141
 ENROUTE ALT 18.5 RETURN ALT 20.5 REL ALT 13.5 TGT A/SPD 290 KTS
 ORDNANCE 6 D-2 W/Y EXPENDED ALL JETTISONED _____
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 51ST MAWID OPERATION Pipestone Canyon
 ENROUTE WX 2000D (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW EFFECTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER CRANE TIME 2140 DATE 8 JULY
 SQUADRON 223 CALL SIGN H6 DTS MSN # 6579 FLT CODE 352/1

T/O 1958 LAND 2108 TOTAL TIME 1.2

PILOTS CRANE A/C WP 18

DASG _____ TIME _____
 CONTROLLER AWH2A TIME 2018
 TYPE CONTROLLER ASR2
 TYPE MISSION TPN

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2040</u>	<u>ASSEMBLY AREA</u> <u>EC</u>	<u>A 977 924</u>	<u>RTBI</u>

TGT TERRAIN R TGT WX 150 000 VISIBILITY 10+
 REL ANGE 0 PASSES 1 INTERVAL MIN ALT 14.0
 ENROUTE ALT 14.5 RETURN ALT 20.5 REL ALT 14.0 TGT A/SPD 240
 ORDNANCE 6 D2W/4 EXPENDED A2L JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE # 1)
 BDA CRANE % ADDITIONAL

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 5TH M. O. OPERATION Pipestone Canyon
 ENROUTE WX 140 00 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER COSTA TIME 1235 DATE 8 July 69
 SQUADRON 283 CALL SIGN HB283 DISN # 6333 FLT CODE 152/1

T/O 1150 LAND 1227 TOTAL TIME 1.2

PILOTS Costa A/C WP. 3 DASC Helix TIME 1155
Oppenhuizen WP. 12 CONTROLLER Helix TIME 1100
 TYPE CONTROLLER PACR
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1203-11</u>	<u>Troops in contact</u>	<u>135666401</u>	<u>ETN/1</u>
	<u>TS</u>		

TGT TERRAIN rolling TGT WX 0 VISIBILITY 7
 REL ANGE 20 PASSES 6 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 12.5 RETURN ALT 8.5 REL ALT 1300 TGT A/SPD 480
 ORDNANCE 809 EXPENDED all JETTISONED none
 ORDNANCE/RTB none DUDS (SEE NOTE # 1) none
 BDA 100 % 80 % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED Americal OPERATION Geneva Park
 (LEAVE BLANK)
 ENROUTE WX 10

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) PECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒	NO	IF ADDITIONAL CIRCLE
(F) ABOET	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER REED TIME 1710 DATE 9 JUL 69
 SQUADRON 223 CALL SIGN 249 MSN # 6249 FLT CODE 152/1

T/O 1540 LAND 1650 TOTAL TIME 1.2

PILOTS REED A/C WP24 DASC HELIX TIME 1615
 CONTROLLER HELIX TIME 1630
 TYPE CONTROLLER FAC(A)
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1625/33</u>	<u>TRPS IN TREES</u>	<u>BT 109277</u>	<u>4</u>
	<u>TS</u>		

TGT TERRAIN MTN TGT WX CleO VISIBILITY 20
 REL ANGE 30° PASSES 12 INTERVAL 30 Sec MIN ALT 1500
 ENROUTE ALT 16.5 RETURN ALT 9.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 6 D2 w/4 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 90 % 80 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED AMERICAN OPERATION — (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: H3249 HEAD WENT DOWN - 2 JOINED
 (REFERENCE NOTE #3)

H3593 (BARRING)
non-report

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER McCarthy TIME 0835 DATE 8 July 69
 SQUADRON 223 CALL SIGN HellBorne # 6219 FLT CODE 151

T/O 0730 LAND 0820 TOTAL TIME 1.6

PILOTS A/C
Heise WP06
McCarthy WP17
 DASC TIME
 CONTROLLER Helix 26 TIME 0735
 TYPE CONTROLLER FAC (A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0750-0805</u>	<u>Active signal position</u>	<u>BT 328037</u>	<u>4</u>
	<u>AA</u>		

TGT TERRAIN Hilly TGT WX 0 VISIBILITY 15+
 REL ANGE 30° PASSES 13 INTERVAL 30° MIN ALT 500
 ENROUTE ALT 10.5 RETURN ALT Descending REL ALT 3000 TGT A/SPD 450
 ORDNANCE 4D-7 4D-24 EXPENDED 4D-7 2D24 JETTISONED -
 ORDNANCE/RTB 2D24 DUDS (SEE NOTE #1) None
 BDA 100 % 50 % ADDITIONAL

SECONDARY EXPLOSIONS - NUMBER - SIZE -
 UNIT SUPPORTED Americal OPERATION -
 ENROUTE WK 01-0 15+ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOFT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARN DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW ELIMINATED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER CRANE TIME 1055 DATE 8 JUL 69
 SQUADRON 223 CALL SIGN H0023 MSN # 6023 FLT CODE 152/1

T/O 0953 LAND 1043 TOTAL TIME 1.6

PILOTS LAWSERH WP A/C 16 DASC BILK TIME 0958
CRANE 21 CONTROLLER BILK 23 TIME 1002
 TYPE CONTROLLER FAC (A)
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1005/20</u>	<u>EN ASSEMBLY AREA</u>	<u>2C040955</u>	<u>BR/I/IT</u>
	<u>EC</u>		

TGT TERRAIN HILLY TGT WK 0 VISIBILITY 10+
 REL ANGE 30 PASSES 8 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 16.5 RETURN ALT 13.5 REL ALT 3300 TGT A/SPD 450
 ORDNANCE 12 D20 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100% 80% ADDITIONAL —
1 STRAIGHT DEST 1 sec fire
2 BUNKERS DEST

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 101ST ABN OPERATION Kentucky Jumper
 ENROUTE WK 0 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	<u>YES</u>	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARN DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW ELLECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER _____ TIME _____ DATE _____
 SQUADRON 223 CALL SIGN 217 MSN # 6217 FLT CODE 14

T/O 0645 LAND 0732 TOTAL TIME .8

PILOTS Palmer A/C 7 DASC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION Test

TOT DESCRIPTION COORDINATES PROVIDENCE

_____ Test _____

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____

REL ANGE _____ PASSES _____ INTERVAL _____ MIN ALT _____

ENROUTE ALT _____ RETURN ALT _____ REL ALT _____ TGT A/SPD _____

ORDNANCE _____ EXPENDED _____ JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____

ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ADOPT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Blackman TIME 1900 DATE 8 July 1969
 SQUADRON 223 CALL SIGN HB265 MSN # 6265 FLT CODE 152

T/O 1750 LAND 1840 TOTAL TIME 1.6

PILOTS FREEDMAN A/C WP-6 DASC Helix TIME 1755
Blackman 17 CONTROLLER BTR 16 TIME 1800
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1805/20</u>	<u>Troops in Contact</u>	<u>B5039998</u>	<u>HRVN</u>
	<u>TS</u>		

TGT TERRAIN MAUS TGT WK 8.00 VISIBILITY 10
 REL ANGE 30 PASSES 10 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 8.5 RETURN ALT 7.5 REL ALT 3300 TGT A/SPD 450
 ORDNANCE 4024/407 EXPENDED ALL JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE # 1) -
 BDA 100 % 30 % ADDITIONAL -

SECONDARY EXPLOSIONS - NUMBER - SIZE -
 UNIT SUPPORTED 101 AB OPERATION LAMAR PLAIN
 (LEAVE BLANK)
 ENROUTE WK -

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH RAI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -
 RECOVERABLE - FUSE DELAY/ARM DELAY -
 NOTE #2: ECM ENCOUNTERED - TIME - HOW ELIMINATED -

NOTE #3: ORDNANCE EFFECTIVENESS -

DEBRIEFER Schwamiger TIME 0800 DATE 8 June 69
 SQUADRON 441-223 CALL SIGN 43585 MSN # 16585 FLT CODE 15211

T/O 0705 LAND 0755 TOTAL TIME 1.6

PILOTS Schwamiger A/C 18 DASC Heli TIME 0710
+hart 01 CONTROLLER ALK-18 TIME 0715
 TYPE CONTROLLER FACIA
 TYPE MISSION CAS

TOT 0723-0735 DESCRIPTION enemy position COORDINATES AS237965 PROVIDENCE Thurs
EC

TGT TERRAIN MTNS TGT WX 800 VISIBILITY 10+
 REL ANGE 20° PASSES 8 INTERVAL 3500 MIN ALT 600
 ENROUTE ALT 8.5 RETURN ALT 9.5 REL ALT 1250 TGT A/SPD 450
 ORDNANCE 8 D2A/4D9 EXPENDED all JETTISONED all
 ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) (1)
 BDA 100 % % ADDITIONAL UNK

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED AMOIST AB OPERATION Lamar PLAIN
 ENROUTE WX Same as TGT (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOET	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION AS237965 REASON UNK
 RECOVERABLE UNK FUSE DELAY/ARN DELAY 1/12 sec

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER SMOEL TIME 2000 DATE 8 JUL 69
 SQUADRON 223 CALL SIGN H8 269 MSN # 6269 FLT CODE 151

T/O 1815 LAND 1930 TOTAL TIME 2.6

PILOTS SMOEL A/C WSP-8 DASC DWU-10 TIME 1830
REED WSP-16 CONTROLLER BARRETT TIME 1832
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1935-1841</u>	<u>TICONS</u>	<u>40361384</u>	<u>1</u>
	<u>TS</u>		

TGT TERRAIN EVL TGT WX 200 VISIBILITY 10+
 REL ANGE 70° PASSES 2 INTERVAL NA MIN ALT 0700
 ENROUTE ALT 245 RETURN ALT 19.5 REL ALT 1300 TGT A/SPD 470
 ORDNANCE 802A/409 EXPENDED 402A/209 JETTISONED 402A/209
 ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) 0
 BDA 100 % 90 % ADDITIONAL 1505 FIDE

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0
 UNIT SUPPORTED ARVN OPERATION —
 ENROUTE WX 1200 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOET	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: #2 A/C EXP RADIO FAILURE INTGT AREA
 (REFERENCE NOTE #3)

DID NOT DROP.

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DELIVER Blackman TIME 0930 DATE 9 July
 SQUADRON 223 CALL SIGN MAN 21 MSN # 0908 FLT CODE 152
 TO 0830 LAND 0930 TOTAL TIME 2.0
 PILOTS BARNES A/C WP 21
Blackman 3
 DASC DANANG TIME 0835
 CONTROLLER Hostage L TIME 0840
 TYPE CONTROLLER FACP
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0845/08</u>	<u>ENEMY Position</u>	<u>AT803555</u>	<u>IRVN</u>
	<u>Troops in Contact</u>		<u>3</u>
	<u>TS</u>		

TGT TERRAIN Flat TGT WX 0 VISIBILITY 10
 REL ANGE 30 PASSES 8 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 8.5 RETURN ALT 2.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 1A D2W/y EXPENDED ALL JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE #1) -
 BDA 90 % 100 % ADDITIONAL 3 structure destroyed
3 street DAMAGED, 1 Bunker dest
1 KBAC

SECONDARY EXPLOSIONS No NUMBER - SIZE -
 UNIT SUPPORTED 7th Mar Div OPERATION Forsyth Grove
 (LEAVE BLANK)
 ENROUTE WX -

(A) HOSTILE FIRE	YES	☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☐ NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	☐ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES	☐ NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	☐ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	☐ NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARN DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Stanton TIME 0005 DATE 9 Jul 69
 SQUADRON 233 CALL SIGN H B 277 MSN # 6277 FLT CODE 452/1

T/O 2229 LAND 2352 TOTAL TIME 2.7

PILOTS STANTON A/O W P 8 DASC Dawson TIME 2233
GROSE 10 CONTROLLER CHU LA TIME 2310
 TYPE CONTROLLER WASRT
 TYPE MISSION TRP

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2320</u>	<u>Rocket Position</u>	<u>B5450998</u>	<u>4</u>
	<u>EL</u>		

TGT TERRAIN R TGT WX 150 @ VISIBILITY 7
 REL ANGE Level PASSES 1 INTERVAL — MIN ALT 14.1
 ENROUTE ALT 18.5 RETURN ALT 21.5 REL ALT 14.1 TGT A/SPD 290
 ORDNANCE 12 D2 WY EXPENDED 12 D2 WY JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA — 4mb % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED Americal OPERATION GENEVA PARK
 (LEAVE BLANK)
 ENROUTE WX Thunderstorms

(A) HOSTILE FIRE	YES	☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☒ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☒ NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	☒ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	☒ NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	☒ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	☒ NO	GIVE REASON BELOW

REMARKS: Divert by Dawson Dase
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER Blackman TIME 1230 DATE 9 July
 SQUADRON 223 CALL SIGN HB454 MSN # 6454 FLT CODE 152

T/O 1005 LAND 1200 TOTAL TIME 2.8

PILOTS BARNES A/C WIP 7 DASC VANDY TIME 1110
Blackman 18 CONTROLLER SW 78-8 TIME 1115
 TYPE CONTROLLER FAA
 TYPE MISSION DPS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1120/40</u>	<u>ENEMY PERSONNEL CARRIERS</u> <u>PA (Water Buffalo)</u>	<u>XD 673613</u>	<u>TRVN</u>

TGT TERRAIN MTNS TGT WK 300 VISIBILITY 5

REL ANGE 20° PASSES 6 INTERVAL 30 MIN ALT 600

ENROUTE ALT 20.5 RETURN ALT 19.5 REL ALT 1300 TGT A/SPD 450

ORDNANCE 802A/409 EXPENDED ALL JETTISONED

ORDNANCE/RTB DUDS (SEE NOTE # 1)

BDA 100 % 100 % ADDITIONAL 8 ~~WIP~~ PERSONNEL CARRIERS

1 sec fire

SECONDARY EXPLOSIONS yes NUMBER 1 SIZE LARGE

UNIT SUPPORTED 3rd MARINES OPERATION Herbumer RT

(LEAVE BLANK)

ENROUTE WK 1-0

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) EDA REPORTED	☒ YES ☐ NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES ☐ NO ☒	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON

RECOVERABLE FUSE DELAY/ARN DELAY

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER GNA220 TIME 15211 DATE 9 July 69SQUADRON 223 CALL SIGN HB510 MSN # 6570 FLT CODE 15211T/O 1812 LAND 1915 TOTAL TIME 1.0PILOTS
GNA220, R W3-11DASC Vandy DSKT TIME 1845
CONTROLLER A 19 TIME 1848
TYPE CONTROLLER FSRT
TYPE MISSION TPR

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1848</u>	<u>Crummy Location</u>	<u>XD 883207</u>	<u>ZYN I/I</u>
	<u>EC</u>		

TGT TERRAIN mountainous TGT WX 0 VISIBILITY 10+

REL ANGE Lead PASSES 1 INTERVAL — MIN ALT 20.5

ENROUTE ALT 20.5 RETURN ALT 19.5 REL ALT 20.5 TGT A/SPD 290

ORDNANCE 6 D2 wly EXPENDED all JETTISONED —

ORDNANCE/RTB — DUDS (SEE NOTE #1) —

BDA 44% % ADDITIONAL —

SECONDARY EXPLOSIONS 9 NUMBER 10 SIZE —

UNIT SUPPORTED 9th MZed M. P. OPERATION Arlington Canyon

ENROUTE WX 12.0 10 CBU's in West (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARRREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARRREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) FUA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW ELIECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER 049 TIME 1000 DATE 9-JULY-69
 SQUADRON 223 CALL SIGN B574 MSN # 6574 FLT CODE 152/1

T/O 0835 LAND 0935 TOTAL TIME 2.0

PILOTS A/C
049 WP10
STANTON WP8

DASC HELIX TIME 0845
 CONTROLLER HELIX 23 TIME 0846
 TYPE CONTROLLER FAC/A
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0700-15</u>	<u>FORTIFIED VILLE</u>	<u>BS 771 838</u>	<u>IC 4115</u>
	<u>VL</u>		

TGT TERRAIN FLAT TGT WX 0 VISIBILITY 30
 REL ANGE 30° PASSES 12 INTERVAL 30 SEC MIN ALT 1500
 ENROUTE ALT 8.0 RETURN ALT 5.0 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 12 02W/1 EXPENDED ALL JETTISONED NONE
 ORDNANCE/RTB NONE DUDS (SEE NOTE # 1)
 BDA 100 % 75 % ADDITIONAL 12 STRUCTURES Dest

SECONDARY EXPLOSIONS KIDNE NUMBER SIZE
 UNIT SUPPORTED AMCOC OPERATION Geneva Park
 ENROUTE WX 0 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☐ NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	☐ NO	CIRCLE ONE/COORD
(E) EDA REPORTED	☒ YES	☐ NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	☐ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	☐ NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER CRANE TIME 2120 DATE 9 Jul
 SQUADRON 223 CALL SIGN HB516 MSN # 6576 FLT CODE 382/1

T/O 2000 LAND 2110 TOTAL TIME 1.2

PILOTS CRANE A/C WP16

DASC Chin Lai TIME 2010
 CONTROLLER Chin Lai TIME 2010
 TYPE CONTROLLER ASRT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2015</u>	<u>RKT SITE</u>	<u>BS 455928</u>	<u>106/11</u>

TGT TERRAIN R TGT WK 0 VISIBILITY 10
 REL ANGE 0 PASSES 1 INTERVAL MIN ALT 14.0
 ENROUTE ALT 15.1 RETURN ALT 20.5 REL ALT 14.0 TGT A/SPD 400
 ORDNANCE 6 02 W4 EXPENDED ALL JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE # 1)
 BDA Unk % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED American OPERATION Geneva Park
 ENROUTE WX 0 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) EDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOET	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON

RECOVERABLE FUSE DELAY/ARN DELAY

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER _____ TIME _____ DATE _____
 SQUADRON 223 CALL SIGN 598 MSN # 6598 FLT CODE 152
 T/O 1650 LAND 1745 TOTAL TIME 1.8
 PILOTS _____ A/C _____ DASC Vine TIME _____
Stacking WP 07 CONTROLLER BJL 35 TIME 1710
Grise 18 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT 1715 DESCRIPTION COORDINATES PROVIDEN
1715/22 Troops in open YC 355 795 2
TS

TGT TERRAIN M TGT WX 6.0 @ VISIBILITY 10
 REL ANGE 30 PASSES 6 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 18.5 RETURN ALT 15.5 REL ALT 3000 TGT A/S 450
 ORDNANCE 402 407 408 EXPENDED ALL JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
 BDA 100 % 100 % ADDITIONAL 1 Sec Tris
4 Bunkers Dest

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 101ST AB OPERATION Montgomery Road
 ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WIT
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DR
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Flight Leader Decision on O-8's
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW ELLECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS EFFECTIVE

DEBRIEFER BAKER TIME 2145 DATE 9 July 69
 SQUADRON 223 CALL SIGN 14B MSN # 6518 FLT CODE 382

T/O 2027 LAND 2129 TOTAL TIME 1.0

PILOTS

A/C

BAKER WP-1

DASC NA TIME 2035
 CONTROLLER Birmingham
 TYPE CONTROLLER ASST
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2045</u>	<u>Envy LCL</u>	<u>2C 136927</u>	<u>2</u>
	<u>EC</u>		

V
 TGT TERRAIN R TGT WK -0 VISIBILITY 10+
 REL ANGE 6000 PASSES 1 INTERVAL — MIN ALT 20.8
 ENROUTE ALT 20.5 RETURN ALT 21.5 REL ALT 20,800 TGT A/SPD 210
 ORDNANCE 6 DZ DC EXPENDED ALL JETTISONED —
 ORDNANCE/RTB None DUDS (SEE NOTE # 1) —
 BDA UNK % — % ADDITIONAL —

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 101ST A.B. OPERATION Montgomery Land
 (LEAVE BLANK)

ENROUTE WK _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER FXN TIME 2200 DATE 9 JUL 68
 SQUADRON 223 CALL SIGN HB MSN # 6520 FLT CODE 352

T/O 2050 LAND 2135 TOTAL TIME 8

PILOTS MORRIS A/C 04 DASC TIME
 CONTROLLER BW/H A-1 TIME 2415
 TYPE CONTROLLER ASRT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2115</u>	<u>KNOWN SITE</u>	<u>2C 153909</u>	<u>2</u>
	<u>EC</u>		

TGT TERRAIN R TGT WX 0 VISIBILITY 10+
 REL ANGE 4000 PASSES 1 INTERVAL — MIN ALT 20.5
 ENROUTE ALT 20.5 RETURN ALT 19.5 REL ALT 20.5 TGT A/SPD 270
 ORDNANCE 6 D2W/4 DC EXPENDED ALL JETTISONED —
 ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) —
 BDA hrb % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 101st A/B OPERATION Montgomery Road
 ENROUTE WX 010+ Scattered Thunder LEAVE BLANK

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW ELLECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER Oppenhuizen TIME 1830 DATE 9 July 69
 SQUADRON 223 CALL SIGN H2576 MSN # 6576 FLT CODE 15211

T/O 1726 LAND 1821 TOTAL TIME 1.9

PILOTS McMabill A/C WIP 13 DASC 1211K TIME 1740
Oppenhuizen 06 CONTROLLER WIP 28 TIME 1745
 TYPE CONTROLLER FAC
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
1751-1757	DKRS	YL 355994	REDA I
	BL		

TGT TERRAIN hilly TGT WK 200 VISIBILITY 6
 REL ANGE 30 PASSES 7 INTERVAL 30 MIN ALT 1300
 ENROUTE ALT 16.5 RETURN ALT 21.5 REL ALT 2000 TOT A/SPD 450
 ORDNANCE 403 (DC) 202 (DC) EXPENDED all JETTISONED none
 ORDNANCE/RTB none DUDS (SEE NOTE # 1) 14 BRK 5 DNT 1 SEC EXPL
 BDA 100 % 100 % ADDITIONAL 14 BRK 5 DNT 1 SEC EXPL

SECONDARY EXPLOSIONS - NUMBER 1 SIZE small
 UNIT SUPPORTED 31d 101st A.B. OPERATION Montgomery Bend
 ENROUTE WK 1000 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) RMA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOET	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER McCarthy TIME 1550 DATE 9 JULY 69
 SQUADRON 223 CALL SIGN Hell Boats SN # 6016 FLT CODE 151

T/O 1451 LAND 1534 TOTAL TIME 1.4

PILOTS Stanton A/C WL 01 DASC TIME
McCarthy 04 CONTROLLER Helix 22 TIME 1505
 TYPE CONTROLLER FACA
 TYPE MISSION OAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1505/1515</u>	<u>Fortified Village</u>	<u>BS 771839</u>	<u>4</u>
	<u>✓</u>		

TGT TERRAIN Flat TGT WX 0 VISIBILITY 20+
 REL ANGE 30 PASSES 10 INTERVAL 30 MIN ALT 1500'
 ENROUTE ALT 905 RETURN ALT Descending REL ALT 3000 TGT A/SPD 450 KTS
 ORDNANCE 12 D2W4 EXPENDED 6 D2W4 JETTISONED —
 ORDNANCE/RTB 6 D2W4 DUDS (SEE NOTE # 1) —
 BDA 100 % 20 % ADDITIONAL 3 Structures Destroyed
2 Damaged

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED American OPERATION Russell Beach
 ENROUTE WX 0 20+ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW ELIMINATED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER FRN TIME 1632 DATE 9 JUL 64
 SQUADRON 223 CALL SIGN HB MSN # 6462 FLT CODE 152

T/O 1345 LAND 1408 TOTAL TIME 4.8

PILOTS 112213 A/C 12 DASC TIME
066 2 CONTROLLER HELIX 03 TIME 1540
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1545/53</u>	<u>O/C</u>	<u>39 11 25</u>	<u>4</u>
	<u>BL</u>		

TGT TERRAIN FT TGT WX 0 VISIBILITY 10T
 REL ANGE 300 PASSES 4 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 18.5 RETURN ALT 25.5 REL ALT 1500 TGT A/SPD 450
 ORDNANCE 202A429 EXPENDED ALL JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE # 1)
 BDA 100 % 40 % ADDITIONAL 110000 Out

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED AIRCAL OPERATION Russell Beach
 (LEAVE BLANK)
 ENROUTE WX 010T

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARRREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARRREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	<u>YES</u>	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Diverted From CAUSE TO 31-12. No
 (REFERENCE NOTE #3)

WORK due to being fuel. Got back due to
was home.

NOTE #1: DUD REPORT LOCATION REASON
 RECOVERABLE FUSE DELAY/ARM DELAY

NOTE #2: ECM ENCOUNTERED TIME HOW LITECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER BURNS TIME 1745 DATE 9 July
 SQUADRON 223 CALL SIGN 020 MSN # 6020 FLT CODE 152

T/O 1653 LAND 1730 TOTAL TIME 1.2

PILOTS A/C
LT COL WAGFIELD 10
BURNS 17
 DASC WELIX TIME 1650
 CONTROLLER WOLIX TIME 1700
 TYPE CONTROLLER EACLAS
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1705-13</u>	<u>VILLE</u> <u>VL</u>	<u>BS772836</u>	<u>PHN I</u>

TGT TERRAIN FLAT TGT WX 9.0 00 VISIBILITY 10
 REL ANGE 30° PASSES 6 INTERVAL 3060 MIN ALT 2000
 ENROUTE ALT 11.5 RETURN ALT 8.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 1202 w/y EXPENDED ALL JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1)
 BDA 90% 50% ADDITIONAL 15mm DUST
2 TUNNELS OPENED

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED AMEICAL OPERATION Russel Beach
 (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARE
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOFT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Oppenhuizen TIME 1D30 DATE 9 June 69
 SQUADRON VMA222 CALL SIGN H12012 MSN # 6012 FLT CODE 15211

T/O 0916 LAND 1003 TOTAL TIME 1.6

PILOTS Kassers A/C WP81 DASC DD TIME 25
Oppenhuizen 06 CONTROLLER Kimchi 2 TIME 20
 TYPE CONTROLLER EACA
 TYPE MISSION CA5

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1028-45</u>	<u>Triceline</u>	<u>BT 079510</u>	<u>RVN/7</u>
	<u>EC</u>		<u>3</u>

TGT TERRAIN Flat TGT WX 0 VISIBILITY 7
 REL ANGE 30 PASSES 7 INTERVAL 30 MIN ALT 1300
 ENROUTE ALT 16.5 RETURN ALT 19.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 1202 WY EXPENDED all JETTISONED none
 ORDNANCE/RTB none DUDS (SEE NOTE #1) —
 BDA 90 % 90 % ADDITIONAL 100 m. Triceline

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 2nd Brig. CORMC TERRATION Victory Dragon
 ENROUTE WX 0 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) EDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER FISCHER TIME 1300 DATE 9 JUL
 SQUADRON 223 CALL SIGN NAN MSN # 6022 FLT CODE 182

T/O 1137 LAND 1238 TOTAL TIME 2.1

PILOTS SCHELL A/C WP 24 DASC RICK TIME 1245
FISCHER 13 CONTROLLER RICK 23 TIME 1247
 TYPE CONTROLLER FAC(A)
 TYPE MISSION AS LSP

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1150-1200</u>	<u>LSP</u> <u>UN</u>	<u>2C147925</u>	<u>2</u>

TGT TERRAIN Mountain TGT WK 0 VISIBILITY 1AT
 REL ANGE 30° PASSES 6 INTERVAL 30 sec MIN ALT 1500
 ENROUTE ALT 14.5 RETURN ALT 200 REL ALT 3000 TGT A/SPD 750
 ORDNANCE 4034(DC) 4024(DC) EXPENDED ALL JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE # 1) -
 BDA 100 % 80 % ADDITIONAL -

SECONDARY EXPLOSIONS No NUMBER - SIZE -

UNIT SUPPORTED 2ND BGD / 101ST ABN OPERATION Kentucky Jumper
 (LEAVE BLANK)

ENROUTE WK -

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) DDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOFT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: -

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -

RECOVERABLE - FUSE DELAY/ARM DELAY -

NOTE #2: ECM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -

DEBRIEFER GN220 TIME 0905 DATE 9 July 69
 SQUADRON 223 CALL SIGN HB572 MSN # 4572 FLT CODE 15211

T/O 0805 LAND 0851 TOTAL TIME 1.5

PILOTS
Porter
GN220

W-4/C
 W-15

DASC Bike and TIME 0815
 CONTROLLER Bike 29 TIME 0815
 TYPE CONTROLLER FAC (A)
 TYPE MISSION L2P

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0820-30</u>	<u>L2P Thins</u>	<u>20155876</u>	<u>2VN11/2</u>
	<u>UN</u>		<u>2</u>

TGT TERRAIN mount TGT WX 14.0 @ VISIBILITY 10+
 REL ANGE 30° PASSES 8 INTERVAL 30 MIN ALT 3.0
 ENROUTE ALT 16.5 RETURN ALT 13.5 REL ALT 5.0 TGT A/SPD 450
 ORDNANCE 4 D34 4 D24 EXPENDED 3/03 4/02 JETTISONED 1
 ORDNANCE/RTB 1 D34 DUDS (SEE NOTE # 1) 1
 BDA 100 % 50 % ADDITIONAL

SECONDARY EXPLOSIONS No NUMBER = SIZE -
 UNIT SUPPORTED 2nd B, 101 AB OPERATION Kentucky Jumper
 ENROUTE WX 14.0 @ 10+ (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) FOA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABOBT	YES ☐ NO ☒	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW ELIMATED _____

NOTE #3: ORDNANCE EFFECTIVENESS

Terrible jungle was so thick even
1000 ft ers didn't do a bit of good
DIC should not have been used. X laser would have been

DEBRIEFER FISCHER TIME 0935 DATE 9 JUL
 SQUADRON 223 CALL SIGN HBN MSN # 6450 FLT CODE 154

T/O 0740 LAND 0920 TOTAL TIME 3.4

PILOTS LAWSH A/C WP 12 DASC DN TIME 0825
FISCHER Y CONTROLLER BACKY 19 TIME 1730
 TYPE CONTROLLER FAC (A)
 TYPE MISSION SAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0840-50</u>	<u>ENEMY RUINE</u>	<u>YD329408</u>	<u>1</u>
	<u>EC</u>		

TOT TERRAIN HILLY TGT WX 0 VISIBILITY 10+
 REL ANGE 20° PASSES 7 INTERVAL 30 sec MIN ALT 600
 ENROUTE ALT 205 RETURN ALT 155 REL ALT 1250 TGT A/SPD 450
 ORDNANCE 8D2A 1409 EXPENDED 2D2A 1409 JETTISONED -
 ORDNANCE/RTB 1D2A DUDS (SEE NOTE # 1) -
 BDA 95 % 90 % ADDITIONAL -

SECONDARY EXPLOSIONS No NUMBER - SIZE -
 UNIT SUPPORTED ARVN OPERATION -
 ENROUTE WX - (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) EDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -
 RECOVERABLE - FUSE DELAY/ARN DELAY -

NOTE #2: ECM ENCOUNTERED - TIME - HOW LIECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -

DEBRIEFER Pereira TIME 1945 DATE 9 July 69
 SQUADRON 223 CALL SIGN H8018 MSN # 6018 FLT CODE 152/1

T/O 1858 LAND 1930 TOTAL TIME 1.0

PILOTS A/C
Schwaminger 03
Pereira 21

DASC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION NO DROP

TOT DESCRIPTION COORDINATES PROVIDENCE

NO DROP

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____

REL ANGE _____ PASSES _____ INTERVAL _____ MIN ALT _____

ENROUTE ALT 14.2 RETURN ALT 15.5 REL ALT _____ TGT A/SPD _____

ORDNANCE 8 032 EXPENDED _____ JETTISONED ALL

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA _____ % _____ % ADDITIONAL _____

NO DROP

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____

ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) EDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	<u>YES</u>	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: ABORT BY JOY RIDE No Iqts
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Schwanger TIME 1400 DATE 9 July 69
 SQUADRON VMA-223 CALL SIGN MAN-24 MSN # 10948 FLT CODE 152/3

T/O 1243 LAND 1341 TOTAL TIME 2.0

PILOTS Schwanger A/C 11
Palmer 15
 DASC Hillsboro TIME 1255
 CONTROLLER NAV-15 TIME 1300
 TYPE CONTROLLER FAC (AJ)
 TYPE MISSION DAS S.T.

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1310/1313</u>	<u>Storage Area</u>	<u>XD832015</u>	<u>CAOS</u>
	<u>SP</u>	<u>1617 10643</u>	<u>F</u>

TGT TERRAIN mtns TGT WK 2.00 VISIBILITY 10 T
 REL ANGE 45° PASSES 2 INTERVAL 305m MIN ALT 5000'
 ENROUTE ALT 20.5 RETURN ALT 23.5 REL ALT 8000 TGT A/SPD 450
 ORDNANCE 12 D2 w/y EXPENDED all JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) 0
 BDA 100% 100% ADDITIONAL 1 small sec fire

SECONDARY EXPLOSIONS No NUMBER 1 SIZE Small
 UNIT SUPPORTED 7th A.F. OPERATION (LEAVE BLANK)
 ENROUTE WK Same as TGT

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BUA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

MCL 1500 Underwood

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW ELIMINATED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEPARTURE Mel TIME 1425 DATE 9 July 69
 SQUADRON 223 CALL SIGN M25 MSN # 0952 FLT CODE 152/3

T/O 1300 LAND 1400 TOTAL TIME 2.0

PILOTS Regers A/C WP 03 DASC Hillsboro TIME 1315
Burns 21 CONTROLLER NAIL 15 TIME 1320
 TYPE CONTROLLER TACA
 TYPE MISSION ST

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1338-22</u>	<u>T. P.</u>	<u>4C052964</u>	<u>F</u>
	<u>TP</u>	<u>161410655</u>	

TGT TERRAIN R TGT WX 0 VISIBILITY 9+
 REL ANGE 45° PASSES 2 INTERVAL 30 MIN ALT 300
 ENROUTE ALT 20.5 RETURN ALT 21.5 REL ALT 5.2 TGT A/E 450
 ORDNANCE 12 02-14 EXPENDED AU JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE #1) -
 BDA 1.50 % 44 A/E 100% ADDITIONAL none further

SECONDARY EXPLOSIONS - NUMBER - SIZE -
 UNIT SUPPORTED 7th AF OPERATION - (LEAVE BLANK)
 ENROUTE WX -

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOET	YES	NO	A/C MALFUNCTION/NO DATA
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: -

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -
 RECOVERABLE - FUSE DELAY/ARM DELAY -

NOTE #2: ECM ENCOUNTERED - TIME - HOW ELLECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -

DEBRIEFER GROSE TIME 1145 DATE 9 July 68
 SQUADRON 223 CALL SIGN MN 22 MSN # 0928 FLT CODE 182/3

T/O 1020 LAND 1130 TOTAL TIME 2.4

PILOTS Baker WP A/O 16 DASC H.11/56070 TIME 1030
GROSE 17 CONTROLLER NAIL 03 TIME 1040
 TYPE CONTROLLER TACA
 TYPE MISSION ST

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1044/50</u>	<u>BRIDGE</u>	<u>YC 013978</u>	<u>LAOS</u>
	<u>BR</u>	<u>1614 10653</u>	<u>F</u>

TGT TERRAIN F TGT WX 200 VISIBILITY 10

REL ANGE 30 PASSES 6 INTERVAL 30 SEC MIN ALT 1500

ENROUTE ALT 18.5 RETURN ALT 19.5 REL ALT 3000 TGT A/SPD 450

ORDNANCE 1202 w/ EXPENDED 111 JETTISONED -

ORDNANCE/RTB - DUDS (SEE NOTE # 1) -

BDA 100 % % ADDITIONAL 1 BRIDGE Damaged

SECONDARY EXPLOSIONS do NUMBER - SIZE -

UNIT SUPPORTED 7th A.F. OPERATION -
 (LEAVE BLANK)

ENROUTE WX -

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) DDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOFT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

MCL 1225 underwood

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -

RECOVERABLE - FUSE DELAY/ARM DELAY -

NOTE #2: ECM ENCOUNTERED - TIME - HOW EFFECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -

USER/REF ID _____ TIME _____ DATE _____
 SQUADRON 223 CALL SIGN 596 MSN # 6596 FLT CODE 152

T/O 1556 LAND 1650 TOTAL TIME 1.8

PILOTS Stacking A/C WP 07 DASG _____ TIME _____
Grose 18 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT DESCRIPTION COORDINATES PROVIDED

No Drop

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____

REL ANGE _____ PASSES _____ INTERVAL _____ MIN ALT _____

ENROUTE ALT 18.5 RETURN ALT 15.5 REL ALT _____ TGT A/S _____

ORDNANCE 403 408 407 EXPENDED _____ JETTISONED _____

ORDNANCE/RTB ALL DUDS (SEE NOTE #1) _____

BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____

ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARRE
(B) AIRBURST	YES	NO	FILE FORM WITH BARRE
(C) A/C HIT	YES	NO	FILE FLASH REPORT WT
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BLA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOFT	YES	NO	A/C MALFUNCTION/NO D
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: No Tgt's
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DETECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER SNYDER TIME 2000 DATE 9 JUL 69
 SQUADRON 223 CALL SIGN HBS03 MSN # 6503 FLT CODE 151

T/O 1803 LAND 1932 TOTAL TIME 1.5

PILOTS SNYDER A/C WP-24 DASC _____ TIME _____
 CONTROLLER DOUGHA TIME 1830
 TYPE CONTROLLER ASR
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1850</u>	<u>SCALY AREA</u> <u>SP</u>	<u>XD 995378</u>	<u>1</u>

TGT TERRAIN Hills TGT WX 0 VISIBILITY 10+
 REL ANGE LVL PASSES 3 INTERVAL ND MIN ALT 1350
 ENROUTE ALT 14.5 RETURN ALT 15.5 REL ALT 13.5 TGT A/SPD 290/AS
 ORDNANCE 16 D2W/K EXPENDED ALL JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) 0
 BDA Unk % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 3rd m.p. OPERATION Arlington Canyon
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAF
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOFT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: VISUAL OBSERVATION OF BURST SHOWED 5 BOMBS BURSTS
 (REFERENCE NOTE #3) APPROX

IN ONE AREA (TGT AREA) AND ONE LATE BURST 1000 MTR SHORT A)
IF SNAKEYE FIN CAME OPEN LATE IN FALL OF BOMB.

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW ELIMINATED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Mel TIME 1430 DATE 10 July 69
 SQUADRON 223 CALL SIGN M 24 MSN # 0949 FLT CODE 152/3

T/O 1226 LAND 1400 TOTAL TIME 3.2

PILOTS A/C
Lawseth WP 04
Reed 18

DASC 11/16/69 TIME 1237
 CONTROLLER Misty 41 TIME 1242
 TYPE CONTROLLER TACA
 TYPE MISSION S.T.

TOT	DESCRIPTION	COORDINATES	PROVIDEN
<u>1302-11</u>	<u>Bridge</u>	<u>80322455</u>	<u>LAOS</u>
	<u>BR</u>	<u>1641 10615</u>	<u>C</u>

TGT TERRAIN H TGT WK 7.00 VISIBILITY 10+
 REL ANGE 30° PASSES 6 INTERVAL 30 MIN ALT 1800
 ENROUTE ALT 20.5 RETURN ALT 21.5 REL ALT 3000 TGT A/S 450
 ORDNANCE 12/02 w/y EXPENDED All JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE #1) -
 BDA 150% 75 mtr 8 ADDITIONAL -
50 m 20 mtr

SECONDARY EXPLOSIONS No NUMBER - SIZE -
 UNIT SUPPORTED 7th A.F. OPERATION - (LEAVE BLANK)
 ENROUTE WK -

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WIT
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BLA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABCET	YES	NO	A/C MALFUNCTION/NO DR
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: diverted from primary fat by Hillsboro
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -

RECOVERABLE - FUSE DELAY/ARM DELAY -

NOTE #2: ECM ENCOUNTERED - TIME - BOW ELLECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -

DEBRIEFER MCL TIME 1430 DATE 10 July 69
 SQUADRON 228 CALL SIGN M25 MSN # 0953 FLT CODE 151

T/O 1304 LAND 1405 TOTAL TIME 2.0

PILOTS
Schwartz A/C WP 17
Crane 21

DASC 111600 TIME 1315
 CONTROLLER Cover 283 TIME 1320
 TYPE CONTROLLER FACA
 TYPE MISSION S.T.

TOT	DESCRIPTION	COORDINATES	PROVIDEN
<u>1335-40</u>	<u>T.P.</u>	<u>YC 455074</u>	<u>G</u>
	<u>Storage Area</u>	<u>SG 5642</u>	
	<u>TP</u>	<u>1526 10717</u>	

TGT TERRAIN H TGT WX 0 VISIBILITY 10+
 REL ANGE 30° PASSES 4 INTERVAL 60 MIN ALT 40
 ENROUTE ALT 18.5 RETURN ALT 17.5 REL ALT 6.0 TOT A/S 480
 ORDNANCE 12/02 w/y EXPENDED AN JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE #1) -
 BDA 100 % 20mbz ADDITIONAL -

SECONDARY EXPLOSIONS No NUMBER - SIZE -
 UNIT SUPPORTED 7th A.F. OPERATION - (LEAVE BLANK)
 ENROUTE WX 3.5 @ E200 - @ 10+

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT W/
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DR
(G) DIVERT	YES	NO	GIVE REASON BELOW

MCL 1445 Underwood

REMARKS: _____

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW RECTECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Opt Schnell TIME 2123 H DATE 10 July 69
 SQUADRON 223 CALL SIGN H8519 MSN # 6519 FLT CODE 352

T/O 2008 LAND 2058 TOTAL TIME .8

PILOTS SCHNELL A/C WP-18 DASC --- TIME ---
 CONTROLLER WIKO # 75 TIME 2018
 TYPE CONTROLLER ASRT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2033</u>	<u>Every location</u>	<u>AT 780 286</u>	<u>B</u>
	<u>EC</u>		

TGT TERRAIN URK TGT WX 400 @ VISIBILITY unpct
 REL ANGE 0 PASSES 1 INTERVAL --- MIN ALT 14.8
 ENROUTE ALT 12.5 RETURN ALT 13.5 REL ALT 14.8 TGT A/SPD 290 KIAS
 ORDNANCE 602w/y EXPENDED ALL JETTISONED NONE
 ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) unpct
 BDA UNK % % ADDITIONAL ---

SECONDARY EXPLOSIONS --- NUMBER --- SIZE ---
 UNIT SUPPORTED 5th MARINE B.M.D. OPERATION Forsyth Grove
 ENROUTE WX Layer @ UNK (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) FDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DEVERT	YES	NO	GIVE REASON BELOW

REMARKS: --- (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION --- REASON ---
 RECOVERABLE --- FUSE DELAY/ARM DELAY ---

NOTE #2: ECM ENCOUNTERED --- TIME --- HOW DIRECTED ---

NOTE #3: ORDNANCE EFFECTIVENESS ---

DEBRIEFER Stath TIME 0805 DATE 10 July 69
 SQUADRON VMA 223 CALL SIGN HB043 MSN # 6043 FLT CODE 153/1

T/O 0702 LAND 0756 TOTAL TIME 1.8

PILOTS	A/C	DASC	TIME
<u>STANSON</u>	<u>17</u>	<u>DANANA</u>	<u>0707</u>
<u>OPPENHUIZEN</u>	<u>8</u>	CONTROLLER	<u>ALA KING</u> TIME <u>0708</u>
		TYPE CONTROLLER	<u>FAC (G)</u>
		TYPE MISSION	<u>CAS</u>

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0710/35</u>	<u>Booby trapped Position</u>	<u>AT881527</u>	<u>3</u>
	<u>ML</u>		

TGT TERRAIN FIAT TGT WX Clear VISIBILITY 7
 REL ANGE 30 PASSES 8 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 18.5 RETURN ALT 9.5 REL ALT 30 TGT A/SPD 450
 ORDNANCE 1202 WY EXPENDED 11 D2 WY JETTISONED —
 ORDNANCE/RTB 1 D2 WY DUDS (SEE NOTE # 1) —
 BDA 100 % 100 % ADDITIONAL 2 Structures Destroyed.

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1/5 MAXIMIST M.D. OPERATION Forsyth Grove
 ENROUTE WX 80 0 7 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW EFFECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER Preston TIME 0330H DATE 10 July 69
 SQUADRON 223 CALL SIGN HB 582 MSN # 6582 FLT CODE 352/1

T/O 0204 LAND 0317 TOTAL TIME 2.4

PILOTS

A/C

Preston
Pytko

1510

DASC DANANG TIME 0215
 CONTROLLER Hostage B TIME 0220
 TYPE CONTROLLER CAS FACIA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0235-55</u>	<u>Susp. NVA Positions</u>	<u>AT800563</u>	<u>3</u>
	<u>EC</u>		

TGT TERRAIN FLAT TGT WX 100 φ VISIBILITY 10+
 REL ANGE 30° PASSES 8 INTERVAL 600m MIN ALT 1500'
 ENROUTE ALT 10.5 RETURN ALT 11.5 REL ALT 3.0 TGT A/SPD 450 T
 ORDNANCE 12 D24 / 4D22A EXPENDED 1202 JETTISONED none
 ORDNANCE/RTB none 4D22A DUDS (SEE NOTE # 1) none
 BDA 100 % 100% ADDITIONAL none

SECONDARY EXPLOSIONS none NUMBER N/A SIZE N/A
 UNIT SUPPORTED 1ST MAR DIV (4th) OPERATION Forsyth Grove
 (LEAVE BLANK)
 ENROUTE WX 100 φ

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAF
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: none

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARN DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER BAKER TIME 1230 DATE 10 Jul
 SQUADRON 223 CALL SIGN HB MSN # 6157 FLT CODE 132

T/O 1125 LAND 1212 TOTAL TIME 1.6

PILOTS

A/C

BAKER
GREEN

WP 17
8

DASC DANANG TIME 1130
 CONTROLLER USMACV SIM TIME 1135
 TYPE CONTROLLER FAC(A)
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1140-55</u>	<u>ENY LCL</u>	<u>AT 901312</u>	<u>3</u>
	<u>EL</u>		

TGT TERRAIN MTN TGT WK 0 VISIBILITY 15
 REL ANGE 30° PASSES 6 INTERVAL 30 MIN ALT 1800
 ENROUTE ALT 12.5 RETURN ALT 5.5 REL ALT 3M TGT A/SPD 450
 C
 ORDNANCE 12DZ EXPENDED 11DZ JETTISONED —
 ORDNANCE/RTB 1.1DZ DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 1ST Bn BN OPERATION Forsyth Grove
 (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARN DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER 069 TIME 10/10/69
 SQUADRON 223 CALL SIGN MAN 22 MSN # 0929 FLT CODE 152/1
1018 1045 DASH 2
 T/O 1018 LAND 1118 DASH 1 TOTAL TIME 1.5

PILOTS 069 A/C 15 DASH AN 40A TIME ASRT
Schramminger 10 CONTROLLER CONT 72 TIME 1040
 TYPE CONTROLLER ASRT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1045-50</u>	<u>ROCKET SITE EL</u>	<u>AT 798 942</u>	<u>I 3 RFS</u>
<u>"</u>	<u>"</u>	<u>AT 793 941</u>	<u>"</u>

TGT TERRAIN R TGT WK 0 VISIBILITY 20
 REL ANGE 602W/4 PASSES 2 INTERVAL 14.1 MIN ALT 14.1
 ENROUTE ALT 14.1 RETURN ALT 15.1 REL ALT 14.1 TGT A/SPD 602W/4
 ORDNANCE 12 02W/4 EXPENDED 602W/4 JETTISONED 6 02W/4
 ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) NONE
 BDA 0 % 0 % ADDITIONAL NONE

SECONDARY EXPLOSIONS NONE NUMBER 0 SIZE 0
 UNIT SUPPORTED 5th REG 1ST M.D. OPERATION Forsyth Grove
 (LEAVE BLANK)
 ENROUTE WK 0

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Divert from ST to in country CAS to
 (REFERENCE NOTE #3)

TPQ / MAN 22-2 port main landing gear would not retract
 NOTE #1: DUD REPORT LOCATION 0 REASON 0
 RECOVERABLE 0 FUSE DELAY/ARN DELAY 0

NOTE #2: ECM ENCOUNTERED 0 TIME 0 HOW ELECTED 0

NOTE #3: ORDNANCE EFFECTIVENESS 0

DEBRIEFER PEREIRA TIME 0805 DATE 10 JUL 1967
 SQUADRON 223 CALL SIGN HAN MSN # 6015 FLT CODE 152

T/O 0647 LAND 0752 TOTAL TIME 2.2

PILOTS A/C
NEUBILL WP 6
PEREIRA 3
 DASC DONG HA TIME 0715
 CONTROLLER SW 98-2 TIME 0720
 TYPE CONTROLLER FAC(A)
 TYPE MISSION DRS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0722-0725</u>	<u>VC BUNKERS</u>	<u>YD 064670</u>	<u>1</u>
	<u>BF</u>		

TGT TERRAIN HILLY TGT WK 0 VISIBILITY 10+
 REL ANGE 10° PASSES 2 INTERVAL 30 SEC MIN ALT 600
 ENROUTE ALT 185 RETURN ALT 155 REL ALT 800 TGT A/SPD 350
 ORDNANCE 8 D32 EXPENDED ALL JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE # 1) -
 BDA 100 % 100 % ADDITIONAL -

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 3 BOMAR D.V OPERATION Virginia Ridge
 (LEAVE BLANK)
 ENROUTE WK _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOET	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARN DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Blackman TIME 0945 DATE 10 July
 SQUADRON 223 CALL SIGN HB573 MSN # 6573 FLT CODE 152

T/O 0829 LAND 0938 TOTAL TIME 2.4

PILOTS Hamilton A/C WP-16 DASC Dona HA TIME 0845
Blackman " -1 CONTROLLER SW-986 TIME 0850
 TYPE CONTROLLER ECM
 TYPE MISSION DBS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0900/13</u>	<u>Enemy Supply Area</u>	<u>YD 149524</u>	<u>IRVN</u>
	<u>SP</u>		

TGT TERRAIN Flat TGT WX 0 VISIBILITY 10+
 REL ANGE 30 PASSES 10 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 20.5 RETURN ALT 15.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 1202W/y EXPENDED ALL JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE # 1) 1
 BDA 80 % 80 % ADDITIONAL 6 Bks Dest

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 3RD MAR DIV OPERATION Ingapore Grove
 ENROUTE WX 0 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION YD 149524 REASON FUSING OR WIRING

RECOVERABLE Yes FUSE DELAY/ARM DELAY Inst

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER 049 TIME 0840 DATE 10 JUL 69
 SQUADRON 223 CALL SIGN HB/53 MSN # 6153 FLT CODE 152/1

T/O 0730 LAND 0824 TOTAL TIME 1.8

PILOTS A/C
FREEMAN WP 13
049 WP 21
 DASC BICK TIME 0745
 CONTROLLER BICK 31 TIME 0750
 TYPE CONTROLLER FAC(A)
 TYPE MISSION L2P

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0755-03</u>	<u>LZ PREP</u>	<u>YC405 878</u>	<u>2 CORPS</u>
	<u>UN</u>		

TGT TERRAIN MOUNTAINS TGT WK 0 VISIBILITY 10
 REL ANGE 30° PASSES 8 INTERVAL 30 SEC MIN ALT 1500
 ENROUTE ALT 18.5 RETURN ALT 17.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 4 D2W/H(DC) EXPENDED ALL JETTISONED NONE
4 D3W/H(DC) ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) —
 BDA 100 % 50 % ADDITIONAL NONE

SECONDARY EXPLOSIONS NONE NUMBER — SIZE —
 UNIT SUPPORTED 3rd GEF 101st AB OPERATION Kentucky Jumper
 ENROUTE WK 10 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAF
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ADOPT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —
 NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER STOCKING TIME 2025 DATE 10 July 69
 SQUADRON 223 CALL SIGN AB 515 MSN # 6515 FLT CODE 482

T/O 1933 LAND 2014 TOTAL TIME 1.7

PILOTS STOCKING A/C WP-04 DASC TIME
 CONTROLLER BIRMINGHAM ASST TIME 1944
 TYPE CONTROLLER ASST
 TYPE MISSION TPG

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1951</u>	<u>EN. LOCATION</u>	<u>2C 145888</u>	<u>2</u>
	<u>EL</u>		

TGT TERRAIN 2 TGT WX 400 VISIBILITY 9+
 REL ANGE 1 PASSES 1 INTERVAL 21.5 MIN ALT 20.5
 ENROUTE ALT 20.5 RETURN ALT 30 REL ALT 20.5 TGT A/SPD 480
 ORDNANCE 6027 (DC) EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA Unk % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 101 ST A.B. OPERATION Kentucky Jumper
 ENROUTE WX — (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARM DELAY —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW ELIMINATED —
 NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER BURNS TIME 1530 DATE 18 July 69
 SQUADRON 223 CALL SIGN 463 MSN # 6463 FLT CODE 152

T/O 1355 LAND 1520 TOTAL TIME 2.8

PILOTS
Norris A/C 19
BURNS 16
 DASC HELIX TIME 1640
 CONTROLLER HELIX 13 TIME 1445
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>152-1500</u>	<u>RASE CAMP</u>	<u>BT 105 241</u>	<u>(R4N) I</u>
	<u>BS</u>		

TGT TERRAIN Hilly TGT WK 8.0 (D) VISIBILITY 10
 REL ANGE 20 PASSES 6 INTERVAL 30 sec MIN ALT 600
 ENROUTE ALT 18.5 RETURN ALT 11.5 REL ALT 1200 TGT A/SPEED 150
 ORDNANCE 402A / 409 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100% 50% ADDITIONAL 4 Struct DEST.

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED AMERICAN OPERATION _____
 ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOFT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW ELIMINATED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Rogers TIME 1815 DATE 10 JULY 1969
 SQUADRON 223 CALL SIGN HB021 MSN # 6021 FLT CODE 15211

T/O 1713 LAND 1753 TOTAL TIME 1.4

PILOTS Rogers A/C WP-17 DASC Helix TIME 1718
Green -10 CONTROLLER Helix 12 TIME 1720
 TYPE CONTROLLER FAC (A)
 TYPE MISSION 0.75

TOT DESCRIPTION COORDINATES PROVIDENCE
1725-35 ENEMY LOCATION BT079268 (4)
EC

TGT TERRAIN MOUNT. TGT WK 450 VISIBILITY 10
 REL ANGE 300 PASSES 6 INTERVAL 30sec MIN ALT 2000'
 ENROUTE ALT 10.5 RETURN ALT 9.5 REL ALT 3000' TGT A/SPD 450'
 ORDNANCE 12 D2W17 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100 % 80 % ADDITIONAL —

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED Americal OPERATION _____
 (LEAVE BLANK)
 ENROUTE WK _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOET	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER _____ TIME _____ DATE _____
 SQUADRON 223 CALL SIGN HB 023 MSN # 6023 FLT CODE 152/1

T/O 1125 LAND 1255 TOTAL TIME 3.0

PILOTS
GROSE WP A/C
Blackman 3
 DASC 18 TIME 1130
 CONTROLLER BZK 33 TIME 1300
 TYPE CONTROLLER FAC(A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1307/13</u>	<u>Susp Enemy Pos</u> <u>EC</u>	<u>YC 282962</u>	<u>Range</u>

TGT TERRAIN W TGT WK 4.00 VISIBILITY 10
 REL ANGE 30 PASSES 6 INTERVAL 30sec MIN ALT 1500
 ENROUTE ALT 16.5 RETURN ALT 15.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 403JC 402JC EXPENDED All JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
 BDA 100 % 100 % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 101st A.B. OPERATION Montgomery Bend
 (GAVE BOMB)
 ENROUTE WK _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW ELLECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER PEREIRA TIME 2050 DATE 10 JUL 67
 SQUADRON 223 CALL SIGN HBS11 MSN # 6511 FLT CODE 45211

T/O 1903 LAND 2031 TOTAL TIME 1.5

PILOTS PEREIRA, D.T. A/C W1908 DASC _____ TIME _____
 CONTROLLER Birmingham TIME 1950
 TYPE CONTROLLER ASDT
 TYPE MISSION TRP

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2000</u>	<u>KNOWN Enemy Location</u>	<u>Y 6282962</u>	<u>BRN</u>
	<u>EC</u>		

TGT TERRAIN R TGT WX O VISIBILITY 7
 REL ANGE 0 PASSES 2 INTERVAL — MIN ALT 15.5
 ENROUTE ALT 20.5 RETURN ALT 27.5 REL ALT 15.5 TGT A/SPD 290 KTS
 ORDNANCE 60-2 W/4 DC EXPENDED ALL JETTISONED —
 ORDNANCE/RTE 0 DUDS (SEE NOTE # 1) —
 BDA Unk % ADDITIONAL —

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 101st A.B. OPERATION Montgomery Ranch
 ENROUTE WX 250 600 500 1800 2100 (LEAVE BLANK)

(A) HOSTILE FIRE	YES / NO	FILE FORM WITH BARREL
(B) AIRBURST	YES / NO	FILE FORM WITH BARREL
(C) A/C HIT	YES / NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES / NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES / NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES / NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES / NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARN DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER _____ TIME _____ DATE _____
 SQUADRON 223 CALL SIGN HB451 MSN # 6451 FLT CODE 182

T/O 0758 LAND 0845 TOTAL TIME 1.6

PILOTS GROSE WP A/C
BAKER 4
 DASC US TIME 0800
 CONTROLLER 106253 TIME 0800
 TYPE CONTROLLER FAC(A)
 TYPE MISSION 223

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0813/30</u>	<u>Enemy location</u> <u>EC</u>	<u>AT805261</u>	<u>4</u>

TGT TERRAIN F TGT WX 0 VISIBILITY 10
 REL ANGE 20 PASSES 8 INTERVAL 3000 MIN ALT 600
 ENROUTE ALT 12.5 RETURN ALT 9.5 REL ALT 1700 TGT A/SPD 450
 ORDNANCE 802A4D9 EXPENDED A/I JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA 100 % 50 % ADDITIONAL 2 Hours

SECONDARY EXPLOSIONS ✓ NUMBER _____ SIZE _____
 UNIT SUPPORTED ARVN OPERATION _____ (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARN DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW ELLECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER COSTA TIME 2020 DATE 10 July 69
 SQUADRON 223 CALL SIGN HB507 MSN # 6507 FLT CODE 452

T/O 1840 LAND 2010 TOTAL TIME 1.5

PILOTS COSTA A/C WP 12 DASC Dong Ha TIME 1900
 CONTROLLER ASPT 20 TIME 1903
 TYPE CONTROLLER ASPT
 TYPE MISSION TPG

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1903/1910</u>	<u>Suspect base Camp</u>	<u>YD 320 400</u>	<u>RUN I</u>
	<u>BS</u>		

TGT TERRAIN HILLY TGT WX Clear VISIBILITY 10
 REL ANGE Low PASSES 2 INTERVAL --- MIN ALT 14.5M
 ENROUTE ALT 20.5 RETURN ALT 21.5 REL ALT 14.5M TGT A/SPD 400
 ORDNANCE 6 D-2W/H EXPENDED 4 D-2W/H WETTISONED ---
 ORDNANCE/RTB 2 D-2 DUDS (SEE NOTE # 1) ---
 BDA --- 60% % ADDITIONAL ---

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 1st of ARVN OPERATION _____
 ENROUTE WX 25 @ 80 @ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Oppenhuizen TIME 1130 DATE 10 July
 SQUADRON 223 CALL SIGN HDB455 MSN # 6455 FLT CODE 182/1

T/O 0945 LAND 1131 TOTAL TIME 3.6

PILOTS Stranton A/C W.P. 12 DASC Tcepack TIME 0950
Oppenhuizen 24 CONTROLLER TIME
 TYPE CONTROLLER
 TYPE MISSION CAP

TOT DESCRIPTION COORDINATES PROVIDENCE

No Drop

TGT TERRAIN TGT WX VISIBILITY

REL ANGE PASSES INTERVAL MIN ALT

ENROUTE ALT RETURN ALT REL ALT TGT A/SPD

ORDNANCE 802A 409 EXPENDED JETTISONED

ORDNANCE/RTB 802A 409 DUDS (SEE NOTE # 1)

BDA % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED OPERATION

ENROUTE WX (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAI
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: BF no mission RTB bare
 (REFERENCE NOTE #3)

unable to divert due to radio failure

NOTE #1: DUD REPORT LOCATION REASON

RECOVERABLE FUSE DELAY/ARM DELAY

NOTE #2: ECM ENCOUNTERED TIME HOW EFFECTED

NOTE #3: ORDNANCE EFFECTIVENESS

RETURN TO TA 53

DEBRIEFER ERN TIME 1100 DATE 10 JUL 64
 SQUADRON 223 CALL SIGN H/B MSN # 6557 FLT CODE 182

T/O 0850 LAND 1036 TOTAL TIME 3.6

PILOTS BARNES A/C 11 Went to DANANG 0900
NORRIS 7 DASC TIME 1010
 CONTROLLER HASZ "L" TIME 1012
 TYPE CONTROLLER EAC(A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1012-15</u>	<u>OK Cont. W-L</u>	<u>AT 878514</u>	<u>3</u>
	<u>VL</u>		

TGT TERRAIN FLAT TGT WX 0 VISIBILITY 10+
 REL ANGE 30° PASSES 4 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 70-5 RETURN ALT 115 REL ALT 1300 TGT A/SPD 50

ORDNANCE 800 A407 EXPENDED ALL JETTISONED -

ORDNANCE/RTB - DUDS (SEE NOTE #1) -

BDA 75% 100% ADDITIONAL 3 houses destroyed / bunker destroyed
50 ft trench line

SECONDARY EXPLOSIONS - NUMBER - SIZE -

UNIT SUPPORTED 1st MAR Div OPERATION Forsyth Grove
 (LEAVE BLANK)

ENROUTE WX 010+

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	<u>YES</u>	NO	IF ADDITIONAL CIRCLE
(F) ABOET	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON -

RECOVERABLE - FUSE DELAY/ARM DELAY -

NOTE #2: ECM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -

DEBRIEFER Burns TIME 2020 DATE 10 July 68
 SQUADRON 223 CALL SIGN G19 MSN # 6019 FLT CODE 352

T/O 1845 LAND 2000 TOTAL TIME 2.6

PILOTS BREXTON A/C 6 DASC DONE WA TIME 1910
BURNS # 3 CONTROLLER SW 98-16 TIME 1912
 TYPE CONTROLLER 1-ACIA
 TYPE MISSION _____

TOT DESCRIPTION COORDINATES PROVIDENCE

ARTY ON TGT CONTROLLER
COULD NOT STOP

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____

REL ANGE _____ PASSES _____ INTERVAL _____ MIN ALT _____

ENROUTE ALT 14.1 RETURN ALT 14.5 REL ALT _____ TGT A/SPD _____

ORDNANCE 8032 EXPENDED _____ JETTISONED _____

ORDNANCE/RTB 8032 DUDS (SEE NOTE # 1) _____

BDA _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____ (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☐ NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES	☐ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	☐ NO	IF ADDITIONAL CIRCLE
(F) ABOET	YES	☐ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	☐ NO	GIVE REASON BELOW

REMARKS: GA
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER CRUSE TIME 1535 DATE 11 July 69
 SQUADRON 223 CALL SIGN Man 21 MSN # 0908 FLT CODE 252/3

T/O 0808 LAND 0940 TOTAL TIME 2.8

PILOTS CRUSE WP 11 A/C
Preston WP 7
 DASC VS TIME 0815
 CONTROLLER NAZ 5 TIME 0850
 TYPE CONTROLLER FAC (A)
 TYPE MISSION ST

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0859/0</u>	<u>Suspect Enemy Pos</u>	<u>XD 677199</u>	<u>Loos</u>
	<u>EC</u>	<u>1627 10634</u>	<u>F</u>

TGT TERRAIN F TGT WX 7.00 VISIBILITY 7
 REL ANGE 30 PASSES 2 INTERVAL 30 sec MIN ALT 1500
 ENROUTE ALT 24.5 RETURN ALT 19.5 REL ALT 3,000 TGT A/SPD 450
 ORDNANCE 12 D2 w/ EXPENDED 1/1 JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100 WITHIN 5 meters % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 7th Air Force OPERATION —
 ENROUTE WX — (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BA
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

MCL 1545 Clark

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARM DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER GROSS TIME _____ DATE _____
 SQUADRON 223 CALL SIGN WPI 21 MSN # 0908 FLT CODE 252/3

T/O 1338 LAND 1432 TOTAL TIME 1.8

PILOTS GROSS WP 11^{4/C}
Prister 07
 DASC 40 TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT DESCRIPTION COORDINATES PROVIDENCE

Return from U600

FERRY

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____

REL ANGE _____ PASSES _____ INTERVAL _____ MIN ALT _____

ENROUTE ALT _____ RETURN ALT _____ REL ALT _____ TGT A/SPD _____

ORDNANCE _____ EXPENDED _____ JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BA
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: 0300 Chutai
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER STOCKING TIME 1955 DATE 11 July 69
 SQUADRON 223 CALL SIGN AB526 MSN # 6526 FLT CODE 282

T/O 1833 LAND 1737 TOTAL TIME 1.1

PILOTS STOCKING A/C WP-04 DASC TIME
 CONTROLLER 0046 NA NET TIME 1950
 TYPE CONTROLLER ASPT
 TYPE MISSION TT9

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>1712</u>	<u>BUNKERS</u> <u>BF</u>	<u>YD 169512</u>	<u>F</u>

TGT TERRAIN R TGT WX 400 VISIBILITY 2

REL ANGE ← PASSES 1 INTERVAL MIN ALT 20.0

ENROUTE ALT 20.5 RETURN ALT 23.5 REL ALT 20.0 TGT A/SPD 290

ORDNANCE 4027 EXPENDED ALL JETTISONED

ORDNANCE/RTB DUDS (SEE NOTE # 1)

BDA Unb % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED 3rd M.P. OPERATION Ironquais Grove
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH B.
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON

RECOVERABLE FUSE DELAY/ARN DELAY

NOTE #2: ECM ENCOUNTERED TIME HOW ELECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER CRANE TIME 1805 DATE 11 July
 SQUADRON 223 CALL SIGN HB 02 MSN # 6022 FLT CODE 1521
 T/O 1702 LAND 1752 TOTAL TIME 1.6
 PILOTS PYTKO WP 12 DASC HELI TIME 1705
CRANE 15 CONTROLLER HELI TIME 1707
 TYPE CONTROLLER FAL (A)
 TYPE MISSION DAS

TOT 177/40 DESCRIPTION BKS/STWCH COORDINATES BS 472795 PROVIDENCE BK 1
BF
 TGT TERRAIN R TGT WX 0 VISIBILITY 10+
 REL ANGE 30 PASSES 14 INTERVAL 30 MIN ALT 1300
 ENROUTE ALT 10.5 RETURN ALT 7.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 12 D2WY EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100 % 90 % ADDITIONAL —
1 BK DEST 1 STRUCT DAMAGE
30 METERS TRENCH LINE

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED American OPERATION GENOVA PARK
0 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH R
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOET	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —RECOVERABLE — FUSE DELAY/ARM DELAY —NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER Enam TIME 1855 DATE 11 July
 SQUADRON 223 CALL SIGN HB522 MSN # 6522 FLT CODE 152

T/G 1820 LAND 1850 TOTAL TIME .5

PILOTS BAVRES A/C WP 01 DASC CHULAI ASPT TIME 1822
 CONTROLLER 758 TIME 1822
 TYPE CONTROLLER TPG
 TYPE MISSION DAS

TOT 1840 DESCRIPTION Enemy location COORDINATES BS 46390Z PROVIDENCE 4
EC

TGT TERRAIN FLAT TGT WK 0 VISIBILITY 10+
 REL ANGE level PASSES 2 INTERVAL — MIN ALT 14.0
 ENROUTE ALT 14.0 RETURN ALT Decent REL ALT 140 TGT A/SPD 290IAS
 ORDNANCE 6 D2 EXPENDED all JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) 0
 BDA UNIC % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED Americal OPERATION GENEVA PARK
 (LEAVE BLANK)
 ENROUTE WK —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BA
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW ELLECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—

DEBRIEFER Rogers TIME _____ DATE _____
 SQUADRON 223 CALL SIGN 544 MSN # 6544 FLT CODE 152

T/O 1840 LAND 1920 TOTAL TIME .7

PILOTS _____ A/C _____
Rogers UP-8
 DASC VS TIME 1843
 CONTROLLER Chuter TIME 1845
 TYPE CONTROLLER TPG
 TYPE MISSION DAS

TOT 1910 DESCRIPTION Every location COORDINATES B5523904 PROVIDENCE 4
EC

TGT TERRAIN R TGT WX 4.0 @ VISIBILITY 2
 REL ANGE Lead PASSES 1 INTERVAL — MIN ALT 20.0
 ENROUTE ALT 20.1 RETURN ALT 21.5 REL ALT 20.0 TGT A/SPD 290
 ORDNANCE 6 D2W/1 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA Unk % ADDITIONAL —

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED Americal OPERATION Genoa Park
 (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH R
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOFT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARN DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Rogers TIME 2240 DATE 11 July
 SQUADRON 223 CALL SIGN 572 MSN # 6572 FLT CODE 352

T/O 2110 LAND 2220 TOTAL TIME 2.4

PILOTS Rogers A/C WP-10 DASC DD TIME 2130
Crane - 16 CONTROLLER HOST TIME 2130
 TYPE CONTROLLER FAC 'A'
 TYPE MISSION RA5

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2140-2203</u>	<u>Enemy Location</u>	<u>AT803513</u>	<u>Ph. Nam</u>

TGT TERRAIN FLAT TGT WX 550/10 VISIBILITY 10
 REL ANGE 300 PASSES 10 INTERVAL 30 sec MIN ALT 1500
 ENROUTE ALT 6.5 RETURN ALT 15.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE BD21/4D22A EXPENDED ALL JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE # 1)
 BDA 80 % 80 % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 1ST MAR DIV OPERATION (LEAVE BLANK)
 ENROUTE WX

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BA
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOFT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
 RECOVERABLE FUSE DELAY/ARM DELAY

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER COSTA TIME 2110 DATE 11 July 69
 SQUADRON AB-223 CALL SIGN HB 539 MSN # 6534 FLT CODE 452

T/O 1920 LAND 2100 TOTAL TIME 1.7

PILOTS COSTA A/C WP 13 DASC Dang Ha TIME 1955
 CONTROLLER ASRT TIME 2000
 TYPE CONTROLLER TPQ
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2000/2020</u>	<u>Dang Ha ASRT</u>		
<u>2030/2045</u>	<u>Birmingham ASRT</u>		

TGT TERRAIN Level TGT WK 100% VISIBILITY 17.5M'
 REL ANGE Level PASSES 2 INTERVAL 17.5M' MIN ALT 17.5M'
 ENROUTE ALT 20.5M' RETURN ALT 15.5M' REL ALT 17.5M' TGT A/SPD 900
 ORDNANCE 6D-244 EXPENDED 100% JETTISONED 100%
 ORDNANCE/RTB 6D-244 DUDS (SEE NOTE # 1)
 BDA 100% % ADDITIONAL 100%

SECONDARY EXPLOSIONS 100% NUMBER 100% SIZE 100%
 UNIT SUPPORTED 100% OPERATION 100% (LEAVE BLANK)
 ENROUTE WK 110%

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BA
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Unable to get locked long enough
to make drops with either ASRT
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION 100% REASON 100%
 RECOVERABLE 100% FUSE DELAY/ARN DELAY 100%

NOTE #2: ECM ENCOUNTERED 100% TIME 100% HOW DIRECTED 100%

NOTE #3: ORDNANCE EFFECTIVENESS 100%

DEBRIEFER Blackman TIME 0945 DATE 11 July
 SQUADRON 223 CALL SIGN HB546 MSN # 6346 FLT CODE 452
 T/O 2025 LAND 2125 TOTAL TIME 1.0
 PILOTS Blackman A/C WP-12 DASC AN HOA TIME 2045
 CONTROLLER 75 TIME 2045 2045
 TYPE CONTROLLER A3RT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>2900</u>	<u>Enemy Pos.</u>	<u>AT 887332</u>	<u>IRVN</u>

TGT TERRAIN TGT WX 0 VISIBILITY 2+
 REL ANGE PASSES 1 INTERVAL MIN ALT 14.1
 ENROUTE ALT 20.5 RETURN ALT 15.5 REL ALT 14.1 TGT A/SPD 290
 ORDNANCE 602 w/y EXPENDED ALL JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE # 1)
 BDA % % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 5th MAR OPERATION (LEAVE BLANK)
 ENROUTE WX

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH B.
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON
 RECOVERABLE FUSE DELAY/ARM DELAY

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER Green TIME 2205 DATE 11 July 69
 SQUADRON VMA 223 CALL SIGN HB MSN # 6538 FLT CODE ZSR

T/O 2012 LAND 2140 TOTAL TIME 1.5

PILOTS Green A/C WP17 DASC _____ TIME _____
 CONTROLLER Chulai TIME 2120
 TYPE CONTROLLER ASRT
 TYPE MISSION TPG

TOT 2125 DESCRIPTION Enemy location COORDINATES B5425959 PROVIDENCE IRVIN

TGT TERRAIN HK TGT WK 1304 VISIBILITY 10+
 REL ANGE Level PASSES 1 INTERVAL _____ MIN ALT 14.0
 ENROUTE ALT 22.5 RETURN ALT 21.5 REL ALT 14.0 TGT A/SPD 290
 ORDNANCE 6020/4 EXPENDED All JETTISONED None
 ORDNANCE/RTB None DUDS (SEE NOTE # 1) None
 BDA N/A % ADDITIONAL _____

SECONDARY EXPLOSIONS None NUMBER _____ SIZE _____
 UNIT SUPPORTED AMCAL OPERATION TPG
 ENROUTE WK 13.5-10+ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH R
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Divert from Dong Ha by road to
 (REFERENCE NOTE #3)

An Hoa. An Hoa goes went down. Diverted to Chu Lai
last when below bridge to spend out.

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARN DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW EFFECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Stace TIME 1710 DATE 11 July 69
 SQUADRON UMA 223 CALL SIGN 4B566 MSN # 6566 FLT CODE 182/1

T/O 1520 LAND 1655 TOTAL TIME 1.6

PILOTS STANTON A/C WP 6 ^{MILKY BIRMINGHAM}
 DASC Chulai TIME
 CONTROLLER BIRMINGHAM TIME
 TYPE CONTROLLER TRU-M50
 TYPE MISSION

TOT DESCRIPTION COORDINATES PROVIDENCE

NO DROP

TGT TERRAIN TGT WX Thunderstorm VISIBILITY

REL ANGE PASSES INTERVAL MIN ALT

ENROUTE ALT 14.1 RETURN ALT 15.2 REL ALT TGT A/SPD

ORDNANCE 203 EXPENDED JETTISONED

ORDNANCE/RTB 2 D3 DUDS (SEE NOTE #1) YES

BDA % % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED OPERATION (LEAVE BLANK)

ENROUTE WX GO @ TOPS TO 35M

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BA
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ADOPT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	<u>YES</u>	NO	GIVE REASON BELOW

REMARKS: ASSIGNED TO LORE WITH MILKY BUT NO CONTACT. CONTACT WITH
 (REFERENCE NOTE #3)

Auger And Direct To BIRMINGHAM, CANCEL BECAUSE WEATHER, CHULAI HAD NO TGT.

NOTE #1: DUD REPORT LOCATION G30/27 CH 56 REASON TO GET ALL
Down To Landing Weight
 RECOVERABLE NO FUSE DELAY/ARM DELAY

NOTE #2: ECM ENCOUNTERED TIME HOW ELECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DESTROYER TCF TIME 2300 DATE 12 July 69
 STATION 223 CALL SIGN HA 514 MSN NO. 6074 FLT 352
 AT 2030 LAND 2150 TOTAL TIME 1.4

PILOTS FLANAGAN A/C WPO4 DASC DNG TIME 2045
 CONTROLLER DNG TIME 2050
 TYPE CONTROLLER ASRT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2130</u>	<u>ENEMY</u> <u>TS</u>	<u>AT 920337</u>	<u>3</u>

TGT TERRAIN R TGT WK 2500 VISIBILITY 5
 REL ANGLE 23.5 PASSES 1 INTERVAL MIN ALT 23.5
 ENROUTE ALT 18.5 RETURN ALT 23.5 TGT AIRSPEED 290
 ORDNANCE/ 602 w/x EXPENDED ALL JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE # 1)
 BDA %ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 5th USRM P. OPERATION Pipestone Canyon
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS:

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME R/W DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER Rogers TIME 0950 DATE 12 July
 SQUADRON 223 CALL SIGN 015 MSN # 6015 FLT CODE 152

T/O 0835 LAND 0835 TOTAL TIME 2.0

PILOTS Rogers W-07 DASC Doyle TIME 1000
Crane -08 CONTROLLER Doyle TIME
 TYPE CONTROLLER
 TYPE MISSION

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
	<u>NO</u>	<u>DROD</u>	

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 ENROUTE ALT 22.5 RETURN ALT 19.5 REL ALT _____ TGT A/SPD _____
 ORDNANCE 4 D21 EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB 4 D21 DUDS (SEE NOTE # 1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____ (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH B
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOFT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Doyle Dasc had no mission
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW ELIMINATED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

REFLECTOR _____ TIME _____ DATE _____
 SQUADRON 223 CALL SIGN 255 MSN NO. 6255 FLT 112
 T/C 1125 IANT 1205 TOTAL TIME 0.6

PILOTS _____ A/C _____
Thm WP01
 DASC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT _____ DESCRIPTION _____ COORDINATES _____ PROVINCE _____

_____ Test _____

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 REL ALT _____

ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____

ORDNANCE/ _____ EXPENDED _____ JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA _____ % _____ %ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ X/W DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DESIGNATION BAKER TIME 1320
 SQUADRON 223 C. SIGN HS BN # 6227 FLT CODE 151
 T/O 1140 LAND BOZ TOTAL TIME 28

PILOTS

A/C SIDE NO

Baker WR 17 DASC NA TIME
Gruver 18 CONTROLLER TIME
 TYPE CORRECTION
 TYPE MISSION VR

TOT DESCRIPTION COORDINATES GFT/COMPS/RO

TOT TERRAIN NA TOT TIME NA
 REL ANGLE — PASSES — INTERVAL — REL ALT — TIT AL

MINOR ALT — REMAIN ALT — TOT AIRSPEED

ORDNANCE DZO EXPENDED none JETT — DUDS

BDA —

SECONDARY MISSIONS NUMBER — COLOR — HEIGHT —

UNIT SUPPORTED — OPERATION —

LEGATE IN DASC — TOPS —

(A) HOSTILE FIRE	YES NO	ARMED HOSTILE FIRE FORM
(B) AIRBURST	YES NO	ARMED AIR BURST FORM
(C) A/C HIT	YES NO	ARMED FIRE INCIDENT FORM
(D) RECON IDENT/RETRACT	YES NO	ARMED COUNTRY GIVE INFO
(E) AIRBURST	YES NO	FILL OUT FORM
(F) ADVERT	YES NO	GIVE REASON BELOW
(G) DEVIAT	YES NO	GIVE AUTH AND REASON BELOW

REMARKS: VR / TAM

REF — TGM — RTE —

DUD ORD REPORT LOCATION — DELAY —
 REASON — RECOVERABLE — FOLLO —

TOT EVALUATED — TIME — NOT DIRECTED —

~~PRISON~~ 223 ~~CALL SIGN~~ HB 519 ~~SN #~~ 689 ~~FLY CODE~~ 382/1
 T/O 2000 LAND 2105 TOTAL TIME 1.1

PILOTS

A/C SIDE NO

PRESTON WP17 DASC — TIME —
 COORDINATOR ANHOA ASRT TIME 2015
 TIME COORDINATOR ASRT
 *TIME MISSION TPQ ~~—~~

TGT DESCRIPTION COORDINATES CITE/COMPS/LBO
2043 Enemy LOCATION AT 909321 RVN 31
EC

TGT TERRAIN urban TOT 4.0 3
 REL ANGLE 00 PASSES 1 INTERVAL — REL ALT 23.5 Ht ALT 23.5
 MERCURY ALT 24.5 REMAIN ALT 25.5 TGT AIRSPEED 290
 ORDNANCE 6 D2W/4 EXPANDED all JMT 0 DUDS unkn.
 BDA unkn

SECONDARY MISSIONS 0 NUMBER — COLOR — HEIGHT —
 UNIT SUBORDINATE 5th Marine Bn. OPERATION —
 ENROUTE IN DASC 90 TOPS 25.0

(A) HOSTILE FIRE	YES	NO	REMARKS HOSTILE FIRE FORM
(B) AIRBURST	YES	NO	REMARKS AIR BURST FORM
(C) A/C HIT	YES	NO	REMARKS FIRE INCIDENT FORM
(D) RECON ELEMENT/EXTRACT	YES	NO	REMARKS COUNTRY GIVE INFO
(E) AIRBURST	YES	NO	REMARKS FIRE INCIDENT FORM
(F) ABORT	YES	NO	REMARKS REASON BELOW
(G) DIVERT	YES	NO	REMARKS REASON BELOW

REMARKS: none

REF — TGT — RTE —

DUD CRD REPORT LOCATION — DELAY —
 REASON — RECOVERABLE — FUSE —

NO. RECOVERED — TIME — NO. DIRECTED —

DESTROYER Burns TIME 1700 DATE 12 June 69
 SQUADRON 723 CALL SIGN 5951 FLT CODE 152
 T/O 1440 LAND 1640 TOTAL TIME 3.6
 PILOTS A/C SIDE NO

GROSE 11 DASC DANANG TIME 1605
 Burns 10 COMBORDER Host Dog TIME 1610
 TYPE COMBORDER FACA
 *TYPE MISSION CAS

TGT DESCRIPTION OCCURRENCES CMT/COMES/ASO
1615-20 TRECHLINE AT 901514 RUN

TGT TERRAIN FLAT TGT 70
 REL ANGLE 30' PASSES 5 INTERVAL 30 sec REL ALT 300 IF AL 200
 H/ROVTL ALT 18.5 REIGTH ALT 2.5 TGT AIRSPEED 450
 ORDNANCE 402/408/407 EXPENDED 407/402 JETT DUDS
 BDA 100/100 200 METERS TRECHLINE
75 m TRECHLINE

SECONDARY AIRCRAFT'S NUMBER COLOR HEIGHT
 UNIT SUBCRED 1st MO OPERATION
 LAUNCHER IN BASIS TOFS

(A) HOSTILE FIRE	YES ☒ NO	REASON POSSIBLE FIRE FOR
(B) AIRCRAFT	YES ☒ NO	REASON AIR SUBST FOR
(C) A/C HIT	YES ☒ NO	REASON FIRE INCIDENT FOR
(D) RECON INERT/TRACT	YES ☒ NO	REASON COUNTRY GIVE INFO
(E) AIRCRAFT	YES ☒ NO	REASON CUT FOR
(F) ADAPT	YES ☒ NO	REASON REASON REASON
(G) DEPART	YES ☒ NO	REASON REASON REASON

REMARKS: _____

REF _____ TGT _____ RTE _____

DUD CRD REPORT LOCATION _____ DELAY _____
 REASON _____ RECOVERABLE _____ FUSE _____

TGT RECOVERED _____ TIME _____ NOT DIRECTED _____

DEBRIEFER VCF TIME 0825 DATE 12 JULY
 SQUADRON 223 CALL SIGN H3043 MSN # 6043 FLT CODE 152

T/O 0815/0905 LAND 0905/0915 TOTAL TIME 1.8

PILOTS SINYDER A/C WD 24 DASC DNC TIME 0825
FLANNAGAN 13 CONTROLLER NOT 'R' TIME 0830
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0830/45</u>	<u>BUNKERS</u>	<u>AT 805 055</u>	<u>3</u>
	<u>BF</u>		

TGT TERRAIN FLAT TGT WK 0.70 VISIBILITY 3
 REL ANGE 30 PASSES 9 INTERVAL 30 MIN ALT 1.5
 ENROUTE ALT 8.5 RETURN ALT 7.5 REL ALT 3.0 TGT A/SPD 400
 ORDNANCE 12074/7 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 95 % 95 % ADDITIONAL 50m TRENCH LINE

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 74ST MAAS Div OPERATION —
 (LEAVE BLANK)

ENROUTE WK 704R-

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BA
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ADOBT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER Oppenhuizer TIME 0900 DATE 12 July 69
 SQUADRON 227 CALL SIGN #8019 MSN # 6019 FLT CODE 15211

T/O 0705 LAND 0840 TOTAL TIME 3.2

PILOTS Freeman A/C W11 DASC Dong Ha TIME 0730
Oppenhuizer 10 CONTROLLER SV98.1 TIME 0745
 TYPE CONTROLLER EACA
 TYPE MISSION GM+L2P

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0800-15</u>	<u>L2 PREP</u>	<u>X12940626</u>	<u>RVN/E</u>
	<u>UN</u>		<u>1</u>

TGT TERRAIN Hilly TGT WK 800 VISIBILITY 6
 REL ANGE 30 PASSES 4 INTERVAL 30 MIN ALT 1400
 ENROUTE ALT 18.5 RETURN ALT 19.5 REL ALT 3000 TGT A/SPD 450
 ORDNANCE 602y 608 EXPENDED 602-208 JETTISONED none
 ORDNANCE/RTB 408 DUDS (SEE NOTE #1) _____
 BDA unk % ADDITIONAL will be forwarded

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 300 MARDIV OPERATION Virginia Ridge
 ENROUTE WK 300 800 / 07 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BA
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABCET	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____
 RECOVERABLE _____ FUSE DELAY/ARN DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DECLASSIFIED
SQUADRON 22 CALL SIGN HON SN # 463 FLT CODE 152
T/O 1342 LAND 1617 TOTAL TIME 522

PILOTS

A/C SIDE NO

CRANE WP 12 DASC DONG HA TIME 1420
FISCHER 16 CONTROLLER CATKILLER TIME 1530
TYPE COMBUSTION FAC (A)
*TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	DATE/TIME/NO
<u>1535-45</u>	<u>BUNKERS</u>	<u>YD 245765</u>	<u>RUN/I/1</u>
	<u>BF</u>		

TOT TRAIN FLAT TOT 0 - 9+
REL ANGLE 20 PASSES 5 INTERVAL 30 REL ALT 2000 IN AL 600
MEROML ALT 20.5 REMAIN ALT 19.5 TOT ALT SPEED 450
ORDNANCE 802A/409 EXPANDED ALL JMT — DUDS 1
BDA 100/100

SECONDARY MISSIONS NUMBER — COLOR — HEIGHT —
UNIT SUPPORTED 2nd Bn 1st Div OPERATION Inquisitor 6 Row
ROUTE IN DASC — TOTS —

(A) HOSTILE FIRE	YES	NO	REASON HOSTILE FIRE FORM
(B) AIRBURST	YES	NO	REASON AIR BURST FORM
(C) A/C HIT	YES	NO	REASON FIRE INCIDENT FORM
(D) RECON INSERT/EXTRACT	<u>YES</u>	NO	WHILE COUNTRY GIVE INFO <u>24/20/109</u>
(E) AIRBURST	YES	NO	FILL OUT FORM
(F) ABORT	YES	NO	GIVE REASON BELOW
(G) DIVERT	YES	NO	GIVE ACTION AND REASON BELOW

REMARKS: COVERED RECON INSERT FOR SW 98-5
THEN DROPPED FOR KATKILLER
REF — TGT — RTE —

DUD CRD REPORT LOCATION — DELAY —
REASON — RECOVERABLE — TIME —
NOT RECOVERED — TIME — NOT DIRECTED —

PILOT PEREIRA 2845 12 JUL 69
 SQUADRON 223 CALL SIGN HB 569 ISE # 629 FLT CODE 452/1
 T/O 2115 LAND 2227 TOTAL TIME 2.4

PILOTS

A/C SIDE NO

SCHWANINGER WPOG DASC DANANG TIME 2120
PEREIRA " 18 COM/CHIEF Hostage Jim TIME 2135
 TIME COM/CHIEF FACH
 *TYPE MISSION CAS

TOT DESCRIPTION OCCURRENCES GWTZ/COMMS/ARO

2135 Fortified Vill AT 842508 RUB
2155 50 CAL

TOT TERRAIN Level TOT 0 - 9+

REL ANGLE 30° PASSES 8 INTERVAL — REL ALT 3000 IF AL 2100

THROUGH ALT 8,500 REASON ALT 7,500 TOT ALT/SEED 430 KTS

ORDINANCE 80-2W/4 4D22A ALL JMT — DUBS —

REA 90/100 3 HATS DFTB, 1 ONES

SECONDARY MISSIONS NUMBER OF OR HEIGHT

UNIT SUBORDINATE 5th MAVTM.P. OPERATION Pipestone Canyon

ROUTE OR DASC 90 @ TOPS —

(A) HOSTILE FIRE	YES ☒ NO	REASON HOSTILE FIRE FORM
(B) AIRBURST	YES ☒ NO	REASON AIR BURST FORM
(C) A/C HIT	YES ☒ NO	REASON FIRE IN CONTACT FORM
(D) RECON ELEMENT/EXTRACT	YES ☒ NO	REASON COUNTRY GAVE INFO
(E) AIRBURST	YES ☒ NO	REASON CUT FORM
(F) ABORT	YES ☒ NO	REASON REASON BELOW
(G) DIVERT	YES ☒ NO	REASON REASON AND REASON BELOW

REMARKS: —

DEF — TOT — RTE —

DUD CRD REPORT LOCATION — DELAY —
 REASON — RECOVERABLE — FUEL —

REASON — TIME — NOT DIRECTED —

DEBRIEFER C. J. [unclear] TIME 1130 DATE 12/25/69
 SQUADRON 223 CALL SIGN HR 455 SN 1 FLT CODE 252/1
 T/O 2050 LAND 1120 TOTAL TIME 3.0

PILOTS

A/C SIDE NO

First Pilot W. J. [unclear] DASC D. D. TIME 1038
Second Pilot [unclear] ? CONFIRMED Hostage "0"? TIME 1040
 TIME CONFIRMED FRCA
 *TIME MISSION CAS

TGT DESCRIPTION OCCURRENCES GWT/COMPS/LBO

1045-55 En. Location AT 974 512 CVN/T
EC

TGT TERRAIN Flat TOT 600 7

REL ANGLE 20 PASSES 5 INTERVAL 30 REL ALT 120 IN AL 600

WINGT. ALT 20.5 REMAIN ALT 16.5 TOT ALT SPEED 450

ORDNANCE 702A 409 EXPLODED all JETT none DUDS none

BDA 100/100

SECONDARY EMISSIONS NUMBER — COLOR — HEIGHT —

UNIT SUBMITTED 1st MAR DIV OPERATION Pipestone Canyon

ROUTE IN BAS.3 — TCFS —

(A) HOSTILE FIRE	YES ☒ NO ☐	IRREPARABLE HOSTILE FIRE FORM
(B) AIRBURST	YES ☒ NO ☐	IRREPARABLE AIR BURST FORM
(C) A/C HIT	YES ☒ NO ☐	IRREPARABLE FIRE INCIDENT FORM
(D) RECON INERT/EXTRACT	YES ☒ NO ☐	OTHER COUNTRY GIVE INFO
(E) AIRBURST	YES ☒ NO ☐	FILL OUT FORM
(F) ABORT	YES ☒ NO ☐	GIVE REASON BELOW
(G) DIVERT	YES ☒ NO ☐	GIVE ACTION AND REASON BELOW

REMARKS: —

REF — TGT — RTH —

DUD CRD REPORT LOCATION — DELAY —
 REASON — RECOVERY — FUEL —

DEBRIEFER BAKER TIME 1630 DATE 12 July
 SQUADRON 223 ORL SIGN HB ASN # 6122 FLT CODE 152
 T/O 1548 LAND 1633 TOTAL TIME 1.4

PILOTS

A/C SIDE NO

BAKER WP 13 DASC HELIK TIME 1552
CRUVER 24 COPILOT HELIK 03 TIME 1555
 TYPE COPILOT FAE (A)
 WTRF MISSION CAS

TGT DESCRIPTION COORDINATES GWT/COOPS/LBO

1600-08 DASC AMP BS496957 4
BS

TGT TERRAIN FLAT TOT TX 80 @ 7
 REL ANGLE 30 PASSES 6 INTERVAL 30 REL ALT 3m LIF AL 1.8
 MINIMUM ALT 6.5 REMAIN ALT 5.5 TGT ALTITUDE 450
 ORDNANCE 12 D & V EXPENDED ALL JMT — DUDS —
 BDA 100/100

SECONDARY AIRCRAFTS NUMBER GWT OR HEIGHT

UNIT SUBORDINATE AMCAL OPERATION Genova Park

EMERGENCY BASES TOES

(A) HOSTILE FIRE	YES ☒	WAS FIRE POSSIBLE FIRE FORM
(B) AIRBURST	YES ☒	WAS FIRE BURST FORM
(C) A/C HIT	YES ☒	WAS FIRE BURST FORM
(D) RECOIL BURST/EXTRACT	YES ☒	WAS FIRE BURST FORM
(E) AIRBURST	YES ☒	WAS FIRE BURST FORM
(F) ABORE	YES ☒	WAS FIRE BURST FORM
(G) BURST	YES ☒	WAS FIRE BURST FORM

REMARKS:

REF TCM RTM

DUD ORD REPORT LOCATION DELAY

REASON RECOVERABLE FUSE

NO RECOVERABLE TIME NO DIRECTED

DEBRIEFER Green TIME 0940 DATE 12 July 69
 SQUADRON VMA 223 CALL SIGN HB 151 MSN # 6451 FLT CODE 1SR(1)

T/O 0757 LAND 0915 TOTAL TIME 1.6

PILOTS A/C
Lt Col Newbill 18 Helix TIME 0830
Capt Green 12 Helix TIME 0831
 TYPE CONTROLLER FACCA
 TYPE MISSION BAG CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0845-56</u>	<u>Tunnels + Hoaches</u>	<u>BS 641321</u>	<u>IRVN</u>
	<u>TU</u>		<u>5</u>

TGT TERRAIN Mount TGT WK BS 641321 VISIBILITY 10+
 REL ANGE 20°/10° PASSES 9 INTERVAL 30+ MIN ALT 600
 ENROUTE ALT 22.5 RETURN ALT 5.5 REL ALT 1300' TGT A/SPD 450
 ORDNANCE BDA, 409 EXPENDED All JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 80 % ADDITIONAL 1 sustained fire
3 Hoaches destroyed
2 Tunnels destroyed

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED AMCAL OPERATION Iron Mountain
 ENROUTE WK 800/1200/2000 unlimited (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH R
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABCET	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Divert for mission from CAP
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —
 RECOVERABLE — FUSE DELAY/ARN DELAY —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —
 NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER HAMILTON TIME 0845 DATE 12 July
 SQUADRON 223 CALL SIGN HB021 MSN # 6021 FLT CODE 152/1

T/O 0740 LAND 0835 TOTAL TIME 1.8

PILOTS
GERMAN A/C WP 03
HAMILTON 06
 DASC Helix Gun TIME 0745
 CONTROLLER HEIX 31 TIME 0742
 TYPE CONTROLLER FACA
 TYPE MISSION HEIX LEP

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
0800-10	LZP	BS586186	RUN/I
	UN		S

TGT TERRAIN Rolling TGT WX 100 VISIBILITY 6
 REL ANGE 30 PASSES 10 INTERVAL 30 MIN ALT 2.0
 ENROUTE ALT 7.5 RETURN ALT 4.5 REL ALT 3.0 TGT A/SPD 450
 ORDNANCE 4039(OC) 4029(OC) EXPENDED All JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS No NUMBER — SIZE —

UNIT SUPPORTED Americal OPERATION Iron Mountain
 (CLEAVE BLANK)

ENROUTE WX 50 80 100 5-7 RW

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH R
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: WEATHER IS VARIABLE DEPENDING ON LOCATION
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON —

RECOVERABLE — FUSE DELAY/ARN DELAY —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER COSTA TIME 0957 DATE 12 July 69
 SQUADRON 223 CALL SIGN HB 013 MSN # 6013 FLT CODE 152

T/O 0902 LAND 0944 TOTAL TIME 1.4

PILOTS A/C
COSTA WP 16
LTCOL McCARTHY WP 17
 DASC Da Nang TIME 0910
 CONTROLLER KOM CHI-2 TIME 0920
 TYPE CONTROLLER ECDA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVIDENCE
<u>0910/0928</u>	<u>Huts Bunker & Trees</u>	<u>BT 134539</u>	<u>RUN I</u>
	<u>BL</u>		<u>3</u>

TGT TERRAIN FLAT TGT WX 9.0 VISIBILITY 7
 REL ANGE 20° PASSES 8 INTERVAL 30 sec MIN ALT 600'
 ENROUTE ALT 8.5M' RETURN ALT 5.5M' REL ALT 1380' TGT A/SPD 450
 ORDNANCE 80-2A 409 EXPENDED 80-2A308 DETONATED -
 ORDNANCE/RTB 109 DUDS (SEE NOTE # 1) -
 BDA 100 % 100 % ADDITIONAL 2 HUTS dest 1 BUNKER dest
15 sec Exp

SECONDARY EXPLOSIONS Yes NUMBER ① SIZE large
 UNIT SUPPORTED ROKMC OPERATION Victory Dragon
 ENROUTE WX 900 7 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BA
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: OUTSTANDING AIRMANSHIP SHOWN
BY BOTH PILOTS. (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON _____

RECOVERABLE _____ FUSE DELAY/ARN DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

SQUADRON PERRY 22 CALL SIGN HB521 ISE # 6521 FLT CODE 352/1 6/13/69
T/O 2030 LAND 2200 TOTAL TIME 1.5

PILOTS PERRY A/C SIDE NO 0112 DASC 2010 TIME 2100
COMBOLER Chubai 37 TIME 2100
TIME COMBOLER ASRT
*TIME MISSION TR2

TOT 2140 DESCRIPTION FN Loc OCCURRENCES BS 474806 CMTX/CCAPS/LDO VS/14
EC

TOT TERRAIN R TOT 4.0 3
REL ANGLE Good PASSES 1 INTERVAL — REL ALT 14.0 IN AL 14.0
MERCUT. ALT 22.5 REMAIN ALT 7.5 TOT AIRSPEED 290
ORDNANCE 6 24/W REPAIRED ALL JETT — DUDS —
BDA None

SECONDARY REMARKS NUMBER AM Cal CMTX GENOVA PARK
UNIT SUBORDINATE 50V80 CMTX Bin Areas Variable 15M & 20M

(A) HOSTILE FIRE YES (NO) (C) AIRCRAFT HOSTILE FIRE FORM
(B) AIRCRAFT YES (NO) (D) AIRCRAFT AIRCRAFT FORM
(C) A/C HIT YES (NO) (E) AIRCRAFT AIRCRAFT FORM
(D) RECON LIGHT/RETRACT YES (NO) (F) AIRCRAFT AIRCRAFT FORM
(E) AIRCRAFT YES (NO) (G) AIRCRAFT AIRCRAFT FORM
(F) ABORT YES (NO) (H) AIRCRAFT AIRCRAFT FORM
(G) DEPART YES (NO) (I) AIRCRAFT AIRCRAFT FORM

REMARKS: Reached Bingo with Birmingham who was working
another A/C and breaking lock on him

DUD CRD REPORT LOCATION — DELAY —
REASON — RECOVERABLE — TIME —
TGT. IDENTIFIED — TIME — ID. DIRECTED —

DECLASSIFIED

SQUADRON 23 CALL SIGN 225 SW 225 FLT CODE 152/1
 T/O 1035 LAND 1135 TOTAL TIME 2.0

PILOTS A/C SIDE NO
PALMER 03
ERRY 06
 DASC _____ TIME _____
 CONTROLLER _____ TIME _____
 TAFE CONTROLLER _____
 WTYPE MISSION VR

TOT DESCRIPTION OCCURRENCES C/TOT/CORPS/LBO

VR

TOT TERRAIN _____ TOT 80 10

REL ANGLE _____ PASSES _____ INTERVAL _____ REL ALT _____ LIM AL _____

MINIMUM ALT 65 REMAIN ALT 35 TOT AIRSPEED 450

ORDNANCE 120 REPAIRED None JETT _____ DUDS _____

BDA _____

SECONDARY AIRCRAFTS NUMBER _____ COLOR _____ HEIGHT _____

UNIT SURVIVED _____ OPERATION _____

ROUTE IN BASES _____ TORS _____

(A) HOSTILE FIRE	YES NO	REASON HOSTILE FIRE FORM
(B) AIRBURST	YES NO	REASON AIR BURST FORM
(C) A/C HIT	YES NO	REASON FIRE INCIDENT FORM
(D) RECON INERT/EXTRACT	YES NO	WHILE COUNTRY GIVE INFO
(E) AIRBURST	YES NO	FILE CUT FORM
(F) ABORT	YES NO	GIVE REASON BELOW
(G) DIVERT	YES NO	GIVE AUTH AND REASON BELOW

REMARKS: _____

REF _____ TGT _____ RTN _____

DUD CRD REPORT LOCATION _____ DELAY _____
 REASON _____ RECOVERABLE _____ FUEL _____

NOT RECOVERED _____ TIME _____ ID DIRECTED _____

DECLASSIFIED

SQUADRON 223 CALL SIGN HB 150 ISN # 150 FLT CODE 152/1
 T/O 0647 LAND 0811 TOTAL TIME 2.8

PILOTS

A/C SIDE NO

Preston WLP. 16 DASC Dong Ha TIME 0715
Oppenhuizen 17 CONTRACTOR SW 97-1 TIME 0720
 TYPE COLLECTION FACA
 *TYPE MISSION DAS

TCT DESCRIPTION COORDINATES CMTY/COMPS/LNO
0730-40 EN. Location KD007627 RVN/I
EL

TOT TERRAIN HILL TOT TI 7007
 REL ANGLE 20 PASSES 4 INTERVAL 30 REL ALT 100 HIF AL 600
 MINIMUM ALT 20.5 MAXIMUM ALT 31.5 TOT AIRSPEED 450
 ORDNANCE 8D32 EMPLOYED all JETT none DUDS none
 BDA 100/100

SECONDARY AIRCRAFTS NUMBER OF OR HEIGHT
 UNIT SUPPORTED 3RD MAR DIV OPERATION Virginia Ridge
 AIRCRAFT IN DASC'S TOTS

(A) HOSTILE FIRE	YES	NO	REASON HOSTILE FIRE FOR
(B) AIRBURST	YES	NO	REASON AIR BURST FOR
(C) A/C HIT	YES	NO	REASON FIRE INCIDENT FOR
(D) RECON INCIDENT/EXTRACT	YES	NO	OTHER COUNTRY GIVE INFO
(E) AIRBURST	YES	NO	PHIL COT FOR
(F) A/C HIT	YES	NO	OTHER REASON OTHER
(G) DIVERT	YES	NO	GIVE AUTH AND REASON BELOW

REMARKS:

DE# TGT# RT#
 DUD CRD REPORT LOCATION DELAY
 REASON RECOVERABLE FINE
 DUTY REPORTED TIME LOC DIRECTED

SQUADRON 22 CALL SIGN H3 ISN # 152 FLT CODE 152
 T/O 0052 LAND 0813 TOTAL TIME 2.8

PILOTS

A/C SIDE NO

NEWBILL WP 24 DASC DONGHA TIME 0708
13 COMMUNICATOR SAWOODH91-TIME 0710
WALLACE WATE COMMUNICATOR FACA
WATE MISSION DAS

TOT DESCRIPTION OCCURRENCES CPTX/COMPS/LBO

0120/30 INFILTRATION PT YD 015632 RUN/IKD
RD

TOT TERRAIN Hill TOT 0 9+
 REL ANGLE 20 PASSES 4 INTERVAL 30 REL ALT 1300 IF AL 600
 AIRCRAFT ALT 20.5 REMAIN ALT 21.5 TOT AIRSPEED 350
 CREWANCE 8D32 REPAIRED ALL JETT — DUDS —
 BDA 100/100

SECONDARY MISSIONS NUMBER CPTX OR HEIGHT

UNIT SUBORDINATE 3rd MARDIV OPERATION VIRGINIA Ridge

ROUTE IN BASIS TOPS

(A) HOSTILE FIRE	YES ☒ NO	REASON HOSTILE FIRE FORM
(B) AIRBURST	YES ☒ NO	REASON AIR BURST FORM
(C) A/C HIT	YES ☒ NO	REASON FIRE INCIDENT FORM
(D) RECON INERT/EXTRACT	YES ☒ NO	OTHER COUNTRY GIVE INFO
(E) AIRBURST	YES ☒ NO	FILL OUT FORM
(F) ABORE	YES ☒ NO	GIVE REASON BELOW
(G) DRYAT	YES ☒ NO	GIVE REASON AND REASON BELOW

REMARKS: _____

REF _____ TCM _____ RTE _____

DUD CRD REPORT LOCATION _____ DELAY _____
 REASON _____ RECOVERABLE _____ FUSE _____

NOT RECOVERED _____ TIME _____ NOT DIRECTED _____

~~McCarthy~~ ~~1025~~ ~~13 July 69~~
 SQUADRON 223 CALL SIGN Hell Born SW # 6018 FLT CODE 151
 T/O 0910 LAND 1010 TOTAL TIME 2.0

PILOTS

A/C SIDE NO

McCarthy WP 11 DASC Dong HA TIME
HART WP 10 COLLECTOR SW 98.5 TIME 0920
 TIME OF COLLISION FAL (A)
 *TIME MISSION DAS

TCT DESCRIPTION OCCURRENCES CFTY/CORPS/ARO
0935/0946 Road XD 780358 1
RD

TCT TERRAIN Hilly TCT 550 75+
 REL ANGLE 20 PASSES 5 INTERVAL 180 REL ALT 1000 IF AL 600
 MINIMUM ALT 20.5 REMAIN ALT 2.5 TCT AIRSPEED 450
 ORDNANCE 12D2A0 REPAIRED ALL JBT - DUDS -
 DCA 100/100 SEEDS -

SECONDARY MISSIONS NUMBER COUNTRY HEIGHT
 UNIT SUBORDINATE 3rd M.D. OPERATION ARLINGTON GROVE
 MISSIONS IN DAS 3 TOTS

(A) HOSTILE FIRE	YES ☒ NO	REASON POSSIBLE FIRE FROM
(B) AIRBURST	YES ☒ NO	REASON AIR BURST FROM
(C) A/C HIT	YES ☒ NO	REASON FIRE INCIDENT FROM
(D) RECON LIBERT/EXTRACT	YES ☒ NO	REASON COUNTRY GIVE INFO
(E) AIRBURST	YES ☒ NO	REASON FIRE INCIDENT FROM
(F) ABORT	YES ☒ NO	REASON REASON BELOW
(G) DIVERT	YES ☒ NO	REASON REASON BELOW

REMARKS:

DEF TCM RTM
 DUD CRD REPORT LOCATION DELAY
 REASON RECOVERABLE TIME
 NOT RECOVERED TIME NOT DIRECTED

SQUADRON VMA 223 CALL SIGN Hellbore SN # 156 FLT CODE 151 13 July

T/O 0547 LAND 0643 TOTAL TIME 1.8

PILOTS

A/C SIDE NO

<u>Mrs Boker</u>	<u>01</u>	DASC <u>BILK</u>	TIME
<u>LT BRUBER</u>	<u>03</u>	CONTROLLER <u>BILK 29</u>	TIME <u>0610</u>
		TYPE OF CRUISE <u>FAC (A)</u>	
		*TIME MISSION <u>L2P</u>	

TOT	DESCRIPTION	COORDINATES	COPY/CORPS/ABO
-----	-------------	-------------	----------------

<u>6620025</u>	<u>L2 Prep</u>	<u>20057924</u>	<u>2</u>
----------------	----------------	-----------------	----------

UN

TOT THERM Monsieur TOT 10.000 7

REL ANGLE 30° PASSES 6 INTERVAL 30 sec REL ALT 5000 IN AL 1500

MINUT. ALT 12,500 REMIN ALT 9,800 TOT AIRSPEED 300

ORDINANCE 12 D2W, D200 PARD 12 D2W JMT — DUDS —

BDA 100/100

SECONDARY AIRCRAFTS - NUMBER - COLOR - HEIGHT

UNIT SUBORDINATE 223/101st AB OPERATION Kentucky Jumper

ROUTE IN DASC 11000 TORS 1.111

(A) HOSTILE FIRE	YES	NO	REASON HOSTILE FIRE FOR
(B) AIRBURST	YES	NO	REASON AIR BURST FOR
(C) A/C HIT	YES	NO	REASON FIRE INCIDENT FOR
(D) RECON REPORT/RETRACT	YES	NO	OTHER COUNTRY GIVE INFO
(E) AIRBURST	YES	NO	FILL OUT FORM
(F) ABORT	YES	NO	GIVE REASON BELOW
(G) DILERT	YES	NO	GIVE ACTION AND REASON BELOW

REMARKS: _____

REF _____ TCM _____ RTE _____

DUD CRD REPORT LOCATION _____ DELAY _____
REASON _____ RECOVERABLE _____ FONE _____

NOT RECOVERED _____ TIME _____ NOT DIRECTED _____

SQUADRON 22 CALL SIGN HB 010 ASN # 6010 13501464
 T/O 0738 LAND 0838 TOTAL TIME 2.0 FLT CODE 152

PILOTS

A/C SIDE NO

STANTONWP-04DASC DAVANETIME 0742Prior08CONTROLLER HOST HTIME 0805TATE COLLECTION FAC (A)*TYPE MISSION CAS

TOT

DESCRIPTION

COORDINATES

GMT/CCMPS/LNO

0820-27BUNK/TROOP LINEA7 959 5253BF

TOT TERRAIN

FLAT

TOT TR

0 9+

REL ANGLE

30

PASSES

6

INTERVAL

30REL ALT 3000IF AL 2000

MICROAL ALT

10.5

REACT ALT

9.5

TOT AIRSPEED

450

CRENANCE

12 D2W/Y

REPAID

ALL

JMT

—

DUDS

—

BDA

90/90 Sam T REG LINE/TRENCH

SECONDARY AIRSIGHT

N

NUMBER

—

HEIGHT

—

UNIT SUBORDINATE

1st MANDIV

OPERATION

P. pestone Canyon

ENROUTE IN BASIS

—

TCFS

—

(A) HOSTILE FIRE

YES

NO

REASON HOSTILE FIRE FORM

(B) AIRSIGHT

YES

NO

REASON AIR SIGHT FORM

(C) A/C HIT

YES

NO

REASON FIRE INCIDENT FORM

(D) RECON ELEMENT/EXTRACT

YES

NO

REASON COUNTRY GIVE INFO

(E) AIRSIGHT

YES

NO

REASON COUNTRY GIVE INFO

(F) ADAPT

YES

NO

REASON REASON REASON

(G) DIVERT

YES

NO

REASON REASON REASON

REMARKS:

DEF

TCM

RTE

DUD ORD REPORT LOCATION

DELAT

REASON

RECOVERABLE

TIME

DEF RECOVERED

TIME

NOT DIRECTED

DESIGNER R-46 TIME 1125 D 13 JULY 69
 STATION 223 CALL SIGN HB206 MSN NO. 6206 FLT 123
 AC 0912 LAND 1030 PROX TIME 1.3
 PILOT Stanton A/C WP 23 DASC V.S. TIME 0915
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION TEST HOP

TOT DESCRIPTION COORDINATES PROVINCE

Local Test

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____
 ORDNANCE/ _____ EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
 BDA _____ % _____ %ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____ (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS: _____ (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ RW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Blackman TIME 2045 D. 13 July
 STATION 223 CALL SIGN HB 510 MSN NO. 6510 FLT 452
 IN 1925 2025 110 TIME

PILOTS Blackman A/C WP-24 DASC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT DESCRIPTION COORDINATES PROVINCE

AIR ABORT

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____

REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 REL ALT _____

ENROUTE ALT 14.1 RETURN ALT 16.2 TGT AIRSPEED _____

ORDNANCE/ 602 EXPENDED _____ JETTISONED _____

ORDNANCE/RTE ALL DUDS (SEE NOTE # 1) _____

BDA _____ % _____ ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☐ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	☐ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	☐ NO	IF ADDITIONAL CIRCLES
(F) ABOUT	YES	☐ NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	☐ NO	GIVE REASON BELOW

REMARKS: Lost Radio's, Tacan in The AN HON
AREA (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENG INTERFER _____ TIME _____ RW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER 066 TIME 1430 D 13 JUL 69
 STATION 223 CALL SIGN HON 24 MSN NO. 0998 FLT 153/1
 T 1236 LANE 1405 PROX TIME 3.0

PILOTS A/C
SWANINGER WP 3
066 WP 17
 DASC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION ST

TOT	DESCRIPTION	COORDINATES	PROVINCE
	<u>AIR ABORT</u>		
	<u>No</u>	<u>Drop</u>	

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 ENROUTE ALT 14.1 RETURN ALT 15.2 TGT AIRSPEED _____
 ORDNANCE/ 1202W/4 EXPENDED NONE JETTISONED 1202W/4
 ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) _____
 BDA _____ % _____ %ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) A/C HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABCUT	☒ YES NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES NO	GIVE REASON BELOW

REMARKS: RADIOS V, WINGMAN
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ E/W DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DESIGNATOR BAKER TIME 1215 D 13 26 69
 STATION 223 CALL SIGN 14B MSN NO. 6014 FLT 152
 ILS 1045 LANT 1155 POINT TIME 2.2

PILOTS
BAKER WP 8 ^{A/C}
CRUVER 13

DASC Down HA TIME 1100
 CONTROLLER BARKY 18 TIME 1101
 TYPE CONTROLLER FAC (A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1105-25</u>	<u>BUNKER COMPLEX</u>	<u>YD 331411</u>	<u>1</u>
	<u>BF</u>		

TGT TERRAIN 11004 TGT WX 70 0 VISIBILITY 15
 REL ANGLE 30 PASSES 6 INTERVAL 30 MIN ALT 1800
 ENROUTE ALT 70.5 RETURN ALT 21.5 TGT AIRSPEED 450
 ORDNANCE/ 12 D2 4/W EXPENDED 10 D2 JETTISONED -
 ORDNANCE/RTB 2 D2 DUDS (SEE NOTE # 1) NONE
 BDA Unb ADDITIONAL

SECONDARY EXPLCSIONS - NUMBER - SIZE -
 UNIT SUPPORTED 151 ARVN OPERATION -
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABCUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON FOR -
 RECOVERABLE - FUZE (DELAY/ARM DELAY) -

NOTE #2: BOM ENCOUNTERED - TIME - RW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -

OBSERVER Ferry TIME 1445 D. 7/13/69
 STATION 223 CALL SIGN MAN 25 SEN NO. 0952 FLT 152/3
 T. 1303 L. 1433 ASST TIME 3.0
 PILOTS BARNES WP 24 A/C 10
FERRY 10
 DASC Hullbrook TIME 1320
 CONTROLLER 13028 TIME 1350
 TYPE CONTROLLER 1ACA
 TYPE MISSION ST

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1405</u>	<u>Stanger</u>	<u>XD 956546</u>	<u>Laos</u>
	<u>SP</u>	<u>1646 10617</u>	<u>C</u>

TGT TERRAIN Woods TGT WX 3000 VISIBILITY 10
 REL ANGLE 30 PASSES 4 INTERVAL 45 MIN ALT 3000
 ENROUTE ALT 18.5 RETURN ALT 25.5 TGT AIRSPEED 450
 ORDNANCE 12 Duff EXPENDED all JETTISONED -
 CRDNANCE/RTB - DUDS (SEE NOTE # 1) -
 BDA 100 % 100 % ADDITIONAL None

SECONDARY EXPLOSIONS No NUMBER - SIZE -
 UNIT SUPPORTED 7th A.F. OPERATION -
 (LEAVE BLANK)

ENROUTE WX Top about 14M
 (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 (B) AIRBURST YES NO FILE FORM WITH BARREL
 (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
 (F) ABCUT YES NO A/C MALFUNCTION/ NO DROP
 (G) DIRERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON FOR -
 RECOVERABLE - FUZE (DELAY/ARM DELAY) -

NOTE #2: ECM ENCOUNTERED - TIME - S/W DIRECTED -

NOTE #3: REMAINANCE EFFECTIVENESS -

REFERENCE Opt SCHNELL TIME 1120 H D 13 July 69
 STATION 223 CALL SIGN MAN 22 MSN NO. 0928 FLT 151
 TO 1010 LAND 1111 TOTAL TIME 2.0
 PILOTS SCHNELL A/C WP 06 DASC Hinsburg TIME 1018
FISCHER 04 CONTROLLER Covey 222 TIME 1021
 TYPE CONTROLLER TACA
 TYPE MISSION STBL TIGER

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1036-42</u>	<u>TRUCK PARK</u>	<u>XC891583</u>	<u>LAOS</u>
	<u>TP</u>	<u>162210644</u>	

TGT TERRAIN Hilly TGT WX 300 ~~00~~ VISIBILITY 10+
 REL ANGLE 30 PASSES 4 INTERVAL 30 MIN ALT 4.0
 ENROUTE ALT 18.5 RETURN ALT 17.5 TGT AIRSPEED 500 KTS
 ORDNANCE 120mm w/y EXPENDED ALL JETTISONED NONE
 ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) NO

BDA % %ADDITIONAL
75% within 25 meters
100% within 50 meters

SECONDARY EXPLOSIONS NO NUMBER SIZE

UNIT SUPPORTED 7th AF OPERATION (LEAVE BLANK)

ENROUTE WX 140 @V @10

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE CNE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOUT	YES	NO	A/C MALFUNCTION/ NC DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

RECOVERABLE FUZE (DELAY/ARM DELAY

NOTE #2: ECM ENCOUNTERED TIME SW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS OKAY

REFLECTOR 044 TIME 1700 DA 13 JULY 69
 STATION 223 CALL SIGN HAN 27 MSN NO. 0920 FLT 152/3
 ID 1541 LAND 1650 TOTAL TIME 2.4

PILOTS A/C
WARRFIELD WP 16 DASC WILSBORO TIME 1600
044 WP 12 CONTROLLER NAIL 07 TIME 1605
 TYPE CONTROLLER TAC(A)
 TYPE MISSION ST

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1613-18</u>	<u>TRUCK PARK</u>	<u>XD370 333</u>	<u>1 FORPS</u>
	<u>TP</u>	<u>1635 10617</u>	

TGT TERRAIN MOUNTAINS TGT WX 60 @ VISIBILITY 7
 REL ANGLE 30° PASSES 4 INTERVAL 30 SEC MIN ALT 1500
 ENROUTE ALT 20.5 RETURN ALT 25.5 TGT AIRSPEED 450
 ORDNANCE/ 12 D2 W/X EXPENDED ALL JETTISONED NONE
 ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) NONE
 BDA 100 % ON TARGET %ADDITIONAL —

SECONDARY EXPLOSIONS YES NUMBER 1 SIZE MED
 UNIT SUPPORTED 7th AF OPERATION —
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCUIT
(F) ABOUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS:

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ R/W DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DESHIFTER RAWE TIME 1750 DA 13 JULY
 STATION 223 CALL SIGN H8596 MSN NO. 6596 FLT 152/1
 IN 1600 LANE 1735 TOTAL TIME 2.6
 PILOTS FRANKE WP A/C
CHAVE 13
 DASC BILK TIME 1630
 CONTROLLER 131 TIME 1635
 TYPE CONTROLLER FAL(A)
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1700/40</u>	<u>37MM POSIT</u> <u>AA</u>	<u>YL302955</u>	<u>RWTH/QT</u>

TGT TERRAIN MOUNTAIN TGT WX 6.0 @ VISIBILITY 3 #
 REL ANGLE 20 PASSES 10 INTERVAL 30 MIN ALT 4000
 ENROUTE ALT 18.5 RETURN ALT 15.5 TGT AIRSPEED 400
 ORDNANCE 4D24/4D8/4D7 EXPENDED 3D2/4D7 JETTISONED _____
 ORDNANCE/RTB 4D8/1D2 DUDS (SEE NOTE # 1) _____
 BDA 100 % 100 % ADDITIONAL _____

SECONDARY EXPLCSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 3rd BOC/101st AB OPERATION MONTGOMERY
 (LEAVE BLANK)
 ENROUTE WX 80 @ 10 @ 3-5

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ RW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

REFERENCE HAMILTON TIME 2030 D. 13 July
 STATION 223 CALL SIGN H5508 MSN NO. 6508 FLT 352/1
 D. 1912 2015 2015 2015 TIME 1.1
 PILOTS HAMILTON A/C WP-17 DASC _____ TIME _____
 CONTROLLER CHU LAL #44 TIME 1945
 TYPE CONTROLLER ASST
 TYPE MISSION TPA

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1955</u>	<u>ENEMY Loc</u>	<u>KT 350275</u>	<u>AKH/I</u>
	<u>EC</u>		

TGT TERRAIN URX TGT WX 140 VISIBILITY 7
 REL ANGLE _____ PASSES 1 INTERVAL _____ MIN ALT 19.2
 ENROUTE ALT 16.5 RETURN ALT 13.5 TGT AIRSPEED 290
 ORDNANCE/ 602W/4 EXPENDED 5024W JETTISONED _____
 ORDNANCE/RTB 102W/4 DUDS (SEE NOTE # 1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED AMK2 OPERATION _____
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABCUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS:

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ NEW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

SECRETARY WARFIELD TIME 2204 E 13 July 69
 STATION 223 CALL SIGN H.B. 516 MSN NO. 6516 FILE TPQ
 IN 2115 LAND 2158 TOTAL TIME .6

PILOTS WARFIELD A/C WP12 DASC _____ TIME _____
 CONTROLLER CHU LAI TIME 2120
 TYPE CONTROLLER ASRT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2125</u> <u>2130</u>	<u>BUCKET POSIT</u> <u>EL</u>	<u>BT 483002</u>	<u>4</u>

TGT TERRAIN 4 RE TGT WX 0 VISIBILITY 5
 REL ANGLE 100 PASSES 1 INTERVAL MIN ALT 14.0
 REL ALT 14.0
 ENROUTE ALT 14.5 RETURN ALT 11.5 TGT AIRSPEED 290
 ORDNANCE 6 D2 EXPENDED SAME JETTISONED SAME
 ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) _____
 BDA blmb ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED American OPERATION _____
 (LEAVE BLANK)

ENROUTE WX 90 0 4 0 5

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCIT
(F) ABOUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ R/W DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

PILOT FERRY TIME 2140 DATE 7/13/69
 STATION 223 CALL SIGN HB512 MSN NO. 6512 FLT 452/1
 NO. 2017 2125 1.1
 PILOTS FERRY A/C 03 DASC 03 TIME 2035
 CONTROLLER 03 TIME 2037
 TYPE CONTROLLER ASRT
 TYPE MISSION FP2

TOT 2100 DESCRIPTION Bankers COORDINATES X0988651 PROVINCE VH/1/1
BF

TGT TERRAIN WWS TGT WK 03 VISIBILITY 0.7
 REL ANGLE Low PASSES 1 INTERVAL — MIN ALT 14.1
 ENROUTE ALT 20.5 RETURN ALT 17.5 TGT AIRSPEED 290
 ORDNANCE 6 DOWY EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA Unb %ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3RD MAR DIV OPERATION Virg Ridge
 (LEAVE BLANK)
 ENROUTE WK 80 DV 05

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLES
(F) ABOUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENG INTERED — TIME — R/W DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

OPERATOR Rogers TIME 1830 DATE 13 JULY
 STATION 223 CALL SIGN 466 MSN NO. 6466 FLT 182
 IN 1535 JAN 1820 TOTAL TIME 4.5
 PILOTS Snyder A/C WP-06 DASC VS TIME 1600
Rogers 08 CONTROLLER Helly 35 TIME 1715
 TYPE CONTROLLER FAC (A)
 TYPE MISSION D45

TOT DESCRIPTION COORDINATES PROVINCE
1725-35 Bunkers & Fighting Holes B 5824432 (8)
BF

TGT TERRAIN FLAT TGT WX 6.0 VISIBILITY 7
 REL ANGLE 200 PASSES 6 INTERVAL 30 sec MIN ALT 600
 ENROUTE ALT 24.5 RETURN ALT 5.5 TGT AIRSPEED 450
 ORDNANCE 802A/409 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100 % 80 %ADDITIONAL 2 sub Sacs fire

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED Americal OPERATION IRON MT
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS:

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME RW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

REFERENCE TIME DATE 13 July
 STATION 223 CALL SIGN 454 MSN NO. 6454 FLT 152
 ID. 1006 JAW 1056 POINT TIME 1.6
 PILOTS COSTA A/C WP 18 DASC DAWANG TIME 1011
BLACKMAN 12 CONTROLLER H02ABC 4 TIME 1015
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1025/38 TROOPS IN CONT A7866299 3
TS

TGT TERRAIN M TGT WX 0 VISIBILITY 9
 REL ANGLE 10° PASSES 8 INTERVAL 30 MIN ALT 300
 ENROUTE ALT 14.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE/ 8D2A, 409 EXPENDED ALL JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE # 1)
 BDA 100 % 100 %ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 1st M.D. OPERATION
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE CNE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABCUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME ESW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

OPERATOR HEISE TIME 1820 DATE 22 JULY 69
 STATION 223 CALL SIGN HB 020 MSN NO. 6020 ALT 152/1
1657 1757 TOTAL TIME 2.0

PILOTS HEISE A/C WP 23 DASC HELIX TIME 1703
COL PYTKO WP 16 CONTROLLER HELIX 33 TIME 1710
 TYPE CONTROLLER FAC (A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1723-37</u>	<u>KNOWN ENEMY POSIT</u>	<u>BS798479</u>	<u>RVN</u>
	<u>EC</u>		

TGT TERRAIN FLAT TGT WX 6.0/0 VISIBILITY 15+
 REL ANGLE 30° PASSES 16 INTERVAL 45 SEC MIN ALT 1500
 ENROUTE ALT 15.5 RETURN ALT 12.5 TGT AIRSPEED 450
 ORDNANCE/ 12024/W EXPENDED 11D24/W NETTISONED NONE
 CRDNANCE/RTB 1 D2 DUDS (SEE NOTE # 1) ONE
 BDA 100 % 70 %ADDITIONAL

3 MILITARY STRUCTURES DAMAGED 3
BUNKERS DESTROYED, 1 SUSTAINED FIRE

SECONDARY EXPLCSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED AMERICAN OPERATION IRON MOUNTAIN
(LEAVE BLANK)

ENROUTE WX 150 800 / 0 7

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCUIT
(F) ABOUT	YES ☐ NO ☒	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION BS798479 REASON FOR UNKNOWN

RECOVERABLE UNKNOWN FUZE (DELAY/ARM DELAY) W- FUZE - 45 sec

NOTE #2: ECM ENCOUNTERED _____ TIME _____ RW DIRECTED _____

NOTE #3: CRDNANCE EFFECTIVENESS _____

REFUELER Burn TIME 1230 DATE 14 July 69
 STATION 223 CALL SIGN 462 MSN NO. 6462 FLT 152
 T/O 1335 LAND 1545 FUEL TIME 4.6
 PILOTS Palmer A/C 11 DASC TIME
BURNS 18 COCONTROLLER TRAIL 30 TIME 1420
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
1436-46	Troops in Contact	YK366918	RVN I

TGT TERRAIN Hilly TGT WX 50 00 VISIBILITY 7
 REL ANGLE 10° PASSES 6 INTERVAL 30 sec MIN ALT 600
 ENROUTE ALT 22.5 RETURN ALT TGT AIRSPEED
 ORDNANCE/ 802/409 EXPENDED ALL JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE # 1)
 BDA 100 % %ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED ARVN OPERATION (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☒	IF ADDITIONAL CIRCLE
(F) ABOUT	YES ☐ NO ☒	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: DIVERT UNBUN
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME RW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DESRIEFER _____ TIME _____ DATE 14 July
 SQUADRON 223 CALL SIGN 593 MSN NO. 6593 FLT 152
 T/O 1330 LAND 1520 TOTAL TIME 3.2

PILOTS _____ A/C _____
Reed WP 13 DASC _____ TIME _____
Rogers 01 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT _____ DESCRIPTION _____ COORDINATES _____ PROVINCE _____

No DROP

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES ~~1000~~ INTERVAL _____ MIN ALT _____
 ENROUTE ALT 21.5 RETURN ALT 14.6 TGT AIRSPEED _____
 ORDNANCE/ 408 407 402 EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB ALL DUDS (SEE NOTE # 1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____ (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 (B) AIRBURST YES NO FILE FORM WITH BARREL
 (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
 (F) ABOUT YES NO A/C MALFUNCTION/ NO DROP
 (G) DIRERT YES NO GIVE REASON BELOW

REMARKS: No TDS
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENG. ENTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER _____ TIME _____ DATE _____
 SQUADRON 223 CALL SIGN 589 MSN NO. 6589 FLT 152
 T/O 0900 LAND 1000 TOTAL TIME 2.0

PILOTS A/C DASC TIME
Fischer WP 3 CONTROL TIME
Norris 6 TYPE MISSION

TOT DESCRIPTION COORDINATES PROVINCE

No Prop

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ REL ALT _____

ENROUTE ALT 20.5 RETURN ALT 25.5 TGT AIRSPEED _____

ORDNANCE/ 407 408 EXPENDED _____ JETTISONED _____

ORDNANCE/RTB ALL DUDS (SEE NOTE # 1) _____

BDA _____ % _____ %ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____ (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) A/C HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE CNE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABCUT	YES NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES NO	GIVE REASON BELOW

REMARKS: No Tgt's
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DESIGNER Stanton TIME 1215 DA 8/14 Jul 69
 STATION 223 CALL SIGN HB 235 MSN NO. 6235 FLT 12
 TA 1043 JAW 1202 TACTIC TIME 1.3

PILOTS Stanton A/C WP7 DASC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT _____ DESCRIPTION _____ COORDINATES _____ PROVINCE _____

TEST

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 ENROUTE ALT _____ RETURN ALT _____ REL ALT _____
 TGT AIRSPEED _____
 ORDNANCE/ _____ EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
 BDA _____ % _____ %ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____
 (LEAVE BLANK)

ENROUTE WX _____
 (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 (B) AIRBURST YES NO FILE FORM WITH BARREL
 (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES NO CIRCLE CNE/COORD
 (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
 (F) ABOUT YES NO A/C MALFUNCTION/ NO DROP
 (G) DIRERT YES NO GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ NW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DESIGNATOR HART TIME 1015 DA 19 July
 STATION 223 CALL SIGN H B MSN NO. 6221 FILE 15
 TO 0935 JAN 1005 TOTAL TIME 15

PILOTS HART A/C 23 DASC VS TIME 0940
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1</u>	<u>TEST</u>		

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____
 ORDNANCE/ NONE EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
 BDA _____ % _____ %ADDITIONAL _____

SECONDARY EXPLCSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☒ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	☒ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	☒ NO	CIRCLE CNE/COORD
(E) BDA REPORTED	YES	☒ NO	IF ADDITIONAL CIRCLE
(F) ABOUT	YES	☒ NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	☒ NO	GIVE REASON BELOW

REMARKS: TEST (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ NEW DIRECTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____

REFLECTOR ISURNS TIME 1235 DA 14 May 69
 STATION 223 CALL SIGN 462 MSN NO. 6462 FLT 152
 T/L 1130 LANE 1210 TOTAL TIME 1.4

PILOTS Balmer A/C 11 DASC TIME
BURNS 1-8 CONTROLLER TIME
 TYPE CONTROLLER TIME
 TYPE MISSION TIME

TOT DESCRIPTION COORDINATES PROVINCE

RETURN FROM URBON
FOR
DIVERT

TGT TERRAIN TIME TGT WK TIME VISIBILITY TIME
 REL ANGLE TIME PASSES TIME INTERVAL TIME MIN ALT TIME
 ENROUTE ALT TIME RETURN ALT TIME TGT AIRSPEED TIME
 ORDNANCE/ TIME EXPENDED TIME JETTISONED TIME
 ORDNANCE/RTB TIME DUDS (SEE NOTE # 1) TIME
 BDA TIME % TIME %ADDITIONAL TIME

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED OPERATION (LEAVE BLANK)

ENROUTE WK TIME

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 (B) AIRBURST YES NO FILE FORM WITH BARREL
 (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
 (F) ABOUT YES NO A/C MALFUNCTION/ NO DROP
 (G) DIRERT YES NO GIVE REASON BELOW

REMARKS: TIME

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION TIME REASON FOR TIME
 RECOVERABLE TIME FUZE (DELAY/ARM DELAY) TIME

NOTE #2: ECM ENCOUNTERED TIME TIME TIME HOW DIRECTED TIME

NOTE #3: ORDNANCE EFFECTIVENESS TIME

DESTROYER TIME 1145 DA 8 July
 STATION 223 CALL SIGN HB227 MSN NO. 6227 FILE 121
0945 1030 7

PILOTS BAYNES A/C UP 21
 DASC TIME
 CONTROLLER TIME
 TYPE CONTROLLER
 TYPE MISSION

TOT DESCRIPTION COORDINATES PROVINCE

TGT TERRAIN TGT WX VISIBILITY

REL ANGLE PASSES INTERVAL MIN ALT

ENROUTE ALT RETURN ALT TGT AIRSPEED

ORDNANCE/ EXPENDED JETTISONED

ORDNANCE/RTB DUDS (SEE NOTE # 1)

BDA % %ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED OPERATION

(LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS:

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME RW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

OPERATOR McCauley TIME 0950 DA 14 July 69
 STATION 223 CALL SIGN Hellburn MSN NO. 6019 FLT
 0815 0940 POSITIVE TIME 2.9
 PILOTS McCauley A/C WP 01 DASC Dong Ho TIME
066 WP 13 CONTROLLER SW 98.3 TIME
 TYPE CONTROLLER FA 6 (A)
 TYPE MISSION FA 6 (A)

TOT DESCRIPTION COORDINATES PROVINCE

~~0815/0940~~ 0910 Mountain 010 15+
Helo 22 20P
No D

TGT TERRAIN Mountain TGT WX 010 VISIBILITY 15+

REL ANGLE — PASSES — INTERVAL — MIN ALT — REL ALT —

ENROUTE ALT 18.5 RETURN ALT 17.5 TGT AIRSPEED —

ORDNANCE 4D204 4D7 4D8 EXPENDED None JETTISONED —

ORDNANCE/RTB ALL DUDS (SEE NOTE # 1) —

BDA — % — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED — OPERATION —

(LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLES
(F) ABOUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS: RS

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — RW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

REFLECTOR EKN TIME 1130 DATE 14 Jul
 STATION 223 CALL SIGN 591 MSN NO. 68591 FLT 15L
 TGT 1000 LANT 1102 TGT TIME 2.2

PILOTS	A/C	DASC	TIME
<u>Fischer</u>	<u>3</u>	CONTROLLER	<u>BILK 35</u> TIME <u>1030</u>
<u>NORRIS</u>	<u>2</u>	TYPE CONTROLLER	<u>FACA</u>
		TYPE MISSION	<u>DAS</u>

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1035-50</u>	<u>U/c Trees</u>	<u>40332892</u>	<u>2</u>
	<u>TS</u>		

TGT TERRAIN Hilly TGT WX 0 VISIBILITY 107
 REL ANGLE 30° PASSES 10 INTERVAL 30 MIN ALT 1200
 ENROUTE ALT 20.5 RETURN ALT 25.5 TGT AIRSPEED 450
 ORDNANCE/ 407/408 EXPENDED 407 JETTISONED —
 ORDNANCE/RTB 408 DUDS (SEE NOTE # 1) —
 EDA 100 % 100 %ADDITIONAL 2 barrels per sec exp

SECONDARY EXPLCSIONS Yes NUMBER 1 SIZE 15'
 UNIT SUPPORTED 3rd 101st AB OPERATION Montgomery Bend
 (LEAVE BLANK)

ENROUTE WX 040

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE CNE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS:

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ NW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

IDENTIFIER Qanna TIME 0800 DA 14 July
 STATION 223 CALL SIGN HB011 MEN NO. 6011 FLT 152
 AT 0645 TIME 0750 POSTAL TIME 1.1

PILOTS

A/C

BARNESWP 10

DASC

TIME

CONTROLLER MILKEYTIME 0655

TYPE CONTROLLER

MSQ

TYPE MISSION

TPQ

TOT

DESCRIPTION

COORDINATES

PROVINCE

0724Enemy PositionYC 2869392ECTGT TERRAIN DRXTGT WX 1900VISIBILITY 16REL ANGLE LevelPASSES 1

INTERVAL

MIN ALT 20000REL ALT 20000ENROUTE ALT 20000RETURN ALT 19.5

TGT AIRSPEED

290

ORDNANCE/

6 D2B/WEXPENDED all

JETTISONED

ORDNANCE/RTB

DUDS (SEE NOTE # 1)

BDA

blnk

%ADDITIONAL

SECONDARY EXPLCSIONS

NUMBER

SIZE

UNIT SUPPORTED

101st A.B.

OPERATION

Montgomery Road

(LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE

YES ☐ NO ☒

FILE FORM WITH BARREL

(B) AIRBURST

YES ☐ NO ☒

FILE FORM WITH BARREL

(C) A/C HIT

YES ☐ NO ☒

FILE FLASH REPORT WITH BARREL

(D) RECON DISERT/EXTRACT

YES ☐ NO ☒

CIRCLE ONE/COORD

(E) BDA REPORTED

YES ☐ NO ☒

IF ADDITIONAL CIRCIT

(F) ABOUT

YES ☐ NO ☒

A/C MALFUNCTION/ NO DROP

(G) DIRERT

YES ☐ NO ☒

GIVE REASON BELOW

REMARKS:

-2 A/C downTPQ Divert.

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION

REASON FOR

RECOVERABLE

TIME (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED

TIME

FW DIRECTED

NOTE #3: CRNAGE EFFECTIVENESS.

OPERATOR 064 TIME 0700 DAY 14 JULY 69
 STATION 223 CALL SIGN HB151 MSN NO. 6151 FLT 852/1
 IN 0538 OUT 0643 TOSM TIME 2.2

PILOTS PRESTON A/C WP 16 DASC BILK CONT. TIME 0555
064 WP 03 CONTROLLER BILK 25 TIME 0600
 TYPE CONTROLLER FAC(A)
 TYPE MISSION L3P

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0610-15</u>	<u>L3 PREP</u> <u>UN</u>	<u>2C 093 907</u>	<u>2 CORPS</u>

TGT TERRAIN MOUNTAINS TGT WX 80 @ VISIBILITY 10
 REL ANGLE 30° PASSES 8 INTERVAL 30 SEC MIN ALT 1500
 ENROUTE ALT 14.5 RETURN ALT 13.5 TGT AIRSPEED 450
 ORDNANCE 1202W4(OC) EXPENDED ALL JETTISONED NONE
 ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) NONE
 BDA 100 % 50 % ADDITIONAL

SECONDARY EXPLOSIONS YES NUMBER 1 SIZE SMALL
 UNIT SUPPORTED 101 ST OPERATION Kentucky Hammer
 (LEAVE BLANK)

ENROUTE WX 100 @

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS:

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME F/W DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEMILITEF Mei TIME 1235 DATE 14 July 69
 SQUADRON 223 CALL SIGN M23 MSN NO. 0939 FLT 152
 T/O 1127 LAND 1215 TOTAL TIME 1.6
 PILOTS Stocking A/C WP 04 DASC Hillsboro TIME 1137
Hart 23 CONTROLLER Covey 252 TIME 1141
 TYPE CONTROLLER TACA
 TYPE MISSION ST

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>152-55</u>	<u>T.P.</u>	<u>XC 890583</u>	<u>LAOS</u>
		<u>1553 10645</u>	<u>F</u>
		<u>1553 10645</u>	

TGT TERRAIN R TGT WX 0 VISIBILITY 7
 REL ANGLE 30° PASSES 2 INTERVAL 60 MIN ALT 4.0
 ENROUTE ALT 16.5 RETURN ALT 17.5 TGT AIRSPEED 480
 ORDNANCE/ 12 122w/y EXPENDED AN JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE # 1) -
 BDA unk ADDITIONAL -

SECONDARY EXPLOSIONS No NUMBER - SIZE -
 UNIT SUPPORTED 7th AF OPERATION -
 (LEAVE BLANK)

ENROUTE WX -

(A) HOSTILE FIRE <u>Mei</u>	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST <u>1245</u>	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT <u>dark</u>	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABCUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON FOR -
 RECOVERABLE - FUZE (DELAY/ARM DELAY) -
 NOTE #2: ECM ENCOUNTERED - TIME - HOW DIRECTED -
 NOTE #3: CREW EFFECTIVENESS -

DEBRIEFER DAKER TIME 1245 DATE 14 Jul 60
 SQUADRON 223 CALL SIGN MAN MSN NO. 0929 FLT 152
 T/O 1023 LAND 1128 ²² TOTAL TIME 2.2

PILOTS
DAKER WP 17 ^{A/C}
STAVORE 12

DASC HUSBORO TIME 1035
 CONTROLLER MISTY 31 TIME 1040
 TYPE CONTROLLER TACA
 TYPE MISSION ST

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1045-50</u>	<u>ROAD</u>	<u>XCHD 975</u>	
	<u>RD</u>	<u>1614 10653</u>	<u>F</u>

TGT TERRAIN FLAT TGT WX 15.0 ^① VISIBILITY 9+
 REL ANGLE 45 ^② PASSES 4 ^③ INTERVAL 30 MIN ALT 3000
 ENROUTE ALT 18.5 RETURN ALT 19.5 TGT AIRSPEED 450
 ORDNANCE 1202w/y EXPENDED 1102w/y PETTISONED —
 ORDNANCE/RTB 1 D2 DUDS (SEE NOTE # 1) —
 BDA 100 % 100 % ADDITIONAL 1500 EXP

SECONDARY EXPLOSIONS YES NUMBER 1 SIZE Small ^(RED)
 UNIT SUPPORTED 7th AF OPERATION —
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	<u>YES</u>	<u>NO</u>	FILE FORM WITH BARREL
(B) AIRBURST	<u>YES</u>	<u>NO</u>	FILE FORM WITH BARREL
(C) A/C HIT	<u>YES</u>	<u>NO</u>	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	<u>YES</u>	<u>NO</u>	CIRCLE ONE/COORD
(E) BDA REPORTED	<u>YES</u>	<u>NO</u>	IF ADDITIONAL CIRCUIT
(F) ABOUT	<u>YES</u>	<u>NO</u>	A/C MALFUNCTION/ NO DROP
(G) DIRERT	<u>YES</u>	<u>NO</u>	GIVE REASON BELOW

REMARKS: DIVERT FROM PRI TGT BY HUSBORO
Reason UNK. (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER Nel TIME 1555 DATE 14 July 69
 SQUADRON 223 CALL SIGN M 26 MSN NO. 0963 FLT 152/3
 T/O 1400 LAND 1513 TOTAL TIME 2.4

PILOTS
Hamilton
Newbill
 A/C
WP 24
03
 DASC Hillsboro TIME 1405
 CONTROLLER Stormy 03 TIME 1425
 TYPE CONTROLLER TACA
 TYPE MISSION S.T.

TOT	DESCRIPTION	COORDINATES	PROVINCE
1432-38	Bridge	XO 096266	LAOS
	BR	1631 10601	C

TGT TERRAIN R TGT WX 1.0 0 VISIBILITY 7
 MIN ALT 2.0
 REL ANGLE 30° PASSES 2 INTERVAL 30 REL ALT 3.5
 ENROUTE ALT 22.5 RETURN ALT 21.5 TGT AIRSPEED 450
 ORDNANCE/ 12/02w/4 EXPENDED AU JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE # 1) -
 BDA 100 for 25 mtrs ADDITIONAL -

SECONDARY EXPLOSIONS No NUMBER - SIZE -
 UNIT SUPPORTED 7th A.F. OPERATION -
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABCUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS:

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

OPERATOR Rogers TIME 1700 DATE 14 July
 STATION 223 CALL SIGN 595 MSN NO. 595 FLT 1521
 T/L 1520 LANT 1640 TOTAL TIME 3.2

PILOTS Reed A/C WP13 DASC VS TIME 1330
Rogers 01 CONTROLLER LOPEZ 55 TIME 1610
 TYPE CONTROLLER FAC (A)
 TYPE MISSION EAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1610-20</u>	<u>ZC208315 (VE LOCATION)</u>		<u>(3)</u>

TGT TERRAIN Hilly TGT WX 6.5 VISIBILITY 10
 REL ANGLE 30° PASSES 4 INTERVAL 30 MIN ALT 1800
 ENROUTE ALT 21.5 RETURN ALT 14.6 TGT AIRSPEED 450
 ORDINANCE 4D8/4D7/4D24 EXPENDED 4D7/4D24 JETTISONED NONE
 ORDINANCE/RTB 4D8 DUDS (SEE NOTE # 1)
 BDA 100 % 70 % ADDITIONAL 1 70 meter tunnel,
1 Bunker, 2 STRUCTURES DESTROYED

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED ARVN OPERATION _____
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABOUT	YES ☐ NO ☒	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ K/W DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

IDENTIFIER Blackman TIME 1030 DATE 14 July 1969
 STATION 223 CALL SIGN HB013 ASN NO. 6013 FLT 152
 IN 0830 OUT 0917 TOTAL TIME 1.6

PILOTS Hamilton A/C WP-10 DASC DAMANG TIME 0840
Blackman 24 CONTROLLER Cowalk 63 TIME 0850
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT 0857/05 DESCRIPTION Enemy Fort. COORDINATES BT 109543 PROVINCE IRVN
CP

TGT TERRAIN Flat TGT WX 0 VISIBILITY 10+
 REL ANGLE 20 PASSES 10 INTERVAL 30 MIN ALT 600
 REL ALT 1050

ENROUTE ALT 10.5 RETURN ALT 2.5 TGT AIRSPEED 430

ORDNANCE/ 802A/409 EXPENDED All JETTISONED —

ORDNANCE/RTB — DUDS (SEE NOTE # 1) —

BDA 90 % 95 ADDITIONAL 1 BK Dust

Many Structures Dam., 70 meters of Trees

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED ROK MARINES OPERATION Victory Dragon
 (LEAVE BLANK)

ENROUTE WX 0

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — RW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DESPATCH PERRY TIME 0713 DATE 7/14/69
 STATION 223 CALL SIGN HB 153 MSN NO. 6153 FLT 182/1
 AT 0609 AND 0702 TOTAL TIME 2.0
 PILOTS
SCHWANINGER W/P A/C
PERRY 24
 DASC Helix TIME 0605
 CONTROLLER Helix 31 TIME 0612
 TYPE CONTROLLER FRACH
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0637-42</u>	<u>Enemy loc</u> <u>EC</u>	<u>BS 602352</u>	<u>US/5</u>

TGT TERRAIN MTNS TGT WK 14000 VISIBILITY 10
 REL ANGLE 30 PASSES 5 INTERVAL 45 MIN ALT 1500
 ENROUTE ALT 140 RETURN ALT 12.5 TGT AIRSPEED 450
 ORDNANCE 12 D2W EXPENDED ALL JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE # 1) -
 BDA 100 % 100 % ADDITIONAL -

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED Am Cal OPERATION Iron MT.
 (LEAVE BLANK)

ENROUTE WK 14000 10

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLES
(F) ABOUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS: _____

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ RW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEPARTURE WARFIELD TIME 1.7 DATE 14 Jul 69
 STATION 223 CALL SIGN H.B. 523 SEN NO. 6523 FLT 352
 T/O 1958 LWD 2130 TOTAL TIME 1.7

PILOTS WARFIELD C/D A/C WP24 DASS TIME
 CONTROLLER 0160201 TIME 1.7
 TYPE CONTROLLER 48RT
 TYPE MISSION TPO

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2110</u>	<u>Rocket Position</u>	<u>BS470950</u>	<u>4</u>
<u>2116</u>	<u>EL</u>		

TGT TERRAIN R TGT WX 0 VISIBILITY 9+
 REL ANGLE 2000 PASSES one INTERVAL REL ALT 14.8
 ENROUTE ALT 225 RETURN ALT 13.5 TGT AIRSPEED 290
 ORDNANCE/ 6D2 EXPENDED 6D2 JETTISONED —
 CRDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA Unb %ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED AMERICAN OPERATION Gamma Park
 (LEAVE BLANK)

ENROUTE WX 120 0 0 0

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE CNE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOUT	YES	NO	A/C MALFUNCTION/ NC DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS: MILKY RADAR WAS DOWN
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

RECOVERABLE — FUSE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — R/W DIRECTED —

NOTE #3: REMANCE EFFECTIVENESS —

DESIGNER REED TIME 2220 DATE 14 JUL 69
 STATION 223 CALL SIGN HR 525 MSN NO. 6525 FLT 1.5
 T/O 2030 L/O 2200 TOTAL TIME 1.5
 PILOTS REED A/C WP 4 DASS OHUAI ASRT TIME 1
 CONTROLLER 79 TIME 2810
 TYPE CONTROLLER ASRT-2100
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2110/2120</u>	<u>RKT SITE</u>	<u>AS 482948</u>	<u>4 CORPS</u>
	<u>EL</u>		

TGT TERRAIN R TGT WX 0 VISIBILITY 15
 REL ANGLE 70L PASSES 2 INTERVAL — MIN ALT 14,000
 ENROUTE ALT 18.5 RETURN ALT 17.5 TGT AIRSPEED 290
 ORDNANCE/ 602 W/4 EXPENDED ALL JETTISONED —
 CRDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA — ADDITIONAL —

SECONDARY EXPLCSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED AMERICAN OPERATION Geneva Park
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE CNE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABUT	YES	NO	A/C MALFUNCTION/ NC DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

OPERATOR Laugeth TIME 2150 DAY 14 July
 STATION 223 CALL SIGN HB 527 MSN NO. 628 6527 FLT 4521
 IN 2055 LAND 2137 TOTAL TIME .7

PILOTS Laugeth A/C WP 12 DASC Chu Lai ASCTME 2102
 CONTROLLER ASCT #77 TIME
 TYPE CONTROLLER ASCT
 TYPE MISSION TRQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2110</u>	<u>RKT POSIT</u>	<u>BS 471 997</u>	<u>4</u>
	<u>EL</u>		

TGT TERRAIN R TGT WX -0 VISIBILITY 9+
 REL ANGLE 8 PASSES 1 INTERVAL — MIN ALT 14.1
 ENROUTE ALT 14.0 RETURN ALT 13.5 TGT AIRSPEED 290
 ORDNANCE/ 6 D244 EXPENDED 6 D244 JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA — Chb ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED Americal OPERATION Geneva Park
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — RW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DESIGNER GRUBER TIME 1610 DA 14 July 1969
 STATION VMA223 CALL SIGN HB MSN NO. 6017 FLT 1-3
 TC 1442 LANT 1557 TSTLE TIME 1-3

PILOTS BAKER A/C 12 DASC HELIX TIME 1450
GRUBER 04 CONTROLLER HELIX 23 TIME 1455
 TYPE CONTROLLER FAC(A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1558-1610</u>	<u>ENEMY Location</u> <u>EC</u>	<u>BS446895</u>	<u>LI</u>

TGT TERRAIN River valley TGT WK 4.0 ① VISIBILITY 800h
 REL ANGLE 30° PASSES 8 INTERVAL 3000 MIN ALT 1500'
 ENROUTE ALT 10,500 RETURN ALT 14,500 TGT AIRSPEED 450
 ORDNANCE/ 12 D2 WY EXPENDED ALL JETTISONED None
 ORDNANCE/RTB None DUDS (SEE NOTE # 1) 1
 BDA 100 % 100 %ADDITIONAL

SECONDARY EXPLCSIONS None NUMBER — SIZE —
 UNIT SUPPORTED America OPERATION Geneva Park
 (LEAVE BLANK)

ENROUTE WK 1 ①

(A) HOSTILE FIRE	YES <u>NO</u>	FILE FORM WITH BARREL
(B) AIRBURST	YES <u>NO</u>	FILE FORM WITH BARREL
(C) A/C HIT	YES <u>NO</u>	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES <u>NO</u>	CIRCLE CNE/COORD
(E) BDA REPORTED	YES <u>NO</u>	IF ADDITIONAL CIRCLE
(F) ABCUT	YES <u>NO</u>	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES <u>NO</u>	GIVE REASON BELOW

REMARKS: One apparent dud went into target area
 (REFERENCE NOTE #3)
ALL other bombs exploded in area.

NOTE #1: DUD REPORT LOCATION BS446895 REASON FOR UNK.

RECOVERABLE 4500 FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED — TIME — NW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DESPATCH FREEMAN TIME 2110 DATE 14 JUL
 STATION 223 CALL SIGN HB521 MSN NO. 6521 FLT 251
 D/O 1940 LANE 2050 TOTAL TIME 1.2
 PILOTS FREEMAN A/C WP03 DASC AN HBA TIME 2010
 TYPE CONTROLLER AS RT
 TYPE MISSION TPR

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2020</u>	<u>RCT POSIT</u>	<u>AT985420</u>	<u>13TR</u>
	<u>EL</u>		

TGT TERRAIN UR TGT WX 0 VISIBILITY 10+
 REL ANGLE 100 PASSES 1 INTERVAL — MIN ALT 14.2
 ENROUTE ALT 24.1 RETURN ALT 21.5 TGT AIRSPEED 290
 ORDNANCE/ 602 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA UNK % UNK %ADDITIONAL —

SECONDARY EXPLCSIONS NO NUMBER — SIZE —
 UNIT SUPPORTED 5th MAR REGT. D. OPERATION HBB, Pipestone Canyon
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☒	IF ADDITIONAL CIRCLE
(F) ABCUT	YES ☐ NO ☒	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: DANANG AREA INSD.
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — TIME (DELAY/ARM DELAY) —

NOTE #2: ECM ENX ENTERED — TIME — RW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DESIGNATOR Blackman TIME 0845 DA 14 July
 STATION 223 CALL SIGN HB519 MSN NO. 6519 FLT 452
 TC 1910 LANT 2020 TSTIME TIME 1.2

PILOTS Blackman A/C WP-11 DASS DA NANG TIME 1915
 CONTROLLER 75 TIME
 TYPE CONTROLLER ASRT
 TYPE MISSION TPB

TOT 1920/50 DESCRIPTION ENEMY RKT Rcs COORDINATES 2C 211435 PROVINCE BRUN
EL 2C 214439

TGT TERRAIN R TGT WX 0 VISIBILITY 7+
 REL ANGLE — PASSES 4 INTERVAL — MIN ALT 16.6
 ENROUTE ALT 18.5 RETURN ALT 17.5 TGT AIRSPEED 290
 ORDNANCE/ 602W/y EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA — Hub %ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 5th MARISTM.D. OPERATION PipeStone Canyon
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABCUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — RW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

WEATHER Stanton TIME 0915 DA 14 July 69
 STATION 223 CALL SIGN HB451 MSN NO. 6451 FLT 152/1
 IT 0758 0903 TOTAL TIME 2.2

PILOTS <u>Stanton</u> <u>Proctor</u>	A/C <u>4</u> <u>12</u>	DASC <u>Dancy</u> TIME <u>0803</u> CONTROLLER <u>Stanton</u> TIME <u>0806</u> TYPE CONTROLLER <u>FAC (A)</u> TYPE MISSION <u>12 Day</u>
--	------------------------------	--

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0816/49</u>	<u>12 Day</u> UN <u>UN</u>	<u>A781530 S</u>	<u>3</u>

TGT TERRAIN Hilly TGT WX 0 VISIBILITY 7
 REL ANGLE 20 PASSES 12 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 14.5 RETURN ALT 13.5 TGT AIRSPEED 450
 ORDNANCE/ 4D9 8D2A EXPENDED 4D9 7D2A JETTISONED
 ORDNANCE/RTB 1D2A DUDS (SEE NOTE # 1)
 BDA 90 % 90 % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 151 MAR DLV OPERATION
 (LEAVE BLANK)

ENROUTE WX 7007

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒ NO ☐	CIRCLE ONE/COORD <u>A781530 S</u>
(E) BDA REPORTED	YES ☐ NO ☒	IF ADDITIONAL CIRCLE
(F) ABOUT	YES ☐ NO ☒	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS:

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
RECOVERABLE FUZE (DELAY/ARM DELAY)
 NOTE #2: ECM ENCOUNTERED TIME RW DIRECTED
 NOTE #3: ORDNANCE EFFECTIVENESS

DESPATCH Shurungame TIME 1015 DA 15 July 69
 STATION VMA-223 CALL SIGN 590 MSN NO. 6596 FLT
 T/C 0905 LANT 1005 TOTAL TIME 2.0
 PILOTS Shurungame A/C 01
1st Lt 21
 DASC DANANG TIME 0807
 CONTROLLER HOSTAGE DELTA TIME 0818
 TYPE CONTROLLER EAC(A)
 TYPE MISSION EC

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0939/0949</u>	<u>Enemy positions</u> <u>EC</u>	<u>BT 014 603</u>	<u>TCap3</u>

TGT TERRAIN FLAT TGT WX 0 VISIBILITY 10+
 REL ANGLE 30° PASSES 8 INTERVAL 15sec MIN ALT 2300
 ENROUTE ALT 20.5 RETURN ALT 9.5 TGT AIRSPEED 450
 ORDNANCE/ 402W/407 EXPENDED 402W/407 JETTISONED 0
408
 ORDNANCE/RTB 408 DUDS (SEE NOTE # 1)
 BDA 100% 100% %ADDITIONAL

SECONDARY EXPLCSIONS 0 NUMBER SIZE
 UNIT SUPPORTED 1st m.o. OPERATION Mighty Play
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES/NO	FILE FORM WITH BARREL
(B) AIRBURST	YES/NO	FILE FORM WITH BARREL
(C) A/C HIT	YES/NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES/NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES/NO	IF ADDITIONAL CIRC
(F) ABOUT	YES/NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES/NO	GIVE REASON BELOW

REMARKS:

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE (DELAY/ARM DELAY)
 NOTE #2: ECM ENCOUNTERED TIME R/W DIRECTED
 NOTE #3: ORDNANCE EFFECTIVENESS

DESIGNER BRUVER TIME 0810 DA 15 July 1969
 STATION VMA223 CALL SIGN HR MSN NO. 6010 FLT
 TA 0644 LANT 0752 ESTIM TIME 27

PILOTS BAKKE A/C 11 DASC DANAB TIME 0655
BRUVER 12 CONTROLLER HOSTAGE SIM TIME 0710
 TYPE CONTROLLER FAC (A)
 TYPE MISSION L2P

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0727-0734</u>	<u>L2P</u> <u>UN</u>	<u>BT632596</u>	<u>3</u>

TGT TERRAIN FLAT TGT WX 0 VISIBILITY 9+
 REL ANGLE 30° PASSES 8 INTERVAL 30 MIN ALT 1500'
 REL ALT 3000'
 ENROUTE ALT 14,500 RETURN ALT 9,500 TGT AIRSPEED 450
 ORDNANCE/ 12 D2 (DC) EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1)
 BDA 90 % 100 % ADDITIONAL 1 Bunker Dest
100 meters fire line 20 m Trench

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1st marines OPERATION Mighty Plan
 (LEAVE BLANK)

ENROUTE WX Clear

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABCUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 NOTE #2: ECM ENCOUNTERED — TIME — RW DIRECTED —
 NOTE #3: ORDNANCE EFFECTIVENESS —

DESPATCH 101100 TIME 0720 DA 15 July 69
 STATION 923 CALL SIGN 113152 MSN NO. 6152 FLT 152/1
 TO 0621 LAND 0203 TOTAL TIME 1.4
 PILOTS Hamilton A/C up-18 DASC Donnan TIME 0626
Laviaro up-06 CONTROLLER Hostage Jim TIME 0628
 TYPE CONTROLLER FAC
 TYPE MISSION L2P

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0636-48</u>	<u>Bunker complex</u> <u>L2 prep</u> <u>UN</u>	<u>0813591</u> <u>BT</u>	<u>3</u>

TGT TERRAIN Flat TGT WX clear VISIBILITY 9+
 MIN ALT 1800
 REL ANGLE 30° PASSES 2 INTERVAL 30" REL ALT 2000
 ENROUTE ALT 12.5 RETURN ALT 9.5 TGT AIRSPEED 450
 ORDNANCE/ 4D3V/4D3X EXPENDED all JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE # 1)
 BDA 90 % 100 %ADDITIONAL 1 bunker destroyed
1 bunker damaged
30 meters of trench line

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED 1st MAR. Div OPERATION Mighty Play
(LEAVE BLANK)

ENROUTE WX clear

(A) HOSTILE FIRE	YES ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒	CIRCLE CNE/COORD
(E) BDA REPORTED	YES ☒	IF ADDITIONAL CIRCLE
(F) ABOUT	YES ☒	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES ☒	GIVE REASON BELOW

REMARKS:

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME RW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DESIGNER DCF TIME 0900 DATE 15 JULY 69
 STATION 223 CALL SIGN MB 450 MSN NO. 6450 FLT 152
 T/C 0750 LANE 0850 TOTAL TIME 2.0
 PILOTS A/C
NEW BILL WP 2 DASC DNC TIME 0800
FLANNAGAN 23 CONTROLLER HOBBS U-TIME 0805
 TYPE CONTROLLER ACA
 TYPE MISSION 005

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0813/27</u>	<u>BASE CAMP</u>	<u>AT 839916</u>	<u>3</u>
	<u>BS</u>		

TGT TERRAIN MNTS. TGT WK 03 VISIBILITY 10
 MIN ALT .6
 REL ANGLE 20 PASSES 14 INTERVAL 30 REL ALT 1.3
 ENROUTE ALT 16.5 RETURN ALT 17.5 TGT AIRSPEED 450
 ORDNANCE/ 802A 409 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) 3 D2A
 BDA 90 % 100 % ADDITIONAL 3 HOOCHES DEST

SECONDARY EXPLCSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 26 H. 1500 A.D. OPERATION —
 (LEAVE BLANK)

ENROUTE WK 010

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE CNE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION AT 839910 REASON FOR FUSE
 RECOVERABLE YES FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — RW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

SQUADRON 223 CALL SIGN HB 467 SN # 6467 FLT CODE 152/1
 T/O 1558 LAND 1717 TOTAL TIME 2.6

PILOTS

A/C SIDE NO

PEREIRA
WAR FIELD

WPOB
03

DASC Dang HA TIME 1615
 COORDINATE S.W-98-15 TIME 1620

TIME COORDINATE DL FAX 015
 TIME MISSION 4 CAS

TOT	DESCRIPTION	COORDINATES	DATE/COORDS/120
<u>1615</u>	<u>TROOP INSERT</u>	<u>YD 398751'</u>	<u>RDN</u>
<u>1645</u>	<u>Enemy Posit</u>	<u>YD 246779</u>	<u>U</u>

TOT TERRAIN Level TOT TX 0 9+
 REL ANGLE 20° PASSES 3 INTERVAL 30s REL ALT 1250 AL 500
 MINIMUM ALT 18.5 REMAIN ALT 19.5 TOT ALT/SHED 450KTS
 ORDNANCE 8D2A4D-9 EMPLOYED ALL JETT — DUDS —
 BDA 100/100 1 Bunker (Larger) Dest

SECONDARY AIRCRAFTS NUMBER — OR — HEIGHT —
 UNIT SUPPORTED 3rd Marine Expedition Triguero Grove
 AIRCRAFT IN BASE 19,0 TOTS —

(A) HOSTILE FIRE	YES	NO	REASON POSSIBLE FIRE FORM
(B) AIRCRAFT	YES	NO	REASON AIR DUST FORM
(C) A/C HIT	YES	NO	REASON FIRE INCIDENT FORM
(D) RECON REPORT/RETRACT	YES	NO	REASON COUNTRY GIVE INFO
(E) AIRCRAFT	YES	NO	REASON COUNTRY GIVE INFO
(F) A/C HIT	YES	NO	REASON COUNTRY GIVE INFO
(G) DUDS	YES	NO	REASON COUNTRY GIVE INFO

REMARKS: CAS MISSION S.W. 98-15, Duient TO
YD 246 779 - Enemy Bunker

DUD CRD REPORT LOCATION — DELAY —
 REASON — RECOVERED — TOTS —
 NOT RECOVERED — NOT DIRECTED —

PILOT CRAW TIME 2010 DAY 15 July
 STATION 223 CALL SIGN H8 512 MSN NO. 6572 FLT 352/1
 IN 1912 OUT 2000 FUEL TIME 0.8

PILOTS CRAW A/C WP1 DASC — TIME 1916
 CONTROLLER CHU LAI TYPE CONTROLLER ASST TYPE MISSION TPD

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1926</u>	<u>BS 470 915</u>	<u>RKT SITE</u>	<u>EL 66/21</u>
<u>1934</u>	<u>BS 461 958</u>	<u>- do -</u>	<u>- do -</u>
<u>1941</u>	<u>BS 375 827</u>	<u>SEL</u>	<u>- do -</u>

TGT TERRAIN R TGT WX 0 VISIBILITY 10+
 REL ANGLE 0 PASSES 3 INTERVAL 4 min MIN ALT 14.0
 ENROUTE ALT 15.5 RETURN ALT 13.5 TGT AIRSPEED 290
 ORDNANCE 6 D24/4 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA thru %ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED American OPERATION Geneva Park
 (LEAVE BLANK)
 ENROUTE WX 0

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — EW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

TARGET SM-2 TIME 2000 DATE 15 JUL 76
 STATION 223 CALL SIGN H8510 MSN NO. 6570 ETC 151
 IN 1840 LAND 1950 POSSE TIME 1.2

PILOTS SANDER A/C WP 07 DASC CHULA TIME 1850
 CONTROLLER ASRT TYPE CONTROLLER ASRT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1859</u>	<u>Base Camp BS</u>	<u>BS 482 792</u>	<u>5</u>
<u>1905</u>	<u>RET SITE</u>	<u>BS 481 948</u>	
<u>1910</u>	<u>RET SITE</u>	<u>BS 475 930</u>	

TGT TERRAIN R TGT WX CO VISIBILITY 10+
 REL ANGLE 2 PASSES 3 INTERVAL 17 MIN ALT 14000
 ENROUTE ALT 14.8 RETURN ALT 20.0 TGT AIRSPEED 290 IAS
 ORDNANCE/ 12 DL BND S.E EXPENDED AL JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) 0
 BDA blmb %ADDITIONAL

SECONDARY EXPLOSIONS 0 NUMBER SIZE
 UNIT SUPPORTED AMERICAN OPERATION Geneva Park
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE-NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE DELAY/ARM DELAY
 NOTE #2: ECM ENCOUNTERED TIME RW DIRECTED
 NOTE #3: REMARKS EFFECTIVENESS

DEBRIEFER T.L. Morris TIME 1700 DATE 15 JULY
 SQUADRON 223 CALL SIGN 466 MSN NO. 6466 FLT 152
 T/O 1548 LANT 1640 TOTAL TIME 1.8

PILOTS
REED A/C WP 24
WARTFIELD 09

DASC HELIX TIME 1603
 CONTROLLER HELIX 22 TIME 1605
 TYPE CONTROLLER AFACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1607-1618</u>	<u>VILLE</u>	<u>85668 963</u>	<u>9</u>
	<u>VL</u>		

TGT TERRAIN FLAT TGT WX 0 VISIBILITY 15
 REL ANGLE 20 PASSES 10 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 11.5 RETURN ALT 8.5 TGT AIRSPEED 450
 ORDNANCE/ 812A499 EXPENDED ALL JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE # 1)
 BDA 100 % 90 %ADDITIONAL 2 BUNKERS +
15 STRU. DEST

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED Americal OPERATION Geneva Park
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	☒ YES ☐ NO	FILE FORM WITH BARREL <u>30cal</u> <u>(2)</u>
(B) AIRBURST	☒ YES ☐ NO	FILE FORM WITH BARREL
(C) A/C HIT	☒ YES ☐ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	☒ YES ☐ NO	CIRCLE CNE/COORD
(E) BDA REPORTED	☒ YES ☐ NO	IF ADDITIONAL CIRCLE
(F) ABCUT	☒ YES ☐ NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	☒ YES ☐ NO	GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME H/W DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DESPATCH BURNS TIME 1150 DATE 5 July
 STATION 223 CALL SIGN 614 MSN NO. 6014 FLT 152
 T/L 1030 LANT 1130 TOTAL TIME 7.0
 PILOTS ROGERS A/C 6 DASC Bulk TIME 1040
BURNS 17 CONTROLLER 1150 TIME 1040
 TYPE CONTROLLER EAC (A)
 TYPE MISSION DA

TOT	DESCRIPTION	COORDINATES	PROVINCE
1050-1105	Susp. Enemy Posit EC	YD364121	(2N) I

TGT TERRAIN Willy TGT WX 60 D VISIBILITY 10
 REL ANGLE 30 PASSES 6 INTERVAL 30 MIN ALT 3000
 ENROUTE ALT 14.5 RETURN ALT 13.5 TGT AIRSPEED 450
 ORDNANCE/ 120mm EXPENDED 1102w/y JETTISONED —
 ORDNANCE/RTB 102w/y DUDS (SEE NOTE # 1) —
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 3rd Bn. 101st AB OPERATION Montgomery Bend
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS: _____

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ EW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

OPERATOR HART TIME 2010 DATE 15 July
 STATION 223 CALL SIGN HB MSN NO. 6514 FLT
 IN 1940 IND 2055 POSTAL TIME 1.3
 PILOTS HART A/C 21 DASS VICE SQUADTIME
 CONTROLLER BIRMINGHAM TIME 1959
 TYPE CONTROLLER FPD ASR
 TYPE MISSION TRQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1955-2005</u>	<u>ENEMY POS IT</u>	<u>YC 267934</u>	<u>R</u>
	<u>EC</u>		

TGT TERRAIN R TGT WX clear VISIBILITY 50
 REL ANGLE 120 PASSES 12 INTERVAL — MIN ALT 14.0
 ENROUTE ALT 18.5 RETURN ALT 19.5 TGT AIRSPEED 290 IND.
 ORDNANCE/ 6 D2 EXPENDED 6 D2 JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1)
 BDA — Unb — %ADDITIONAL —

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 101st AIRBORNE OPERATION Montgomery Road
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒	IF ADDITIONAL CIRCLE
(F) ABCUT	YES ☒	A/C MALFUNCTION/ NO DROP
(G) DIRECT	YES ☒	GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE / DELAY/ARM DELAY _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ RW DIRECTED _____

NOTE #3: REMARKS EFFECTIVENESS _____

DESPATCH Bahn TIME 1245 TE 15 J 1
 STATION 223 CALL SIGN 1/B MSN NO. 6458 FLT 152
 T/A 1150 LANE 1235 TOTAL TIME 1.6
 PILOTS Bahn A/C WP 3
GRUVER 23
 DASC NA TIME 1208
 CONTROLLER BIG 18 TIME 1208
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1213-24</u>	<u>Empty Box</u> <u>EC</u>	<u>BT 02/105</u>	<u>4</u>

TGT TERRAIN Hilly TGT WX 0 VISIBILITY 15
 REL ANGLE 30° PASSES 6 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 18.5 RETURN ALT 5.5 TGT AIRSPEED 450
 ORDNANCE 802A 409 EXPENDED ALL JETTISONED
 ORDNANCE/RTB NA DUDS (SEE NOTE # 1)
 BDA 100 % 20 % ADDITIONAL

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED Sin Aminal OPERATION _____
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABCUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS: _____

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ NOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Capt SCHWELL TIME 1023 H DATE 15 July 69
 STATION 223 CALL SIGN H8012 MSN NO. 6012 FLT 152
 T/L 0913 LANE 1012 TOTAL TIME 1.9

PILOTS
SCHWELL A/C WP-04 DASC DANANG TIME 0920
STANTON 17 CONTROLLER Kinchee 5 TIME 0922
 TYPE CONTROLLER FAC(A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0930-40</u>	<u>Tree line w/ new Posits</u>	<u>BT/122550</u>	<u>3</u>
	<u>EC</u>		

TGT TERRAIN FLAT TGT WX 0 VISIBILITY 10+
 REL ANGLE 30 PASSES 7 INTERVAL 30 MIN ALT 1.8
 ENROUTE ALT 14.5 RETURN ALT 5.5 TGT AIRSPEED 480 KPH
 ORDNANCE 11202w/y EXPENDED 111202w/y JETTISONED NONE
 ORDNANCE/RTB 11202w/y DUDS (SEE NOTE # 1) NO
 BDA 95 % 100 % ADDITIONAL
75 Meter of Tree line Destroyed

SECONDARY EXPLCSIONS NO NUMBER 1 SIZE 1
 UNIT SUPPORTED 2ND ROIC BATT OPERATION Victory Dragon
 (LEAVE BLANK)

ENROUTE WX 0 10+

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABCUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ MW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS OKAY

AIRCRAFT Phantom TIME 1535 DA 15 July 69
 SQUADRON 223 CALL SIGN 46016 MSN NO. 6016 FLT 152
 TO 1425 LANT 1530 TOTAL TIME 1.8

PILOTS BARNES A/C 46 DASC Helix TIME 1430
HART 18 CONTROLLER BLUE 14 TIME 1435
 TYPE CONTROLLER EAC A
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1455-1510</u>	<u>BUNKERS BF</u>	<u>BT 105019</u>	<u>4</u>
	<u>Enemy location</u>		
	<u>(Suspected)</u>		

TGT TERRAIN NTN TGT WX 9.50 VISIBILITY 10+
 REL ANGLE 30° PASSES 6 INTERVAL 45 MIN ALT 2000
 ENROUTE ALT 10.5 RETURN ALT 9.5 TGT AIRSPEED 450
 ORDNANCE/ 1202 EXPENDED all JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100 % 100 % ADDITIONAL 1 Bunker Duct

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 101st A.B. OPERATION Lamas Plain
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☒	IF ADDITIONAL CIRCLE
(F) ABOUT	YES ☐ NO ☒	A/C MALFUNCTION? NO DROP
(G) DIRERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — RW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

CARRIER Blackman TIME 1100 DATE 15 July 1969
 SQUADRON 223 CALL SIGN HBO18 MSN NO. 6018 FLT 152
 TC 0937 JAW 1041 TOTAL TIME 2.2
 PILOTS Blackman A/C WP 24 DASC Bilk TIME 0950
Snyder 7 CONTROLLER Bilk 37 TIME 0953
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1000/14</u>	<u>Enemy Bunkers</u>	<u>YD348131</u>	<u>DAIN</u>
	<u>BF</u>		

TGT TERRAIN Mtn TGT WX 0 VISIBILITY 10+
 REL ANGLE 30 PASSES 8 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 20.5 RETURN ALT 19.5 TGT AIRSPEED 450
 ORDNANCE/ 1202WY EXPENDED All JETTISONED
 ORDNANCE/RTB — DUDS (SEE NOTE # 1)
 BDA 100 % 100 % ADDITIONAL 7 kg Bunker
3 Bunkers Dest 2 Small

SECONDARY EXPLCSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 101st AB OPERATION Kentucky Jumper
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABCUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS: —

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — RW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER _____ TIME _____ DATE _____
 SQUADRON 223 CALL SIGN 590 MSN NO. 6590 FLT 152
 T/O 0805 LAND 0905 TOTAL TIME 2.0

PILOTS Schugneigen A/C WP 51 DASC _____ TIME _____
Lawrence _____ 01 CONTROLLER _____ TIME _____
 _____ _____ TYPE CONTROLLER _____
 _____ _____ TYPE MISSION _____

TOT _____ DESCRIPTION _____ COORDINATES _____ PROVINCE _____

No P, 20P

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ REL ALT _____

ENROUTE ALT 20.5 RETURN ALT 9.5 TGT AIRSPEED 450

ORDNANCE/ 402 407 408 EXPENDED _____ JETTISONED _____

ORDNANCE/RTB ALL DUDS (SEE NOTE # 1) _____

BDA _____ % _____ %ADDITIONAL _____

SECONDARY EXPLCSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) A/C HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABOUT	YES NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES NO	GIVE REASON BELOW

REMARKS: Not T's
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DESIGNATOR 223 TIME 1600 DATE 15 July
 STATION 223 CALL SIGN HB 208 MSN NO. 6208 FLT 121
 T/L 0845 LAND 0945 TOTAL TIME 1.0

PILOTS BARNES A/C WP 15 DASC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT DESCRIPTION COORDINATES PROVINCE

TES

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____
 ORDNANCE/ _____ EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____
 (LEAVE BLANK)

ENROUTE WX _____
 (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 (B) AIRBURST YES NO FILE FORM WITH BARREL
 (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 (E) BDA REPORTED YES NO IF ADDITIONAL CIRCUIT
 (F) ABCUT YES NO A/C MALFUNCTION/ NO DROP
 (G) DIRERT YES NO GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ NOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER 099 TIME 1625 DATE 15 JULY 69
 SQUADRON 223 CALL SIGN HAN 24 MSN NO. 0949 FLT FERRY
 IN 1100 LANE 1147 TOTAL TIME 1.6

PILOTS A/C
WALLACE WP 10 DASC TIME
PEREIRA WP 8 CONTROLLER TIME
 TYPE CONTROLLER
 TYPE MISSION FERRY

TOT	DESCRIPTION	COORDINATES	PROVINCE

TGT TERRAIN TGT WX VISIBILITY
 REL ANGLE PASSES INTERVAL MIN ALT
 ENROUTE ALT 20.5 RETURN ALT TGT AIRSPEED
 ORDNANCE/ NONE EXPENDED JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE # 1)
 BDA % % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED OPERATION (LEAVE BLANK)

ENROUTE WX 07

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME RW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DESIGNER FREEMAN TIME 1400 DATE 15 JUL
 STATION 223 CALL SIGN MAN 24 MSN NO. 0852 FLT 182
 IN 1234 JAW 1345 TOTAL TIME 2.4
 PILOTS
CRAIN ^{A/C} WP 17
FREEMAN ^{A/C} WP 21
 DASC HILLSBORO TIME 1240
 CONTROLLER WAL 07 TIME 1245
 TYPE CONTROLLER FACA
 TYPE MISSION DAS S.T.

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>R310-138</u> 1380	<u>TRK PK</u>	<u>XD 898002</u> <u>1616 10650</u>	<u>F</u>

TGT TERRAIN VALLEY TGT WX 5000 OPEN VISIBILITY 8
 REL ANGLE 45° PASSES 4 INTERVAL 30 MIN ALT 4000
 ENROUTE ALT 20.5 RETURN ALT 19.5 TGT AIRSPEED 450
 ORDNANCE 11/02 EXPENDED 11/02 JETTISONED 0
 ORDNANCE/RTB 1/02 DUDS (SEE NOTE # 1) 0
 BDA 100 % 100 % ADDITIONAL UNK

SECONDARY EXPLOSIONS 0 NUMBER SIZE
 UNIT SUPPORTED 7 AF OPERATION
 (LEAVE BLANK)

ENROUTE WX 7000 0210

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLES
(F) ABCUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME NOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER Mc TIME 1255 DATE 5 July 69
 SQUADRON 227 CALL SIGN M23 MSN NO. 0944 FLT 152
 T/O 1119 LAND 1225 TOTAL TIME 2.2

PILOTS Palmer A/C WP 11 DASC Hillsboro TIME 1131
Stacking 12 CONTROLLER Playboy 13 TIME 1135
 TYPE CONTROLLER TACA
 TYPE MISSION S.T.

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1152-57</u>	<u>105 mm Gun</u>	<u>XO 422/278/</u>	<u>LAO</u>
	<u>SA</u>	<u>1632 10620</u>	<u>C</u>

TGT TERRAIN F TGT WX 7-0 @ VISIBILITY C
 REL ANGLE 30° PASSES 2 INTERVAL 30 MIN ALT 402.5
 ENROUTE ALT 20.5 RETURN ALT 17.5 TGT AIRSPEED 450
 ORDNANCE/ 12/024/4 EXPENDED AN JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE # 1) -
 BDA ch %ADDITIONAL -

SECONDARY EXPLCSIONS No NUMBER - SIZE -
 UNIT SUPPORTED 7th AF. OPERATION -
 (LEAVE BLANK)

ENROUTE WX -

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS: diverted by hillsboro Ram per trt.
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON FOR -

RECOVERABLE - FUSE (DELAY/ARM DELAY) -

NOTE #2: BCM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -

DEBRIEFER McL TIME 1720 DATE 15 July 69
 SQUADRON 223 CALL SIGN M 28 MSN NO. 0976 FLT 152
 T/O 1526 LANT 1643 TOTAL TIME 2.6

PILOTS	A/C	DASC <u>Willsboro</u> TIME <u>1540</u>
<u>PYTEO</u>	<u>WC 03</u>	CONTROLLER <u>NAU 34</u> TIME <u>1550</u>
<u>Burns</u>	<u>23</u>	TYPE CONTROLLER <u>TAC</u>
		TYPE MISSION <u>S.T.</u>

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1602-09</u>	<u>Storage Area</u>	<u>X D 450380</u>	<u>LAOS</u>
	<u>SP</u>	<u>1638 10622</u>	<u>C</u>

TGT TERRAIN F TGT WX 8.00 VISIBILITY 10
 MIN ALT 4.0
 REL ANGLE 450 PASSES 6 INTERVAL 30 REL ALT 6.0
 ENROUTE ALT 18.5 RETURN ALT 19.5 TGT AIRSPEED 480
 ORDNANCE/ 12/02 w/4 EXPENDED AN JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE # 1) -
 BDA 100 % 100 %ADDITIONAL -

SECONDARY EXPLCSIONS No NUMBER - SIZE -
 UNIT SUPPORTED 7th A.F. OPERATION -
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE <u>McL</u>	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABCUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS:

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON FOR -RECOVERABLE - FUZE (DELAY/ARM DELAY) -NOTE #2: ECM ENCOUNTERED - TIME - H/W DIRECTED -NOTE #3: ORDNANCE EFFECTIVENESS -

DISPATCHER PERRY TIME 0655 DATE 7/15/69
 STATION 223 CALL SIGN HB150 MSN NO. 6150 FLT 152/1
 TO 0555 JAW 0650 TOTAL TIME 1.8
 PILOTS
Mc CARTHY W/P A/C
PERRY 13
 DASC Downing TIME 0600
 CONTROLLER Wingman TIME 0605
 TYPE CONTROLLER FACA
 TYPE MISSION 12 Prep

TOT	DESCRIPTION	COORDINATES	PROVINCE
0610-23	HB150 L2P UN	HT08588	3 3

TGT TERRAIN Level TGT WX 00 VISIBILITY 10
 REL ANGLE 30 PASSES 6 INTERVAL 45 MIN ALT 1500
 ENROUTE ALT 10.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 402x 405x EXPENDED All JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 80 % 90 %ADDITIONAL —

50 meters of trench, 50 meters of tree line
1 Bomb Destroy

SECONDARY EXPLCSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 5th Mee 1st M. D. OPERATION P. pestone Canyon
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABOUT	YES ☐ NO ☒	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: _____

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUSE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ RW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____