

DEBRIEFER FISCHER TIME 1830 DATE 16 JUL 69
SQUADRON 223 CALL SIGN HBN MSN NO. 6019 FLT LS2/1
T/O 1638 LAND 1750 TOTAL TIME 2.4

PILOTS FISCHER A/G WOLF DASC BILK TIME 1655
GERMAN 17 CONTROLLER BILK 21 TIME 1705
TYPE CONTROLLER FAC (A)
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1717-28</u>	<u>ENEMY LOCATION</u>	<u>VC 348904</u>	<u>RTN</u>
	<u>EC</u>		

TGT TERRAIN HILL crest TGT WX C VISIBILITY 10T
REL ANGLE 30° PASSES 11 INTERVAL 30sec MIN ALT 1500
ENROUTE ALT 14500 RETURN ALT 17,500 TGT AIRSPEED 450
ORDNANCE/ 12 Dow/4 EXPENDED ALL JETTISONED "
ORDNANCE/RTB - DUDS (SEE NOTE # 1) -
BDA 100 % 100 %ADDITIONAL -

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 131st ABN OPERATION Montgomery Road
(LEAVE BLANK)

- ENROUTE WX _____
- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABOUT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIRERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER BAKER TIME 1330 DA 16 July 69
SQUADRON 223 CALL SIGN HB MSN NO. 6457 FLT 152
T/O 1145 LANE 1316 TOTAL TIME 28

PILOTS
BAKER WP A/C 8
GRUVER 15
DASC TRAIL 20 TIME 1216
CONTROLLER TRAIL 65 TIME 1218
TYPE CONTROLLER FAC (A)
TYPE MISSION OAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1230-45</u>	<u>Env Loc</u>	<u>YD 203303</u>	<u>1</u>
	<u>EC</u>		

TGT TERRAIN MTN TGT WX 400 VISIBILITY 15
REL ANGLE 20° PASSES 6 INTERVAL 30 MIN ALT 600
ENROUTE ALT 18.5 RETURN ALT 17.5 TGT AIRSPEED 450
ORDNANCE/ BDA 409 EXPENDED ALL JETTISONED -
ORDNANCE/RTB - DUDS (SEE NOTE # 1) -
BDA 100 % 100 % ADDITIONAL -

SECONDARY EXPLCSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 1st ARVN OPERATION _____
(LEAVE BLANK)

- ENROUTE WX _____
- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 - (B) AIRBURST YES NO FILE FORM WITH BARREL
 - (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
 - (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 - (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLES
 - (F) ABOUT YES NO A/C MALFUNCTION/ NO DROP
 - (G) DIRERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS. _____

DEBRIEFER L. S. H. TIME 1825 DA 16 July 69
SQUADRON 223 CALL SIGN 02-1 MSN NO. 6021 FLT 15211
T/O 1727 LANE 1810 TOTAL TIME 1.5

PILOTS
CRAWF A/C WP 24 DASC Helix TIME 1729
LAWSETH WP 3 CONTROLLER Helix 13 TIME 36
TYPE CONTROLLER FAC A
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1745-1750</u>	<u>Enemy Location</u> <u>EC</u>	<u>BT 200530</u>	<u>H</u>

TGT TERRAIN Flat TGT WX 8,00-0 VISIBILITY 15
REL ANGLE 30° PASSES 8 INTERVAL 30 Sec MIN ALT 1000
ENROUTE ALT 8.5 RETURN ALT 7.5 TGT AIRSPEED 450
ORDNANCE 12 D2 w/ 20 MM EXPENDED 12 D2 w/ 20 MM JETTISONED
ORDNANCE/RTB DUDS (SEE NOTE # 1)
BDA 180 % 80 % ADDITIONAL 3 Struct. Dest

SECONDARY EXPLOSIONS NUMBER SIZE
UNIT SUPPORTED American OPERATION
(LEAVE BLANK)

- ENROUTE WX
- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 - (B) AIRBURST YES NO FILE FORM WITH BARREL
 - (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
 - (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 - (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLES
 - (F) ABOUT YES NO A/C MALFUNCTION/ NO DROP
 - (G) DIRERT YES NO GIVE REASON BELOW

REMARKS:
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER PEREIRA TIME 1720 DATE 16 July 69
 SQUADRON 223 CALL SIGN H0045 MSN NO. 6045 FLT 152/1
 T/O 1555 LAND 1707 TOTAL TIME 24
 PILOTS PEREIRA A/C 01 DASC Dani NA TIME 1610
WARFIELD 21 CONTROLLER Siw 98-12 TIME 1627
 TYPE CONTROLLER FACH
 TYPE MISSION DAC

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1627</u>	<u>STREAM BED</u>	<u>4D022635</u>	<u>R/N</u>
<u>1638</u>	<u>EC</u>		

TGT TERRAIN Hilly TGT WX 0 VISIBILITY 7
 REL ANGLE 10° PASSES 4 INTERVAL 30sec MIN ALT 900'
 ENROUTE ALT 18.5 RETURN ALT 21.5 TGT AIRSPEED 300KTS
 ORDNANCE/ 8D-32 EXPENDED 8D-32 JETTISONED —
 CRDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100 % 100 %ADDITIONAL —

C

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3rd mar Div OPERATION Virginia Ridge
 (LEAVE BLANK)

ENROUTE WX —
 (A) HOSTILE FIRE YES NO
 (B) AIRBURST YES NO
 (C) A/C HIT YES NO
 (D) RECON INSERT/EXTRACT YES NO
 (E) BDA REPORTED YES NO
 (F) ABOUT YES NO
 (G) DIRERT YES NO
 FILE FORM WITH BARREL
 FILE FORM WITH BARREL
 FILE FLASH REPORT WITH BARREL
 CIRCLE ONE/COORD
 IF ADDITIONAL CIRCLES
 A/C MALFUNCTION/ NO DROP
 GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — TIME (DELAY/ARM DELAY) —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —
 NOTE #3: REMNANCE EFFECTIVENESS —

DEBRIEFER Rogers TIME 1050 DA 16 July 69
SQUADRON 223 CALL SIGN H3023 MSN NO. 6023 FLT 15211
T/O 0910 LANT 1026 TOTAL TIME 76

PILOTS Rogers A/C WP-17 DASC Dough TIME 0936
Barnes -15 CONTROLLER 15W grape TIME 0940
TYPE CONTROLLER FAC (A)
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0947-58</u>	<u>Road Seed</u>	<u>XD816238</u>	<u>D</u>
	<u>RO</u>		

TGT TERRAIN Hilly TGT WX 30 @ VISIBILITY 5
REL ANGLE 10° PASSES 4 INTERVAL 30sec MIN ALT 300'
ENROUTE ALT 18.5 RETURN ALT 15.5 TGT AIRSPEED 400
ORDNANCE/ 1202 FA EXPENDED ALL JETTISONED —
ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
BDA 100 % 100 %ADDITIONAL —

C

SECONDARY EXPLCSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 3 MARDU OPERATION Arlington Canyon
(LEAVE BLANK)

ENROUTE WX _____
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABOUT YES NO A/C MALFUNCTION/ NO DROP
(G) DIRERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS. _____

DEBRIEFER Starta TIME 1130 DATE 16 July 69
SQUADRON 223 CALL SIGN 4B 889 MSN NO. 6589 FLT 15211
T/O 0954 LANT 1109 TOTAL TIME 2.6

PILOTS Starta A/C wp 12 DASC* Dawson TIME 1122
Hart 16 CONTROLLER Arma-14 TIME 1125
TYPE CONTROLLER FAC
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1030/48</u>	<u>Enemy Bunker</u> <u>BF</u>	<u>AT90528</u>	<u>3</u>

TGT TERRAIN Flat TGT WX 0 VISIBILITY 7
REL ANGLE 30 PASSES 10 INTERVAL 30 MIN ALT 1000
REL ALT 3000
ENROUTE ALT 18.5 RETURN ALT 5.5 TGT AIRSPEED 450

ORDNANCE/ 4D2X/4D7/4D8 EXPENDED 4D2X/4D7/ JETTISONED
CRDNANCE/RTB 4D8 DUDS (SEE NOTE # 1)

BDA 100 % 100 % ADDITIONAL 1 Bunker Dest, 1 Structure
Dest. BF

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED 1st MAR DIV OPERATION Pipestone Canyon
(LEAVE BLANK)

ENROUTE WX 0

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABCUT YES NO A/C MALFUNCTION/ NO DROP
- (G) DIRERT YES NO GIVE REASON BELOW

REMARKS: Called from CAP to run tgt. Tgt of no priority
yet RTB after strike. Strike should have been fringed,
Scrambled or used just prior to RTB rather than cut into
Time on station. Purpose of hit is deleted otherwise.
NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUSE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: RENANCE EFFECTIVENESS _____

DEBRIEFER Donner TIME 1705 DATE 14 July 69
SQUADRON 223 CALL SIGN HBI59 MSN NO. 6159 FLT 152
T/O 1600 LANC 1650 TOTAL TIME 1.5

PILOTS _____ A/C _____
BARNES _____
SQUADRAN GER WPT _____
DASC D.N. TIME 1600
CONTROLLER HOSTAGE 'S TIME 1630
TYPE CONTROLLER FAC (A)
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>149-32</u>	<u>Enemy Position</u>	<u>AT 885754</u>	<u>3</u>
	<u>EC</u>		

TGT TERRAIN HTN TGT WX 8.00 VISIBILITY 7
REL ANGLE 70° PASSES 5 INTERVAL 45 MIN ALT 1050
ENROUTE ALT 12.5 RETURN ALT 11.5 TGT AIRSPEED 450
ORDNANCE 4-D9 622 EXPENDED all JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
BDA 100 % 100 % ADDITIONAL _____

C

SECONDARY EXPLCSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 15th M.D. OPERATION Pipestone Canyon
(LEAVE BLANK)

ENROUTE WX _____
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABCUT YES NO A/C MALFUNCTION/ NO DROP
(G) DIRERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUSE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DESPATCH TIME 1900 DATE 16 July 69
 SQUADRON 227 CALL SIGN MAN 28 MSN NO. 0977 FLT 152/1
 T/O 1725 LANC 1845 TOTAL TIME 1.4
 PILOTS Dippenhuizer A/C VVP.7 DASC ANNOA ASRT
 CONTROLLER 72 TIME 1810
 TYPE CONTROLLER ASRT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1815-30</u>	<u>Harbor</u>	<u>AT 954419</u>	<u>RBN/E</u>
	<u>SY</u>		

TGT TERRAIN R TGT WX 150000 VISIBILITY 5
 REL ANGLE level PASSES 2 INTERVAL — MIN ALT 14.5
 ENROUTE ALT 16.5 RETURN ALT 15.5 TGT AIRSPEED 290
 ORDNANCE/ 602WY EXPENDED all JETTISONED none
 ORDNANCE/RTB none DUDS (SEE NOTE # 1) —
 BDA unk %ADDITIONAL —

C

SECONDARY EXPLCSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 5th 19th 51st B.D. OPERATION Pipestone Canyon
 (LEAVE BLANK)

ENROUTE WX 800 150

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABCUT | YES | NO | A/C MALFUNCTION/ NO DROP |
| (G) DIRERT | YES | NO | GIVE REASON BELOW |

REMARKS: Diverted to TPQ - wingman had ground abort. (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENC: ENTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER PRESTON TIME 0950H D. 16 Jul '69
 SQUADRON 223 CALL SIGN HB 155 MSN NO. 6155 FLT 152/1
 T/O 0850 LANE 0931 TOTAL TIME 1.4

PILOTS	A/C	DASC	TIME
<u>Newbill</u>	<u>8</u>	<u>Helix</u>	<u>0855</u>
<u>PRESTON</u>	<u>23</u>	CONTROLLER	TIME
		<u>Helix 27</u>	<u>0856</u>
		TYPE CONTROLLER	
		<u>FAC(A)</u>	
		TYPE MISSION	
		<u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0900-20</u>	<u>Deserted Village</u> <u>VL</u>	<u>BS 778832</u>	<u>4</u>

TGT TERRAIN Flat TGT WK 0 VISIBILITY 20+
 MIN ALT 1500'
 REL ANGLE 30° PASSES 8 INTERVAL 45 sec REL ALT 3000'
 ENROUTE ALT 13.5 RETURN ALT 8.5 TGT AIRSPEED 450 TAS
 ORDNANCE 4D3U/4D2U EXPENDED all JETTISONED none
 CRDNANCE/RTB none DUDS (SEE NOTE # 1) none
 BDA 90% %ADDITIONAL none

②

SECONDARY EXPLCSIONS none NUMBER 0 SIZE 0
 UNIT SUPPORTED Amca1 OPERATION Geneva Park
 (LEAVE BLANK)

ENROUTE WK 120 φ

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: REMNANCE EFFECTIVENESS. _____

OPERATOR Rogers TIME 0200 DATE 16 JULY
STATION 223 CALL SIGN HB516 MSN NO. 6516 FLT 352/1
IN 0045 LND 0145 TOTAL TIME 1.0

PILOTS Rogers A/C WP-18 DASC VS TIME 0050
CONTROLLER BIRMINGHAM TIME 0100
TYPE CONTROLLER ASRT
TYPE MISSION AS TPQ

TOT 0109 DESCRIPTION Enemy location EC COORDINATES YC330979 PROVINCE (2)

TGT TERRAIN R TGT WX O VISIBILITY 10
REL ANGLE level PASSES 1 INTERVAL — MIN ALT 20.0
REL ALT 20.0
ENROUTE ALT 20.5 RETURN ALT 25.5 TGT AIRSPEED 290 KIAS
ORDNANCE/ 602w/y EXPENDED 512w/y JETTISONED —
ORDNANCE/RTB 102 DUDS (SEE NOTE # 1) —
BDA amb %ADDITIONAL —

C

SECONDARY EXPLCSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 101st AB OPERATION Montgomery Road
(SAVE BLANK)

ENROUTE WX _____
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABCUT YES NO A/C MALFUNCTION/ NO DROP
(G) DIRERT YES NO GIVE REASON BELOW

REMARKS: MILKY PASSED ME ON
TO BIRMINGHAM (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ RW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER FISCHER TIME 1200 DA 16 JUL
SQUADRON 223 CALL SIGN H5N MSN NO. 6015 FLT 1821
T/O 1038 LANT 1150 TOTAL TIME 2.4

PILOTS McCarthy A/C WP 1 DASC BICK TIME 1055
Fischer 21 CONTROLLER BICK 38 TIME 1100
TYPE CONTROLLER FAC(A)
TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1120-25</u>	<u>KNOWN ENEMY</u> <u>RIG DELINE EC</u>	<u>YC 448843</u>	<u>2</u>

TGT TERRAIN MOUNTAIN TGT WK 0 VISIBILITY 10+
REL ANGLE 30° PASSES 3 INTERVAL 30 MIN ALT 1500
ENROUTE ALT 145 RETURN ALT 215 TGT AIRSPEED 450
ORDNANCE/ 1202W14 EXPENDED ALL JETTISONED -
ORDNANCE/RTB - DUDS (SEE NOTE # 1) -
BDA 100 % 100 %ADDITIONAL -

C

SECONDARY EXPLCSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 223/101st AB OPERATION Montgomery Road
(LEAVE BLANK)

ENROUTE WK _____
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECCN INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABOUT YES NO A/C MALFUNCTION/ NO DROP
(G) DIRERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER BAKER TIME 1830 DATE 16 July
SQUADRON 223 CALL SIGN HB MSN NO. 6467 FLT 152
T/O 1549 LANC 1710 TOTAL TIME 28

PILOTS
BAKER WP 15 A/C
GRUVER 8
DASC BILK TIME 1617
CONTROLLER BILK 34 TIME 1619
TYPE CONTROLLER FAC(A)
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1630-45</u>	<u>EVADY LCL</u> <u>EC</u>	<u>132062</u> <u>40</u>	<u>2</u>

TGT TERRAIN MTN TGT WK 0 VISIBILITY 15
REL ANGLE 200 PASSES 6 INTERVAL 30 MIN ALT 600
ENROUTE ALT 18.5 RETURN ALT 17.5 TGT AIRSPEED 450
ORDNANCE/ 802A 409 EXPENDED ALL JETTISONED
CRDNANCE/RTB DUDS (SEE NOTE # 1)
BDA 100 % 100 %ADDITIONAL

2 BUNKERS DEST
2 SECONDARY FIRES (POSSIBLE AMMO FIRES)

SECONDARY EXPLCSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 20/101ST AB OPERATION Montgomery Bend
(LEAVE BLANK)

ENROUTE WK _____

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABCUT | YES | NO | A/C MALFUNCTION/ NO DROP |
| (G) DIRERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER L. L. Lingo TIME 1005 DATE 16 July 69
SQUADRON 227 CALL SIGN HD 013 MSN NO. 6013 FLT 152/1
T/O 0915 LANE 09 TOTAL TIME 1.2

PILOTS HAMILTON A/C wp-24 DASC DANNY TIME 0920
L. L. Lingo wp-06 CONTROLLER _____ TIME _____
TYPE CONTROLLER _____
TYPE MISSION _____

TOT	DESCRIPTION	COORDINATES	PROVINCE
—	—	—	—
—	—	—	—
—	—	—	—
—	—	—	—
—	—	—	—

No Drop

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
REL ALT _____
ENROUTE ALT 1015 RETURN ALT 300 TGT AIRSPEED _____
ORDNANCE/ 12 Dandy EXPENDED - JETTISONED 10 Dandy
ORDNANCE/RTB 2 Dandy DUDS (SEE NOTE # 1) _____
BDA _____ % _____ %ADDITIONAL _____

C

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED _____ OPERATION _____ (LEAVE BLANK)
ENROUTE WX _____

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLES
- (F) ABCUT YES NO A/C MALFUNCTION/ NO DROP
- (G) DIRERT YES NO GIVE REASON BELOW

REMARKS: Aborted in air because #2 d/o had
Radio Failure (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
NOTE #3: ORDNANCE EFFECTIVENESS _____

DESIGNATOR FISCHER TIME 1000 D 17 JULY 1969
STATION 223 CALL SIGN HBN MSN NO. 6206 FLT 152/1
ID: 0925 0930 TYPICAL TIME 2.2

PILOTS FISCHER A/C WP 15 DASC HELIX TIME 0839
SNYDER 17 CONTROLLER HELIX 35/102 TIME 0935/0850
TYPE CONTROLLER FAC/A
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>35</u>	<u>TS</u> <u>TROOPS IN CONTACT</u>	<u>BS 720410</u>	<u>5</u>
<u>33</u>	<u>KNOWN ENEMY LOCATION</u>	<u>BS 720360</u>	

TGT TERRAIN FLAT / HILLS TGT WX 0 VISIBILITY 107
REL ANGLE 10° / 20° PASSES 4 / 1 INTERVAL 30 sec MIN ALT 350 / 1000
ENROUTE ALT 7500 RETURN ALT 8500 TGT AIRSPEED 450 REL ALT 500 / 1000
ORDNANCE / 8D2A / 4D9 / D20 EXPENDED 8D2A / 3D9 / D20 JETTISONED _____
CRDNANCE / RTB 1D9 DUDS (SEE NOTE # 1) _____
BDA 100 % 50 % ADDITIONAL _____
100 % 75 3 BUNKERS DESTROYED
2 FIGHTING HOLES DESTROYED
30 METERS TRENCH LINE UNCOVERED

②

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED AMERICAN OPERATION SIKON MOUNTAIN
(LEAVE BLANK)

ENROUTE WX _____
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABOUT YES NO A/C MALFUNCTION/ NO DROP
(G) DIRERT YES NO GIVE REASON BELOW

REMARKS: DUD EXPENDED ONLY D9 + D20 WITH HELIX 35
(REFERENCE NOTE #3)
DUE TO PROXIMITY OF FRIENDLY TROOPS

EXPENDED D2A WITH HELIX 33

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ #W DIRECTED _____

NOTE #3: RENAISSANCE EFFECTIVENESS _____

DEBRIEFER Oppehuizen TIME 1500 DATE 17 July 69
 SQUADRON 223 CALL SIGN W13228 MSN NO. 6228 FLT 152/1
 T/O 1338 LANT 1424 TOTAL TIME 1.6
 PILOTS SNYDER A/C W13 DASC TAKE TIME 40
Oppehuizen 13 CONTROLLER TAKE TIME 41
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>13484402</u>	<u>Susp. EN Location</u> <u>EC</u>	<u>85554873</u>	<u>5</u> <u>LAOS</u>

TGT TERRAIN rolling TGT WX 8.00 VISIBILITY 7
 REL ANGLE 20 PASSES 8 INTERVAL 30 MIN ALT 700
 ENROUTE ALT 7.5 RETURN ALT 6.5 TGT AIRSPEED 450
 ORDNANCE/ 409 X02A EXPENDED all JETTISONED none
 ORDNANCE/RTB none DUDS (SEE NOTE # 1) 109 102A
 BDA 100 % 30 %ADDITIONAL

SECONDARY EXPLCSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED ARRIVAL OPERATION _____
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLES
(F) ABOUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION 135554873 REASON FOR unknown

RECOVERABLE no FUZE (DELAY/ARM DELAY) 904E? 25ec

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: (ORDNANCE EFFECTIVENESS) _____

DEBRIEFER 29 evs TIME 1620 DATE 17 JUL 1969
SQUADRON 223 CALL SIGN HB203 MSN NO. 6230 FLT 152
T/O 1515 LANE 1605 TOTAL TIME 1.6

PILOTS Rogers A/C WP 03 DASC VS TIME 1517
Reed 09 CONTROLLER LOPEZ 61 TIME 1523
TYPE CONTROLLER FAC (A)
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1539-44</u>	<u>Enemy location</u> <u>EC</u>	<u>2C212345</u>	<u>(3)</u>

TGT TERRAIN Foot hills TGT WK D VISIBILITY 10
REL ANGLE 30° PASSES 6 INTERVAL 30 MIN ALT 1200 REL ALT 3000
ENROUTE ALT 10.5 RETURN ALT 9.5 TGT AIRSPEED 450
ORDNANCE/ 1202w/y EXPENDED ALL JETTISONED
ORDNANCE/RTB DUDS (SEE NOTE # 1)
BDA 100 % 100 % ADDITIONAL Nothing further

C

SECONDARY EXPLCSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED ARUN OPERATION _____
(LEAVE BLANK)

ENROUTE WK _____
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCFW
(F) ABCUT YES NO A/C MALFUNCTION/ NO DROP
(G) DIRERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER CRANE TIME 1315 D 17 July
SQUADRON 223 CALL SIGN HB224 MSN NO. 6224 FLT 152/1
T/O 1220 LANT 1312 TOTAL TIME 1.8

PILOTS CRANE SMITH WP A/C 8 24
DASC JAKE TIME 1223
CONTROLLER JAKE 48 TIME 1225
TYPE CONTROLLER FAC (A)
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1232/47</u>	<u>EN. COMPLEX</u> <u>EC</u>	<u>B555387A</u>	<u>5 5</u>

TGT TERRAIN HILLY TGT WX 0 VISIBILITY 5
REL ANGLE 30 PASSES 7 INTERVAL 30 REL ALT 3300
ENROUTE ALT 8.5 RETURN ALT 5.5 TGT AIRSPEED 450
ORDNANCE/ 12 D2W/1 EXPENDED 6 D2W/4 JETTISONED 0
ORDNANCE/RTB 6 D2W/4 DUDS (SEE NOTE # 1)
BDA 100 % 100 % ADDITIONAL

C

1 TUNNEL DEST
1 SEC FIRE (WHITE SMOKE)

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED ARUN OPERATION _____
(LEAVE BLANK)

ENROUTE WX _____
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABCUT YES NO A/C MALFUNCTION/ NO DROP
(G) DIRERT YES NO GIVE REASON BELOW

REMARKS: -2 NO DROP DUE TO LANDING TO AG GEAR
PROBLEMS
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER H. Kerson TIME 1900 DA 17 July 69
SQUADRON 223 CALL SIGN Hb. 204 MSN NO. 6204 FLT 152/1
T/O 0908 LANT 1204 TOTAL TIME 5.8

PILOTS PRESTON A/C WP 3 DASC Doug HA TIME 0915
BLACKMAN 4 CONTROLLER SW. Winoy TIME 0920
TYPE CONTROLLER FAC (A)
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0930-1139</u>	<u>Enemy Location</u> <u>EC</u>	<u>YD253758</u>	<u>1</u>

TGT TERRAIN MTNS. TGT WX 120 (D) VISIBILITY 10 +
REL ANGLE 20° PASSES 6 INTERVAL 30 MIN ALT 600'
ENROUTE ALT 20.5 RETURN ALT 21.5 TGT AIRSPEED 450

ORDNANCE/ 802A/409 EXPENDED ALL JETTISONED
ORDNANCE/RTB DUDS (SEE NOTE # 1)

BDA 95 % 95 %ADDITIONAL 1 SEC. FIRE
2 BUNKERS DESTROYED, 25 m TRAIL DESTROYED

C

SECONDARY EXPLOSIONS NUMBER SIZE
UNIT SUPPORTED 3RD AWD. OPERATION IROUOIS GROVE
(LEAVE BLANK)

ENROUTE WX

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABOUT YES NO A/C MALFUNCTION/ NO DROP
- (G) DIRERT YES NO GIVE REASON BELOW

REMARKS:
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENG UNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER BUTLER TIME 1400 DA 17 JULY 69
 SQUADRON 223 CALL SIGN H.B. 226 MSN NO. 6226 FLT 152/1
 T/O 1305 LANE 1350 TOTAL TIME 1.4

PILOTS COSTA A/C AP-15 DASC DAWNG 7 TIME 1310
BUTLER 18 CONTROLLER Host U TIME 1315
 TYPE CONTROLLER FACTA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1317-24</u>	<u>NVA BASE CAMP WITH NVA BS</u>	<u>2C 178 790</u>	<u>RVN/2</u>

TGT TERRAIN Hilly TGT WX 500 VISIBILITY 5
 REL ANGLE 30° PASSES 6 INTERVAL 30° MIN ALT 1.5
 REL ALT 3.0

ENROUTE ALT 16.5 RETURN ALT 11.5 TGT AIRSPEED 450

ORDNANCE 12 D20/1 EXPENDED ALL JETTISONED

ORDNANCE/RTB DUDS (SEE NOTE # 1)

BDA 100 % 100 % ADDITIONAL 2 SECONDARY EXPLOSIONS
1 EX. FROM ROCKET MOTOR 2 STRUCTURES DES.

2nd EX FROM GUN POWDER 150 METERS TREE

SECONDARY EXPLOSIONS YES NUMBER 2 SIZE

UNIT SUPPORTED REST AND PADDLE BOAT OPERATION (LEAVE BLANK)

ENROUTE WX 1-07

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABOUT YES NO A/C MALFUNCTION/ NO DROP
- (G) DIRERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: PERFORMANCE EFFECTIVENESS.

DEBRIEFER HICKERSON TIME 1,300 DATE 17 JULY 69
SQUADRON 223 CALL SIGN Hb 21C MSN NO. 6216 FLT 152/1
T/O H58 LANE 1250 TOTAL TIME 1.8

PILOTS BARNES A/C WP12 DASC 0.0 TIME 1207
HICKERSON 1C CONTROLLER HOT. UNIT TIME 1209
TYPE CONTROLLER FAC(A)
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1212/1232</u>	<u>ENEMY TS</u>	<u>2C178790</u>	<u>3</u>

TGT TERRAIN MTNS TGT WX 120 0 VISIBILITY 10+
REL ANGLE 300 PASSES 6 INTERVAL 30 MIN ALT 2.0
ENROUTE ALT 9.5 RETURN ALT 12.5 TGT AIRSPEED 450 KTS

ORDNANCE 1202Y EXPENDED ALL JETTISONED

ORDNANCE/RTB DUDS (SEE NOTE # 1)

BDA 100 % 100 % ADDITIONAL
100 m TRENCH
2 STRUCT. DEST.

SECONDARY EXPLCSIONS NUMBER SIZE

UNIT SUPPORTED 1ST MARDIV OPERATION (LEAVE BLANK)

ENROUTE WX ☉

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE CNE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABCUT YES NO A/C MALFUNCTION/ NO DROP
- (G) DIRERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS.

DEBRIEFER Shimizu TIME 0100 DA 17 July 69
SQUADRON VMA 223 CALL SIGN H8 561 MEN NO. 6561 FLT 382
T/O 0005 LANE ops TOTAL TIME 1.7

PILOTS Shimizu A/C 17 DASC DA Nam TIME 0015
18 CONTROLLER MASTERS TIME 0016
TYPE CONTROLLER FACU
TYPE MISSION DAE

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0030/0040</u>	<u>Village</u> <u>VL</u>	<u>AT 899529</u>	<u>ICaps</u> <u>3</u>

TGT TERRAIN FLA TGT WX 1000 VISIBILITY 100
REL ANGLE 45 PASSES 8 INTERVAL 2/5 MIN ALT 2000
ENROUTE ALT 12.5 RETURN ALT 9.5 TGT AIRSPEED 450
ORDNANCE/ 8024 EXPENDED UNK JETTISONED 0
ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) 3/02
BDA 90 % 90 % ADDITIONAL UNK

C

SECONDARY EXPLCSIONS 0 NUMBER SIZE
UNIT SUPPORTED 575TH ARB OPERATION Pipestone Canyon
(LEAVE BLANK)
ENROUTE WX Same as 100

- (A) HOSTILE FIRE YES NO
 - (B) AIRBURST YES NO
 - (C) A/C HIT YES NO
 - (D) RECON INSERT/EXTRACT YES NO
 - (E) BDA REPORTED YES NO
 - (F) ABCUT YES NO
 - (G) DIRERT YES NO
- FILE FORM WITH BARREL
FILE FORM WITH BARREL
FILE FLASH REPORT WITH BARREL
CIRCLE ONE/COORD
IF ADDITIONAL CIRCU
A/C MALFUNCTION/ NO DROP
GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION AT 899529 REASON FOR UNK
RECOVERABLE UNK FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Lousett TIME 1235 DA 17 July 68
 SQUADRON 223 CALL SIGN Z18 MSN NO. 6218 FLT 152/1
 T/O 1129 LANT 1226 TOTAL TIME 2.0

PILOTS Lousett A/C WP 6 DASC Do Navy TIME 1735
NORRIS 123 CONTROLLER Hobbes Duke TIME 1737
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1159/1206</u>	<u>CAVE</u> <u>CV</u>	<u>AT 976396</u>	<u>3</u>

TGT TERRAIN WTN TGT WX 0 VISIBILITY 15
 REL ANGLE 30° PASSES 8 INTERVAL 30 Sec MIN ALT 1000 REL ALT 3000'
 ENROUTE ALT 14.5 RETURN ALT 13.5 TGT AIRSPEED 450
 ORDNANCE 112 D2 w/ EXPENDED 20 JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE # 1)
 BDA 100 % 100 %ADDITIONAL 1 CAVE Dest.
100 meters Trail Dest.

C

SECONDARY EXPLCSIONS NUMBER SIZE
 UNIT SUPPORTED 1st Lt M.D. OPERATION Pipestone Canyon
 (LEAVE BLANK)

ENROUTE WX
 (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 (B) AIRBURST YES NO FILE FORM WITH BARREL
 (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
 (D) RECCN INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
 (F) ABCUT YES NO A/C MALFUNCTION/ NO DROP
 (G) DIRERT YES NO GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE (DELAY/ARM DELAY)
 NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED
 NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER _____ TIME _____ DA _____
SQUADRON 223 CALL SIGN MAN 28 MSN NO. 0170 FLT 142
T/O 1245 LAND 1330 TOTAL TIME 1.6

PILOTS A/C
CUSTA WP 10 DASC _____ TIME _____
NORRIS 13 CONTROLLER _____ TIME _____
TYPE CONTROLLER _____
TYPE MISSION _____

TOT DESCRIPTION COORDINATES PROVINCE

FERRY

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____

REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
REL ALT _____

ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____

ORDNANCE/ _____ EXPENDED _____ JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA _____ % _____ %ADDITIONAL _____

SECONDARY EXPLCSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____
(LEAVE BLANK)

ENROUTE WX _____

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABCUT YES NO A/C MALFUNCTION/ NO DROP
- (G) DIRERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER McL TIME _____ DA 18 July 69
SQUADRON 223 CALL SIGN Man 21 MSN NO. 0933 FLT 152/3
T/O 1003 LAND 1125 TOTAL TIME 2.8

PILOTS Palmer A/C 7 DASC Hillsboro TIME 1005
Reynolds 10 CONTROLLER Sobany 62 TIME 1020
TYPE CONTROLLER TAQA F4
TYPE MISSION ST

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1037</u>	<u>Truck</u>	<u>XD345445</u>	<u> </u>
	<u>MV</u>	<u>1641 10616</u>	<u>C</u>

TGT TERRAIN Mts TGT WX 1000 5 VISIBILITY 5
REL ANGLE 45 PASSES 2 INTERVAL 30 MIN ALT 3500
ENROUTE ALT 20.5 RETURN ALT 21.5 TGT AIRSPEED 450
ORDNANCE 12 D2 W EXPENDED 11/02 JETTISONED —
ORDNANCE/RTB 11/02 DUDS (SEE NOTE # 1) None
BDA 100 % 100 %ADDITIONAL 1 Truck down

C

SECONDARY EXPLCSIONS NUMBER SIZE
UNIT SUPPORTED 7th AF OPERATION (LEAVE BLANK)

- ENROUTE WX
- (A) HOSTILE FIRE McL YES NO FILE FORM WITH BARREL
 - (B) AIRBURST MSB YES NO FILE FORM WITH BARREL
 - (C) A/C HIT Clark YES NO FILE FLASH REPORT WITH BARREL
 - (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 - (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
 - (F) ABOUT YES YES NO A/C MALFUNCTION/ NO DROP
 - (G) DIRERT YES YES NO GIVE REASON BELOW

REMARKS: Diverted by Hillsboro
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER 044 TIME 0215 DA 18 JULY 69
SQUADRON 223 CALL SIGN 40238 MSN NO. 6238 FLT 352/1
T/O 0102 LANE 0200 TOTAL TIME 2.0

PILOTS A/C
WARFIELD WP15 DASC DANAIG TIME 0105
044 WP18 CONTROLLER HOT. U. TIME 0110
TYPE CONTROLLER FACA
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0115-35</u>	<u>TROOPS IN OPEN</u>	<u>At 97454Z</u>	<u>3</u> <u>I CORPS</u>
	<u>TS</u>		

TGT TERRAIN FLAT TGT WX 800 VISIBILITY 10
REL ANGLE 20° PASSES 6 INTERVAL 30 SEC MIN ALT 600
ENROUTE ALT 4.5 RETURN ALT 15.5 TGT AIRSPEED 450
ORDNANCE 802A/409 EXPENDED ALL JETTISONED NONE
ORDNANCE/RTB NONE DUDS (SEE NOTE # 1)
BDA 95 % 100 % ADDITIONAL

①

SECONDARY EXPLOSIONS NONE NUMBER — SIZE —
UNIT SUPPORTED 1st MAR OPERATION PIPESTONE CANYON
MONTE (LEAVE BLANK)
ENROUTE WX COULD NOT BE

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABCUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER CRANE TIME 1310 DATE 18 July 69
SQUADRON 223 CALL SIGN HE217 MSN NO. 6217 FLT 152/1
T/O 1225 LANE 1303 TOTAL TIME 1.2

PILOTS PICESTON CRANE A/C WP23 3
DASC HELIX TIME 1227
CONTROLLER HELIX 13 TIME 1230
TYPE CONTROLLER FAC(A)
TYPE MISSION FAC(A) DAS

TOT DESCRIPTION COORDINATES PROVINCE
1237/45 TROOPS AT865173 RUH/34
TS.

TGT TERRAIN HILLY TGT WX 90 @ 10 VISIBILITY 7
REL ANGLE 30 PASSES 9 INTERVAL 30 MIN ALT 2000
ENROUTE ALT 8.5 RETURN ALT 7.5 TGT AIRSPEED 450
ORDNANCE/ 12 D2WH EXPENDED ALL JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
BDA 100 % 60 % ADDITIONAL _____

C

SECONDARY EXPLCSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED AMERICAN OPERATION _____
(LEAVE BLANK)

ENROUTE WX 85 @ 90 @ 7

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABOUT | YES | NO | A/C MALFUNCTION/ NO DROP |
| (G) DIRERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS. _____

DEBRIEFER DT TIME 1640 DA 18 JUN 68
SQUADRON 223 CALL SIGN H1239 MSN NO. 6239 FLT 152
T/O 1530 LAND 1635 TOTAL TIME 2.2

PILOTS
FLANAGAN A/C WP 08 DASC HELIX TIME 1540
HART 13 CONTROLLER HELIX 17 TIME 1600
TYPE CONTROLLER FA(A)
TYPE MISSION CS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1608/16</u>	<u>ENEMY</u>	<u>BT 194535</u>	<u>4</u>
	<u>T5.</u>		

TGT TERRAIN FLAT TGT WX 40 @ 5 VISIBILITY 5
REL ANGLE 20 PASSES 16 INTERVAL 30 MIN ALT 16
ENROUTE ALT 4.5 RETURN ALT 5.5 TGT AIRSPEED 450
ORDNANCE/ 8D2A 409 EXPENDED ALL JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
BDA 90 % 80 %ADDITIONAL _____

②

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED AMERICAN OPERATION _____
(LEAVE BLANK)

ENROUTE WX _____
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABOUT YES NO A/C MALFUNCTION/ NO DROP
(G) DIRERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION BT 194535 REASON FOR ARMING
WIRE CAME OFF
RECOVERABLE YES FUZE (DELAY/ARM DELAY) INSTANTANEOUS

NOTE #2: BCM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER 044 TIME 1215 DA 18 JULY 69
SQUADRON 223 CALL SIGN 155 MSN NO. 6455 FLT 152/1
T/O 1100 LANT 1158 TOTAL TIME 2.0

PILOTS LA VIANO A/C WP 04 DASC BILK CONT. TIME 1115
044 WP 18 CONTROLLER BILK 25 TIME 25
TYPE CONTROLLER FALK
TYPE MISSION OAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1130-35</u>	<u>2 HOOGHES</u>	<u>YC 936 840</u>	<u>I CORPS</u>
	<u>BL</u>		<u>2</u>

TGT TERRAIN MOUNTAINS TGT WX 90 @ VISIBILITY 10
REL ANGLE 20° PASSES 9 INTERVAL 30 SEC MIN ALT 600
ENROUTE ALT 8.5 RETURN ALT 7.5 TGT AIRSPEED 450
ORDNANCE B02A/409 EXPENDED ALL JETTISONED NONE
CRDNANCE/RTB NONE DUDS (SEE NOTE # 1) 2
BDA 100 % 50 % ADDITIONAL 1/2 HOOGH

C

SECONDARY EXPLCSIONS NONE NUMBER - SIZE -
UNIT SUPPORTED 101st OPERATION KENTUCKY JUMPER
(LEAVE BLANK)

- ENROUTE WX _____
- | | | | |
|--------------------------|---|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECCN INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABCUT | YES | NO | A/C MALFUNCTION/ NO DROP |
| (G) DIRERT | <input checked="" type="checkbox"/> YES | NO | GIVE REASON BELOW |

REMARKS: UNABLE TO HIT ORIGINAL TARGET DUE TO
CHANGE OF TROOP DISPOSITION. (REFERENCE NOTE #3)
(BILK CONTROL WAS SOMEWHAT VAGUE.)

NOTE #1: DUD REPORT LOCATION YC 936 840 REASON FOR UNKNOWN
RECOVERABLE Y FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER BAKER TIME 1410 DA 18 July 69
SQUADRON 223 CALL SIGN H13 MSN NO. 6213 FLT 152
T/O 1227 LAND 1349 TOTAL TIME 2-8

PILOTS
BAKER A/C WP 21 DASC Douglas TIME 1239
STANTON 01 CONTROLLER BARKEY 19 TIME 1240
TYPE CONTROLLER FAC(A)
TYPE MISSION Q15

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>024555</u>	<u>ENEMY LOC</u>	<u>VD428314</u>	<u>1</u>
	<u>EL</u>		

TGT TERRAIN Hilly TGT WX 800 VISIBILITY 15
REL ANGLE 30° PASSES 11 INTERVAL 30 MIN ALT 1800
ENROUTE ALT 18.5 RETURN ALT 19.5 TGT AIRSPEED 450
ORDNANCE 407 - 4024 EXPENDED ALL JETTISONED —
ORDNANCE/RTB ~~5000~~ DUDS (SEE NOTE # 1)
BDA 100 % ES % ADDITIONAL

C

SECONDARY EXPLCSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 1 SARVN OPERATION _____
(LEAVE BLANK)

ENROUTE WX _____
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABOUT YES NO A/C MALFUNCTION/ NO DROP
(G) DIRERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: REMNANCE EFFECTIVENESS _____

DEBRIEFER BRUBER TIME 06 DA 18 July 1969
SQUADRON 223 CALL SIGN Hellbore MSN NO. 6209 FLT 152
T/O 1030 LANC 1105 TOTAL TIME 7:2

PILOTS FRISMAN A/C 17 DASC DNE TIME 1035
BRUBER 06 CONTROLLER KUNCH 02 TIME 1036
TYPE CONTROLLER FAC (A)
TYPE MISSION CDS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1038-48</u>	<u>Tree Line / Enemy Pos.</u>	<u>BT 130542</u>	<u>3</u>
	<u>EC</u>		

TGT TERRAIN Flat TGT WX 9.00D VISIBILITY 10 mi.
REL ANGLE 20° PASSES 8 INTERVAL 30m MIN ALT 600
ENROUTE ALT 10500 RETURN ALT 9500 TGT AIRSPEED 450
ORDNANCE 8D2A/409 EXPENDED 6D2A/409 JETTISONED —
ORDNANCE/RTB 2D2A DUDS (SEE NOTE # 1)
BDA 90% 90% %ADDITIONAL
100 meters tree line destroyed

C

SECONDARY EXPLOSIONS — NUMBER — SIZE —
UNIT SUPPORTED 1st ROC MAJ OPERATION Victory Dragon
(LEAVE BLANK)

ENROUTE WX 11:0

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECCN INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABCUT | YES | NO | A/C MALFUNCTION/ NO DROP |
| (G) DIRERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

IDENTIFIER 2002 TIME 1615 DATE 19 JUL 69
STATION 223 CALL SIGN H028 MSN NO. 6238 FLT CST Sub
ALT 1500 LANT 1600 TOTAL TIME 1.0

PILOTS 2002 A/C W-11
DASC _____ TIME _____
CONTROLLER _____ TIME _____
TYPE CONTROLLER _____
TYPE MISSION _____

TOT	DESCRIPTION	COORDINATES	PROVINCE
	<u>TEST</u>		

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____
 ORDNANCE/ _____ EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
 BDA _____ % _____ %ADDITIONAL _____

SECONDARY EXPLCSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____
 (LEAVE BLANK)

- ENROUTE WX _____
- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 - (B) AIRBURST YES NO FILE FORM WITH BARREL
 - (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
 - (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 - (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
 - (F) ABOUT YES NO A/C MALFUNCTION/ NO DROP
 - (G) DIRERT YES NO GIVE REASON BELOW

REMARKS: TEST FLT
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: BOM ENCOUNTERED _____ TIME _____ RW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER TIME DATE 19 July 69
SQUADRON 223 CALL SIGN Man 21 MSN NO. 0930 FLT 152/2
RF: 1108 ~~1108~~ 1208 FUEL TIME 2.0

PILOTS PALMER A/C 8 DASC Hillsboro TIME 1135
Reynolds 13 CONTROLLER Covey 217 TIME 1130
TYPE CONTROLLER FAC(A)
TYPE MISSION ST

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1135-1141</u>	<u>Suspected Trgak Park</u>	<u>XC 827695</u>	<u>G</u>
	<u>TP</u>	<u>1548.10/42</u>	

TGT TERRAIN MTN TGT WX 15.0 @ ~~10~~ VISIBILITY 10+
REL ANGLE 45° PASSES 2 INTERVAL 30m MIN ALT 5000
REL ALT 20.5 RETURN ALT 19.5 TGT AIRSPEED 450
ORDNANCE/ 12 D2 EXPENDED ALL JETTISONED —
ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
BDA 100 % w/ 150 m ADDITIONAL 50% on TGT

SECONDARY EXPLOSIONS — NUMBER — SIZE —
UNIT SUPPORTED 7th AF OPERATION — (LEAVE BLANK)

ENROUTE WX 0 un.res

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FIRE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABOUT YES NO A/C MALFUNCTION/ NO DROP
- (G) DIRERT YES NO GIVE REASON BELOW

REMARKS: diverted by H.B.
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCL ENTERED TIME RW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

REGISTRATION 223 TIME 0905 DATE 19 JUL 69
STATION 223 CALL SIGN HO 558 MSN NO. 6558 FLT 157
IN. 0810 LANE 0855 TOTAL TIME 1.6

PILOTS
PERERA A/C WP03 DASC DNG TIME 0815
FLANNAGAN IX CONTROLLER HOW "Z" TIME 0820
TYPE CONTROLLER EACA
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0830/40</u>	<u>BUNKERS</u>	<u>BT 112542</u>	<u>3</u>
	<u>BF</u>		

TGT TERRAIN FLAT TGT WX 300 VISIBILITY 7
MIN ALT 15
REL ANGLE 30 PASSES 8 INTERVAL 30 REL ALT 3.0
ENROUTE ALT 16.5 RETURN ALT 7.5 TGT AIRSPEED 450
ORDNANCE/ 12 02 EXPENDED ALL JETTISONED —
ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
BDA 90 % 90 %ADDITIONAL —

C

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED ASSIGNED OPERATION MIGHTY PLY
(LEAVE BLANK)

ENROUTE WX _____

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABCUT | YES | NO | A/C MALFUNCTION/ NC DRCP |
| (G) DIRERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUSE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ R/W DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DATE 19 July 1969
STATION 223 CALL SIGN HB MSN NO. 6554 FLT 152/1
IN 0810 LANE 0814 TOSNAE TIME 2.1

PILOTS PALMER A/C 7
Reynolds 16
DASC DANANG TIME 0715
CONTROLLER HOSTAGE WDA TIME 0725/0757
TYPE CONTROLLER FAC(A)
TYPE MISSION CAS

Table with columns: TOT, DESCRIPTION, COORDINATES, PROVINCE. Row 1: 0725-0757, abandoned village, BT 124532, 3 (Coord).

TGT TERRAIN Level TGT WX 800 VISIBILITY 10+
REL ANGLE 30° PASSES 3 INTERVAL 30 S&REL ALT 5000'
ENROUTE ALT 12.5M RETURN ALT 11.5M TGT AIRSPEED 450
ORDNANCE/ 12 D2W4 DC EXPENDED 10 D2 JETTISONED
ORDNANCE/RTB 2 D2 DUDS (SEE NOTE # 1) None
BDA 100% 100% ADDITIONAL

C

SECONDARY EXPLOSIONS NUMBER SIZE
UNIT SUPPORTED 1ST M MAGNINES OPERATION MIGHTY PLAY
Peston Canyon (LEAVE BLANK)

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABCRT YES NO A/C MALFUNCTION/ NO DROP
(G) DIRERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR RECOVERABLE FUZE (DELAY/ARM DELAY)
NOTE #2: ECM ENCOUNTERED TIME R/W DIRECTED
NOTE #3: ORDNANCE EFFECTIVENESS

MISSION Oppenhuizen TIME 0930 DATE 19 July
STATION 223 CALL SIGN H8562 ASN NO. 6562 FLT 152/1
IN 0815 LANE 0903 TOTAL TIME 1.6

PILOTS Rogers A/C WP.10 DASC Danang TIME 0820
Oppenhuizen 23 CONTROLLER Hostage TIME 0825
TYPE CONTROLLER FACA
TYPE MISSION RA5

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0845-52</u>	<u>BKLS</u>	<u>B5123545</u>	<u>3</u>
	<u>BF</u>	<u>BT 123545</u>	

TGT TERRAIN flat TGT WX 70 000 VISIBILITY 7
REL ANGLE 30 PASSES 6 INTERVAL 30 MIN ALT 1000
REL ALT 3000
ENROUTE ALT 10.5 RETURN ALT 7.5 TGT AIRSPEED 450
ORDNANCE 12024 EXPENDED all JETTISONED none
ORDNANCE/RTB none DUDS (SEE NOTE # 1)
BDA 100 % 100 % ADDITIONAL

C

SECONDARY EXPLCSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED BK 1st md OPERATION MIGHTY PLAY
(LEAVE BLANK)

ENROUTE WX 70 0

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ EW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

REGISTER 0199 TIME 1435 D 19 July 69
STATION 223 CALL SIGN HB 226 MSN NO. 68226 FLT 152/1
M. 1320 LMD 1424 FUEL TIME 2.1

PILOTS COANE A/C 4 DASC HELIK TIME 1323
STANTON 18 CONTROLLER HELIK 16 TIME 1325
TYPE CONTROLLER FAECA
TYPE MISSION CAK

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1229/45</u>	<u>TRPS. W. RBW</u> <u>T 3</u>	<u>BT 093 203</u>	<u>RVN/4</u>

TGT TERRAIN FLAT TGT WK 40 VISIBILITY 3-4
REL ANGLE 20 PASSES 10 INTERVAL 30 MIN ALT 900
ENROUTE ALT 6.5 RETURN ALT 19.5 TGT AIRSPEED 450
ORDNANCE/ 802A/409 EXPENDED ALL JETTISONED
CRDNANCE/RTB DUDS (SEE NOTE # 1)

BDA 100 % 100 %ADDITIONAL
6 STRUCT DEST 3 ~~KBA (P.O.)~~
4 ~~SEE~~ SEC FFRES

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED AMERICAN OPERATION (LEAVE BLANK)

ENROUTE WK 4500 5

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABOUT YES NO A/C MALFUNCTION/ NO DROP
- (G) DIRERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME RW DIRECTED

NOTE #3: REMANCE EFFECTIVENESS

DEBRIEFER HICKERSON TIME 0240 DATE 19 July 69
SQUADRON 223 CALL SIGN Hb 507 MSN NO. 6507 FLT 352/1
T/O 0130 LAND 0227 TOTAL TIME 1.0

PILOTS Hickerson A/C WP10 DASC _____ TIME _____
CONTROLLER Birmingham TIME 0135
TYPE CONTROLLER ASST
TYPE MISSION TRQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0147</u>	<u>EN. LOCATION</u> <u>EC</u>	<u>VL277955</u>	<u>2</u>

TGT TERRAIN FLT TGT WX 10.0 @ VISIBILITY 15+
MIN ALT 1500
REL ANGLE LEVEL PASSES 1 INTERVAL _____ REL ALT 15.0
ENROUTE ALT 16.5 RETURN ALT 15.5 TGT AIRSPEED 290
ORDNANCE/ 6 02 W/4 EXPENDED ALL JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
BDA _____ % _____ %ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 101ST OPERATION MONTGOMERY REND
(LEAVE BLANK)

ENROUTE WX 100 @ 15+

- | | | |
|--------------------------|---|-------------------------------|
| (A) HOSTILE FIRE | YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> | FILE FORM WITH BARREL |
| (B) AIMURST | YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> | FILE FORM WITH BARREL |
| (C) A/C HIT | YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> | IF ADDITIONAL CIRCLE |
| (F) ABCUT | YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> | A/C MALFUNCTION/ NO DROP |
| (G) DIRERT | YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: (ORDNANCE EFFECTIVENESS) _____

DEBRIEFER FISHER TIME 0500 DATE 19 JULY 1969
SQUADRON 223 CALL SIGN HAN MSN NO. 6509 FLT 35211
T/O 0330 LANE 0948 TOTAL TIME 1.3

PILOTS FISHER A/C WP 23 DASC AN MOA ASPT TIME 0345
CONTROLLER AHA TIME 0245
TYPE CONTROLLER ASRT FPO
TYPE MISSION T/O

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0410</u>	<u>BUNKERS</u> <u>BF</u>	<u>BT 118549</u>	<u>AVIATE/</u>

TGT TERRAIN UNK TGT WX 40⊕ VISIBILITY 7
REL ANGLE 0° PASSES 2 INTERVAL 5000 MIN ALT 19000 REL ALT 19000
ENROUTE ALT 155 RETURN ALT 215 TGT AIRSPEED 290
ORDNANCE/ 6 PW/4 EXPENDED ALL JETTISONED
ORDNANCE/RTB DUDS (SEE NOTE # 1)
BDA % % ADDITIONAL

C

SECONDARY EXPLOSIONS NUMBER SIZE
UNIT SUPPORTED ROKS OPERATION Victory Dragon
(LEAVE BLANK)

ENROUTE WX
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE CME/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABCUT YES NO A/C MALFUNCTION/ NO DROP
(G) DIRERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
RECOVERABLE FUZE (DELAY/ARM DELAY)
NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED
NOTE #3: ORDNANCE EFFECTIVENESS

DESIGNATOR BAKER TIME 2145 DA 19 July
STATION 223 CALL SIGN HB MSN NO. 6250 FLT 352
IN 1970 LIND 2033 TOTAL TIME 2.4

PILOTS
BAKER A/C WP 12 DASC TRAIL TIME 1933
BUTLER 16 CONTROLLER TRAIL 61 TIME 1934
TYPE CONTROLLER FAC (A)
TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1940-47</u>	<u>ENVY LCL</u>	<u>VD215729</u>	<u>1</u>
	<u>EC</u>		

TGT TERRAIN FLAT TGT WX 0 VISIBILITY 10
REL ANGLE 30° PASSES 6 INTERVAL 30 MIN ALT 1800
ENROUTE ALT 18.5 RETURN ALT 17.5 TGT AIRSPEED 450
ORDNANCE/ 12 D2 4/w EXPENDED 11 D2 4/4 JETTISONED —
ORDNANCE/RTB 1 D2 w/4 DUDS (SEE NOTE # 1) —
BDA 100 % 80 % ADDITIONAL —

C

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 1ST ARVN OPERATION _____
(LEAVE BLANK)

ENROUTE WX _____

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABCUT YES NO A/C MALFUNCTION/ NO DROP
- (G) DIRERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENG INTERED _____ TIME _____ RW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

OPERATOR ERN TIME 1345 DATE 30 June
STATION 273 CALL SIGN H/B MSN NO. 6459 FLT 152
M. 1200 LANE 300 TANK TIME 3.0

PILOTS NORRIS A/C 1.5 DASC 30000 TIME 1250
MICHAELSON 1.5 CONTROLLER H/S TIME 1255
TYPE CONTROLLER FACA
TYPE MISSION 2.0

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>100-10</u>	<u>4/c Trees</u> <u>TS</u>	<u>100-10</u>	<u>3</u>

TGT TERRAIN Hilly TGT WX H/S VISIBILITY 10
REL ANGLE 30° PASSES 2 INTERVAL 30 MIN ALT 200
ENROUTE ALT 1200 RETURN ALT 1200 TGT AIRSPEED 450
ORDNANCE/ 2000 EXPENDED JETTISONED
ORDNANCE/RTB DUDS (SEE NOTE # 1)
BDA 100 % % ADDITIONAL

②

SECONDARY EXPLCSICHS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 1000 OPERATION _____
(LEAVE BLANK)

ENROUTE WX 0104
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABCUT YES NO A/C MALFUNCTION/ NO DROP
(G) DIRERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ NOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

OPERATOR Blackman TIME 1730 DATE 20 July
STATION 223 CALL SIGN HB467 MSN NO. 6467 FIR 152
IN 1600 LANE 1710 TOTAL TIME 202

PILOTS A/C
Flanagan WP 7 DASC Helix TIME 1630
Blackman 12 CONTROLLER Helix 23 TIME 1631
TYPE CONTROLLER FACA
TYPE MISSION DAS

TOT DESCRIPTION COORDINATES PROVINCE
1635/47 Enemy Pos BS 715821 III-IV
EC

TGT TERRAIN Flat TGT WX 4000 @ VISIBILITY 7+
REL ANGLE 20 PASSES 8 INTERVAL 30 MIN ALT 600
ENROUTE ALT 18.5 RETURN ALT 15.5 TGT AIRSPEED 450
ORDNANCE/ 8020/409 EXPENDED All JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA 100 % 75 ADDITIONAL 5 str. Dest,
5 str. Dam, 1 Tunnel complex dest, 1 sec
fire with multiple Expl. sustained 15 min +
SECONDARY EXPLCSIONS Yes NUMBER Several SIZE lge.
UNIT SUPPORTED Americal OPERATION Russel Beach
(LEAVE BLANK)

C

ENROUTE WX 500 500
(A) HOSTILE FIRE YES NO
(B) AIRBURST YES NO
(C) A/C HIT YES NO
(D) RECON INSERT/EXTRACT YES NO
(E) BDA REPORTED YES NO
(F) ABOUT YES NO
(G) DIRERT YES NO
FILE FORM WITH BARREL
FILE FORM WITH BARREL
FILE FLASH REPORT WITH BARREL
CIRCLE ONE/COORD
IF ADDITIONAL CIRCLE
A/C MALFUNCTION/ NO DROP
GIVE REASON BELOW

REMARKS: Fire & Expl still going off when
we left Tgt AREA
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ RW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

PILOT: McCarthy TIME 1100 DATE 20 July 69
SQUADRON 223 CALL SIGN Hellborn MSN NO. 6215 FLT 151
AF 0944 IAW 1050 FUEL TIME 2.2

PILOTS
McCarthy A/C WP 12 DASC Doug HA TIME 1005
GRUVER 07 CONTROLLER Seaworth 4984 TIME 1008
TYPE CONTROLLER EAL A
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1015/1025</u>	<u>Bunker Comply</u>	<u>XD 088624</u>	<u>1</u>
	<u>BF</u>		

TGT TERRAIN Hilly TGT WX 10 VISIBILITY 10+
REL ANGLE 20 PASSES 8 INTERVAL 300 MIN ALT 600
ENROUTE ALT 18.5 RETURN ALT 17.5 TGT AIRSPEED 450 KIAS
REL ALT 1050

ORDNANCE 8D2A 4D9 EXPENDED 7D2A 4D9 JETTISONED —
ORDNANCE/RTB 1D2A DUDS (SEE NOTE # 1)

BDA 95 % 95 ADDITIONAL 15 Bunkers Destroyed
1 Secondary Fire - White Ash Substance - Red Fire
1 Gun Pit Damaged

C

SECONDARY EXPLOSIONS Yes NUMBER 1 SIZE ?
UNIT SUPPORTED 3rd MAZINE OPERATION IDAHO CANYON
(LEAVE BLANK)

- ENROUTE WX _____
- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABCUT | YES | NO | A/C MALFUNCTION/ NO DROP |
| (G) DIRERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ RW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

OPERATOR COSTA TIME 0837 DATE 20 July 69
STATION 223 CALL SIGN HB 205 MSN NO. 6209 FLT 282
ID 0715 IAW 0825 PODME TIME 2.4

PILOTS COSTA A/C WP 4 DASC Dang Ha TIME 0735
HART WP 18 CONTROLLER Seaworthy 97-1 TIME 0740
TYPE CONTROLLER FAC (A)
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0740/0750</u>	<u>Troops + 50 Cal position</u>	<u>2C 145 725</u>	<u>RUEI</u>
	<u>TS</u>		

TGT TERRAIN FLAT TGT WX 45 @ VISIBILITY 6
REL ANGLE 20° PASSES 9 INTERVAL 30sec MIN ALT 600 REL ALT 1300
ENROUTE ALT 16.5M' RETURN ALT 17.5M' TGT AIRSPEED 450
ORDNANCE! BD-2A 4D9 EXPENDED ALL JETTISONED —
ORDNANCE/RTB — DUDS (SEE NOTE # 1)

BDA 95% 95% %ADDITIONAL 2 Bunkers destroyed
1 KBA 4 fighting positions destroyed

SECONDARY EXPLCSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 54MM Des OPERATION _____ (LEAVE BLANK)

ENROUTE WX 100 @ 1600 / @ 12

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE CNE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABOUT YES NO A/C MALFUNCTION/ NO DROP
- (G) DIRERT YES NO GIVE REASON BELOW

REMARKS: _____ (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ R/W DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

REGISTRATION SM 02 TIME 3.1 DATE 17 20 Jul 69
SQUADRON 223 CALL SIGN HB 209 MSN NO. 6209 FLT 152
IN 10.55 LANA 1135 FROM TIME 1.8

PILOTS SMYDER A/C WP 1 DASC Davy TIME 1107
HICKLE WP 2 CONTROLLER Wass TIME 1108
TYPE CONTROLLER FACA
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>113-1119</u>	<u>Enemy Posit</u>	<u>AT 839643</u>	<u>3</u>
	<u>EC</u>		

TGT TERRAIN Hilly TGT WK 500 VISIBILITY 10+
REL ANGLE 30 PASSES 3 INTERVAL 30 MIN ALT 1500
ENROUTE ALT 2400 RETURN ALT 195 REL ALT 3000
TGT AIRSPEED 450
ORDNANCE 14024/489 EXPENDED All JETTISONED 0
ORDNANCE/RTB 0 DUDS (SEE NOTE # 1)
BDA 100 % 100 % ADDITIONAL

①

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 1ST MAR DIV OPERATION _____
(LEAVE BLANK)

ENROUTE WK _____
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABCUT YES NO A/C MALFUNCTION/ NO DROP
(G) DIRERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ RW DIRECTED _____

NOTE #3: PERFORMANCE EFFECTIVENESS _____

PILOT/REFUEL BAKER TIME 1145 DA 20 Jul
STATION 223 CALL SIGN H/B MSN NO. 6223 FLT 152
1048 1134 TOTAL TIME 1.6

PILOTS BAKER WP A/C 11 DASC HELIK TIME 1054
CRANE 15 CONTROLLER HELIK 34 TIME 1055
TYPE CONTROLLER FAO(A)
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1104-16</u>	<u>ENCL + BUNKERS</u>	<u>BS 722 418</u>	<u>5</u>
	<u>BF</u>		

TGT TERRAIN FLAT TGT WX 9 VISIBILITY 15
REL ANGLE 20° PASSES 6 INTERVAL 30 MIN ALT 600
REL ALT 1300

ENROUTE ALT 12.5 RETURN ALT 11.5 TGT AIRSPEED 450

ORDNANCE/ 8D2A-409 EXPENDED ALL JETTISONED —

ORDNANCE/RTB — DUDS (SEE NOTE # 1) —

BDA 100 % 70 %ADDITIONAL —

14 BUNKERS DESTROYED

50 METERS TRENCH LINE DESTROYED

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED AMCAL OPERATION TREN MOUNTAIN
(LEAVE BLANK)

ENROUTE WX —

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE CNE/COURD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABCUT YES NO A/C MALFUNCTION/ NO DROP
- (G) DIRERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — EW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DESIGNER CARTER TIME 1715 DATE 20 JULY
SQUADRON 223 CALL SIGN HB231 MSN NO. 6231 FLT 152
T/O 1537 LAND 1700 TOTAL TIME 2.8

PILOTS CARTER A/C WP 04 BASE/TAIL Control Alpha TIME 1551
OGG 17 CONTROLLER Trail 67 TIME 1554
TYPE CONTROLLER FACIA
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1610-20</u>	<u>600ks shooting of Helo's</u>	<u>YD 185 275</u>	<u>2</u>
	<u>TS</u>		

TGT TERRAIN Mount. TGT WX 1500 VISIBILITY 5
REL ANGLE 20° PASSES 8 INTERVAL 30sec MIN ALT 600 REL ALT 1300
ENROUTE ALT 18.5 RETURN ALT 17.5 TGT AIRSPEED 450
ORDNANCE/ 802A/409/020 EXPENDED All JETTISONED none
ORDNANCE/RTB none DUDS (SEE NOTE # 1) _____
BDA 80 % 100 ADDITIONAL none

C

SECONDARY EXPLCSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 1st ARVN Bn OPERATION _____ (LEAVE BLANK)

- ENROUTE WX _____
- | | | | |
|--------------------------|------------------------------|--|-------------------------------|
| (A) HOSTILE FIRE | YES <input type="checkbox"/> | NO <input checked="" type="checkbox"/> | FILE FORM WITH BARREL |
| (B) AIRBURST | YES <input type="checkbox"/> | NO <input checked="" type="checkbox"/> | FILE FORM WITH BARREL |
| (C) A/C HIT | YES <input type="checkbox"/> | NO <input checked="" type="checkbox"/> | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES <input type="checkbox"/> | NO <input checked="" type="checkbox"/> | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES <input type="checkbox"/> | NO <input checked="" type="checkbox"/> | IF ADDITIONAL CIRCLE |
| (F) ABCUT | YES <input type="checkbox"/> | NO <input checked="" type="checkbox"/> | A/C MALFUNCTION/ NO DROP |
| (G) DIRERT | YES <input type="checkbox"/> | NO <input checked="" type="checkbox"/> | GIVE REASON BELOW |

REMARKS: _____ (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER ~~03~~ TIME 1750 DA 20 July
SQUADRON 223 CALL SIGN HB 237 MSN NO. 6237 FLT 14
T/O 1700 LAND 1745 TOTAL TIME .8

PILOTS BAVOES A/G WP 02
DASC _____ TIME _____
CONTROLLER _____ TIME _____
TYPE CONTROLLER _____
TYPE MISSION _____

TOT	DESCRIPTION	COORDINATES	PROVINCE

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____
 ORDNANCE/ _____ EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
 BDA _____ % _____ %ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____ (LEAVE BLANK)

- ENROUTE WX _____
- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 - (B) AIRBURST YES NO FILE FORM WITH BARREL
 - (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
 - (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 - (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLES
 - (F) ABCUT YES NO A/C MALFUNCTION/ NO DROP
 - (G) DIRERT YES NO GIVE REASON BELOW

REMARKS: _____ (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

REGISTRY NUMBER _____ DATE 20 July 69
SQUADRON 223 CALL SIGN 26 MSN NO. 0975 FLT CODE 152/3
T/O 1545 LAND 1700 TOTAL TIME 2.6

PILOTS A/C
Heise WP 18 DASC H.B. TIME _____
Reed 10 CONTROLLER NAIL 22 TIME 0605
TYPE CONTROLLER TACA
TYPE MISSION S.T.

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1610/1617</u>	<u>Bambus</u>	<u>XD 707 034</u>	
	<u>BF</u>	<u>16 19 10634</u>	

TGT TERRAIN M TGT WX 6.0 VISIBILITY 10
REL ANGLE 30° PASSES 3 INTERVAL 45 MIN ALT 3.0
ENROUTE ALT 24.5 RETURN ALT 15.5 TGT AIRSPEED 450
ORDNANCE 12 02 w/y EXPENDED ALL JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____

BDA 109/78 50m to 25m ADDITIONAL BDA _____

1410
1415
1420
underwood

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 24 AF OPERATION _____ (LEAVE BLANK)

ENROUTE WX _____

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FIRE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECCN INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: From Primary & Secondary by H.B.
(REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

DESIGNATOR TIME 1800 DA
STATION CALL SIGN MSN NO. FLT

PILOTS NORRIS A/C 16 DASC TIME

TOT DESCRIPTION RD COORDINATES 162410018 PROVINCE G

TGT TERRAIN TGT WX VISIBILITY
REL ANGLE 30 PASSES 4 INTERVAL MIN ALT
ENROUTE ALT RETURN ALT TGT AIRSPEED
ORDNANCE EXPENDED JETTISONED
CRDNANCE/RTB DUDS (SEE NOTE # 1)
BDA % %ADDITIONAL

C

SECONDARY EXPLOSIONS NUMBER SIZE
UNIT SUPPORTED OPERATION (LEAVE BLANK)

ENROUTE WX

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABCUT YES NO A/C MALFUNCTION/ NO DROP
- (G) DIRERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME EW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DESIGNATOR 100 TIME 1700 DA 3/30
STATION 227 CALL SIGN 100 MSN NO. 0774 FILE
TCSSM TIME 1700

PILOTS NORRIS A/C 15 DASC 1115300 TIME
ROSE 7 CONTROLLER 1115300 TIME 1500
TYPE CONTROLLER 1115300
TYPE MISSION IT

TOT _____ DESCRIPTION Introduction COORDINATES 164210624 PROVINCE C

TGT TERRAIN 500 TGT WX 0 VISIBILITY 0
REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____ REL ALT _____
ENROUTE ALT 70 RETURN ALT 70 TGT AIRSPEED _____
ORDNANCE/ 1000 EXPENDED ALL JETTISONED _____
ORDNANCE/RTB 7 DUDS (SEE NOTE # 1) _____
BDA 100 % 100 % ADDITIONAL _____

C

SECONDARY EXPLCSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED _____ OPERATION _____
(LEAVE BLANK)

ENROUTE WX Thunder
(A) HOSTILE FIRE DRF YES NO FILE FORM WITH BARREL
(B) AIRBURST x0 YES NO FILE FORM WITH BARREL
(C) A/C HIT UNDERWOOD YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABCUT YES NO A/C MALFUNCTION/ NO DROP
(G) DIRERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ RW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

REPORTER _____ TIME _____ DA 21 July 67
STATION 223 CALL SIGN HB 044 MSN NO. 6044 FLT 152/1
A. 0925 ~~TIME~~ 1030 ~~TOTAL TIME~~ 2.2

PILOTS _____ A/C _____ DASS Helix TIME 0930
PALMER 16 CONTROLLER BILK 13 TIME 0950
Reynolds 23 TYPE CONTROLLER FAC(A)
TYPE MISSION CA3

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0950-1002</u>	<u>Enemy Positions</u>	<u>B+ 213127</u> <u>B7 214116</u>	<u>1 Corps</u>
	<u>EC</u>		

TGT TERRAIN MTN TGT WX 0 VISIBILITY upper
REL ANGLE 30° PASSES 10 INTERVAL 30 sec MIN ALT 1500
ENROUTE ALT 10.5 RETURN ALT 9.5 TGT AIRSPEED 450
ORDNANCE 802 / 407 EXPENDED all JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
BDA 100 % 100 %ADDITIONAL 5 Huts destroyed, 3 Huts
DAMAGED, 3 tunnels closed, 2 bunkers destroyed

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 101st AB OPERATION LAMAR Plain
(LEAVE BLANK)

ENROUTE WX _____
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABCUT YES NO A/C MALFUNCTION/ NO DROP
(G) DIRERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ H/W DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

WEIGHT 069 TIME 1430 DA 21 JULY '69
 STATION 223 CALL SIGN HB 016 MSN NO. 6016 FLT 13211
1437 1545 3.3

PILOTS	A/C	DASC	TIME
<u>SUANNINGER</u>	<u>WP 1</u>	<u>HELIX</u>	<u>1450</u>
<u>069</u>	<u>WP 6</u>	CONTROLLER	<u>BILK II</u> TIME <u>1500</u>
<u>CASPARINE</u>	<u>WP 21</u>	TYPE CONTROLLER	<u>FACA</u>
		TYPE MISSION	<u>DAS</u>

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1502-15</u>	<u>ENEHY POSIT</u>	<u>BT 209 114</u>	<u>I Corps</u>
	<u>EC</u>		

TGT TERRAIN MOUNTAINS TGT WX 50 VISIBILITY 20
 REL ANGLE 30° PASSES 10 INTERVAL 30 SEC MIN ALT 1800
 ENROUTE ALT 12.5 RETURN ALT 19.5 TGT AIRSPEED 450
 ORDNANCE 1202 W/K EXPENDED 1002 W/K JETTISONED NONE
 ORDNANCE/RTB 202 W/K DUDS (SEE NOTE # 1) NONE ONE
 BDA 100 % 50 % ADDITIONAL 5 STRUC, 2 BUNKERS,
8 TUNNELS DEST

SECONDARY EXPLOSIONS NONE NUMBER — SIZE —
 UNIT SUPPORTED 101st AB OPERATION L ANIAR PLAIN
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES	<input type="checkbox"/> NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	<input type="checkbox"/> NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	<input type="checkbox"/> NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	<input type="checkbox"/> NO	CIRCLE ONE/COORD
(E) BDA REPORTED	<input checked="" type="checkbox"/> YES	<input type="checkbox"/> NO	IF ADDITIONAL CIRCLE
(F) ABCUT	YES	<input type="checkbox"/> NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	<input type="checkbox"/> NO	GIVE REASON BELOW

REMARKS:

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION BT 209 114 REASON FOR UNKNOWN

RECOVERABLE — FUSE (DELAY/ARM DELAY) W

NOTE #2: ECM ENCOUNTERED — TIME — RW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS.

IDENTIFIER COSTA TIME 1510 DA 21 July 69
STATION 223 CALL SIGN HB 158 MSN NO. 6158 FLT 152
1344 1453 TOTAL TIME 2.4

PILOTS HICKERSON A/C WP-4 DASC BILK TIME 1900
COSTA WP-23 CONTROLLER BILK TIME 1910
TYPE CONTROLLER FACIA
TYPE MISSION DAS

TGT	DESCRIPTION	COORDINATES	PROVINCE
<u>1415/1430</u>	<u>Suspected Enemy Loc</u> <u>EC</u>	<u>XD 833066</u>	<u>RORZ</u>

TGT TERRAIN HILLY TGT WX 100 @ ~~100~~ VISIBILITY 9
REL ANGLE 30° PASSES 6 INTERVAL 30 sec MIN ALT 1500 REL ALT 8000
ENROUTE ALT 16.5M RETURN ALT 15.5M TGT AIRSPEED 450
ORDNANCE/ AD-3(DC) 4D-2(DC) EXPENDED ALL JETTISONED
ORDNANCE/RTB DUDS (SEE NOTE # 1)
BDA 100 % 75 ADDITIONAL 2 BUNKERS DEST

C

SECONDARY EXPLOSIONS NUMBER SIZE
UNIT SUPPORTED 2 FORD R101 A1 OPERATION KENTUCKY JUMPER
(LEAVE BLANK)

ENROUTE WX 60 @ 80 @ 100 @ / - @ 12

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCUM |
| (F) ABCUT | YES | NO | A/C MALFUNCTION/ NO DROP |
| (G) DIRERT | YES | NO | GIVE REASON BELOW |

REMARKS:
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME RW DIRECTED

NOTE #3: PERFORMANCE EFFECTIVENESS

049 TIME 1300 DAY 21 JULY '69
STATION 223 CALL SIGN 022 MSN NO. 6022 FLT 152/11
1130 1240 FUEL TIME 2.4

PILOTS OCG A/C 18 DASC DONG HA TIME 1150
LIART 18 CONTROLLER SCU FANG TIME 1155
TYPE CONTROLLER FACA
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
12.00-05 SUSPECTED EN. LOC. YD 000 624 T. BERS

TGT TERRAIN MOUNTAINS TGT WX 300 VISIBILITY 10
REL ANGLE 10° PASSES 6 INTERVAL 30 SEC MIN ALT 500
ENROUTE ALT 18.5 RETURN ALT 19.5 TGT AIRSPEED 350
ORDNANCE/ B 032 EXPENDED ALL JETTISONED NONE
ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
BDA 20 % 20 % ADDITIONAL SEE REMARKS

C

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 3RD MARDIV OPERATION IDAHO CANYON
(LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABOUT YES NO A/C MALFUNCTION/ NO DROP
(G) DIRERT YES NO GIVE REASON BELOW

REMARKS: ALL TANKS OPENED UPON RELEASE
FROM A/C. (EMPTY TANKS MADE GOOD
HITS.) (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ RW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

REGISTERED _____ TITLE _____ DATE 21 July 69
SQUADRON 223 CALL SIGN 450 MSN NO. 6450 FLT CODE 152

T/O 0700 LAND 1005 TOTAL TIME 6.0

PILOTS _____ A/C _____

Freeman W/P 01 DASC _____ TIME _____
BAKER _____ 21 CONTROLLER HQST Lima TIME 0902
TYPE CONTROLLER FACA
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0902/13</u>	<u>EC</u>	<u>AT977414</u>	<u>3</u>
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

TGT TERRAIN RT TGT WX 0 VISIBILITY 9+
 REL ANGLE 20° PASSES 4 INTERVAL 30s. MIN ALT 600
 ENROUTE ALT 21.5 RETURN ALT 9.5 REL ALT 1500
 TGT AIRSPEED 450
 ORDNANCE 12 DIA 409 EXPENDED ALL JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA 100% 100% ADDITIONAL BDA _____

C

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 1ST MD OPERATION Pipe Stone Canyon
(LEAVE BLANK)

ENROUTE WX _____

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD _____ |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE _____ |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP _____ |
| (G) DIVERT | YES | NO | GIVE REASON BELOW _____ |

REMARKS: _____ (REFERENCE NOTE #3) _____

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

DEBBIER Me TIME 1135 DATE 21 July 69
 SQUADRON 223 CALL SIGN H3 MSN NO. 6588 FLT CODE 152-1
 T/O 1007 LAND 1105 TOTAL TIME 2.0
 PILOTS _____ A/C _____
Stocking _____ 06 DASC DNG TIME 1015
Gruver _____ 04 CONTROLLER Hostage 'U' TIME 1020
 TYPE CONTROLLER _____ FACA
 TYPE MISSION _____ EC/CA3

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1022-50</u>	<u>Enemy Ville</u>	<u>AT885494</u>	<u>3</u>
_____	<u>EC</u>	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

TGT TERRAIN F TGT WK 9.00 VISIBILITY 9+
 EEL ANGLE 30° PASSES 15 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 8.5 RETURN ALT 9.5 TGT AIRSPEED 450
 REL ALT 3000
 ORDNANCE 4/02w 407 408 EXPENDED All JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) 1/08
 BDA 60% 150 % ADDITIONAL BDA 70 mtrs tree line
50 mtr trench line

1 struct dest, 1 damaged.
 SECONDARY EXPLOSIONS Yes NUMBER 1 SIZE UNK
 UNIT SUPPORTED 1st ~~PLATOON~~ OPERATION Pipestone Canyon
 (LEAVE BLANK)

- ENROUTE WK _____
- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____
 _____ (REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION AT885494 REASON FOR UNK
 RECOVERABLE No FUZE (DELAY/ARM DELAY) 1.2 sec.

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

DESCRIPTION F-4A TIME 1500 DATE 2 JULY
STATION 228 CALL SIGN H6N MSN NO. 6462 FLT 182/1

PILOTS WARFIELD A/C WP 7 DASC _____ TIME _____
FISCHER 13 CONTROLLER _____ TIME _____
TYPE CONTROLLER _____
TYPE MISSION _____

TOT DESCRIPTION COORDINATES PROVINCE

AIR ABORT

0

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____
ORDNANCE/ BDA 1409 EXPENDED _____ JETTISONED ALL
ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
BDA _____ % _____ %ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED _____ OPERATION _____ (LEAVE BLANK)

ENROUTE WX _____
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH EFFERT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE CNE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCUIT
(F) ABOUT YES NO A/C MALFUNCTION/ NO DROP
(G) DIRERT YES NO GIVE REASON BELOW

REMARKS: AIR ABORT - LEAD LOST
ELECTRICAL POWER (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ RW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

OPERATOR Simon TIME 1722 DA 1.0
STATION 223 CALL SIGN HB 576 MSN 6556 FLT 152
TO 1650 FROM 1722 TOSNA TIME 1.0

PILOTS HICKSON A/C 10
BARNES UP 18
DASC _____ TIME _____
CONTROLLER _____ TIME _____
TYPE CONTROLLER _____
TYPE MISSION _____

TOT _____ DESCRIPTION _____ COORDINATES _____ PROVINCE _____

(Handwritten mark)

AIR ABOARD

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
REL ANGLE _____ PASSES _____ INTERVAL _____ MEN ALT _____
ENROUTE ALT 26.5 RETURN ALT 5.5 TGT AIRSPEED _____
ORDNANCE/ 8D32 EXPENDED _____ JETTISONED _____
ORDNANCE/RTB 8D32 DUDS (SEE NOTE #1) _____
BDA _____ % _____ ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED _____ OPERATION _____
(LEAVE BLANK)

ENROUTE WX _____

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABOUT YES NO C/M MALFUNCTION/NO DROP
- (G) DIRERT YES NO GIVE REASON BELOW

REMARKS: RF (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ R/W DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

(Handwritten signature)

IDENTIFIER Oppenhuizen TIME 2300 DA 21 July 69
 STATION 227 CALL SIGN HB552 MSN NO. 6552 FLT 35211
 NO. 2127 2245 TGSN TIME 2.6

PILOTS
1 Lt Col McCarthy A/C W.P. 12 DASC Danang TIME 2135
Oppenhuizen 04 CONTROLLER Hostage Vake TIME 2140
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2305-20</u>	<u>TreeLine - susp. NVA</u>	<u>AT958568</u>	<u>RVN/II</u>
	<u>TS</u>		

0

TGT TERRAIN flat TGT WX 300 VISIBILITY 6
 REL ANGLE 30 PASSES 8 INTERVAL — MIN ALT 1200
 REL ALT 3000
 ENROUTE ALT 8.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE/ 2001 W 4022 EXPENDED 500112 JETTISONED none
 ORDNANCE/RTB none - 4022 (SEE NOTE # 1)
 BDA 100 % 100 ADDITIONAL 3 BKRS Dist

SECONDARY EXPLCSIONS — NUMBER — SIZE —
 UNIT SUPPORTED Adapt TreeLine OPERATION Hostage Vake
 (LEAVE BLANK)

ENROUTE WX 300

- | | | | |
|--------------------------|---|-----------------------------|-------------------------------|
| (A) HOSTILE FIRE | YES | <input type="checkbox"/> NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | <input type="checkbox"/> NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | <input type="checkbox"/> NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | <input type="checkbox"/> NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | <input checked="" type="checkbox"/> YES | <input type="checkbox"/> NO | IF ADDITIONAL CIRCLE |
| (F) ABOUT | YES | <input type="checkbox"/> NO | A/C MALFUNCTION/ NO DROP |
| (G) DIRERT | YES | <input type="checkbox"/> NO | GIVE REASON BELOW |

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ RW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

IDENTIFIER _____ TIME _____ DA _____
STATION 223 CALL SIGN Man 23 MSN NO. 0953 FLT 152/1
1300 1345 TPQ TIME .8

PILOTS Palmer A/C 11 DASC Demary TIME 1305
CONTROLLER An Noi TIME 1310
TYPE CONTROLLER ASRT
TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1320</u>	<u>Rocket Side</u>	<u>AT 80347</u>	<u>I</u>
	<u>EL</u>		

TGT TERRAIN Rolling TGT WX 0 VISIBILITY 10
MIN ALT 74.1
REL ANGLE _____ PASSES 1 INTERVAL _____ REL ALT 74.1
ENROUTE ALT 14.5 RETURN ALT 8.5 TGT AIRSPEED 290
ORDNANCE 402 EXPENDED all JETTISONED _____
ORDNANCE/RTE _____ DUDS (SEE NOTE # 1) _____
BDA _____ % _____ ADDITIONAL _____

C

SECONDARY EXPLCSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 1SD,MD OPERATION Pipestone CANYON
(LEAVE BLANK)

- ENROUTE WX _____
- (A) HOSTILE FIRE YES NO
 - (B) AIRBURST YES NO
 - (C) A/C HIT YES NO
 - (D) RECON INSERT/EXTRACT YES NO
 - (E) BDA REPORTED YES NO
 - (F) ABCUT YES NO
 - (G) DIRERT YES NO
- FILE FORM WITH BARREL
FILE FORM WITH BARREL
FILE FLASH REPORT WITH BARREL
CIRCLE ONE/COORD
IF ADDITIONAL CIRCUIT
A/C MALFUNCTION/ NO DROP
GIVE REASON BELOW

REMARKS: Wingman went down in chox, diverted
to TPQ by barrel (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ RW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

IDENTIFIER Stan TIME 1100 DATE 23 July 69
STATION 223 CALL SIGN HB 023 MSN NO. 6023 FLT 15211
0917 1041 1041 2.8

PILOTS Stan A/C wp 18 DASC DONG HA TIME 0943
Keller 12 CONTROLLER DONG HA TIME 0945
TYPE CONTROLLER ASRT
TYPE MISSION TP

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1002</u>	<u>SEEDING</u>	<u>XD78 0358</u>	<u>1</u>
	<u>RD</u>		

TGT TERRAIN — TGT WX 4a ⊕ VISIBILITY 17
MIN ALT 20.5
REL ANGLE Level FASSES Out INTERVAL — REL ALT 20.5
ENROUTE ALT 20.5 RETURN ALT 19.5 TGT AIRSPEED 290
ORDNANCE/ 12 D2 ⊕ EXPENDED 1 ADD ⊕ JETTISONED —
ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
BDA — % — % ADDITIONAL —

C

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 3rd MAR DIV OPERATION ARLINGTON CANYON
(LEAVE BLANK)
ENROUTE WX 15 ⊕ 20 ⊕ / ⊕ 7

- (A) HOSTILE FIRE YES NO
 - (B) AIRBURST YES NO
 - (C) A/C HIT YES NO
 - (D) RECON INSERT/EXTRACT YES NO
 - (E) BDA REPORTED YES NO
 - (F) ABCUT YES NO
 - (G) DIRERT YES NO
- FILE FORM WITH BARREL
FILE FORM WITH BARREL
FILE FLASH REPORT WITH BARREL
CIRCLE ONE/COORD
IF ADDITIONAL CIRCUIT
A/C MALFUNCTION/ NO DROP
GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPAIR LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
NOTE #2: ECM ENG INTERFER _____ TIME _____ kW DIRECTED _____
NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER COSTA TIME 1730 DATE 22 July 69
 SQUADRON 223 CALL SIGN MAN 22 MSN NO. 0975 FLT CODE 152
 T/O 1535 LAND 1705 TOTAL TIME 2.9
 PILOTS _____ A/C _____
COSTA WP 12 DASC HILLSBORO TIME 1600
LTCOL PYTKO WP 18 CONTROLLER COVEY 293 TIME 1610
 TYPE CONTROLLER FAC(A)
 TYPE MISSION S.T.

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1635/1650</u>	<u>Enemy Structures</u>	<u>YC 008 396</u>	<u>LOAS</u>
	<u>BL</u>	<u>1540 10610</u>	<u>F</u>

TGT TERRAIN MOUNTAINS TGT WX 350 ~~700~~ VISIBILITY 5
 REL ANGLE 30° PASSES 6 INTERVAL 30 sec MIN ALT 1500
 REL ALT 3000
 ENROUTE ALT 26.5M RETURN ALT 23.5M TGT AIRSPEED 450
 ORDNANCE 12 D-2W/Y EXPENDED ALL JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA 100 % with 100M % ADDITIONAL BDA _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 7th AF OPERATION _____
 (LEAVE BLANK)

- ENROUTE WX _____
- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 - (B) AIRBURST YES NO FILE FORM WITH BARREL
 - (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
 - (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 - (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
 - (F) ABORT YES NO A/C MALFUNCTION/NO DROP
 - (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: PRIMARY TGT ↓ due to WX
 (REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

DEBRIEFER BAKER TIME 1120 DATE 22 July
SQUADRON 223 CALL SIGN HB MSN NO. 6455 FLT CODE 152
T/O 0953 LAND 1103 TOTAL TIME 2-2

PILOTS A/C
BAKER WP 23 DASC JAKE TIME 0958
GRUBER 16 CONTROLLER JACK 94 TIME 0955
TYPE CONTROLLER PAC 01
TYPE MISSION CRS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1005-20</u>	<u>EMV LCL</u>	<u>BS540 423</u>	<u>5</u>
	<u>EL</u>		

TGT TERRAIN Hilly TGT WK 900 VISIBILITY 10
REL ANGLE 20° PASSES 6 INTERVAL 30 MIN ALT 600
ENROUTE ALT 9.5 RETURN ALT 8.5 REL ALT 1300 TGT AIRSPEED 450
ORDNANCE 16 DIA 4D9 EXPENDED ALL JETTISONED —
ORDNANCE/RTB None DUDS (SEE NOTE #1) —
BDA 85 % 80 % ADDITIONAL BDA 4 BUNKER DEST
5 UNEXPLODED DAMAGED.

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 2nd ARVN Div OPERATION Interdiction
(LEAVE BLANK)

ENROUTE WK _____

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NOCDROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
_____ (REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

MEMBER BUTLER TIME 1300 DATE 22 July 69
SQUADRON 223 CALL SIGN H.B. 459 MSN NO. 6459 FLT CODE 152/1
T/O 1150 LAND 1241 TOTAL TIME 1.8

PILOTS A/C
BUTLER UP-17 DAGG V.S. 5 TIME 1155
MAJ. HART 6 CONTROLLER JAKE 43 TIME 1201
TYPE CONTROLLER FAC(A)
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1215-26</u>	<u>TROOP IN CONTACT</u>	<u>BS 543417</u>	<u>RVTI</u>
	<u>TS</u>		

TGT TERRAIN HILLY TGT WK 900 VISIBILITY 7
REL ANGLE 20° PASSES 6 INTERVAL 30° MIN ALT 600'
ENROUTE ALT 9.5 RETURN ALT 8.5 TGT AIRSPEED 450
ORDNANCE 16 DIA 409 EXPENDED 15 DIA 409 JETTISONED _____
ORDNANCE/RTB 1 DIA DUDS (SEE NOTE #1) _____
BDA 25 % UNKNOWN % ADDITIONAL BDA POSSIBLE PHONE IN
BDA

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 200 ARVN OPERATION _____
(LEAVE BLANK)

ENROUTE WK SAME AS TGT

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL SA 30(I)
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECCN INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NOCDROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: RIGHT ORD. FOR RIGHT TGT
(REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

DEBITEER _____ TIME _____ DATE _____
SQUADRON 223 CALL SIGN 015 MSN NO. 6015 FLT CODE 152/1
T/O 1043 LAND 1220 TOTAL TIME 2.8

PILOTS _____ A/C _____
Palmer WP 10 DASC Danang TIME _____
Reynolds 17 CONTROLLER Milky TIME 1055
TYPE CONTROLLER _____ MSQ
TYPE MISSION TRQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1136</u>	<u>Enemy Location</u>	<u>VC590915</u>	<u>2</u>
<u>1145</u>	<u>EC</u>	<u>"</u>	<u>4</u>

TGT TERRAIN Rolling TGT WX 70 VISIBILITY 7
REL ANGLE LEVEL PASSES 2 INTERVAL _____ MIN ALT 14.1
ENROUTE ALT 185 RETURN ALT 17.5 TGT AIRSPEED 290
ORDNANCE 403, 402 EXPENDED all JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
BDA _____ % _____ % ADDITIONAL BDA _____

C

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 101 AB OPERATION KENTUCKY JUMPER
(LEAVE BLANK)

ENROUTE WX _____
(A) HOSTILE FIRE YES NO
(B) AIRBURST YES NO
(C) A/C HIT YES NO
(D) RECON INSERT/EXTRACT YES NO
(E) BDA REPORTED YES NO
(F) ABORT YES NO
(G) DIVERT YES NO
FILE FORM WITH BARREL
FILE FLASH REPORT WITH BARREL
CIRCLE ONE/COORD
IF ADDITIONAL CIRCLE
A/C MALFUNCTION/NO DROP
GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

OPERATOR COSTA TIME 0435 DATE 22 July 69
STATION 223 CALL SIGN HB 308 MSN NO. 6308 FLT 452
IN 0235 OUT 0420 TOTAL TIME 1.8

PILOTS COSTA A/C WP 8 DASC AN HOA TIME 0250
CONTROLLER 62 TIME 0250
TYPE CONTROLLER ABRT
TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0250/0320</u>	<u>Built up Area</u>	<u>AT 969 388</u> ✓ <u>AT 971 391</u> <u>AT 974 400</u>	<u>RUMI</u>
	<u>EC</u>		

TGT TERRAIN FLAT TGT WX 500 VISIBILITY 5
REL ANGLE 0° Level PASSES 3 INTERVAL - MIN ALT 14100'
ENROUTE ALT 14500' RETURN ALT 15500' TGT AIRSPEED 400 TRUE
ORDNANCE/ 6D2W/4 EXPENDED ALL JETTISONED -
ORDNANCE/RTB - DUDS (SEE NOTE # 1) -
BDA % ADDITIONAL -

①

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED AMMUNITION OPERATION BORTON PEAR
(LEAVE BLANK)

ENROUTE WX 500 700 / 1400

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE, CNE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/ NO DROP |
| (G) DIRERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ RW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER 28 TIME 1600 DATE 22 July 61
 SQUADRON 223 CALL SIGN 4B 017 MSN NO. 6017 ALT CODE 152/1
 T/O 1435 LAND 1540 TOTAL TIME 2.2
 PILOTS _____ A/C _____
Swaninger _____ 4 DASC Helix TIME 1440
GASPARINE _____ 8 CONTROLLER Helix 03 TIME 1445
 TYPE CONTROLLER FACH
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1455-1507</u>	<u>Base Camp</u> <u>BS</u>	<u>B 5 8 55280</u>	<u>I Camps</u>
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

TGT TERRAIN mfs TGT WK 300 ~~900/0~~ VISIBILITY 7
 BEL ANGLE 30° PASSES 7 INTERVAL 45° MIN ALT 1500
 REL ALT 3000
 ENROUTE ALT 10,500 RETURN ALT 9,500 TGT AIRSPEED 450
 ORDNANCE 1202 W/Y EXPENDED Abd JETTISONED None
 ORDNANCE/RTB None DUDS (SEE NOTE #1) None
 BDA 100% 100% ADDITIONAL BDA _____
one trail cut

SECONDARY EXPLOSIONS 0 NUMBER _____ SIZE _____
 UNIT SUPPORTED American OPERATION IRON MOUNTAIN
 (LEAVE BLANK)

ENROUTE WK _____

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____
 _____ (REFERENCE NOTE #3) _____

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

DEBRIEFER HICKERSON TIME 1905 DATE 22 July 69
SQUADRON 223 CALL SIGN Hb 561 MSN NO. 6561 FLT CODE 152/1
T/O 1732 LAND 1855 TOTAL TIME 2.7

PILOTS _____ A/C _____
HICKERSON WP 10 DASC Dwg HA TIME 1750
OPPENHUIZEN 17 CONTROLLER SW 98-15 TIME 1752
TYPE CONTROLLER FAC W
TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1755-1805</u>	<u>Enemy Location</u>	<u>YD031658</u>	<u>. 1</u>
	<u>EC</u>		

TGT TERRAIN MTNS TGT WX 160⊕ VISIBILITY 15+
REL ANGLE 100 PASSES 5 INTERVAL 30SEC MIN ALT 600'
ENROUTE ALT 14.5 RETURN ALT 9.5 TGT AIRSPEED 350 KTS.
ORDNANCE 8032 EXPENDED 6032 JETTISONED _____
ORDNANCE/RTR 2 032 DUDS (SEE NOTE #1) _____
BDA 95 % 95 % ADDITIONAL BDA _____

C

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 3RD MAR DIV OPERATION IDAHO Canyon
(LEAVE BLANK)

ENROUTE WX 700 160⊕

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

OPERATOR FISCHER TIME 0900 DATE 22 JULY 1969
 STATION 223 CALL SIGN HRN MSN NO. 6021 FLT 12/11
0750 0835 1.6
 PILOTS BARNES A/C WP 15 DASC DNG TIME 0800
FISCHER " " CONTROLLER HOSTAGE 4 TIME 0801
 TYPE CONTROLLER FACCA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0805-18</u>	<u>HEAVY TREE LINE</u> <u>EC</u>	<u>AT 838 475</u>	<u>3</u>

TGT TERRAIN FLAT TGT WX 300 VISIBILITY 10T
 REL ANGLE 20° PASSES 8 INTERVAL 305m MIN ALT 600
 ENROUTE ALT 7500 RETURN ALT 7500 TGT AIRSPEED 450
 ORDNANCE/ 8DIA/4D9/D2 EXPENDED 9LL JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE # 1)
 BDA 95 % 100 ADDITIONAL 3 STRUCT DEST
200 M TREE LINE DEST

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 1ST F2D Det OPERATION PIPESTONE CANYON
 (LEAVE BLANK)

ENROUTE WX 100

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABCUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS: THE TARGET DID NOT ^{WARRANT} THIS MISSION IN TERMS
OF LAUNCH & RECOVERY WEATHER
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ RW DIRECTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER PJ TIME 1400 DATE 22 Jul
SQUADRON 223 CALL SIGN H3157 MSN NO. 6157 FLT CODE 252
T/O 1140-1312 LAND 1312 TOTAL TIME 3.0

PILOTS A/C
SAYOUR WP 11 DASC DALVA TIME 1145
POCKLEY 15 CONTROLLER AN HOP TIME 1235
TYPE CONTROLLER ASRT
TYPE MISSION TRG

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1200</u>	<u>ENEMY INFILTRATION ROUTE</u>	<u>2C178278</u>	<u>3</u>
	<u>RD</u>		

TGT TERRAIN Rolling TGT WK 300 VISIBILITY 7
REL ANGLE 2142 PASSES 1 INTERVAL 0 MIN ALT 14,200
REL ALT 14,100 MSL
ENROUTE ALT 20.5 RETURN ALT 13.5 TGT AIRSPEED 290 kts
ORDNANCE 1200W EXPENDED ALL JETTISONED 0
ORDNANCE/RTB None DUDS (SEE NOTE #1) 0
BDA 0 % ADDITIONAL BDA None

SECONDARY EXPLCSIONS None NUMBER 0 SIZE None
UNIT SUPPORTED 51ST AMDBT OPERATION Durham Peak
(LEAVE BLANK)

- ENROUTE WK 300-40
- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: DIVERTED FROM TRG TO AN HOP
(REFERENCE NOTE #3)
SAYOUR MILKY COULDN'T LOCK UP ON IN 45 MINS
I.P. FOR MILKY WAS 188/45/G9

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER _____ TIME _____ DATE 23 July 69
SQUADRON 223 CALL SIGN HA 020 MSN NO. 6020 FLT CODE 132/1

T/O 0830 LAND 0910 TOTAL TIME 1.4

PILOTS

A/C

Palmer 6 DASC _____ TIME _____
Reynolds 13 CONTROLLER _____ TIME _____
TYPE CONTROLLER _____
TYPE MISSION _____

TOT DESCRIPTION COORDINATES PROVINCE

NO DROP

D TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
REL ALT _____
ENROUTE ALT 4.5 RETURN ALT 3.5 TGT AIRSPEED _____
ORDNANCE 1202 Q EXPENDED _____ JETTISONED 602 Q
ORDNANCE/RTB 602 Q DUDS (SEE NOTE #1) _____
BDA _____ % ADDITIONAL BDA _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____
(LEAVE BLANK)

ENROUTE WX _____

- (A) HOSTILE FIRE YES NO
 - (B) AIRBURST YES NO
 - (C) A/C HIT YES NO
 - (D) RECCN INSERT/EXTRACT YES NO
 - (E) BDA REPORTED YES NO
 - (F) ABORT YES NO
 - (G) DIVERT YES NO
- FILE FORM WITH BARREL
FILE FLASH REPORT WITH BARREL
CIRCLE ONE/COORD
IF ADDITIONAL CIRCLE
A/C MALFUNCTION/NO DROP
GIVE REASON BELOW

REMARKS: TARGET WX.
(REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

DEBRIEFER Slanta TIME 1000 DATE 23 July 69
SQUADRON 223 CALL SIGN #B152 MSN NO. 6152 FLT CODE 252/1
T/O 0828 LAND 0946 TOTAL TIME 2.6

PILOTS _____ A/C _____
Slanta WP 17 DASC _____ TIME _____
Kela 10 CONTROLLER _____ TIME _____
TYPE CONTROLLER _____
TYPE MISSION _____

TOT	DESCRIPTION	COORDINATES	PROVINCE
	NO NO	DROP	

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
REL ALT _____
ENROUTE ALT 4.5 RETURN ALT 3.5 TGT AIRSPEED _____
ORDNANCE 4D2, 4D3 EXPENDED _____ JETTISONED 4D2, 4D3
ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
BDA _____ % _____ % ADDITIONAL BDA _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED _____ OPERATION _____ (LEAVE BLANK)

ENROUTE WX 35 @ TOPS in excess of 29M
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INDIRECT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS: WX
Took off IFR dropping in trail, climbed to 28M
without breaking out. (REFERENCE NOTE #3) vectored by vice squad
to VFR Receivers 90nm west of CH 50, minimum fuel for IFR
Receivers called for abort.

NOTE #1: _____ DUD REPORT LOCATION 152/30 CH 50 REASON FOR 4D2, 4D3
- Minimum Fuel IFR
RECOVERABLE NO FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

DESIGNER Blackman TIME 1630 DATE 23 July
SQUADRON 223 CALL SIGN HB022 MSN NO. 6022 FLT CODE 152
T/O 1526 LAND 1602 TOTAL TIME 1.2

PILOTS _____ A/C _____
Norris WP-16 DASC _____ TIME _____
Blackman 23 CONTROLLER _____ TIME _____
TYPE CONTROLLER _____
TYPE MISSION _____

TOT	DESCRIPTION	COORDINATES	PROVINCE
	<u>Air ABORT</u>		

~~TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 REL ALT _____
 ENROUTE ALT 4.5 RETURN ALT 3.5 TGT AIRSPEED _____
 ORDNANCE 8D32 EXPENDED _____ JETTISONED All
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA _____ % ADDITIONAL BDA _____~~

SECONDARY EXPLCSIGNS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED _____ OPERATION _____ (LEAVE BLANK)

- ENROUTE WX _____
- | | | | |
|--------------------------|-----|--|-------------------------------|
| (A) HOSTILE FIRE | YES | <input checked="" type="checkbox"/> NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | <input checked="" type="checkbox"/> NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | <input checked="" type="checkbox"/> NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | <input checked="" type="checkbox"/> NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | <input checked="" type="checkbox"/> NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | <input checked="" type="checkbox"/> NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | <input checked="" type="checkbox"/> NO | GIVE REASON BELOW |

REMARKS: ORDNANCE PROBLEM CM
(REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
 NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

REFERENCE 323 TIME 1800 DATE 23 July 69
 STATION 223 CALL SIGN MAN 22 MSN NO. 0979 EST. TIME 2.4
1550 1710 RESUME TIME 15 OF 246 SENSE

PILOTS GNAZZO A/C WP 92 DASC VS TIME 1555
FOGKRTY 18 CONTROLLER PHH/NOV14 TIME 1618
 TYPE CONTROLLER FAC03
 TYPE MISSION ST

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1620-1629</u>	<u>FORN/JUNCTION</u>	<u>YC028981</u>	
	<u>RD</u>	<u>1618 10652</u>	<u>F</u>

O
 FET
 1840
 UNDERWOOD

TGT TERRAIN FLAT TGT WX 3000 VISIBILITY 7
 REL ANGLE 300 PASSES 6 INTERVAL 30' MIN ALT 3000' REL ALT 4200'
 ENROUTE ALT 145 RETURN ALT 9.5 TGT AIRSPEED 450+
 ORDNANCE 12 D200 EXPENDED AIC JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) 0
 BDA 100% INSIDE 45° 55' INSIDE 20° ADDITIONAL NOTHING

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0
 UNIT SUPPORTED 7THAF OPERATION _____ (LEAVE BLANK)
 ENROUTE WX 900/180/15

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABCUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: DID NOT HIT PRI OR SEC
DIVERTED TO "SPIDE" (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
 NOTE #3: REMAINE EFFECTIVENESS _____

DEBRIEFER BUTLER TIME 1500 DATE 23 JUNE 69
SQUADRON 223 CALL SIGN H.B. 462 MSN NO. 6462 FLT CODE 152/1
T/O 1355 LAND 1435 TOTAL TIME 1.7

PILOTS

A/C

BUTLER WP-15 DAGG V.S. 5 TIME 1357
066 13 CONTROL JAKE 47 TIME 1400
TYPE CONTROLLER FAC (AS)
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE

1400 1422 TROOPS IN CONTACT BS 517 398 RUB/I
TS

TGT TERRAIN HILLY TGT WX 1400 VISIBILITY 6

REL ANGLE 20° PASSES 6 INTERVAL 30° MIN ALT 600'

ENROUTE ALT 13.5 RETURN ALT 8.5 TGT AIRSPEED 450

ORDNANCE 16 DIA 409 EXPENDED ALL JETTISONED ←

ORDNANCE/RTB — DUDS (SEE NOTE #1) —

BDA 100 % UNKNOWN % ADDITIONAL BDA —

WILL PHONE IN KBA'S

SECONDARY EXPLCSIONS — NUMBER — SIZE —

UNIT SUPPORTED 200 ARVN OPERATION 3 FROM
(LEAVE BLANK)

ENROUTE WX SAME AS TGT

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: — DUD REPORT LOCATION — REASON FOR —
— RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: — ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: — CRDNANCE EFFECTIVENESS —

DEBRIEFER Hickerson TIME 1600 DATE 23 July 89
SQUADRON 223 CALL SIGN Hb 016 MSN NO. 6016 FLT CODE 152/1
T/O 1437 LAND 1526 TOTAL TIME 1.6

PILOTS _____ A/C _____
Hickerson WP8 DASC Helix TIME 1440
OPpenhizer 4 CONTROLLER HELIX 34 TIME 1442
TYPE CONTROLLER FAC (A)
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1457-1512</u>	<u>Enemy Location</u>	<u>BS812453</u>	<u>5</u>
	<u>EC</u>		

TGT TERRAIN FLAT TGT WX 1600 VISIBILITY 15+
MIN ALT 600'
REL ANGLE 200 PASSES 6 INTERVAL 30SEC REL ALT 1300'

ENROUTE ALT 5.5 RETURN ALT 8.5 TGT AIRSPEED 450

ORDNANCE 802A/409 EXPENDED ALL JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____

BDA 100% 70 % ADDITIONAL BDA 2 STRUCT DAMAGED BEST
1 DESTROYED

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED Amer OPERATION IRON MOUNTAIN
(LEAVE BLANK)

- ENROUTE WX _____
- | | | | |
|--------------------------|---|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | <input checked="" type="checkbox"/> YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS OK

REFUELER 1/1 TIME 1800 DATE 23 July 69
STATION VNA 223 CALL SIGN HB 018 MSN 6078 FLT 152/1
1632 1759 3.0

PILOTS
Schramminger A/C 07 DASC Danning TIME 1710
HICKLE A/C 10 CONTROLLER Hosuettem TIME 1712
TYPE CONTROLLER FACCA
TYPE MISSION DAE

TOT 1730/1740 DESCRIPTION Suspected enemy pos COORDINATES BT 822541 PROVINCE ICaps
EC

TGT TERRAIN FLAT TGT WX 1500 VISIBILITY 7T
REL ANGLE 45° PASSES 4 INTERVAL 45 sec MIN ALT 2000
ENROUTE ALT 10.5 RETURN ALT 9.5 TGT AIRSPEED 450 REL ALT 4000

ORDNANCE 4 D34(DL) EXPENDED 0 JETTISONED 0
4 D24(DL)
ORDNANCE/ACTS 0 DUDS (SEE NOTE # 1) 0

BDA 90 % 90 % ADDITIONAL 200 meters tree line
50 meters + tree line 1 structure
partially destroyed

SECONDARY EXPLCSIONS 0 NUMBER 0 SIZE 0

UNIT SUPPORTED 1st MAC DIV OPERATION Pipestone Canyon
(LEAVE BLANK)

ENROUTE WX Same as test

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH EFFORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABCUT | YES | NO | A/C MALFUNCTION/ NO DROP |
| (G) DIRERT | YES | NO | GIVE REASON BELOW |

REMARKS: Divert from Bilk/CH 69
due wx assigned another ASPT who
directed us to final controller for CAS

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

REGISTRATION FXN TIME 2317 DATE 24 July
 SQUADRON 223 CALL SIGN 112 MSN NO. 6553 FLT CODE 352
 T/O 2775 LAND 2835 TOTAL TIME 2.3
 PILOTS _____ A/C _____
Hesse _____ 6 _____ DASC Danah TIME 2845
MORRIS _____ 5 _____ CONTROLLER Hast TIME 2846
 _____ _____ _____ TYPE CONTROLLER FAA
 _____ _____ _____ TYPE MISSION FAA

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2250-2310</u>	<u>UC 24</u>	<u>A-915348</u>	
	<u>EC</u>		

C

TGT TERRAIN Hilly TGT WX 100 0 VISIBILITY 15
 WEL ANGLE 30° PASSES 12 INTERVAL 30 MIN ALT 2500
 ENROUTE ALT 14.5 RETURN ALT 17.5 TGT AIRSPEED 420
 ORDNANCE 12.519 EXPENDED All JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA 70 % 70 % ADDITIONAL BDA 700 interval

SECONDARY EXPLCSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 3/57MD OPERATION Proton
 (LEAVE BLANK)

- ENROUTE WX _____
- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____
 _____ (REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
 _____ RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: _____ SCM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
 NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

DEWBITEER _____ TIME _____ DATE 28 JULY 69
SQUADRON 223 CALL SIGN 589 MSN NO. 6589 FLT CODE 152
T/O 0909 LAND 1015 TOTAL TIME 2.2

PILOTS

A/C

BUTLER WP 21 DASC _____ TIME _____
CRIANO WP 23 CONTROLLER _____ TIME _____
TYPE CONTROLLER _____
TYPE MISSION _____

TOT _____ DESCRIPTION _____ COORDINATES _____ PROVINCE _____

NO DROP

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
REL ALT _____

ENROUTE ALT 22.5 RETURN ALT 23.5 TGT AIRSPEED 450

ORDNANCE 4024/407/408 EXPENDED NONE JETTISONED _____

ORDNANCE/RTB 4024/407/408 DUDS (SEE NOTE #1) _____

BDA _____ % ADDITIONAL BDA _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____ (LEAVE BLANK)

ENROUTE WX _____

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECGN INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NODDROD
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: NO TARGETS
(REFERENCE NOTE #3)

NOTE #1: _____ DUD REPCRT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

DEBRIEFER 049 TIME 1115 DATE 24 JULY 69
 SQUADRON 223 CALL SIGN HB155 MSN NO. 6155 FLT CODE 182/1
 T/O 1009 LAND 1055 TOTAL TIME 1.8
 PILOTS A/C
SNYDER WP 16 DASC BULK CONT. TIME 1010
099 WP 1 CONTROLLER BULK 25 TIME 1015
 TYPE CONTROLLER FACA
 TYPE MISSION DAS LZD

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1025-35</u>	<u>LZ DREP</u> <u>4W</u>	<u>ZC 145 898</u>	<u>I 2 CORPS</u>

0

TGT TERRAIN MOUNTAINS TGT WK 80 @ VISIBILITY 7
 WHEEL ANGLE 30° PASSES 6 INTERVAL 30 SEC MIN ALT 1500
 ENROUTE ALT 10.5 RETURN ALT 9.5 TGT AIRSPEED 450
 ORDNANCE 12 D2Y (DC) EXPENDED ALL JETTISONED NONE
 ORDNANCE/RTB NONE DUDS (SEE NOTE #1) NONE
 BDA 100 % 50 % ADDITIONAL BDA

SECONDARY EXPLOSIONS NONE NUMBER SIZE
 UNIT SUPPORTED 101st AB OPERATION
 ENROUTE WK Kentucky Jumper
 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER CLAWE TIME 1030 DATE 24 July
SQUADRON 223 CALL SIGN HS 013 MSN NO. 6013 FLT CODE 15211
TO 0910 LAND 1017 TOTAL TIME 2.2

PILOTS A/C
CLAWE WP 8 DASC DAVANU TIME 0915
ISAVENS IS CONTROLLER COOPER TIME 0920
TYPE CONTROLLER FAC(A)
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
0940/50 FRT VILL BT 26524 RUNP1
VC

TGT TERRAIN FLAS TGT WK 100 # VISIBILITY 7
REL ANGLE 20 PASSES 8 INTERVAL 30 MIN ALT 600
REL ALT 1300

ENROUTE ALT 10.5 RETURN ALT 7.5 TGT AIRSPEED 450

ORDNANCE 8D2A/409 EXPENDED ALL JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE #1) YES (2D2A/2D9)

BDA 90% 90 % ADDITIONAL BDA _____

2 STREET DEST 1 TUNNEL DAMAGED

1 STREET DAM

C

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED ASTKMDAL OPERATION Victory Dragon
Pipestone Canyon
(LEAVE BLANK)

- ENROUTE WK 95 DU #
- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 - (B) AIRBURST YES NO FILE FORM WITH BARREL
 - (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
 - (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 - (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
 - (F) ABORT YES NO A/C MALFUNCTION/NO DROP
 - (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____ (REFERENCE NOTE #3) _____

NOTE #1: DUD REPORT LOCATION BT 026524 REASON FOR UNKNOWN
NO ARM W/ W/AS RETURNED
RECOVERABLE YES FUZE (DELAY/ARM DELAY) INST

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DERBIEFER COSTA TIME 0955 DATE 24 July 69
 SQUADRON 223 CALL SIGN H8021 MSN NO. 6021 FLT CODE 152
 T/O 0905 LAND 0990 TOTAL TIME 1.1
 PILOTS A/C
COL NICHOLS WP 4 DASC HELIX TIME 0910
COSTA WP 13 CONTROLLER BILK - 15 TIME 0915
 TYPE CONTROLLER FAC(A)
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0915/0925</u>	<u>BUNKER COMPLEX</u>	<u>BT 206128</u>	<u>RVAH2</u>
	<u>BF</u>		

TGT TERRAIN HILLY TGT WK 1000 ~~1200~~ VISIBILITY 10
FEAT MIN ALT 2000'
 REL ANGLE 30 PASSES 2 INTERVAL 30Sec REL ALT 3000'
 ENROUTE ALT 10.5 M' RETURN ALT 9.5 M' TGT AIRSPEED 950
 ORDNANCE 6 D-24M 10 D-14M EXPENDED ALL JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA 90% 80% ADDITIONAL BDA _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 101st AB OPERATION LAMAR PLAIN
 (LEAVE BLANK)

ENROUTE WK 100 0 1200 / 0

(A) HOSTILE FIRE	YES	<input checked="" type="radio"/> NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	<input checked="" type="radio"/> NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	<input checked="" type="radio"/> NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	<input checked="" type="radio"/> NO	CIRCLE ONE/COORD
(E) BDA REPORTED	<input checked="" type="radio"/> YES	<input checked="" type="radio"/> NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	<input checked="" type="radio"/> NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	<input checked="" type="radio"/> NO	GIVE REASON BELOW

REMARKS: _____ (REFERENCE NOTE #3) _____

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
 _____ RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

DEBRIEFER Oppenhuizen TIME 1530 DATE 24 July 69
 SQUADRON VMA223 CALL SIGN H13463 MSN NO. 6463 FLT CODE 15211
 T/O 1406 LAND 1525 TOTAL TIME 2.6
 PILOTS _____ A/C _____
Carter _____ WP.4 _____ DASC Helix TIME 1411
Oppenhuizen _____ 2 _____ CONTROLLER Helix 02 TIME 1420
 _____ _____ _____ TYPE CONTROLLER EA SA
 _____ _____ _____ TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1435 40</u>	<u>Known En Posit</u>	<u>BT153213</u>	<u>RVAH/E</u>
	<u>EC</u>		

TGT TERRAIN Hilly TGT WX 400 ~~W~~ VISIBILITY 5
 REL ANGLE 20 PASSES 8 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 14.5 RETURN ALT 21.5 REL ALT 1300
 TGT AIRSPEED 450
 ORDNANCE 16 DIA 409 EXPENDED 16 DIA 309 FATTISONED none
 ORDNANCE/RFB 1 D9 DUDS (SEE NOTE #1) _____
 BDA 90 % 70 % ADDITIONAL BDA 2 BKRS DEST

C

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED Americal OPERATION _____
 (LEAVE BLANK)

ENROUTE WX 200 800

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECCN INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____ (REFERENCE NOTE #3) _____

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

DEBRIEFER Schwaminger TIME 1600 DATE 24 July 69
SQUADRON Vna-223 CALL SIGN H3017 MSN NO. 6017 FLT CODE 152/L
T/O 1580 LAND 1555 TOTAL TIME 1.8

PILOTS
Schwaminger A/C 12
Gaspari 18

DASC Helix TIME 1505
CONTROLLER Helix 02 TIME 05
TYPE CONTROLLER FACIA
TYPE MISSION CAS

TGT DESCRIPTION COORDINATES PROVINCE
1525/1536 Enemy position B7155216 Tdpp
EC

TGT TERRAIN mtus TGT WX 40 0-40 VISIBILITY 2r
REL ANGLE 45° PASSES 8 INTERVAL 45Sec MIN ALT 2000
REL ALT 3000
ENROUTE ALT 12.5 RETURN ALT 9.5 TGT AIRSPEED 450Kts
ORDNANCE 12 D2W/1 EXPENDED all JETTISONED 0
ORDNANCE/RTB 0 DUDS (SEE NOTE #1) 2
BDA 80 % 70 % ADDITIONAL BDA 2 structures destroyed
1 structure damaged

C

SECONDARY EXPLCSIONS 0 NUMBER _____ SIZE _____
UNIT SUPPORTED AMERICAN OPERATION _____ (LEAVE BLANK)

ENROUTE WX _____

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECCN INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____ (REFERENCE NOTE #3)

NOTE #1: DUD REPT LOCATION B7155216 REASON FOR UNK
RECOVERABLE UNK FUZE (DELAY/ARM DELAY) 4Sec

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER LAKIANO TIME 1135 DATE 24 July 69
 SQUADRON 223 CALL SIGN HD 591 MSN NO. 591 FLT CODE 152/1
 T/O 09091015 LAND 1120 TOTAL TIME 44 2.2
 PILOTS _____ A/C _____
BUTLER Wp-31 DASC Vicognad TIME 0915
LAKIANO Wp-32 CONTROLLER Helix 31 TIME 1043
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1049-37</u>	<u>KNOWN ENEMY location</u> <u>EC</u>	<u>RS 820 475</u>	<u>5</u>

TGT TERRAIN Flat TGT WK 140 @ VISIBILITY 7
 REL ANGLE 30° PASSES 6 INTERVAL 30" MIN ALT 1500
 REL ALT 3300

ENROUTE ALT 22.5 RETURN ALT 23.5 TGT AIRSPEED 450

ORDNANCE 4 Day / 400 / 400 EXPENDED 402 / 400 JETTISONED _____

ORDNANCE/RTB 400 DUDS (SEE NOTE #1) _____

BDA 100 % 700 % ADDITIONAL BDA 40 meters trench line
2 Bunkers Destroyed 5 Fighting positions
2 Structures Destroyed 2 Structures destroyed

SECONDARY EXPLCSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED American OPERATION Iron Mountain
 (LEAVE BLANK)

ENROUTE WK 13,5 @ - @ 210 @

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NOCDROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____ (REFERENCE NOTE #3) _____

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ EGM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

REF ID: A68753
SERIES TIME 0430 D 24 JUNE 67
STATION 223 CALL SIGN HBN MSN NO. 6306 FLT 3521
0254 0476 RANGE TIME 1.4

PILOTS HSCVEN A/C WPOK
DASC CL ASPT TIME 0300
CONTROLLER CHASIS TIME
TYPE CONTROLLER ASPT
TYPE MISSION 100/245

TOT	DESCRIPTION	COORDINATES	PROVINCE
0310	ROCKET SITE EL	BS 463962	5

TGT TERRAIN LOW TGT WX ☉ VISIBILITY 10+
REL ANGLE 0° PASSES 1 INTERVAL — MIN ALT 180
ENROUTE ALT 141 RETURN ALT 205 TGT AIRSPEED 290
ORDNANCE/ 6000/4 EXPENDED ALL JETTISONED —
CRDNANCE/RTB — DUDS (SEE NOTE # 1) —
BDA — % — ADDITIONAL —

C

SECONDARY EXPLOSIONS NUMBER SIZE
UNIT SUPPORTED AERIAL OPERATION GUENA PARK
(LEAVE BLANK)

- ENROUTE WX _____
- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABCUT | YES | NO | A/C MALFUNCTION/ NO DROP |
| (G) DIRERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: BCM ENCOUNTERED _____ TIME _____ SW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER STP TIME 1030 DATE 24 July
SQUADRON 223 CALL SIGN H0581 MSN NO. 6581 FLT CODE 152/3
T/O 0850 LAND 1000 TOTAL TIME 2.4

PILOTS

A/C

FOGERTY
SIK&KR

WP17
WP01

DASC O.H.

TIME 0900

CONTROLLER VANDY ABRT

TIME 0910

TYPE CONTROLLER FP-10 (A07) ASRT

TYPE MISSION FP9 (DPS)

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0925</u>	<u>Riv. Bev</u>	<u>XDC80472</u>	<u>1</u>
	<u>WP Riv</u>		

TGT TERRAIN HAYK TGT WX UOK VISIBILITY 1 RR
REL ANGLE 0 PASSES 1 INTERVAL 0 MIN ALT 16000
REL ALT 16000

ENROUTE ALT 185 RETURN ALT 9.5 TGT AIRSPEED 295

ORDNANCE 12 D2 Q EXPENDED ALL JETTISONED 0

ORDNANCE/RTB 0 DUDS (SEE NOTE #1) UNK

BDA % / ADDITIONAL BDA /

SECONDARY EXPLCSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED MBROPCOMD OPERATION _____
(LEAVE BLANK)

ENROUTE WX _____

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECCN INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NCDDROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____ (REFERENCE NOTE #3) _____

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

PILOT/COPILOT Blackman FILE 1635 DATE 24 July
SQUADRON 223 CALL SIGN HB041 MSN NO. 6041 FLT CODE 15211
T/O 1528 LAND 1625 TOTAL TIME 2.0

PILOTS A/C
Fischer WIP 8 DASC Dumb HA TIME 1550
Blackman 11 15 CONTROLLER SW-12 TIME 1553
TYPE CONTROLLER FACD
TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1555/00</u>	<u>Enemy Pos</u> <u>EC</u>	<u>4D096730</u>	<u>I RVN</u>

TGT TERRAIN Flat TGT WX 3300 ~~03R~~ VISIBILITY 3
REL ANGLE 20 PASSES 6 INTERVAL 30 MIN ALT 600
ENROUTE ALT 18.5 RETURN ALT 19.5 REL ALT 1200
TGT AIRSPEED 450
ORDNANCE 802A/409 EXPENDED All JETTISONED
ORDNANCE/RTB DUDS (SEE NOTE #1)
BDA 95% 95% ADDITIONAL BDA 1 sec fire
1 BK DEST

C

SECONDARY EXPLOSIONS NUMBER SIZE
UNIT SUPPORTED 3rd MARDIV OPERATION IDAHO CANYON
(LEAVE BLANK)

ENROUTE WX 80/0

- | | | |
|--------------------------|--|-------------------------------|
| (A) HOSTILE FIRE | YES <input type="checkbox"/> NO <input type="checkbox"/> | FILE FORM WITH BARREL |
| (B) AIRBURST | YES <input type="checkbox"/> NO <input type="checkbox"/> | FILE FORM WITH BARREL |
| (C) A/C HIT | YES <input type="checkbox"/> NO <input type="checkbox"/> | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES <input type="checkbox"/> NO <input type="checkbox"/> | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES <input type="checkbox"/> NO <input type="checkbox"/> | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES <input type="checkbox"/> NO <input type="checkbox"/> | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES <input type="checkbox"/> NO <input type="checkbox"/> | GIVE REASON BELOW |

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER KELLER TIME 1005 DATE 24 July 69
SQUADRON 223 CALL SIGN HR 023 MSN NO. 6023 FLT CODE 152/1
T/O 0834 LAND 0950 TOTAL TIME 12.6

PILOTS A/C
STANTON 2 DASC DASHA TIME 0850
KELLER 12 CONTROLLER VANDY #7 TIME 0855
TYPE CONTROLLER ASRT
TYPE MISSION TPQ

TOT DESCRIPTION COORDINATES PROVINCE
0855/0905 SEEDING XD 840240 RVN 1
MN

TGT TERRAIN Hilly TGT WX 190 @ VISIBILITY 7
REL ANGLE LEVEL PASSES 1 INTERVAL None MIN ALT 14.9
REL ALT 14.9
ENROUTE ALT 12.5 M RETURN ALT 7.5 M TGT AIRSPEED 290
ORDNANCE 12 D 2 Q EXPENDED ALL JETTISONED —
ORDNANCE/RTB — DUDS (SEE NOTE #1) —
BDA None % ADDITIONAL BDA —

(Handwritten mark)

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED RCRD MD OPERATION ARLINGTON CANYON
(LEAVE BLANK)

ENROUTE WX 800/07

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____ (REFERENCE NOTE #3) _____

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

MEMBER FISCHER TIME 1500 DATE 25 JULY 69
SQUADRON 223 CALL SIGN HBN MSN NO. 6593 FLT CODE 18211
T/O 1330 LAND 1945 TOTAL TIME 2.16

PILOTS A/C
POBERTY WP 23 DASC DONG HA TIME 1345
FISCHER 21 CONTROLLER SW 98-9 TIME 1355
TYPE CONTROLLER FAC (A)
TYPE MISSION PA3

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1405-14</u>	<u>UNDERGROUND BUNKER</u>	<u>YD080682</u>	
	<u>COMPLETE</u>		
	<u>BF</u>		

TGT TERRAIN HILLY TGT WX 30 @ VISIBILITY 10+
REL ANGLE 70° PASSES 6 INTERVAL 30 MIN ALT 1000
ENROUTE ALT 20.5 RETURN ALT 11.5 REL ALT 2000 TGT AIRSPEED 450
ORDNANCE 4024/402/408 EXPENDED 402/407 JETTISONED
ORDNANCE/RTE 408 DUDS (SEE NOTE #1)
BDA 65 % 65 % ADDITIONAL BDA

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 3RD AIR DIV OPERATION IDAHO CANYON
(LEAVE BLANK)

ENROUTE WX _____
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECCN INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS: THE FLIGHT WAS CALLED TO WORK D'S ON AN
UNDERGROUND TUNNEL COMPLETE (REFERENCE NOTE #3)

PA3 USE OF
ORDNANCE

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

WEBSITE _____ TIME _____ DATE 25 July 69
 SQUADRON 203 CALL SIGN H0586 MSN NO. 6596 FLT CODE LS2
 T/O 1725 LAND 1817 TOTAL TIME 1.8
 PILOTS _____ A/C _____
STANTON WP 17 DASC _____ TIME _____
PALMANTERE 23 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

0

TOT	DESCRIPTION	COORDINATES	PROVINCE
	<u>NO DROP</u>		

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 MIN ALT _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ REL ALT _____
 ENROUTE ALT 18.5 RETURN ALT 7.9 TGT AIRSPEED _____
 ORDNANCE 4D8 4D2 4D7 EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB ALL DUDS (SEE NOTE #1) _____
 BDA _____ % _____ % ADDITIONAL BDA _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____
 (LEAVE BLANK)
 ENROUTE WX _____

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECCN INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: NO TARGETS
 _____ (REFERENCE NOTE #3) _____

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
 _____ RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

REGISTRATION Stanta TIME 1935 DATE 25 July 69
SQUADRON 223 CALL SIGN HB 598 MSN NO. 6590 FLT CODE 152/1
T/O: 1817 LAND 1917 TOTAL TIME 2.0

PILOTS _____ A/C _____
Stanta WP17 DASC Jake TIME 1840
Palmer 23 CONTROLLER Jake 48 TIME 1843
TYPE CONTROLLER FAC(A)
TYPE MISSION L2 Reg

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1845/1900</u>	<u>L2 Reg</u>	<u>B5306819</u>	<u>5</u>
	<u>UN</u>		

①

TGT TERRAIN MTN TGT WK 5000 VISIBILITY 7
REL ANGLE 30 PASSES 8 INTERVAL 30 MIN ALT 1500
ENROUTE ALT 18.5 RETURN ALT 7.9 REL ALT 3000
TGT AIRSPEED 450
ORDNANCE 408, 402, 407 EXPENDED 402, 407 JETTISONED _____
ORDNANCE/RTB 408 DUDS (SEE NOTE #1) _____
BDA 100% 100% % ADDITIONAL BDA _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED ARUN OPERATION _____
(LEAVE BLANK)
ENROUTE WK -107

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
REFERENCE NOTE #3) _____

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ SCM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ CRDNAME EFFECTIVENESS _____

DEB/JEFER M TIME 1040 DATE 25 July 69
SQUADRON 223 CALL SIGN WIS 588 MSN NO. 6588 FLT CODE 152
T/O 0917 LAND 1014 TOTAL TIME 2.0

PILOTS A/C
Fischer WP 06 DASC DNG TIME 0920
Lawseth 27 CONTROLLER Hostage Dy TIME 0922
TYPE CONTROLLER PACA
TYPE MISSION L2P

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0925-45</u>	<u>L2P</u>	<u>ZC 089658</u>	<u>3</u>
	<u>- UN</u>		

2

TGT TERRAIN V TGT WK 0 VISIBILITY 10+
REL ANGLE 70° PASSES 10 INTERVAL 30 MIN ALT 1.5
REL ALT 3.0
ENROUTE ALT 12.5 RETURN ALT 11.5 TGT AIRSPEED 460
ORDNANCE 4/08 4/07 4/02 EXPENDED AN JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE #1) 4/02
BDA 90% 95% ADDITIONAL BDA 95 mtrs free line dest.

SECONDARY EXPLOSIONS No NUMBER _____ SIZE _____
UNIT SUPPORTED 1st MD OPERATION _____
(LEAVE BLANK)

ENROUTE WK _____

- (A) HOSTILE FIRE YES NO FIRE FORM WITH BARREL
- (B) AIRBURST YES NO FIRE FORM WITH BARREL
- (C) A/C HIT YES NO FIRE FLASH REPORT WITH BARREL
- (D) RECCN INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: 2 DB exploded as 500# bombs - inserts
received intensive (REFERENCE NOTE #3)
ground Acc.

NOTE #1: DUD REPORT LOCATION _____ REASON FOR UNK

RECOVERABLE yes FUZE (DELAY/ARM DELAY) 4

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: CRDNANCE EFFECTIVENESS _____

TIME 0830 DATE 25 July 1969
SQUADRON 225 CALL SIGN HB152 MSN NO. 6152 FLT CODE 152/1
T/O 0640 LAND 0808 TOTAL TIME 2.9

PILOTS A/C
SNYDER WAY DASC Doncha TIME 0655
FOBERTY WP21 CONTROLLER SW 98-3 TIME 0702
TYPE CONTROLLER FAC A
TYPE MISSION L2P

TOT	DESCRIPTION	COORDINATES	PROVINCE
0725-0737	L2 PAPP	Y0118431	1
	UN		

TGT TERRAIN MTN RIDGE TGT WK CA4.0 VISIBILITY 1000 ft
 REL ANGLE 20 PASSES 8 INTERVAL 30' MIN ALT 600'
 REL ALT 1300'
 ENROUTE ALT 24.5 RETURN ALT 23.5 TGT AIRSPEED 450
 ORDNANCE 16 DIA - 409 EXPENDED ALL JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE #1)
 BDA 100% 100% ADDITIONAL BDA NOTHING REPORTED

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0
 UNIT SUPPORTED 3RD MAR DIV OPERATION Williams Glade
 (LEAVE BLANK)
 ENROUTE WK -1050

- (A) HOSTILE FIRE YES/NO FILE FORM WITH BARREL
- (B) AIRBURST YES/NO FILE FORM WITH BARREL
- (C) A/C HIT YES/NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES/NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES/NO IF ADDITIONAL CIRCLE
- (F) ABORT YES/NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES/NO GIVE REASON BELOW

REMARKS: REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: SCM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS 1300' RELEASE
AT TGT WITH A 90° 20-25KT WIND REQUIRES
A GREAT DEAL OF FINESSE!!

VEHICLE HART 0810 DATE 25 July
SQUADRON 223 CALL SIGN HB 150 MSN NO. 6150 FLT CODE 152
T/O 0630 LAND 0755 TOTAL TIME 2.8

PILOTS

A/C

MCCARTHY 18 DASC DAUG HA TIME 0655
HART 12 CONTROLLER SEA WINDY 98-3 TIME 0656
TYPE CONTROLLER 1 FAC(A)
TYPE MISSION LEP

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>12 22</u>	<u>L2 PRED</u>	<u>YD118434</u>	<u>I</u>
	<u>UN</u>		

C

TGT TERRAIN MNT TGT WK 450 VISIBILITY 10
REL ANGLE 20 PASSES 7 INTERVAL 300 MIN ALT 800 AGL
ENROUTE ALT 18.5 RETURN ALT 9.5 TGT AIRSPEED 450
ORDNANCE 16 DIA # D9 EXPENDED 16 AGL JETTISONED none
ORDNANCE/RTB DUDS (SEE NOTE #1)
BDA 90 % 90 % ADDITIONAL BDA

SECONDARY EXPLOSIONS NUMBER SIZE
UNIT SUPPORTED 3rd MARINES OPERATION
(LEAVE BLANK)
ENROUTE WK 0 I DAWD (CARTON)

- (A) HOSTILE FIRE YES NO FIRE FORM WITH BARREL
- (B) AIRBURST YES NO FIRE FORM WITH BARREL
- (C) A/C HIT YES NO FIRE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE (DELAY/ARM DELAY)
NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED
NOTE #3: ORDNANCE EFFECTIVENESS

PILOT Hickerson ~~TIME~~ 0835 DATE 25 JULY 69
SQUADRON 223 CALL SIGN HD 020 MSN NO. 6020 FLT CODE 152/1

T/O: 0722 LAND 0819 TOTAL TIME 1.8

PILOTS A/C
GRANE WP 16 DASC BICK CNT TIME 0738
Hickerson 15 CONTROLLER BICK 25 TIME 0740
TYPE CONTROLLER FAC(A)
TYPE MISSION L2P

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0845/55</u>	<u>L2P</u>	<u>2C165918</u>	<u>2</u>
	<u>UN.</u>		

DRI

TGT TERRAIN MTNS TGT WK 0 ~~1~~ VISIBILITY 10+
REL ANGLE 30° PASSES 8 INTERVAL 30 SEC MIN ALT 1.5
ENROUTE ALT 16.5 RETURN ALT 9.5 TGT AIRSPEED 450
REL ALT 3.0
ORDNANCE 403Y/402Y EXPENDED 303Y/402Y JETTISONED
ORDNANCE/RTB 103Y DUDS (SEE NOTE #1) 100
BDA 100 % 25 % ADDITIONAL BDA

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 80/101ST AB OPERATION Kentucky Thunder
(LEAVE BLANK)

ENROUTE WK _____

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECCN INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____
REFERENCE NOTE #3) _____

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
NOTE #2: _____ SCM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

PILOT NAME BUTLER TIME 1725 DATE 25 JULY 69
SQUADRON 223 CALL SIGN A.B. 466 MSN NO. 6466 FLT CODE 15211

T/O 1604 LAND 1711 TOTAL TIME 2.2

PILOTS BUTLER A/C WP-21

FOERTY 18 BASE U.S. 5 TIME 1606
CONTROLLER BILK 38 TIME 1630
TYPE CONTROLLER FAC (A)
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1635-42</u>	<u>ENEMY LOCATION</u> <u>EC</u>	<u>YC 317 948</u>	<u>RVD/I</u>

TGT TERRAIN HILLY TGT WX 300 VISIBILITY 7
REL ANGLE 20° PASSES 6 INTERVAL 30" MIN ALT 600'
REL ALT 1300'

ENROUTE ALT 20.5 RETURN ALT 17.5 TGT AIRSPEED 450

ORDNANCE 16 DIA 409 EXPENDED ALL JETTISONED

ORDNANCE/RTB DUDS (SEE NOTE #1)

BDA 100 % 100 % ADDITIONAL BDA

4 BUNKERS DESTROYED
5 FIGHTING POSITIONS

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED # 3rd. Odetic AFB 7 OPERATION MONTGOMERY REND
(LEAVE BLANK)

ENROUTE WX 0

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL SOCAL, LIGHT
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECCN INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

REGISTRATION FAW TIME 1540 DATE 25 July
SQUADRON 223 CALL SIGN HB MSN NO. 6462 FLT CODE 152
T/O 1400 LAND 1516 TOTAL TIME 2.6

PILOTS A/C
NORRIS 12 DASC TIME
OGG 17 CONTROLLER HELIX TIME 1442
TYPE CONTROLLER EACH
TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1450-60</u>	<u>UC KNOWN POS</u>	<u>BSC43433</u>	<u>5</u>
	<u>EC</u>		

TGT TERRAIN HILLS TGT WX 800 VISIBILITY 10+
REL ANGLE 30° PASSES 10 INTERVAL 30 MIN ALT 600
ENROUTE ALT 17.5 RETURN ALT 17.5 TGT AIRSPEED 450
ORDNANCE 16D1A4D9 EXPENDED ALL JETTISONED -
ORDNANCE/RTB - DUDS (SEE NOTE #1)
BDA 100 % 60 % ADDITIONAL BDA

C

SECONDARY EXPLOSIONS Yes NUMBER 1 SIZE 200 M High
UNIT SUPPORTED AMERICAN OPERATION IRON MOUNTAIN
(LEAVE BLANK)

ENROUTE WX _____
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
REFERENCE NOTE #3) _____

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ CRDNANCE EFFECTIVENESS _____

PILOT Blackman TIME 1030 DATE 25 July
SQUADRON 223 CALL SIGN 43012 MSN NO. 6012 FLT CODE 152
T/O 0920 LAND 1015 TOTAL TIME 1.6

PILOTS A/C
Heise WP 2 DASC Dorland TIME 0925
Blackman 13 CONTROLLER Host Item TIME 0930
TYPE CONTROLLER FACP
TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0945/57</u>	<u>EC</u> <u>Enemy Fortified</u>	<u>BT 096524</u>	<u>III RVN</u>

TGT TERRAIN Flat TGT WX 0 VISIBILITY 10+
REL ANGLE 20° PASSES 8 INTERVAL 30 MIN ALT 600
ENROUTE ALT 10.5 RETURN ALT 9.5 REL ALT 1300
TGT AIRSPEED 450
ORDNANCE 8020/409/D20 EXPENDED All JETTISONED
ORDNANCE/RTB DUDS (SEE NOTE #1)

BDA 100 % 100 % ADDITIONAL BDA 1 Sec FIRE Resulting
in Sec Large Explosion, 2 Bunkers Dest

SECONDARY EXPLCSIONS Yes NUMBER ONE SIZE LARGE
UNIT SUPPORTED Rd 15 THRIDES OPERATION Ducham Peak
(LEAVE BLANK)

ENROUTE WX 0

- | | | | |
|--------------------------|---|-----------------------------|-------------------------------|
| (A) HOSTILE FIRE | YES <input checked="" type="checkbox"/> | NO <input type="checkbox"/> | FILE FORM WITH BARREL |
| (B) AIRBURST | YES <input type="checkbox"/> | NO <input type="checkbox"/> | FILE FORM WITH BARREL |
| (C) A/C HIT | YES <input type="checkbox"/> | NO <input type="checkbox"/> | FILE FLASH REPORT WITH BARREL |
| (D) RECCN INSERT/EXTRACT | YES <input type="checkbox"/> | NO <input type="checkbox"/> | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES <input checked="" type="checkbox"/> | NO <input type="checkbox"/> | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES <input type="checkbox"/> | NO <input type="checkbox"/> | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES <input type="checkbox"/> | NO <input type="checkbox"/> | GIVE REASON BELOW |

REMARKS: REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: CRDNAMES EFFECTIVENESS

REFERENCE BAKER TIME 0830 DATE 25 Jul
SQUADRON 223 CALL SIGN HB MSN NO. 6010 FLT CODE 152
T/O 0655 LAND 0810 TOTAL TIME 2.6

PILOTS A/C
BAKER WP 17
GASPARINO 8

BASC DONO HO TIME 0712
CONTROLLER SQ 98-2 TIME 0715
TYPE CONTROLLER FAC (A)
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0720-30</u>	<u>SUCAC SITE</u> <u>AA</u>	<u>VD 098685</u>	<u>1</u>

TGT TERRAIN FLAT TGT WX 0 VISIBILITY 15
REL ANGLE 30 PASSES 8 INTERVAL 30 MIN ALT 1800
ENROUTE ALT 18.5 RETURN ALT 21.5 REL ALT 3000
ORDNANCE 12 D2 w/y EXPENDED ALL JETTISONED
ORDNANCE/RTB DUDS (SEE NOTE #1)
BDA 95% 95 % ADDITIONAL BDA

C

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 3 MARINES OPERATION IDAHO CANYON
(LEAVE BLANK)

- ENROUTE WX _____
- (A) HOSTILE FIRE YES NO FIRE FORM WITH BARREL
 - (B) AIRBURST YES NO FILE FORM WITH BARREL
 - (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
 - (D) RECCN INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 - (E) BDA REPORTED YES NO ? NO IF ADDITIONAL CIRCLE
 - (F) ABORT YES NO ? NO A/C MALFUNCTION/NO DROP
 - (G) DIVERT YES NO ? NO GIVE REASON BELOW

REMARKS: _____
REFERENCE NOTE #3) _____

- NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
- NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
- NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

25 July

SQDN 223 Mon 22 Miss # 0970 152
 T/B 1540 LAND 1650 2.4 TOTAL

MAJ BARNES WP 08
 MAJ Reynolds 04

Helix 1545
 BIG 10 1550
 FACA
 CAS

1515-1606 Troops IN BKRS BS 673846

TOT TERRAIN FLAT SDB 3 RAIN

Release 30° 6 passes 45 sec inter

1200 min ALT 2000 Release

ENroute S.O Rtn 23.5

ORD 12 DZ'wy Expended all.

BDA 100% / 30% 2 BKRS destroyed
 10 meters Trench destroyed

IN support of AMERICAN DIV.

DIVERT From STEEL TIGER to IN country
 CAS By BAYRELL. after CAS
 FLT LANDED UBBN.

WEBSITE BAKER TIME _____ DATE 26 July
SQUADRON 223 CALL SIGN HB MSN NO. 6237 FLT CODE 152
T/O 1538 LAND 1612 TOTAL TIME 3.2

PILOTS _____ A/C _____
BAKER WP 4 DASC DANANG TIME _____
HANE _____ 8 CONTROLLER ASPT TIME 1572
TYPE CONTROLLER TDQ
TYPE MISSION "

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1630-40</u>	<u>TDQ CAL</u> <u>EWY LCL</u>	<u>ZC 14958200</u>	
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

TGT TERRAIN ? TGT WK ? VISIBILITY 15
REL ANGLE level PASSES 3 INTERVAL 3 min MIN ALT 141
ENROUTE ALT 14.5 RETURN ALT 24.5 REL ALT 141 TGT AIRSPEED 290
ORDNANCE 1272 EXPENDED All JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
BDA ? % _____ % ADDITIONAL BDA _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED ? OPERATION _____ (LEAVE BLANK)

ENROUTE WK _____
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECCN INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS: UBON DIVERT LAND UBON
(REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

LEADER CRANE TIME 1350 DATE 26 Jul 69
SQUADRON 223 CALL SIGN H8207 MSN NO. 6207 FLT CODE 182/1
T/O 0951/1000 ~~1000/1033~~ LAND 1051 TOTAL TIME 1.0

PILOTS _____ A/C _____
CRANE WP 13 DASC _____ TIME _____
CONTROLLER DANAWA TIME 0958
TYPE CONTROLLER ASST
TYPE MISSION TRD CR

TOT _____ DESCRIPTION _____ COORDINATES _____ PROVINCE _____
NO DROP - ABORT DUE TO FUEL TRANSFER PROBLEMS
INTO DANAWA
NO DROP.

TGT TERRAIN _____ TGT WX 70 @ VISIBILITY 5-7
REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____ REL ALT _____
ENROUTE ALT 11.5 RETURN ALT 10.5 TGT AIRSPEED 450
ORDNANCE 6 0204 EXPENDED _____ JETTISONED 6 0204
ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
BDA _____ % ADDITIONAL BDA _____

①

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED _____ OPERATION _____ (LEAVE BLANK)

ENROUTE WX _____
(A) HOSTILE FIRE YES NO FIRE FORM WITH BARREL
(B) AIRBURST YES NO FIRE FORM WITH BARREL
(C) A/C HIT YES NO FIRE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS: Fuel Depletion FD.
REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION 030°/17-0477 REASON FOR A/C Error
RECOVERABLE NO FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

PILOT NAME Schwabinger TIME 1215 DATE 26 July 69
SQUADRON VMA-223 CALL SIGN HB 015 MSN NO. 6015 FLT CODE 182/1
T/O 1110 LAND 1212 TOTAL TIME 2.2

PILOTS Schwabinger A/C 07 DASC BILK TIME 20
Gasperine 17 CONTROLLER BILK-29 TIME 21
TYPE CONTROLLER FACIA
TYPE MISSION DAS (2200)

TOT 1145-1155 DESCRIPTION L2 prep COORDINATES 2C 117949 PROVINCE IC 02
NN

TGT TERRAIN MTNS TGT WX 300 VISIBILITY 7+
REL ANGLE 30 PASSES 3 INTERVAL 45s MIN ALT 2500
ENROUTE ALT 18.5 RETURN ALT 9.5 TGT AIRSPEED 450
ORDNANCE 403Y (1) 402Y (2) EXPENDED all JETTISONED 0
ORDNANCE/RTB 0 DUDS (SEE NOTE #1) 0
BDA 100 % 100 % ADDITIONAL BDA

SECONDARY EXPLCSIONS 0 NUMBER _____ SIZE _____
UNIT SUPPORTED 101st AIB OPERATION Kentucky Tumper
(LEAVE BLANK)

ENROUTE WX Same as TBT
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECCN INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
REFERENCE NOTE #3) _____

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ CRDNANE EFFECTIVENESS _____

WEIGHT HEISE TWR 1010 DATE 26 JULY 69
 SQUADRON VMA 223 CALL SIGN HB 153 MSN NO. 6153 FLT CODE 152/1
 T/O 0853 LAND 0947 TOTAL TIME 1.8
 PILOTS A/C
COL. NICHOLS WP 17 DASC Helix TIME 0855
HEISE WP 16 CONTROLLER Helix 25 TIME 0900
 TYPE CONTROLLER FAC(A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0906-0924</u>	<u>TROOPS IN CONTACT</u>	<u>B5552795</u>	<u>RB</u>
	<u>TS</u>		
TGT TERRAIN <u>FLAT</u>	TGT WK <u>10</u>	VISIBILITY <u>10</u>	
REL ANGLE <u>30°</u>	PASSES <u>14</u>	MIN ALT <u>600</u>	
	INTERVAL <u>45sec</u>	REL ALT <u>3000</u>	
ENROUTE ALT <u>11.5</u>	RETURN ALT <u>10.5</u>	TGT AIRSPEED <u>450</u>	
ORDNANCE <u>402X / 403X</u>	EXPENDED <u>ALL</u>	JETTISONED <u>—</u>	
ORDNANCE/RTB <u>NONE</u>	DUDS (SEE NOTE #1) <u>—</u>		
BDA <u>100 %</u>	<u>75 %</u>	ADDITIONAL BDA <u>2 MILITARY STRUCTURES</u>	
		<u>AND 1 BUNKER DESTROYED</u>	

SECONDARY EXPLOSIONS NO NUMBER — SIZE —
 UNIT SUPPORTED AMERICAN OPERATION GENENA PARK
 (LEAVE BLANK)

ENROUTE WK 0/0 10

- | | | | |
|--------------------------|---|--|-------------------------------|
| (A) HOSTILE FIRE | YES <input type="checkbox"/> | NO <input checked="" type="checkbox"/> | FILE FORM WITH BARREL |
| (B) AIRBURST | YES <input type="checkbox"/> | NO <input checked="" type="checkbox"/> | FILE FORM WITH BARREL |
| (C) A/C HIT | YES <input type="checkbox"/> | NO <input checked="" type="checkbox"/> | FILE FLASH REPORT WITH BARREL |
| (D) RECCN INSERT/EXTRACT | YES <input type="checkbox"/> | NO <input checked="" type="checkbox"/> | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES <input checked="" type="checkbox"/> | NO <input type="checkbox"/> | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES <input type="checkbox"/> | NO <input checked="" type="checkbox"/> | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES <input type="checkbox"/> | NO <input checked="" type="checkbox"/> | GIVE REASON BELOW |

REMARKS: _____
 _____ (REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
 _____ RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ BCM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ CRDMANE EFFECTIVENESS _____

LEGISLATOR FXN TIME 1500 DATE 26 JUL
 SQUADRON 223 CALL SIGN HB MSN NO 6463 FLT CODE 152
 T/O 1357 LAND 1448 TOTAL TIME 1.8
 PILOTS _____ A/C _____
Palmer _____ DASC _____ TIME _____
Norris _____ 12 _____ 10 _____
 CONTROLLER HELIX TIME 1405
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1413-27</u>	<u>UC intrus TS.</u> <u>TROOP IN CONTACT</u>	<u>25552789</u>	<u>5</u>
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

TGT TERRAIN FLAT TGT WK 600 VISIBILITY 6
 REL ANGLE 20° PASSES 12 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 9.5 RETURN ALT 8.5 REL ALT 1300 TGT AIRSPEED 450
 ORDNANCE 16 DIA 409 EXPENDED 14 DIA 409 Alt-2 km IMPRISONED _____
 ORDNANCE/RTB 2 DIA DUDS (SEE NOTE #1) _____
 BDA 100 % 100 % ADDITIONAL BDA 1 sec fire (small)
average flare

C

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED Americal OPERATION GENEVA PARK
 (LEAVE BLANK)

ENROUTE WK _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECCN INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NOBDDROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____ (REFERENCE NOTE #3) _____

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

DEBRIEFER BUTLER TIME 1545 DATE 26 JULY 69
SQUADRON 223 CALL SIGN H.B. 017 MSN NO. 6017 FLT CODE 152/1
T/O 1448 LAND 1529 TOTAL TIME 1.4

PILOTS

A/C

BUTLER WP-7 DASC U.S. 5 TIME 1450
COL. PYTKO 07 CONTROLLER HELIX 34 TIME 1953
TYPE CONTROLLER FAC (A)
TYPE MISSION BAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1455-09</u>	<u>ENEMY LOCATION</u>	<u>BS 722 459</u>	<u>RUB/T</u>
	<u>EC</u>		

TGT TERRAIN HILLY TGT WX 1000/07 VISIBILITY 7
REL ANGLE 30° PASSES 6 INTERVAL 30' MIN ALT 1.5'
ENROUTE ALT 9.5 RETURN ALT 6.5 TGT AIRSPEED 450
ORDNANCE 12 D2 w/y EXPENDED 10 D2 w/y SETTLED ←
ORDNANCE/RTB 2 D2 DUDS (SEE NOTE #1) ←
BDA 100 % 80 % ADDITIONAL BDA ←
1 SMALL SEC. FIRE

SECONDARY EXPLOSIONS — NUMBER — SIZE —
UNIT SUPPORTED AMERICAN OPERATION IRON MOUNTAIN
(LEAVE BLANK)

ENROUTE WX SAME AS TGT

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECCN INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

WEIGHT Slant TIME 0900 DATE 26 July 69
SQUADRON (151) 223 CALL SIGN 151 MSN NO. 6151 FLT CODE 15211
T/O 0709 LAND 0846 TOTAL TIME 3.2

PILOTS _____ A/C _____
Slant WP 15 DASC DONG HA TIME 0720
Relo 10 CONTROLLER SW 98.1 TIME 0725
TYPE CONTROLLER _____
TYPE MISSION FAC (A)
CAF

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0730/0746</u>	<u>SUS. ENEMY STORAGE + ARTY SITE</u>	<u>YD 053 204</u>	<u>1</u>
	<u>SP</u>		

TGT TERRAIN FLAT TGT WK 0 VISIBILITY 7
REL ANGLE 30 PASSES 7 INTERVAL 30 MIN ALT 1500
ENROUTE ALT 16.5 RETURN ALT 17.5 REL ALT 3000 TGT AIRSPEED 450
ORDNANCE 4D2Y 4D3Y EXPENDED 4D2Y 3D3Y TETTISONED _____
ORDNANCE/RTB 1D3Y DUDS (SEE NOTE #1) _____
BDA 75 % 75 % ADDITIONAL BDA _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 3rd MAR OPERATION IDAHO CANYON
(LEAVE BLANK)
ENROUTE WK 11007

- (A) HOSTILE FIRE YES NO
 - (B) AIRBURST YES NO
 - (C) A/C HIT YES NO
 - (D) RECCN INSERT/EXTRACT YES NO
 - (E) BDA REPORTED YES NO
 - (F) ABORT YES NO
 - (G) DIVERT YES NO
- FIRE FORM WITH BARREL
FILE FORM WITH BARREL
FILE FLASH REPORT WITH BARREL
CIRCLE ONE/COORD
IF ADDITIONAL CIRCLE
A/C MALFUNCTION/NO DROP
GIVE REASON BELOW

REMARKS: _____
REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ CRDNANCE EFFECTIVENESS _____

REFERENCE Oppenhuizen INTIME 1000 DATE 26 July 1969
 SQUADRON 223 CALL SIGN HB 011 MSN NO. 6011 FLT CODE 13211
 T/O 0841 LAND 0941 TOTAL TIME 2.0
 PILOTS A/3
Hickerson WP21 DASC Danang TIME 46
Oppenhuizen 07 CONTROLLER Hostage India TIME 0855
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0900 0914</u>	<u>BKRSB + Fort. Ville</u>	<u>AT 990 604</u>	<u>RUBI</u>
	<u>BF</u>		

TGT TERRAIN flat TGT WX 800 VISIBILITY 7
 REL ANGLE 20 PASSES 10 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 12.5 RETURN ALT 7.5 REL ALT 1300
 TGT AIRSPEED 450
 ORDNANCE 809 EXPENDED all JETTISONED none
 ORDNANCE/RTB none DUDS (SEE NOTE #1)
 BDA 95 % 95 % ADDITIONAL BDA 1 struct. destroyed

C

SECONDARY EXPLCSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 1st Mar Div OPERATION Pipestone Canyon
 (LEAVE BLANK)

ENROUTE WX 800

- | | | |
|--------------------------|---|-------------------------------|
| (A) HOSTILE FIRE | YES <input type="checkbox"/> NO <input type="checkbox"/> | FIRE FORM WITH BARREL |
| (B) AIRBURST | YES <input type="checkbox"/> NO <input type="checkbox"/> | FILE FORM WITH BARREL |
| (C) A/C HIT | YES <input type="checkbox"/> NO <input type="checkbox"/> | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES <input type="checkbox"/> NO <input type="checkbox"/> | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES <input type="checkbox"/> NO <input type="checkbox"/> | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES <input type="checkbox"/> NO <input type="checkbox"/> | GIVE REASON BELOW |

REMARKS: _____
 _____ (REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
 _____ RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: _____ SCM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
 NOTE #3: _____ ORDNANCE EFFECTIVENESS good

REGISTRATION PERC 12A TIME 7100 DATE 26 July 69
SQUADRON 223 CALL SIGN H6021 MSN NO. 4021 FLT CODE 15211
T/O 0908 LAND 1020 TOTAL TIME 2.4

PILOTS

A/O

STOCKING WP 23 DASC DoNang TIME
PERC 12A 18 CONTROLLER Host India TIME 0930
TYPE CONTROLLER FAA A
TYPE MISSION L2P

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0930 1008</u>	<u>Landng Zone Base</u>	<u>AT990605</u>	<u>RUB 3</u>
	<u>NAVN</u>		

TGT TERRAIN Level TGT WX 8.0 ⊕ VISIBILITY 7
REL ANGLE 30° PASSES 4 INTERVAL 30 Sec MIN ALT 2000
REL ALT 3500
ENROUTE ALT 8500 RETURN ALT 7500 TGT AIRSPEED 400
ORDNANCE 40-8 40-21 EXPENDED ALL JETTISONED —
ORDNANCE/RTB 0 DUDS (SEE NOTE #1) 4/108
BDA 100 % 100 % ADDITIONAL BDA

C

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 1st MAE DW OPERATION Pipestone Canyon
(LEAVE BLANK)

ENROUTE WX 80 ⊕

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECCN INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NO DROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: L2P mission - cleared by controller to drop D-8's
(REFERENCE NOTE #3)

NOTE #1: 4 DUD REPORT LOCATION AT 980605 REASON FOR
Canisters did not open - fell to ground unexploded
RECOVERABLE No FUZE (DELAY/ARM DELAY) None

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

REGISTRATION NUMBER _____ DATE _____
SQUADRON 223 CALL SIGN 18385 MSN NO. 6585 FLT CODE 15911
T/O 0700 LAND 0805 TOTAL TIME 2.2

PILOTS _____ A/C _____
Snyder WP 12 DASC DANANG TIME 0710
GROSE 13 CONTROLLER HOSTAGE DOG TIME 12
TYPE CONTROLLER FAC/A
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0715 / 45</u>	<u>AREA PREP</u>	<u>BT 193562</u>	<u>I Corps</u>
_____	<u>UN</u>	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

TGT TERRAIN F TGT WX 0 VISIBILITY 10
REL ANGLE 30 PASSES 10 INTERVAL 30 sec MIN ALT 1500
ENROUTE ALT 12.5 RETURN ALT 11.5 ↓ REL ALT 3000
ORDNANCE 2x 4-67 EXPENDED All JETTISONED -
ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____

BDA 90 % 95 % ADDITIONAL BDA _____
2 STRUCTURES 1 BUNKER 1 SEC EXPLOSION 100 meters TREES

SECONDARY EXPLOSIONS YES NUMBER 1 SIZE ?
UNIT SUPPORTED NAVY P. 1000 OPERATION Duckham Peak
(LEAVE BLANK)

ENROUTE WX _____
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
REFERENCE NOTE #3) _____

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

WEBSITE: _____ TIME: _____ DATE: 26 July 69
SQUADRON 223 CALL SIGN 207 MSN NO. 6207 FLT CODE 152
T/O 1300 LAND 1333 TOTAL TIME .5

PILOTS _____ A/C _____
CRANE WP 13 DASC _____ TIME _____
CONTROLLER _____ TIME _____
TYPE CONTROLLER _____
TYPE MISSION _____

TOT	DESCRIPTION	COORDINATES	PROVINCE
	<u>FERRY</u>		
	<u>HOP</u>		

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
MIN ALT _____
REL ANGLE _____ PASSES _____ INTERVAL _____ REL ALT _____
ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____
ORDNANCE _____ EXPENDED _____ JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
BDA _____ % _____ % ADDITIONAL BDA _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED _____ OPERATION _____
(LEAVE BLANK)

ENROUTE WX _____

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECCN INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____ (REFERENCE NOTE #3) _____

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

REGISTRATION 1000 DATE 27 July
SQUADRON 227 CALL SIGN HB 014 MSN NO. 6014 FLT CODE 182/1
T/O 0806 LAND 0933 TOTAL TIME 3.0

PILOTS

A/C

HICKERSON 23
FOGELTY 07

DASC DaNane TIME 0809
CONTROLLER BILK 29 TIME 0817
TYPE CONTROLLER TAC (A)
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
0900-0910 SUS. EN. POSIT YD 195049 2
EC
315

TGT TERRAIN PLAIN TGT WX 400 VISIBILITY 50
REL ANGLE 20 PASSES 8 INTERVAL 30 MIN ALT 600
REL ALT 1300
ENROUTE ALT 18.5 RETURN ALT 7.5 TGT AIRSPEED 450

ORDNANCE 409-802A/D20 EXPENDED ALL JETTISONED 0
ORDNANCE/RTE 0 DUDS (SEE NOTE #1) 0
BDA 100 % 100 % ADDITIONAL BDA 2 BUNKERS - DEST

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE 0
UNIT SUPPORTED 2" BUC 101st MA OPERATION Montgomery, Pa
(LEAVE BLANK)

ENROUTE WX _____

- (A) HOSTILE FIRE YES | NO FIRE FORM WITH BARREL
- (B) AIRBURST YES | NO FIRE FORM WITH BARREL
- (C) A/C HIT YES | NO FIRE FLASH REPORT WITH BARREL
- (D) RECCN INSERT/EXTRACT YES | NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES | NO IF ADDITIONAL CIRCLE
- (F) ABORT YES | NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES | NO GIVE REASON BELOW

REMARKS: _____ (REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

BERGHEFER _____ TIME _____ DATE 27 July 69
SQUADRON 223 CALL SIGN 22 MSN NO. 0970 FLT CODE 152
T/O 1535 LAND 1645 TOTAL TIME 2.4

PILOTS _____

A/C _____

LAVIANS _____ WP 08 DASC H.B. TIME 1555
099 _____ 15 CONTROLLER Nail 12 TIME 1600
TYPE CONTROLLER FACA
TYPE MISSION ST

TOT DESCRIPTION COORDINATES PROVINCE
1610/20 Comm Line XD 631 126 F
1624 10632
339

TGT TERRAIN F TGT WX 7.0 VISIBILITY 10
REL ANGLE 30 PASSES 6 INTERVAL 30 MIN ALT 1500
ENROUTE ALT 22.5 RETURN ALT 23.5 REL ALT 3000
TGT AIRSPEED 450

ORDNANCE 12 02 1/4 EXPENDED ALL JETTISONED —

ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____

BDA 100 % 100 % ADDITIONAL BDA 50% 50 meter
50% 200 meter

SECONDARY EXPLOSIONS 7 AF NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____ (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/ACDDROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____ (REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ CRDNANCE EFFECTIVENESS _____

DEBRIEFER _____ TIME _____ DATE 27 July 69
SQUADRON 223 CALL SIGN HB 134 MSN NO. 654 FLT CODE 1211
T/O 0915 LAND 1027 TOTAL TIME 2.4

PILOTS _____ A/C _____
Boose WP 17 DASS Time 1A TIME 0935
Newbill 02 CONTROLLER Wally Kiser TIME 0940
TYPE CONTROLLER ASST
TYPE MISSION 700

TOT 1001-12 DESCRIPTION _____ COORDINATES _____ PROVINCE _____
0915 Enemy Loc XG 794362 1
EL
320

TGT TERRAIN R TGT WX 0 VISIBILITY 9+
REL ANGLE _____ PASSES 1 INTERVAL _____ MIN ALT 14.5
REL ALT 74.2
ENROUTE ALT 18.5 RETURN ALT 21.5 TGT AIRSPEED 250
ORDNANCE 1202 P EXPENDED All JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
BDA 6wh % ADDITIONAL BDA _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 3rd MAINE Div OPERATION Arling Ton Canyon
(LEAVE BLANK)

ENROUTE WX _____
(A) HOSTILE FIRE YES NO FIRE FORM WITH BARREL
(B) AIRBURST YES NO FIRE FORM WITH BARREL
(C) A/C HIT YES NO FIRE FLASH REPORT WITH BARREL
(D) RECCN INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____ (REFERENCE NOTE #3) _____

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

PILOT McCarthy TIME 0950 DATE 27 July 69
SQUADRON 223 CALL SIGN Helleborne MSN NO. 6200 FLT CODE 14
T/O 0830 LAND 0940 TOTAL TIME 1.2

PILOTS A/C
McCarthy WL 03 DASC _____ TIME _____
CONTROLLER _____ TIME _____
TYPE CONTROLLER _____
TYPE MISSION TEST

TOT	DESCRIPTION	COORDINATES	PROVINCE
	<u>Do not do</u>		
	<u>TEST</u>		

TGT TERRAIN _____ TGT WK _____ VISIBILITY _____
REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
ENROUTE ALT _____ RETURN ALT _____ REL ALT _____
ORDNANCE NA EXPENDED _____ JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
BDA _____ % _____ % ADDITIONAL BDA _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED _____ OPERATION _____
(LEAVE BLANK)

ENROUTE WK _____
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
REFERENCE NOTE #3) _____

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

DESIGNER FISCHER TIME 1600 DA 27 JULY
SQUADRON 223 CALL SIGN HAN MSN NO. 1462 FLT 182/1
T/O 1240 LANT 1541 TOTAL TIME 218

PILOTS FISCHER A/C WP12 DASC DH TIME 1540
SCHWANNINGEN 7 CONTROLLER SW97-15 TIME 1545
TYPE CONTROLLER FACCA
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>450-00</u>	<u>GOODSAS INA</u> <u>KAVINETS</u>	<u>YD010646</u>	<u>RUN (I/O)</u>
	<u>335</u>		

TGT TERRAIN RIDGE TGT WX 0 VISIBILITY 10+
REL ANGLE 20° PASSES 80 INTERVAL 30° MIN ALT 6000
REL ALT 4500
ENROUTE ALT 2015 RETURN ALT 2115 TGT AIRSPEED 450
ORDNANCE/ 1601A/409 EXPENDED Acc JETTISONED —
ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
BDA 100% 100% ADDITIONAL 15000
SECRET
SECRET

C

SECONDARY EXPLCSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 3rd M.D. OPERATION Idaho Canyon
(LEAVE BLANK)

ENROUTE WX _____
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABCUT YES NO A/C MALFUNCTION/ NO DROP
(G) DIRERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

PERFORMER Carter TIME 0935 DATE 27 JUL 69
SQUADRON 223 CALL SIGN HB 202 MSN NO. 6202 FLT CODE 162
T/O 0715 LAND 0915 TOTAL TIME 2.0

DONT DO!

PILOTS _____ A/C _____
CARTER WP13 DASC _____ TIME _____
CONTROLLER _____ TIME _____
TYPE CONTROLLER _____
TYPE MISSION TEST

TOT	DESCRIPTION	COORDINATES	PROVINCE
---	---	---	---
TEST			
---	---	---	---
---	---	---	---
---	---	---	---

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
MIN ALT _____
REL ANGLE _____ PASSES _____ INTERVAL _____ REL ALT _____
ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____
ORDNANCE _____ EXPENDED _____ JETTISONED _____
ORDNANCE/RTB None DUDS (SEE NOTE #1) _____
BDA _____ % _____ ADDITIONAL BDA _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED _____ OPERATION _____
(LEAVE BLANK)

- ENROUTE WX _____
- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FIRE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECCN INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NOCDROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

CREW CHIEF Blackman TIME 0800 DATE 27 July
 SQUADRON 223 CALL SIGN #010 MSN NO. 6010 FLT CODE 152
 T/O 0630 LAND 0755 TOTAL TIME 2.9
 PILOTS _____ A/C _____
Warfield WP-18 DASC Dono-Ha TIME 0650
Blackman 10 CONTROLLER SW 98-2 TIME 0720
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0725/30</u>	<u>ENEMY TRAVEL ROUTE</u> <u>RD</u>	<u>YD 033689</u>	<u>1 RVN</u>
	<u>312</u>		

TGT TERRAIN Hilly TGT WX 800 VISIBILITY 10
 REL ANGLE 30 PASSES 9 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 18.5 RETURN ALT 25.5 TGT AIRSPEED 450
 ORDNANCE 802x/407 EXPENDED 602/407 JETTISONED _____
 ORDNANCE/RTB 20x DUDS (SEE NOTE #1) _____
 BDA 90 % 90 % ADDITIONAL BDA _____

C

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 3rd MAR Div OPERATION Idaho Canyon
 (LEAVE BLANK)

ENROUTE WX 70/e

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECCN INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NOBDDROP |
| (G) DIVERT | YES | NO | GIVE REASON BELOW |

REMARKS: _____ REFERENCE NOTE #3) _____

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
 _____ RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

MEMBER Oppenhuizen TIME 0930 DATE 27 July 69
SQUADRON VMA 223 CALL SIGN HB 018 MSN NO. 6018 FLT CODE 152/1
T/O 0750 LAND 0905 TOTAL TIME 152/120

PILOTS

A/C

SNYDER WP. 16 DASC BILK TIME 0809
OPPENHUIZEN 12 CONTROLLER BILK 31 TIME 0813
TYPE CONTROLLER DAS FACR
TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0830-35</u>	<u>SUSP. EN. LOC</u>	<u>YC 465873</u>	<u>PHNLI</u>
	<u>EL</u>		
	<u>314</u>		

TGT TERRAIN hilly TGT WX 700 VISIBILITY 5
REL ANGLE 30 PASSES 6 INTERVAL 30 MIN ALT 1800
ENROUTE ALT 16.5 RETURN ALT 15.5 REL ALT 3000
TGT AIRSPEED 450
ORDNANCE 1202 EXPENDED all JETTISONED none
ORDNANCE/RTE none DUDS (SEE NOTE #1) _____
BDA 100 % 100 % ADDITIONAL BDA _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 101st A.B. OPERATION Montgomery Road
(SEE NOTE #3)

ENROUTE WX 1000

- (A) HOSTILE FIRE YES NO FIRE FORM WITH BARREL
- (B) AIRBURST YES NO FIRE FORM WITH BARREL
- (C) A/C HIT YES NO FIRE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NOCDROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

DEBRIEFER FREEMAN TIME 0915 DATE 27JUN
SQUADRON 223 CALL SIGN HR150 MSN NO. 6150 FLT CODE 152
T/O 0815 LAND 0835 TOTAL TIME .7

PILOTS
FREEMAN A/C NP15
DASC _____ TIME _____
CONTROLLER MAN NO A 100 TIME 0830
TYPE CONTROLLER AS RT
TYPE MISSION TR

TGT DESCRIPTION COORDINATES PROVINCE
0830 BASE CAMP BS AT984387 1B2
0840 " " AT988388 1C12
316

TGT TERRAIN URK TGT WX 1000 VISIBILITY UNLIMITED
REL ANGLE LVE PASSES 2 INTERVAL 4min MIN ALT 14000
ENROUTE ALT 16500 RETURN ALT 11500 REL ALT 14000 TGT AIRSPEED 290
ORDNANCE 6B2 EXPENDED ALL JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
BDA unk % ADDITIONAL BDA _____

SECONDARY EXPLOSIONS UNK NUMBER _____ SIZE _____
UNIT SUPPORTED 5th MAR (HEM.O.) OPERATION Durham Peak
(LEAVE BLANK)

ENROUTE WK _____

- | | | | |
|--------------------------|-------------------------------------|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FIRE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABORT | YES | NO | A/C MALFUNCTION/NOCDROP |
| (G) DIVERT | <input checked="" type="checkbox"/> | NO | GIVE REASON BELOW |

REMARKS: BLEW NOSE TIRE AND DIVERTED LATE
ON TOT. (REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

REGISTER BAKOR TIME _____ DATE 2 July
SQUADRON 223 CALL SIGN 4B MSN NO. 6237 FLT CODE 1A/
T/O 1020 LAND 1105 TOTAL TIME 64

PILOTS _____ A/C _____
BAKOR WP 4 DASC NA TIME _____
HARD 8 CONTROLLER _____ TIME _____
TYPE CONTROLLER _____
TYPE MISSION _____

TOT _____ DESCRIPTION _____ COORDINATES _____ PROVINCE _____
_____ NA _____ NA _____
_____ Ferry _____ _____
_____ _____ _____ _____

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____
ORDNANCE D20 EXPENDED none JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
BDA _____ % _____ % ADDITIONAL BDA _____

SECONDARY EXPLOSIONS NO NUMBER _____ SIZE _____
UNIT SUPPORTED _____ OPERATION _____
(LEAVE BLANK)
ENROUTE WX _____

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: RETURN FROM UBON
(REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

DATE 27 July 69
SQUADRON 223 CALL SIGN HG 458 MSN NO. 6458 FLT CODE 152/1

T/O 1200 LAND 1255 TOTAL TIME 1.8

PILOTS A/C
Palmer 11 DASC TRAIL TIME 1215
Reynolds 10 CONTROLLER TRAIL 67 TIME 1220
TYPE CONTROLLER FACIAL
TYPE MISSION DAS

TOT DESCRIPTION COORDINATES PROVINCE
1220 1235 Suspected Enemy Loc. XD 388305 I Corps
EC
329

TGT TERRAIN MTN TGT WK 400 VISIBILITY 4000
REL ANGLE 20° PASSES 8 INTERVAL 30 sec MIN ALT 600
ENROUTE ALT 20.5 RETURN ALT 13.5 TGT AIRSPEED 450
ORDNANCE 1 B DIA / 4 D9 EXPENDED 15 DIA / 4 D9 JETTISONED -
ORDNANCE/RTB 1 DIA DUDS (SEE NOTE #1) -
BDA 100% W/in 100 m. ADDITIONAL BDA 75% W/in 50 m

SECONDARY EXPLOSIONS - NUMBER - SIZE -
UNIT SUPPORTED ARVN OPERATION - (LEAVE BLANK)

ENROUTE WK 1015+

- (A) HOSTILE FIRE YES NO
- (B) AIRBURST YES NO
- (C) A/C HTY YES NO
- (D) RECON INSERT/EXTRACT YES NO
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABORT YES NO A/C MALFUNCTION/NO DROP
- (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: REFERENCE NOTE #3

NOTE #1: DUD REPORT LOCATION REASON FOR
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER CKW TIME 1530 DATE 27 JULY
SQUADRON 223 CALL SIGN HB MSN NO. 6592 FLT 152
T/O 1330 LANT 1510 TOTAL TIME 2.4

PILOTS NORRIS A/C 21 DASC DANANG TIME 1425
PEREIRA 6 CONTROLLER Host "V" TIME 1427
TYPE CONTROLLER EACA
TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1435-47</u>	<u>2.50 CALS</u> <u>8 hoodles RA</u>	<u>20212626</u>	<u>3</u>
	<u>333</u>		

TGT TERRAIN MTNS TGT WX 16000 VISIBILITY 10+
REL ANGLE 30° PASSES 12 INTERVAL 30 MIN ALT 1500
ENROUTE ALT 20.5 RETURN ALT 9.5 TGT AIRSPEED 450
ORDNANCE/ 402, 407, 408 EXPENDED 402, 207 JETTISONED —
ORDNANCE/RTB 408, 207 DUDS (SEE NOTE # 1) —
BDA 100 % 100 % ADDITIONAL 1 dem 50 cal

C

SECONDARY EXPLOSIONS — NUMBER — SIZE —
UNIT SUPPORTED 1st MAR DIV OPERATION Overham Peak
(LEAVE BLANK)

ENROUTE WX 180 @ 10

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABOUT YES NO A/C MALFUNCTION/ NO DROP
- (G) DIRERT YES NO GIVE REASON BELOW

REMARKS: 50 CAL NO FIRE
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DESIGNATION BUKER TIME 1330 DATE 28 JULY 69
SQUADRON 223 CALL SIGN H.B. 455 MSN NO. 6455 FLT 15211
T/O 1010 LANT 1230 TOTAL TIME 4.4

PILOTS BUTLER A/C WP-4 BASE US. 5 TIME 1012
BLACKMAN 12 CONTROLLER BILK 25 TIME 1055
TYPE CONTROLLER FAC(A)
TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1115-20</u>	<u>SUS. ENEMY LOCATION</u>	<u>YC 873979</u>	<u>RUN/F</u>

TGT TERRAIN HILLY TGT WX 700 VISIBILITY 6
REL ANGLE 20° PASSES 6 INTERVAL 30° MIN ALT 600'
ENROUTE ALT 20.5 RETURN ALT FL350 TGT AIRSPEED 450
ORDNANCE 16 DIA 409 EXPENDED ALL JETTISONED
ORDNANCE/RTB DUDS (SEE NOTE # 1)
BDA 100 % 100 %ADDITIONAL

SECONDARY EXPLCSIONS NUMBER SIZE
UNIT SUPPORTED 2nd BRIG. 101st OPERATION
(LEAVE BLANK)

ENROUTE WX 130 @ 1600

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCLE |
| (F) ABOUT | YES | NO | A/C MALFUNCTION/ NO DROP |
| (G) DIRERT | YES | NO | GIVE REASON BELOW |

REMARKS:
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

RECOVERABLE TIME (DELAY/ARM DELAY)

NOTE #2: ECM ENG ENTERED TIME R/W DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS.

DEBRIEFER TIME DA 28 July 69
SQUADRON 203 CALL SIGN HB 011 MSN NO. 6011 FLT 102/1
T/O 0645 LANC 0745 TOTAL TIME 2.0

PILOTS
FISCHER WP 4^{A/C}
CROSE 16

DASC DANANG TIME 0658
CONTROLLER 1ST DUKE TIME 0700
TYPE CONTROLLER FDC (G)
TYPE MISSION PAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0713/07</u>	<u>STAGING AREA</u> <u>EC</u>	<u>ZC 175562</u>	<u>3</u>

TGT TERRAIN h TGT WX 9.0 @ VISIBILITY 7
REL ANGLE 30 PASSES 10 INTERVAL 30 sec MIN ALT 1500 REL ALT 3000
ENROUTE ALT 0.5 RETURN ALT 7.5 TGT AIRSPEED 450
ORDNANCE 1202 (DC) EXPENDED All JETTISONED
ORDNANCE/RTB DUDS (SEE NOTE # 1)
BDA 100 % 100 % ADDITIONAL

C

SECONDARY EXPLOSIONS NUMBER SIZE
UNIT SUPPORTED 1st MARDIV OPERATION Ouelam Peak
(LEAVE BLANK)

ENROUTE WX

- | | | | |
|--------------------------|-----|----|-------------------------------|
| (A) HOSTILE FIRE | YES | NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | NO | IF ADDITIONAL CIRCTW |
| (F) ABCUT | YES | NO | A/C MALFUNCTION/ NO DROP |
| (G) DIRERT | YES | NO | GIVE REASON BELOW |

REMARKS:
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

RECOVERABLE TIME (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME A/W DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER _____ TIME _____ DATE 28 July 69
SQUADRON 223 CALL SIGN HB 451 MSN NO. 6451 FLT B2/1
T/O 0802 LANC 0923 TOTAL TIME 2.8

PILOTS Palmer A/C 8 DASC Dough TIME 0840
Reynolds 2 CONTROLLER SW 98-7 TIME 0850
TYPE CONTROLLER FACIA
TYPE MISSION CAS

TGT	DESCRIPTION	COORDINATES	PROVINCE
<u>0855</u>	<u>Enemy Location</u> <u>EC</u>	<u>XD9771660</u>	<u>A</u>

TGT TERRAIN Mts TGT WX 4.0 VISIBILITY 5
REL ANGLE 20 PASSES 2 INTERVAL 30 MIN ALT 600
ENROUTE ALT 20.5 RETURN ALT 21.5 TGT AIRSPEED 450
ORDNANCE 16 DIA/409 EXPENDED all JETTISONED —
ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
BDA 100 % 100 %ADDITIONAL 3 See Fires

2

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 3rd Div OPERATION Idaho Canyon
(LEAVE BLANK)

- ENROUTE WX _____
- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 - (B) AIRBURST YES NO FILE FORM WITH BARREL
 - (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
 - (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 - (E) BDA REPORTED YES NO IF ADDITIONAL CIRC/W
 - (F) ABOUT YES NO A/C MALFUNCTION/ NO DROP
 - (G) DIRERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

- NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUSE (DELAY/ARM DELAY) _____
- NOTE #2: ECM ENCOUNTERED _____ TIME _____ A/W DIRECTED _____
- NOTE #3: ORDNANCE EFFECTIVENESS _____

DEPARTURE Lawseth TIME 0845 DATE 28 July 69
SQUADRON 223 CALL SIGN 021 MSN NO. 6021 FLT 15211
T/O 0745 LANC 0831 TOTAL TIME 1.6

PILOTS
Lawseth A/C WP 7 DASC Helix TIME 0740
Oppenhuizen 12 CONTROLLER Helix 22 TIME 52
TYPE CONTROLLER FAC A
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0803-0810</u>	<u>Eng Post</u> <u>EC</u>	<u>BS 514894</u>	<u>5</u>

TGT TERRAIN Flat TGT WX 12 @ VISIBILITY 15
REL ANGLE 30° PASSES 8 INTERVAL 3000 MIN ALT 1500
ENROUTE ALT 7.5 RETURN ALT 4.5 TGT AIRSPEED 450

ORDNANCE 12 D2 w y D20 EXPENDED 12 D2 w y D20 JETTISONED
ORDNANCE/RTB DUDS (SEE NOTE # 1)

BDA 100 % 50 % ADDITIONAL 1 STRUCT. Destroyed
1 BUNKER Damaged, 20 ft trench loc

C

SECONDARY EXPLOSIONS NUMBER SIZE
UNIT SUPPORTED Americal OPERATION Geneva Park
(LEAVE BLANK)

- ENROUTE WX
- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 - (B) AIRBURST YES NO FILE FORM WITH BARREL
 - (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
 - (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 - (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
 - (F) ABCUT YES NO A/C MALFUNCTION/ NO DROP
 - (G) DIRERT YES NO GIVE REASON BELOW

REMARKS:
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
RECOVERABLE FUSE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME RW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DESIGNER/REF 60220 TIME 1113 DA 28 July 69
SQUADRON 223 CALL SIGN HB019 ASN NO. 6019 FLT LS2/1
T/O 0957 LANE 1052 TOTAL TIME 1.8

PILOTS
GN#220 NP-13 DASC BILK TIME 1015
HACKERSON NP-18 CONTROLLER BILK 25 TIME 1016
TYPE CONTROLLER FRCIA
TYPE MISSION L2P

TOT	DESCRIPTION	COORDINATES	PROVINCE
1030-45	L2P UN	ZC 121893 2	BNH/3

TGT TERRAIN mount TGT WK 11.0 @ VISIBILITY 5+
REL ANGLE 30° PASSES 8 INTERVAL 30 MIN ALT 3.0
ENROUTE ALT 12.5 RETURN ALT 9.5 TGT AIRSPEED 450
ORDNANCE/403 402 EXPENDED N11 JETTISONED
ORDNANCE/RTB DUDS (SEE NOTE # 1)
BDA 15% 100% ADDITIONAL 2 Bunkers dest.

SECONDARY EXPLCSIONS NUMBER SIZE
UNIT SUPPORTED 101^{AB} OPERATION Kentucky Jump
(LEAVE BLANK)

ENROUTE WK 11.0 @ - @ 5+

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/CCRD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCV
- (F) ABOUT YES NO A/C MALFUNCTION/ NO DROP
- (G) DIRERT YES NO GIVE REASON BELOW

REMARKS:
(REFERENCE NOTE #3)
N/A

NOTE #1: DUD REPORT LOCATION N/A REASON FOR
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED N/A TIME B/W DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS.
Snikes would have been better
as a 15-20kt wind shear existed between
release altitude + tgt.

DESIGNER 009 TIME 0800 DA 28 JULY '69
SQUADRON 223 CALL SIGN ABISL MSN NO. 6151 FLT 132/1
T/O 0850 LANC 0747 TOTAL TIME 2.0

PILOTS GERMAN A/C WP 3 DASC BIRM. ASRT TIME 0715
009 WP 18 CONTROLLER 8 TIME 0715
TYPE CONTROLLER ASRT
TYPE MISSION TRQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0720-0729</u>	<u>EN. POSIT.</u>	<u>YC 6A1 808</u>	<u>32ORPS</u>
	<u>EC</u>		

TGT TERRAIN R TGT WX 15 VISIBILITY 7
REL ANGLE None PASSES 2 INTERVAL None REL ALT 200
ENROUTE ALT 19.5 RETURN ALT 21.5 TGT AIRSPEED 290
ORDNANCE/ 902/903 EXPENDED ALL JETTISONED NONE
ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) —
EDA ub %ADDITIONAL —

C

SECONDARY EXPLCSIONS — NUMBER — SIZE —
UNIT SUPPORTED 101st AB OPERATION Kentucky Jumper
(LEAVE PLANK)

ENROUTE WX ① - ④ LAYERED TO 200

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABOUT YES NO A/C MALFUNCTION/ NO DROP
- (G) DIRERT YES NO GIVE REASON BELOW

REMARKS: DIVERT DUE TO WX.
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ TIME (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ RW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

SERIES _____ TIME _____ DATE _____
SQUADRON 223 CALL SIGN 241 MSN NO. 6241 FLT CODE 1A2
T/O 0930 LAND 1000 TOTAL TIME 0.5

PILOTS _____ A/C _____
TL _____ WP03 DASC _____ TIME _____
CONTROLLER _____ TIME _____
TYPE CONTROLLER _____
TYPE MISSION _____

TGT	DESCRIPTION	COORDINATES	PROVINCE
<u>Test</u>			

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
MIN ALT _____
REL ANGLE _____ PASSES _____ INTERVAL _____ REL ALT _____
ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____
ORDNANCE _____ EXPENDED _____ JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
BDA _____ % _____ % ADDITIONAL BDA _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED _____ OPERATION _____
(LEAVE BLANK)

ENROUTE WX _____
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ BUZE (DELAY/ARM DELAY)

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

SERVICEMAN _____ TIME _____ DATE _____
 SQUADRON 223 CALL SIGN 020 MSN NO. 6020 FLT CODE 141
 T/O 1310 LAND 1410 TOTAL TIME 2.0
 PILOTS _____ A/C _____
Heise _____ WP 17 DASC _____ TIME _____
GASPARINE _____ 23 CONTROLLED _____ TIME _____
 _____ TYPE CONTROLLER _____
 _____ TYPE MISSION _____

TOT DESCRIPTION COORDINATES PROVINCE

Ferris

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 MIN ALT _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ REL ALT _____
 ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____
 ORDNANCE _____ EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA _____ % _____ % ADDITIONAL BDA _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____ (LEAVE BLANK)

ENROUTE WX _____
 (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 (B) AIRBURST YES NO FILE FORM WITH BARREL
 (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
 (F) ABORT YES NO A/C MALFUNCTION/NOCDROP
 (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____ (REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
 _____ RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

DEBRIEFER Newbill TIME 1030 DA 28 July 1969
SQUADRON 223 CALL SIGN HB013 MSN NO. 6013 FLT 152/1
T/O 0919 LANE 1008 TOTAL TIME 1.6

PILOTS
Nichols A/C 15
NEWBILL A/C 21

DASC DANANG TIME 0925
CONTROLLER KIMCHEE TIME 0925
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0925</u>	<u>Structures</u> <u>BL</u>	<u>BT108625</u>	<u>B</u>

TGT TERRAIN flat TGT WX 12 ⊕ 1 VISIBILITY 10
REL ANGLE 30° PASSES 6 INTERVAL 40 MIN ALT 1200'
ENROUTE ALT 10.5 RETURN ALT 11.5 TGT AIRSPEED 450
ORDNANCE/ 1202WY EXPENDED All JETTISONED —
ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
BDA 70 % 90 %ADDITIONAL

1 Structure Destroyed
1 Structure Damaged

SECONDARY EXPLCSIONS — NUMBER — SIZE —
UNIT SUPPORTED ROKMC OPERATION Victory Dragon
(LEAVE BLANK)

ENROUTE WX 12 ⊕

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABOUT YES NO A/C MALFUNCTION/ NO DROP
- (G) DIRERT YES NO GIVE REASON BELOW

REMARKS: —
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

RECOVERABLE — TIME (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — BAW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DESIGNER BAKER TIME 1030 DATE 29 July
SQUADRON 223 CALL SIGN HB MSN NO. 6216 FLT 152
T/O 0915 LANC 1010 TOTAL TIME 1.8 1.9

PILOTS BAKER WP 7 A/C 7 DASC DONNING TIME 0923
FOBERT 16 CONTROLLER Hosmer JUNE TIME 0924
TYPE CONTROLLER PHC(A)
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0937-52</u>	<u>ENY TROOPS IN CONTACT TS</u>	<u>AT841544</u>	<u>3</u>

TGT TERRAIN FLA TGT WX 10.00 VISIBILITY 10
REL ANGLE 20° PASSES 6 INTERVAL 30 MIN ALT 600
ENROUTE ALT 8.5 RETURN ALT 3.5 TGT AIRSPEED 450
ORDNANCE/ 16 DIA 409 EXPENDED 14 DIA 409 JETTISONED 2 DIA
ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) none
BDA 100 % 100 %ADDITIONAL 3 Hootches Dest
100 METERS TRENCH LINE 100 METERS TREES
2 BUNKERS Dest

②

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 7th Mch Inf. D. OPERATION Dueham Peak
(LEAVE BLANK)

ENROUTE WX _____
(A) HOSTILE FIRE YES NO
(B) AIRBURST YES NO
(C) A/C HIT YES NO
(D) RECON INSERT/EXTRACT YES NO
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLES
(F) ABCUT YES NO A/C MALFUNCTION/ NO DROP
(G) DIRERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Schwammje TIME 1000 DA 29 July 69
SQUADRON 223 CALL SIGN H8012 MSN NO. 6012 FLT 1521
T/O 0845 LAND 0945 TOTAL TIME 3.0

PILOTS
Schwammje A/C 8
GASPARINE 13
PLAISANCE 12
DASC DANANG TIME 0855
CONTROLLER Kinkler-3 TIME 0915
TYPE CONTROLLER F4C(A)
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0920/0940</u>	<u>Bumbers</u> <u>B1F</u>	<u>BTO44522</u>	<u>3C1P8</u>

TGT TERRAIN Flat TGT WX 160 @ VISIBILITY 7T
REL ANGLE 20° PASSES 8 INTERVAL 450 MIN ALT 600
ENROUTE ALT 1015 RETURN ALT 9.5 TGT AIRSPEED 450
ORDNANCE 8 D2A/409 EXPENDED all JETTISONED 0
CRDNANCE/RTB 0 DUDS (SEE NOTE # 1) 0
BDA 90 % 100 % ADDITIONAL 2 Bumbers dest
2nd damaged, 1 small sec fire.

SECONDARY EXPLOSIONS 2 NUMBER SIZE
UNIT SUPPORTED TRK Marine OPERATION Victory Dragon
(LEAVE BLANK)

ENROUTE WX Same as target
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECCN INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABCUT YES NO A/C MALFUNCTION/ NO DROP
(G) DIRERT YES NO GIVE REASON BELOW

REMARKS: None
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
RECOVERABLE FUSE (DELAY/ARM DELAY)
NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED
NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER Spente TIME 1745 DATE 29 July 69
SQUADRON VMA-223 CALL SIGN M-22 MSN NO. 0970 FLT 152/3
T/O 1544 LANC 1731 TOTAL TIME 2.3

PILOTS Spente A/C 15 DASC Hillsboro TIME 1554
Kido 13 CONTROLLER Stormy 03 TIME 1600
TYPE CONTROLLER TAC(A)
TYPE MISSION ST

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1625</u>	<u>Footbridge</u>	<u>XD625122</u>	<u>F</u>
	<u>BR-</u>	<u>1624 10631</u>	

TGT TERRAIN Flat TGT WX 800 @ VISIBILITY 7
REL ANGLE 30° PASSES 2 INTERVAL 30 MIN ALT 1500
REL ALT 3000

ENROUTE ALT 15.5 RETURN ALT 19.5 TGT AIRSPEED 450

ORDNANCE 1202W7 EXPENDED 1202W7 JETTISONED —

ORDNANCE/RTB — DUDS (SEE NOTE # 1) —

BDA Wah %ADDITIONAL —
NVR

SECONDARY EXPLCSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 7th AF OPERATION _____ (LEAVE BLANK)

ENROUTE WX E 1000 / @

- (A) HOSTILE FIRE YES NO
 - (B) AIRBURST YES NO
 - (C) A/C HIT YES NO
 - (D) RECON INSERT/EXTRACT YES NO
 - (E) BDA REPORTED YES NO
 - (F) ABOUT YES NO
 - (G) DIRERT YES NO
- FILE FORM WITH BARREL
FILE FORM WITH BARREL
FILE FLASH REPORT WITH BARREL
CIRCLE ONE/COORD
IF ADDITIONAL CIRCLE
A/C MALFUNCTION/ NO DROP
GIVE REASON BELOW

REMARKS: Divert by Hillsboro from preplanned strike
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUSE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ RW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

1815
JPS
To
Under...2

DEBRIEFER Blackman TIME 1320 DATE 27 July 69
SQUADRON 223 CALL SIGN HB-455 MSN NO. 6455 FLT 152
T/O 1220 LANT 1304 TOTAL TIME 1.4

PILOTS Butler A/C 40P-4 DASC _____ TIME _____
Blackman _____ 12 CONTROLLER _____ TIME _____
TYPE CONTROLLER _____
TYPE MISSION _____

TOT _____ DESCRIPTION Return FIK from UBON COORDINATES _____ PROVINCE _____
FERK

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____
ORDNANCE/ None EXPENDED _____ JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
BDA _____ % _____ %ADDITIONAL _____

SECONDARY EXPLCSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED _____ OPERATION _____ (LEAVE BLANK)

ENROUTE WX 800/0
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABCUT YES NO A/C MALFUNCTION/ NO DROP
(G) DIRERT YES NO GIVE REASON BELOW

REMARKS: Direct return from UBON
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUME (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ A/W DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

ESRB/TWEEB _____ TIME _____ DATE _____
SQUADRON 223 CALL SIGN 020 MSN NO. 6020 FLT CODE 152/3
T/O 1635 LAND 1800 TOTAL TIME 2.8

PILOTS _____ A/C _____
Heise WP 17 DASC Dama TIME 1640
GASPARINE 23 CONTROLLER Hostage Delta TIME 1645
TYPE CONTROLLER 0 FACA
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1718/25 NVA in open AT 978428 _____
_____ _____ _____ 03
_____ 302 _____ _____

TGT TERRAIN m TGT WK 13.0 VISIBILITY 10
MIN ALT 3900
REL ANGLE 30 PASSES 6 INTERVAL 15 REL ALT 5400
ENROUTE ALT 12.5 RETURN ALT 20.5 TGT AIRSPEED 450
ORDNANCE 12 D2X EXPENDED ALL JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
BDA 100 % 100 % ADDITIONAL BDA _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 1st M.D. OPERATION Durham Peak
(LEAVE BLANK)

ENROUTE WK _____
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO A/C MALFUNCTION/NO DROP
(G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
_____ (REFERENCE NOTE #3) _____

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

DEPARTURE BUTLER TIME 1435 DATE 30 JULY 69
 SQUADRON 223 CALL SIGN N.B.249 MSN NO. 6249 FLT 182/1
 T/O 1425 LAND 1525 TOTAL TIME 2.0

PILOTS BUTLER A/C WP-3 DASC DAWANG TIME 1530
LT. COL. Mc CARTHY 13 CONTROLLER COOPKE-15 TIME 1550
 TYPE CONTROLLER FAC(A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1556-1610</u>	<u>BUNKERS</u> <u>BF</u>	<u>BT180571</u>	<u>ROR/7</u>

TGT TERRAIN FLAT TGT WK 13.0 VISIBILITY 8
 REL ANGLE 30° PASSES 6 INTERVAL 30 MIN ALT 1.5
 ENROUTE ALT 12.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 20 DIW/V EXPENDED ALL JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE # 1)

BDA 100 % 100 % ADDITIONAL 3 BUNKERS
1 TUNNEL 100M TREE LINE

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED ROR MARINES OPERATION Victory Dragon
 (LEAVE BLANK)

ENROUTE WX SAME AS TGT

(A) HOSTILE FIRE	YES	<input checked="" type="radio"/> NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	<input checked="" type="radio"/> NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	<input checked="" type="radio"/> NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	<input checked="" type="radio"/> NO	CIRCLE ONE/COORD
(E) BDA REPORTED	<input checked="" type="radio"/> YES	<input checked="" type="radio"/> NO	IF ADDITIONAL CIRCLE
(F) ABCUT	YES	<input checked="" type="radio"/> NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	<input checked="" type="radio"/> NO	GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DELIVERER Hickerson TIME 1200 DATE 30 July 69
 SQUADRON 223 CALL SIGN H6 223 MSN NO. 6223 FLT 152/1
 T/O 1027 LANE 1142 TOTAL TIME 2.6

PILOTS	A/C	DASC	TIME
<u>Hickerson</u>	<u>WP 4</u>	CONTROLLER	<u>MIKE 62</u> TIME <u>1100</u>
<u>Ogg</u>	<u>12</u>	TYPE CONTROLLER	<u>FAC (A)</u>
		TYPE MISSION	<u>DAS</u>

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1116-30</u>	<u>BUNKERS</u>	<u>AT 982080</u>	<u>4</u>
	<u>BF</u>		

TGT TERRAIN MCNS TGT WX 1400 VISIBILITY 5+
 REL ANGLE 30° PASSES 10 INTERVAL 30 SEC MIN ALT 1.5
 ENROUTE ALT 10.5 RETURN ALT 5.5 TGT AIRSPEED 450
 ORDNANCE/ 20 DIW EXPENDED 20 JETTISONED —
 ORDNANCE/RTB NON DUDS (SEE NOTE # 1) —
 BDA 100 % 90 %ADDITIONAL 6 BUNKERS Dist

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED ARVN OPERATION _____
 (LEAVE BLANK)

ENROUTE WX 1400 V ⊕

- | | | | |
|--------------------------|---|-----------------------------|-------------------------------|
| (A) HOSTILE FIRE | YES | <input type="checkbox"/> NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | <input type="checkbox"/> NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | <input type="checkbox"/> NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | <input type="checkbox"/> NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | <input checked="" type="checkbox"/> YES | <input type="checkbox"/> NO | IF ADDITIONAL CIRCLE |
| (F) ABOUT | YES | <input type="checkbox"/> NO | A/C MALFUNCTION/ NO DROP |
| (G) DIRERT | YES | <input type="checkbox"/> NO | GIVE REASON BELOW |

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUSE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS. GOOD HIVE DIVE.

DEBRIEFER HEISE TIME 1140 DA 30 July 69
SQUADRON VMA 223 CALL SIGN HB 155 MSN NO. 6155 FLT 152/3
T/O 0950 LANT 1120 TOTAL TIME 3.0

PILOTS HEISE A/C WP 15 DASC BILK CANTIME 1015 # 10
GASPARINE WP 16 CONTROLLER BIRMINGHAM ASLT # 1020
TYPE CONTROLLER ASRT
TYPE MISSION TPQ

TOT DESCRIPTION COORDINATES PROVINCE
1035 KNOWN ENEMY POSITION YC455834 BRN
EC

TGT TERRAIN BRN TGT WX 80 @ VISIBILITY 10
REL ANGLE LEVEL PASSES 2 INTERVAL - MIN ALT 17.5
ENROUTE ALT 16.5 RETURN ALT 19.5 TGT AIRSPEED 290 KTS
ORDNANCE/ 1202Y/DC EXPENDED ALL JETTISONED -
ORDNANCE/RTB - DUDS (SEE NOTE # 1) -
BDA ? Wks %ADDITIONAL -

SECONDARY EXPLCSIONS ? NUMBER - SIZE -
UNIT SUPPORTED 101ST AB OPERATION Campbell Striker
(LEAVE BLANK)
ENROUTE WX 80 @ / @ 10

- (A) HOSTILE FIRE YES NO
 - (B) AIRBURST YES NO
 - (C) A/C HIT YES NO
 - (D) RECON INSERT/EXTRACT YES NO
 - (E) BDA REPORTED YES NO
 - (F) ABCUT YES NO
 - (G) DIRERT YES NO
- FILE FORM WITH BARREL
FILE FORM WITH BARREL
FILE FLASH REPORT WITH BARREL
CIRCLE ONE/COORD
IF ADDITIONAL CIRCLES
A/C MALFUNCTION/ NO DROP
GIVE REASON BELOW

REMARKS: DIVERT TO TPQ - FAC (A) COULD
NOT GET AIRBORNE BECAUSE OF HIGH
WIND CONDITIONS REPORTED AT CHAN. # 69

NOTE #1: DUD REPORT LOCATION - REASON FOR -
RECOVERABLE - TIME (DELAY/ARM DELAY) -

NOTE #2: ECM ENCOUNTERED - TIME - A/C DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS -

DEBRIEFER Blackman TIME 1030 DATE 30 July
SQUADRON 223 CALL SIGN HB 215 MSN NO. 6215 FLT 152
T/O 0944 LANE 1015 TOTAL TIME 1.4

PILOTS Norris A/C WP-17 DASC Helix TIME 0945
Blackman 8 CONTROLLER BIRK 12 TIME 0948
TYPE CONTROLLER FACA
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0950/03</u>	<u>Enemy 30 cal site</u> <u>TS</u>	<u>RT 157008</u>	<u># RVN</u>

TGT TERRAIN Hilly TGT WX 0 VISIBILITY 10+
REL ANGLE 20 PASSES 12 INTERVAL 30 MIN ALT 600
ENROUTE ALT 10.5 RETURN ALT 2.5 TGT AIRSPEED 450
ORDNANCE/ 16010/409/002 EXPENDED All JETTISONED
ORDNANCE/RTB DUDS (SEE NOTE # 1)

BDA 100 % 100 % ADDITIONAL 2 sec fire,
1 sec explosion, 2 bunkers out
30 cal site silenced

SECONDARY EXPLOSIONS 1/25 NUMBER 1 SIZE large

UNIT SUPPORTED 101st A.B. OPERATION LAMAR PLAIN
(LEAVE BLANK)

ENROUTE WX 0

- | | | | |
|--------------------------|-----|--|-------------------------------|
| (A) HOSTILE FIRE | YES | <input checked="" type="checkbox"/> NO | FILE FORM WITH BARREL |
| (B) AIRBURST | YES | <input checked="" type="checkbox"/> NO | FILE FORM WITH BARREL |
| (C) A/C HIT | YES | <input checked="" type="checkbox"/> NO | FILE FLASH REPORT WITH BARREL |
| (D) RECON INSERT/EXTRACT | YES | <input checked="" type="checkbox"/> NO | CIRCLE ONE/COORD |
| (E) BDA REPORTED | YES | <input checked="" type="checkbox"/> NO | IF ADDITIONAL CIRCLE |
| (F) ABOUT | YES | <input checked="" type="checkbox"/> NO | A/C MALFUNCTION/ NO DROP |
| (G) DIRERT | YES | <input checked="" type="checkbox"/> NO | GIVE REASON BELOW |

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

RECOVERABLE FUSE (DELAY/ARM DELAY)

NOTE #2: ECM ENG. ENTERED TIME A/W DIRECTED

NOTE #3: REMNANCE EFFECTIVENESS.

DEPARTER _____ TIME _____ DATE 30 July 69
 SQUADRON ZL CALL SIGN HEAT MSN NO. 217 FLT 152/1
 T/O 1500 LANC 145 TOTAL TIME 14
 PILOTS _____ A/C _____ DASC 15 TIME _____
 CONTROLLER _____ TIME 21 _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>153/55</u>	<u>EC</u>	<u>1530</u>	<u>4</u>

TGT TERRAIN P TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED 150
 ORDNANCE / 20 EXPENDED _____ JETTISONED _____
 ORDNANCE / RTB _____ DUDS (SEE NOTE # 1) _____
 BDA _____ % _____ % ADDITIONAL _____

Q

SECONDARY EXPLCSIONS _____ NUMBER 1 SIZE _____
 UNIT SUPPORTED _____ OPERATION _____
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLES
(F) ABCUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ TIME (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

323

DEPARTURE 17 TIME 1800 DATE 30 July 69
 SQUADRON 223 CALL SIGN HB251 MSN NO. 6251 FLT 9502
 T/O 1610 LANC 1720 TOTAL TIME 2.4
 PILOTS BARNES A/C 2 DASC HELIX TIME 1624
ROBERTY 21 CONTROLLER HELIX 22 TIME 25
 TYPE CONTROLLER TACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1648⁰⁰</u>	<u>✓ STORE DEPOSIT</u> <u>+ LIVING AREA</u>	<u>BS 383903</u>	<u>5</u>

TGT TERRAIN MTNS TGT WX 14,000 VISIBILITY 50
 REL ANGLE 30° PASSES 8 INTERVAL 30' MIN ALT 4500'
 ENROUTE ALT 9.5 RETURN ALT 8.5 TGT AIRSPEED 450
 ORDNANCE 1407, 4024/020 EXPENDED 307, 1024¹⁵⁰²⁰ JETTISONED 0
 ORDNANCE/RTB 107/4024 DUDS (SEE NOTE # 1) 0
 BDA 100 % 90 % ADDITIONAL NOTHING

C

SECONDARY EXPLCSIONS 0 NUMBER 0 SIZE 0
 UNIT SUPPORTED AMCAL OPERATION Geneva Park
 (LEAVE BLANK)
 ENROUTE WX 050

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABOUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ IAW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS. 3 024s D.N.F. SO WERE
INEFFECTIVE - ZUNIS MAY HAVE BEEN
MORE EFFECTIVE EPROX FUSING -

DEBRIEFER PEREIRA TIME 1200 DTG 30 July 69
SQUADRON 223 CALL SIGN HB221 MSN NO. 6221 FLT 122/3
T/O 1021 LANE 1145 TOTAL TIME 2.8

PILOTS
WARFIELD A/C WP23 DASC Ding Ho TIME 1045
PEREIRA A/C WP 10 CONTROLLER S.W 98-C TIME 1109
TYPE CONTROLLER TACA
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1109</u>	<u>U.C 50 CAL SIGHT</u>	<u>YD063697</u>	<u>PUN</u>
<u>1118</u>	<u>AA</u>		

TGT TERRAIN Level TGT WX 400 VISIBILITY 7
REL ANGLE 20° PASSES 6 INTERVAL 3000 MIN ALT 2500
ENROUTE ALT 20,5 RETURN ALT 19,5 TGT AIRSPEED 450
ORDNANCE 10 D-1 W/4 EXPENDED 19 D-1 W/4 JETTISONED —
ORDNANCE/RTB 1 D-1 W/4 DUDS (SEE NOTE # 1) —
BDA 75 % 75 % ADDITIONAL —
+ Positive 50 CAL SIGHT #1 + looped it out

C

SECONDARY EXPLCSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 3rd MAW DIU OPERATION Isako Canyon
(LEAVE BLANK)

ENROUTE WX _____
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABOUT YES NO A/C MALFUNCTION/ NO DROP
(G) DIRERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ RW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS. _____

DEBRIEFER _____ TIME _____ DATE 20 July 69
SQUADRON 323 CALL SIGN HB 241 MSN NO. 6241 FLT 152/1
T/O 1335 LANT 1435 TOTAL TIME 2.0

PILOTS A/C DASC Helix TIME 1440
Lt Col Newbill 8 CONTROLLER Helix 34 TIME 1455
Reynolds 17 TYPE CONTROLLER FACB
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1504-1519</u>	<u>Known enemy Location</u> <u>EC</u>	<u>BS 644416</u>	<u>57 Corps</u>
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

TGT TERRAIN MTN TGT WK 60 @ VISIBILITY 10+
REL ANGLE 20° PASSES 12 INTERVAL 3.5s MIN ALT 600
ENROUTE ALT 14.5M RETURN ALT 7.5M TGT AIRSPEED 450
ORDNANCE 16 DIA / 4 D9 EXPENDED ALL JETTISONED _____
CRDNANCE/RTB _____ DUDS (SEE NOTE # 1) 1
BDA 100 % 80 % ADDITIONAL 3 Bunkers, 20' Trench

C

SECONDARY EXPLCSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED Americal OPERATION Iron MT.
(LEAVE BLANK)

ENROUTE WK 60 @ 10+

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABCUT YES NO A/C MALFUNCTION/ NO DROP
- (G) DIRERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION BS644416 REASON FOR unknown
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) 2 Sec

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Stanton TIME 1755 DA 30 July 69
SQUADRON 223 CALL SIGN HB 019 MSN NO. 6019 FLT 152/1
T/O 1610 LANC 1743 TOTAL TIME 3.2

PILOTS Stanton A/C WP 4 DASS Donna TIME 1625
Keller 10 CONTROLLER SLW 98-15 TIME 1635
TYPE CONTROLLER FAC (A)
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1640/55</u>	<u>Bunkers</u> <u>BF</u>	<u>YD 006652</u>	<u>1</u>

TGT TERRAIN Hilly TGT WX 8.000 VISIBILITY 7
REL ANGLE 30° PASSES 6 INTERVAL 30 MIN ALT 1500
ENROUTE ALT 8.5 RETURN ALT 19.5 TGT AIRSPEED 450
ORDNANCE 4D2x, 4D3x EXPENDED ALL JETTISONED
ORDNANCE/RTB DUDS (SEE NOTE # 1)
BDA 90 % 90 % ADDITIONAL 3 Bunkers Dest.

C

SECONDARY EXPLOSIONS NUMBER SIZE
UNIT SUPPORTED 3RD MAR DIV OPERATION IDAHO CANYON
(LEAVE BLANK)

ENROUTE WX 300 800 / @ 7

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABCUT YES NO A/C MALFUNCTION/ NO DROP
- (G) DIRERT YES NO GIVE REASON BELOW

REMARKS:
(REFERENCE NOTE #3)

NOTE #1: DOD REPORT LOCATION REASON FOR

RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME IAW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

30 JULY '69

223

203

6203

142

0930

1000

0.5

TEST

DEBRIEFER Oppenhuizen TIME 0800 DA 31 July 69
SQUADRON 223 CALL SIGN HB200 MSN NO. 6200 FLT 15211
T/O 0612 LAND 0746 TOTAL TIME 3.2

PILOTS Hart A/C WP6 DASS DonHa TIME 0625
Oppenhuizen 23 CONTROLLER BW98-2 TIME 0630
TYPE CONTROLLER FACA
TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE

No drop - Bingo Fuel

No DROP

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
REL ANGLE _____ PASSES _____ INTERVAL _____ REL ALT _____
ENROUTE ALT 17.5 RETURN ALT 19.5 TGT AIRSPEED _____
ORDNANCE/ 160ia 409 EXPENDED none JETTISONED 409
ORDNANCE/RTB 160ia DUDS (SEE NOTE # 1) _____
BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLCSICNS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____
(LEAVE BLANK)

ENROUTE WX 1400

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRC W
(F) ABOUT	YES	NO	A/C MALFUNCTION/ NO DROP
(G) DIRERT	YES	NO	GIVE REASON BELOW

REMARKS: PD
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ ROW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER KELLER TIME 0950 DA 31 July 69
SQUADRON VMA 223 CALL SIGN HB450 MSN NO. 6450 FLT 152/1
T/O 0814 LANC 0935 TOTAL TIME 1.4

PILOTS STANTON A/C 7 DASC JAKE TIME 0850
KELLER 12 CONTROLLER JAKE TIME 0850
TYPE CONTROLLER FAC(A)
TYPE MISSION DAS

TOT DESCRIPTION COORDINATES PROVINCE
0902-0918 ENEMY LOCATION BS 221770 AVN
EC

TGT TERRAIN Hilly TGT WX 800/0/10 VISIBILITY 10
REL ANGLE 20° PASSES 7 INTERVAL 30 MIN ALT 600
ENROUTE ALT 19,5 RETURN ALT 9.5 TGT AIRSPEED 450

ORDNANCE 14D9-16D1A EXPENDED ALL JETTISONED —
ORDNANCE/RTB — DUDS (SEE NOTE # 1)

BDA 80 % 40 % ADDITIONAL 6 STRUCTURES, 1 SECONDARY
FIRE, 1 Secondary Explosion

SECONDARY EXPLOSIONS GROUND FIRES NUMBER 1 EXP. SIZE SMALL - WHITE
SMOKE

UNIT SUPPORTED SPECIAL OPS OPERATION —
(LEAVE BLANK)

ENROUTE WX 800/0/10

C

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABCUT YES NO A/C MALFUNCTION/ NO DROP
- (G) DIRERT YES NO GIVE REASON BELOW

REMARKS: AIRCRAFT HIT BY ROUND OF UNKNOWN CALIBER
(REFERENCE NOTE #3)
ON ONE OF SEVEN 20° ATTACK RUNS.

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ JAW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DESIGNATOR GA220 TIME 1050 DA 31 July 69
SQUADRON 223 CALL SIGN HB 012 MSN NO. 6012 FLT 15211
T/O 0946 LANC 1033 TOTAL TIME 1.6

PILOTS
Snyder WP- 04 A/C
GA220 WP- 10

DASC Denny TIME 0953
CONTROLLER Kilmer 3 TIME 0955
TYPE CONTROLLER FAC (A)
TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1000-1025</u>	<u>Bunkers</u> <u>BF</u>	<u>BT 043523</u>	<u>RVN BI 14</u>

TGT TERRAIN FLAT TGT WK 12.0 ⑩ VISIBILITY 10
REL ANGLE 20° PASSES 10 INTERVAL 30 MIN ALT REL ALT 1.4
ENROUTE ALT 10.5 RETURN ALT 5.5 TGT AIRSPEED 450
ORDNANCE 16 DIA UD9 EXPENDED all JETTISONED
ORDNANCE/RTB DUDS (SEE NOTE # 1)
BDA 100 % 100 % ADDITIONAL

2 Bunkers dest, 1 bunker damaged,
2 see explosion, 1 see fire
SECONDARY EXPLCSIONS white NUMBER 2 SIZE med
UNIT SUPPORTED ROK MC OPERATION Victory Dragon
(LEAVE BLANK)
ENROUTE WK 12.0 ⑩ - ④ RW West of 77

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABCUT YES NO A/C MALFUNCTION/ NO DROP
- (G) DIRERT YES NO GIVE REASON BELOW

REMARKS:
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME IAW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS
Good

DESIGNER HEISE TIME 0845 DA 31 JULY 69
SQUADRON VMA 223 CALL SIGN HB150 MEN NO. 6150 FLT 152/1
T/C 0740 LANE 0835 TOTAL TIME 1.8

PILOTS HEISE A/C WP 3 DASC HELIX TIME 0745
GASPARINE WP 13 CONTROLLER HELIX 25 TIME 0756
TYPE CONTROLLER FAC(A)
TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0801-0809</u>	<u>ENEMY LOCATION</u>	<u>BT 340109</u>	<u>4VN</u>
	<u>EC</u>		

TGT TERRAIN Hilly TGT WX 800/10 VISIBILITY 10
REL ANGLE 30 PASSES 10 INTERVAL 45sec MIN ALT 600
ENROUTE ALT 10.5 RETURN ALT 9.5 TGT AIRSPEED 450
ORDNANCE 4D2X/4D3X EXPENDED ALL JETTISONED NONE
ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) _____
BDA 100 % 75 % ADDITIONAL 1 SECONDARY FIRE

9

SECONDARY EXPLOSIONS FIRE NUMBER 1 SIZE SMALL-YELLOW
UNIT SUPPORTED AMERICAN OPERATION _____
(LEAVE BLANK)

ENROUTE WX 800/10

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABOUT YES NO A/C MALFUNCTION/ NO DROP
- (G) DIRERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ B/W DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER STANTON TIME 1230 DATE 31 July 69
SQUADRON VMA 223 CALL SIGN HB 238 MSN NO 6238 FLT 152/1
T/O 1100 LAND 1217 TOTAL TIME 1.3

PILOTS ACFT
STANTON 24 DASC _____ TIME _____
CONTROLLER _____ TIME _____
TYPE CONTROLLER _____
TYPE MISSION _____

TOT	DESCRIPTION	COORDINATES	PROVINCE
	<u>1 EST</u>		

TOT TERRAIN _____ TGT WX _____ VISIBILITY _____
REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
REL ALT _____
ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____
ORDNANCE _____ EXPENDED _____ JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED _____ OPERATION _____
(LEAVE BLANK)

ENROUTE WX _____
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) ACFT HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO ACFT MALFUNCTION/NO DROP
(G) DIRECT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Barnes TIME _____ DATE _____
SQUADRON 223 CALL SIGN HB250 MSN NO 6250 FLT 352
T/O 1935 LAND 2027 TOTAL TIME 1.8

PILOTS BARNES ACFT WP 23 DASC Helix TIME 1934
Brose 04 CONTROLLER Helix 34 TIME 1937
TYPE CONTROLLER TEACCA
TYPE MISSION HT CAS

TOT 1947 200d DESCRIPTION Troops Contact COORDINATES BS 528747 PROVINCE 5
TS

TOT TERRAIN FLAT TGT WX 10 VISIBILITY 5
REL ANGLE 20° PASSES 4 INTERVAL 42 MIN ALT 600
ENROUTE ALT 7.5 RETURN ALT 6.5 TGT AIRSPEED 450
REL ALT 1350
ORDNANCE 4D9 16D1A EXPENDED all JETTISONED _____
ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
BDA 100 % 90 % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED America OPERATION Iron Mountain
(LEAVE BLANK)

ENROUTE WX _____
(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
(B) AIRBURST YES NO FILE FORM WITH BARREL
(C) ACFT HIT YES NO FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
(E) EDA REPORTED YES NO IF ADDITIONAL CIRCLE
(F) ABORT YES NO ACFT MALFUNCTION/NO DROP
(G) DIRECT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Blackman TIME 1100 DA 31 July 1969
SQUADRON 223 CALL SIGN HD210 MSN NO. 6210 FLT 152
T/O 0932 LANC 1038 TOTAL TIME 2.2

PILOTS A/C
Carter WP 17 DASC Davis HA TIME 0952
Blackman 13 CONTROLLER SU 98-5 TIME 0954
TYPE CONTROLLER FACH
TYPE MISSION CHS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0952/13</u>	<u>Enemy Troops in Bks</u>	<u>YD 084635</u>	<u>IKUN</u>
	<u>TS</u>		

TGT TERRAIN Hilly TGT WK 850 VISIBILITY 10+
REL ANGLE 30 PASSES 10 INTERVAL 30 MIN ALT 1500
ENROUTE ALT 18.5 RETURN ALT 7.5 TGT AIRSPEED 450
ORDNANCE 2001X/020 EXPENDED All JETTISONED —
ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
BDA 100 % 100 %ADDITIONAL 4 large Bks dest.

C

3 Fighting Idas destr., 2 sec fire, 1 KBA

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
UNIT SUPPORTED 2nd M.A OPERATION Idaho Canyon
Wing Six (LEAVE BLANK)
ENROUTE WK 800V

- (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
- (B) AIRBURST YES NO FILE FORM WITH BARREL
- (C) A/C HIT YES NO FILE FLASH REPORT WITH BARREL
- (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
- (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
- (F) ABCUT YES NO A/C MALFUNCTION/ NO DROP
- (G) DIRERT YES NO GIVE REASON BELOW

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ A/W DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____