DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 10/4 CONTROLLER CC SQUAD 321

MSN# 229 CALL SIGN HB TYPE MSN TPQ FLT CODE 2S2 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| 411-19 | McCraw | 1818 | 1943 | 2.8 | 1925 |
| 22 | | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | Ø | | 5+ | | Hilly |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD 0821 | (2) | BUNK<br>ARTY<br>VEH |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | | 21.8 | — | 21.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 3MAR | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| ASRAT | 45 | 2 | — | 390 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

Bunker Arty — Vehicles

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12 Dry | All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG

REMARKS:

TIME CHECKED IN WITH DASC 1836 WITH CONTROLLER 1845

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 01 CONTROLLER Camp Carroll 09 SQUAD 311

MSN# 231 CALL SIGN HB TYPE MSN DAS FLT CODE 152 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WLOO | DONOVAN | 1830 | 1905 | 3.2 | 1915-1925 |
| 03 | LILLIE | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | | | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD788370 | RVN (2) 10 | VC Pasn |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | 20.5 | | | 21.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 3d MAR | TF Hotel | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| ARLT | SP | 1 | | 290 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OCT 2 1968

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

~~2~~ 8-12Dr All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF | YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " |
| C. A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " | " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " | " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " | " | GIVE SOURCE |
| G. DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GIVE REASON |
| J. DIVERT | YES | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: R DTG 01 20 48

REMARKS: - Dw by (09) DASC -
- Nothing

TIME CHECKED IN WITH DASC WITH CONTROLLER 1859

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 11 CONTROLLER Capt Carroll A/S SQUAD 34

MSN# 215 CALL SIGN Hb TYPE MSN DAS FLT CODE 52 A/C 462

MODEX CREW TAD TAMD FLT TIME TOT

WC03 Lewis 1240-1410 3.0 1345

23 Beausoleil

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN

TGT WX

TGT COORDS COUNTY/CORPS/PROVINCE TGT DESCRIPTION

0540D215870 Quang Tri Bunkers

1704 10705

ENROUTE ALT COAST IN/OUT ALT EA ALT REL ALT MIN ALT RETURN ALT

20,5 20,5 12,5

UNIT SUPPORTED OPER SUPPORTED TGT#/REF FRG# COAST IN/OUT COORDS

3rd Bn Marines

ATTACK INFORMATION TYPE CONTROLLER RELEASE ANGLE TOT PASSES A/C INTERVAL AIR SPEED

ASRT SP 1 1 290

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OCT 01

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4. Called off

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12 D2W | All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION | REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

| WARNING INDICATION | | | IF YES | ACTION TAKEN |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | " " | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. T/H-E/T | YES | NO | " " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | (YES) | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: R DTG 01 1451

REMARKS: - dlv off CAS by JTAC From Helix
WX

TIME CHECKED IN WITH DASC WITH CONTROLLER 1330

DECLASSIFIED

DECLASSIFIED

8

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 01 CONTROLLER Camp Carroll A SQUAD 311

MSN# 410 CALL SIGN MAN TYPE MSN SAS FLT CODE SI A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WC 06 SITES | | | | 2.6 | |
| 18 DONOVAN | | 1206 | 1327 | | 1250 |
| 07 SANDLIN | | | | 2.8 | 5.4 1300 |
| 12 SOUDERS | | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | | | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD102929 | RVN | Truck Park |
| 1708 10704 | | |
| T 10700 | | |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | | 21.0 | | 21.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RES PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1st AF | None | 1R2352 #1 | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| ASRT | SP | 2 | | 290 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____ Called in

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12D24 (DC) ALL
12D24

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

FUZE TIME | ARM DELAY | FUZE DELAY

ECM ENCOUNTERED | DETECTED BY

| WARNING INDICATION | | | | | ACTION TAKEN |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF | YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " |
| C. A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " | " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " | " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " | " | GIVE SOURCE |
| G. DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GIVE REASON |
| J. DIVERT | YES | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: R DTG 011501

REMARKS: DIV FROM FLT. LEADER CONTROL TO ASRT CONTROL
- WX

TIME CHECKED IN WITH DASC WITH CONTROLLER 1245

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 1 CONTROLLER Hostage C SQUAD 311

MSN# 536 CALL SIGN HB TYPE MSN CAS FLT CODE 13 A/C AYE

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 2 | LEWIS | 0700-1010 | | 2.4 | 0954 |
| Y | BRANSON | | | | 1000 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 7.0 @ 10m | | | | FLAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| BT999517 | RUN (3) | BUNKERS TREES |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 14.5 | | | 3.0 | 1.5 | 5.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| 1STMARDIV | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACP | 30 | 6 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

70/50 2 HUTS DES

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12 D2 X ALL

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE ARM DELAY | FUZE DELAY TIME | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | DEBRIEF BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: SS DTG

REMARKS:

TIME CHECKED IN WITH DASC 0920 WITH CONTROLLER 0945

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 01 CONTROLLER Hel / X I 21 SQUAD 311

MSN# 523 CALL SIGN HB TYPE MSN CAS FLT CODE 182 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL06 | Cathcart | 1635 | 1740 | 2.2 | 48/715- |
| 02 | Forney | | | | 1725 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | 6004 | Haze | | Hilly |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| BT088082 | RVN (I) | VC |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 5.0 | | 13 | .5 | | 8.0 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| Americal | Navy | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 20 | 6 | 30 | 450 |

A/A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

75/50

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

1601
A-409 | All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION | REASON

FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

ECM ENCOUNTERED

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: R | DTG 01/1830

REMARKS:

TIME CHECKED IN WITH DASC 1640 WITH CONTROLLER 1645

DECLASSIFIED

DECLASSIFIED

88

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 1 CONTROLLER LOPEZ 50 SQUAD 211

MSN# 506 CALL SIGN HB TYPE MSN CAS FLT CODE 152AC A/G
MODEX CREW TAD IAND FLT TIME TOT

WL / HAMPTON 0800-0930 3.0 0910
6 SUDERS 0925

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 7.0 | | 6m | | HILLY |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC165514 | LAM (3) | AW POS |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 18.5 | | 4.0 | 2.5 | 5.0 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| 5th SPECIAL FORCES | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACP | 30 | 8 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP |
|---|---|---|---|---|
| 100/100 | | 1 A/W Pos Lost | | |

ORDNANCE CARRIED: 16 MK 82 / 4 BDU

EXPENDED: ALL

SEC EXPLOSIONS # ____ COLOR ____ HGT ____

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN

LOCATION ____ REASON ____

ECM ENCOUNTERED

FUZE ARM DELAY TIME ____ FUZE DELAY DETECTED BY ____

| WARNING INDICATION | | | IF YES | ACTION TAKEN |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " " AIRBURST " |
| C. A/C HIT | YES | NO | " " | " " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: RS DTG 01 1020

REMARKS:

TIME CHECKED IN WITH DASC 0900 WITH CONTROLLER 0905

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 10-1 CONTROLLER SMITTY "S" SQUAD 31

| MSN# | CALL SIGN | TYPE MSN | FLT CODE | A/C |
|---|---|---|---|---|
| 510 | HB | DAS/LZP | 132 | 2 |

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 23 | WARDLAW | 1002 | -1122 | 2.8 | 1046-51 |
| WL 22 | JONES | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | | | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| 504 | 10 | |
| XD822541 | RUN #1 | LZP |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | 2.5 | | 2.0 | | 15.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| 4th MARINES | | — | — |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 20° | 6 | 30 Sec | 450 |

AGA ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

LZP 100% ON TGT

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

405/1601 ALL

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF | YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " |
| C. A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " | " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " | " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " | " | GIVE SOURCE |
| G. DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GIVE REASON |
| J. DIVERT | YES | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: WARDLAW DTG 01 1150

REMARKS:

TIME CHECKED IN WITH DASC 1025 WITH CONTROLLER 1035

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 01 CONTROLLER Hastings Papa SQUAD 311

MSN# 214 CALL SIGN HB TYPE MSN DAS FLT CODE S2 A/C A4E

MODEX CREW T/O IAND FLT TIME TOT

WC 24 Trumpfheller 1452-1535 1.4 1520-
12 Dickey 1515

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | | | FLAT |

6507

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| AT999555 | RUN(3) | Fort Ville |
| AT991559 | " | Fort Thelma |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 10.5 | | 3.0 | 2.0 | 7.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1st Div | None | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 4 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

LC.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

80/60

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

8D26X | All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

FUZE ARM DELAY FUZE DELAY
ECM ENCOUNTERED TIME DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: R DTG 01 1654

REMARKS:

TIME CHECKED IN WITH DASC 1458 WITH CONTROLLER 1502

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 1 CONTROLLER HOSTAGER SQUAD 311

MSN# 534 CALL SIGN HB TYPE MSN ZIP FLT CODE 152 A/C A4G

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 18 | KISH | 0840 | -0950 | 2.4 | 0825 ~~0838~~ 0925-0938 |

07 SITES

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | 8.0 | 5m | MTS |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| AT833658 | RVN(3) | BUNKERS |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 4.5 | | 1.2 | 1.0 | 7.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1ST MARDIV | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 10 | 7 | 30 | 400 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____

10. _____

OCT 01 1968

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLIER | RIH | IP

80
70

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

8D26X | ALL

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: LS DTG 1015

REMARKS:

TIME CHECKED IN WITH DASC 0850 WITH CONTROLLER 0900

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 01 CONTROLLER BILK 15 SQUAD 311

MSN# 532 CALL SIGN HB TYPE MSN CAS FLT CODE 52 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 01 | Hiett | 1120 | 1245 | 2.8 | |
| | 26 Forney | | | | |

| TGT INFORMATION / TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | | | |

TGT COORDS 35 A 3 COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

DMP

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 14.5 | | | | | 15.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/REF PRG# | COASTIN/OUT COORDS |
|---|---|---|---|
| | | | |

| ATTACK INFORMATION / TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | | | | |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

4D9
8D2A

None

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

R

DEBRIEFER: DTG 011306

REMARKS: ABORTED Because of WX

TIME CHECKED IN WITH DASC WITH CONTROLLER

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 01 CONTROLLER Hostage 10 SQUAD 311

MSN# 535 CALL SIGN HB TYPE MSN LZP FLT CODE 152 A/C AFE
MODEX CREW T/O LAND FLT TIME TOT

WL 00 SANDZIN ~~0945-1005~~ 24 0940
.14. TRUMPFELLER 0855-1005 0950

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 4.0 @ | | 5m | | Hilly |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| AT835569 | RVN (3) | LZP |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 10.5 | | 2.0 | 1.0 | | 7.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1st MARDIV | MAM. THRUST | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 20 | 5 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP |
|---|---|---|---|---|
| 60 | | | | |
| 60 | | | | |

ORDNANCE CARRIED: 8D26X

EXPENDED: ALL

SEC EXPLOSIONS # ___ COLOR ___ HGT ___

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN

LOCATION ___ REASON ___

ECM ENCOUNTERED

FUZE TIME ___ ARM DELAY ___ FUZE DELAY ___ DETECTED BY ___

| WARNING INDICATION | | | | | ACTION TAKEN |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF | YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " |
| C. A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " | " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " | " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " | " | GIVE SOURCE |
| G. DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GIVE REASON |
| J. DIVERT | YES | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: SS DTG 1035

REMARKS:

TIME CHECKED IN WITH DASC 0905 WITH CONTROLLER 0920

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 801 CONTROLLER FINGERPRINT 37 SQUAD 311

MSN# 304 CALL SIGN HB TYPE MSN DAS FLT CODE ISLAND EYE

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 23 | HIETT | 0720 | 0845 | 2.8 | |
| 24 | JONES | | | | 0745 |
| | | | | | 0810 |

| TGT INFORMATION TGT WX | CEILING/VIS | CLOUD COVER | TGT ELEV | OBS TO TGT | TGT TERRAIN |
|---|---|---|---|---|---|
| | | 8.0 | ⊕ | 4-5m | Hilly |

| TGT COORDS | COORDINATING AGENCY | TGT DESCRIPTION |
|---|---|---|
| XD 792 378 | RVN(T) | BUNKERS |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MEN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 5.0 | | 1.0 | 5 | 15.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT/ME PEN# | COASTIN/OUT COORDS |
|---|---|---|---|
| SCOTLAND II | 3rd MARDIV | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | ALTITUDE | AIR SPEED |
|---|---|---|---|---|
| TACA | 20 | 6 | 30 | 450 |

AGA QUEX ELINT MODE 4 SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

OCT 68

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED E.I. CREW/CONTROLLER

100
100 85 BUNKERS, DEP

ORDNANCE CARRIED EXPENDED SEC EXPLOSIONS # COLOR HGT

8D3A 8D3A
4D9 4D9

ORD JETT DUD BOMB

DUDS LOCATION YES NO UNKNOWN REASON

ECM ENCOUNTERED FUZE TIME DELAY FUZE DELAY DETECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " AIRBURST " |
| C. A/C HIT | YES | NO | " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " | GIVE SOURCE |
| G. DUDS | YES | NO | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | GIVE REASON |
| J. DIVERT | YES | NO | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DS DTG 1025

REMARKS:

TIME CHECKED IN WITH DASC 0740 DEBRIEFING 0742

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 01 CONTROLLER FINGERPRINT SQUAD 311

MSN# 206 CALL SIGN HB TYPE MSN OAS FLT CODE ISLAND AYE

MODEX CREW TAD LAND FLT TIME TOT

WL 26 SCHNELL 0754-0910 2.6 0825
14 BARGER 0835

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO TGT | TGT TERRAIN |
|---|---|---|---|---|---|
| | 8.0 @ | 4-5 m | | | HILLY |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| XD804356 | RUN (1) | BUNKERS |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 14.5 | | 1.1.5 | | | 15.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/ARE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| SCOTLAND II | 3rd MAR DIV. | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 20 | 6 | 30 | 450 |

A&A CMD DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

OCT 01 1968

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP |
|---|---|---|---|---|
| 90 | | 2 BUNKERS | | |
| 90 | | | | |

ORDNANCE CARRIED: 8D2A 4D9

EXPENDED: ALL

SEC EXPLOSIONS # COLOR HGT

ORD JETT

DUD HOMES: 2D9 DUDS

DUDS RECOVERABLE: YES NO (UNKNOWN)

LOCATION

REASON

ECM ENCOUNTERED

FUZE TIME

ARM DELAY

FUZE DELAY

DETECTED BY

WARNING INDICATION

ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | (NO) | IF YES | | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | (NO) | " " | | " AIRBURST " |
| C. A/C HIT | YES | (NO) | " " | | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | (NO) | " " | | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | (NO) | " " | | SUCCESS, PAR-SUCCESS, OTHER |
| F. BDA REPORTED | (YES) | NO | " " | | GIVE SOURCE |
| G. DUDS | (YES) | NO | " " | | FILL IN ABOVE |
| H. HAWK RUN | YES | (NO) | " " | | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | (NO) | " " | | GIVE REASON |
| J. DIVERT | YES | (NO) | " " | | GIVE AUTHORITY AND REASON |

DEBRIEFER: SS DTG 01 1030

REMARKS:

TIME CHECKED IN WITH DASC 0820 TEAM CONTROLLER 0822

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 01 CONTROLLER Finger Point 37 SQUAD 34

MSN# 221 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C A4C

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 02 | MERRITEW | 1210 | 1340 | 3.0 | 1308 |
| 04 | BARGER | | | | 1307 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | 40-0 OVC | | | HILLY |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| XA802409 | RVN (I) | Bunker |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | .5 | .3 | | 17.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 3rd Dn | Scotland II | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 10 | 6 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

80/80

5 Bu Dest
2 Sec Fires

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

4D9
8D2A/200D20 | All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

ECM ENCOUNTERED

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | | " AIRBURST " |
| C. A/C HIT | YES | NO | " " | | " FIRE INCIDENT REPORT |
| D. T/H-B/T | YES | NO | " " | | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " | | GIVE SOURCE |
| G. DUDS | YES | NO | " " | | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | | GIVE REASON |
| J. DIVERT | YES | NO | " " | | GIVE AUTHORITY AND REASON |

DEBRIEFER: R DTG 011422

REMARKS:

TIME CHECKED IN WITH DASC 1230 WITH CONTROLLER 1231

DECLASSIFIED

DECLASSIFIED

6

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 01 CONTROLLER FingerPRINT 37 SQUAD 311

MSN# 287 CALL SIGN HB TYPE MSN DAS FLT CODE 12A/C #48

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL24 | Holland | 1031-1205 | 3-2 | 1107- | |
| 14 | Johnson | | | 1118 | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 6000 | | | | Hilly |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| XD805355 | KUNO | Bunkers |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | 2.0 | 1.0 | 15.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| 3rd DIV | Scotland II | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 20 | 8 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

90/80
2 Bunkers Dest

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

8D264(DC) 7D26

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE ARM DELAY TIME | FUZE DELAY DETECTED BY

| WARNING INDICATION | | | ACTION TAKEN | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: R DTG 811237

REMARKS:

TIME CHECKED IN WITH DASC 1055 WITH CONTROLLER 1100

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 01 CONTROLLER Hel / X37 SQUAD 34

MSN# 514 CALL SIGN HB TYPE MSN CAS FLT CODE 1S2A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 00 | KORMAN | 1211 | 1354 | 3.4 | 1327 |
| 19 | ARGABRIGHT | | | | 1335 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | 80 @ 10 | | | FLAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| BS785860 | RUN (S) | Fort Ville |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 18.5 | | | 3.0 | 1.5 | 6-0 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| American | None | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 6 | 30 | 400 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

100/100
1 Bu Dest - 2 Strue Dest
2 " Dam / .25 M Trench

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

16D,4
405

All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

FUZE ARM DELAY FUZE DELAY
ECM ENCOUNTERED TIME DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: R DTG 011454

REMARKS:

TIME CHECKED IN WITH DASC 1323 WITH CONTROLLER 1325

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 01 CONTROLLER Camp Carroll A46 SQUAD 311

MSN# 227 CALL SIGN HB TYPE MSN DAS FLT CODE 52 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WC 18 | Kish | 1725 | 1855 | 3-0 | ~~1855~~ 1825 |
| D4 | Dickey | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | | | |

LA

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD239804 | RVN (DMZ) | Arty |
| 170R, 107087 | | |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 20.5 | | 20.9 | | | 19.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| 3RD M.J | Rom | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| ASRT | SP | 1 | | 290 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

OCT 01 1968

Called in

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

120 2W | All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG 011941

REMARKS: dn from (109) - to TACA - by (109)

TIME CHECKED IN WITH DASC WITH CONTROLLER 1755

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 01 CONTROLIER HOSTAGE P SQUAD 311

MSN# 216 CALL SIGN HB TYPE MSN CAS FLT CODE S2 A/C AAE

| MODEX | CREW | TA | IAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WP 26 | JOHNSON | 153 | 1632 | 2.0 | 1605-10 |

01 JOHNSON

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 8000 | | 10 | | FLAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| AT981589 | RVN III | FT VILLE |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 6.5 | | | 3017 | | 5.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| PROS 14 | | | |

| ATTACK INFORMATION TYPE CONTROLIER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30° | 6 | 30SEC | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

IO.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

95/95
2 STRUC DEST 100Lb RICE
" " DAM DEST

ORDNANCE CARRIED: 12D24 | EXPENDED: ALL | SEC EXPLOSIONS # COLOR HGT

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

FUZE TIME ARM DELAY FUZE DELAY

ECM ENCOUNTERED DETECTED BY

| WARNING INDICATION | | | IF | | ACTION TAKEN |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | " | YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " |
| C. A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " | " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " | " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " | " | GIVE SOURCE |
| G. DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GIVE REASON |
| J. DIVERT | YES | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG 011700

REMARKS:

TIME CHECKED IN WITH DASC 1545 WITH CONTROLLER 1548

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 01 CONTROLLER Comprise 50 SQUAD 31

MSN# 219 CALL SIGN HB TYPE MSN CAP FLT CODE 152 A/C A4E

MODEX CREW T/O LAND FLT TIME TOT

WL 14 ~~ME~~ Overturf 1440-1552 2.4 1530-
22 ME109 1540

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | | | Hilly |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| 320/10/77 AT8989 | 35 QUAD 07 RUN (3) | 22P |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 4.5 | | | 4.5 | 3.0 | 5.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/REF PRG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1ST Recon | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 3 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

95/95

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12D24 | All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

FUZE ARM DELAY FUZE DELAY
ECM ENCOUNTERED TIME DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPIASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: R DTG 011631

REMARKS:

TIME CHECKED IN WITH DASC 1450 WITH CONTROLLER 1515

DECLASSIFIED

DECLASSIFIED

8

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 01 CONTROLLER HOSTAGE C SQUAD 311

MSN# 205 CALL SIGN HOG TYPE MSN CAS FLT CODE 15 A/C A-6E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 12 | CARR | 0845-0958 | | 1.5 | 0940- |
| .3 | ERON FIELD | 0845-0900 | | | 0947 |
| | | | ARABOR | | |

| TGT INFORMATION / TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 7000-0010 | | | | Level |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| AT 999557 | RVN (3) | Susp VC Posn |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 12.5 | | | 2.0 | 1.5 | 9.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RME PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1ST DIV | ROK | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACP | 20 | 3 | | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

80/80

10 mi Trenchlen

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12 Dr Y | 6 Dr Y | 1

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED

FUZE ARM DELAY FUZE DELAY
TIME DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: R DTG 011157

REMARKS: WX 9MAW A/R ABORTED - ENGINE VIBRATION

TIME CHECKED IN WITH DASC 0915 WITH CONTROLLER 0930

DECLASSIFIED

DECLASSIFIED

8

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 02 CONTROLLER Hel, x 27 SQUAD 31

MSN# 215 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 12 | Lewis | 1236 | 1338 | 2.0 | 1315-1325 |
| 03 | BRANSON | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | 50Θ7 | | | H. Hy |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| BT 053047 | RVN (4) | Susp Enemy POSN |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 4.5 | | | 2.0 | 1.5 | 3.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| Americal | None | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 10 | 6 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

2 Secfires

100/100

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12 D2W | ALL

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

FUZE ARM DELAY FUZE DELAY
ECM ENCOUNTERED | TIME | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C RTH | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H E/I | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: R DTG 021417

REMARKS:

TIME CHECKED IN WITH DASC 1240 WITH CONTROLLER 1245

DECLASSIFIED

DECLASSIFIED

6

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 02 CONTROLLER BILK 15 SQUAD 311

MSN# 506 CALL SIGN HB TYPE MSN CAP ESC FLT CODE (S) A/C A4E

MODEX CREW T/O LAND FLT TIME TOT

WL 19 SANDLIN 0810-1010 4.0 0931

2y FORNEY 0945

| TGT INFORMATION / TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 4.5 | Ø | UNL | | HILLY |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YC855998 | RVN(3) | BASE CAMP |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | 3.0 | 1.5 | | 3.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| NEVADA EAGLE | | | 10 SF AB |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 6 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. VGT 0 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

100
100

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

16 Dl1 | 15 Dl1
4 DS | All but 6

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: SS DTG 1030

REMARKS:

TIME CHECKED IN WITH DASC WITH CONTROLLER 0925

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 02 CONTROLLER _____ SQUAD 311

MSN# 205 CALL SIGN HB TYPE MSN CAS FLT CODE S2A/C ZLC

MODEX CREW T/O IAND FLT TIME TOT

WL 03 HOLLAND 0857-0955 1.9

12 TRUMPFELLER -0950

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

NO DROP

A/C PROBLEMS

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT

4.5 5.5 AS

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/OUT COORDS

ATTACK INFORMATION TYPE CONTROLLER RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. [redacted] 08 1988

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12027 NONE

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

FUZE ARM DELAY FUZE DELAY
ECM ENCOUNTERED TIME DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: JS DTG 1040

REMARKS:

TIME CHECKED IN WITH DASC WITH CONTROLLER

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 20CT CONTROLLER BARCLAY 15 SQUAD VMA-311

MSN# 231 CALL SIGN HB TYPE MSN CAS FLT CODE 352 A/C 2

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL-1 | KORMAN | 1818 | 1925 | 2.2 | 1842-55 |
| WL-11 | ARABRIGHT | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| CLR | | | 6 | | HILLY |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD 010682 | QT. | BUNKERS |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 18.5 | | 7500 | 2500 | 1500 | 15.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| 1st of the 5th (Mech) Lancaster | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TAC (A) | 30° | 6 | 30 Sec | 450 |

AGA ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

12-02

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

100/100 | 18 BUNKERS DEST
1 GUN POSIT

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

1202X | ALL | 0

ORD JETT | DUD BOMBS

0 | 0

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE ARM DELAY TIME | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-E/J | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REQUIRED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG

REMARKS:

TIME CHECKED IN WITH DASC 1840 WITH CONTROLLER 1844

DECLASSIFIED

DECLASSIFIED

6

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 02 CONTROLLER SecF SQUAD 31

MSN# 635 CALL SIGN HB TYPE MSN UR FLT CODE 52 A/C 44E

MODEX CREW T/O LAND FLT TIME TOT

WL 11 P Schnell 1116-1220 2.2

02 Pyc10R

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

FAM

DROP

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT

16.5 10 16.5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/OUT COORDS

ATTACK INFORMATION TYPE CONTROLLER RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED

A&A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR MGT

D20 | None

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF | YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " |
| C. A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " | " | OPSEP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " | " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " | " | GIVE SOURCE |
| G. DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GIVE REASON |
| J. DIVERT | YES | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: R DTG 021244

REMARKS: FAM - Hop

TIME CHECKED IN WITH DASC WITH CONTROLLER

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 02 CONTROLLER Hodges-H SQUAD 311

MSN# 29 514 CALL SIGN Hot TYPE MSN CAS FLT CODE 152 A/C A4E
MODEX CREW T/O LAND FLT TIME TOT

Hot Pair 14 Lathdrop 1210-1340 30 1314-25
04 Souders

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | | | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| | 50 5 | Mts. |
| ZC118529 | RVN(3) | Enemy Pos. |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | 2.5 | 1.5 | 5.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| Special Forces | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 20° | 8 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

10/00 | Secondary fire

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

16 014 | All
405

ORD JETT | DUD BOMBS 4

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION [illegible] REASON Unk.

FUZE 904 ARM DELAY 4/sec FUZE DELAY Inst.

ECM ENCOUNTERED | TIME | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-S/E | YES | NO | " " | CHECK BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, NEAR SUCCESS, OTHER |
| F. | BDA REQUIRED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FIRE IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: [illegible] DTG 021756

REMARKS:

TIME CHECKED IN WITH DASC | WITH CONTROLLER 1300

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 02 CONTROLLER Barky 15 SQUAD 311

MSN# 225 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WC07 | Lewis | 1700-1810 | | 24 | 1728- |
| 19 | Branson | | | | 1737 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | | | Mount |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD023701 | RVN ~~DMZ~~ | Bunkers + Bridge |

NAPALM/SLICK

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 14.5 | | 30 | 1.5 | 17.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 3rd Div | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 6 | 30 | 450 |

A&K ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW / CONTROLLER | RIH | IP

100/90
4 Cable Bridge Dest
4 Bu Dest / 1 Rail Cut

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12D24 | All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

FUZE ARM DELAY FUZE DELAY
ECM ENCOUNTERED | TIME | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | CHECK BY S-3 |
| E. | RECON REPORT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA PERFORMED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: R DTG 021845Z

REMARKS:

TIME CHECKED IN WITH DASC 1710 WITH CONTROLLER 1715

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 02 CONTROLLER Hostage Gulf SQUAD 34

MSN# 218 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL12 | Johnson | 1523 | 1605 | 1.4 | 1544- |
| 03 | Hammack | | | | 1549 |

| TGT INFORMATION / TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | 50 @ 7 | | | FLAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| AT 989554 | RVN (3) | Fort Ville |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 4.5 | | | 2.2 | 1.2 | 5.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1st D.J | Dodge City | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 6 | 30 | 350 |

A/A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

90/90

3 Strs Dest

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12 D24/W AA

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

ECM ENCOUNTERED

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-S/T | YES | NO | " " | OTHER BY S-3 |
| E. | RECON INTERCEPT/CONTACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: R DTG 021650

REMARKS:

TIME CHECKED IN WITH DASC 1230 WITH CONTROLLER 1232

DECLASSIFIED

DECLASSIFIED

8

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 02 CONTROLLER Cat Killer 11 SQUAD 34

MSN# 529 CALL SIGN HD TYPE MSN DAS FLT CODE 152 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WC23 | HAMPTON | 1340 | 1505 | 2.8 | 1435-1440 |
| 00 | JONES | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | 50 | 4 | H | FLAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD233865 | NVN | Army + |
| 1704 - 10705 | | Supply |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | | 3,0 | 2,0 | 13.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| 24th Pleiku Corps | None | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 3 | 30 | 450 |

AGA ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

100/100
1 GUN HEAVILY DAM
1 CACHE OF SUPPLIES SCATTERED

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12D24 ALL

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION / REASON

FUZE TIME ARM DELAY FUZE DELAY
ECM ENCOUNTERED | DETECTED BY

| WARNING INDICATION | | | ACTION TAKEN |
|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " " AIRBURST " |
| C. A/C HIT | YES | NO | " " " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " " OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " GIVE SOURCE |
| G. DUDS | YES | NO | " " FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " GIVE ALT, HDG, IAS IF SPIASHED |
| I. ABORT | YES | NO | " " GIVE REASON |
| J. DIVERT | YES | NO | " " GIVE AUTHORITY AND REASON |

DEBRIEFER: R DTG 02/5553

REMARKS: -div by BILK to VANDERG RIPT to 109
- R from NOT GTS NOT A

TIME CHECKED IN WITH DASC 1425 WITH CONTROLLER 1430

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 2 CONTROLLER Cap Carroll A SQUAD 311

MSN# 410 CALL SIGN HB TYPE MSN TPQ/MS FLT CODE 1S2 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 07 | Overturf | | | | |
| | 18 Hammack | 1200-1310 | | 4.8 | 1235 |
| | 01 Lillie | | | | 1240 |
| | 22 ARGABright | | | | |

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION
XD958867 NVN Truck Park
1703 10651

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT
18.5 220 19.5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/OUT COORDS
3 Regt Div None

ATTACK INFORMATION TYPE CONTROLLER: AS RT
RELEASE ANGLE: SP
TOTAL PASSES: 1
A/C INTERVAL:
AIR SPEED: 290

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10. called in 1500

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

24D2 | AU

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF | YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " |
| C. A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " | " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " | " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " | " | GIVE SOURCE |
| G. DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GIVE REASON |
| J. DIVERT | YES | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: R DTG 02 1415

REMARKS: -dv to TPQ
- WX

TIME CHECKED IN WITH DASC WITH CONTROLLER 1230

DECLASSIFIED

DECLASSIFIED

6

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 02 CONTROLLER Smithy C SQUAD 311

MSN# 518 CALL SIGN HR TYPE MSN CAP FLT CODE 15 A/C DYE

MODEX CREW T/O LAND FLT TIME TOT

WL 24 Kish 1408-1620 4.4 1534-43

02 Rickey

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TGT TIME TERRAIN
TGT WX

5000 5H Hills

TGT COORDS COMPASS/CORRESPONDENCE TGT DESCRIPTION

XD979698 DMZ Arps & Bunkers.
01

ENROUTE ALT CONFIN/OUT ALT EXT ALT REL ALT MIN ALT RETURN ALT

16.5 2.5 1.8 17.5

OTHER SUPPORTERS CREW SUPPORTED TGT ACQ CONFIN/OUT COORDS

2/26

ATTACK INFORMATION TYPE CONTROLLER RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED

TACA 30 4 30 450

A6A CREW DELIVERY MODE/SYSTEMS UTILIZATION

OTHER CREW DETECTION

NUMBER COORDS

BDA INFORMATION 1. 2. 3. 4.

5. 6. 7. 8. 9.

IO.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE | [illegible] | L/

CREW/CONTROLLER

Foo / withers Somers.

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HOT

16014 | All

405 | 205

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN

LOCATION | REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | NOTATE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. T/A-R/T | YES | NO | " " | ORDER BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: [illegible] DTG 021750

REMARKS:

TIME CHECKED IN WITH DASC 1412 WITH CONTROLLER 1527

1529

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 02 CONTROLLER Hostage I W SQUAD 311

MSN# 206 CALL SIGN HB TYPE MSN DAS FLT CODE 15 A/C AFE

MODEX CREW T/O LAND FLT TIME TOT

WL 02 SCHNELL 0800-0905 2.2 0830

26 DONOVAN 0840

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 0 | | 10m | | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| XD673380 | RUN ① | BRIDGES |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | .5 | .2 | | 14.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 3rd MAR DIV | SCOTLAND #1 | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 10 | 4 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

OCT 0 2 1968

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP |
|---|---|---|---|---|
| 95 | | 1 BRIDGE HEAVILY DAM | | |
| 95 | | 15 MotorRDS | | |

| ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # | COLOR | HGT |
|---|---|---|---|---|
| 8 Mk 84 | ALL | | | |
| 409 | | | | |

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED

FUZE TIME ARM DELAY FUZE DELAY DETECTED BY

| WARNING INDICATION | | | IF | YES | ACTION TAKEN |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | " | " | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " |
| C. A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " | " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " | " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " | " | GIVE SOURCE |
| G. DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GIVE REASON |
| J. DIVERT | YES | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: 95 DTG 0940

REMARKS:

TIME CHECKED IN WITH DASC 0815 WITH CONTROLLER 0825

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 02 CONTROLLER Barky 15 SQUAD 311

MSN# 227 CALL SIGN HB TYPE MSN CAS FLT CODE 15 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WC 18 | CARR | 1720 | 1843 | 2.8 | 1810-1817 |
| | 22 Hampton | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | 0/10 | | | Hilly |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD 080692 | RVN (DMZ) | Bunker |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 18.5 | | | 3.0 | 2.0 | 9.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 3 RAD | LANCASTER | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 6 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

100/90
15 Bu Dest
1 Gun Pod Damaged

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12 D2 | All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

FUZE ARM DELAY FUZE DELAY
TIME DETECTED BY

ECM ENCOUNTERED

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-E/M | YES | NO | " " | CHECK BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: K DTG 02/1930

REMARKS: dn from Vandergrift
- No TACA

TIME CHECKED IN WITH DASC 1740 WITH CONTROLLER 1800

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 02 CONTROLLER HARVEY 13 SQUAD 311

MSN# 207 CALL SIGN HB TYPE MSN CAS FLT CODE 15 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 14 | CARR | ~~0720~~ | | 2.8 | 0910 |
| 4 | ERENFELD | 0825 | 0945 | | 0923 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 0 | LNL | | | HILLY |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD 015 698 | ~~RVN~~ DMZ | BUNKER |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | | 3.0 | 1.5 | 13.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| 3RS MARDIV | LANCASTER II | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 6 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

RDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____ OCT 0 2 1968

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP |
|---|---|---|---|---|
| 1 of 100 | 6 BUNKERS<br>2 CACHES | | | |

ORDNANCE CARRIED: 12 Dry EXPENDED: ALL SEC EXPLOSIONS # COLOR HGT

ORD JETT DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED FUZE TIME ARM DELAY FUZE DELAY DETECTED BY

| WARNING INDICATION | | | ACTION TAKEN | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. T/H-R/S | YES | NO | " " | OPSCP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK AUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DS DTG 1040

REMARKS:

TIME CHECKED IN WITH DASC 0855 WITH CONTROLLER 0902

DECLASSIFIED

DECLASSIFIED

8

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 02 CONTROLLER Hostage X SQUAD 311

MSN# 991 CALL SIGN HB TYPE MSN CAS FLT CODE 132 A/C AYE

MODEX CREW T/O IAND FLT TIME TOT

WL 1 OVER TURF 0735-0835 2.0 0815

22 SOUDERS 0823

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 7.0 | 6/8 | | | FLAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| AT805561 | RUN (3) | VC HILL |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 4.5 | | | 3.0 | 1.5 | 5.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/REF PRG# | COAST IN/OUT COORDS |
|---|---|---|---|
| 1ST MAR DIV | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 8 | 3 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

OCT 02 1968

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP |
|---|---|---|---|---|
| 100 | | 3 Structures Dest | | |
| 100 | | 40 Meters of trench | | |

| ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # | COLOR | HGT |
|---|---|---|---|---|
| 407 | 307 | | | |
| 802 | ALL | | | |

ORD JETT /

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED

FUZE TIME ARM DELAY FUZE DELAY DETECTED BY

| WARNING INDICATION | | | | | ACTION TAKEN |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF | YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " |
| C. A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. T/H-B/T | YES | NO | " | " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " | " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " | " | GIVE SOURCE |
| G. DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GIVE REASON |
| J. DIVERT | YES | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: JS DTG 0500

REMARKS: - DANANG
- NO TGTS

TIME CHECKED IN WITH DASC 0740 WITH CONTROLLER 0805

4 BRIDGES ON RT 14

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 02 CONTROLLER HOSTAGE GULF SQUAD 311

MSN# 212 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 24 | KORMAN | 1355-1453 | | 1.8 | 1435-1440 |
| 1.9 | ERONFIELD | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | | | FLAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| AT 968568 | 30 A 5H RUN (3) | FORT VILLE |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| ~~15~~ 16.5 | | | 1.2 | .9 | 3.5 |

| UNIT SUPPORTED | OPER SUPPORTED | RTE#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| 1ST DIV | DODGE CITY | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 10 | 6 | 40 | 400 |

AGA ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

3 Strike Dest

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12D24 | All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

| WARNING INDICATION | | | | | ACTION TAKEN |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF | YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " |
| C. A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " | " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " | " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " | " | GIVE SOURCE |
| G. DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GIVE REASON |
| J. DIVERT | YES | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: R DTG 021549

REMARKS:

TIME CHECKED IN WITH DASC 1400 WITH CONTROLLER 1430

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 02 CONTROLIER Hostage-6 SQUAD 311

MSN# 216 CALL SIGN Kite TYPE MSN CAS FLT CODE A2 A/C DYE
MODEX CREW T/O LAND FLT TIME TOT

W118 ME-109 15K-16004 1534-41
22 DONOVAN

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | SCT | 10 | FLAT | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| AT 975569 | RVN (3) | Enemy Pos. |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 4.5 | | 2.0 | 1.0 | 1.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| Hodge 1st MARDIV. | Hodge City | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| DCA | 20° | 4 | 30sec | 450 |

A/G ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

90/0 | 2 Shuntdest,

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12024 | ALL

ORD JETT | DUD BOMBS 4

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION Tgt. REASON Unk.

FUZE 0.4 ARM DELAY .45 FUZE DELAY Inst.

ECM ENCOUNTERED | TIME | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " " AIRBURST " |
| C. | A/C HIT | YES | NO | " " " FIRE INCIDENT REPORT |
| D. | T/H-S/T | YES | NO | " " CHECK BY S-3 |
| E. | RECON INTERCEPT/EXTRACT | YES | NO | " " SMACKS, BAR SUCCESS, OTHER |
| F. | BDA REQUIRED | YES | NO | " " GIVE SOURCE |
| G. | DUDS | YES | NO | " " FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " GIVE REASON |
| J. | DIVERT | YES | NO | " " GIVE AUTHORITY AND REASON |

DEBRIEFER: [illegible] DTG 021752Z

REMARKS:

TIME CHECKED IN WITH DASC 1530 WITH CONTROLLER 1534

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 02 CONTROLLER MILKY SQUAD 311

MSN# 531 CALL SIGN HR TYPE MSN DA FLT CODE R A/C DUE

MODEX CREW T/O LAND FLT TIME TOT

WL 01 Hq H 1430-1542 2.4 15.05

11 Johnson

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN

TGT WX

400 tops 6 - Unl FLAT

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

YD198127 QUNG3 Not Given

ENROUTE ALT COAST IN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT

14.5 / 18.5 — 19.5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COAST IN/OUT COORDS

3rd MARDIV

ATTACK INFORMATION TYPE CONTROLLER RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED

SkySpot SP 1 — 290

A6A ONLY/ DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

4 D29 / w | Alt

ORD JETT | D'D BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE ARM DELAY TIME | FUZE DELAY DETECTED BY

| WARNING INDICATION | | | ACTION TAKEN | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. T/H-S/T | YES | NO | " " | CHECK BY S-2 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, EAR &SUCCESS, OTHER |
| F. BDA REQUIRED | YES | NO | " " | GIVE DETAILS |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE RNG, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: M DTG 021754

REMARKS: diverted from Rash to milky fix

TIME CHECKED IN WITH DASC 1445 WITH CONTROLLER 1450

DECLASSIFIED

DECLASSIFIED

6

MAG-12 DEBRIEFING FORMS

DATE OF FRAG [illegible] CONTROLLER [illegible] SQUAD 311

MSN# 293 CALL SIGN _____ TYPE MSN CAS FLT CODE _____ A/C _____

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| 404 | Gatling | | | 1.1 | 1535-15 |
| | Holland | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| 30 | 10 | [illegible] | [illegible] | [illegible] | [illegible] |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| AT [illegible] | I [illegible] 3 | Bunkers |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 4500 | | 4500 | 2000 | 1000 | 4500 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1 MarDiv | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TAC | 20 | 4 | 3 | 420 |

A6 ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

Bunkers

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

2 DC / 109 | A /

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-S/E | YES | NO | " " | CHECK BY S-2 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REQUIRED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG

REMARKS:

TIME CHECKED IN WITH DASC 1535 WITH CONTROLLER 1540

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 03 CONTROLLER Hostian T SQUAD 311

MSN# 530 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C HHE

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL-23 | SCHNELL | 1608 | 212 | 1651 | |
| 228 | VICTON | 1715 | | 1657 | |

| TGT INFORMATION / TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| 8500 | | 10 | | | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| AT 993 604 | 03 | FORTIFICATION |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 12.5 | | 3.0 | | | 6.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1ST MAR DIV | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 20/30 | 4 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

80/90 HVT Dest
1 11 2 AM
5 MEENS TREE + TREAD

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

1202 All
1 R0 D20 100D20

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE ARM DELAY TIME | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: N DTG

REMARKS:

TIME CHECKED IN WITH DASC 1615 WITH CONTROLLER 1630

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 03 CONTROLIER Hostage L SQUAD 311

MSN# 205 CALL SIGN HB TYPE MSN DAS FLT CODE 152 A/E

MODEX CREW T/O IAND FLT TIME TOT

WL 11 SCHNELL 0837-0923 $\frac{1}{2}$6 0904
22 PYCIOR 0912

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 6 | 0 | Unl | | FLAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| AT989558 | RVN (3) | BUNK |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 6.5 | | 3.5 | 2.5 | | 7.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| 1st MARDIV | | | |

| ATTACK INFORMATION TYPE CONTROLIER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACP | 30 | 6 | 30 | 450 |

A/C ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

IO. _____

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP |
|---|---|---|---|---|
| 90 / 400 | | 1 BUNK OGS | | |

| ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # | COLOR | HGT |
|---|---|---|---|---|
| 12024 | A/C | | | |

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED

FUZE ARM DELAY FUZE DELAY
TIME DETECTED BY

| WARNING INDICATION | | | IF YES | ACTION TAKEN |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, FAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK GUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: SS DTG 1035

REMARKS:

TIME CHECKED IN WITH DASC 0845 WITH CONTROLLER 0850

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 03 CONTROLLER Camp Carroll SQUAD 311

MSN# 410 CALL SIGN MAN TYPE MSN DAS FLT CODE FS2 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 01 S/T 25 | | | | | |
| 18 | Holland | 1205 | 1323 | 2.6 | 1253 |
| 02 | McCrew | | | 5.6 | |
| 11 | Donovan | 1205 | 1335 | 3.0 | 1303 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | LO to H | | | | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ~~XD118825~~ YD118825 | NVN | Arty |

1701 10659

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | ~~23~~ 23.0 | | | 19.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 3 Rgt 1 Bn | None | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| ASRT | SP | 2 | | 290 |

AGM ONLY DELIVERY MODE/SYSTEMS UTILIZATION

Called in 1605

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12D24

12D24(BC)

All

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

FUZE TIME ARM DELAY FUZE DELAY DETECTED BY

ECM ENCOUNTERED

| WARNING INDICATION | | | IF | YES | ACTION TAKEN |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF | YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " |
| C. A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " | " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " | " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " | " | GIVE SOURCE |
| G. DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GIVE REASON |
| J. DIVERT | YES | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: R DTG 031437

REMARKS: dw OFF TH by Hillsboro
- No Reason

TIME CHECKED IN WITH DASC WITH CONTROLLER 1240

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 03 CONTROLLER Hostage X.Ray SQUAD 311

MSN# 218 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C Aces

| MODEX | CREW | LAND | FLT TIME | TOT |
|---|---|---|---|---|
| WL07 | Holland | 1504-1604 | 2.0 | 1545-1550 |
| 20 | Barger | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | 6006 | | | FLAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| AT854553 | RVN (3) | Enemy Posn |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 8.5 | | 2.0 | 1.0 | | 3.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1st D.V | Lone | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 20 | 6 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

9/25

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12P2 | A4

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG 031703

REMARKS:

TIME CHECKED IN WITH DASC 1515 WITH CONTROLLER 1520

DECLASSIFIED

DECLASSIFIED

8

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 03 CONTROLIER Hos-Ag-c X-Ray SQUAD 311

MSN# 291 CALL SIGN HB TYPE MSN UR/CAS FLT CODE 152 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 02 | Lewis | 1520 | 1630 | 2.4 | 1605- |
| 12 | BRANSON | | | | 1615 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | 6005 | | | FLAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| AT 854553 | Laos (3) | Troop in Area |
| AT 856555 | " | " |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 8.5 | | 3.0 | 1.5 | 7.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1st Div | None | | |

| ATTACK INFORMATION TYPE CONTROLIER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 6 | 30 | 450 |

A/G ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

80/90

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

| ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # | COLOR | HGT |
|---|---|---|---|---|
| 802 M | 7024 | (#1) | | 702 |
| 405 | 205 | (#2) | | 205 |

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

| WARNING INDICATION | | | IF YES | ACTION TAKEN |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: 1ST SA DTG 031700

REMARKS:

TIME CHECKED IN WITH DASC 1600 WITH CONTROLLER 1605

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 03 CONTROLLER CCA 142 SQUAD 311

MSN# 207 CALL SIGN HB TYPE MSN DAS/RP FLT CODE 152 A/C AYE
MODEX CREW T/O IAND FLT TIME TOT

WL12 JOHNSON 0855-1075 3.0 0945
14 TRUMPFHELLER

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 20 | | 10m | | FLAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD117876 | NVN | TROOP POS |
| 1703 10659 | | |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | | 225 | | 01.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/STE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 3rd MAR DIV | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | L | 1 | — | 290 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

Called in

OTHER ANTI DETECTION

NUMBER: COORDS 1545

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12D24(DC) Alt

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE ARM DELAY TIME | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/I | YES | NO | " " | CREEP BY 6-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA PERFORMED | YES | NO | " " | GIVE SCORE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: BS DTG 1052

REMARKS: — VG
— NO TGTS

TIME CHECKED IN WITH DASC 0915 WITH CONTROLLER 0935

HI

DECLASSIFIED

DECLASSIFIED

8

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 03 CONTROLIER Catkiller 39 SQUAD 31

MSN# 217 CALL SIGN HB TYPE MSN TH FLT CODE S2 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| 00 | Trumpfheller | 1330 | 1445 | 2.8 | 1407-1419 |
| 24 | GUSTAFSON | | | | |

| TGT INFORMATION / TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | | | FLAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD112822 | NVN | 1-Truck |
| 1701/0659 | | 3-Arty Pcs |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | 5.0 | 3.0 | 17.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 24th Corps | None | | |

| ATTACK INFORMATION TYPE CONTROLIER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 2 | 60 | 450 |

AGM ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

OCT 03 1980

NUMBER: COORDS called in

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP |
|---|---|---|---|---|
| 50 w/50m | | | | |

| ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # | COLOR | HGT |
|---|---|---|---|---|
| 12 D2 | 11 D2 | | | |

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED

FUZE ARM DELAY TIME FUZE DELAY DETECTED BY

| WARNING INDICATION | | | IF | YES | ACTION TAKEN |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | " | " | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " |
| C. A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " | " | OPREP BY SAS |
| E. RECON INSERT/EXTRACT | YES | NO | " | " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " | " | GIVE SOURCE |
| G. DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GIVE REASON |
| J. DIVERT | (YES) | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: R DTG 031605

REMARKS: - dn by J.R. From (77)
- UNK

TIME CHECKED IN WITH DASC ~~1404~~ 1355 WITH CONTROLLER 1404

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 03 CONTROLLER Cat Killa 39 SQUAD 311

MSN# 516 CALL SIGN HB TYPE MSN DAS FLT CODE 152 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WC 14 | Lillie | 1302 | 1425 | 24 | 1350- |
| 22 | Ellenfeld | | | | 1355 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | | | FLAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD112 822 | DUN | 2 - Army Acs |
| 1701 10659 | | 1 - Truck |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | | 5.0 | 3.0 | 21.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 3RD BN | None | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 2 | 45 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

Called in 1545

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

IO. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

16D1Y 405 | 16D1Y

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED

FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

| WARNING INDICATION | | | | ACTION TAKEN |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK GUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

R

DEBRIEFER: DTG 031514

REMARKS:

TIME CHECKED IN WITH DASC 1330 WITH CONTROLLER 1335

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 03 CONTROLLER Barky 12 SQUAD 311

MSN# 227 CALL SIGN HB TYPE MSN CAS FLT CODE 52 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WC 26 | Lillie | 1730 | 1846 | 2.6 | 1804 - 1811 |
| 04 | Sanders | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | | | FLAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD169210 | ~~KOR~~ RVN ~~USA~~ | Bunker |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 18.5 | | 3.0 | 1.8 | 17.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| USA | Kentucky | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 6 | @ 30 | 450 |

A/A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

100/40
8 Bunkers

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

120 2 | All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE ARM DELAY FUZE DELAY TIME DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. T/H-S/E | YES | NO | " " | OTHER BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SIGHTING, BAR SUCCESS, OTHER |
| F. BDA REQUIRED | YES | NO | " " | GIVE DETAILS |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE A/C, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG 031914

REMARKS:

TIME CHECKED IN WITH DASC 1755 WITH CONTROLLER 1756

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 03 CONTROLIER BICK 21 SQUAD 31

MSN# 538 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C AVE

MODEX CREW T/O LAND FLT TIME TOT

WL20 MARTIN 1045-1145 2.0 1115-
23 JOHNSON 1124

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | 2004 | | | Hilly |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD586126 | RVN (2) | LZP |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 12.5 | | 2.5 | 2.0 | | 11.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 101ST AB. | NEVADA EAGLE | | |

| ATTACK INFORMATION TYPE CONTROLIER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 3 | 40 | 450 |

A6 ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OCT 03 968

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

100/100

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12D24 | All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF | YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " |
| C. A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " | " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " | " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " | " | GIVE SOURCE |
| G. DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | " | GIVE ALT, HDG, IAS IF SPIASHED |
| I. ABORT | YES | NO | " | " | GIVE REASON |
| J. DIVERT | YES | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: R DTG 03 1211

REMARKS:

TIME CHECKED IN WITH DASC 1100 WITH CONTROLLER 1105

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 03 CONTROLIER Self SQUAD 34

MSN# 550 CALL SIGN 46 TYPE MSN UR/FAM FLT CODE 152 A/C A4E

MODEX CREW T/O LAND FLT TIME TOT

WL 00 Sites 1617-1740 3.2

24 Smith 1617-1805

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

8005

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

ENROUTE ALT COASTIN/OUT ALT ENT ALT RDZ ALT MIN ALT RETURN ALT

10,5 11.5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/OUT COORDS

ATTACK INFORMATION TYPE CONTROLIER RELEASE ANGIE TOTAL PASSES A/C INTERVAL AIR SPEED

AG ONLY DELIVERY MODE/SYSTEMS UTILIZATION

296/60 100

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

FOV D20 | None

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

FUZE TIME | ARM DELAY | FUZE DELAY

ECM ENCOUNTERED | DETECTED BY

10 DASP

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: R DTG 03/837

REMARKS:

TIME CHECKED IN WITH DASC WITH CONTROLLER

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 03 CONTROLLER Self Y SQUAD 31

MSN# 531 CALL SIGN HB TYPE MSN VR/FAM FLT CODE 152 A/C A4E

MODEX CREW T/O LAND FLT TIME TOT

WLC07 Kish 1160-1225 2.6

26 Bickelson

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

80 Ø 5

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT

~~12.5~~ 11.5

14.5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/OUT COORDS

ATTACK INFORMATION TYPE CONTROLLER RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED

A6 ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OCT 03 1968

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HNT

D20 None Dropped

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION | REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, BAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

R

DEBRIEFER: | DTG 03/1308

REMARKS:

TIME CHECKED IN WITH DASC | WITH CONTROLLER

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 03 CONTROLIER CAT CALLER 46 SQUAD 311

MSN# 231 CALL SIGN NB TYPE MSN DAS FLT CODE 3S A/C AGE

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WC 12 | LENT | 1820 | 1938 | 2.6 | |
| 11 | HAMMACK | | | | 1850-1900 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | 10 | 10 | STH |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| 9024803 | NVN | SAM SITE |
| 1761 10707 | | |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | 30 | 10 | 15.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 3RD MAW | JCS | | |

| ATTACK INFORMATION TYPE CONTROLIER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 2 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

2 - SHAMANS - DEST

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12024 | 411

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE ARM DELAY TIME | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PROGRAM FOR INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " |
| C. A/C KILL | YES | NO | " " | " FOR INCIDENT REPORT |
| D. T/[illegible] | YES | NO | " " | CHECK BY [illegible] |
| E. BROKE CONTACT/EXTRACT | YES | NO | " " | SUCCESS, NO SUCCESS, OTHER |
| F. BDA REQUIRED | YES | NO | " " | [illegible] |
| G. DUDS | YES | NO | " " | FOR ALL ABOVE |
| H. HARD RUN | YES | NO | " " | [illegible], IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG 03 2010

REMARKS:

TIME CHECKED IN WITH DASC 1840 WITH CONTROLLER 1845

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 03 CONTROLLER Barky 12 SQUAD 311

MSN# 229 CALL SIGN HB TYPE MSN DAS FLT CODE 152 A/C A4C

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 07 | SANDLIN | 1805 | 1926 | 2.8 | 1835-1839 |
| 02 | BARGER | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | | | FLAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD 135750 | 3002 RVN | Bunkers + |
| | 00 (DMZ) | Caves |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | 1.8 | 1.2 | | 15.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| USA | None | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 3 | 30 | 400/480 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

102/50
1 Cave Sealed

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12D2X AY

ORD JETT | DUD BOMBS

DUDS RECOVERABLE - YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE ARM DELAY TIME | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IP | YES | PREPARE AIR INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " | " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " | " | " AIR INCIDENT REPORT |
| D. | T/A-A/E | YES | NO | " | " | OTHER BY R/T |
| E. | ENGGN DEFECT/EXTRACT | YES | NO | " | " | SUCCESS, NO SUCCESS, OTHER |
| F. | BDA REQUIRED | YES | NO | " | " | GIVE DETAILS |
| G. | DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. | HAVE RUN | YES | NO | " | " | GIVE TIME, RDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " | " | GIVE REASON |
| J. | DIVERT | YES | NO | " | " | GIVE AUTHORITY AND REASON |

R

DEBRIEFER: DTG 032008

REMARKS:

TIME CHECKED IN WITH DASC 1820 WITH CONTROLLER 1823

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 03 CONTROLLER FINGERPRINT SQUAD 311

MSN# 526 CALL SIGN HB TYPE MSN DAS FLT CODE 152 A/C 744

MODEX CREW T/O IAND FLT TIME TOT

WLIF HAMPTON 0745-0845 2.0 0808

83 DONOVON

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 7.0 | 0 | 7 | | Hilly |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| XD 790 382 | RUN (1) | LEP |

| ENROUTE ALT | COAST IN/OUT ALT | ENE ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | | 3.0 | 1.5 | 15.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| SCOTLAND II | | SIERRA PK | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 6 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

HDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

OCT 03 1968

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

102
SV

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12 Mk 82 | 11

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE ARM DELAY TIME | FUZE DELAY DETECTED BY

| WARNING INDICATION | | | ACTION TAKEN | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " AIRBURST " |
| C. A/C HIT | YES | NO | " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " | OTHER BY [illegible] |
| E. RECON INSERT/EXTRACT | YES | NO | " | SUCCESS, FAR SUCCESS, OTHER |
| F. BDA REQUIRED | YES | NO | " | GIVE DETAILS |
| G. DUDS | YES | NO | " | EXPLAIN ABOVE |
| H. HAWK RUN | YES | NO | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | GIVE REASON |
| J. DIVERT | YES | NO | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: BS DTG 0920

REMARKS:

TIME CHECKED IN WITH DASC 0800 WITH CONTROLLER 0805

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG _____ CONTROLIER Hanstad-J SQUAD 311

MSN# 529 CALL SIGN HB TYPE MSN CAS FLT CODE 153 A/C ALC

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| -11 | SANDLIN | | | 1350 2+6 | 1650 |
| 14 | ANDERSON | | | 1+06 | 55 |

| TGT INFORMATION / TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| 7.00 | | | | | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| AT 995604 | 91 | FORT VII |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 12.5 | | | 3.0 | 1500 | 5.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1st MAR DIV | | | |

| ATTACK INFORMATION TYPE CONTROLIER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 6 | 30 | 450 |

A6 ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP |
|---|---|---|---|---|
| | 100/100 | | | |
| | 2FH OPEN | | | |
| | 50m TREE + TRENCH | | | |

| ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # | COLOR | HGT |
|---|---|---|---|---|
| 1 R2024 | ALL | | | |

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED

FUZE ARM DELAY TIME FUZE DELAY DETECTED BY

| WARNING INDICATION | | | ACTION TAKEN |
|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " AIRBURST " |
| C. A/C HIT | YES | NO | " " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " " OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " SUCCESS, FAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " GIVE SOURCE |
| G. DUDS | YES | NO | " " FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " GIVE REASON |
| J. DIVERT | YES | NO | " " GIVE AUTHORITY AND REASON |

DEBRIEFER: N DTG 031735

REMARKS:

TIME CHECKED IN WITH DASC 1600 WITH CONTROLLER 1602

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 03 CONTROLLER HOSTAGE YANKEE SQUAD 311

MSN# 210 CALL SIGN HB TYPE MSN DAS FLT CODE 52 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 23 | Me 109 | 1355 | 1520 | 2.8 | ~~1540~~ |
| 04 | Dickey | | | | ~~1540~~ |
| | | | | | 1450-1500 |

| TGT INFORMATION / TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | 700-0 7+ | | | FLAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| BT 010583 | LAM (3) | BRIDGE |

| ENROUTE ALT | CO/STIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 14.5 | | 2.0 | 1.0 | 7.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1st Div | None | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 20/30 | 8 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

90/90

1 Bridge Dam

2 Bunkers Uncovered

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12D2 | All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

FUZE ARM DELAY FUZE DELAY
ECM ENCOUNTERED | TIME | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK GUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: R DTG 031610

REMARKS:

TIME CHECKED IN WITH DASC 1405 WITH CONTROLLER 1410

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 03 CONTROLLER KIM CHI 8 SQUAD 311

MSN# 506 CALL SIGN HB TYPE MSN CAS FLT CODE B2AGE

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 1 | MERRITT | 0810-0910 | | 2.0 | 0845 |
| 19 | JONES | | | | 0857 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 6000 | 0 | 10m | | FLAT |

| TGT COORDS | COUNTRY/CODES/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| BT077593 | ROK (S) | ASSEMBLY AREA |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 18.5 | | 2.0 | 1.0 | 5.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| ROK MAR | DIV | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA 20 | | 8 | 30 | 450 |

AG ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

OCT 03 1990

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP |
|---|---|---|---|---|
| 100 | 1/3 | BUNKER | DAM | |
| 100 | 2 | Structures | DES | |
| | 1 | BUNK | DES | |

| ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # | COLOR | HGT |
|---|---|---|---|---|
| 1601 | 12 | | | |
| 40S | 3 | | | |

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED

FUZE ARM DELAY FUZE DELAY
TIME DETECTED BY

| WARNING INDICATION | | | | ACTION TAKEN |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, FAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: JS DTG 1000

REMARKS:

TIME CHECKED IN WITH DASC 0840 WITH CONTROLLER 0841

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 03 CONTROLLER Blackhawk 12 SQUAD 311

MSN# 208 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C AYE

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WO3 | Hiett | 1330 | 1440 | 2.4 | 1410 - 1422 |
| 26 | HAmpton | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | 7 | | FLAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| BT 001542 | RVN (3) | Fort Ville |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 6.5 | | 3.0 | 1.5 | | 5.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| ARVN | — | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 6 | 30 | 450 |

AGA ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

2 Strue Dest
3 " Dam
40 M Trench

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12024 (DC) All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION | REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | (YES) | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | (NO) | " " | " AIRBURST " |
| C. | A/C HIT | YES | (NO) | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/S | YES | (NO) | " " | CPCP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | (NO) | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | (YES) | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | (NO) | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | (NO) | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | (NO) | " " | GIVE REASON |
| J. | DIVERT | (YES) | NO | " " | GIVE AUTHORITY AND REASON |

R

DEBRIEFER: _____ DTG 031626

REMARKS: Dn by (2) from Conta

TIME CHECKED IN WITH DASC 1435? WITH CONTROLLER 1405

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 03 CONTROLIER HEL / X 13 SQUAD 31

MSN# 209 CALL SIGN HB TYPE MSN DAS FLT CODE S2 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 00 | DeAsy | 1040 | 1145 | 2.2 | 1115 |
| 24 | ArgABright | | | | 1120 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | | | Hilly |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| AT 885186 | RVN (4) | IR READING |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 8.5 | | 3.0 | 1.5 | | 5.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| American | None | | |

| ATTACK INFORMATION TYPE CONTROLIER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 2 | 30 | 450 |

A6 ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

100/100

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

120 2 | All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

FUZE TIME | ARM DELAY | FUZE DELAY

ECM ENCOUNTERED | DETECTED BY

| WARNING INDICATION | | | ACTION TAKEN |
|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " " AIRBURST " |
| C. A/C HIT | YES | NO | " " " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " " OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " GIVE SOURCE |
| G. DUDS | YES | NO | " " FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " GIVE REASON |
| J. DIVERT | YES | NO | " " GIVE AUTHORITY AND REASON |

R

DEBRIEFER: DTG 031208

REMARKS:

TIME CHECKED IN WITH DASC 1050 WITH CONTROLLER 1055

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 03 CONTROLLER HOST T-J SQUAD 311

MSN# 521 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C 44E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL-19 | KISH | 1540 | 314 | 1654 | |
| 01 | JOHNSON | 1720 | | 1704 | |

| TGT INFORMATION / TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 8 Ø | 10 | | | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| AT 995 604 | 91 | FORTY VILL |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | 15 | 13 | | 7.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1st MAW 2i/w | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 10 | 4 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

80/80

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

16 M 1 A | ALL
4 109

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

FUZE ARM DELAY FUZE DELAY
ECM ENCOUNTERED TIME DETECTED BY

| WARNING INDICATION | | | IF YES | ACTION TAKEN |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, FAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: N DTG 03

REMARKS:

TIME CHECKED IN WITH DASC 1612 WITH CONTROLLER 1748

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 08 CONTROLLER Hostage G/L SQUAD 307

MSN# 204 CALL SIGN HB TYPE MSN DAS FLT CODE 152 A/C AYE
MODEX CREW T/O LAND FLT TIME TOT

WL 3 OVERTURF 0900-0950 1.6 0919 0927 0934 0937
4 DICKEY

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 5.5 | | 7+ | | FLAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| AT980535 | RVN (3) | BUNKERS |
| AT986577 | | TREELINE |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 6.5 | | | 1.05 | 6 | 5.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| 1st MARDIV | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 8 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

0 90/90 | 0 2 BUNKERS

90/100

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

16DJA 4/DS | ALL

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, FAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DS DTG 1040

REMARKS:

TIME CHECKED IN WITH DASC 0915 WITH CONTROLLER 0919/0934

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORM

DATE OF FRAG 03 CONTROLLER Finger Print 44 SQUAD 311

MSN# 292 CALL SIGN HB TYPE MSN CAS FLT CODE ISR A/C AHC

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 2 | MARTIN | 1150 | 1315 | 2.8 | 1240-1250 |
| 04 | HAMILTON | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | | | H. Hy |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| XD849648 | 60 04 RVN (1) | LZ P |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 8.5 | | 4.0 | 3.5 | | 17.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 3 Recd D.V | ~~Southwest~~ LANCASTER II | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 20 | 4 | 40 | 450 |

A6 ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

100/100

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

8D24 405 | All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

FUZE TIME | ARM DELAY | FUZE DELAY INSERTED BY

ECM ENCOUNTERED

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IP | YES | REQUIRED MISSION INCIDENT REPORT |
| B. AIRCOAST | YES | NO | " | " | AIRCOAST " |
| C. A/C [illegible] | YES | NO | " | " | [illegible] MISSION INCIDENT REPORT |
| D. [illegible] | YES | NO | " | " | OTHER BY-S[illegible] |
| E. [illegible] EXTRACT | YES | NO | " | " | S[illegible] ACCESS, OTHER |
| F. BDA [illegible] | YES | NO | " | " | [illegible] |
| G. DUDS | YES | NO | " | " | [illegible] |
| H. [illegible] | YES | NO | " | " | [illegible] AS IF SPLASHED |
| I. [illegible] | YES | NO | " | " | [illegible] |
| J. DIVERT | YES | NO | " | " | CREW AUTHORITY AND REASON |

R

DEBRIEFER: DIG 04/1431

REMARKS: -dn from (2) to WANDER BRIEF B4 (2)
-N o TACA

TIME CHECKED IN WITH DASC 1230 WITH CONTROLLER 1240

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 04 CONTROLLER Cat Keller 18 SQUAD 311

MSN#: 225 CALL SIGN HB TYPE MSN TH FLT CODE 52 A/C A4E

MODEX CREW T/O IAND FLT TIME TOT

WL 62 Overturf 1658-1758 2.0 1730
23 Argabright

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX FLAT

05
TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION
YD 208836 ~~FH~~ NVN Fort Ville
1701 10705

ENROUTE ALT COAST IN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT
18.5 8.0 6.0 17.5

UNIT SUPPORTED OTHER SUPPORTED TGT#/RTE PKG# COAST IN/OUT COORDS
Provincial None
Corps

ATTACK INFORMATION TYPE CONTROLLER RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED
TACA 45 2 30 450

AGA ONLY DELIVERY MODE/SYSTEMS UTILIZATION
called

OTHER ANTI DETECTION
li

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

100/100

3 Struc Dest

1 Cultivated Field Dest

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12024 | All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN

LOCATION REASON

ECM ENCOUNTERED | FUZE ARM DELAY TIME | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/A-R/T | YES | NO | " " | OPSEP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SPLASH, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: K DTG 041828

REMARKS:

TIME CHECKED IN WITH DASC 1725 WITH CONTROLLER 1727

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 04 CONTROLLER Cat Keller 19 SQUAD 311

MSN# 227 CALL SIGN HB TYPE MSN DAS FLT CODE S2 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 14 | LATHROP | 1710-1820 | | 2.4 | 1745 |
| 26 | HOLLAND | | | | 1751 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | | | FLAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD 245 785 | RVN #1 (DMZ) | Bunker # Complex |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | 3.0 | 1.2 | | 14.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 3rd Div | None | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 6 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

OCT 04 1968

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLIER | RIH | IP

100/00
4 Bu Dead | 1 AAA Site Dest
50 m Trench | 1 Sec Explos

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS TE # 1 COLOR Wh HGT 20'

12 D2 | All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION | REASON

FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

ECM ENCOUNTERED

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | (YES) | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | (NO) | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | (YES) | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: R | DTG 04 1912

REMARKS:

TIME CHECKED IN WITH DASC 1730 WITH CONTROLLER 1745

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 04 CONTROLLER CAMP CARROL SQUAD 311

MSN# 564 CALL SIGN NB TYPE MSN DAS FLT CODE 52 A/C A4E
MODEX CREW T/O IAND FLT TIME TOT

WC 01 HOLLAND 1900-2005 1.1 1925-35

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

1300
TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

XD995706 QL DMZ BRIDGE

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT

22.5 21.0 21.5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/OUT COORDS

3RD MAR DIV

ATTACK INFORMATION TYPE CONTROLLER RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED

1000 1 420

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

6D84 | All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE ARM DELAY TIME | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF | YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " |
| C. A/C LTD | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. T/H-A/T | YES | NO | " | " | CHECK BY S-2 |
| E. RECON LOST/ABSTRACT | YES | NO | " | " | SHELOG, MAR SUCCESS, OTHER |
| F. BDA REQUIRED | YES | NO | " | " | CHECK SHEET |
| G. DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. HAVE GUN | YES | NO | " | " | CHECK SHEET, TAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | CHECK REASON |
| J. DIVERT | YES | NO | " | " | CHECK AUTHORITY AND REASON |

DEBRIEFER: DTG 042035

REMARKS:

TIME CHECKED IN WITH DASC WITH CONTROLLER

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 04 CONTROLLER FINGERPRINT 37 SQUAD 311

MSN# 202 CALL SIGN HB TYPE MSN DAS FLT CODE 152 A/C A-42

MODEX CREW T/O LAND FLT TIME TOT

WL3 LEWIS 0700-0815 2.6 0734

4 BRANSON 42

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

5-0 CL 5m

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

XD806 445 RSVN BUNKERS

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT

16.5 2.0 1.0 17.5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/OUT COORDS

SCOTLAND 14 3rd MAR DIV

ATTACK INFORMATION RELEASE TOTAL A/C INTERVAL AIR SPEED
TYPE CONTROLLER ANGLE PASSES

TACA 10 6 30 480

A6 ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4. 0

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP |
|---|---|---|---|---|
| 90 | 5 | BUNK DES | | |
| 90 | 9 | SEC EXP | | |

| ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # | COLOR | HGT |
|---|---|---|---|---|
| 12D2W | ALL | | | |
| | | SEC exp white | | |

ORD JETT DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED FUZE ARM DELAY TIME FUZE DELAY DIRECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | NF | YES | PILOTS [illegible] INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " " " " |
| C. A/C HIT | YES | NO | " | " | " " FLAK INCIDENT REPORT |
| D. T/[illegible] | YES | NO | " | " | OTHER [illegible] |
| E. RADIO CONTACT/INTERACT | YES | NO | " | " | SUPPRESSION AND SUCCESS, OTHER |
| F. BDA REQUIRED | YES | NO | " | " | GUN SUPPORT |
| G. DUDS | YES | NO | " | " | FIRE ON ARRIVE |
| H. HANG FIRE | YES | NO | " | " | GUN [illegible] TIME, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GUN [illegible] |
| J. DIVERT | YES | NO | " | " | CIVIL AUTHORITY AND REASON |

DEBRIEFER: RS DTG 040902

REMARKS:

TIME CHECKED IN WITH DASC 0725 WITH CONTROLLER 0730

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 04 CONTROLLER Hostage 41 SQUAD 311

MSN# 527 CALL SIGN HB TYPE MSN FLT CODE 182 A/C AYE

MODEX CREW T/O LAND FLT TIME TOT

WL 01 SCHWECL 0855–1010 2.5 0920-40

14 PYCIAR

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | 3.5 @ 4-5 | in HAZE | MTS |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| XD890400 | RVN (1) | FORT POS |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | -5 | -3 | | 19.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| BC MAR-DIV | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACP | 10 | 8 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

OCT 04 1968

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP |
|---|---|---|---|---|
| 95 | | 2 BUNKR DGS | | |
| 95 | | 2 Eighty Hole Pos | | |

| ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # | COLOR | HGT |
|---|---|---|---|---|
| 12D2A | ALL | | | |
| 1D20 | | | | |

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED

FUZE ARM DELAY FUZE DELAY
TIME DETECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " " | OTHER BY S-2 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, EAR SUCCESS, OTHER |
| F. BDA REQUIRED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: JS DTG 1035

REMARKS:

TIME CHECKED IN WITH DASC 0910 WITH CONTROLLER 0918

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 04 CONTROLLER Hostay W SQUAD 311

MSN# 526 CALL SIGN HD TYPE MSN BAS FLT CODE 152 A/C A4E

| MODEX | CREW | T/O | IAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 18 | SITES | 0849 | 1004 | 2.6 | 0920 |
| | SMITH | | | | 0930 |

| TGT INFORMATION / TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 4.0 @ 5m | | | | MTS |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| XD890400 | RVN ① | BUNKERS AREA PREP |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | 1.2 | 1.2 | | 17.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 3rd MAR DIV | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 10 | 6 | 30 | 400 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

80

80

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

120 2U 11

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE ARM DELAY FUZE DELAY | FUZE CONTACTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | | |
|---|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | " | YES | RELEASE FOR INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " | " | " AIRBURST " |
| C. | A/C COLL | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. | T/[illegible] | YES | NO | " | " | OTHER BY [illegible] |
| E. | ENGR INTERFERENCE/ECM ACT | YES | NO | " | " | SUCCESS, NO SUCCESS, OTHER |
| F. | BDA REQUIRED | YES | NO | " | " | OTHER ACTION |
| G. | DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. | PARK RAN | YES | NO | " | " | OTHER [illegible], WAS IF SPLASHED |
| I. | AIRBURST | YES | NO | " | " | OTHER ACTION |
| J. | DIVERT | YES | NO | " | " | OTHER AUTHORITY AND REASON |

DEBRIEFER: SS DTG 04 1050

REMARKS:

TIME CHECKED IN WITH DASC 0908 WITH CONTROLLER 0915

DECLASSIFIED

DECLASSIFIED

6

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 04 CONTROLLER CC A52 SQUAD 311

MSN# 405 CALL SIGN HB TYPE MSN TH/TPQ FLT CODE 152 A/C HAYE

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 07 | KISH | 0701 - 0846 | | 5.5 | 0740 |
| | 12 BARGER | | | | 0745 |
| | 00, 23 HAMPTON, JOHNSON | | | | 55 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | | | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| 8.D ⊕ | 107 | FLAT |
| XD99981169 | TH(NVN) | STORAGE AREA |
| 1101 10152 | | |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 18.5 | | 20.2 | | 17.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| TEAM | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| ASRT | L | 4 | 5 min | 290 |

AGA ONLY DELIVERY MODE/SYSTEMS UTILIZATION

Called in 1320 OCT 07 1969

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

2702 Y/W(DC) ALL

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE ARM DELAY TIME | FUZE DELAY DIRECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF | YES | PREPARE ZONE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " |
| C. A/C MID | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. T/[illegible] | YES | NO | " | " | CHECK BY S-2 |
| E. RECCE INTERCEPT/ENTRACT | YES | NO | " | " | SIGNAL, MAR SUCCESS, OTHER |
| F. BDA REQUIRED | YES | NO | " | " | GIVE DETAILS |
| G. DUDS | YES | NO | " | " | FUZE OR REMOVE |
| H. HAVE BEEN | YES | NO | " | " | GIVE DAC, HDQ, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GIVE REASON |
| J. DIVERT | YES | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: [illegible] DTG 0915

REMARKS:

TIME CHECKED IN WITH DASC 0740 WITH CONTROLLER

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 4 Apr 68 CONTROLLER BLACKACE 18 SQUAD 34

MSN# 518 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C 94E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 07 | DONOVAN | 1405 | 1530 | 2-8 | 1510-15 |

26 TRUMPFHELLER

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 5000 | | 7 | | Hills |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| AT 801538 | RVN (3) | BUNKERS |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | 2.0 | 1.5 | 7.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| 1ST MAR DIV | None | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 20 | 6 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP |
|---|---|---|---|---|
| BUNKERS | 95/40 | | | |
| 2 BUNKERS | | | | |
| DESTROYED | | | | |

ORDNANCE CARRIED: 16 DIY 4DS
EXPENDED: 4DS / 14 DIY
SEC EXPLOSIONS # COLOR HGT

ORD JETT

DUD BOMBS: 6 DIY
DUDS RECOVERABLE (YES) NO UNKNOWN
LOCATION ON TGT REASON C

FUZE 90 ARM DELAY 4 FUZE DELAY
ECM ENCOUNTERED TIME DETECTED BY

| WARNING INDICATION | | | | | ACTION TAKEN |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | (NO) | IF | YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBORST | YES | NO | " | " | " AIRBORST " |
| C. A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. T/H-A/E | YES | NO | " | " | CHECK BY S-2 |
| E. RECON INSERT/EXTRACT | YES | NO | " | " | SIGNIFICANT SUCCESS, OTHER |
| F. BDA REQUIRED | (YES) | NO | " | " | GIVE REASON |
| G. DUDS | (YES) | NO | " | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GIVE REASON |
| J. DIVERT | YES | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG

REMARKS:

TIME CHECKED IN WITH DASC 1445 WITH CONTROLLER 1450

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 04 CONTROLLER Kim Ch 08 SQUAD 311

MSN# 523 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C Alle

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WC 18 CARR | | 1630 | 1704 | 2.2 | 1715-1720 |
| 11 Lowes | | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | | | FLAT. |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| BT 012 589 | 50057 RVN (3) | Assembly Area |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 14.5 | | 1.0 | .5. | | 8.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| RokMC | Dragon Victory | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 20 | 5 | 60 | 480 |

A/C ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP | T/O

100/100
3 Sqr Hut / 1 Sar Pen Dmg
1 Bn Dmg / 1 Bn Dam

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

16 DIA
4 M 9

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | ALERT " |
| C. A/C HIT | YES | NO | " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " | QPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " | GIVE SOURCE |
| G. DUDS | YES | NO | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | GIVE REASON |
| J. DIVERT | YES | NO | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG 041831

REMARKS:

TIME CHECKED IN WITH DASC 1710 WITH CONTROLLER 1705

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 4 CONTROLLER Carlton 18 SQUAD 32

MSN# 221 CALL SIGN HB TYPE MSN [illegible] FLT CODE 152A/C [illegible]
NO. A/C CLSN T/O L/D FLT TIME TOT

CL 11 [illegible] 1631 1737 1707

CF 6 Lowzini 2.0

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 0 | 8/10 | | | Level |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD 212 833 | NVN ~~Laos~~ | Artillery |
| 17Ø1 107Ø1 | | |

| ENROUTE ALT | COASTIN/CUT ALT | EGT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | 15.0 | 8.0 | 5.0 | 35 MSL | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE | PKG# | COASTIN/OUT COORDS |
|---|---|---|---|---|
| 3rd MAW | — | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 45 | 2 | 45 | 420 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

called in

2145

OTHER ANTI DETECTION

NUMBER: _____ COORDS: _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____

9. _____ 10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLER | RIH | IP

521

100/52

50m Trench

3 51.v Pos 1 Pos AA site

ORDNANCE CARRIED | EXPENDED | SECONDARY EXPLOSIONS # COLOR HGT

12D2Y all

CRD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKOWN
LOCATION REASON

ECM ENCOUNTERED

FUZE TIME ARM DELAY FUZE DELAY DETECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. T/T L/T | YES | NO | " " | OPREP BY S-3 |
| E. REASON INSERT/EXTRACT | YES | NO | IF YES | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. ABORT RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: MATETIER DTG

REMARKS:

TIME CHECKED IN WITH DASC 1650 WITH CONTROLLER 1655

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 04 CONTROLLER HOSTAGE ECHO SQUAD 31

MSN# 212 CALL SIGN HB TYPE MSN CAS FLT CODE 15 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 14 | LT L.G | 1500-1555 | | 1.6 | 1517-1527 |
| 23 | Dickey | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | | | FLAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| AT 986 554 | RVN (3) | Ville |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 14.5 | | 3.0 | 1.5 | 9.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| 1st DIV | [redacted] | | |

DODGE CITY

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 6 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION [redacted]

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

95/95
1 Struc Dest
2 " Dam

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12D2 | All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

FUZE ARM DELAY FUZE DELAY
TIME DETECTED BY

ECM ENCOUNTERED

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE ZAP INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " " " |
| C. | A/C HIT | YES | NO | " " | " " FIRE INCIDENT REPORT |
| D. | T/H-S/T | YES | NO | " " | CHECK BY S-2 |
| E. | BEACON INSERT/EXTRACT | YES | NO | " " | SUCCESS, CAR SUCCESS, OTHER |
| F. | BDA REQUIRED | YES | NO | " " | GIVE REASON |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAVE RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: R DTG 041658

REMARKS:

TIME CHECKED IN WITH DASC 1515 WITH CONTROLLER 1516

DECLASSIFIED

DECLASSIFIED

6

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 04 CONTROLLER BLACK ACE 18 SQUAD 311

MSN# 219 CALL SIGN HB TYPE MSN CAS FLT CODE B2 A/C H4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WC24 | LATHROP | 1440 | 1530 | 1.6 | 1450-1455 |
| 02 | JOHNSON | | | | |

| TGT INFORMATION — CEIL/TOPS / TGT WX | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|
| | | | | Hilly |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| AT803536 | RVN (3) | Bunkers |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 10.5 | | | 2.0 | 1.0 | 9.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1ST DIV | None | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 20 | 6 | 30 | 450 |

A6 ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED [redacted] EDA SOURCE CREW/CONTROLLER RIH IP

85/80

ORDNANCE CARRIED 12024 EXPENDED All SEC EXPLOSIONS # COLOR HGT

ORD JETT DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

FUZE TIME ARM DELAY FUZE DELAY

ECM ENCOUNTERED DETECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PILOTS FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/A | YES | NO | " " | CHECK BY S-2 |
| E. | RECON INTERCEPT/EXTRACT | YES | NO | " " | SUCCESS, EAR SUCCESS, OTHER |
| F. | BDA REQUIRED | YES | NO | " " | GIVE DETAILS |
| G. | DUDS | YES | NO | " " | FILL OUT ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE RAD, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

R

DEBRIEFER: DTG 04 1610

REMARKS:

TIME CHECKED IN WITH DASC 1442 WITH CONTROLLER 1444

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 04 CONTROLLER COWPOK 15 SQUAD 311

MSN# 201 CALL SIGN HB TYPE MSN CAP FLT CODE 152 A/C AYE

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 01 | SCHNEW | 0648 | 0735 | 1.5 | 07.03 11 |
| 19 ~~PYCHOK~~ | PYCIOK | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 8-5 @ | 7m | | | HILLY |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| AT876678 | RVN (B) | AREA PREP |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 8.5 | | | 3.0 7.5 | | 7-5 |

| UNIT SUPPORTED | OPER SUPPORTED - TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|
| 1st MARDIV | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| FACA | 30 | 8 | 30 | 450 |

A/G ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

IO. _____

OCT 04 1968

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

90
40

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

1202Y | A-6
D20

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE ARM DELAY TIME | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | CHECK BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, BAR SUCCESS, OTHER |
| F. | BDA REQUIRED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: JS DTG 041030

REMARKS:

TIME CHECKED IN WITH DASC 0855 WITH CONTROLLER 0700

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 04 CONTROLLER Barley 17 SQUAD 311

MSN# 510 CALL SIGN HB TYPE MSN CAS FLT CODE 52 A/C AYE

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 06 | Overturf | 1015 | ~~1143~~ | 3.0 | 1105- |
| 11 | Jones | | 1143 | | 1115 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | 4010 | | | Hilly |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD 846 635 | RUN (1) | Troops in Open |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 18.5 | | 3.0 | 1.5 | ~~10.5~~ 19.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/REF PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| USA | LANCASTER | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 5 | 60 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

IO. _____

OCT 04 1968

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW / CONTROLLER | RIH | IP

100/100

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

16 D.Y | 12 D.Y
4 DS | 4 DS

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/A [illegible] | YES | NO | " " | CHECK BY S-2 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, NAR SUCCESS, OTHER |
| F. | BDA REQUIRED | YES | NO | " " | GIVE SCORE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: R DTG 04223

REMARKS:

TIME CHECKED IN WITH DASC 1040 WITH CONTROLLER 1050

DECLASSIFIED

DECLASSIFIED

8

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 04 CONTROLLER Kim CH1 8 SQUAD 31

MSN# 291 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C ACE
MODEX CREW T/O LAND FLT TIME TOT

WL 02 LILLIE 0745-0855 2.4 0827
24 HAMMOCK 37

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 10.0 | Ø | 7m | | LEVEL |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| BT080628 | RVN (S) | BUNKERS |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 8.5 | | 3.0 | 1.8 | 5.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| ROKMAR | DRAGON VICTORY | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 6 | 30 | 450 |

A6 ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____ OCT 04

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP |
|---|---|---|---|---|
| 100 1 BUNKER | | | | |
| 100 1 STRUCTURE | | | | |

| ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # | COLOR | HGT |
|---|---|---|---|---|
| 802Y 405 | ALL | | | |

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED

FUZE ARM DELAY TIME

FUZE DELAY DETECTED BY

WARNING INDICATION

ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. T/H-S.A.M. | YES | NO | " " | CHECK BY S-2 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SIGHTING, BAR SUCCESS, OTHER |
| F. BDA REQUIRED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: RS DTG 0930

REMARKS:

TIME CHECKED IN WITH DASC 0750 WITH CONTROLLER 0820

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 04 CONTROLLER Black Ace 18 SQUAD 311

MSN# 217 CALL SIGN HB TYPE MSN CAS FLT CODE [illegible] A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 19 Hiett | | 1335 | 1443 | 1.6 | 1400 |
| 22 Target | | | | | 1408 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 50 | 1 | 5+ | | H.H.4 |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| AT 803539 | RVN (3) | Bunkers |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 8.5 | | 3.0 | 2.0 | | 7.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| 1st Div | None | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 8 | 30 | 450 |

AGA ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

80/90
2 Bu Dest

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12D2Y | All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

ECM ENCOUNTERED

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IP | YES | PREPARE ZAP INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " " " " |
| C. A/C HIT | YES | NO | " | " | " " FILE INCIDENT REPORT |
| D. TARGET | YES | NO | " | " | OTHER BY S/L |
| E. BEGIN INGRESS/EGRESS | YES | NO | " | " | SMOKE, GAS, SUCCESS, OTHER |
| F. BDA REQUIRED | (YES) | | " | " | GEOG SPECIFIC |
| G. DUDS | YES | NO | " | " | FUZE OR ARMING |
| H. HANG BOMB | YES | NO | " | " | GET ALT, HDG, WAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GEOG REGION |
| J. DIVERT | YES | NO | " | " | GEOG AUTHORITY AND REASON |

R

DEBRIEFER: DTG 04/600

REMARKS:

TIME CHECKED IN WITH DASC 1350 WITH CONTROLLER 1353

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 04 CONTROLLER BARKY 12 SQUAD 311

MSN# 221 CALL SIGN HB TYPE MSN CAS FLT CODE FS2 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WC 00 Kish | | 1315-1437 | | 28 | 1351-1400 |
| 23 Dickerson | | | | | |

| TGT INFORMATION / TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | | | Hilly |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD 026 686 | 3504 RVN | Mortar Pos'n (Active) |

| ENROUTE ALT | COASTIN/OUT ALT | ENE ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | | 1.5 | 1.0 | 12.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RME PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 3RD DN | | | |

| ATTACK INFORMATION TYPE | CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|---|
| TACA | | 10 | 6 | 30 | ~~450~~ 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

100/100
3 Sec Explos

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS
# 3 COLOR — HGT —

12Dzw | All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION | REASON

FUZE TIME | ARM DELAY | FUZE DELAY DIRECTED BY

ECM ENCOUNTERED

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-A/T | YES | NO | " " | CHECK BY S-2, |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | STRIKE, BAR SUCCESS, OTHER |
| F. | BDA RETURNED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAVE RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: R DTG 041524

REMARKS:

TIME CHECKED IN WITH DASC 1336 WITH CONTROLLER 1344

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 04 CONTROLLER Camp Carroll/2 SQUAD 311

MSN# 563 CALL SIGN HB TYPE MSN CAS FLT CODE B2 A/C A6E

MODEX CREW T/O IAND FLT TIME TOT

WL 07 DONOVAN 1830-1935 1.1 1900

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

10000 10

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

XD994703 RVN (DMZ) Bridge
01 + Troops

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT

21.0 21.0 19.5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/OUT COORDS

3rd Dn Mc

ATTACK INFORMATION RELEASE TOTAL A/C INTERVAL AIR SPEED
TYPE CONTROLLER ANGIE PASSES

ASRT SP 1 / 270

A/C ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS OCT 04 1995

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

6024 | 5024

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DIRECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | YES | PILOTS ZONE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " AIRBURST " |
| C. A/C HIT | YES | NO | " | " FIRE INCIDENT REPORT |
| D. TAIL | YES | NO | " | OTHER BY SQ. |
| E. RECON INTERCEPT/RETRACT | YES | NO | " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REQUIRED | YES | NO | " | GCI CONTROL |
| G. DUDS | YES | NO | " | FIRE IN ABOVE |
| H. HAWK RUN | YES | NO | " | GCI CONTROL, ARG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | GCI CONTROL |
| J. DIVERT | YES | NO | " | GCI CONTROL AUTHORITY AND REASON |

DEBRIEFER: DTG 04 2000

REMARKS:

TIME CHECKED IN WITH DASC WITH CONTROLLER 1900

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 04 CONTROLLER HOSTAGE C SQUAD 311

MSN# 214 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C A4E

| MODEX | CREW | TAKE | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 01 | SITES | 1529 | 1620 | .8 | 1345-52 |
| | 19 SMITH | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 6.5 | DZ | 5 | | FLAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| AT 983575 | RVN III | EN STRUCS IN VILLE |

| EMROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 10K & 5TMARD | | | 11.5 | 4.5 | 11.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| 1ST MARDIV | DODGE CITY | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30° | 4 | 30 SEC | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OCT 04 1968

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

90/90

2 STRUC DEST

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # | COLOR | HGT

12D2X | ALL

20D20

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
IDCATION REASON

ECM ENCOUNTERED | FUZE ARM DELAY TIME | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H [illegible] | YES | NO | " " | OVERFLY BY S-2, |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SIGHTED, BAR SUCCESS, OTHER |
| F. | BDA REQUIRED | YES | NO | " " | GIVE REASON |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAVE RUN | YES | NO | " " | GIVE DIR, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: J DTG 04

REMARKS:

TIME CHECKED IN WITH DASC 1538 WITH CONTROLLER 1545

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 4 CONTROLLER HOSTAGE R SQUAD 311

MSN# 559 CALL SIGN HB TYPE MSN DAS FLT CODE 152 A/C AWE

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 22 | HAMPTON | 1553 | 1702 | 2.2 | 1625-35 |
| 00 | ERENFIELD | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 9.0 0 | | 7+ | | HILLY |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| XD857342 | RUNI | BUNKERS |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | 3.0 | 1.5 | | 17.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 3RD MAR DIV | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30° | 6 | 30SEC | 450 |

A/G ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

90/80

4 Bu DEST

1 SEC EPXL

ORDNANCE CARRIED: 12D2 | EXPENDED: ALL | SEC EXPLOSIONS: #1 COLOR - HGT -

ORD JETT | DUD BOMBS

DUDS RECOVERABLE: YES NO UNKNOWN
LOCATION | REASON

FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

ECM ENCOUNTERED

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | YES | PILOTS | INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " |
| C. A/C HIT | YES | NO | " | " | FIRE INCIDENT REPORT |
| D. TARGET | YES | NO | " | " | OTHER BY SQ |
| E. BROKE INTERCEPT/EXTRACT | YES | NO | " | " | SUSPICION, AIR ACCESS, OTHER |
| F. BDA REQUIRED | YES | NO | " | " | GUN CAMERA |
| G. DUDS | YES | NO | " | " | FILM OR ABOVE |
| H. FAKE RUN | YES | NO | " | " | GUN FAIL, HUNG, AS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GUN MALFUNCTION |
| J. DIVERT | YES | NO | " | " | CHECK AUTHORITY AND REASON |

DEBRIEFER: J DEBD 04

REMARKS:

TIME CHECKED IN WITH DASC 1605 WITH CONTROLLER 1620

Div by VANGRIF DASC GEAR DOWN

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 04 CONTROLLER HOSTAGE L SQUAD 311

MSN# 506 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C AYE

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 14 | CARR | 0810 | 1020 | 4.4 | 0955 |
| 26 | DICKEY | | | | 58 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 9.0 | Ø | 7+ | | MTS |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| EC 168838 | RUN (R) | CH-46 |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | 2.0 | 1.5 | | 7.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1ST MARDIV | MAMELUKE THRUST | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 3 | — | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

[redacted] 043

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | TP |
|---|---|---|---|---|
| 90 | | 1 CH-46 BADLY DAM | | |
| 95 | | LEFT BURNING | | |

| ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # | COLOR | HGT |
|---|---|---|---|---|
| 16 DIA | 8 DIA | | | |
| 40 S | 20 S | | | |
| ORD JETT | DUD BOMBS | | | |

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED

FUZE ARM DELAY FUZE DELAY
TIME DIRECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | YES | REFER TO INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " | " " " |
| C. | A/C HIT | YES | NO | " | REFER TO INCIDENT REPORT |
| D. | TARGET | YES | NO | " | CLEARED BY S-3 |
| E. | RECEIVED CONTRACT | YES | NO | " | SUCCESS, OTHER |
| F. | BDA REQUIRED | | NO | " | GIVEN BY S-3 |
| G. | DUDS | YES | NO | " | FUZE DELAY |
| H. | HAVE GUN | YES | NO | " | GUN RUN, REPT, WAS IF SPLASHED |
| I. | ABORT | YES | NO | " | GIVEN BY S-3 |
| J. | DIVERT | YES | NO | " | GIVEN AUTHORITY AND REASON |

DEBRIEFER: 8S DTG: 1135

REMARKS:

TIME CHECKED IN WITH DASC 0930 WITH CONTROLLER 0935

-2 HAD NO RADIO

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 04 CONTROLLER FINGERPRINT 37 SQUAD 371

MSN# 203 CALL SIGN HOG TYPE MSN CAS FLT CODE ISC A/C 446

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 11 | OVERTURF | ~~0730-0855~~ | | 2.8 | 0822 |
| 22 | ERENFELD | 0630 - 0755 | | | 0708 |
| | | | | | 0722 |

| TGT INFORMATION / TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | | | MNTS |
| 4.0 @ 10m in HAZE | | | | | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| XD803443 | RUN (3) | BUNKERS |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | .5 | | .3 | | 19.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| SCOTLAND | II | 3rd MAR | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 10 | 6 | 30 | 450 |

A6 ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | EDA | EDA SOURCE CREW/CONTROLLER | RIH | IP

100
100 6 BUNKERS DG

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

6D2A
209 A 4

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE ARM DELAY TIME | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | YES | | INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " |
| C. A/C HIT | YES | NO | " | " | FIRE INCIDENT REPORT |
| D. T/A | YES | NO | " | " | CHAFF BY SELF |
| E. RADIO CONTACT/CONTACT | YES | NO | " | " | SUPPORT, MAY SUCCESS, OTHER |
| F. EDA OBSERVED | YES | NO | " | " | CHAFF SALVO |
| G. DUDS | YES | NO | " | " | FIRE AS ABOVE |
| H. HANG FIRE | YES | NO | " | " | CHAFF AREA, HERE, WAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | CHAFF REASON |
| J. DIVERT | YES | NO | " | " | CHAFF AUTHORITY AND REASON |

DEBRIEFER: JV DTG 0910

REMARKS:

TIME CHECKED IN WITH DASC 0800 WITH CONTROLLER 0805

0700 0705

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 04 CONTROLLER FP 37 SQUAD ~~12~~ 311

MSN# 557 CALL SIGN HB TYPE MSN DAS FLT CODE S2 A/C AQE

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL12 | MARTIN | 1505 | 1620 | 0.5 | 1505-52 |

04 DERICKSON

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 6.0 | OVC | 6 | | HILLY |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| XD 792 384 | | BUNKERS |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 45 | | | 2.5 | 1.8 | 135 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| | SCOTLAND NANKING | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30° | 6 | 30 sec | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OCT 04 1968

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

80/80

ORDNANCE CARRIED 12D3W | EXPENDED 4CC | SEC EXPLOSIONS # / COLOR / HGT

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE ARM DELAY TIME | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. T/H-S/L | YES | NO | " " | OTHER BY S-2 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUPPORT, AAR SUCCESS, OTHER |
| F. BDA REQUIRED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAVE RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: J DTG 041730

REMARKS:

TIME CHECKED IN WITH DASC 1520 WITH CONTROLLER 1525

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 05 CONTROLLER HOSTAGE P. SQUAD 311

MSN# 201 CALL SIGN HB TYPE MSN CAS FLT CODE S2 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 26 | LILLIE | 0645 | 0735 | 1.7 | 0714-20 |
| | DO ARGABRIGHT | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 0 | UNL | | | Hilly |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| EC198542 | RUN (3) | FORT VILLE |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 10.5 | | | 3.0 | 1.5 | 5.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1st MAR DIV | MAM THRUST | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 6 | 30 | 450 |

A6 ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OCT 05 1990

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

95 — 2 structures DES
90 — 25 meters of trench DES.

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12D24 | 11

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY SELECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IP | YES | PREPARE AIR INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " " " " |
| C. A/C HIT | YES | NO | " | " | " FILE INCIDENT REPORT |
| D. T/M-A-T | YES | NO | " | " | CHECK BY S-2 |
| E. RECOV ENCRYPT/EXTRACT | YES | NO | " | " | SEEK BDA SUCCESS, OTHER |
| F. BDA REQUIRED | YES | NO | " | " | CHECK WITH |
| G. DUDS | YES | NO | " | " | FILE AIR NOTE |
| H. HAVE RUN | YES | NO | " | " | CHECK ALT, MSN, BAS IF SPLASHED |
| I. AROUND | YES | NO | " | " | CLEA CLEARED |
| J. DIVERT | YES | NO | " | " | CLEA AUTHORITY AND REASON |

DEBRIEFER: JJ DTG: 0805

REMARKS:

TIME CHECKED IN WITH DASC 0655 WITH CONTROLLER 0707

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 05 CONTROLLER HOSTAGE I.P SQUAD 311

MSN# 202 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C AYE

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 7 | OVERTURF | 0735 | 0820 | 1.4 | 0757 - 0803 |
| 12 | HAMMOCK | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 10.0 Ø | | 10m | | MOUNT. |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| AT201567 | RUN (3) | SUSP ENEMY POS |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 14.5 | | | 1.0 | .5 | 8.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RME PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1st MARDIV | MAM. THRUST | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 20 | 7 | 30 | 450 |

AA ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

OCT 05 19[illegible]

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP |
|---|---|---|---|---|
| 100/90 | | | | |

| ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # | COLOR | HGT |
|---|---|---|---|---|
| 409 | ALL | | | |
| 802A | 6 | | | |

ORD JETT

DUD BOMBS 2 D2A

DUDS RECOVERABLE YES NO UNKNOWN

LOCATION REASON

ECM ENCOUNTERED

FUZE ARM DELAY TIME FUZE DELAY DETECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE ATTACHED INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " ACCIDENT " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. T/[illegible] | YES | NO | " " | CHECK BY S-2 |
| E. RECOVERED/EXTRACT | YES | NO | " " | SECURING, CAR ACCESS, OTHER |
| F. BDA REQUIRED | YES | NO | " " | GIVE CLOSE |
| G. DUDS | YES | NO | " " | FILE AS ABOVE |
| H. HANG FIRE | YES | NO | " " | GIVE CLOSE, ETC, AS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: SJ DTG 0900

REMARKS:

TIME CHECKED IN WITH DASC 0745 WITH CONTROLLER 0750

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 05 CONTROLIER FINGERPRINT 28 SQUAD 311

MSN# 207 CALL SIGN HB TYPE MSN OAS FLT CODE 152 A/C DEE

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 1 | HIETT | 0905 | 1008 | 2.2 | 0935-40 |
| | 3 CARR | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 4.0 CH | | 10+ | | Hilly |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| XD 812 362 | RVN (I) | BUNKER |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 14.5 | | 2.0 | 1.0 | 11.5 | |

| UNIT SUPPORTED | OTHER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| SCOTLAND II | 3rd MAR DIV | | |

| ATTACK INFORMATION TYPE CONTROLIER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 6 | 30 | 450 |

A/G ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP |
|---|---|---|---|---|
| 90 | | | | |
| 90 | | | | |

| ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # | COLOR | HGT |
|---|---|---|---|---|
| 12 D2W | ALL | | | |

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED

FUSE TIME ARM DELAY FUZE DELAY DIRECTED BY

WARNING INDICATION ACTION TAKEN

| | | | IF YES | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | " " | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. TRACER | YES | NO | " " | CHECK FOR SAM |
| E. RECON [illegible] CONTRACT | YES | NO | " " | SIGNAL AND SUCCESS, OTHER |
| F. BDA [illegible] | YES | NO | " " | GUN SPEED |
| G. DUDS | YES | NO | " " | FIRE [illegible] ALONE |
| H. HANG FIRE | YES | NO | " " | GUN [illegible], HANG, HAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GUN MALFUNCTION |
| J. DIVERT | YES | NO | " " | CHECK AUTHORITY AND REASON |

DEBRIEFER: RS DTG 051110

REMARKS:

TIME CHECKED IN WITH DASC 0930 WITH CONTROLLER 0932

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 05 CONTROLLER FINGERPRINT 38 SQUAD 311

MSN# 212 CALL SIGN HB TYPE MSN DAS FLT CODE S2 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| 1WL 26 | KISH 92 BARBER | 0922 | 1035 | 2.6 | 1000 -07 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 8.0 Ø | | 7m | | Hilly |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| XD843343 | RVN (1) | BUNKERS |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | 2.5 | 1.5 | | 15.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| ~~1/11~~ | SCOTLAND II | NAN KING | 3rd MARDIV |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 2 | 30 | 450 |

AG ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

~~100~~ / ~~100~~ 2 BUNKERS DES
1 SEC explosion

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12D2W ALL

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE ARM DELAY TIME | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT | |
| B. AIRBURST | YES | NO | " | " | AIRBURST " |
| C. A/C HIT | YES | NO | " | " | FIRE INCIDENT REPORT |
| D. T/A [illegible] | YES | NO | " | " | CHECK BY S-2 |
| E. RECCE INTERCEPT/ATTRACT | YES | NO | " | " | SUBMIT BDA, SUCCESS, OTHER |
| F. BDA [illegible] | YES | NO | " | " | CHECK S-2 |
| G. DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. HANG FIRE | YES | NO | " | " | CHECK ACFT DOWN, AS IF SPLASHED |
| I. ABORT | YES | NO | " | " | CHECK MISSION |
| J. DIVERT | YES | NO | " | " | CHECK AUTHORITY AND REASON |

DEBRIEFER: JN DTG 1115

REMARKS:

TIME CHECKED IN WITH DASC 0942 WITH CONTROLLER 0947

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORM

DATE OF FRAG 05 CONTROLLER Fingerprint 49 SQUAD 31

MSN# 203 CALL SIGN HD TYPE MSN CAS FLT CODE 152 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WC141 ent | | 0935 | 1105 | 3.0 | 1005-1030 |
| 18 Donovan | | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | 6/10+ | | | Hilly |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| XD 762382 | RVN | LZ |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | | 2.5 | 1.0 | 19.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| 1st MAR | Scotland | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 2 | 30 | 480 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____ ID _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

100/100

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

805 | 705

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " " | OPREP BY SEA |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REQUIRED | YES | NO | " " | GIVE SCHEME |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

R

DEBRIEFER: DTG 051206

REMARKS:

TIME CHECKED IN WITH DASC 1000 WITH CONTROLLER 1085

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 05 CONTROLIER FINGER PRINT 37 SQUAD 311

MSN# 210 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WC 02 Cille | 11 Johnson | 0915 | 1032 | 2.6 | 0950-0955 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | 100 @ 10 | | | H.T.L. |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| XD 777 379 | RUND | AZP |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 20.5 | | 3.0 | 1.5 | 17.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 3rd D.V | Scotland E | | |
| | NAN KING | | |

| ATTACK INFORMATION TYPE CONTROLIER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| FACA | 30 | 2 | 30 | 450 |

AGM ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

100/100

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12D2 | All

ORD JETT | DMT BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE ARM DELAY TIME | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE AFSC FORM 127 INCIDENT REPORT |
| B. AIRCRAFT | YES | NO | " " | " AIRCRAFT " |
| C. A/C EVN | YES | NO | " " | " FLAK INCIDENT REPORT |
| D. TRACKED | YES | NO | " " | OTHER BY SAC |
| E. RADAR CONTACT/EXTRACT | YES | NO | " " | SAC MSG, MAP, SUCCESS, OTHER |
| F. BDA REQUIRED | YES | NO | " " | GIVE REASON |
| G. DUDS | YES | NO | " " | FUZE OR BOMB |
| H. HANG FIRE | YES | NO | " " | GIVE ACTUAL TIME, WAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

R

DEBRIEFER: DTG 051322

REMARKS:

TIME CHECKED IN WITH DASC 0940 WITH CONTROLLER 0942

DECLASSIFIED

DECLASSIFIED

6

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 5 Oct CONTROLLER RINGNECK 500 SQUAD 311

MSN# 405 CALL SIGN MAN TYPE MSN TRUCK HG FLT CODE 152 A/C A4C

| MODEX | CREW | TAD | IAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 19 | CARR | 0700 | 0800 | 4.0 | 0730-32 |
| 11 | HOLLAND | | | | |
| 14 | SCHNELL | | | | |
| 18 | ERDNFELD | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| 100Φ | | 10 | — | | FLAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD028826 | NVN | TRUCK + TROOPS |
| 1701 10654 | | |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 18.5 | | 4500 | 3000 | | 15.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 7th AF | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 45° | 4 | 30SEC | 450 |

AGA ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

TRUCK + TROOPS | 1 TRUCK DEST | TACA

4 PROB KBA

300 METERS DEST

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12 DAY | ALL

12 DAY W/DC

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY SELECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | " | YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " |
| C. A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. T/A [illegible] | YES | NO | " | " | CHECK DE [illegible] |
| E. BECAME ISOLATED/EXTRACT | YES | NO | " | " | SUCCESS, SAM SUCCESS, OTHER |
| F. BDA REQUIRED | YES | NO | " | " | CHECK SAMPLE |
| G. DUDS | YES | NO | " | " | FILE AS ABOVE |
| H. HAVE BOMB | YES | NO | " | " | CHECK FUZE, ARM, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | CHECK ORDNANCE |
| J. DIVERT | YES | NO | " | " | CHECK AUTHORITY AND REASON |

DEBRIEFER: SS DTG 0845

REMARKS:

TIME CHECKED IN WITH DASC 0720 WITH CONTROLLER 0725

.50 CAL 37mm INT

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 05 CONTROLLER HELIX 04 SQUAD 311

MSN# 209 CALL SIGN HB TYPE MSN DAS FLT CODE 152 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 00 | DEASY | 0950 | 1040 | 1.6 | 1010-18 |
| 19 | DICKEY | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | | | MTS |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| BS 499671 | CAVOK RUN (5) | VC BASE CAMP |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 10.5 | | | 4.0 | 3.0 | 9.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| AMERICAL | NONE | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 6 | 30 | 450 |

A6 ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

100/60

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12D2Y | ALL

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE ARM DELAY TIME | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PROGRAM YOUR INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | AIRBURST " |
| C. A/C DAM | YES | NO | " | FIRE INCIDENT REPORT |
| D. T/[illegible] | YES | NO | " | OTHER BY [illegible] |
| E. RECCE INTERCEPT/CONTACT | YES | NO | " | SUSPECT, MAY SUCCESS, OTHER |
| F. BDA [illegible] | YES | NO | " | GIVE [illegible] |
| G. DUDS | YES | NO | " | FIRE [illegible] ABOVE |
| H. HAVE [illegible] | YES | NO | " | GIVE [illegible], IAS IF SPLASHED |
| I. ABORT | YES | NO | " | GIVE REASON |
| J. DIVERT | YES | NO | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: SS DTG 1120

REMARKS:

TIME CHECKED IN WITH DASC 0955 WITH CONTROLLER 1003

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 30 SEP 68 CONTROLLER BILK 11 SQUAD 311

MSN# 504 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C 44E

| MODEX | CREW | T/O | IAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 20 | SITES | 0729 | 0851 | 2.8 | 0804-0817 |
| WL 23 | SMITH | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| 80 A | 9000 | - | UNRESTRICTED | MTNOUS | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC013892 | I RUN (3) | KNOWN EN LOCATION BUNKERS |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | — | 8000' | 3000' | 1200' | 11.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 104th AB | NEVADA EAGLE | [redacted] | — |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| FAC(A) | 30° | 10 | 30 sec | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

OCT 05 19[illegible]

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP |
|---|---|---|---|---|
| UNKN EN | 100/100 | TAC(A) | 150° | — |
| LOCATION | | | | |
| BUNKERS | | | | |

ORDNANCE CARRIED: 1D5/16DIY  EXPENDED: ALL  SEC EXPLOSIONS: # ~~COLOR~~ ~~HGT~~

ORD JETT

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION _____ REASON _____

ECM ENCOUNTERED

FUZE TIME _____ ARM DELAY _____ FUZE DELAY DETECTED BY

| WARNING INDICATION | | | ACTION TAKEN |
|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " " AIRBURST " |
| C. A/C HIT | YES | NO | " " " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " " OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " GIVE SOURCE |
| G. DUDS | YES | NO | " " FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " GIVE REASON |
| J. DIVERT | YES | NO | " " GIVE AUTHORITY AND REASON |

DEBRIEFER: [redacted] DTG 050922H Sep 68

REMARKS: [redacted] had received heavy fire from [redacted] area last nite.

TIME CHECKED IN WITH DASC [redacted] WITH CONTROLLER 0753H

→ NA

19 4/26

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 05 CONTROLLER BUCK - 15 SQUAD 311

MSN# 521 CALL SIGN AR TYPE MSN CAS FLT CODE 152 A/C A4E
MODEX CREW T/O LAND FLT TIME TOT

WC 02. Hammock 1510-1712 2.8 642-47
14 Trumphfeller

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 1000 | | 10+ | Ft. Hill | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD844034 | RVN (2) | Enemy Pos |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 14.5 | | 1.0 | .5 | 11.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 101st A.B. | Nevada Eagle | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| FACA | 20 | 6 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

OCT 05

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

100/100

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

16 DIB | 15 DIB

4 DG | AN

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE ARM DELAY TIME | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " " | CHECK BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, EAR SUCCESS, OTHER |
| F. BDA REQUIRED | YES | NO | " " | GIVE SCHED |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG 051740

REMARKS:

TIME CHECKED IN WITH DASC 1635 WITH CONTROLLER 1640

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 05 CONTROLLER SQUAD 311

MSN# 523 CALL SIGN HAWG TYPE MSN CAP FLT CODE 152 A/C A4E

MODEX CREW T/O LAND FLT TIME TOT

WC00 LATHROP 1415-1800 3.1

22 SOUDER

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

Drop

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT

18.5 10 18.5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/OUT COORDS

ATTACK INFORMATION RELEASE TOTAL A/C INTERVAL AIR SPEED
TYPE CONTROLLER ANGLE PASSES

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

160/409 | None

ORD JETT | DUD BOMBS | None

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION | REASON

FUZE | ARM DELAY | FUZE DELAY
ECM ENCOUNTERED | TIME | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " " | CREEP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, BAR SUCCESS, OTHER |
| F. BDA REQUIRED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

R

DEBRIEFER: | DTG 05/1828

REMARKS: Access Panel came open

TIME CHECKED IN WITH DASC | WITH CONTROLLER

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 05 CONTROLLER Host Age Cmt SQUAD 311

MSN# 217 CALL SIGN Hb TYPE MSN CAS FLT CODE S2 A/C AYE

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WLCO LATHROP | | 1345 | 1430 | 1.4 | 1400- |
| 03 Trump/Keller | | | | | 1407 |

| TGT INFORMATION / TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | | | FLAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ~~BT 00 25 28~~ | 1000 10+ RVN (3) | ~~[redacted]~~ |
| BT 007578 | | Sp. Det Holes |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 10.5 | | 3.0 | 2.0 | | 12.0 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| 1st Div | None | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 6 | 30 | 452 |

AGA ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

OCT 05

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

95/95

10 Spider Holes Dest

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12D24 | A-11

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

FUZE ARM DELAY FUZE DELAY
ECM ENCOUNTERED TIME DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OTHER BY S/S |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REQUESTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: R DTG 05/1831

REMARKS:

TIME CHECKED IN WITH DASC 1355 WITH CONTROLLER 1400

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 5 CONTROLLER HOSTAGE E SQUAD 311

MSN# 291 CALL SIGN HB TYPE MSN DAS FLT CODE 152 A/C A4E

| MODEX | CREW | TAS | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| W 18 | HAMPTON | 1525 | 1610 | 1.4 | 1547-1652 |
| 26 | BAGER | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 9.0 | 0 | 5 | | FLAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| AT 988353 | RVN. III | FT VICLE |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 12.5 | | 3.0 | 1.5 | | 13.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| 1ST MAR DIV | — | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30° | 6 | 30 SEC | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

70/80

ORDNANCE CARRIED 8024 405 | EXPENDED 702 ALL | SEC EXPLOSIONS # / COLOR / HGT

ORD JETT /

DUD BOMBS 302

DUDS RECOVERABLE (YES) NO UNKNOWN

LOCATION TGT AREA REASON ARMING FUZE blown

FUZE 994 ARM DELAY 4 FUZE DELAY INST

ECM ENCOUNTERED / TYPE / DETECTED BY

| WARNING INDICATION | | | IF YES | ACTION TAKEN |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | " " | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. T/H-R/B | YES | NO | " " | CHECK BY S-2 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REQUIRED | YES | NO | " " | GIVE SCHEDE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE TYPE, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

J

DEBRIEFER: DTG 051720

REMARKS:

TIME CHECKED IN WITH DASC 1540 WITH CONTROLLER 1542

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 05 CONTROLLER Hostage Echo SQUAD 311

MSN# 214 CALL SIGN HB TYPE MSN CAS FLT CODE 1Sq A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL07 | McCraw | 1418 | 1500 | 2.4 | 1444 |
| 19 | Souders | | | | 1448 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | 0 10 | | | # FCAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| AT980570 | RUN (3) | Bunkers |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 10.5 | | 2.5 | 2.0 | 2.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/REF PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1st Dw | None | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 6 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

85/85

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

1202 | A11

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY S-2, |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REQUIRED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

R

DEBRIEFER: DTG 051547

REMARKS:

TIME CHECKED IN WITH DASC 1430 WITH CONTROLLER 1432

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 05 CONTROLLER Hostage Ech SQUAD 311

MSN# 219 CALL SIGN HB TYPE MSN CAS FLT CODE 52 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 01 | Hyiett | 1431 | 1516 | 1.4 | 1451 |
| 11 | Pyeior | | | | 1457 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | | | FCAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| AT 9845 70 | 010 RVN (3) | Fout Ville |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 12.5 | | | 2.5 | 2.0 | 11.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| 1ST Div | None | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| FAC A | 2/30 | 8 | 30 | 450 |

AGA ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

200' Trench Exposed

90/90

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12D24 | All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

FUZE ARM DELAY FUZE DELAY
ECM ENCOUNTERED TIME DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-A/C | YES | NO | " " | CHECK BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REQUIRED | YES | NO | " " | GIVE SCORE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: R DTG 051557

REMARKS:

TIME CHECKED IN WITH DASC 1440 WITH CONTROLLER 1442

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 05 CONTROLLER JAKE 72 SQUAD 311

MSN# 211 CALL SIGN HB TYPE MSN DAS FLT CODE 152 A/C A4E
MODEX CREW T/O LAND FLT TIME TOT

WL 7 SITES 1045-1140 1.8 1010-1120

23 SMITH

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 7.0 | 0 | UNR | | MTS |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YB938953 | RVN (4) | Road |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 10.5 | | | 3.0 | 12 | 11.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| MANGOOSE RUN | ~~5 MAF~~ 1ST MAW | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 6 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP |
|---|---|---|---|---|
| 100 / 50 | 1 Rd cut | | | |

| ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # | COLOR | HGT |
|---|---|---|---|---|
| 12D2W | ALL | | | |

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED

FUZE ARM DELAY TIME

FUZE DELAY DETECTED BY

| WARNING INDICATION | | | IF YES | ACTION TAKEN |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. T/H-E/T | YES | NO | " " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: JS DTG 1200

REMARKS:

TIME CHECKED IN WITH DASC WITH CONTROLLER 1055

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 05 CONTROLLER Hel ix 17 SQUAD 31

MSN# 516 CALL SIGN HB TYPE MSN CAP/DAS FLT CODE 152 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 12 MERRITT ~~475~~ | | | | | 1400 - |
| 20 ERCNFCA | | 1310-1430 | | 2.6 | 1410 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | 50 Ø UNL | | | H.Lg |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| AT 853185 | RUNG | Semp Assembly Area |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16,5 | | 30 | 2.0 | 7.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| AMERICAL | Korea | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 20/30 | 8 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

100/100

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

16D14 | 16D14

4D5 | 1D5

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE ARM DELAY TIME | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-A/C | YES | NO | " " | OVERP BY S/C |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, NEAR SUCCESS, OTHER |
| F. | BDA REQUIRED | YES | NO | " " | GIVE SCENE |
| G. | DUDS | YES | NO | " " | FIRE AS ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: R DTG 0805 1501

REMARKS:

TIME CHECKED IN WITH DASC 1355 WITH CONTROLLER 1358

19
4
12

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 06 CONTROLLER FLIGHT LEADER SQUAD 311

MSN# 405 CALL SIGN MAN TYPE MSN TH FLT CODE TS2 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 12 | TRUMPFHELLER | 0656 | 0800 | 4.4 | 0725-25 |
| 18 | ERENFELD | | | | |
| 26 19 | SCHNELL, PYCIOR | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 0 | 10+ | | | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| XD957839 | NVN | TRUCK PARK (IR 4088) |
| 23 1701 10650 | | |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 20.5 | | | 6.0 | 3.5 | 11.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| 7th AF | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| FLIGHT LEADER | 45/10 | 4 | 15" | 500 |

A/A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS Called OCT 0 6 1968

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

1 sec explosion

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12D24(DC) 10

12D24 All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE ARM DELAY TIME | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBORST | YES | NO | " | " AIRBORST " |
| C. A/C COLL | YES | NO | " | " FIRE INCIDENT REPORT |
| D. T/[illegible] | YES | NO | " | OTHER AS SAID |
| E. RECON INTERCEPT/CONTACT | YES | NO | " | SEARCH AND ACCESS, OTHER |
| F. BDA DESIRED | YES | NO | " | GIVE REASON |
| G. DUDS | YES | NO | " | FIRE ON ABOVE |
| H. HARD RUN | YES | NO | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | GIVE REASON |
| J. DIVERT | YES | NO | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: RS DTG 0835

REMARKS:

TIME CHECKED IN WITH DASC 0720 WITH CONTROLLER

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 06 CONTROLLER CAT KILLER 10 SQUAD 311

MSN# 505 CALL SIGN HB TYPE MSN CAS FLT CODE S2 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 3 | HAMMACK | 0742 | 0930 | 3.6 | 0855-0905 |
| 11 | KISH | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | | | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| CHOK | | FLAT |
| YD168766 | DMZ ① | BUNKERS A/W POS |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 17.5 | | | 1.0 | .5 | 17.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 3rd MAR DIV | KENTUCKY | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 20 | 6 | 30 | 450 |

AGA ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP |
|---|---|---|---|---|
| 100 / 100 | 1 BUNKER DAM | | | |

| ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # | COLOR | HGT |
|---|---|---|---|---|
| 4 DS | ALL | | | |
| 8 DIA | | | | |

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED

FUZE TIME ARM DELAY FUZE DELAY DETECTED BY

| WARNING INDICATION | | | IF YES | ACTION TAKEN |
|---|---|---|---|---|
| A. HOSTILE FIRE | (YES) | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | (NO) | " " | " ACCIDENT " |
| C. A/C HIT | (YES) | NO | " " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | (NO) | " " | OTHER BY S-2 |
| E. RECON INSERT/EXTRACT | YES | (NO) | " " | SUCCESS, BAR SUCCESS, OTHER |
| F. BDA REQUIRED | (YES) | NO | " " | GIVE SOURCE |
| G. DUDS | YES | (NO) | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | (NO) | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | (NO) | " " | GIVE REASON |
| J. DIVERT | YES | (NO) | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: SJ DTG 1015

REMARKS:

TIME CHECKED IN WITH DASC 0845 WITH CONTROLLER 0850

INT SA AT T.G.T. COORDS

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 06 CONTROLLER HELIX 31 SQUAD 311

MSN# 530 CALL SIGN HB TYPE MSN LZP FLT CODE 152 A/C A-4E

MODEX CREW T/O LAND FLT TIME TOT

WL 73 LATHROP 1043-1130 1.6 1100-10

02-PYCIOR

TGT INFORMATION CEIL/TOPS CLOUD VIS OBS TO VIS TGT TERRAIN
TGT WX COVER

CAVOK HILLY

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

BS815330 RVN I(5) LZP

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT

12.5 3.0 2.5 11-5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/OUT COORDS

AMERICAL NONE

ATTACK INFORMATION RELEASE TOTAL A/C INTERVAL AIR SPEED
TYPE CONTROLLER ANGLE PASSES

TACP 30/20 6 30 450

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP |
|---|---|---|---|---|
| 100 | | 3 trenches | | |
| 100 | | 4 Spider Holes | | |

| ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # | COLOR | HGT |
|---|---|---|---|---|
| 12D24 | ALL | | | |

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED

FUZE ARM DELAY TIME FUZE DELAY DETECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PERFORM FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H [illegible] | YES | NO | " " | OTHER BY [illegible] |
| E. | RECON [illegible] | YES | NO | " " | SUPPRESS, BAR SUCCESS, OTHER |
| F. | BDA [illegible] | YES | NO | " " | GIVE [illegible] |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAVE BDA | YES | NO | " " | GIVE BDA, DMG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: JS DTG 1202

REMARKS:

TIME CHECKED IN WITH DASC 1050 WITH CONTROLLER 1100

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 6 OCT CONTROLLER HOSTAGE 14 SQUAD 311

MSN# 292 CALL SIGN HAWK TYPE MSN CAS/OP FLT CODE 153 CAVET

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WC 15 | HOLLAND | 1224 | 1340 | 2.6 | 1218-22 |
| 14 | BARGER | | | | |

JJA CAH/KCG 8

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| CAVU | | | | | HILLY |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC155498 | RUN III | TREES + SUSP TROOPS |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 6.5 | | 2500 | 1000 | 5.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PT# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1ST MARINES | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30° | 4 | 30SEC | 450 |

A6 ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: 2 OCT COORDS

BDA INFORMATION: 1. 2. 3. 4. 0261

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA SOURCE CREW/CONTROLLER | RTH | IP

TREES 90/90 TACA

ORDNANCE CARRIED: 8 D2X/4 D7 | EXPENDED: ALL | SEC EXPLOSIONS # COLOR HGT

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE ARM DELAY TIME | FUZE DELAY DIRECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. T/H-S/A | YES | NO | " " | CHECK BY S-2 |
| E. RECON INTERCEPT/ATTRACT | YES | NO | " " | SUBJECT, CAR SUCCESS, OTHER |
| F. BDA REQUIRED | YES | NO | " " | CHECK CRITERIA |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAVOC AWN | YES | NO | " " | CHECK ACK, MSG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG

REMARKS:

TIME CHECKED IN WITH DASC 1230 WITH CONTROLLER 1305

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 06 CONTROLLER Attack SQUAD 311

MSN# 318 CALL SIGN KM TYPE MSN CAS FLT CODE CS2 A/C BYE

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| UL 02 | CANN | 1600 | 1650 | 1.6 | 1634-39 |
| 14 | Johnson | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | 1000 0/8 | 4nl. | | Hilly |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| BE 185 560 | ROK (3) | SW Mountain Pos. |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 10.5 | | 3.0 | 1.1 | | 7.1 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 7th Marines | Manchuko Thrust | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30° | 6 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: [redacted]

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

100/100

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

8026X ALL

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE ARM DELAY TIME | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PILOTS PER INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " |
| C. A/C LIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. T/[illegible] | YES | NO | " " | CHECK BY S-2 |
| E. RECON INTERCEPT/ATTACT | YES | NO | " " | SUCCESS, NO SUCCESS, OTHER |
| F. BDA REQUIRED | YES | NO | " " | GIVE SCORE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HANG FIRE | YES | NO | " " | GIVE ACT, DEG, WAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: [signature] DTG 061755

REMARKS:

TIME CHECKED IN WITH DASC 1607 WITH CONTROLLER 1610

DECLASSIFIED

DECLASSIFIED

8

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 06 CONTROLLER HOSTAGE P SQUAD 311

MSN# 537 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL00 | HAMPTON | 0830 | 0945 | 1.7 | 0855 - 0900 |

22 ARGA BRIGHT

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 0 | UNL | | | PLATEAU |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC190510 | RUN (8) | LZ EP |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 14.5 | | | 10.5 | | 13.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1st MAR DIV | MAIN. THRUST | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| JACA | 10 | 2 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OCT 06 1968

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

NO BDA GIVEN

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

16 DIA
4 D9

ALL

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE ARM DELAY TIME | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PILOTS FILE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " " " " |
| C. A/C DMG | YES | NO | " " | " FILE INCIDENT REPORT |
| D. T/O Aborted | YES | NO | " " | OTHER BY S.C. |
| E. RECOV ATTEMPT/EXTRACT | YES | NO | " " | SPECIAL AIR ACCESS, OTHER |
| F. BDA OBTAINED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILE AS ABOVE |
| H. HAVE GUN | YES | NO | " " | GIVE CALL SIGN, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: SS DTG: 1020

REMARKS:

TIME CHECKED IN WITH DASC 0840 WITH CONTROLLER 0845

INT SA AT TGT COORDS

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 06 CONTROLLER HOSTAGE P SQUAD 311

MSN# 504 CALL SIGN HB TYPE MSN LZP FLT CODE 152 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL14 | LEWIS | 0735 | 0825 | 1.6 | 0805-0810 |
| | IS BRANSON | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 0 | | 10m | | PLATEAU |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC 152 504 | RVN (3) | LZP |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | | 3.0 | 1.5 | 7.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| 1st MAR DIV | MAM. THRUST | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 4 | 30 | 450 |

A/A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

OCT 06 1969

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

NO BDA GIVEN

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

16 DIY | ALL
4 DS | 2 DS

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE ARM DELAY TIME | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE AIR INCIDENT REPORT | |
| B. AIRBURST | YES | NO | " | " | " |
| C. A/C HIT | YES | NO | " | " | FIRE INCIDENT REPORT |
| D. TAKE | YES | NO | " | " | OTHER BY SQ. |
| E. RECON INTERCEPT/EXTRACT | YES | NO | " | " | SUCCESS, OTHER |
| F. BDA REQUIRED | YES | NO | " | " | GIVE REASON |
| G. DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. HARD RUN | YES | NO | " | " | GIVE ETA, ETR, AS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GIVE REASON |
| J. DIVERT | YES | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: BS DTG

REMARKS:

TIME CHECKED IN WITH DASC 0745 WITH CONTROLLER 0800

SMALL ARMS
HEAVY

19 3 57

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 08 CONTROLLER Self SQUAD 311

MSN# 541 CALL SIGN HB TYPE MSN FAM FLT CODE 15 A/C Ade

MODEX CREW T/O LAND FLT TIME TOT

WLOO Trumpfheller 1025-1135 2.4

19 Kelley

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

O ONL

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT
26.5 25.5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/OUT COORDS

ATTACK INFORMATION RELEASE TOTAL A/C INTERVAL AIR SPEED
TYPE CONTROLLER ANGLE PASSES

A/G ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

D20 None

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE ARM DELAY TIME | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " | " FIRE INCIDENT REPORT |
| D. | T/A | YES | NO | " | CHECK BY S-2 |
| E. | BROKE CONTACT/EXTRACT | YES | NO | " | SUPPORT, BAR SUCCESS, OTHER |
| F. | BDA REQUIRED | YES | NO | " | GIVE S-2 |
| G. | DUDS | YES | NO | " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " | GIVE REASON |
| J. | DIVERT | YES | NO | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG 06 124

REMARKS:

TIME CHECKED IN WITH DASC WITH CONTROLLER

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 06 CONTROLIER HOSTAGE P SQUAD 311

MSN# 201 CALL SIGN HB TYPE MSN LZP FLT CODE 152 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 4 | LATHROP | 0645-0810 | | 2.8 | 0753-55 |
| 7 | DICKEY | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 0 | | 10 m | | PLATEAU |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| EC055485 | RUN (3) | LZP |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 14.5 | | | 5.1 | 4.1 | 11.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| 1st MAR DIV | MAM THRUST | | |

| ATTACK INFORMATION TYPE CONTROLIER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 2 | 30 | 450 |

AGA ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

OCT 06 1968

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

NONE

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12 02Y | ALL

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE ARM DELAY TIME | FUZE DELAY CORRECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE MSN INCIDENT REPORT |
| B. | AIRCRAFT | YES | NO | " | " AIRCRAFT " |
| C. | A/C DMGD | YES | NO | " | " FIRE INCIDENT REPORT |
| D. | T/O ABT | YES | NO | " | OTHER DET [illegible] |
| E. | MISSED INTERCEPT/ENTRACT | YES | NO | " | SUCCESS, NO SUCCESS, OTHER |
| F. | BDA ATTEMPTED | YES | NO | " | GIVE RESULTS |
| G. | DUDS | YES | NO | " | FILL OUT ABOVE |
| H. | HAVE GUN | YES | NO | " | GIVE AMT, RDS, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " | GIVE REASON |
| J. | DIVERT | YES | NO | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: SS DTG 0845

REMARKS:

TIME CHECKED IN WITH DASC 0657 WITH CONTROLLER 0735

Lt S/A FIRE AT TGT

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 07 CONTROLLER BARKY 13 SQUAD 311

MSN# 212 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C A4E

MODEX CREW T/O LAND FLT TIME TOT

WLT TRUMPFHELLER 0915-1025 2.4 0945-50

23 KELLY

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN TGT WX

0 154 FLAT

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

YD165765 DMZ CP+BUNKER POS.

1

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT

16.5 3.0 2.0 15.5

UNIT SUPPORTED OPER SUPPORTED TGT#/ARM PKG# COASTIN/OUT COORDS

1st OF THE 5th MECHANIZED (ARMY)

ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED

TACA | 30 | 5 | 30 | 450

A/G ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OCT 07 1968

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED

CREW/COMMANDER

10V
80

1 CP POS DES
2 BUNKERS DES
30 meters TRENCH

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

8 D26W | 7

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES, NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED

FUZE ARM DELAY FUZE DELAY
TIME DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPFEP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPIASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: SS DTG 1020

REMARKS:

TIME CHECKED IN WITH DASC 0933 WITH CONTROLLER 0940

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 07 CONTROLLER BARKY Y13 SQUAD 311

MSN# 214 CALL SIGN HB TYPE MSN CAS FLT CODE 62 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 1 SITES | | 0921 | 1038 | 2.6 | 1000-12 |
| | LT SMITH | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | 0 | UNL | | FLAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD165765 | ~~RVN~~ DMZ | CP AREA |
| | (1) | |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | 3.0 | 1.2 | 17.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RNR PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1st of 5th MECHANIZED (ARMY) | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 8 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

OCT 07 1968

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED

CREW/CONTROLLER

70
60

4 BUNKERS OES

ORDNANCE CARRIED

EXPENDED

SEC EXPLOSIONS
# COLOR HGT

12024/W

ALL

ORD JETT

DID BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED

FUZE ARM DELAY FUZE DELAY
TIME DETECTED BY

WARNING INDICATION

ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: JS DTG 1115

REMARKS:

TIME CHECKED IN WITH DASC 0945 WITH CONTROLLER 0955

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 07 CONTROLLER FLIGHT LEADER SQUAD 311

MSN# 405 CALL SIGN MAN TYPE MSN TH FLT CODE 152 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 4 | OVER TURF | 0650 - 0750 | | 4.0 | 0720 - 25 |
| 23 | KIRBY | | | | |
| 7 11 | HAMPTON ARG ABRIGHT | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 0 | 10 | in | HAZE | HILLY |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| XD 9173 8943 | TH | TRUCK PARK |
| 1704 10647 | | |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 18.5 | | | 8.0 | 6.0 | 17.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 7th AF | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| SELF | 45 | 4 | VARIED | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____ Called us OCT 07 1968

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

18D2Y
4D26X

ALL

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

FUZE ARM DELAY FUZE DELAY
TIME

ECM ENCOUNTERED | DETECTED BY

| WARNING INDICATION | | | IF YES | ACTION TAKEN |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " " | OPR'D BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE MSL, BDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: JS DTG 0930

REMARKS:

TIME CHECKED IN WITH DASC 0715 WITH CONTROLLER

DECLASSIFIED

DECLASSIFIED

DATE OF FRAG 07 CONTROLLER Hostage Delta SQUAD 311

MSN# 218 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C A4E

MODEX CREW T/O IAND TIP TYPE LOT

WL 23 Schnell 1426-1556 3.0 1525-
19 Donovan 1530

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | | | Hilly |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC 18956 | LAOS (3) | Occ. Trenchline |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 20.5 | | 3.0 | 1.5 | | 7.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT/ARA PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1st D.J | MAU Peak | | |
| 5th MAR | Manuka Thrust | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 10 | 30 | 450 |

A&A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

HDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED [illegible] CREW/CONTROLLER

10m TRed
3KBACC)

| ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # | COLOR | HGT |
|---|---|---|---|---|
| 8D26 [illegible] X | 4 7D26 [illegible] X | | | |
| 200120 | 200120 | | | |

ORD JETT ORD BOMBS 2D26

DUDS RECOVERABLE YES (NO) UNKNOWN
LOCATION Target REASON Fusing

FUZE 904 ARM DELAY 45 FUZE DELAY .025

ECM ENCOUNTERED TIME DETECTED BY

| WARNING INDICATION | | | | | ACTION TAKEN |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF | YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " |
| C. A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " | " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " | " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | (YES) | NO | " | " | GIVE SOURCE |
| G. DUDS | (YES) | NO | " | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GIVE REASON |
| J. DIVERT | YES | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: R DTG 071628

REMARKS:

TIME CHECKED IN WITH DASC 1430 WITH CONTROLLER 1440

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 07 CONTROLLER HOSTAGE W SQUAD 311

MSN# 504 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C A4C

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 14 | LATHROP | 0700 - 0900 | | 4.0 | 0820-35 |
| 22 | DICKEY | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 0 | | 10m | | HILLY |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC 191598 | RVN (3) | ENEMY POS. AREA PREP |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | | 3.2 | 2.2 | 11.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT//RGE PKG// | COASTIN/OUT COORDS |
|---|---|---|---|
| 1st MARDIV | MAM. THRUST | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 9 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OCT 07 1968

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

75
75

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

16 D 4 | ALL

405 | 2

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPNTP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, IAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, BDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: JS DTG 0935

REMARKS:

TIME CHECKED IN WITH DASC 0810 WITH CONTROLLER 0815

19
7/6

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 07 CONTROLLER Hostage Charlie SQUAD 311

MSN# 512 CALL SIGN HB TYPE MSN CAS FLT CODE 132 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WC14 CARR | | 1100 | 1205 | 2.2 | 1130 |
| 04 Lear | | | | | 1145 |

| TGT INFORMATION / TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | CAVU | | | Hilly |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ~~YC 189563~~ | RUN (3) | LZP |
| ZC 189563 | | |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 14.5 | | 3.0 | 1.2 | | 9.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/REF PRG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1st DJ | MAUI PEAK | Mamaluka Thrust | |

| ATTACK INFORMATION / TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 8 | 30 | 450 |

AGA ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED

CREW/CONTROLLER

102/108

ORDNANCE CARRIED

16 D19
4 D5

EXPENDED

All

SEC EXPLOSIONS
# COLOR HGT

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED

FUZE TIME

ARM DELAY

FUZE DELAY DETECTED BY

WARNING INDICATION

ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: R DTG 071244

REMARKS:

TIME CHECKED IN WITH DASC 1125 WITH CONTROLLER 1130

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 07 CONTROLLER Hostage P SQUAD 311

MSN# 532 CALL SIGN HB TYPE MSN LZP FLT CODE 152 A/C A4C

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 26 | SCHNELL | 0805 | 0930 | 2-8 | 0908-12 |
| | 00 BARGER | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 0 | | 10+ | | HILLY |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC140298 | RUN I 3 | LZP |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 8.5 | | | 3.0 | 2.0 | 7.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RES PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1st MAR DIV | MAM THRUST | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 20/30 | 5 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

OCT 07 1968

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

NON GIVEN

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

409 | 3

4D5 | 2

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF | YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " |
| C. A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " | " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " | " | SUCCESS, DAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " | " | GIVE SOURCE |
| G. DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | " | GIVE MSL, HDG, DAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GIVE REASON |
| J. DIVERT | YES | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: JJ DTG 1025

REMARKS:

TIME CHECKED IN WITH DASC 0811 WITH CONTROLLER 0813

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 07 CONTROLLER Cal Keller 18 SQUAD 311

MSN# 229 CALL SIGN HB TYPE MSN DAS/TH FLT CODE 5-A/C HUS

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WC 20 | McKithen | 1745 | 1840 | 1.8 | 0815-1816 |
| 02 | Jones | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | 50 Ø OVC | | | FLAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD 222819 | NVN | Arty Posn |
| 1204/0707 | | |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | 30 | 20 | | 13.5 |

| UNIT SUPPORTED | OPCON SUPPORTED | TGT#/ARM FKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| RCV | None | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 20 | 2 | 30 | 450 |

AGA ONLY DELIVERY MODE/SYSTEMS UTILIZATION

called in 2015

OTHER ANTI DETECTION

OCT 07 1968

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

100/100
1 Arty Piece Dest
Numerous Secondary Explos.

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # & COLOR & SIZE & HGT

12024 All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE ARM DELAY TIME | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: K DTG 07/1920

REMARKS:

TIME CHECKED IN WITH DASC 1810 WITH CONTROLLER 1811

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 07 CONTROLLER HOSTAGE 1 W SQUAD 311

MSN# 201 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C A4E
MODEX CREW T/O IAND FLT TIME TOT

WL 12 SITES 0702-0752 1.6. 0710-0717

19 SMITH

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 0 | UNR | | | MTS |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC 191567 | RUNI (3) | BUNKERS |
| | | AA / A/W POS |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 10.5 | | 30 | 1-2 | | 11.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT/FAC NO# | COAST IN/OUT COORDS |
|---|---|---|---|
| 1st MAR DIV | MAM THRUST | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 6 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

OCT 07 1969

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

IO.

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP |
|---|---|---|---|---|
| 90 | | 1 AA SITE DES | | |
| 90 | | 2 FIGHTING HOLES DES | | |

| ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # | COLOR | HGT |
|---|---|---|---|---|
| 12024 | ALL | | | |

ORD JETT DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED FUZE TIME ARM DELAY FUZE DELAY DETECTED BY

| WARNING INDICATION | | | ACTION TAKEN |
|---|---|---|---|
| A. HOSTILE FIRE | YES (NO) | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES (NO) | " " | " AIRBURST " |
| C. A/C HIT | YES (NO) | " " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES (NO) | " " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES (NO) | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | (YES) NO | " " | GIVE SOURCE |
| G. DUDS | YES (NO) | " " | FILL IN ABOVE |
| H. HAWK RUN | YES (NO) | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES (NO) | " " | GIVE REASON |
| J. DIVERT | YES (NO) | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: @ J. S DTG 1110

REMARKS:

TIME CHECKED IN WITH DASC 0705 WITH CONTROLLER 0706

DECLASSIFIED

DECLASSIFIED

DATE OF FRAG _____ CONTROLIER HOSTAGE PAPA SQUAD 311

MSN# 219 CALL SIGN HB TYPE MSN LZP FLT CODE _____ A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | |
|---|---|---|---|---|---|
| WK 15 | CARR | 1445 | 1527 | 01.4 | 1608 |
| 18 | BARGER | | | | 1572 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| 0 & | | | 10+ | None | Hilly |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC 158 503 | | LZP |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 10.5 | | 3.0 | 2.0 | | 9.5 |

| UNIT SUPPORTED | OTHER SUPPORTED | TGT#/ALT PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| 1st Mar Div | | | |

| ATTACK INFORMATION TYPE CONTROLIER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA-0440A | 30° | 2 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

6. _____ 7. _____ 8. _____ 9. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED

CREW/CONTROLLER

~~[illegible]~~ 95/95

ORDNANCE CARRIED 12D2 EXPENDED 10D2 SEC EXPLOSIONS # COLOR HGT

OHD JETT /

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

FUZE TIME ARM DELAY FUZE DELAY

ECM ENCOUNTERED DETECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. HOSTILE FIRE | (YES) | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

R

DEBRIEFER: DTG 071629

REMARKS:

TIME CHECKED IN WITH DASC 1453 WITH CONTROLLER 1455

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 07 CONTROLLER JAKE 75 SQUAD 311

MSN# 211 CALL SIGN HB TYPE MSN DAS FLT CODE 52 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 18 | OVERTURF | 1034 | 1124 | 1.6 | 1055-07 |
| | 24 ERENFELD | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 0 | | 15 m | | mts |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YB938942 | RUN I ④ | ROAD |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 18.5 | | | 3.0 | 1.5 | 9.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| MANGOOSE RUN | | | |
| AMERICAC | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 6 | 30 | 450 |

A/A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OCT 07 1968

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

80 | 2 Road cuts

100

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12 Dry | 9

ORD JETT | DUD BOMBS 2 DUDS

DUDS RECOVERABLE YES NO UNKNOWN

LOCATION | REASON

ECM ENCOUNTERED | FUZE ARM DELAY TIME | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: JS | DTG 1150

REMARKS:

TIME CHECKED IN WITH DASC 1040 1400 | WITH CONTROLLER 1050

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 07 CONTROLLER Cat Killer 10 SQUAD 311

MSN# 227 CALL SIGN HS TYPE MSN CAS FLT CODE S-2 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WO1 Hiett | | 1705 | 1815 | 2.4 | 1740-1750 |
| 04 Johnson | | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | 1-05 | | | FLAT |

| TGT COORDS | COUNTRY/GRID/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD158723 | RVN (DMZ) | Bunkers |
| 16 88, 10704 | | |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | | 3.0 | 6.5 | 15.5 |

| UNIT SUPPORTED | OTHER SUPPORTED | TGT#/ | FKG# | COAST IN/OUT COORDS |
|---|---|---|---|---|
| 3rd D.I. | Korea | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 6 | 30 | 480 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

called in

OTHER ANTI DETECTION

2015 DONE

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

80/80

30M T Revch

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

6D2W

8D1Y/205

All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN

LOCATION REASON

FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED | TIME | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF | YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " |
| C. A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " | " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " | " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " | " | GIVE SOURCE |
| G. DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GIVE REASON |
| J. DIVERT | YES | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: L DTG 07 1847

REMARKS:

TIME CHECKED IN WITH DASC 1730 WITH CONTROLLER 1735

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 07 CONTROLLER Y SQUAD 311

MSN# 518 CALL SIGN Hb TYPE MSN CAP FLT CODE 52 A/C 155 Acs

MODEX CREW T/O LAND FLT TIME TOT

WC 01 Hiett - Group Abort

H. Johnson 1410-1520 1.2

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN

TGT WX

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

OVVL

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT

18.5 19.5

UNIT SUPPORTED OPER SUPPORTED TGT# FRG# COASTIN/OUT COORDS

ATTACK INFORMATION TYPE CONTROLLER RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

8D14 → JETTISONED

2D5 → None

ORD JETT 8D14

850/40/50

UNARMED

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN

LOCATION REASON

FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED TIME DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG 071065

REMARKS: WINGMAN 6 - FLAT TIRE

#2 because of fuel transfer

TIME CHECKED IN WITH DASC WITH CONTROLLER

DECLASSIFIED

DECLASSIFIED

DATE OF FRAG 07 CONTROLLER Hostage Y S SQUAD 311

MSN# 545 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C A4E

MODEX CREW T/O LAND ETA ON STN TOT

WL 15 DONNOVAN 1035-1125 1.6 1104-10

12 HAMPTON

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

0 15 HILLY

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

BZC1451 RVN (3) CAVE

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT

10.5 3.0 1.5 9.5

UNIT SUPPORTED OTHER SUPPORTED TGT#/ALT FRQ# COASTIN/OUT COORDS

3 of the 9th MARINES

MAUI PEAK

ATTACK INFORMATION TYPE CONTROLLER RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED

TACP 30 6 30 450

AGA ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION [redacted]

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED . PD' TD' TP

95
100

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

8 12024 | ALL

CBU JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE ARM DELAY TIME | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: JS DTG 1155

REMARKS:

TIME CHECKED IN WITH DASC 1050 WITH CONTROLLER 1055

DECLASSIFIED

DECLASSIFIED

6

DATE OF FRAG Oct 7, 68 CONTROLIER HOSTAGE "D" SQUAD 311

MSN# 217 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | |
|---|---|---|---|---|---|
| WL 7 | LATHROP | 1415 | 1540 | 2.8 | 1520-1525 |
| 26 | WAMMACK | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| CLEAR | | | 10+ | | HILLY |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC 189561 | RVN III | ENEMY POSIT |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 13.0 | | 30 | 1.5 | | 9.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/ACM PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| 1st MAR DIV | | | |

| ATTACK INFORMATION TYPE CONTROLIER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30° | 6 | 30 sec | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

OCT 07 1968

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED

CREW/CONTROLLER

95/95

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

120 | All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE ARM DELAY TIME | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBEST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG 07 1630

REMARKS:

TIME CHECKED IN WITH DASC 1500 WITH CONTROLLER 1505

DECLASSIFIED

DECLASSIFIED

DATE OF FRAG 07 CONTROLLER Barky 16 SQUAD 311

MSN# 555 CALL SIGN HB TYPE MSN CAS FLT CODE 152A/C A4E
MODEX CREW T/O A/D FLT TIME

WL 14 Kish 1416-1521 2.2 1435-
12 Dickey 1445

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | 60 0 15 | | | FC flat |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD183759 | RVN (DMZ) | AW Pos.'s |
| | #1 | Bunker Complex |
| | | R&R Track |
| | | (2 waiting) |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 18.5 | | 4.5 | 2.5 | | 13.5 |

| UNIT SUPPORTED | OTHER SUPPORTED | TGT#/ALT PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| 3rd DW | None | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 45 | 6 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED:

CREW/CONTROLLER

90/80
5 Be Read

ORDNANCE CARRIED

12D24

EXPENDED

All

SEC EXPLOSIONS
# COLOR HGT

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

FUZE ARM DELAY FUZE DELAY
TIME DETECTED BY

ECM ENCOUNTERED

WARNING INDICATION

ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

R

DEBRIEFER: DTG 071633

REMARKS:

TIME CHECKED IN WITH DASC 1426 WITH CONTROLLER 1430

DECLASSIFIED

DECLASSIFIED

MAG 12 DEBRIEFING FORMS

DATE OF FRAG 20 Oct 68 CONTROLIER Comp Correl ASRT 46 SQUAD 311

MSN# 203 CALL SIGN 1 + 3 TYPE MSN A4S TPQ FLT CODE 152 A/C A4C

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL02 | TRUMP FULLER | 0652 | 0821 | 3.0 | 6730-52 |
| 20 | KELLEY | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | CLR | 100 | | FLT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD251799 | DMZ (I) | AAA gun |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | | 20.0 | | 25.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT/ATK FIX# | COAST IN/OUT COORDS |
|---|---|---|---|
| 3RD MAR DIV | — | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| ASRT | level | one | — | 290 |

TGT ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

OCT 0 7 1968

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

AA POS | VNR

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12 D2 W | all

ORD JETT | DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE TIME | TEAM DELAY | FOE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | |
|---|---|---|---|
| A. HOSTILE FIRE | YES NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES NO | " | " AIRBURST " |
| C. A/C HIT | YES NO | " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES NO | " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES NO | " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES NO | " | GIVE SOURCE |
| G. DUDS | YES NO | " | FILL IN ABOVE |
| H. HAWK RUN | YES NO | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES NO | " | GIVE REASON |
| J. DIVERT | (YES) NO | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG 07 1115 OC768

REMARKS:

TIME CHECKED IN WITH DASO 0712 WITH CONTROLLER 0730

Divert by Vandergrift ODSC — [redacted] WX

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 07 CONTROLIER HOSTAGE HOTEL SQUAD 311

MSN# 202 CALL SIGN HB TYPE MSN CAS FLT CODE S2A/C AGE

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL15 | Kish | 0722 | 0850 | 3.0 | 08,0- |
| 18 | BEANSON | | | | 0818 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | 0 UNC | | | Hilly |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| XD 993 695 | RVN (DMZ) (1) | Bunker Complex |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | 2.5 | 1.8 | 11.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/REF PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 3rd D.U | None | | |

| ATTACK INFORMATION TYPE CONTROLIER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 6 | 30 | 450 |

A/A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED

75/80

1 Bunker Dest

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12D2 4/W | All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " |
| C. A/C HIT | YES | NO | " " | " FIRE ACCIDENT REPORT |
| D. T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG 07 1155

REMARKS:

TIME CHECKED IN WITH DASC 0743 WITH CONTROLLER 0758

DECLASSIFIED

DECLASSIFIED

MAG-12

DATE OF FRAG 07 CONTROLLER Hostage Hotel SQUAD 311

MSN# 516 CALL SIGN HB TYPE MSN CAS FLT CODE ISL A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WC 00 | McCRAW | ~~1315~~ | 1315-1440 | | 1402- |
| 22 | PYCIOR | ~~1315~~ | ~~1440~~ | 28 | 1411 |

| TGT INFORMATION / TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | 0/0T | | | H/H |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| XD997687 | RVN (B M2) | MORTAR SITE |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | 2.5 | 2.0 | | 15.5 |

| UNIT SUPPORTED | OTHER SUPPORTED | TGT#/ARC PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 3rd Div | None | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 8 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

IO. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED

CREW/CONTROLLER

80/80

ORDNANCE CARRIED

16D1Y
4D5

EXPENDED

15D1Y
3D5

SEC EXPLOSIONS
# COLOR HGT

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED

FUZE ARM DELAY TIME 2

FUZE DELAY DETECTED BY

| WARNING INDICATION | | | ACTION TAKEN | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: R DTG 07 1705

REMARKS:

TIME CHECKED IN WITH DASC 1331 WITH CONTROLLER 1332

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 07 CONTROLLER HOSTAGE SIERRA SQUAD 311

MSN# 510 CALL SIGN HB TYPE MSN CAS FLT CODE 52 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WC 02 | KISH | 1012 | 1115 | 2.2 | 1050-1100 |
| 19 | BRANSON | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | 0 OVC | | | H.11 |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC 1451 | RVN (3) | VC Bunkers |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 18.5 | | 2.5 | 1.8 | 7.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| Sp. Forces | Thrust | Manchuke | (MAUI PEAK) |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 8 | 30 | 450 |

A6 ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

OCT 07 1968

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED . [illegible] TV

95/90

ORDNANCE CARRIED 16D.4 485 EXPENDED All SEC EXPLOSIONS # COLOR HGT

ORD JETT DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
IDENTIFICATION REASON

ECM ENCOUNTERED FUZE ARM DELAY TIME FUZE DELAY DETECTED BY

| WARNING INDICATION | | | ACTION TAKEN |
|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " " AIRBURST " |
| C. A/C HIT | YES | NO | " " " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " " OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " GIVE SOURCE |
| G. DUDS | YES | NO | " " FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " GIVE REASON |
| J. DIVERT | YES | NO | " " GIVE AUTHORITY AND REASON |

R

DEBRIEFER: DTG 07 1157

REMARKS:

TIME CHECKED IN WITH DASC 1035 WITH CONTROLLER 1038

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 08 CONTROLLER BARKY 15 SQUAD 311

MSN# 205 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C A4E

MODEX CREW T/O LAND FLT TIME TOT

WL 14 SCHNELL 0830-0951 2-8 · 0906-10

15 PYCIOR

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 0 | CLR | | | FLAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD135774 | QUN (1) | BRIDGE |
| | | BASE CAMP |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | | 1.1. .5 | | 15.5 |

| UNIT SUPPORTED | OPEN SUPPORTED | TGT/ALT FRD# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1st of the 5th MECHANIZED (ARMY) | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 20 | 5 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

[redacted]

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

100 / 80 | 2 BUNKERS DES / 1 " UNCOVERED | 1 RT cut

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

16 DIF / 4 DS | ALL

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: SS DTG 1120

REMARKS:

TIME CHECKED IN WITH DASC 0900 WITH CONTROLLER 0904

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 8 CONTROLLER Host R SQUAD 311

MSN# 537 CALL SIGN 537 TYPE MSN CAS FLT CODE 152 A/C A4E

| MODEX | CREW | TAP | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL02 | Dmorn | 1125 | 1210 | 1.4 | 1145 |
| 23 | CARR | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| O | unl | | | | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC19,562 | RVN | AA site |

| ENROUTE ALT | COASTIN/OUT ALT | EMG ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 14.5 | | 2500 | 100 | | 9.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1 MAR DIV | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| JTAC | 30 | 6 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED: 12 D24 / D20 | EXPENDED: all | SEC EXPLOSIONS # COLOR HGT

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION | REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

| WARNING INDICATION | | | ACTION TAKEN |
|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " " AIRBURST " |
| C. A/C HIT | YES | NO | " " " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " " OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " GIVE SOURCE |
| G. DUDS | YES | NO | " " FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " GIVE REASON |
| J. DIVERT | YES | NO | " " GIVE AUTHORITY AND REASON |

DEBRIEFER: | DTG

REMARKS:

TIME CHECKED IN WITH DASC 1140 WITH CONTROLLER 1145

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 8 OCT CONTROLIER COMPRISE 40 SQUAD 31C

MSN# 536 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C AHE

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| 4 | OVERTURF | 1115-1215 | | 2.0 | 1150-1200 |
| 11 | KIRBY | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | | | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| 238/24/77 | RECON INSERT | 1ST MAR DIV |
| YC 275,502 | 03 | |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 12.5 | | | 1,500 | 500 | 2.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1ST MAR DIV | | | |

| ATTACK INFORMATION TYPE CONTROLIER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 20 | 8 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

Recon Insert 100/100

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

16 DIA
4 DP | all

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF | YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " |
| C. A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " | " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " | " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " | " | GIVE SOURCE |
| G. DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GIVE REASON |
| J. DIVERT | YES | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: [signature] DTG

REMARKS:

TIME CHECKED IN WITH DASC 1120 WITH CONTROLLER 1123

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG ____ CONTROLLER HOST - 2 SQUAD 311

| MSN# | CALL SIGN | TYPE MSN | | FLT CODE | A/C |
|---|---|---|---|---|---|
| CODEX | CREW | T/O | LAND | FLT TIME | TOT |
| 539 | HB | CAS | | 152 | A46 |
| WL-14 | LEWIS | 1142-1255 | | | 1205 |
| 20 | Johnson | | | 214 | 1220 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | | | MT |
| 7.0 | Ø | 10 | | | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| XD 835624 | | TRAIL |
| 1 | | BV |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | ——— | 1.0 | 500 | | 9.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| 3 MAR DIV | | | |
| | A & CON | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 10 | 3 | | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

1

OTHER AMTI DETECTION

NUMBER: ____ COORDS ____

BDA INFORMATION: 1. ____ 2. ____ 3. ____ 4. ____

5. ____ 6. ____ 7. ____ 8. ____

10. ____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED 90/90

| ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # | COLOR | HGT |
|---|---|---|---|---|
| 16D 1A | 8D 1 | | | |
| 4D 9 | 2D 9 | | | |

ORD JETTISONED

DUDS

DUDS RECOVERABLE YES NO UNKNOWN

LOCATION REASON

FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED TIME DETECTED BY

| WARNING INDICATION | | | IF | | ACTION TAKEN |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF | YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " " |
| C. A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. TH/RT | YES | NO | " | " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " | " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " | " | GIVE SOURCE |
| G. DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GIVE REASON |
| J. DIVERT | YES | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: N DTG: 1325

REMARKS:

CHG CHECKED IN WITH DASC 1200 WITH CONTROLLER 05

DECLASSIFIED

DECLASSIFIED

7

MAG-12 DEBRIEFING FORMS

8 Oct
DATE OF FRAG _____ CONTROLLER Hostage Zulu SQUAD 311

MSN# 554 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C 2

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL-23 | LILLIE | 1520 | 1645 | 2.8 | 1612-20 |
| 00 | ERENFELD | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | | | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| 40 Ø 1500 | 7 | hills |
| XD985689 | RVN (DMZ) | JC in open |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | 1000 | 500 | | | 13.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| 3rd MAR Div | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 20 | 6 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

OCT 0 8 1968

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

VC in OREN 100/00

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

16 DIA / 489 ALL

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

FUZE ARM DELAY FUZE DELAY
ECM ENCOUNTERED TIME DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE TACA |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: CAPT LILLIE DTG 1700 80 OCT

REMARKS:

TIME CHECKED IN WITH DASC 1540 WITH CONTROLLER 1545

DECLASSIFIED

DECLASSIFIED

8 OCT

MAG-12 DEBRIEFING FORMS

DATE OF FRAG ____ CONTROLLER Hostage V SQUAD 311

MSN# 544 CALL SIGN HB TYPE MSN DAS FLT CODE 152 A/C 2

MODEX WL-23 CREW LILLIE 1300 1430 FLT TIME 1.5-30

-22 ERENFELD

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS 10 OBS TO VIS TGT TERRAIN hilly

TGT WX 100 0

TGT COORDS ZC 150500 COUNTRY/CORPS/PROVINCE RVN TGT DESCRIPTION GUN POSITION

ENROUTE ALT 14.5 COAST IN/OUT ALT ENT ALT 1000 REL ALT MIN ALT 500 RETURN ALT 9.5

UNIT SUPPORTED 1st MAR DIV OPER SUPPORTED TGT#/RTE PKG# COAST IN/OUT COORDS

ATTACK INFORMATION TYPE CONTROLLER TACA RELEASE ANGLE 20° TOTAL PASSES 6 A/C INTERVAL 30 AIR SPEED 450

AGA ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: ____ COORDS ____

BDA INFORMATION: 1. ____ 2. ____ 3. ____ 4. ____

5. ____ 6. ____ 7. ____ 8. ____ 9. ____

10. ____

OCT 08 1968

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP |
|---|---|---|---|---|
| GUN Posit | 100/100 | | | |

| ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # | COLOR | HGT |
|---|---|---|---|---|
| 16 DIA | 409 | ALL | | |

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN

LOCATION REASON

FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED TIME DETECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE TACA |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: CAPT LILLIE DTG 1415

REMARKS:

TIME CHECKED IN WITH DASC 1318 WITH CONTROLLER 1313

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 8 Oct CONTROLIER F. P. Zz SQUAD 311

MSN# 535 CALL SIGN H, 8 TYPE MSN CAS FLT CODE 152 A/C 2
MODEX CREW T/O LAND FLT TIME TOT

WL 1E RISH

WL 15 ARCHBRIGHT

| TGT INFORMATION | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| TGT WX 400 | 10 | | | | HILLY |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| XD 998693 | RVN | BUNKERS |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | | 3000 | 1500 | 15.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RME PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| | KENTUCKY | | |

| ATTACK INFORMATION TYPE CONTROLIER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| FACA | 30 | 6 | 30 sec | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP |
|---|---|---|---|---|
| BUNKERS | 75/100 | 3 Bunkers dest 1 truck revetment | | |

| ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS |
|---|---|---|
| 12024 | ALL | # COLOR HGT |

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED

FUZE ARM DELAY FUZE DELAY
TIME DETECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | (NO) | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | (NO) | " " | " AIRBURST " |
| C. A/C HIT | YES | (NO) | " " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | (NO) | " " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | (NO) | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | (YES) | NO | " " | GIVE SOURCE |
| G. DUDS | YES | (NO) | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | (NO) | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | (NO) | " " | GIVE REASON |
| J. DIVERT | YES | (NO) | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: LC Ryder Jr DTG 081200H

REMARKS:

TIME CHECKED IN WITH DASC 1047 WITH CONTROLLER 1049

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 8 OCT CONTROLLER BARKY 17 SQUAD VMA 311

MSN# 548 CALL SIGN H.B TYPE MSN CAS FLT CODE 152 A/C 2

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| 07 | KISH | [redacted] | [redacted] | | |
| 12 | JONES | 1348 | 1505 | 2.2 | 1425-1435 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| 4000 10 | — | | NONE | LOVER | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD 127735 | RVN 41 | |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | 3.0 | 1.5 | | 21.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| 1-5 | KENTUCKY | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30° | 6 | 30sec | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

OCT 08 1968

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

12 D24 12D24

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

FUZE TIME ARM DELAY FUZE DELAY

ECM ENCOUNTERED | DETECTED BY

| WARNING INDICATION | | | ACTION TAKEN |
|---|---|---|---|
| A. HOSTILE FIRE | YES NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES NO | " " | " AIRBURST " |
| C. A/C HIT | YES NO | " " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES NO | " " | DEBRIEF BY S-3 |
| E. RECON INSERT/EXTRACT | YES NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES NO | " " | GIVE SOURCE |
| G. DUDS | YES NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES NO | " " | GIVE REASON |
| J. DIVERT | YES NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: CAT KILLER 10 DTG WAS DOWN DIVERTED TO PARK 17

REMARKS: 1415 1417

TIME CHECKED IN WITH DASC WITH CONTROLLER

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 08 CONTROLLER FINGERPRINT 49 SQUAD 311

MSN# 204 CALL SIGN HB TYPE MSN 9 LZP FLT CODE 152 A/C A-4E
MODEX CREW T/O LAND FLT TIME TOT

WL 00 SITES 0714-0831 2.6 0755-05

90 SMITH

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 0 | | GNR | MTS | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| XD826616 | RUN (1) | LZP |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | 3.0 | 1.2 | 17.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| LANCASTER II | 9th MAR | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 7 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

OCT 0 8 1968

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED DEA

100
50

ORDNANCE CARRIED EXPENDED SEC EXPLOSIONS
# COLOR HGT

6 D2W
4 D26W All

ORD JETTISONED DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED TIME DETECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: SJ DTG: 0915

REMARKS:

TIME CHECKED IN WITH DASC 0736 WITH CONTROLLER 0750

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG _____ CONTROLLER Catkiller 40 SQUAD 311

MSN# 534 CALL SIGN 1TB TYPE MSN DAS/TH FLT CODE 152 A/C A4E

| MODEX | CREW | TAXI | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| wh 7 | Lathrop | 1010 | 1100 | 1.8 | 1030-40 |
| wh 22 | Hammack | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| CL | | | 30 | None | Beach |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD254853 | NVN | Offloading Point |
| 1702 10708 | | |

| ENROUTE ALT | COASTIN/OUT ALT | EI T ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 14.5 | 14.5 | 3000 | 2000 | 11.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| PCV | — | 1 | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30° | 1 | 1 Minute | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION [redacted]

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____ called in

5. _____ 6. _____ 7. _____ 8. _____ 9. _____ 1320

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED: 12 DZY | EXPENDED: ALL | SEC EXPLOSIONS # ___ COLOR ___ HGT ___

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION ___ REASON ___

FUZE TIME ___ ARM DELAY ___ FUZE DELAY DETECTED BY ___

ECM ENCOUNTERED

WARNING INDICATION | ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. T/E-R/T | YES | NO | " " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: ___ DTG ___

REMARKS: Controll. hit - N/O further BDA available

TIME CHECKED IN WITH DASC 1020 WITH CONTROLLER 1025

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 80CT68 CONTROLIER HOSTAGE R SQUAD 311

MSN# 215 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C F4G

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WC 00 | TRUMPFHOLDER | 1232 | 1345 | 1.4 | 1255-1311 |
| 86 | KELLEY | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | 0 | 10 | | MTS |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC 191559 | RVN I (3) | BUNKERS |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 10.5 | | 3.5 | 2.5 | | 11.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1ST MAR DIV | | | |

| ATTACK INFORMATION TYPE CONTROLIER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 8 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

OCT 08 1968

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP |
|---|---|---|---|---|
| Bunker | 90/80 | TARA | | |
| | 1KBA(G) | | | |
| | 1 Bunker damaged | | | |

ORDNANCE CARRIED: 12 D2Y
EXPENDED: 12 D2Y
SEC EXPLOSIONS # COLOR HGT

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED

FUZE TIME ARM DELAY FUZE DELAY DETECTED BY

| WARNING INDICATION | | | IF | YES | ACTION TAKEN |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF | YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " |
| C. A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " | " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " | " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | (YES) | NO | " | " | GIVE SOURCE |
| G. DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GIVE REASON |
| J. DIVERT | YES | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER:

DTG 081420 OCT 68

REMARKS:

TIME CHECKED IN WITH DASC 1241 WITH CONTROLLER 1242

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 8 OCT CONTROLIER FINGER PRINT 137 SQUAD 311

MSN #531 CALL SIGN HAB TYPE MSN CAS FLT CODE J2 A/C AYE

| MODEX | CREW | T/O | IAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| 2 | OVERTURF | OBJO | 1015 | 2.4 | 1035-41 |
| 23 | KIRBY | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| 0 | — | — | 10+ | — | HILLY |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| XD885362 | I RVN (3) | LZ Prep |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | 1000 | 500 | | 17.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| SCOT. NANKING | 3rd MARDIV | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 20° | 6 | 30 SEC | 420 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OCT 0 8 1968

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP |
|---|---|---|---|---|
| CZP | 100/100 | | | |

ORDNANCE CARRIED: 4 DST; 16 DIA

EXPENDED: all

SEC EXPLOSIONS # ___ COLOR ___ HGT ___

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION ___ REASON ___

ECM ENCOUNTERED

FUZE ARM DELAY ___ FUZE DELAY
TIME ___ DETECTED BY ___

WARNING INDICATION — ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: [signature] DTG 061030Z OCT

REMARKS:

TIME CHECKED IN WITH DASC 0907 WITH CONTROLLER 0910

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG _____ CONTROLLER FINGERPRINT 22 SQUAD 311

MSN# 550 CALL SIGN HB TYPE MSN CAS FLT CODE _____ A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 14 | HOLLAND | 1428-1538 | | 2.4 | 1445-1503 |
| 22 | BARGER | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| O 10+ | | | | | Hilly |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| XD 859 389 | Kheshan Q 7 | 1 House & 1 TRUCK |

| ENROUTE ALT | COASTIN/OUT ALT | EGE ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | 500 | 300' | | 15.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 3D MAR DIV | SCOTLAND NANKING | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30°/10° | 6 | 30 secs | 450 |

AGA ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

OCT 08 19[illegible]

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP |
|---|---|---|---|---|
| 1 House & 1 truck | 90/100 | 1 structure destroyed<br>1 truck heavily damaged | | |

ORDNANCE CARRIED: 16 DIA / 4 D9 — EXPENDED: all — SEC EXPLOSIONS # ___ COLOR ___ HGT: None

NO DUDS

ORD JETT — DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION ___ REASON ___

ECM ENCOUNTERED — FUZE TIME — ARM DELAY — FUZE DELAY DETECTED BY

WARNING INDICATION — ACTION TAKEN

| | | | IF | YES | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES NO | " | " | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES NO | " | " | " AIRBURST " |
| C. | A/C HIT | YES NO | " | " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES NO | " | " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES NO | " | " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES NO | " | " | GIVE SOURCE TACP |
| G. | DUDS | YES NO | " | " | FILL IN ABOVE |
| H. | [redacted] RUN | YES NO | " | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABO[redacted] | YES NO | " | " | GIVE REASON |
| J. | DIVERT | YES NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: PDB — DTG 081555H

REMARKS:

TIME CHECKED IN WITH DASC 1446 WITH CONTROLLER 1450

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 08 CONTROLLER Hostage "X" SQUAD 311

MSN# 558 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C A4E

MODEX CREW T/O LAND FLT TIME TOT

WLT CARR 1558-1630 1.0 1610-15

12 HAMMACK

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 0 | 10+ | | | HILLY |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC195508 | RVN (3) | AA posit |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 14.5 | | 3.0 | 1.5 | 9.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| 1ST MAR DIV | Manuloke Thrust | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 4 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

OCT 0 8 1968

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP |
|---|---|---|---|---|
| AP point | 100/100 | damaged AA site | | |

ORDNANCE CARRIED: 8 Dr bombs

EXPENDED: all

SEC EXPLOSIONS: # ____ COLOR ____ HGT ____

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN

LOCATION ____ REASON ____

FUZE TIME ____ ARM DELAY ____ FUZE DELAY

ECM ENCOUNTERED

DETECTED BY

| WARNING INDICATION | | | IF | YES | ACTION TAKEN |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF | YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " |
| C. A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " | " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " | " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " | " | GIVE SOURCE |
| G. DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GIVE REASON |
| J. DIVERT | YES | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: CARR DTG 081645H

REMARKS:

TIME CHECKED IN WITH DASC 1605 WITH CONTROLLER 1610

DECLASSIFIED

DECLASSIFIED

8

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 8 Oct 68 CONTROLLER Hostage PAAFA SQUAD VMA-311

MSN# 556 CALL SIGN HB TYPE MSN CAS FLT CODE S2 A/C A4 C

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| wil-4 | LTCol HEITT | 1525 ~~1615~~ | | 1.6 | 1550-1555 |
| -4 | DICKEY | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| 6000/40 | | 7+ | | | MOUNTAINOUS |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC 175508 | (3) | INACTIVE AA POSITION |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 12.5 | 9.5 | 5.2 | 4.2 | | 11.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1ST MAR DIV | Manchuke Thrust | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30° | 2 | 30 sec | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

OCT 0 81968

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

INACTIVE AA position 90/90 060°

Damaged AA position

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12 D24 | FZLC | NONE

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED

FUZE TIME ARM DELAY FUZE DELAY
DETECTED BY

WARNING INDICATION

ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF | YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " |
| C. A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " | " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " | " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " | " | GIVE SOURCE TACA. |
| G. DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GIVE REASON |
| J. DIVERT | YES | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG 081635H.

REMARKS: Scramble Flight

TIME CHECKED IN WITH DASC 1535 WITH CONTROLLER 1545

DECLASSIFIED

DECLASSIFIED

8

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 8 CONTROLLER Hostage (W) SQUAD 311

MSN# 529 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C A11E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL | CARR | | | | |
| WL | DONOVAN | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | CLR | | 10+ | | FLAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC 152490 | | |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 14.5 | 3.0 | 2.0 | | | 11.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| ~~1ST MAR DIV~~ | SP FORCES | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30° | 4 | 30 | 450 KT |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | ~~BDA SOURCE~~ CREW/CONTROLLER | RIH | IP

80/80 | 1700

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # | COLOR | HGT

8 D26X | ALL | 1

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED

FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | AIRBURST " |
| C. A/C HIT | YES | NO | " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " | GIVE SOURCE |
| G. DUDS | YES | NO | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | GIVE REASON |
| J. DIVERT | YES | NO | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG 1100 8 Oct 62

REMARKS:

TIME CHECKED IN WITH DASC 0955 WITH CONTROLLER 1000

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 8 CONTROLLER HOST - X SQUAD 311

MSN# 552 CALL SIGN OB TYPE MSN CAS FLT CODE 152 A/C A4E

| INDEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| -15 | HAMPTON | 1510-30 | | | 1530 |
| 02 | AUCABRIGHT | | 1141 | | 39 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| 10 | Ø | | 10 | | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| MC 170573 | (3) | BV COMPLX |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 10.5 | | | 3,015 | 7.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| 1st MAW | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 4 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER AMTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1._____ 2._____ 3._____ 4._____

5._____ 6._____ 7._____ 8._____ 9._____

10._____

OCT 08 1968

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP |
|---|---|---|---|---|
| | 90/75 | | | |

1/2 BU Dust 40 x 6Y 15 M

| ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # | COLOR | HGT |
|---|---|---|---|---|
| 8 P 26 X | All | | | |

ORD JETTISONED

DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED TIME DETECTED BY

WARNING INDICATION ACTION TAKEN

| | | | IF YES | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | " " | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: N DTG: 6

REMARKS:

TIME CHECKED IN WITH DASC 1520 WITH CONTROLLER 1522

DECLASSIFIED

DECLASSIFIED

[redacted] 8

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 8OCT CONTROLLER HOSTAGE W SQUAD 311

MSN# 530 CALL SIGN HB TYPE MSN DAS FLT CODE 152 A/C A-4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 12 | LEWIS | 0950 | 1040 | 1.6 | 1005-25 |
| 20 | JOHNSON | | | | |

| TGT INFORMATION / TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| O 10F | | | | | HILLS |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC 158490 | KVN I (3) | LZP |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | 7.2 | 3.0 | | 7.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| 1ST MAR DIV | MAUI PEAR | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TAC (A) | 30° | 6 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____ [redacted]

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP |
|---|---|---|---|---|
| LZP | 95/95 | TAC(A) | | |

ORDNANCE CARRIED: 8D26X
EXPENDED: 7D26
SEC EXPLOSIONS # COLOR HGT

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED

FUZE TIME ARM DELAY FUZE DELAY DETECTED BY

WARNING INDICATION

ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | (YES) | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | (NO) | " " | " AIRBURST " |
| C. | A/C HIT | YES | (NO) | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | (NO) | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | (NO) | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | (YES) | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | (NO) | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | (NO) | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | (NO) | " " | GIVE REASON |
| J. | DIVERT | YES | (NO) | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: [redacted] DTG 081100 H

REMARKS: Small Arms fire 200 meters South of target

TIME CHECKED IN WITH DASC 0955 WITH CONTROLLER 0958

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING BOARD

DATE OF FRAG 20 CONTROLLER BARKEY 13 SQUAD 311

MSN# 542 CALL SIGN NB TYPE MSN CAS FLT CODE 152 A/C 2

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| 411 | CO | LATHROP | 1533-1643 | 2.4 | 1605-1615 |
| 411 | 23 | ARCABRIGHT | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| 20@ | 7 | | | | FLAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD 289761 | RVN | BUNKERS |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 18.5 | | 1500 | 1000 | 7.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| 1st Brigade | 5th Mech | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 10° | 6 | 30 sec | 450 |

16A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

1

OTHER AMTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLIER | [illegible] | IF

BUNKERS | 30/40 + bunkers dest.

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12034 | ALL

ORD JETTISONED | DUDS None

DUDS RECOVERABLE YES NO UNKNOWN

LOCATION REASON

FUZE ARM DELAY FUZE DELAY

ACH ENCOUNTERED | TIME | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: S.C. Anglin DTG: 091700 Oct 68

REMARKS: SA/[illegible] 30cal - MOD

TIME CHECKED IN WITH DASC 1555 WITH CONTROLIER 1557

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 9 CONTROLLER HOSTAGE SQUAD 311

MSN# 552 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C AKE

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 4 | HOLLAND | 1650 | 1740 | 1.6 | 1710-15 |
| 18 | BARGER | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| 0 | | — | 15 | — | HILLY |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC 192568 | (3) | MORTAR POSITION |

ENROUTE ALT 6.5 | COASTIN/OUT ALT | ENT ALT 2500 | REL ALT 1500 | MIN ALT 9.5 | RETURN ALT

UNIT SUPPORTED 1ST MARDIV | OPER SUPPORTED Mameluke Thrust | TGT#/RTE PKG# Mt Ali Peak | COASTIN/COAST OUT COORDS

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30° | 8 | 30SEC | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP |
|---|---|---|---|---|
| Mortar Posits | 100/100 | TACA | | |

ORDNANCE CARRIED: 8D26, D20

EXPENDED: ALL

SEC EXPLOSIONS: # ____ COLOR ____ HGT ____

ORD JETTISONED:

DUDS

DUDS RECOVERABLE YES NO UNKNOWN

LOCATION ____ REASON ____

FUZE ____ ARM DELAY ____ FUZE DELAY ____

ECM ENCOUNTERED ____ TIME ____ DETECTED BY ____

| WARNING INDICATION | | | ACTION TAKEN |
|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " " AIRBURST " " |
| C. A/C HIT | YES | NO | " " " FIRE INCIDENT REPORT |
| D. TH/RT | YES | NO | " " OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " GIVE SOURCE |
| G. DUDS | YES | NO | " " FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " GIVE REASON |
| J. DIVERT | YES | NO | " " GIVE AUTHORITY AND REASON |

DEBRIEFER: ____ DTG: ____

REMARKS:

TIME CHECKED IN WITH DASC 1655 WITH CONTROLLER 1657

DECLASSIFIED

DECLASSIFIED

6

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 09 CONTROLLER HOSTAGE "6" SQUAD 311

MSN# 540 CALL SIGN HB TYPE MSN CAS FLT CODE 132 A/C A48

MODEX CREW T/O LAND FLT TIME TOT

WL 18 CAR 1122-1215 1.8 1156-1204
04 HAMMACK

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 0 | | 10+ | | HILLY |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC 143526 | RVN (3) | VC POSIT |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 14.5 | | 12 | .5 | | 9.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1ST MARDIV | Mamaluke Thrust | | |
| | MAUL PEAK | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 10° | 6 | 30 SEC | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

OCT 0 [illegible]

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP |
|---|---|---|---|---|
| VC POSIT | 100/100 | | | |

ORDNANCE CARRIED: 16 DIA 409 ORD JETT

EXPENDED: ALL

SEC EXPLOSIONS # COLOR HGT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED

FUZE TIME ARM DELAY FUZE DELAY DETECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF | YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " |
| C. A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " | " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " | " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " | " | GIVE SOURCE |
| G. DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GIVE REASON |
| J. DIVERT | YES | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: CARL DTG 091230H

REMARKS:

TIME CHECKED IN WITH DASC 1135 WITH CONTROLLER 1140

DECLASSIFIED

DECLASSIFIED

6

MAG-12

DATE OF FRAG 09 COMMAND HOSTAGE YANKEE 311

MSN# 217 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C 24/E
MODEX CREW T/O LAND FLT TIME TOT

WL 15 Trumpf Heller 1342-1417 12 1355-
20 Keller 1402

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | 0 10+ | | | Mount |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC178509 | RUN (3) | Bunkus |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 10.5 | | 3.0 | 2.0 | 5.5 | |

| UNIT SUPPORTED | OTHER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| 1st Div | Mameluke Thrust | MAUI PEAK | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 6 | 33 | 443 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

EDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED 95/95

ORD NOT CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12D2 | All

ORD JETTISONED | DUDS

DUDS RECOVERABLE YES NO UNKNOWN

LOCATION REASON

FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED TIME DETECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG: 091447

REMARKS:

TIME CHECKED IN WITH DASC 1348 WITH CONTROLLER 1350

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG _____ CONTROLIER Hostage SIERRA SQUAD 311

MSN# 529 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C 2

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL22 | Hampton | 0700 | 0805 | 2.2 | 0730 |
| WL2 | Kirby | | | | 0755 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| [redacted] | CAVOK | 10+ | | | HILLY |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC197567 | I RVN (2) | Bunkers |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 12.5M | | 3000 | 1500 | | 9.5M |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 5th MARDIV | HIJI | PEAK | |

| ATTACK INFORMATION TYPE CONTROLIER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| CAS | 30 | 7 | 30sec | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

OCT 09 1968

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

Bunkers 90/80 cont

ORDNANCE CARRIED: 12 D24 | EXPENDED: 12 D24 | SEC EXPLOSIONS # ~~COLOR HGT~~

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED

FUZE ARM DELAY FUZE DELAY
TIME DETECTED BY

| WARNING INDICATION | | | IF YES | ACTION TAKEN |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | " " | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG 0830

REMARKS:

TIME CHECKED IN WITH DASC 0715 WITH CONTROLLER 0730

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG _____ CONTROLIER Hostage (X) SQUAD 311

MSN# 535 CALL SIGN H/B TYPE MSN CAS FLT CODE 152 A/C 2

| MODEX | CREW | TAB | IAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 00 | Hampton | 0700 | 0805 | | 0730-55 |
| WL 23 | Kirby | | | 2.2 | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| CAVOK | | 10 | | | Hilly |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC191562 | I RUN (3 | Bunkers |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 12.5m | | 3000 | 1500 | | 9.5m |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1st MAR Div | MAUI | PEAK | |

| ATTACK INFORMATION TYPE CONTROLIER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| HostageX | 30 | 6 | 30sec | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP |
|---|---|---|---|---|
| Bunkers | 100/100 | Controller | | |

ORDNANCE CARRIED: 12 D2 | EXPENDED: 12 D2 | SEC EXPLOSIONS # ___ COLOR ___ HGT ___

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION ___ REASON ___

ECM ENCOUNTERED

FUZE TIME ___ ARM DELAY ___ FUZE DELAY DETECTED BY ___

| WARNING INDICATION | | | IF | | ACTION TAKEN |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF | YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " |
| C. A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " | " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " | " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " | " | GIVE SOURCE |
| G. DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GIVE REASON |
| J. DIVERT | YES | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: ___ DTG 1030

REMARKS:

TIME CHECKED IN WITH DASC 0920 WITH CONTROLLER 0925

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 9 OCT CONTROLLER BARKY 17 SQUAD 311

MSN# 532 CALL SIGN H.B. TYPE MSN CAS FLT CODE 152 A/C 2A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 26 | MERRITHEW | 0845 | | 2.6 | 0917-0927 |
| WL 14 | JONES | 1000 | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| CAVOK | | — | NONE | | HILLY |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD 070635 | RVN (1) | BUNKERS |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | — | — | 1.0 | 300' | 17.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1-5 | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 20° | 8 | 30 sec | 450 |

AGA ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OCT 09 1968

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP |
|---|---|---|---|---|
| BUNKERS | 100/100 | 30 BUNKERS DESTROYED | | |

~~16 DIA 4D9~~ ~~16 DIA 4D9~~

ORDNANCE CARRIED: 16 DIA 4D9 EXPENDED: 16 DIA 4D9 SEC EXPLOSIONS # COLOR HGT

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED FUZE TIME ARM DELAY FUZE DELAY DETECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | (NO) | IF | YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | (NO) | " | " | " AIRBURST " |
| C. A/C HIT | YES | (NO) | " | " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | (NO) | " | " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | (NO) | " | " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | (YES) | NO | " | " | GIVE SOURCE |
| G. DUDS | YES | (NO) | " | " | FILL IN ABOVE |
| H. HAWK RUN | YES | (NO) | " | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | (NO) | " | " | GIVE REASON |
| J. DIVERT | YES | (NO) | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: J. J. Jones DTG 091025Z4

REMARKS:

TIME CHECKED IN WITH DASC 0900 WITH CONTROLLER 0915

DECLASSIFIED

DECLASSIFIED

DATE OF FRAG 9OCT CONTROLLER BARKY 15 SQUAD 311

MSN# 546 CALL SIGN HB TYPE MSN DAS FLT CODE 152 /0 2

| MODE X | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL-7 | KORMAN | 1328 | 1429 | 2.0 | 1400 - 1427 |
| WL-12 | FORNEY | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| 1,000 Ø | 15TO | Ø | 5 | — | LVL |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD 089 753 | I CORPS (DMZ) | STO AREA |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | 3000 | 500 | 300 | 11.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| 1st 5th (Arch) | LANCASTER | | |

| ATTACK INFORMATION TYPE CONTROLIER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TAC (A) | 10° | 6 | 30 sec | 450K |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

OCT 0 9 1968

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED

CREW/CONTROLLER

SD AREA 100/70
2 Sec Exp/65

ORDNANCE CARRIED
16 D2A/409

EXPENDED
ALL

SEC EXPLOSIONS
# 2 COLOR white HGT 150'

ORD JETTISONED
0

DUDS
DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECH ENCOUNTERED TIME DETECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG:

REMARKS:

IME CHECKED IN WITH DASC 1355 WITH CONTROLLER 1358

DECLASSIFIED

DECLASSIFIED

M.G. 3 DEBRIEFING FORMS

DATE OF FRAG 09 CONTROLLER Cowpoke 09 SQUAD 311

MSN# 559 CALL SIGN Hb CAS FLT CODE 352 A/C A4E
MODEX CREW T/O LAND FLT TIME TOT

WC 02 SITES 2225-2400 3.2 2340-
14 DONOVAN 2345

WX INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

1103

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

ZC 200557 RVN(3) Troops in Contact w/VC/NVA

ENROUTE ALT COASTIN/OUT ALT INT ALT REL ALT MIN ALT RETURN ALT

10,5 1.0 7 7.5

UNIT SUPPORTED OPER SUPPORTED TGT#/ATE PKG# COASTIN/COAST OUT COORDS

QUIZMASTER Mamelake Thrust
Mai Peak

ATTACK INFORMATION TYPE CONTROLLER RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED

TACA 10 2 30 450

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

1

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

OCT 0 0 1968

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED

CREW/CONTROLLER

1 Sec Ex Plos

ORDNANCE CARRIED

16D1A
4D9

EXPENDED

All

SEC EXPLOSIONS
# 1 COLOR NGT

ORD JETTISONED

DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED

TIME

DETECTED BY

| WARNING INDICATION | | | | ACTION TAKEN |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE ALT, HDG, DAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG:

REMARKS:

FLT CHECKED IN WITH DASC 2235 WITH CONTROLLER 250

DECLASSIFIED

DECLASSIFIED

D-

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 9OCT CONTROLLER COWPOKE 10 SQUAD 311

MSN# 536 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C A-4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 1 | OVERTURF | 0920 | 1005 | .7 | 0930-42 |
| 19 | JOHNSON | 0920 | 1007 | .8 | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| 010+ | | | | | FLAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| AT932495 | RVN D | FORT. VILLE |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 10.5 | | | 3.0 | 1.5 | 5.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 5TH MARINES | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TAC(A) | 30° | 6 | 30 sec. | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

OCT 9 1968

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP |
|---|---|---|---|---|
| FORT. UILLE | 95/95 | TAC(A) | | |
| 2 STRUCTURES DAMAGED | | | | |

| ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # | COLOR | HGT |
|---|---|---|---|---|
| 4D5 | 4D5 | | | |
| 4D24 | 3D24 | | | |

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED

FUZE TIME ARM DELAY FUZE DELAY DETECTED BY

WARNING INDICATION

ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | (YES) | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | (NO) | " " | " AIRBURST " |
| C. | A/C HIT | YES | (NO) | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | (NO) | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | (NO) | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | (YES) | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | (NO) | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | (NO) | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | (NO) | " " | GIVE REASON |
| J. | DIVERT | YES | (NO) | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: [signature] DTG 091030H

REMARKS: Small Arms Fire - A/C not hit

TIME CHECKED IN WITH DASC 0924 WITH CONTROLLER 0926

750
3
2250

DECLASSIFIED

DECLASSIFIED

DATE OF FRAG 09 CONTROLLER RASH 11 SQUAD 311

MSN# 204 CALL SIGN HB TYPE MSN CAS MDS CODE 152 A/C A4C
MODEX CREW T/O LAND FLT TIME TOT

WL 15 SITES 0723-0830 2.2 0755
18 SMITH 0800

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 0 | | 4NR | | MTS |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD 194287 | RVN ① | BUNKERS |

| ENROUTE ALT | COASTIN/OUT ALT | EIT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | | 3.0 | 1.2 | 13.5 |

| UNIT SUPPORTED | OTHER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| JEB STUART | III | 82nd AB | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 8 | 30 | 450 |

TACA ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

1.02
50

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

8D26 | ALL

ORD JETTISONED | DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED | TIME | DETECTED BY

| WARNING INDICATION | | | | | ACTION TAKEN |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: SS DTG: 0930

REMARKS:

RIH CHECKED IN WITH DASC 0750 WITH CONTROLLER 0752

DECLASSIFIED

DECLASSIFIED

MAG-12 [illegible]

DATE OF FRAG 9OCT CONTROLLER HOSTAGE "W" SQUAD 311

MSN# 520 CALL SIGN HB TYPE MSN FLT CODE 352 A/C A-4E
MODEX CREW T/O LAND FLT TIME TOT

WL 12 LTCOL OVERTURF 2225-2350 2.8 —
7 JOHNSON

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| AAA | 15⊕1-2 | | | | MOUNTAIN |

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

NO DROP

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 8.5 | — | — | — | — | 3.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| NO DROP | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| | | | | |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE: CREW/CONTROLLER

NO DROP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

8D2A/4D9 | NONE

ORD JETTISONED | DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED NO DROP TIME DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF | YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " " |
| C. A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. TH/RT | YES | NO | " | " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " | " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " | " | GIVE SOURCE |
| G. DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GIVE REASON |
| J. DIVERT | YES | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: [signature] DTG: 1000104

REMARKS: WX BELOW MINIMUMS. TOOK 50 CAL FIRE ON WAY TO TGT.

TIME CHECKED IN WITH DASC 2230 WITH CONTROLLER 2245

DECLASSIFIED

DECLASSIFIED

DATE OF FRAG 09 CONTROLLER HOSTAGE "W" SQUAD 311

MSN# 562 CALL SIGN HB TYPE MSN CAS FLT CODE 352 A/C A4E
MODEX CREW T/O LAND

WL 26 CARL 2253-0010 2.6 2345-50
11 HAMMACK

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 1500 | 5 | HAZE | HILLY | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YC200557 | PHUK (3) | VC TROOPS |

240/20/77

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 14.5 | 8.0 | 20 | ? | 13.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| 1ST MAR DIV | MAU PEN X | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 10° | 2 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

1

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. OCT 0 91968

10.

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | MSN | IP |
|---|---|---|---|---|
| VC TROOPS | 100/100 | TACA | | |

| ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # | COLOR | HGT |
|---|---|---|---|---|
| 16 MK 1A/409 | all | | | |

ORD JETTISONED

DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED TIME DETECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: [illegible] DTG: 100025H

REMARKS:

TIME CHECKED IN WITH DASC 2310 WITH CONTROLLER 2315

DECLASSIFIED

DECLASSIFIED

DATE OF FRAG 09 CONTROLLER Cow Poke 09 SQUAD 34

MSN# 561 CALL SIGN HB TYPE MSN CAS FLT CODE 352 A/C A4E
MODEX CREW T/O LAND

WL 18 LATHROP 2300-0030 3.0 2340-
26 LENT 2358

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | | | |

17 03

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC200557 | RVN (3) | VC, NVA |

~~ALERT~~/CONTACT.

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 12.5 | | 1.3 | .7 | 8.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| 1ST D.V | Manuluka Thrust | | |
| QUIZMASTER 14 | MAUI PEAK | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 20 | 2 | 3 MINUTES | 350 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER ANTI DETECTION

NUMBER: COORDS

OCT 0 91968

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED

CREW/CONTROLLER

ORDNANCE CARRIED 8D2A 4D9

EXPENDED All

SEC EXPLOSIONS # COLOR HGT

ORD JETTISONED

DUDS

DUDS RECOVERABLE YES NO UNKNOWN

LOCATION REASON

FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED TIME DETECTED BY

| WARNING INDICATION | | | ACTION TAKEN |
|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " " AIRBURST " " |
| C. A/C HIT | YES | NO | " " " FIRE INCIDENT REPORT |
| D. TH/RT | YES | NO | " " OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " GIVE SOURCE |
| G. DUDS | YES | NO | " " FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " GIVE REASON |
| J. DIVERT | YES | NO | " " GIVE AUTHORITY AND REASON |

R

DEBRIEFER: DTG: 100055

REMARKS:

TIME CHECKED IN WITH DASC 2305 WITH CONTROLLER 2315

DECLASSIFIED

DECLASSIFIED

6

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 9 Oct 68 CONTROLIER HOSTAGE 1-2 SQUAD 311

MSN# 538 CALL SIGN HB TYPE MSN LZ PREP FLT CODE 152 A/C A4E

| MODEX | CREW | TAB | IAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL-07 | SHNEW | 1000 - 1046 | | 1.6 | 1015 - 23 |
| WL-12 | Smith | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| CLOT | | | | | Hilly |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| 308°/11NM #77 | I Corps | LZ |
| ~~ZA~~ 850888 | (3) | |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 10.5 | | 3.0 | 1.5 | | 7.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| 1ST RECON | | | |

| ATTACK INFORMATION TYPE CONTROLIER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TAC(A) | 30° | 8 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

OCT 0 [illegible]

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP |
|---|---|---|---|---|
| LZ | 80/70 | TACA | | |

ORDNANCE CARRIED: 12 D24 / D20 — EXPENDED: ALL — SEC EXPLOSIONS # ___ COLOR ___ HGT ___

ORD JETT ___ DUD BOMBS ___

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION ___ REASON ___

ECM ENCOUNTERED ___ FUZE TIME ___ ARM DELAY ___ FUZE DELAY DETECTED BY ___

| WARNING INDICATION | | | ACTION TAKEN |
|---|---|---|---|
| A. HOSTILE FIRE | YES [NO] | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES [NO] | " " | " AIRBURST " |
| C. A/C HIT | YES [NO] | " " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES [NO] | " " | OPREP BY S-3 |
| E. RECON INSERT/[redacted] | [YES] NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | [YES] NO | " " | GIVE SOURCE |
| G. DUDS | YES [NO] | " " | FILL IN ABOVE |
| H. HAWK RUN | YES [NO] | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES [NO] | " " | GIVE REASON |
| J. DIVERT | YES [NO] | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: D/C Schmeel DTG 9 Oct 68 1100 H

REMARKS:

TIME CHECKED IN WITH DASC 1005 WITH CONTROLLER 1010

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 9 CONTROLLER Host X I SQUAD 311

MSN# 537 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C A4E

| MODEX | CREW | TAD | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 15 | Donovan | | 0925-1045 | 2.8 | 1010 |

Kish

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 0 | 10 | | | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ~~YC 19 5 62~~ | RVN | Enemy |
| ZC 191562 | | POSN |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 14.5 | | | 500 | 200 | 7.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1st Div | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 10 | 6 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

OCT 08 19[illegible]

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

Enemy pos 90/100 cont

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS

16 DIA 479 | all | # COLOR HGT

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: Donovan DTG

REMARKS:

TIME CHECKED IN WITH DASC 0940 WITH CONTROLLER 0945

DECLASSIFIED

DECLASSIFIED

MAG-12 D[illegible]

DATE OF FRAG 9 Oct CONTROL [illegible] ~~FAK40~~ SAKE 40 SQUAD VMA-311

MSN# 556 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C 2

| MODEX | CREW | T/O | LAND | [illegible] | [illegible] |
|---|---|---|---|---|---|
| WL 22 | Overturf | 1606 | 1636 | 1.0 | 1615 1621 |

1 04 Ernzfeld

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| 0 | | | 10+ | | Flat |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| BS715789 | RVN (5) | Fortified VILL |

| ENROUTE ALT | COASTIN/OUT ALT | EMT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 7.5 | | | 500 | 400 | 8.5 |

7.5 500' 400' 8.5

| ~~Artillery~~ UNIT SUPPORTED | OPER SUPPORTED | TGT#/NTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| AMERICAL | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 10 | 4 | 40 sec | 450 |

16A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

[illegible] 9 1968

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP |
|---|---|---|---|---|
| Village | 100/100 | Controller | | |

Numerous Buildings Destroyed

| ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # | COLOR | HGT |
|---|---|---|---|---|
| 16 DI 409 | All | | | |

NONE

ORD JETTISONED

DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECH ENCOUNTERED TIME DETECTED BY

ARNING INDICATION ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG:

EMARKS:

IME CHECKED IN WITH DASC 1610 WITH CONTROLLER 1611

DECLASSIFIED

DECLASSIFIED

DATE OF FRAG 90ct CONTROLLER JAKE 40 SQUAD 311

MSN# 557 CALL SIGN N.B. TYPE MSN CAS FLT CODE 152 A/C 2
MODEX CREW T/O

WL 15 LATNROP 1816-1856 14 1836-43
WL 18 FIREBRIGHT

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 0 | 7 | | | FLAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| BS 715789 | RVN (5) | VILLE |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 7.5 | 500' | 300' | | 6.5 | |

| UNIT SUPPORTED | OTHR SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| AMCAL | ? | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 10° | 6 | 30 sec | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP |
|---|---|---|---|---|
| VILLE | 100/100 | 20 structures dest. | 10 sec. fires | 1 sec exp. |

ORDNANCE CARRIED: 160LB/409 EXPENDED: ALL SEC EXPLOSIONS: # 1 COLOR white HGT

ORD JETTISONED: None DUDS: None

DUDS RECOVERABLE YES NO UNKNOWN

LOCATION REASON

FUZE ARM DELAY FUZE DELAY

ECH ENCOUNTERED TIME DETECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: J. C. Cayabyab DTG: 091900 Oct 68

REMARKS:

IME CHECKED IN WITH DASC WITH CONTROLLER 1826

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 9 Oct CONTROLLER Hostage L SQUAD 311

MSN# 555 CALL SIGN HB TYPE MSN CAS FLT CODE 352 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 20 | Forman | 1800 | 1905 | 2.2 | 1845-55 |
| WL 26 | Forney | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| 1500 7 | | | | | hills |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC 192568 | 3 | Motorpark. |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 10.5 | | 3M | | 7.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE/PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| 1st Mar. | Mameluke Thrust | | |
| | MAUI PEAK | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30° | 6 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

Moderate [illegible] 100/100

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12 D2 AM

ORD JETTISONED | DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED | TIME | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP-BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: Forney DTG:

REMARKS:

TIME CHECKED IN WITH DASC 1810 WITH CONTROLLER 1815

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 9 OCT. CONTROLLER HOSTAGE X Y SQUAD 311

MSN# 534 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL4 LEWIS | | 0855-0950 | | 1.8 | 0915-0920 |
| WL11 HAMMACK | | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| CLEAR | | 10 | | | MNT. |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC 191541 | I CTZ | BUNKERS |

| ENROUTE ALT | COASTIN/OUT ALT | I P ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 14.5 | | 1050 | .5 | | 9.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1ST MAR DIV | MAUI PEAK | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 20° | 6 | 30 | 450 |

AGA ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP |
|---|---|---|---|---|
| BUNKERS | 100/90 | TAC A | 270° | — |

| ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # | COLOR | HGT |
|---|---|---|---|---|
| 16 DIA | 15 DIA | | | |
| 409 | 409 | | | |

ORD JETT: 3 D9 (NAPE)

DUD BOMBS: DUDS RECOVERABLE YES (NO) UNKNOWN
LOCATION TGT REASON UNK

ECM ENCOUNTERED: FUZE TIME ARM DELAY 0 FUZE DELAY DETECTED BY

WARNING INDICATION — ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | (NO) | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | (NO) | " " | " AIRBURST " |
| C. | A/C HIT | YES | (NO) | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | (NO) | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | (NO) | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | (YES) | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | (NO) | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | (NO) | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | (NO) | " " | GIVE REASON |
| J. | DIVERT | YES | (NO) | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: JP Lewis DTG 091000H

REMARKS:

TIME CHECKED IN WITH DASC 0858 WITH CONTROLLER 0900

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 9Oct CONTROLLER Host H Y SQUAD 311

MSN# 541 CALL SIGN HB TYPE MSN CAS FLT CODE 1SZ A/C A4E(2)

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 00 | MERRIMEW | 1140 | 1235 | 0.9 | 1215/19 |
| 23 | JONES | | | 0.9 | |
| | | | | 1.8 | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| CAV OK | | | | | Hilly |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC 091561 | (3) I | BUNKERS |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 12.5 | — | — | 500 | 200 | 7.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1st MAR DIV | Manuluka Thrust | Main Peak Ridge | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 10° | 6 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

OCT 0 [illegible]

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

BNKRS/Trenches 90/90 TAC
20MTRS Trench line

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

16 DIA all
4 D9

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF | YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " |
| C. A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " | " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " | " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " | " | GIVE SOURCE |
| G. DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GIVE REASON |
| J. DIVERT | YES | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: Merrihew DTG 1245 90ct 68

REMARKS:

TIME CHECKED IN WITH DASC 1145 • WITH CONTROLLER 1146

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG _____ CONTROLLER Compone 9 SQUAD 311

MSN# 544 CALL SIGN HB TYPE MSN CAS FLT CODE _____ A/C AV-8

| MODEX | CREW | TAKE OFF | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL04 | Holland | 1319 | 1405 | 1.6 | 1344-51 |
| 18 | Barger | | | | |

| TGT INFORMATION | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| TGT WX 900 | | | 10+ | | Hilly |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC 103526 | (3) | ~~Enemy~~ Troop Concentration |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 8.5 | | 3.0 | 2.0 | | 7.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 1 Mar Div | Mau Peak | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30° | 6 | 30 sec | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP |
|---|---|---|---|---|
| Troops | 95/90 | TACA | | |

| ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # | COLOR | HGT |
|---|---|---|---|---|
| 8 D26X | 8 D26X | No DUDS | | None |

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED

FUZE TIME ARM DELAY FUZE DELAY DETECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF | YES | PREPARE FIRE INCIDENT REPORT (SMALL ARMS.) |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " (Troops Reports) |
| C. A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT (Not seen by |
| D. T/H-R/T | YES | NO | " | " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " | " | SUCCESS, PAR SUCCESS, OTHER (pilots or |
| F. BDA REPORTED | YES | NO | " | " | GIVE SOURCE (TACA.) |
| G. DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GIVE REASON |
| J. DIVERT | YES | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DL Barger DTG 09 1425 H

REMARKS: SA MODERATE

TIME CHECKED IN WITH DASC 1329 WITH CONTROLLER 1331

DECLASSIFIED

DECLASSIFIED

DATE OF FRAG 10 Oct 68 CONTROLLER COWPOKE 4 SQUAD 311

MSN# 545 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C A4E

MODEX CREW T/O LAND FLT TIME TOT

WL 14 SCHNELL 1356 1400 1.7 1327-41

26 ERENFELD

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN

TGT WX 500 UNK .2 7 MOUNTAINS

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

YC 103526 RVN I Corps Enemy Position

(3)

ENROUTE ALT COASTIN/OUT ALT EMT ALT REL ALT MIN ALT RETURN ALT

10.5 3.0 1.5 7.5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/OUT COORDS

1st MAR DIV Maule Pete

ATTACK INFORMATION TYPE CONTROLLER RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED

TAC(A) 30° 6 30 450 KTS

AGA ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

Every Position 95/90 TAC(A)

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12 DZW | ALL

ORD JETT | DUD BOMBS

DUDS RECOVERABLE: YES NO UNKNOWN
LOCATION | REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DK Johnson SA INT DTG 9 Oct 68 1415 H

REMARKS:

TIME CHECKED IN WITH DASC 1310 WITH CONTROLLER 1314

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 9 Oct CONTROLLER Hostage 1 SQUAD 311

MSN# 516 CALL SIGN HB TYPE MSN CAS CODE 52+6 2
MODEX CREW T/O LAND FLT TIME TOT

VL-2 Viper 1300-1405 2.2 1338-45

22 Pilot

| TGT INFORMATION TGT WX | CONTACTS | CLOUD COVER | VIS | LOPS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | | | Hilly |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| 100 0 | 10 | |
| ZC 193505 | PHU | VC Position |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | 20 | 12 | | | 11.5 |

| UNIT SUPPORTED | OTHER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| M Co 3/5 | 1st MAR DIV | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 6 | 30 | 450 |

A/A ONLY DELIVERY MODE SYSTEMS UTILIZATION

89 6 0 100

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP |
|---|---|---|---|---|
| Vc Posit | 95/95 | TACA | | |

| ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # | COLOR | HGT |
|---|---|---|---|---|
| 8 MD2 /4DS | ALL | | | |

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN

LOCATION REASON

ECM ENCOUNTERED

FUZE TIME ARM DELAY FUZE DELAY DETECTED BY

| WARNING INDICATION | | | IF YES | ACTION TAKEN |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " | GIVE SOURCE TACA |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: CAPT LICUE DTG 1430 9 OCT

REMARKS:

TIME CHECKED IN WITH DASC 1330 WITH CONTROLLER 1335

DECLASSIFIED

DECLASSIFIED

DATE OF FRAG 09 CONTROLLER FINGER PRINT 35 SQUAD 311

MSN# 210 CALL SIGN HB TYPE MSN CAS/LZP PLT CODE 152 A4E
MODEX CREW T/O IAD

WL 02 TRUMPFHELLER 0909 - 1100 3.8 0935
43
22 DICKEY

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | O | 10 m | | Mts |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD036385 | RUN ID | LZP |

| INROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | 3.5 | 2.5 | 17.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| 9th MAR. | SCOTLAND TI | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 6 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

8960 0919 68

OTHER AMTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED

90
80

AMMUNITION CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12D24 | ALL

ORD JETTISONED | DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED | TIME | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: 85 DTG: 1145

REMARKS:

TIME CHECKED IN WITH DASC 0927 WITH CONTROLLER 0929

DECLASSIFIED

DECLASSIFIED

MAG-12
MISSION DEBRIEF FORM

DATE 20168 CALL SIGN HB MSN# 6 CODE 152 SQUAD
MODEX 6700 CREW 605 311

TO 1211 DISC Kbay

LD 1345 CONT Kbay VIC of Quetat

TT 3.2 TOT 1315-20 03 Kelly

CONTROLLER Sausalito

TYPE

| TGT COORD. | TGT DESCRIPTION | COUNTRY/CORPS/PROVINCE |
|---|---|---|
| YD 042675 | Arty rocket site | RVN I (1) |

TGT TERRAIN Hilly TGT WX Good ENROUTE ALT RETURN ALT

| RELEASE ANGLE | PASSES | INTERVAL | RELEASE ALT | MIN ALT | AIR SPEED |
|---|---|---|---|---|---|
| 20° | 1 | 30 sec | 1050 | 500 | 450k |

ORD CARRIED 4 Dg 16 Smk EXPENDED All

ORD JETTISONED none DUDS YES NO (see below)

BDA 100/100 (1 Rocket site destroyed)

SECONDARY EXPLOSIONS # COLOR HEIGHT

UNIT SUPPORTED OPERATION Kentucky

| | | | |
|---|---|---|---|
| (A) HOSTILE FIRE | YES | NO | PREPARE FIRE INCIDENT REPORT |
| (B) AIRBURST | YES | NO | PREPARE AIRBURST FORM |
| (C) A/C HIT | YES | NO | PREPARE FIRE INCIDENT REPORT |
| (D) RECON INSERT/EXTRACT | YES | NO | SUCCESS, OTHER |
| (E) BDA REPORTED | YES | NO | GIVE SOURCE/FILL OUT INFORMATION AAA |
| (F) ABORT | YES | NO | GIVE REASON BELOW |
| (G) DIVERT | YES | NO | GIVE AUTHORITY AND REASON BELOW |

REMARKS Secured by Intercept Controller conducted ARA flight out to provide cover during retrieval

DUD REPORT LOCATION REASON
RECOVERABLE FUZE TYPE DELAY ARM DELAY

ECM ENCOUNTERED TIME HOW DETECTED

DEBRIEFER DTG

BDA INFORMATION 1. 2. 3. 4.

5. 6. 7.,8.,9. NOV 1968

10. 11. 12. 13.

DECLASSIFIED

DECLASSIFIED

6 BRIEFED AT SQUADRON

MAG-12 DEBRIEFING FORM

DATE OF FRAG 10 Oct CONTROLLER Quartermaster 14 SQUAD VMA 311

MSN# 532 CALL SIGN HB TYPE MSN CAS FLT CODE 352 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 22 | LEAD | 0140 | 0215 | 1.2 | |
| WL 14 | DONAVAN | 0200 | 05 | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | 20 D | — | NIGHT | HILLY |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC 195569 | (3) | |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| | | | | | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| 5th MAR | Mau Peak | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 10° | 4 | 30 Sec | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

1

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

OCT 10 1968

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP |
|---|---|---|---|---|
| TRPS IN Comma | 100/100 | | | |

ORDNANCE CARRIED
4 D9
4 D2
8 D1

EXPENDED

SEC EXPLOSIONS # COLOR HGT

ORD JETTISONED

DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED TIME DETECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: J W Scott DTG: 0230 10 Oct 68

REMARKS:

TIME CHECKED IN WITH DASC 0245 WITH CONTROLLER 0150

DECLASSIFIED

DECLASSIFIED

MAG-12 [illegible]

DATE OF FRAG 10 CONTROLLER Kim CHI 8 SQUAD 311

MSN# 293 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C A4C
MODEX CREW T/O LAND

WL 4 LEWIS ~~0735 - 0840 - 09~~

2 BRANSON ~~0740~~

0740-0835 1.8 0807-17

TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN

0 10 m FLAT

TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION

BT189585 RUN I (3) FORT BUNKERS

ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT

12.5 3.0 1.5 8.5

UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS

ROK marines DRAGON VICTORY AL

ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED

TACA 30 8 30 450

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

OCT 10 1968

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED, | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP |
|---|---|---|---|---|
| 100 | 1 | BUNKER DCS | | |
| 100 | 1 | " DAM | | |

| ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # | COLOR | HGT |
|---|---|---|---|---|
| 8D24 | ALL | | | |
| 4D5 | | | | |

ORD JETTISONED

DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED TIME 9 1/4/6 DETECTED BY

| WARNING INDICATION | | | IF | YES | ACTION TAKEN |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF | YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " " |
| C. A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. TH/RT | YES | NO | " | " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " | " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " | " | GIVE SOURCE |
| G. DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GIVE REASON |
| J. DIVERT | YES | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: [illegible] DTG: 0940

REMARKS: — DANANG
— GROUND FOG

TIME CHECKED IN WITH DASC 0747 WITH CONTROLLER 0800

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 10 CONTROLLER BICK 25 SQUAD 311

MSN# 535 CALL SIGN HB TYPE MSN DAS FLT CODE 152 A/C A46
MODEX CREW T/O LAND FLT TIME TOT

WL 00 CARE 1610-1715 1.1 1640-48

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX 30 0-0 3 HAZE HILLY

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION
YD 554058 RVN NVA BASE CAMP

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT
14.5 1.0 .5 11.5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/COAST OUT COORDS
101ST AB (?)

ATTACK INFORMATION RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED
TYPE CONTROLLER
TACA 10° 3 30sec 450

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER AMTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

VC Base Camp | 10/100 | TACA

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

8 DCA/209 | all

ORD JETTISONED | DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECH ENCOUNTERED | TIME | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

TACA

DEBRIEFER: CAR | DTG: 101730H

REMARKS:

TIME CHECKED IN WITH DASC 1620 WITH CONTROLLER 1635

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG Oct 68 CONTROLLER FINGERPRINT 39 SQUAD 311

MSN# 556 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL-15 | SCHNELL | 1543 | 1655 | 2.4 | 1610-1622 |
| -18 | RYDER | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| 40 Ø | | | 7 | | HILLY |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| XD 997704 | I CORPS RVN | BUNKER COMPLEX |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | 9.5 | 2.3 | 1.5 | | 15.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| 3rd MARDIV | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TAC(A) | 30° | 8 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

1

OTHER AMTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | CREW/CONTROLLER

Bunker Complex | TAC(A)

ORDNANCE CARRIED: 8 D26 | EXPENDED: 6 | SEC EXPLOSIONS: # COLOR HGT

ORD JETTISONED: NONE

DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECH ENCOUNTERED | TIME | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | [NO] | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | [NO] | " " | " AIRBURST " " |
| C. | A/C HIT | YES | [NO] | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | [NO] | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | [NO] | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | [YES] | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | [NO] | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | [NO] | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | [NO] | " " | GIVE REASON |
| J. | DIVERT | YES | [NO] | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DK Schneer DTG: 10 1710 H Oct 68

REMARKS:

TIME CHECKED IN WITH DASC 1600 WITH CONTROLLER 1600

DECLASSIFIED

DECLASSIFIED

MAG-12

DATE OF FRAG 10 Oct CONTROLLING AGENCY DONANG RSRT A SQUAD 31

MSN# 543 CALL SIGN NB TYPE MSN TCP CAL FLT CODE 112 A/C 1
MODEX CREW T/O

CAL-02 ARCABOUGHT 1256-1356 1315-30

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| 1000 | | 10 | | | MOUNTAINOUS |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC 130845 | LAOS | STREAM JUNCTION |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 14.5 | 14.0 | 14.0 | | 11.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| DONANG RSRT | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| RSRT | — | 2 | | 350 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

1

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

OCT 1 0 1968

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | TF

STREAM JUNCT | ✓ | —

ORDNANCE CARRIED: 4026X | EXPENDED: ALL | SEC EXPLOSIONS # COLOR HGT

ORD JETTISONED: NONE | DUDS: NONE

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED | TIME | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: [signature] DTG: 101410 C46

REMARKS:

TIME CHECKED IN WITH DASC ——— WITH CONTROLLER 1310

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG/10CT CONTROLLER Camp Carol SQUAD 311

MSN# 206 CALL SIGN HB TYPE MSN TPQ DAS FLT CODE 152 A/C F4B

| MODE X | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL | 15 TRUMP FUELLER | 0740 - 0820 | | 2.6 | 0910-15 |
| | 22 KELLEY | 0740 - 0935 | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | 0 | 10 | | FLAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD 243883 | NVN | BUNKERS & STORAGE AREA |
| 1704 10705 | | |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 20.5 | | 20.5 | | 19.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| 3rd MARDIV | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| ASRT | Level | one | — | 290 |

T6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER AMTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

OCT 10 1968

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER

UNK

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

4026Y | ALL

ORD JETTISONED | DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED | TIME | DETECTED BY

| WARNING INDICATION | | | | | ACTION TAKEN |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF | YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " " |
| C. A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. TH/RT | YES | NO | " | " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " | " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " | " | GIVE SOURCE |
| G. DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GIVE REASON |
| J. DIVERT | YES | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: JS DTG:

REMARKS:

TIME CHECKED IN WITH DASC WITH CONTROLLER 0910

206-1 AIR BORN ABORT

DECLASSIFIED

DECLASSIFIED

DATE OF FRAG 100CT CONTROLLER Hostage Victor SQUAD 311

MSN# 564 CALL SIGN HB TYPE MSN CAS FLT CODE 35 2 A/C 2

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL15 | Kish | 1628 | 1920 | 1.8 | 1845-1905 |
| 7 | Erentfeld | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| CD | | | Dark | | Mountainous |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| EC 189569 | RUN | Enemy Position |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 135 | | 500 | | 13.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| 1SMARDIV | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 10° | 6 | 40 sec | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

1

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

OCT 10 1968

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED

CREW/CONTROLLER

Enemy Position

ORDNANCE CARRIED: 1C DIA 409

EXPENDED: all

SEC EXPLOSIONS: # COLOR HGT

ORD JETTISONED

DUDS

DUDS RECOVERABLE YES NO UNKNOWN

LOCATION REASON

FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED TIME DETECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG: 10 OCT 68

REMARKS:

FLT CHECKED IN WITH DASC 1834 WITH CONTROLLER 1838

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 10 CONTROLLER F. P. 39 SQUAD 311

MSN# 552 CALL SIGN K.B. TYPE MSN DAS FLT CODE 152 A/C 2

MODEX CREW T/O LAND FLT TIME TOT

WL 07 SITE 1438-1601 1530-35

WL 22 ARCAMIGHT

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| 500 | | 10 | | | HILLY |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| XD 997704 | RVN | BUNKERS |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | | 1500 | 1000 | 17.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| 3rd Mar Div | — | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 20° | 2 | 30sec | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OCT 10 1968

OTHER AMTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED BDA CREW/CONTROLLER

SURFACE 70/70 / Bridge Down

ORDNANCE CARRIED EXPENDED SEC EXPLOSIONS

16 DIA / 4 09 16 DIA / 4 09 # COLOR HGT

ORD JETTISONED DUDS NONE

NONE DUDS RECOVERABLE YES NO UNKNOWN

LOCATION REASON

FUZE ARM DELAY FUZE DELAY

ECH ENCOUNTERED TIME DETECTED BY

ARNING INDICATION ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG: 10165

EMARKS:

IME CHECKED IN WITH DASC 1520 WITH CONTROLLER 1522

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 10 OCT CONTROLLER HOSTAGE PAPA SQUAD 311

MSN# 363 CALL SIGN H.B. TYPE MSN CAS FLT CODE 152 A/C A4E

MODEX CREW T/O LAND FLT TIME TOT

WL 02 OVERTURF 1803-1840 1.2 1810-1815

WL 11 JONES [redacted]

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN

TGT WX CAVOK — — — HILLY

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

235/17 #77 RVN MORTAR POSN.

108B

ZC 205 605

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT

14.5 — — 1050' 750' 9.5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PAG# COASTIN/COAST OUT COORDS

1ST MARDIV

ATTACK INFORMATION RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED

TYPE CONTROLLER

TACA

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER AMTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9. OCT 1 0

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

MORTAR | 100/100

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

409 16DIA | SAME

ORD JETTISONED | DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECH ENCOUNTERED | TIME | DETECTED BY

ARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: J J J DTG: 101855 H

REMARKS:

TIME CHECKED IN WITH DASC 1805 WITH CONTROLLER 1808

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 10 CO[illegible] BARK Y 12 311

MSN# 221 CALL SIGN HB TYPE MSN DAS 152 A4E
MODEX CREW T/O LAND FLT TIME TOT

WCO2 Hiett 1538-
11 Smith 1458-1612 2.4 1527
1535

TGT WX CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
Hilly
0 UNL

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION
YD091756 RVN(DMZ) Bunker Complex

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT
14.5 3.0 1.2 12.5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/COAST OUT COORDS
PCV Rose

ATTACK INFORMATION TYPE CONTROLLER RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED
TACA 30 B6 30 450

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER

100/30

1 See Expl Os

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS #1 COLOR — HGT —

120 2 W | All

ORD JETTISONED | DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECH ENCOUNTERED | TIME | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG: 101702

REMARKS:

LINE CHECKED IN WITH DASC 1520 WITH CONTROLLER 1525

DECLASSIFIED

DECLASSIFIED

MAG-12 [illegible]

DATE OF FRAG 10OCT CONTROLLER: RASH 05 SQUAD 311

MSN# 538 CALL SIGN HB TYPE MSN OAS FLT CODE 152 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 12 | HAMPTON | 1200 | 1310 | 2.4 | 1240-1248 |
| WL 07 | JONES | | | | |

| TGT INFORMATION | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| TGT VIS 3.0 | OVC 10.0 | OVC | 7 | — | MOUNTAINOUS |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD165280 | RVN (1) | TRENCH LINE |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | — | .5 | .3 | 9.5 | |

| UNIT SUPPORTED | OTHER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| JEB STUART III | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 10 | 4 | 30 SEC | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

TRENCH LINE 100/75 CAVALIER 27

ORDNANCE CARRIED 6 DIA EXPENDED 6

SEC EXPLOSIONS # COLOR HGT

ORD JETTISONED

DUDS

DUDS RECOVERABLE YES NO UNKNOWN

LOCATION REASON

FUZE ARM DELAY FUZE DELAY

MCH ENCOUNTERED TIME DETECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: J J Jones DTG: 101320 H

REMARKS:

1217 1225

ME CHECKED IN WITH DASC WITH CONTROLLER

DECLASSIFIED

DECLASSIFIED

MAG-12 TY

DATE OF FRAG 10 OCT 68 CONTROLLER RASH 05 SQUAD 311

MSN# 539 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C A4E

| MODEX | CREW | T/O | LAND | | |
|---|---|---|---|---|---|
| WL 18 | LTCOL. OVERTURF | 1203 | 1328 | 2.8 | 1255-1305 |

14 HAMMACK

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 400 & | | 10+ | | MTNS. |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YO180240 | RVN (2) | HOOCHES |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 18.5 | 5.5 | 1.0 | .5 | | 19.5 |

| UNIT SUPPORTED | OTHER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| | JKO STUART III | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 20° | 4 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER AMTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

100/100 | 2 HOOCHES DEST.

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

4 D9 | ALL

16 DIA

ORD JETTISONED | DUDS

DUDS RECOVERABLE YES NO UNKNOWN

LOCATION REASON

FUZE ARM DELAY FUZE DELAY

ECH ENCOUNTERED | TIME | DETECTED BY

ARNING INDICATION | ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. | HOSTILE FIRE | YES NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES NO | " " | GIVE SOURCE |
| G. | DUDS | YES NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES NO | " " | GIVE REASON |
| J. | DIVERT | YES NO | " " | GIVE AUTHORITY AND REASON |

EBRIEFER: HLH DTG: 10 1350 H

EMARKS:

IME CHECKED IN WITH DASC 1225 WITH CONTROLLER 1230

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORM

DATE OF FRAG 100CT CONTROLLER EP-38 SQUAD 311

MSN# 544 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 01 | SCHNELL | 1316 | 1425 | 2.4 | 1340-50 |
| WL 19 | PYLOR | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| 35 Ø 10 | | | | | MOUNTAINOUS |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| XD 877 336 | | NVA LOCATION |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16,500 | | | 2800/800 | | 15,550 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| SCOTLAND/NAN KING | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30/10 | 8 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

OCT 10 1968

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED

NVA LOCATION

ORDNANCE CARRIED EXPENDED SEC EXPLOSIONS # COLOR HGT

ORD JETTISONED 4 D 24 DUDS 2 L

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED TIME DETECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG:

REMARKS:

Pyclone 1014/40 M

TIME CHECKED IN WITH DASC WITH CONTROLLER

1335 1337

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORM

DATE OF FRAG 10 Oct CONTROLLER Seaworthy 49 SQUAD 311

MSN# 550 CALL SIGN #B TYPE MSN DAS FLT CODE 152 A/C 2

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 26 | Kisl | 1420 | 1528 | 2.6 | 1500-1510 |

23 Erenfeld

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| CD | 8000 | | 10+ | | Mountains |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD007304 | RVN | LZ |

| ENROUTE ALT | COASTIN/OUT ALT | EMT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | | 3000 | | 17.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| Darting Star | Scot II | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30° | 12 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER AMTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP |
|---|---|---|---|---|
| LZ | 10%/100 | | | |

ORDNANCE CARRIED: 12 Dax

EXPENDED: all

SEC EXPLOSIONS # ____ COLOR ____ HGT ____

ORD JETTISONED: ____

DUDS

DUDS RECOVERABLE YES NO UNKNOWN

LOCATION ____ REASON ____

FUZE ____ ARM DELAY ____ FUZE DELAY ____

ECM ENCOUNTERED ____ TIME ____ DETECTED BY ____

| WARNING INDICATION | | | IF YES | ACTION TAKEN |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: ____ DTG: 10 OCT 68

REMARKS:

TIME CHECKED IN WITH DASC 1445 WITH CONTROLLER 1446

DECLASSIFIED

DECLASSIFIED

DATE OF FRAG 100ct CONTROLLER HW SQUAD 311

MSN# 530 CALL SIGN HOB TYPE MSN CAS FLT CODE 252 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL17 | McCRAW | 0100 | 0145 | 1.4 | 0120 - 0130 |
| WL07 | LITTLE | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| O | | | 3+ | NITE | HILLY |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC 200557 | KONTUM (2) | TROOPS |

| ENROUTE ALT | COASTIN/OUT ALT | EMT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 12.5 | | 1000 | 500 | 7.5 | |

| UNIT SUPPORTED | OTHER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| 5 man | MAUI PEAK | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 10° | 6 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

OCT 1 0 1969

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

TROOPS | 1 SECONDARY | FAC

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

8D-A
4D9 | ALL

ORD JETTISONED | DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED | TIME | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG:

REMARKS:

TIME CHECKED IN WITH DASC 0110 WITH CONTROLLER 0115

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 0 CONTROLLER HOSTAGE V SQUAD 311

MSN# 560 CALL SIGN H/B TYPE MSN CAS FLT CODE 155 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| 101 | 23 HOLLAND | 1750 | 1805 | 1.6 | 1735-42 |
| | 28 HAMMACK | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| C | | | 5 | HAZE | MTS. |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| 2C 178508 | | ENEMY POSITS |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 8.5 | | 2500 | 1500 | | 9.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| 1ST MARDIV | MAUI PEAK | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30° | 6 | 30 SEC | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED

ENEMY POSITS 160/100 TACA

ORDNANCE CARRIED: 12 DS

EXPENDED: ALL

SEC EXPLOSIONS # COLOR HGT

ORD JETTISONED

DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECH ENCOUNTERED TIME DETECTED BY

| WARNING INDICATION | | | | ACTION TAKEN |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG:

REMARKS:

TIME CHECKED IN WITH DASC 1724 WITH CONTROLLER 1726

DECLASSIFIED

DECLASSIFIED

F 5-32

MISSION DEBRIEF FORM

DATE 11 OCT 68 CALL SIGN Hi 207 MSN # 6207 CODE 152 WING 11

TAKEOFF 0937 WL 05 DICKEY

LAND 0912 ACFT 0805 WL-03 JONES

TOT 3.2 OUT 0835-45

CONTROLLER TEAK 60

TGT CONTROLLER JACA MSN MSN Hello Ch / CAS

TGT CODE: 2277365 TGT DESCRIPTION: Cross of Bones COUNTRY/COORDS PROVIDED: I

TGT TERRAIN Hilly TGT WX 2500/8 OVCST ALT 16.5 RUNWAY ALT 19.5

APPROACH ANGLE 10° PASSES 6 INTERVAL 30 RELEASE ALT 500 MIN ALT 340 AVG SPEED 400 KTS

ORD CARRIED 160A / 4D9 EXPENDED ALL

ORD RETURNED NONE DUDS YES (NO) (SEE BELOW)

BDA 100/100

SECONDARY EXPLOSIONS NO COLOR HEIGHT

UNIT SUPPORTED 1st MAC DIV OPERATION Dawson River

| | | | |
|---|---|---|---|
| (a) HOSTILE FIRE | YES | NO | PREDAWN PIPE INCIDENT PLANT |
| (b) AIRBURST | YES | NO | PREPLNL AIRBURST FUZE |
| (c) A/C HIT | YES | NO | PREPLNL NON INCIDENT STRIKE |
| (d) PROX INSERT/EXTRACT | YES | NO | SUCCESS, OTHER |
| (e) BDA ACHIEVED | YES | NO | GIVE SOURCE/BASIS (NOT REQUIRED) JACA |
| (f) ABORT | YES | NO | GIVE REASON BELOW |
| (g) DIVERT | YES | NO | GIVE AUTH NAME AND REASON BELOW |

REMARKS:

FM# TO# FOR

DOT PILOT TO FLY IN LEAD CYCLE OUT FUZE DELAY ARM DELAY

LCH ENCOUNTERED SIDE NAV DATUM

DL OFFICER C D Dickey FLT# 0930

LDG TFC: 1. 2. 3. 4. 5. 6. 7. 8. 9. 10.

DECLASSIFIED

DECLASSIFIED

DATE OF FRAG 11 OCT CONTROLLER CATFILLER 13 SQUAD 311

MSN# 535 CALL SIGN H.B. TYPE MSN TALLY HO FLT CODE 152 A/C A4E

| MODEX | CREW | TO | LTO | |
|---|---|---|---|---|
| WL4 | SITES | 0753-0920 | 3.0 | 0829-0837 |
| WL26 | SMITH | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| 3000 OVC | | | 5H | | LEVEL |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD164886 | NVN | 37 MM POSITION |
| 1704 10702 | | |

| ENROUTE ALT | COASTIN/OUT ALT | EMT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 18.5 | — | — | 1.2~~00~~ | 1.2~~00~~ | 17.5 |

| UNIT SUPPORTED | OTHER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| PCV | — | — | — |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TAC(A) | 10° | 4 | 30 sec | 400 |

16A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/ cable in

OTHER AMTI DETECTION

NUMBER: COORDS

OCT 1 1 1968

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIR | IP |
|---|---|---|---|---|
| 37 MM POSITION | 80/100 | TAC(A) 360° | | |

ORDNANCE CARRIED: 6924 EXPENDED: All SEC EXPLOSIONS: # ~~COLOR~~ ~~HOT~~

~~ORD JETTISONED~~ DUDS

DUDS RECOVERABLE YES NO UNKNOWN

LOCATION REASON

FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED TIME DETECTED BY

| WARNING INDICATION | | | IF YES | ACTION TAKEN |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | (NO) | " " | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | (NO) | " " | " AIRBURST " " |
| C. A/C HIT | YES | (NO) | " " | " FIRE INCIDENT REPORT |
| D. TH/RT | (YES) | NO | " " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | (NO) | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | (YES) | NO | " " | GIVE SOURCE |
| G. DUDS | YES | (NO) | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | (NO) | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | (NO) | " " | GIVE REASON |
| J. DIVERT | (YES) | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: ODO DTG: 110945H OCT 68

REMARKS: Assigned controller turned flight back to Dong Ha DASC for reassignment when wx in tgt area became too bad for div dive ordnance.

TIME CHECKED IN WITH DASC 0815 WITH CONTROLLER 0825

DECLASSIFIED

DECLASSIFIED

11 Oct

DATE OF FRAG ____ CONTROLLER BLACKACE 17 SQUAD 311

MSN# 539 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C 2

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL-14 | LICLIE | 1404 | 1445 | 1.4 | 1415/20 |
| 22 | FORNEY | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| 40 Ø | 1000 | | 10 | | hilly |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC 186572 | RUN III | MOTOR POS. T |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 10.5 | | | 1050 - 500 | | 9.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| 1st MAR DIV | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 10 | 8 | 30 | 480 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER AMTI DETECTION

NUMBER: ____ COORDS ____

OCT 11 1968

BDA INFORMATION: 1. ____ 2. ____ 3. ____ 4. ____

5. ____ 6. ____ 7. ____ 8. ____

10. ____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | [illegible] | [illegible]

MOTOR POSIT 85/85

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

16DIA /409 ALL

ORD JETTISONED | DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED | TIME | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE TYCA |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: CAPT LILLIE DTG: 1500 11 Oct

REMARKS:

JHC CHECKED IN WITH DASC 14/10 WITH CONTROLLER 1412

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 11 OCT 68 CONTROLLER CAIKILLER 19 SQUAD 311

MSN# 545 CALL SIGN NB TYPE MSN CAS FLT CODE 152 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 23 | LTCOL. OVERTURE | 1500 | 1612 | 2.4 | 1532-37 |

11 AAMMACK

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 15⊕ 40⊖ | | 3+ | | FLAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD 179764 | DMZ | CAVES AND BUNKER COMPLEX |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | 3.5 | 0.5 | 0.3 | | 19.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| 3RD MARDIV | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 10° | 4 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OCT 11 1968

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED

CREW/CONTROLLER

100/100

6 CAVES DESTR

3 CAVES UNCOVERED

2 BUNKERS DESTR

ORDNANCE CARRIED

EXPENDED

SEC EXPLOSIONS

# COLOR HGT

4D9

16 DIA

All

ORD JETTISONED

DUDS

DUDS RECOVERABLE YES NO UNKNOWN

LOCATION REASON

FUZE ARM DELAY FUZE DELAY

ECH ENCOUNTERED

TIME

DETECTED BY

WARNING INDICATION

ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: LRH DTG: 11 1630H

REMARKS:

TIME CHECKED IN WITH DASC 1520 WITH CONTROLLER 1525

DECLASSIFIED

DECLASSIFIED

MAG-12

DATE OF FRAG 11 CONTROLLER Black Ace 17 SQUAD 311

MSN# 538 CALL SIGN #3 TYPE MSN CAS FLT CODE A/C A4E

| MODEX | CREW | T/O | | |
|---|---|---|---|---|
| WL02 | Korman | 1341 | 1400-10 | 1441 |
| 12 | Barger | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| 350 | | | 7 | | Hilly |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC 186 572 | | small arms bunker complex |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 10.5 | | 3.0 | 2.0 | 7.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| 1 MAR DIV | — | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 20° | 9 | 30 | 450/400 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

1

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

NOV 11 1968

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RLA | IP |
|---|---|---|---|---|
| Bunker | 90/90 | TACA | | |

ORDNANCE CARRIED: 16 DIA / 4 B 9 — EXPENDED: all — SEC EXPLOSIONS # ____ COLOR NONE

ORD JETTISONED: NONE — DUDS: 3 NAPALM Duds

DUDS RECOVERABLE YES NO (UNKNOWN)
LOCATION ____ REASON ____
FUZE ____ ARM DELAY ____ FUZE DELAY ____

ECM ENCOUNTERED ____ TIME ____ DETECTED BY ____

WARNING INDICATION ____ ACTION TAKEN ____

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | (NO) | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | (YES) | NO | " " | GIVE SOURCE |
| G. | DUDS | (YES) | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: PDB — DTG: 11 1453H

REMARKS:

TIME CHECKED IN WITH DASC 1448 WITH CONTROLLER 1455

DECLASSIFIED

DECLASSIFIED

MAG-12 DEPRT

DATE OF FRAG 11 CONTROL DAWN 6 55 311

MSN# 206 CALL SIGN HB TYPE MSN DAI FLT CODE 15X A/C A4E
MODEX CREW T/O LAND FLT TIME TOT

WC 11 CAR 0848-0958 2.4 0938-40
14 ARCABRIGHT

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

80 II 7

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION
AT 831530 (3) TRAIL

ENROUTE ALT COASTIN/OUT ALT EXT ALT REL ALT MIN ALT RETURN ALT
16-5 14.0 11.5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/COAST OUT COORDS
7th MAF

ATTACK INFORMATION RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED
TYPE CONTROLLER
PPP 1 390

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION
1

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED

ORDNANCE CARRIED 8026 EXPENDED ALL SEC EXPLOSIONS # COLOR HGT

ORD JETTISONED DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECH ENCOUNTERED TIME DETECTED BY

| WARNING INDICATION | | | IF YES | ACTION TAKEN |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: L DTG: 111945

REMARKS: +PO — WEATHER

TIME CHECKED IN WITH DASC 0858 WITH CONTROLLER

DECLASSIFIED

DECLASSIFIED

DATE OF FRAG 11 CONTROLLER LOPEZ 59 311

MSN# 291 CALL SIGN HB CAS 152 A4C
LAND FLT TIME TOT

WL 15 TRUMPFHELLER 0757-0915 2.6 0830-5
20 KELLEY

| TGT INFORMATION | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | 3.0 | ⊕ U ⊕ | 4m Mts |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC 153574 | RUN I(3) | TROOPS |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 10.5 | | 2.0 | 1.5 | | 15.5 |

| UNIT SUPPORTED | OTHER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| 1st MAR DIV | | MAUI PEAK | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 10° | 2 | 30 | 450 |

16A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER ANTI DETECTION

NUMBER: COORDS

OCT 11 1968

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP |
|---|---|---|---|---|
| 100/100 | | | | |

| ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # | COLOR | HGT |
|---|---|---|---|---|
| 4DS | ALL | | | |
| 8D2Y | NONE | | | |

ORD JETTISONED

DUDS

DUDS RECOVERABLE YES NO UNKNOWN

LOCATION REASON

FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED TIME DETECTED BY

| WARNING INDICATION | | | | ACTION TAKEN |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: SJ DTG: 1025

REMARKS:

TIME CHECKED IN WITH DASC 0805 WITH CONTROLLER 0815

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORM

DATE OF FRAG 10/10 CONTROLLER CHU LAI ASRT #26 SQUAD VMA-311

MSN# 550 CALL SIGN HB TYPE MSN TPQ FLT CODE 152 A/C BLE

| MODE X | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| W6-15 | DICKEY | 1552 | 1629 | .6 | 1602-1615 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| CLR | TOPS ALL QUADRANTS | | | | UNKNOWN |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| BS 695857 | (5) | VC BASE CAMP |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 17.5 | | 17.4 | 17.4 | 16.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| AMERICAL DIV. | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TPQ | 0 | 2 | — | 290 KIAS |

AGA ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER AMTI DETECTION

OCT 1 1 1968

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP |
|---|---|---|---|---|
| VC BASE CAMP | — | — | 090° | |

ORDNANCE CARRIED: GD2 | EXPENDED: ALL | SEC EXPLOSIONS: # — COLOR — HGT —

ORD JETTISONED: /

DUDS

DUDS RECOVERABLE YES / NO UNKNOWN

LOCATION REASON

FUZE ARM DELAY / FUZE DELAY

ECM ENCOUNTERED TIME DETECTED BY

/

WARNING INDICATION ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: C D DICKEY DTG: 111655

REMARKS:

TIME CHECKED IN WITH DASC — WITH CONTROLLER 1600

DECLASSIFIED

DECLASSIFIED

DATE OF FRAG 11 Oct CONTROLLER Camp Carroll A #34 SQUAD 311

MSN# 555 CALL SIGN HB TYPE MSN CAS / TAC FLT CODE 352 A/C A4C
MODEX CREW T/O ENG

| | | | | |
|---|---|---|---|---|
| W. QUERTUS | 1807 | 1930 | 1.4 | 1915 |
| WILL HAMMACK | " | | 1.4 | 1920 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| OBSURED | UNK | BROKEN | 10 | | FLAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ~~YD041160~~ | | Bunker |
| YD041160 | | |

| ENROUTE ALT | COASTIN/OUT ALT | EET ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 19.5 | 21 | 21.5 | | | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/MTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| Task Force | 1707 | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TAC | Level | 1 | — | 290 |

M6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER AMTI DETECTION

NUMBER: COORDS

OCT 11 1968

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER

BUNKER

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12 DZ 2W | ALL

ORD JETTISONED | DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED | TIME | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | (YES) | NO | " " | GIVE AUTHORITY AND REASON |

WEATHER DIVERT

DEBRIEFER: DTG:

REMARKS:

WAS CHECKED IN WITH DASC 1830 WITH CONTROLLER 1910

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 11 Oct CONTROLLER CP 18 SQUAD 311

MSN# 547 CALL SIGN HB TYPE MSN CAS FLT CODE Lima A/C 146

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 20 | McCabe | 1644 | 1724 | 1.4 | 1650 - 1705 |

4 Sticks

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| C | | 7+ | | | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| EC 186513 | (3) | Mietoe Stic |

| ENROUTE ALT | COASTIN/OUT ALT | EMT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 10.5 | | | 2500' | 2000' | 7.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT/COORDS |
|---|---|---|---|
| 1st Mar | Marulake Thrust | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 50° | 8 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. OCT 11 1968

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED CREW/CONTROLLER

ACTIVE MOTOR GOKO TREA

ORDNANCE CARRIED EXPENDED SEC EXPLOSIONS # COLOR HGT

8D26 ALL

ORD JETTISONED DUDS

DUDS RECOVERABLE YES NO UNKNOWN

LOCATION REASON

FUZE ARM DELAY FUZE DELAY

ECH ENCOUNTERED TIME DETECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: McCRAW DTG: 1740

REMARKS:

TIME CHECKED IN WITH DASC 1646 WITH CONTROLLER 1647

DECLASSIFIED

DECLASSIFIED

MAG-12 DEPT

DATE OF FRAG 11 Oct CONTROLLER Hostage S SQUAD VMA-311

MSN# 548 CALL SIGN HB TYPE MSN CAS FLT CODE 153 A/C A4E
MODEX CREW T/O LAND FLT TIME TOT

WL 12 Lillie 1716 1806 1.6 1730/46

WL 26 Forney

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX 60 ⌀10 hills

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION
ZC 191566 (3) AW Posn

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT
10.5 3 1.5 9.5

UNIT SUPPORTED OTHER SUPPORTED TGT#/ATE PKG# COASTIN/COAST OUT COORDS
1st MAR Div Hamburger Hill

ATTACK INFORMATION TYPE CONTROLLER RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED
TAC 30° 6 30 450

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

OCT 11 1968

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | [illegible] CREW/CONTROLLER

Automatic Weapons Posit | 85/85 | Silence One / Auto. Weapons Posit.

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

8 D26 | All

ORD JETTISONED | DUDS 2

DUDS RECOVERABLE YES (NO) UNKNOWN
LOCATION REASON bad MER
FUZE ARM DELAY FUZE DELAY

ECH ENCOUNTERED | TIME | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | (YES) | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | (NO) | " " | " AIRBURST " " |
| C. | A/C HIT | YES | (NO) | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | (NO) | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | (NO) | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | (YES) | NO | " " | GIVE SOURCE |
| G. | DUDS | (YES) | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | (NO) | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | (NO) | " " | GIVE REASON |
| J. | DIVERT | YES | (NO) | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: [signature] DTG:

REMARKS:

[illegible] CHECKED IN WITH DASC 1720 WITH CONTROLLER 1725

DECLASSIFIED

DECLASSIFIED

MAGIC DEBRIEFING FORM

DATE OF FRAG 11 CONTROLLER HOSTAGE SIERRA SQUAD 311

MSN# 543 CALL SIGN H.B TYPE MSN CAS FLT CODE 152 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL07 | RISH | 1615 | 1708 | 1.8 | 1635-1647 |
| WL26 | JONES | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| 100 (1) | 20.0 | 0/8 | 10 | — | MOUNTAINOUS |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC 186572 | RVN (2) | ACTIVE MORTAR POSIT |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 10.5 | — — | — | 3.0 | 1.5 | 7.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| 1 MARDIV | Homeluke Thrust | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30° | 8 | 30 Sec | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

OCT 11 1968

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER

ACTIVE MORTAR POSIT 85/90

ORDNANCE CARRIED: 8D26X | EXPENDED: 8D26X | SEC EXPLOSIONS # COLOR HGT

ORD JETTISONED | DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED | TIME | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | (YES) | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE ALT, HDG, HAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: J. J. Jones DTG: 11 1735 H

REMARKS:

ACFT CHECKED IN WITH DASC 1620 WITH CONTROLLER 1630

DECLASSIFIED

DECLASSIFIED

MAG-12 DEPT [illegible]

DATE OF FRAG 11 CONTROL Hostage W 311

MSN# 208 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C A4E
MODEX CREW T/O LAND FLT TIME TOT

WL 07 KISLT 3.4

23 BRANSON 0950 – 1135 1015-45

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

Scatered THUNDER STORMS FLAT

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

HELO ESCORT FOR
IRON HORSE

NO DROP

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT
18.5 19.5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/COAST OUT COORDS

ATTACK INFORMATION RELEASE ANGLE TOTAL A/C INTERVAL AIR SPEED
TYPE CONTROLLER PASSES

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED

CREW/CONTROLLER

ORDNANCE CARRIED: 8M26X

EXPENDED: NONE

SEC EXPLOSIONS # COLOR HGT

ORD JETTISONED

DUDS

DUDS RECOVERABLE YES NO UNKNOWN

LOCATION REASON

FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED TIME DETECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: SS DTG: 1155

REMARKS: — VICESQAD
— ESCORT

TIME CHECKED IN WITH DASC WITH CONTROLLER 1000

DECLASSIFIED

DECLASSIFIED

DATE OF FRAG 11OCT CONTROLLER —— SQUAD 311

MSN# 542 CALL SIGN HG TYPE MSN CAS TAC CODE 152 A/C 2

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WC-4 | KOEHMAN | 1543 | 1615 | .5 | ABORT |
| WC-18 | BARBER | | | | |

TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN

TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION

ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT

UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS

ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER AMTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED

CREW/CONTROLLER

4 026

ORDNANCE CARRIED EXPENDED SEC EXPLOSIONS

# COLOR HGT

ORD JETTISONED DUDS

DUDS RECOVERABLE YES NO UNKNOWN

LOCATION REASON

FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED TIME DETECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG:

REMARKS:

FLT CHECKED IN WITH DASC WITH CONTROLLER

DECLASSIFIED

DECLASSIFIED

MAG-12

DATE OF FRAG 12 DA NANG 36 311

MSN# 255 CALL SIGN HB TYPE MSN IP & FLT CODE 352 A/C A4E
MODEX CREW T/O LAND TOT

WL & SOLDERS 2015-2210 .9 21 40 50

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

6.0 @ 14.0 @ 7m

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

AT 958 569 RON I (3) TROOPS
AT 946 555 11

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT

16.5 14.3 15.5

UNIT SUPPORTED OPER SUPPORTED TGT#/ATF PKG# COASTIN/COAST OUT COORDS

7th MARINES HENDERSON HILL

ATTACK INFORMATION TYPE CONTROLLER RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED

ASRT L 2 — 290

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

LO.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER RTH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

6D2W ACC

ORD JETTISONED | DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED | TIME | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: SS DTG: 2350

REMARKS:

TIME CHECKED IN WITH DASC 1 WITH CONTROLLER 2130

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 12 CONTROLLER Cory Carroll A4C SQUAD 311

MSN# 259 CALL SIGN Hb TYPE MSN DAS FLT CODE 35 A/C A4E

MODEX CREW T/O LAND FLT TIME TOT

WC02 PyC10R 2245-0004 1.3 2315-2345

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

⊕ 10

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

XD832372 RVN (1) Bunkers

ENROUTE ALT COASTIN/OUT ALT EIN ALT REL ALT MIN ALT RETURN ALT

16.5 20.0 19.5

UNIT SUPPORTED OPER SUPPORTED TGT#/REF PKG# COASTIN/OUT COORDS

TF Hotel Scotland

ATTACK INFORMATION TYPE CONTROLLER RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED

ASRT SP 1 / 290

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

OCT 1 2 1983

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

6D2W | All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

FUZE TIME | ARM DELAY | FUZE DELAY

ECM ENCOUNTERED | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY SAB |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, FAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE AAF, BDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

R

DEBRIEFER: DTG 130028

REMARKS:

TIME CHECKED IN WITH DASC WITH CONTROLLER 2315

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 17 CONTROLLER (77) ASRT 31 SQUAD 311

MSN# 257 CALL SIGN HP TYPE MSN DAS FLT CODE 35 - A/C A45

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 12 Dickey | | 2225 | 2325 | 1.0 | 2300-2310 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | Low Ⓐ | | | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| AT810713 | RVN (3) | Bunkers |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | 14.2 | | 13.5 | |

| UNIT SUPPORTED | CPER SUPPORTED | TGT#/RTN PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 7th MAR | None | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| ASRT | SP | 1 | | 290 |

AGA ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

OCT 12 1968

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

6D2 | 3D2

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION | REASON

FUZE TIME | ARM DELAY | FUZE DELAY

ECM ENCOUNTERED | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, IAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

R

DEBRIEFER: | DTG 130246

REMARKS:

TIME CHECKED IN WITH DASC | WITH CONTROLLER 2235

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

12 Oct 68
DATE OF FRAG _____ CONTROLLER CC A #48 SQUAD 311

MSN# 277 CALL SIGN HB TYPE MSN DAS/TPQ FLT CODE 3S2 A/C 1
MODEX CREW T/O LAND FLT TIME TOT

WL-23 LILLIE 0315-0425 1.2 0350

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| 100 | | 10 | | | UNK |
| TGT COORDS | | COUNTRY/CORPS/PROVINCE | | | TGT DESCRIPTION |
| YD 215784 | | DMZ | | | NVA POSIT |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 24.5 | 21.5 | | | | 21.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/REF PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 2nd AEWW | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TPQ ASRAT | — | 1 | — | 290 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

OCT 1 3 1968

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP |
|---|---|---|---|---|
| NVA Position | UNK | | | |

ORDNANCE CARRIED: 6D2Y

EXPENDED: ALL

SEC EXPLOSIONS # ___ COLOR ___ HGT ___

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN

LOCATION ___ REASON ___

ECM ENCOUNTERED

FUZE TIME ___ ARM DELAY ___ FUZE DELAY ___ DETECTED BY ___

WARNING INDICATION

ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, SDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: CAPT LICCIE DTG 0445 3 OCT

REMARKS:

TIME CHECKED IN WITH DASC ___ WITH CONTROLLER 0340

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEF TYPE MSN

DATE OF FRAG 120cT CONTROLLER: CAMP CARROL "A" 44/6 311

MSN# 249 CALL SIGN HB TYPE MSN DAS FLT CODE 352 A/C 44E
MODEX CREW T/O LAND FLT TIME TOT

WL23 LEWIS 1855 1955 1.0 1820/30

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 200/0 | | 10 | | MNT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD 007307 | RVN I (1) | TRAILS + BKR |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 20.5 | | | 20.0 | 195 | |

| UNIT SUPPORTED | OTHER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| TFH | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| ASRT | L | 1 | — | 290 |

16A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

ORDNANCE CARRIED: 6 DLW | EXPENDED: ALL | SEC EXPLOSIONS # COLOR HGT

ORD JETTISONED | DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED | TIME | DETECTED BY

| WARNING INDICATION | | | ACTION TAKEN |
|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " " AIRBURST " " |
| C. A/C HIT | YES | NO | " " " FIRE INCIDENT REPORT |
| D. TH/RT | YES | NO | " " OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " GIVE SOURCE |
| G. DUDS | YES | NO | " " FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " GIVE REASON |
| J. DIVERT | YES | NO | " " GIVE AUTHORITY AND REASON |

DEBRIEFER: BS DTG: 2030

REMARKS:

TIME CHECKED IN WITH DASC WITH CONTROLLER 1915

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING

DATE OF FRAG 12 CONTROL DANANG 36 311

MSN# 251 CALL SIGN KB TYPE MSN TPQ FLT CODE 352 A/C AYE
MODEX CREW T/O LAND FLT TIME TOT

WL 14 CORMAN 1930-2030 1-0 1950-2010

TGT INFORMATION CEIL/TOPS CLOUD VIS OBS TO VIS TGT TERRAIN
TGT WX COVER

0 10m

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

AT936375 3 BASE CAMPS
AT905352

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT

14.5 15.0 13.5

UNIT SUPPORTED OTHER SUPPORTED TGT#/RTE PKG# COASTIN/COAST OUT COORDS

5th MARINES HENDERSON HILL

ATTACK INFORMATION RELEASE ANGLE TOTAL A/C INTERVAL AIR SPEED
TYPE CONTROLLER PASSES

ASRT L 2 1 290

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED BDA BDA SOURCE CREW/CONTROLLER MI IP

ORDNANCE CARRIED 6D24 EXPENDED 4LC SEC EXPLOSIONS # COLOR HGT

ORD JETTISONED DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED TIME DETECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: SS DTG: 2100

REMARKS:

TIME CHECKED IN WITH DASC 1945 WITH CONTROLLER ~~2000~~ 1950

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 12 CONTROLLER (69) ASRT 2/54 SQUAD 311

MSN# 261 CALL SIGN HB TYPE MSN DOS FLT CODE 35 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WC20 Shell | 2332-0043 | | | 1.2 | 2400 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | 40-50 | | | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC100940 | RUN (2) | UC location |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 20.5 | | 20.5 | | | 21.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT/RTE PKG # | COAST IN/OUT COORDS |
|---|---|---|---|
| ~~USAF~~ | ~~Hornet Thrust~~ | | Mameluke Thrust |
| USA | ~~Hornet Eagle~~ | | Nevada Eagle (Called by ASRT) |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| ASRT | 5P | / | / | 290 |

A&A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

OCT 1 21969

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

1 Secondary Explosion

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # 1 COLOR - HGT -

6D24 | All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPUP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, IAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ACFT, BDG, IAS IF SPIASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: R DTG 130119

REMARKS:

TIME CHECKED IN WITH DASC WITH CONTROLLER 2350

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 12 CONTROLLER TDAS Ft 3C SQUAD 311

MSN# 263 CALL SIGN HB TYPE MSN DAS FLT CODE 3F A/C A4E

MODEX CREW T/O LAND FLT TIME TOT

WC18 Hampton 2355-0050.9 0030

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

D Thunderstorms

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

AT974573 RVN(3) Bunkers

AT965574 " "

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT

14.5 14.5 13.5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/OUT COORDS

1st MAC None

ATTACK INFORMATION TYPE CONTROLLER RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED

ASRT 30 2 / 290

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

1 Secondary Explosion

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # 1 COLOR — HGT —

6 D2 W | All

4-2

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

FUZE ARM DELAY FUZE DELAY
ECM ENCOUNTERED | TIME | DETECTED BY

| WARNING INDICATION | | | ACTION TAKEN | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " " | OPER BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, UNSUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: R DTG 130020

REMARKS:

TIME CHECKED IN WITH DASC WITH CONTROLLER 0025

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 12 CONTROLLER C.C. ASRT SQUAD 311

MSN# 271 CALL SIGN NB TYPE MSN TPQ FLT CODE 352 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL-19 | NOLLANS | 0204 | 0315 | 1.2 | 0235-40 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| Ø-Ø LOW | | | 7 | — | FLAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| 1035 YD718895 | NVN | AMMO CACHE |
| 1704 10700 | | |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 22.5 | | 21.5 | | | 21.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT/RTE PKG/ | COASTLN/OUT COORDS |
|---|---|---|---|
| 3RD MAR DIV | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| ASRT | Ø | 1 | — | 390 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

called in 0630

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4. OCT 13 1968

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

Ammo Cache

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

6D2W | All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

| WARNING INDICATION | | | ACTION TAKEN |
|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " " AIRBURST " |
| C. A/C HIT | YES | NO | " " " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " " OPREP BY SAF |
| E. RECON INSERT/EXTRACT | YES | NO | " " SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " GIVE SOURCE |
| G. DUDS | YES | NO | " " FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " GIVE ALT, SDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " GIVE REASON |
| J. DIVERT | YES | NO | " " GIVE AUTHORITY AND REASON |

DEBRIEFER: R DTG 130345

REMARKS:

TIME CHECKED IN WITH DASC _____ WITH CONTROLLER 0220

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 12 CONTROLLER PHUBAI ASRAT SQUAD 311

MSN# 273 CALL SIGN H.B TYPE MSN TPQ FLT CODE 352 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL11 | VONES | 0213 | 0311 | 1.0 | 0240-0245 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| CAV OK | | | | | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YC834890 | RVN (2) | VC LOCATIONS |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 20.5 | - - | 20.5 | 20.5 | 20.5 | 21.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| NEVADA EAGLE | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| ASRAT | 0 | 1 | 0 | 290 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

VC Location

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

6Dzw | A4

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | IF | YES | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " | OPNL BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " | SUCCESS, IAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " | GIVE SOURCE |
| G. | DUDS | YES | NO | " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " | GIVE ACFT, DDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " | GIVE REASON |
| J. | DIVERT | YES | NO | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: R DTG 130344

REMARKS: Dio from Corp Carroll to (69)

TIME CHECKED IN WITH DASC WITH CONTROLLER 0230

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 02 CONTROLLER Camp Carroll 52 SQUAD 34

MSN# 275 CALL SIGN HB TYPE MSN TPQ FLT CODE 352 A/C 446

MODEX CREW T/O IAND FLT TIME TOT

WILSENFELD 0245 - 0412.4 0320

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

80 @ UNC

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

YD001300 LAOS (1) Trail + Bunkers

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT

20.5 20.5 25.5

UNIT SUPPORTED OPER SUPPORTED TGT#/REL PKG# COASTIN/OUT COORDS

TF Hotel ~~Scotland~~ Scotland

~~Robertson~~

ATTACK INFORMATION TYPE CONTROLLER RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED

AGRT SP 1 / 290

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

6D2 | All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

FUZE TIME ARM DELAY FUZE DELAY
ECM ENCOUNTERED DETECTED BY

| WARNING INDICATION | | | ACTION TAKEN |
|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " " AIRBURST " |
| C. A/C HIT | YES | NO | " " " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " " OPUP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " SUCCESS, IAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " GIVE SOURCE |
| G. DUDS | YES | NO | " " FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " GIVE A/C, SDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " GIVE REASON |
| J. DIVERT | YES | NO | " " GIVE AUTHORITY AND REASON |

R

DEBRIEFER: DTG 130447

REMARKS:

TIME CHECKED IN WITH DASC WITH CONTROLLER 0315

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 12 CONTROLLER Camp Carroll A52 SQUAD 311

MSN# 265 CALL SIGN HB TYPE MSN TPQ FLT CODE 352 A/C A4E
MODEX CREW T/O LAND FLT TIME TOT

WLOG ERENFELD 0035-0145 12 0100 - 0120

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

80 ⊕ UNL

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION
XD805356 RVN ① Bunkers

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT
18.5 21.5 23.5

UNIT SUPPORTED OPER SUPPORTED TGT#/REF PKG# COASTIN/OUT COORDS
T F Hotel Scotland Mark Kerry

ATTACK INFORMATION RELEASE TOTAL A/C INTERVAL AIR SPEED
TYPE CONTROLLER ANGLE PASSES
ASRT SP 1 / 290

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

RO.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

60 2W | A4

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY SAB |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, IAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE AAA, SOG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG 13 0445

REMARKS:

TIME CHECKED IN WITH DASC WITH CONTROLLER 0050

DECLASSIFIED

DECLASSIFIED

(69)

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 12 CONTROLLER ~~69~~ ART 9 SQUAD 34

MSN# 267 CALL SIGN HD TYPE MSN DAS FLT CODE 352 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WC 07 Dickey | | 0046 | 0159 | 1.2 | 0102-0130 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | Low Ø/Ø | | | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD 663065 | RVN (2) | VC Base Camp |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 20.5 | 20.8 | | | | 21.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT/REF PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| 101 AB | NEVADA Eagle | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| ASRT | SP | 2 | / | 290 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4. 13 1968

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

6D2W | All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

| WARNING INDICATION | | | ACTION TAKEN |
|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " " AIRBURST " |
| C. A/C HIT | YES | NO | " " " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " " OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " SUCCESS, TAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " GIVE SNORES |
| G. DUDS | YES | NO | " " FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " GIVE MSL, BDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " GIVE REASON |
| J. DIVERT | YES | NO | " " GIVE AUTHORITY AND REASON |

DEBRIEFER: R DTG 13 0250

REMARKS:

TIME CHECKED IN WITH DASC WITH CONTROLLER 0102

DECLASSIFIED

DECLASSIFIED

DATE OF FRAG 12 CONTROLLER HOSTAGE 80 SQUAD 311

MSN# 537 CALL SIGN HB TYPE MSN CAS FLT CODE 1S2 A/C A4E
MODEX CREW T/O LAND FLT TIME

WL 18 CAKE 0615-0718 1.7 0640-53
22 LATHROP

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | | | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD 189564 | RVN (I) | VC TROOPS |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | 1.0 | .5 | | 11.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| CHAINWORKS 14 (?) | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TOSA | 10° | 1 | — | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER ANTI DETECTION

NUMBER: COORDS

OCT 1 21968

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP |
|---|---|---|---|---|
| VC TROOPS | 90/80 | TACA | | |

| ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # | COLOR | HGT |
|---|---|---|---|---|
| 209 | 209 | | | |
| 402A | | | | |

ORD JETTISONED

DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED TIME DETECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: CARR DTG: 120730H

REMARKS:

FIRE CHECKED IN WITH DASC 0630 WITH CONTROLLER 0635

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 13 CONTROLLER (57) AsRt 51 SQUAD 34

MSN# 255 CALL SIGN HB TYPE MSN TPQ FLT CODE 352 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| P.C 00 | HOLLAND | 2039 | 2123 | .7 | 2050-2105 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | Thunderstorms | | | |

| TGT COORDS | COUNTRY/CORPS/HICHAVE | TGT DESCRIPTION |
|---|---|---|
| AT 897617 | RVN (3) | VC Travel Area |
| AT 962569 | " | Bunkers |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MSN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 14.5 | | | 14.0 | | 5.5 |

| UNIT SUPPORTED | OTHER SUPPORTED | TGT#/RTE PKG | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| 7th MAR | Love | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| AsRt | SP | 2 | / | 290 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

OCT 13 1969

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED [illegible] CREW/CONTROLLER

ORDNANCE CARRIED: 6D2 EXPENDED: All 2-4 SEC EXPLOSIONS # COLOR MGT

ORD JETTISONED DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED TIME DETECTED BY

| WARNING INDICATION | | | ACTION TAKEN |
|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " " AIRBURST " " |
| C. A/C HIT | YES | NO | " " " FIRE INCIDENT REPORT |
| D. TH/RT | YES | NO | " " OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " GIVE SOURCE |
| G. DUDS | YES | NO | " " FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " GIVE REASON |
| J. DIVERT | YES | NO | " " GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG: 132203

REMARKS:

TIME CHECKED IN WITH DASC WITH CONTROLLER 2048

DECLASSIFIED

DECLASSIFIED

DATE OF FRAG 13 CONTROLLER Milky SQUAD 311

MSN# 261 CALL SIGN HB TYPE MSN TPQ FLT CODE A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL20 | BARGER | 2315 | 0025 | 1.2 | 2349 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| 0 | | | 2 | DARK OF NIGHT | Hilly |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YC 483 974 | RVN I (2) | Suspected Enemy Concentration |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | | 17.0 | 17.0 | 17.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| TF Hotel | UNK | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| Milky TPQ | Level | 1 | — | — |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

1

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____

10. _____

OCT 1968

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER

Suspected Enemy Concentration TPQ

ORDNANCE CARRIED: 6 D29 | EXPENDED: 6 D24 | SEC EXPLOSIONS # COLOR HGT

ORD JETTISONED | DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED | TIME | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG: 13 0045

REMARKS:

FLT CHECKED IN WITH ~~DASC~~ VS 2370 WITH CONTROLLER 2370

DECLASSIFIED

DECLASSIFIED

MAG-12 [illegible]

13 Oct
DATE OF FRAG ____ CONTROLLER DNG ASRAT #51 SQUAD 311

MSN# 253 CALL SIGN HB TYPE MSN TAC FLT CODE 352 A/C 1

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL-4 | LILLIE | 2015 | 2110 | 0.9 | 2035-50 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| 150 @ | | 5 | | UNK | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| AT 953563 | RVN i (3) | VC TRAILS |
| 953567 | | |
| 894618 | | |

| ENROUTE ALT | COASTIN/OUT ALT | EMT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 17.5 | | 17.2 | | 17.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| 7th MAR | ANDERSON HILL | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| ASRAT | level | 3 | — | 290 |

16A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER ANTI DETECTION

NUMBER: ____ COORDS ____

BDA INFORMATION: 1. ____ 2. ____ 3. ____ 4. ____

5. ____ 6. ____ 7. ____ 8. ____ OCT 13 [illegible]

10. ____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | CREW/CONTROLLER

VC TRAILS | UNK

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

6D2Y | ALC

ORD JETTISONED | DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECH ENCOUNTERED | TIME | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, DAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: CAPT LILLIE DTG: 2125 13 Oct 68

REMARKS:

FLT CHECKED IN WITH DASC WITH CONTROLLER 2030

DECLASSIFIED

DECLASSIFIED

DATE OF FRAG 13 CONTROLLER CC 48 SQUAD 311

MSN# 259 CALL SIGN 48 TYPE MSN TPQ FLT CODE 352 A/C A4E
CODEX CREW T/O LAND FLT TIME TOT

WL 1 MERRIMEW 2245-2345 1.0 2312

TGT INFORMATION CEIL/TOPS CLOUD VIS OBS TO VIS TGT TERRAIN
TGT WX COVER

IFR

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

XD738517 RUN FD NVA POSIT

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT

20.5 20.5 21.5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/COAST OUT COORDS

TFH

ATTACK INFORMATION RELEASE ANGLE TOTAL A/C INTERVAL AIR SPEED
TYPE CONTROLLER PASSES

STRF + 1 - 290

MAN ONLY DELIVERY MODE/SYSTEMS UTILIZATION

1

OTHER ANTI DETECTION

NUMBER: COORDS

OCT 13 1968

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

6024 AM

OBJ TIME | DET ZONE

BUS RECOVERY YES NO UNKNOWN
REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | SAFE DELAY INTERVAL BY

| | | | | | |
|---|---|---|---|---|---|
| A. | [illegible] TYPE | [illegible] | NO | IF YES | [illegible] |
| B. | [illegible] | [illegible] | NO | " | " [illegible] |
| C. | A/C [illegible] | YES | NO | " | " [illegible] |
| D. | S/A S/T | YES | NO | " | " OTHER |
| E. | [illegible] INSERT/EXTRACT | YES | NO | " | " SPLASHED, DEAD STICKLESS, OTHER |
| F. | BDA REPORTED | YES | NO | " | " GIVE [illegible] |
| G. | DUDS | YES | NO | " | " FIRE OR ABOVE |
| H. | HAWK RUN | YES | NO | " | " GIVE AIR, EDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " | " GIVE REASON |
| J. | DIVERT | YES | NO | " | " GIVE AUTHORITY AND REASON |

DEBRIEFER: JS DTG 0010

REMARKS:

TIME CHECKED IN WITH DASC WITH CONTROLLER 2305

DECLASSIFIED

DECLASSIFIED

13 Oct

DATE OF FRAG ____ CONTROLLER Churchill Abrat SQUAD 311

MSN# 257 CALL SIGN HB TYPE MSN TPQ FLT CODE 382 A/C 1

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL-23 | LILLIE | 2224 | 2310 | 0.8 | 2240 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | | | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| 10CD | 3 | UNK |
| BS 204987 | RVN I Q | ——— |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 14.5 | 14.5 | | | | 290 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| AMERICAL | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| ABRAT | level | 1 | | 290 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

1

OTHER AMTI DETECTION

NUMBER: ____ COORDS ____

EDA INFORMATION: 1. ____ 2. ____ 3. ____ 4. ____

5. ____ 6. ____ 7. ____ 8. ____

10. ____

OCT 13 1969

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | CREW/CONTROLLER

VC Position | UNK

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

6D2W | ALL

ORD JETTISONED | DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED | TIME | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER CAPT LILLIE DTG: 2320 14 Oct 68

REMARKS:

FIRE CHECKED IN WITH DASC WITH CONTROLLER 2235

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 13 CONTROLLER Camp Carroll 48 311

MSN# 249 CALL SIGN HB TYPE MSN DAS FLT CODE 352 A/C A4E

CODEX CREW T/O LAND FLT TIME TOT

WL 02 SOUDERS 1920- 2030 1.2 2000

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

④ - RAN Shoulders

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

~~full of~~ Bunkers

YD 003 313 RUN ①

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT

20.5 20.5 21.5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/COAST OUT COORDS

TF Hotel Scotland

ATTACK INFORMATION TYPE CONTROLLER RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED

ASRT SP 1 / 290

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER AMTI DETECTION

FURTHER: COORDS

BDA INFORMATION: 1. 2. 3. 4. OCT 13 1968

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

60-W | A11

CBU TYPE | FUZE SETTING

ENEMY OPPOSITION: FLAK | SAM | MIG | YES | NO | UNKNOWN

ECM ENCOUNTERED | FUZE ARM DELAY | BDA DETERMINED BY

WEATHER OBSERVATION | ALTITUDE CEILING

| | | | IF YES | |
|---|---|---|---|---|
| A. [illegible] | YES | NO | " | " |
| B. [illegible] | YES | NO | " | " |
| C. A/C HIT | YES | NO | " | " |
| D. [illegible] | YES | NO | " | " |
| E. [illegible] INSERT/EXTRACT | YES | NO | " | " |
| F. BDA REPORTED | YES | NO | " | " |
| G. DUDS | YES | NO | " | " |
| H. HAWK RUN | YES | NO | " | " |
| I. ABORT | YES | NO | " | " |
| J. DIVERT | YES | NO | " | " |

[illegible] REPORT

[illegible]

[illegible] REPORT

OTHER [illegible]

STRIKE, BDA SUCCESS, OTHER

GIVE REASON

FILL IN ABOVE

GIVE AMT DROPPED, HAS IF SPLASHED

GIVE REASON

GIVE AUTHORITY AND REASON

R

DEBRIEFER: _____ DTG 13 2111

REMARKS:

TIME CHECKED IN WITH DASC _____ WITH CONTROLLER 1950

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 13 CONTROLLER PAC #V 54 SQUAD 311

MSN# 279 CALL SIGN HB TYPE MSN TPQ/DAS FLT CODE 352 A/C A4E
MODEX CREW T/O LAND FLT TIME TOT

WL-02 FORNEY 0345-0515 1.3 0435

TGT INFORMATION CEIL/TOPS CLOUD VIS OBS TO VIS TGT TERRAIN
TGT WX COVER

b 0 - 0 THV STORMS 15
TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

YC 834890 VC LOCATION

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT
2215 ——— 20.5 19.5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/COAST OUT COORDS
N. E1

ATTACK INFORMATION RELEASE ANGLE TOTAL A/C INTERVAL AIR SPEED
TYPE CONTROLLER SP PASSES 290

AGA ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

OCT 13 1968

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED BDA BDA SOURCE
CREW/CONTROLLER

ORDNANCE CARRIED EXPENDED SEC EXPLOSIONS
# COLOR MGT

6 Mk 82 Y ALL

ORD JETTISONED DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED TIME DETECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF | YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " " |
| C. A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. TH/RT | YES | NO | " | " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " | " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " | " | GIVE SOURCE |
| G. DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GIVE REASON |
| J. DIVERT | (YES) | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: N DTG: 13 0625

REMARKS:

CHK CHECKED IN WITH DASC WITH CONTROLLER

COULD NOT LOCK UP TO CAMP CARROL
BY VIS - JOYRIDE TO PADUCAH

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 13 CONTROLLER HOGTG V- SQUAD 3-1

MSN# 291 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C AHE

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL-20 | MCCRAW | 1232 | 214 | 1308 | |
| 15 | BRANSON | 1392 | | 16 | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| 0 | 1 | | 5 | | HILLY |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| ZC 183568 | | MORT SITE |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 10.5 | | | 2.5 | | 7.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| 1st MARDIV | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 30 | 6 | 30 | 450 |

A6 ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OCT 1 81968

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

85/85

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

4 M 5
6 M 2 | All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

FUZE TIME | ARM DELAY | FUZE DELAY

ECM ENCOUNTERED | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | YES | | INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " |
| C. A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. TAIL [illegible] | YES | NO | " | " | CHECK RE [illegible] |
| E. RECOV UNDET/EXTRACT | YES | NO | " | " | SUCCESS, OTHER |
| F. BDA REQUIRED | YES | NO | " | " | [illegible] |
| G. DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. HAVE RUN | YES | NO | " | " | [illegible], AS IF SPLASHED |
| I. ABORT | YES | NO | " | " | [illegible] |
| J. DIVERT | YES | NO | " | " | CHK AUTHORITY AND REASON |

DEBRIEFER: DTG

REMARKS:

TIME CHECKED IN WITH DASC 1238 WITH CONTROLLER 1303

RT -14
NO TOT Given SECondary
BY DASC

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 13 CONTROLLER _____ SQUAD 34

MSN# 269 CALL SIGN HB TYPE MSN _____ FLT CODE 32 A/C A4E
MODEX CREW T/O LAND FLT TIME TOT

WL 01 Smith 0115-0300 1.7

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

0-0

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

No Drop

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT
22.5 21.5

UNIT SUPPORTED OPER SUPPORTED TGT#/REF PKG# COASTIN/OUT COORDS

ATTACK INFORMATION TYPE CONTROLLER RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

OCT 18 1999

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

6 D2W | JETTISONED

ORD JETT | DUD BOMBS

050/40/50 Dropped UNARmed but went off ANYWAY

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION | REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | T/H-R/T | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, TAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, SOG, IAS IF SPLASHED |
| I. | ABORT | (YES) | NO | " " | GIVE REASON |
| J. | DIVERT | YES | (NO) | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: R DTG 030343

REMARKS: Camp Carroll could look-up - B, U90 Fuel

TIME CHECKED IN WITH DASC | WITH CONTROLLER

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 13 CONTROLLER CAMP CARROL-LZ SQUAD 311

MSN# 210 CALL SIGN HO TYPE MSN TPQ FLT CODE 152 A/C AHE

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL-01 | - HIETT | | 1115 | 1:3 | 1200 |
| 22 | - RIGGS | | 1230 | | 1210 |

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

YD 119822 BU

1702 10700

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT

1815 21.5 2105

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/OUT COORDS

3 MARDIV

ATTACK INFORMATION TYPE CONTROLLER RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED

TACA L 1 390

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

called in 1500

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

12 Mk 82 | All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE ARM DELAY TIME | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | | |
|---|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | " | YES | PILOTS OWN INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " | " | " AIRBURST " |
| C. | A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. | TAKEOFF | YES | NO | " | " | OTHER (EXPLAIN) |
| E. | RECOVERY INSERT/EXTRACT | YES | NO | " | " | SUPPRESSED, NO SUCCESS, OTHER |
| F. | BDA REQUIRED | YES | NO | " | " | OTHER (EXPLAIN) |
| G. | DUDS | YES | NO | " | " | FUZE AS ABOVE |
| H. | HANG FIRE | YES | NO | " | " | OTHER (EXPLAIN), HUNG, JAS IF SPLASHED |
| I. | ABORT | YES | NO | " | " | OTHER (EXPLAIN) |
| J. | DIVERT | YES | NO | " | " | OTHER AUTHORITY AND REASON |

DEBRIEFER: N DTG 1 3 1455

REMARKS:

TIME CHECKED IN WITH DASC 1135 WITH CONTROLLER 1136

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

...E OF FRAG 13 CONTROLLER (77) ASRT 15 SQUAD 311

MSN# 251 CALL SIGN HB TYPE MSN TPQ FLT CODE 352 A/C A4E
MODEX CREW T/O LAND FLT TIME TOT

MC 11 LENT 1930-2035 1.1 1945

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

(1) Thunderstorms

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

AT 958563 RVN (3) Bunkers
AT 954565 ↓ ↓
AT 956564

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT
18.6 17.1 15.5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/COAST OUT COORDS
1st MAR None

ATTACK INFORMATION RELEASE ANGLE TOTAL A/C INTERVAL AIR SPEED
TYPE CONTROLLER PASSES
ASRT SP 3 1 290

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

OCT 13 1968

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

6024 | All

2-2-2

ORD JETTISONED | DUDS

DUDS RECOVERABLE YES NO UNKNOWN

LOCATION REASON

FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED | TIME | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

R

DEBRIEFER: DTG: 13 2109

REMARKS:

TIME CHECKED IN WITH DASC WITH CONTROLLER 1940

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 13 CONTROLLER FP 37 SQUAD 311

MSN# 206 CALL SIGN WB TYPE MSN CAS FLT CODE 152 A/C A4E
MODEX CREW T/O LAND FLT TIME TOT

WL-07 - SCHNELL 0855 204 0925
01 - DICKERSON 1008 31

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| 15 Ø | | 5 | | | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD 24 1795 | | BC COMPLEX WITHIN 10 NVA |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 16.5 | — | 12.0 | | | 15.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/REF PKG# | COASTIN/OUT COORDS |
|---|---|---|---|
| ~~ARVN~~ S | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| T | 0 | 1 | | 400 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

| TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLIER | RIH | IP |
|---|---|---|---|---|
| | | 80/80 | | |
| | | 1 BV West | | |

| ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # | COLOR | HGT |
|---|---|---|---|---|
| 1202 | All | | | |

ORD JETT

DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED

FUZE TIME ARM DELAY FUZE DELAY
DETECTED BY

| WARNING INDICATION | | | IF YES | ACTION TAKEN |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. T/H-R/T | YES | NO | " " | OPER BY S/O |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, IAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE MAT, SDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG

REMARKS:

TIME CHECKED IN WITH DASC 0920 WITH CONTROLLER 0921

DECLASSIFIED

DECLASSIFIED

DATE OF FRAG 13 CONTROLLER DANAGA ASAT24 SQUAD 311

MSN# 541 CALL SIGN NB TYPE MSN IPQ/HUBBOK PLT CODE 152 A/C AH E
MODEX CREW T/O LAND

0941-1048 1012
15

WL-4 CAAR

18 AAGA BRight 2.2

1600 - 1640

TGT INFORMATION CELL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

10 0 10

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

AT 93 17 758 BO

ENROUTE ALT COASTIN/OUT ALT EGT ALT REL ALT MIN ALT RETURN ALT

14.5 14.5 21.5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/COAST OUT COORDS

7th MAB

ATTACK INFORMATION TYPE CONTROLLER RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED

ASAT 5P 290

AGA ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | EDA | EDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

4 P 2 Y | A 11

ORD JETTISONED | DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED | TIME | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: N DTG: 13 1[illegible] 25

REMARKS:

TIME CHECKED IN WITH DASC WITH CONTROLLER 1000

DECLASSIFIED

DECLASSIFIED

8

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 13 CONTROLLER DANANG I55 SQUAD 391

MSN# 281 CALL SIGN HB TYPE MSN TPQ FLT CODE 352 A/C A4E
MODEX CREW T/O LAND FLT TIME TOT

W 2 04 BARREL 0425-0512 .8 0446

TGT INFORMATION CEIL/TOPS CLOUD VIS OBS TO VIS TGT TERRAIN
TGT WX COVER

90.0 layered Ø

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

AT963 573 RUN I (8) BUNKERS

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT

18.5 19.02 19.5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/OUT COORDS

7th MAR INGS HENDERSON HILL

ATTACK INFORMATION RELEASE TOTAL A/C INTERVAL AIR SPEED
TYPE CONTROLLER ANGLE PASSES

ASRT L 1 — 390

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4. OCT 14 1968

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

6D24 | ALL

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION | REASON

ECM ENCOUNTERED | FUZE ARM DELAY TIME | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PERFORM [illegible] INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " " " " |
| C. A/C HIT | YES | NO | " " | " " INCIDENT REPORT |
| D. TAKE-OFF | YES | NO | " " | CHECK BY R/T |
| E. RECON INCEPT/EXTRACT | YES | NO | " " | SUCCESS, ~~OTHER~~ |
| F. BDA REQUIRED | YES | NO | " " | GIVE REASON |
| G. DUDS | YES | NO | " " | REPORT LOCATIONS |
| H. HANG BOMB | YES | NO | " " | GIVE [illegible], IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: LJ | DTG 0620

REMARKS:

TIME CHECKED IN WITH DASC | WITH CONTROLLER 0431

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 13 CONTROLLER CC 46 SQUAD 311

MSN# 271 CALL SIGN HB TYPE MSN TPQ FLT CODE 352 A/C A-4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 02 | DICKEY | 0155 | 0307 | 1.2 | 0225 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | IFR | | | | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD 185784 | ~~RUN FO~~ DMZ | ARTY SITE |

| ENROUTE ALT | COAST IN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 22.5 | | | 21.5 | | 23.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COAST IN/OUT COORDS |
|---|---|---|---|
| 3rd MAR DIV | KENTUCKY | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| ASRT | L | 1 | — | 290 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

2 CBU24 | ALL

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE ARM DELAY TIME | FUZE DELAY DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE AFSC FORM 127 INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " " " " " |
| C. A/C HIT | YES | NO | " | " " " " " |
| D. TRACER | YES | NO | " | OTHER |
| E. BROKE FORMATION/EXTRACT | YES | NO | " | SMOKE, GUN SUCCESS, OTHER |
| F. BDA REQUIRED | YES | NO | " | GIVE DETAILS |
| G. DUDS | YES | NO | " | FIRE DISCUSSION |
| H. HANG FIRE | YES | NO | " | GIVE TIME, ETC., AS IF SPLASHED |
| I. ABORT | YES | NO | " | GIVE REASON |
| J. DIVERT | YES | NO | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: JS DTG: 0745

REMARKS:

TIME CHECKED IN WITH DASC: | WITH CONTROLLER: 0225

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 13 CONTROL PHU BAI 16 311

MSN# 267 CALL SIGN HB TYPE AC TPQ 352 TOT A-6E
INDEX CREW T/O LAND FLT TIME

WL 26 PYCION 0040-0451.1 0115

TGT ELEVATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN

IER

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

4 YC 794967 RUN I (2) VC LOCATION

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT

16.5 20.5 25.5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/COAST OUT COORDS

NEVADA EAGLE 101st AB

ATTACK INFORMATION TYPE CONTROLLER RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED

ASRT L 1 — 290

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

1

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

6D24 | 4

ECM ENCOUNTERED | TIME | AIM DELAY | PATH DELAY | INTERCEPTED BY

| | | | | |
|---|---|---|---|---|
| A. | YES | NO | IF YES, | |
| B. | YES | NO | " " | |
| C. | YES | NO | " " | |
| D. | YES | NO | " " | |
| E. | YES | NO | " " | STRONG, WEAK, DARK, OTHER |
| F. BDA REPORTED | YES | NO | " " | |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: JJ DTG 0455

REMARKS:

TIME CHECKED IN WITH DASC WITH CONTROLLER 0115

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING POINT

DATE OF FRAG 13 CONTROL: C C 4C 31

MSN# 275 CALL SIGN HB TYPE MSN TPQ FLT CODE 352 A/C A4E
MODEX CREW T/O LAND FLT TIME TOT

WL 19 HAMPTON 0245-0400 - 1.3: 0315

TGT INFORMATION CEIL/TOPS CLOUD VIS OBS TO VIS TGT TERRAIN
TGT WX COVER

Numerous CBs

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

YD045622 RUN IO TROOPS

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT

8215 21.5 21.5

UNIT SUPPORTED OPER SUPPORTED TGT#/TTE PKG# COASTIN/COAST OUT COORDS

1st of 6th 8th mechanized Bn

ATTACK INFORMATION RELEASE ANGLE TOTAL A/C INTERVAL AIR SPEED
TYPE CONTROLLER PASSES

ASRT 4 1 — 290

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

1

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

GDrw | AC

CBU TYPE | NO SUBS

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DETECTED BY

WEAPON MALFUNCTION | DESCRIBE EVENT

| | | | | | |
|---|---|---|---|---|---|
| A. | [illegible] | YES | NO | YES | YES | PROVIDE FOR [illegible] REPORT |
| B. | [illegible] | YES | NO | " | " | [illegible] |
| C. | A/C HIT | YES | NO | " | " | [illegible] MAINTENANCE REPORT |
| D. | S/S-A/C | YES | NO | " | " | OTHER BY S-# |
| E. | [illegible] INSERT/EXTRACT | YES | NO | " | " | STATION, [illegible] ADDRESS, OTHER |
| F. | BDA REPORTED | YES | NO | " | " | GIVE [illegible] |
| G. | DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " | " | GIVE REASON |
| J. | DIVERT | YES | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: JS DTG 0425

REMARKS:

TIME CHECKED IN WITH DASC WITH CONTROLLER 0310

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 13 CONTROL CC A 46 311

MSN# 273 CALL SIGN HB TYPE MSN TPQ FLT CODE 352 A/C A4C

| CODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| | WL II SMITH | 0215 | 0340 | 1.4 | 0250 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 30.50 | | | | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD025625 | RUN I (C) | TROOPS |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 22.5 | | | 20.5 | | 23.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| 1st of the 5th mechanized | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| ASRT | L | 1 | — | 290 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9. OCT 14 1968

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

Crew Ac

CBU TYPE | DET CODE

DUDS JETTISONABLE YES NO UNKNOWN
REMARKS REASON

ECM ENCOUNTERED | FUZE TIME | TIM DELAY | FET SETAX DETONATED BY

WEAPON RELEASE ALTITUDE

| | | | | |
|---|---|---|---|---|
| A. [illegible] | YES | NO | IF YES | PILOTS [illegible] REPORT |
| B. [illegible] | YES | NO | " " | [illegible] |
| C. [illegible] | YES | NO | " " | [illegible] |
| D. [illegible] | YES | NO | " " | [illegible] |
| E. [illegible] INSERT/EXTRACT | YES | NO | " " | STRAIGHT, UNSUCCESSFUL, OTHER |
| F. BDA REPORTED | YES | NO | " " | GIVE [illegible] |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: JS DTG 0400

REMARKS:

TIME CHECKED IN WITH DASC WITH CONTROLLER 0240

DECLASSIFIED

DECLASSIFIED

DATE OF FRAG 13 CONTROLLER CC A46 SQUAD 311

MSN# 279 CALL SIGN HAD TYPE MSN IRQ FLT CODE 352 A/C A46
MODEX CREW T/O LAND FLT TIME TOT

W.L. 0.1 ERRENFELD 0400-0505 1.1. 0430-35

TGT INFORMATION CEIL/TOPS CLOUD VIS OBS TO VIS TGT TERRAIN
TGT WX COVER

(4) IFR

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

YD021640 RUMI (1) TROOPS

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT

20.5 20.5 23.5

UNIT SUPPORTED OPER SUPPORTED TGT#/TTE PKG# COASTIN/COAST OUT COORDS

1st of the 5th MECH. BG.

ATTACK INFORMATION RELEASE ANGLE TOTAL A/C INTERVAL AIR SPEED
TYPE CONTROLLER PASSES

ASRT L 1 — 390

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPLODED | SEC EXPLOSIONS # COLOR HGT

6024 AC

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | DET DELAY ENTERED BY

| | | | | |
|---|---|---|---|---|
| A. | YES | NO | IF YES | PERSONS TO CONTACT FOR REPORT |
| B. | YES | NO | " | " |
| C. | YES | NO | " | " |
| D. | YES | NO | " | " |
| E. | YES | NO | " | " |
| F. | YES | NO | " | " |
| G. | YES | NO | " | " |
| H. | YES | NO | " | " |
| I. | YES | NO | " | " |
| J. | YES | NO | " | " |

A. [illegible] FILE
B. [illegible]
C. A/C [illegible]
D. [illegible]
E. [illegible] INSERT/EXTRACT
F. BDA REPORTED
G. DUDS
H. HAWK RUN
I. ABORT
J. DIVERT

[illegible] REPORT
OTHER
STRAGGLER, [illegible], OTHER
GIVE [illegible]
FILL IN ABOVE
GIVE ALT, HDG, IAS IF SPLASHED
GIVE REASON
GIVE AUTHORITY AND REASON

DEBRIEFER: JS DTG 0525

REMARKS:

TIME CHECKED IN WITH DASC _____ WITH CONTROLLER 0420

DECLASSIFIED

DECLASSIFIED

DATE OF FRAG 13 CONTROLLER C C 446 SQUAD 311

MSN# 277 CALL SIGN #3 TYPE MSN TPQ FLT CODE 352 A/C A4E
CODEX CREW T/O LAND FLT TIME TOT

WL-23 PYCIOR 0315-0425 1.2 0345-0400

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

@ VFR

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

YD125735 ~~RVN~~ TRENCHES
DMZ BUNKERS

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT

20.5 21.5 25.5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/COAST OUT COORDS

~~KENTUCKY~~ ~~3rd MAR DIV~~

1st of the 5th mechanized Bg Army

ATTACK INFORMATION RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED
TYPE CONTROLLER

DSR 1 L 1 — 29d

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

1

OTHER ANTI DETECTION

NUMBER: COORDS

DEA 1 41368

EDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

6824 AW

YES NO UNKNOWN

REASON

ECM ENCOUNTERED | TIME | DEBRIEFED BY

| | | | | |
|---|---|---|---|---|
| A. | YES | NO | IF YES | |
| B. | YES | NO | " | " |
| C. | YES | NO | " | " |
| D. | YES | NO | " | " |
| E. | YES | NO | " | " |
| F. BDA REPORTED | YES | NO | " | " |
| G. DUDS | YES | NO | " | " |
| H. HAWK RUN | YES | NO | " | " |
| I. ABORT | YES | NO | " | " |
| J. DIVERT | YES | NO | " | " |

DEBRIEFER: JS DTG 0502

REMARKS:

TIME CHECKED IN WITH DASC WITH CONTROLLER 0340

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 13 CONTRO[illegible] CHU LAI 311

MSN# 263 CALL SIGN HB TYPE MSN TPQ [illegible] 352 A/C A45

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 12 | SMITH | 2400 | 0040 | 7 | 0020 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| IFR | | | | | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| BT205 74020 | RUN I (4) | Enemy Post |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 14.5 | | | 14.5 | 15.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| AMERICAL | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| ASRT | L | 1 | — | 280 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4. [illegible]

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED: 6 Dzd | EXPENDED: All | SEC EXPLOSIONS # | COLOR | HGT

CBU TYPE | DET MODE

FUZE | ARM DELAY | FUZE DELAY

ECM ENCOUNTERED | TIME | DETECTED BY

WEAPON MALFUNCTION | ACTION TAKEN

| | | | IF YES | |
|---|---|---|---|---|
| A. [illegible] | YES | NO | " | [illegible] |
| B. [illegible] | YES | NO | " | " |
| C. A/C [illegible] | YES | NO | " | " |
| D. S/A [illegible] | YES | NO | " | OTHER [illegible] |
| E. [illegible] INSERT/EXTRACT | YES | NO | " | STROBE, BDA SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " | GIVE [illegible] |
| G. DUDS | YES | NO | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | GIVE AMT, EDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | GIVE REASON |
| J. DIVERT | YES | NO | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: AS DTG 0400

REMARKS:

TIME CHECKED IN WITH DASC | WITH CONTROLLER 0010

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 13 CONTR CC 46 311

MSN# 269 CALL SIGN H3 TYPE MSN TPQ [illegible] 382 A4E
CODEX CREW T/O LAND FLT TIME TOT

W 07 FORNEY 0115-0225 1.2 .0150

CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

8.0 OVC

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION
YD014327 RVN I BUNKERS

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT
21.5 21.0 19.5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/COAST OUT COORDS
TFH

ATTACK INFORMATION TYPE CONTROLLER RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED
ASRT L 1 — 290

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION
/

OTHER AMTI DETECTION
NUMBER: COORDS

OCT 14 1968

EDA INFORMATION: 1. 2. 3. 4.
5. 6. 7. 8. 9.
10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # | COLOR | HGT

6D2W | ALL

[illegible] | [illegible] BOMBS

[illegible] | BDA [illegible] | YES | NO | UNKNOWN | REASON

ECM ENCOUNTERED | FUZE [illegible] | ARM DELAY [illegible] | FUZE DELAY [illegible] | IGNORED BY

[illegible] | [illegible]

| | | | | | |
|---|---|---|---|---|---|
| A. [illegible] | [illegible] | YES | NO | IF YES | PREPARE FOR DEBRIEFING REPORT |
| B. [illegible] | [illegible] | YES | NO | " | " |
| C. A/C [illegible] | [illegible] | YES | NO | " | " [illegible] ENCOUNTERMENT |
| D. D/A/E/E | [illegible] | YES | NO | " | " CT[illegible] |
| E. [illegible] INSERT/EXTRACT | [illegible] | YES | NO | " | " STRIKE, [illegible] SUCCESS, OTHER |
| F. BDA REPORTED | [illegible] | YES | NO | " | " GIVE [illegible] |
| G. DUDS | [illegible] | YES | NO | " | " FILL IN ABOVE |
| H. HAWK RUN | [illegible] | YES | NO | " | " GIVE A/C, MSG, IAS IF SPLASHED |
| I. ABORT | [illegible] | YES | NO | " | " GIVE REASON |
| J. DIVERT | [illegible] | YES | NO | " | " GIVE AUTHORITY AND REASON |

DEBRIEFER: PS DTG 0340

REMARKS:

TIME CHECKED IN WITH DASC [illegible] WITH CONTROLLER 0145

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 13 CONTROLIER C C SQUAD 311

MSN# 283 CALL SIGN IB TYPE MSN TPQ FLT CODE 332 A/C 44E

MODEX CREW T/O IAND FLT TIME TOT

WL 15 DICKEY 0533-0656 1.4

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

NO DROP
WX

ENROUTE ALT COASTIN/OUT ALT [illegible] ALT REL ALT MIN ALT RETURN ALT

20.5 21.5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/OUT COORDS

ATTACK INFORMATION RELEASE TOTAL A/C INTERVAL AIR SPEED
TYPE CONTROLIER ANGLE PASSES

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

6D24 | NONE

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE ARM DELAY TIME | FUZE DELAY SELECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IP | YES | RELEASED VIA INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " |
| C. A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. TAKEN UNDER FIRE | YES | NO | " | " | CLIMB OR DIVE |
| E. RECON INTERCEPT/ATTRACT | YES | NO | " | " | SHADOW, CAP SUCCESS, OTHER |
| F. BDA REQUIRED | YES | NO | " | " | GIVE REASON |
| G. DUDS | YES | NO | " | " | FIRE AS ABOVE |
| H. HAVE RUN | YES | NO | " | " | GIVE TIME, HDG, WAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GIVE REASON |
| J. DIVERT | YES | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: JS DTG 0750

REMARKS:

TIME CHECKED IN WITH DASC WITH CONTROLLER

DECLASSIFIED

DECLASSIFIED

MAG-12 D[illegible]

DATE OF FRAG 13 CONTROL[illegible] C C 46 311

MSN# 265 CALL SIGN HB TYPE MSN TPQ/CAS FLT CODE B52 A/C A4E

| CODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| | WL-15. JONES | 0005 | 0015 | 1.2 | 0030-35 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | IFR | | | | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| XD853350 | RUN I ① | BUNKERS Ammo storage |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 21.5 | | | 21.5 | | 23.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| TFH | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| ASRT | L | 1 | — | 290 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

1

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

OCT 14 1968

EDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

6 Rw Acc

TGT TYPE | TGT NAME

DAM/DESTROYED YES NO UNKNOWN
REASON

ECM ENCOUNTERED | FUZE | ARM DELAY | FUZE DELAY
HOW | DETONATED BY

WEAPON RELEASE | WEAPON CARRIED

| | | | | |
|---|---|---|---|---|
| A. [illegible] | YES | NO | EL YES | PILOTS FROM [illegible] TO REPORT |
| B. [illegible] | YES | NO | " " | [illegible] |
| C. A/C HIT | YES | NO | " " | [illegible] TO REPORT |
| D. S/A/T | YES | NO | " " | OTHER BY S/C |
| E. [illegible] INSERT/EXTRACT | YES | NO | " " | STRIKE, [illegible] DAMAGE, OTHER |
| F. BDA REPORTED | YES | NO | " " | GIVE [illegible] |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: SS DTG 0200

REMARKS:

TIME CHECKED IN WITH DASC WITH CONTROLLER 0025

DECLASSIFIED

DECLASSIFIED

MAG-12 DEPLOYMENT

DATE OF FRAG 14 CONTROL 311

MSN# 530 CALL SIGN HB TYPE MSN UBON FLT CODE 1S2 A/C A4E
MODEX CREW I/O LAND FLT TIME TOT

14th
WC 14 Schnell 0917-1005 (UBON 1.6)
22 Branson 15th 1815-1910 (50) 1-8 3.4

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

Drop

ENROUTE ALT COASTIN/OUT ALT EMT ALT REL ALT MIN ALT RETURN ALT
~~20.0~~ ~~26.0~~
24.0 23.0

UNIT SUPPORTED OTHER SUPPORTED TGT#/RTE PKG# COASTIN/COAST OUT COORDS

ATTACK INFORMATION RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED
TYPE CONTROLLER

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED BDA BDA SOURCE
CREW/CONTROLLER

ORDNANCE CARRIED EXPENDED SEC EXPLOSIONS
# COLOR HGT

ORD JETTISONED DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED TIME DETECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG: 15 1947

REMARKS:

ACFT CHECKED IN WITH DASC WITH CONTROLLER

DECLASSIFIED

DECLASSIFIED

DATE OF FRAG 14 CONTROLLER PHU BAI 50 31

MSN# 267 CALL SIGN 48 TYPE MSN TPQ FLT CODE 352 A/C A46
CREW T/O LAND FLT TIME TOT

W.L. 12 SMITH 0105-0250 2-5 0140
0405-0445

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

LFR

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION
YC 795972 RUN 1 (3) BASE RR-CA

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT
20.5 ~~17.5~~ 24.5 17.5

UNIT SUPPORTED OTHER SUPPORTED TGT#/RTE PKG# COASTIN/COAST OUT COORDS
NEVADA EAGLE

ATTACK INFORMATION TYPE CONTROLLER RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED
ASRT L 1 — 290

A6A ONLY DELIVERY MODE/SISTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

OCT 15

EDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPLODED | SEC EXPLOSIONS # COLOR HGT

6D24 | A4

ECM ENCOUNTERED | YES NO UNKNOWN REASON | FUZE | ALT DELAY | FUZE DELAY | INTERCEPTED BY

| | | | | |
|---|---|---|---|---|
| A. | YES NO | IF | YES | |
| B. | YES NO | " | " | |
| C. | YES NO | " | " | |
| D. | YES NO | " | " | |
| E. | YES NO | " | " | |
| F. BDA REPORTED | YES NO | " | " | |
| G. DUDS | YES NO | " | " | |
| H. HAWK RUN | YES NO | " | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES NO | " | " | GIVE REASON |
| J. DIVERT | YES NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: RS DTG 0520

REMARKS: — SEIE DIVERT
— BINGO FUEL

TIME CHECKED IN WITH DASC WITH CONTROLLER 0120

DECLASSIFIED

DECLASSIFIED

DATE OF FRAG 14 CONTROLLER DANANG G2 SQUAD 311

MSN# 963 CALL SIGN HB TYPE MSN TPQ FLT CODE 352 A/C A-4E
MODEX CREW T/O LAND FLT TYPE TOT

WL 04 JONES 0016 - 0120 11 0050 - 0110

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

1.5 @ V @ Tops unknown

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

AT963572 RVN I (3) BUNKERS
AT971573 HARBOR AREA

ENROUTE ALT COASTIN/OUT ALT EMT ALT REL ALT MIN ALT RETURN ALT

16.0 16.0 16.0

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/COAST OUT COORDS

7th MARINES HENDERSON HILL

ATTACK INFORMATION TYPE CONTROLLER RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED

ASE4 L 2 — 290

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

OCT 15 1990

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

ORDNANCE CARRIED: 6D2Y | EXPENDED: ALL | SEC EXPLOSIONS # COLOR HGT

ORD JETTISONED | DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

MCH ENCOUNTERED | TIME | DETECTED BY

| WARNING INDICATION | | | IF | YES | ACTION TAKEN |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF | YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " " |
| C. A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. TH/RT | YES | NO | " | " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " | " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " | " | GIVE SOURCE |
| G. DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GIVE REASON |
| J. DIVERT | YES | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: SS DTG: 0205

REMARKS:

TIME CHECKED IN WITH DASC WITH CONTROLLER 0035

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 14 CONTROLLER CC A34 SQUAD 311

MSN# 269 CALL SIGN HB TYPE MSN IPQ FLT CODE 35 CAC A45
MODEX CREW T/O LAND FLT TIME TOT

WZ 15 HAMPTON 0115-0300 21 0145
0420-0445

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

HFR

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION
YD037632 RON I (1) TROOPS
BUNKERS

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT
20.5 20.5 15.5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/COAST OUT COORDS
~~FAC~~
TIF

ATTACK INFORMATION RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED
TYPE CONTROLLER
ASRT L 1 — 290

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER AMTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. OCT 15 19[illegible]

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

6D200 | 4-6

ORD JETTISONED | DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECH ENCOUNTERED | TIME | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: SS DTG: 0530

REMARKS: -Self
-LACK OF FUEL

TIME CHECKED IN WITH DASC WITH CONTROLLER 0140

DECLASSIFIED

DECLASSIFIED

DATE OF FRAG 14 CONTROLLER DANANG SQUAD 31

MSN# 965 CALL SIGN HB TYPE MSN TPQ FLT CODE 852 A/C A-4E
MODEX CREW T/O LAND FLT TIME TOT

WL 19 FRENFELD 0102-0255 2-3
0415-0440

TGT INFORMATION CEIL/TOPS CLOUD VIS OBS TO VIS TGT TERRAIN
TGT WX COVER

E IFR

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

NO DROP
NO LOCK UP

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT
20.5 17.5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/COAST OUT COORDS

ATTACK INFORMATION RELEASE ANGLE TOTAL A/C INTERVAL AIR SPEED
TYPE CONTROLLER PASSES

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER AMTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

OCT 15 1968

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

6D24 Jettisoned 6D24

YES NO UNKNOWN

REASON

ECM ENCOUNTERED

| | | | | |
|---|---|---|---|---|
| A. | YES | NO | IF YES | |
| B. | YES | NO | " " | |
| C. | YES | NO | " " | |
| D. | YES | NO | " " | |
| E. | YES | NO | " " | |
| F. | YES | NO | " " | |
| G. | YES | NO | " " | |
| H. | YES | NO | " " | |
| I. | YES | NO | " " | |
| J. | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: SS DTG 0520

REMARKS: — ~~DIVERT~~ Self Divert
— BINGO FUEL

TIME CHECKED IN WITH DASC WITH CONTROLLER

DECLASSIFIED

DECLASSIFIED

LATE ENTRY

MAG-12 DESIGNATED FORMS

DATE OF FRAG 15 CONTROLLER CC 52 SQUAD 311

MSN# 259 CALL SIGN HB TYPE MSN TPQ FLT CODE 452 A/C A-4E
MODEX CREW T/O LAND FLT TIME TOT

WL 19 FORNEY 2300 - 0005 1.1 0330

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | IFR | | | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| XD954712 | RUN 10 | Enemy Posit |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 22.5 | | | 20.5 | 19.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| 3rd MARDIV | LANCASTER | A | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| ASRT | L | 1 | — | 360 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER ANTI DETECTION

NUMBER: COORDS

OCT 15 1968

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | EDA | EDA SOURCE CREW/CONTROLLER | RTH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

6 Dzw ALL

ORD JETTISONED | DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECH ENCOUNTERED | TIME | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG: 0315

REMARKS:

CHG CHECKED IN WITH DASC WITH CONTROLLER 2320

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 15 CONTROLLER CC ASRAT 34 SQUAD 311

MSN# 279 CALL SIGN HB TYPE MSN TPQ FLT CODE B52 A/C A4E

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL | 2 3 SOLDERS | 0400 | 0530 | 1.5 | |

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX THUNDER STORMS 0 0

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

ENROUTE ALT COASTIN/OUT ALT EXT ALT REL ALT MIN ALT RETURN ALT
21.5 19.5

UNIT SUPPORTED OPER SUPPORTED TGT#/TTE PKG# COASTIN/COAST OUT COORDS

ATTACK INFORMATION RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED
TYPE CONTROLLER

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER AMTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED BDA BDA SOURCE CREW/CONTROLLER RTH TP

ORDNANCE CARRIED EXPENDED SEC EXPLOSIONS # COLOR HGT

ORD JETTISONED DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED TIME DETECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF | YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " " |
| C. A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. TH/RT | YES | NO | " | " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " | " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " | " | GIVE SOURCE |
| G. DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GIVE REASON |
| J. DIVERT | YES | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: J DTG: 150800

REMARKS:

TIME CHECKED IN WITH DASC WITH CONTROLLER

DECLASSIFIED

DECLASSIFIED

DATE OF FRAG 15 CONTROLLER CC 34 311

MSN# 977 CALL SIGN HB TYPE MSN TPQ FLT CODE 252 A/C A4C
MODEX CREW T/O LAND FLT TIME TOT

WL II PYCIOR 0348-0510 1.4 0415

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

IFR

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

NO DROP

CONTROLER DOWN

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT
20.5 21.5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/COAST OUT COORDS

ATTACK INFORMATION RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED
TYPE CONTROLLER

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER AMTI DETECTION

NUMBER: COORDS

EDA INFORMATION: 1. 2. 3. 4. OCT 15 1968

5. 6. 7. 8.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED: 6Dry | EXPENDED: NONE | SEC EXPLOSIONS # COLOR HGT

ECM ENCOUNTERED | TYPE | SAM TYPE | EVID DEFAY | DETECTED BY

| | | | | |
|---|---|---|---|---|
| A. | YES | NO | IF YES | |
| B. | YES | NO | " " | |
| C. | YES | NO | " " | |
| D. | YES | NO | " " | |
| E. | YES | NO | " " | |
| F. | YES | NO | " " | |
| G. DUDS | YES | NO | " " | |
| H. HAWK RUN | YES | NO | " " | GIVE A/C, EDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: LS DTG 0520

REMARKS:

TIME CHECKED IN WITH DASC WITH CONTROLLER

DECLASSIFIED

DECLASSIFIED

MAG-12 DEPS TYC

DATE OF FRAG 15 CONTROL 31

MSN# 223 CALL SIGN HB TYPE MSN FLT CODE 152 A/C A4E
MODE X CREW T/O LAND FLT TIME TOT

WC 02 CARL 1705-1827 1.4

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

1500
60 0-0 Thunderstorms
TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

Drop

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT
20.5 10 13.5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/COAST OUT COORDS

ATTACK INFORMATION RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED
TYPE CONTROLLER

A6A ONLY DELIVERY MODE/SYSTEM UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED: 6024 | EXPENDED: None | SEC EXPLOSIONS # COLOR HGT

ORD JETTISONED | DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED | TIME | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: [signature] DTG: 15 1903

REMARKS: - Div From - (50) - Couldn't lock to (69) - No Hyts
Bingo Fuel

FLT CHECKED IN WITH DASC WITH CONTROLLER

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 15 CONTROLLER TRAIL-24 SQUAD 311

MSN# 542 CALL SIGN HB TYPE MSN OAS FLT CODE 152 A/C A4E
MODEX CREW T/O LAND FLT TIME TOT

WL 15 LILLIE 1536-1646 2.4 1605-18
19 JONES

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | 20 | 4LR | FLAT |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD257749 | RVN (P) | TROOPS IN Bunkers |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 14.5 | | .5 | .3 | 14.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| ARVN | Napoleon Saline | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 10 | 6 | 30 | 450 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED _____ BDA _____ BDA SOURCE _____ RTH _____ IP _____
CREW/CONTROLLER

100/100 Lubbock Dest

ORDNANCE CARRIED 8 BDA 4 MK 29 | EXPENDED All | SEC EXPLOSIONS # _____ COLOR _____ HGT _____

ORD JETTISONED _____

DUDS 102A 102P

DUDS RECOVERABLE (YES) NO UNKNOWN

LOCATION TGT REASON Low drop / high drop

FUZE 907 ARM DELAY 5 sec FUZE DELAY Nose

ECM ENCOUNTERED _____ TIME _____ DETECTED BY _____

WARNING INDICATION _____ ACTION TAKEN _____

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | (NO) | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | (NO) | " " | " AIRBURST " " |
| C. | A/C HIT | YES | (NO) | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | (NO) | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | (NO) | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | (YES) | NO | " " | GIVE SOURCE |
| G. | DUDS | (YES) | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | (NO) | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | (NO) | " " | GIVE REASON |
| J. | DIVERT | YES | (NO) | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: [illegible] DTG: 15 1720

REMARKS:

TIME CHECKED IN WITH DASC 1557 WITH CONTROLLER 1559

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 15 OCT CONTROLLER TRAIL 64 SQUAD 311

MSN# 541 CALL SIGN HB TYPE MSN CAS FLT CODE 152 A/C 2

| MODE X | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL-4 | KORMAN | 1509 | 1632 | 2.6 | 1540-1555 |
| 4L-26 | HOLLAND | | | | |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| 500 | | 0 | 10 | | <UK |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD 257749 | I QTri | Bunkers |

| ENROUTE ALT | COASTIN/OUT ALT | EMT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 14.5 | 3000 | 500 | 300 | 15.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| 3rd MAR DIV | Napoli | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| TACA | 10° | 5 | 30 sec | 450 |

16A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED

CREW/CONTROLLER

Bunkers 100/100 2 bunker burning

ORDNANCE CARRIED 8D2A/4D9 EXPENDED 4D2A/2D9 SEC EXPLOSIONS # 0 COLOR HGT

ORD JETTISONED DUDS

DUDS RECOVERABLE YES NO UNKNOWN

LOCATION REASON

FUZE WRN DELAY I FUZE DELAY

ECM ENCOUNTERED TIME DETECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. | HOSTILE FIRE | YES NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES NO | " " | PREPARE FIRE INCIDENT REPORT |
| D. | TH/RT | YES NO | " " | OPREP BX S-3 |
| E. | RECON INSERT/EXTRACT | YES NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES NO | " " | GIVE SOURCE |
| G. | DUDS | YES NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES NO | " " | GIVE REASON |
| J. | DIVERT | YES NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG:

REMARKS:

TIME CHECKED IN WITH DASC 1530 WITH CONTROLLER 1532

DECLASSIFIED

DECLASSIFIED

DATE OF TRAC CONTROLLER Squad 311

MSN# 255 CALL SIGN TYPE MSN Abort FLT CODE 35₂ A/C 44

MODE X CREW T/O LAND FLT TIME TOT

WL 01 ~~Aborted~~ 2115-2200 17

Heti

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN

TGT WX

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

ENROUTE ALT COASTIN/OUT ALT EMT ALT REL ALT MIN ALT RETURN ALT

3,0 3,0

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/COAST OUT COORDS

ATTACK INFORMATION TYPE CONTROLLER RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER AMTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

OCT 15 1968

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED _____ BDA _____ BDA SOURCE CREW/CONTROLLER RIH IP

ORDNANCE CARRIED 6D2 EXPENDED _____ SEC EXPLOSIONS # _____ COLOR _____ HGT _____

ORD JETTISONED _____ DUDS _____

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION _____ REASON _____
FUZE _____ ARM DELAY _____ FUZE DELAY _____

ECM ENCOUNTERED _____ TIME _____ DETECTED BY _____

WARNING INDICATION _____ ACTION TAKEN _____

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: _____ DTG: 13 2217

REMARKS: GENERATOR FAILURE AFTER TAKEOFF

TIME CHECKED IN WITH DASC _____ WITH CONTROLLER _____

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 15 CONTROLLER MILKY S.A. 311

MSN# 257 CALL SIGN HB TYPE MSN TPQ FLT CODE 352 A/A 4E
MODEX CREW T/O LAND FLT TIME 4.52 TOT

WL 7 KISH 2225-2355 1.5 2310

TGT INFORMATION CEIL/TOPS CLOUD VIS OBS TO VIS TGT TERRAIN
TGT WX COVER

IFR

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

YD315345 RUN10 BASE CAMP

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT

20.5 17.0 21.5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/COAST OUT COORDS

JEB STUART 4 82nd AB

ATTACK INFORMATION RELEASE ANGLE TOTAL A/C INTERVAL AIR SPEED
TYPE CONTROLLER PASSES

ASRT L 1 — 290

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OCT 15 1968

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED

ORDNANCE CARRIED: 6D2W/Y

EXPENDED: ALL

SEC EXPLOSIONS # COLOR HGT

ORD JETTISONED

DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED TIME DETECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | (YES) | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: SJ DTG: 0170

REMARKS: — Panama
— Teepee down

TIME CHECKED IN WITH DASC 2300 WITH CONTROLLER

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORM

DATE OF FRAG 15 CONTROLLER PhuBai Arat 311

MSN# 261 CALL SIGN HB TYPE MSN TPQ FLT CODE 452 A/C 1

| MODEX | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL-20 | LILLIE | 2315 | 0025 | 1.2 | 2345 |

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| 1400 | | 0/5 | | | UNK |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD 66662 | RUN 1 | VC Posit |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 20.5 | 20.5 | | | | 19.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| ARMY | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| ASRAT | level | 1 | — | 290 |

16A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED: VC Position | BDA: UNK | BDA SOURCE CREW/CONTROLLER: | RTH: | IP:

ORDNANCE CARRIED: 6Dk | EXPENDED: ALL | SEC EXPLOSIONS # COLOR HGT

ORD JETTISONED:

DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED TIME DETECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG:

REMARKS:

CHECKED IN WITH DASC WITH CONTROLLER 2340

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 15 CONTROLLER Camp Carroll A46 SQUAD 311

MSN# 221 CALL SIGN HB TYPE MSN TPOIDS FLT CODE 152 A/C A4E
MODEX CREW T/O WAND FLT TIME TOT

WL23 Hampton 1605 - 1735 ~~1735~~ 1650
00 Thumpheller 2.9

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | | | | | |

D Thunderstorms

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YD060770 | NVN | Arty |
| 16571 10654 | | |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 18.5 | | | 18.5 | | 19.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| 3 RAD.D | None | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| ASRT | 5° | 1 | / | 290 |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

1

OTHER AMTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS COLOR HGT

12D2 | All

ORD JETTISONED | DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED | TIME | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

R

DEBRIEFER: DTG: 15/184

REMARKS: d.u from 109 by 109
WX - Priority target

TIME CHECKED IN WITH DASC WITH CONTROLLER 1608

DECLASSIFIED

DECLASSIFIED

DATE OF FRAG 15 CONTROLLER PHU BAI ASRAT #54 SQUAD 311

MSN# 271 CALL SIGN H.B TYPE MSN TPQ FLT CODE 452 A/C A4

| MODE X | CREW | T/O | LAND | FLT TIME | TOT |
|---|---|---|---|---|---|
| WL 02 | JONES | 0140 | 0240 | 1.0 | 0210 |

| TGT INFORMATION TGT NR | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| UNK | 20.0 TOPS | | — | — | — |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YC 622983 | RVN | VC LOCATION |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 20.5 | — | — | 20.5 | — | 21.5 |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| | NEVADA EAGLE | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| ASRAT | | | | |

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

OCT 16 1968

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | [illegible] | [illegible]

VC LOCATION

ORDNANCE CARRIED 6 D 2 W | EXPENDED 6 D 2 W | SEC EXPLOSIONS # COLOR HGT

ORD JETTISONED | DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED | TIME | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: J. J. Jones DTG: 160259 H

REMARKS: J J

[illegible] CHECKED IN WITH DASC 0148 WITH CONTROLLER 0205

DECLASSIFIED

DECLASSIFIED

DATE OF FRAG 15 CONTROLLER PHU BAI SQUAD 311

MSN# 265 CALL SIGN HB TYPE MSN TPQ FLT CODE 452AC A4E
MODEX CREW T/O LAND FLT TT

WL 12 HOLLAND 0024-0116 ,9 0040-45

TGT INFORMATION CEIL/TOPS CLOUD VIS OBS TO VIS TGT TERRAIN
TGT WX COVER

IFR

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION
YD585057 RUN FQ Susp VC Coc

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT
20.5 20.5 21.5

UNIT SUPPORTED OTHER SUPPORTED TGT#/RTE PKG# COASTIN/COAST OUT COORDS
NEVADA EAGLE

ATTACK INFORMATION RELEASE ANGLE TOTAL A/C INTERVAL AIR SPEED
TYPE CONTROLLER PASSES
ASR 1 L 1 — 250

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION
1 390

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

OCT 16 1968

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED BDA [illegible] CREW/CONTROLLER

ORDNANCE CARRIED EXPENDED SEC EXPLOSIONS # COLOR MGT

6 MK 4 ALL

ORD JETTISONED DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED TIME DETECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: SS DTG: 0150

REMARKS:

[illegible] CHECKED IN WITH DASC WITH CONTROLLER 0037

DECLASSIFIED

DECLASSIFIED

MAG-12 DEPLOYING

DATE OF FRAG _____ CONTROLLING PHU BY ASNT-54 311

MSN# 275 CALL SIGN NB TYPE MSN TPQ FLT CODE 452 A/C A-4E
MODEX CREW T/O LAND FLT TIME TOT

W4-20 MERRIHEW 0310 110 0335
0410

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| SCAT THU STORM | | | | | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YC 758 953 | | SPEC VC POSN |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 20.15 | | 20.5 | | 21.5 | |

| UNIT SUPPORTED | OPER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| NAVAL EAGLE | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| L | | 1 | | 290 |

M6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

1

OTHER ANTI DETECTION

NUMBER: _____ COORDS _____

BDA INFORMATION: 1. _____ 2. _____ 3. _____ 4. _____

5. _____ 6. _____ 7. _____ 8. _____ 9. _____

10. _____

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | EDA | EDA SOURCE CREW/CONTROLLER | RTH | IP

ORDNANCE CARRIED: 4 MK 82s | EXPENDED: ALL | SEC EXPLOSIONS # COLOR HGT

ORD JETTISONED | DUDS: UNK TWO

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED | TIME | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | GROUP BY SHIP |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DTG: 16 0710

REMARKS:

TIME CHECKED IN WITH DASC WITH CONTROLLER 0323

DECLASSIFIED

DECLASSIFIED

DATE OF FRAG 15 CONTROLLER MILKY SQUAD 311 ~~333~~

MSN# 977 CALL SIGN HB TYPE MSN TPK DET CODE 4/52 A/C A6E
MODEX CREW T/O LAND FLT TIME TOT

WL19 TRUMPETEER 0324-0435 1.2 0406

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

CFR

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION
YC414 09160 RUNE A/W POS

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT
820 22.0 25.5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/COAST OUT COORDS
24TH CORPS

ATTACK INFORMATION TYPE CONTROLLER RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED
ASRT L 1 — 272

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

OCT 1 61968

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

6 D/v Y/W | ALL

ORD JETTISONED | DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED | TIME | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: LS DTG: 0515

REMARKS:

TIME CHECKED IN WITH DASC WITH CONTROLLER 0347

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORM

DATE OF FRAG 15 CONTROLLER CC A48 SQUAD 311

MSN# 269 CALL SIGN HB TYPE MSN TAC FLT CODE 252 A/C AVE
MODEX CREW T/O LAND FLT TIME TOT

WL 23 PYCIOR 0055-0210 1.3 0115

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

IFR

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION
YD060348 RUNLO BUNKERS

ENROUTE ALT COASTIN/OUT ALT EMT ALT REL ALT MIN ALT RETURN ALT
22.5 20.0 25.5

UNIT SUPPORTED OPER SUPPORTED TGT#/TTE FAC# COASTIN/COAST OUT COORDS
TEA

ATTACK INFORMATION RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED
TYPE CONTROLLER
ASR-T L 1 - 250

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.
5. 6. 7. 8.
10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED BDA BDA SOURCE CREW/CONTROLLER

ORDNANCE CARRIED 6D 2W EXPENDED Alt SEC EXPLOSIONS # COLOR

ORD JETTISONED DUDS

DUDS RECOVERABLE YES NO UNKNOWN

LOCATION REASON

FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED TIME DETECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. ~~RECON~~ INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: JS ARR/OUT/SHDTG: 0245

REMARKS:

RIDE CHECKED IN WITH DASC WITH CONTROLLER ~~0100~~ 0115

DECLASSIFIED

DECLASSIFIED

MAG-12 DEPOSIT

DATE OF FRAG ____ CONTROLLER PHU BAI 54 SQUAD 311

MSN# 263 CALL SIGN KB TYPE MSN TPQ FLT CODE 352 A/C 44E
MODEX CREW T/O LAND FLT TIME TOT

WLY SOUNDERS 2350-0100 1.2 0040

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

1 ER

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

YD585057 RUN IO VC COC

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT

20.5 90-5 21.5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/COAST OUT COORDS

NEVADA EAGLE

ATTACK INFORMATION TYPE CONTROLLER RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED

ASRT L 1 — 290

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER ANTI DETECTION

NUMBER: ____ COORDS ____

BDA INFORMATION: 1. ____ 2. ____ 3. ____ 4. ____

5. ____ 6. ____ 7. ____ 8. ____

10. ____

OCT 16 1968

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED _____ BDA _____ BDA SOURCE CREW/CONTROLLER _____ RTH _____ IP _____

ORDNANCE CARRIED 6 Dzw EXPENDED A/C SEC EXPLOSIONS # _____ COLOR _____ HGT _____

ORD JETTISONED _____ DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION _____ REASON _____
FUZE _____ ARM DELAY _____ FUZE DELAY _____

ECM ENCOUNTERED _____ TIME _____ DETECTED BY _____

WARNING INDICATION _____ ACTION TAKEN _____

| | | | | | |
|---|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF | YES | PREPARE FIRE INCIDENT REPORT |
| B. AIRBURST | YES | NO | " | " | " AIRBURST " " |
| C. A/C HIT | YES | NO | " | " | " FIRE INCIDENT REPORT |
| D. TH/RT | YES | NO | " | " | OPREP BY S-3 |
| E. RECON INSERT/EXTRACT | YES | NO | " | " | SUCCESS, PAR SUCCESS, OTHER |
| F. BDA REPORTED | YES | NO | " | " | GIVE SOURCE |
| G. DUDS | YES | NO | " | " | FILL IN ABOVE |
| H. HAWK RUN | YES | NO | " | " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. ABORT | YES | NO | " | " | GIVE REASON |
| J. DIVERT | YES | NO | " | " | GIVE AUTHORITY AND REASON |

DEBRIEFER: SS DTG: 0150

REMARKS: — VIIESQWD
— TRIPLE DOWN

TIME CHECKED IN WITH DASC _____ WITH CONTROLLER 0035

DECLASSIFIED

DECLASSIFIED

DATE OF FRAG 15 CONTROLLER RHB BAI 54 SQUAD 311

MSN# 269 CALL SIGN HB TYPE MSN TPQ FLT CODE TS2 A/C AVE
MODEX CREW T/O LAND

WL 00 FORNEY 0125-0235 1.2 0215

| TGT INFORMATION TGT WX | CEIL/TOPS | CLOUD COVER | VIS | OBS TO VIS | TGT TERRAIN |
|---|---|---|---|---|---|
| | 10.0 | Ø | | | |

| TGT COORDS | COUNTRY/CORPS/PROVINCE | TGT DESCRIPTION |
|---|---|---|
| YC622983 | RVN IV | VC LOCATION |

| ENROUTE ALT | COASTIN/OUT ALT | ENT ALT | REL ALT | MIN ALT | RETURN ALT |
|---|---|---|---|---|---|
| 20.5 | | 20.5 | | 19.5 | |

| UNIT SUPPORTED | OTHER SUPPORTED | TGT#/RTE PKG# | COASTIN/COAST OUT COORDS |
|---|---|---|---|
| NEVADA EAGLE | | | |

| ATTACK INFORMATION TYPE CONTROLLER | RELEASE ANGLE | TOTAL PASSES | A/C INTERVAL | AIR SPEED |
|---|---|---|---|---|
| ASRT | L | 1 | — | 290 |

M6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER AMTI DETECTION

NUMBER: COORDS

EDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

OCT 16 1968

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED BDA CREW/CONTROLLER

ORDNANCE CARRIED EXPENDED SEC EXPLOSIONS # COLOR HGT

6D2W ALL

ORD JETTISONED DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED TIME DETECTED BY

WARNING INDICATION ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: SS DTG: 0315

REMARKS: — Vicesquad
— NO CONTACT

TIME CHECKED IN WITH DASC WITH CONTROLLER 0210

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORMS

DATE OF FRAG 15 CONTROLLER PHU BY - ASAT 54 SQUAD 311

MSN# 283 CALL SIGN HB TYPE MSN TOT FLT CODE 452 A/C A-4E

MODEX CREW T/O LAND FLT TIME TOT

LT L. M ENNIS

0545 110 0620

0645

TGT INFORMATION CEIL/TOPS CLOUD COVER VIS OBS TO VIS TGT TERRAIN
TGT WX

3 CAT THV Show

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

YC 758 953 SPEC VC POSN

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT

20,5 20,5 21,5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/OUT COORDS

NAVAL EAGLE

ATTACK INFORMATION TYPE CONTROLLER RELEASE ANGLE TOTAL PASSES A/C INTERVAL AIR SPEED

50 1 290

A6 ONLY DELIVERY MODE/SYSTEMS UTILIZATION

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

OCT 16 1968

5. 6. 7. 8. 9.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | EDA | EDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

6 Mk 82 Y/R All

ORD JETT | DUD BOMBS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON

ECM ENCOUNTERED | FUZE TIME | ARM DELAY | FUZE DELAY DIRECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | |
|---|---|---|---|---|
| A. HOSTILE FIRE | YES | NO | IF YES | PILOTS AND INCIDENT REPORT |
| B. AIRBURST | YES | NO | " " | AIRBURST " |
| C. A/C HIT | YES | NO | " " | FIRE INCIDENT REPORT |
| D. TAKEOFF | YES | NO | " " | OTHER AS S... |
| E. RESCUE ESCORT/EXTRACT | YES | NO | " " | SUCCESS, AIR SUCCESS, OTHER |
| F. EOA RETURNED | YES | NO | " " | GIVE SCORE |
| G. DUDS | YES | NO | " " | FILL IN ABOVE |
| H. HAVE RUN | YES | NO | " " | GIVE ALT, HDG, WAS IF SPLASHED |
| I. ABORT | YES | NO | " " | GIVE REASON |
| J. DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: N DTG 16 0710

REMARKS:

TIME CHECKED IN WITH DASC WITH CONTROLLER 0605

DECLASSIFIED

DECLASSIFIED

MAG-12 DEBRIEFING FORM

DATE OF FRAG 15 CONTROLLER MILKY 25 SQUAD 311

MSN# 279 CALL SIGN HB TYPE MSN TPQ FLT CODE 452 A/C HUE
MODEX CREW T/O LAND FLT TIME TOT

WL 93 BARGER 0420 - 0550 1.5 0517

TGT INFORMATION CEIL/TOPS CLOUD VIS OBS TO VIS TGT TERRAIN
TGT WX COVER

IFR

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

YC 758898 RVN I UC Posit

ENROUTE ALT COASTIN/OUT ALT ENT ALT REL ALT MIN ALT RETURN ALT

20.5 15.0 23.5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/COAST OUT COORDS

NEVADA EAGLE 101st AB

ATTACK INFORMATION RELEASE ANGLE TOTAL A/C INTERVAL AIR SPEED
TYPE CONTROLLER PASSES

ASR 1 L 1 — 308

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RTH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

6024/W ALL

ORD JETTISONED | DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED | TIME | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: DS DTG: 0635

REMARKS:

TIME CHECKED IN WITH DASC WITH CONTROLLER 0450

DECLASSIFIED

DECLASSIFIED

MAG-12

DATE OF FRAG 15 CONTROLLER PHU BAI 54 311

MSN# 273 CALL SIGN HB TYPE MSN TPQ FLT CODE 352 A/C A4E
MODEX CREW T/O LAND FLT TIME TOT

WL 7 BARGER 0223-0335 1.2 0300

TGT INFORMATION CEIL/TOPS CLOUD VIS OBS TO VIS TGT TERRAIN
TGT WX COVER

IFR

TGT COORDS COUNTRY/CORPS/PROVINCE TGT DESCRIPTION

ZC138940 RUN I Sam VC

ENROUTE ALT COASTIN/OUT ALT EMT ALT REL ALT MIN ALT RETURN ALT

25.5 25.0 21.5

UNIT SUPPORTED OPER SUPPORTED TGT#/RTE PKG# COASTIN/COAST OUT COORDS

NEVADA EAGLE 101st AB

ATTACK INFORMATION RELEASE ANGLE TOTAL A/C INTERVAL AIR SPEED
TYPE CONTROLLER PASSES

ASR 7 L 1 — 290

A6A ONLY DELIVERY MODE/SYSTEMS UTILIZATION

/

OTHER ANTI DETECTION

NUMBER: COORDS

BDA INFORMATION: 1. 2. 3. 4.

5. 6. 7. 8.

10.

[redacted]

DECLASSIFIED

DECLASSIFIED

TYPE TGT ATTACKED | BDA | BDA SOURCE CREW/CONTROLLER | RIH | IP

ORDNANCE CARRIED | EXPENDED | SEC EXPLOSIONS # COLOR HGT

6D2 Y/W | ALL

ORD JETTISONED | DUDS

DUDS RECOVERABLE YES NO UNKNOWN
LOCATION REASON
FUZE ARM DELAY FUZE DELAY

ECM ENCOUNTERED | TIME | DETECTED BY

WARNING INDICATION | ACTION TAKEN

| | | | | | |
|---|---|---|---|---|---|
| A. | HOSTILE FIRE | YES | NO | IF YES | PREPARE FIRE INCIDENT REPORT |
| B. | AIRBURST | YES | NO | " " | " AIRBURST " " |
| C. | A/C HIT | YES | NO | " " | " FIRE INCIDENT REPORT |
| D. | TH/RT | YES | NO | " " | OPREP BY S-3 |
| E. | RECON INSERT/EXTRACT | YES | NO | " " | SUCCESS, PAR SUCCESS, OTHER |
| F. | BDA REPORTED | YES | NO | " " | GIVE SOURCE |
| G. | DUDS | YES | NO | " " | FILL IN ABOVE |
| H. | HAWK RUN | YES | NO | " " | GIVE ALT, HDG, IAS IF SPLASHED |
| I. | ABORT | YES | NO | " " | GIVE REASON |
| J. | DIVERT | YES | NO | " " | GIVE AUTHORITY AND REASON |

DEBRIEFER: SS DTG: 0630

REMARKS:

FLT CHECKED IN WITH DASC WITH CONTROLLER 0245

DECLASSIFIED