

DEBRIEFER L461665 TIME 1000 DATE 1 Aug 69
 SQUADRON 311 CALL SIGN AB151 MSN NO. 6151 FLT CODE 152
 T/O 0828 LAND 0935 TOTAL TIME 2.2

PILOTS

A/C

Hampton
GR1665

WL 16
07

DASC Dong Ha TIME 0845
 CONTROLLER SW 98-4 TIME 0850
 TYPE CONTROLLER FALCA
 TYPE MISSION L2P

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0900/10</u>	<u>L2P</u>	<u>XD924626</u>	<u>7</u>
	<u>54</u>		

TGT TERRAIN MTNS TGT WK 4.00 VISIBILITY 10
 EEL ANGLE 20° PASSES 10 INTERVAL 30 MIN ALT 600
 REL ALT 1200
 ENROUTE ALT 16.5 RETURN ALT 19.5 TGT AIRSPEED 450
 ORDNANCE 1601A 409 D20 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB D DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL BDA —

SECONDARY EXPLOSIONS Yes NUMBER 1 SIZE Very small
 UNIT SUPPORTED 3rd M.D. OPERATION Idaho Canyon
 (LEAVE BLANK)
 ENROUTE WK —

(A) HOSTILE FIRE	YES NO	FIRE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) A/C HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER H500 TIME 0420 DATE 1 Aug 69
 SQUADRON 311 CALL SIGN H3011 MSN NO. 6011 FLT CODE 152
 T/O 0657 LAND 0745 TOTAL TIME 071.6

PILOTS

A/C

HANKEL
CRUISER

3
12

DASC BILK TIME 0710
 CONTROLLER BILK 33 TIME 0715
 TYPE CONTROLLER BACR
 TYPE MISSION L2P

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0719 0726</u>	<u>L2P</u>	<u>7C411921</u>	<u>2</u>
	<u>54</u>		

TGT TERRAIN Hilly TGT WK 15.0 VISIBILITY 30 NM
 EEL ANGLE 30° PASSES 3 INTERVAL 35s MIN ALT 4000
 ENROUTE ALT 8500' RETURN ALT 3500' TGT AIRSPEED 450
 ORDNANCE 12 D2W/4 EXPENDED 11 D2W/4 JETTISONED NONE
 ORDNANCE/RTB 1 D2W/4 DUDS (SEE NOTE #1) —
 BDA 100% 100% ADDITIONAL BDA —

SECONDARY EXPLOSIONS NONE NUMBER — SIZE —
 UNIT SUPPORTED 101ST AB DIV OPERATION Montgomery Road
 (LEAVE BLANK)
 ENROUTE WK 120

(A) HOSTILE FIRE	YES <u>NO</u>	FIRLE FORM WITH BARREL
(B) AIRBURST	YES <u>NO</u>	FILE FORM WITH BARREL
(C) A/C HIT	YES <u>NO</u>	FILE FLASH REPORT WITH BARREL
(D) RECCN INSERT/EXTRACT	YES <u>NO</u>	CIRCLE ONE/COORD
(E) BDA REPORTED	YES <u>NO</u>	IF ADDITIONAL CIRCLE
(F) ABORT	YES <u>NO</u>	A/C MALFUNCTION/NOCDROP
(G) DIVERT	YES <u>NO</u>	GIVE REASON BELOW

REMARKS:

(REFERENCE NOTE #3)

NOTE #1: — DUD REPORT LOCATION — REASON FOR —
— RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 NOTE #2: — ECM ENCOUNTERED — TIME — HOW DIRECTED —
 NOTE #3: — ORDNANCE EFFECTIVENESS —

DEBRIEFER Light TIME 0420 DATE 1 Aug 69
 SQUADRON 311 CALL SIGN HB 306 MSN NO. 6306 FLT CODE 352
 T/O 0308 LAND 0405 TOTAL TIME 1.0
 PILOTS Light A/C WC 02
 DASC Bull 12 A/B TIME 0323
 CONTROLLER #72 TIME ..
 TYPE CONTROLLER ASRT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0333</u> <u>0343</u>	<u>Enemy harbor facility</u>	<u>AT852706</u>	<u>3</u>
	<u>30</u>	<u>AT848694</u>	

TGT TERRAIN R TGT WX 0 VISIBILITY 6
 REL ANGLE Level PASSES 2 INTERVAL --- MIN ALT 18.6
 ENROUTE ALT 14.5 RETURN ALT 9.5 REL ALT 18.6 TGT AIRSPEED 290
 ORDNANCE 6 D2W/4 EXPENDED 5 D2W/4 JETTISONED ---
 ORDNANCE/RTB 1 D2W/4 DUDS (SEE NOTE #1) ---
 BDA 100% % ADDITIONAL BDA ---

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 1st Marine Div OPERATION _____
 (LEAVE BLANK)

ENROUTE WX 14.5 0 to -0 top of 16.5

(A) HOSTILE FIRE	YES	NO	FIRLE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECCN INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NOCDROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

DEBRIEFER Palmer TIME 1300 DATE 1
 SQUADRON 311 CALL SIGN HB 021 MSN NO. 6021 FLT CODE 152
 T/O 7141 LAND 1239 TOTAL TIME 1.8
 PILOTS Palmer A/C 12
Spencer 05
 DASC DD TIME 1200
 CONTROLLER Hostage Report TIME 1205
 TYPE CONTROLLER ESCH
 TYPE MISSION CAJ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>121021</u>	<u>AMMO DMP</u>	<u>AT 811442</u>	<u>3</u>
	<u>27</u>		

TGT TERRAIN 4.114 TGT WX 00 VISIBILITY 10
 EEL ANGLE 30 PASSES 10 INTERVAL 30 MIN ALT 1200
 REL ALT 3000
 ENROUTE ALT 12.5 RETURN ALT 9.5 TGT AIRSPEED 480
 C ORDNANCE 120244 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB None DUDS (SEE NOTE #1) None
 BDA 100% 90% ADDITIONAL BDA 2 sec.

SECONDARY EXPLOSIONS 2 NUMBER — SIZE —
 UNIT SUPPORTED 1st M.D. OPERATION Pipestone Canyon
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECCN INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	A/C MALFUNCTION/NOCDROP
(G) DIVERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: m

(REFERENCE NOTE #3)

NOTE #1: — DUD REPORT LOCATION — REASON FOR —
— RECOVERABLE — FUSE (DELAY/ARM DELAY) —
 NOTE #2: — ECM ENCOUNTERED — TIME — HOW DIRECTED —
 NOTE #3: — ORDNANCE EFFECTIVENESS —

DEBRIEFER KRAUS TIME 1255 DATE 1 AUG
 SQUADRON VMA 311 CALL SIGN HR 019 MSN NO. 6019 FLT CODE 152
 T/O 1116 LAND 1245 TOTAL TIME 3.0
 PILOTS HAMMACK A/C 25 DASC DONG HA TIME 1155
KRAUS 2 CONTROLLER SW "BEAR" TIME 1155
 TYPE CONTROLLER EACH
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1205/1210</u>	<u>BUNKERS</u>	<u>XD890608</u>	<u>1</u>
	<u>19</u>		

TGT TERRAIN MTN TGT WX 400 VISIBILITY 15+
 REL ANGLE 20° PASSES 6 INTERVAL 30^{sec} MIN ALT 800
 ENROUTE ALT 16.5 RETURN ALT 15.5 REL ALT 1200 TGT AIRSPEED 450
 ORDNANCE 1600A/409 EXPENDED SALE JETTISONED —
 ORDNANCE/RTE — DUDS (SEE NOTE #1) —
 BDA 100% 100% ADDITIONAL BDA 2 Bunkers dest

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 4TH MAB M. 2 OPERATION Begin TAR
 (LEAVE BLANK)

ENROUTE WK 120 (11)

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS: — (REFERENCE NOTE #3) —

NOTE #1: — DUD REPORT LOCATION — REASON FOR —
— RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: — ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: — ORDNANCE EFFECTIVENESS —

DEBRIEFER GOOD TIME 1600 DATE 1 AUG 1969
 SQUADRON VMA 311 CALL SIGN 4B 593 MSN NO. 6593 FLT CODE 152
 T/O 1422 LAND 1550 TOTAL TIME 2:1
 PILOTS _____ A/C _____
CAHILL 03 DASC AN HDAASRT TIME 40
 _____ 11 CONTROLLER _____ TIME 440
 _____ TYPE CONTROLLER ASRT
 _____ TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>145-1500</u>	<u>ENEMY POSIT</u>	<u>ZC 180305</u>	<u>3</u>
	<u>55</u>		

TGT TERRAIN R TGT WX 6000 VISIBILITY 8#
 REL ANGLE _____ PASSES 1 INTERVAL _____ MIN ALT 14.2
 REL ALT 14.2

ENROUTE ALT 20.56 RETURN ALT 21.500 TGT AIRSPEED 400

ORDNANCE 601W/4 EXPENDED ALL JETTISONED NONE

ORDNANCE/RTB 400 DUDS (SEE NOTE #1) NONE

BDA _____ % ADDITIONAL BDA EXCEPTIONAL RUN

NO HEADING AND ONLY 50' ALTITUDE
CORRECTION FOR 38,000 METERS

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 1ST MAZ OPERATION _____
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES ☒	NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒	NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☒	NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒	NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒	NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒	NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☒	NO ☐	GIVE REASON BELOW

REMARKS: LEAD ABORT. BOMB STATION DOOR OPEN
-2 TPQ (REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

DEBRIEFER MIXSON TIME 1510 DATE 1 Aug 69
 SQUADRON 1 MA 311 CALL SIGN MANUAL 21 MSN NO. 0937 FLT CODE 17A
 T/O 1330 LAND 1456 TOTAL TIME 1.4
 PILOTS MIXSON A/C 16
CRANFORD 10
 DASC Hillsboro TIME 1350
 CONTROLLER COVERAGE TIME 1415
 TYPE CONTROLLER F2A
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE

1415-1425 Troop: IN CONTACT 4D007217 2
45

TGT TERRAIN 3100 TGT WX 12.00 VISIBILITY 10
 FEEL ANGLE 30° PASSES 2 INTERVAL 30sec MIN ALT 1500
 ENROUTE ALT 22500 RETURN ALT 15500 TGT AIRSPEED 450 KTS
 ORDNANCE 8020/4 4D7 EXPENDED 8020/4 JETTISONED 44
 ORDNANCE/RTB 4D7 DUDS (SEE NOTE #1) None
 BDA 100% 100% ADDITIONAL BDA

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED 101st AB OPERATION Montgomery Road
 (LEAVE BLANK)

ENROUTE WX 1800D

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) A/C HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES NO	GIVE REASON BELOW

REMARKS: Divert IN Country ST/CAS Priority Target
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER KRAUS TIME 1945 DATE 1 Aug
 SQUADRON 311 CALL SIGN UB 257 MSN NO. 6257 FLT CODE 152
 T/O 1945 LAND 1925 TOTAL TIME 1.8

PILOTS

A/C

KRAUS
L194T

19
23

DASC TIME
 CONTROLLER RICK 29 TIME 1810
 TYPE CONTROLLER TRACA
 TYPE MISSION CHS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1820-28</u>	<u>BUNKERS</u>	<u>2C135924</u>	<u>2</u>
	<u>19</u>		

TGT TERRAIN MTN TGT WX 450 VISIBILITY 15
 REL ANGLE 30° PASSES 5 INTERVAL — MIN ALT 1200
 ENROUTE ALT 165 RETURN ALT 175 REL ALT 3000
 TGT AIRSPEED 450
 ORDNANCE 20 D1Y EXPENDED 9 D1Y JETTISONED —
 ORDNANCE/RTE 11 D1Y DUDS (SEE NOTE #1) —
 BDA 100% 100% % ADDITIONAL BDA Secondary Efp

SECONDARY EXPLOSIONS YES NUMBER 1 SIZE MED
 UNIT SUPPORTED 2nd BRTG 101st OPERATION Kentucky Jumper
 (LEAVE BLANK)

ENROUTE WX 450

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS: WINGMAN COULD NOT DROP ORD, CHU LAI CLOSED
WINGMAN BINGOED (REFERENCE NOTE #3)
DANANG

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER _____ TIME _____ DATE 1 Aug
 SQUADRON 311 CALL SIGN HB 593 MSN NO. 6593 FLT CODE 152
 T/O 1330 LAND 1405 TOTAL TIME 1.0

PILOTS _____ A/C _____
CAHILL WL 8 DASC _____ TIME _____
~~_____~~ ~~_____~~ CONTROLLER _____ TIME _____
 _____ TYPE CONTROLLER _____
 _____ TYPE MISSION _____

TOT	DESCRIPTION	COORDINATES	PROVINCE
	<u>No</u>	<u>Drop</u>	

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 REL ALT _____
 ENROUTE ALT 9.5 RETURN ALT 9.5 TGT AIRSPEED _____
 ORDNANCE ~~_____~~ 407 408 EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB ALL DUDS (SEE NOTE #1) _____
 BDA _____ % _____ % ADDITIONAL BDA _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____
 (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	<u>YES</u>	NO	<u>A/C MALFUNCTION/NO DROP</u>
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: #2 ABORTED AFTER T.O.
 (REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
 NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

DEBRIEFER Tommsko TIME 1600 DATE 1 AUG
 SQUADRON 311 CALL SIGN HB 245 MSN NO. 6245 FLT CODE 152
 T/O 1445 LAND 1544 TOTAL TIME 1.0/1.3 (2.3)

PILOTS

A/C

Tommsko
BAKZEWSKI

18
20

DASC Helix Cont TIME 1450
 CONTROLLER Helix 03 TIME 1500
 TYPE CONTROLLER FAOR
 TYPE MISSION CPS

TOT

DESCRIPTION

COORDINATES

PROVINCE

1510-1523 ENEMY POSIT BS 698379 5

TGT TERRAIN

hills

TGT WX

0

VISIBILITY

10

REL ANGLE

20

PASSES

22

INTERVAL

30

MIN ALT

600

REL ALT

1050

ENROUTE ALT

7.5

RETURN ALT

6.5

TGT AIRSPEED

450

ORDNANCE

1601A/409/20mm

EXPENDED

ALL

JETTISONED

ORDNANCE/RTB

DUDS (SEE NOTE #1)

BDA

100 %50

% ADDITIONAL BDA

9 Bunkers uncovered2 tunnels dest2 Structures DESTROYED2 KBA (c)2 Sustained Fires

SECONDARY EXPLOSIONS

✓

NUMBER

1

SIZE

White 200' high

UNIT SUPPORTED

AMERICAN

OPERATION

Iron Mountain

(LEAVE BLANK)

ENROUTE WX

0

(A) HOSTILE FIRE

YES NO

FILE FORM WITH BARREL

(B) AIRBURST

YES NO

FILE FORM WITH BARREL

(C) A/C HIT

YES NO

FILE FLASH REPORT WITH BARREL

(D) RECCN INSERT/EXTRACT

YES NO

CIRCLE ONE/COORD

(E) BDA REPORTED

YES NO

IF ADDITIONAL CIRCLE

(F) ABORT

YES NO

A/C MALFUNCTION/NO DROP

(G) DIVERT

YES NO

GIVE REASON BELOW

REMARKS:

(REFERENCE NOTE #3)

NOTE #1:

DUD REPORT LOCATION

REASON FOR

RECOVERABLE

FUZE (DELAY/ARM DELAY)

NOTE #2:

ECM ENCOUNTERED

TIME

HOW DIRECTED

NOTE #3:

ORDNANCE EFFECTIVENESS

DEBRIEFER TCM TIME 2150 DATE 2 Aug 69
 SQUADRON 311 CALL SIGN HB 552 MSN NO. 6552 FLT CODE 352
 T/O 2020 LAND 2140 TOTAL TIME 2.6

PILOTS

A/C

CAHILL
MCCLAY

W102
18

DASC DND TIME 2050
 CONTROLLER Host King TIME 2055
 TYPE CONTROLLER RAC(A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2055 2136</u>	<u>Enemy Location</u>	<u>AT991390</u>	<u>TIP</u>
	<u>55</u>		

TGT TERRAIN MTS. TGT WX 0 VISIBILITY 10
 REL ANGLE 30° PASSES 14 INTERVAL 30 MIN ALT 4800
 ENROUTE ALT 8.5 RETURN ALT 7.5 REL ALT 3000 TGT AIRSPEED 450
 ORDNANCE 20014 4022A EXPENDED 2004022A JETTISONED —
 ORDNANCE/RTB 2002A DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL BDA —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1ST MAR DIV OPERATION Durham Peak
 (LEAVE BLANK)
 ENROUTE WX 0

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: — (REFERENCE NOTE #3)

NOTE #1: — DUD REPORT LOCATION — REASON FOR —
33 RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 NOTE #2: — ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: — ORDNANCE EFFECTIVENESS —

DEBRIEFER HENKEL TIME 1510 DATE 2 AUG 69
 SQUADRON 311 CALL SIGN HB 154 MSN NO. 6154 FLT CODE 152
 T/O 1435 LAND TOTAL TIME 0.8
 PILOTS A/C
HENKEL 25 DASC DANANG TIME 1440
Them 07 CONTROLLER Black Ace TIME 1445
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1445/500</u>	<u>SUSPECTED EMER</u>	<u>AT 199473</u>	<u>3</u>
	<u>LOCATION</u>		
	<u>55</u>		

TGT TERRAIN Hilly TGT WX 100 0 VISIBILITY 40 NM
 EEL ANGLE 30° PASSES 4 INTERVAL 35 MIN ALT 2600
 ENROUTE ALT 8500 RETURN ALT 9500 REL ALT 3500
 ORDNANCE 1202W/4 EXPENDED 1202W/4 TGT AIRSPEED 450
 ORDNANCE/RTE NONE DUDS (SEE NOTE #1) JETTISONED NONE
 BDA 100 % 100 % ADDITIONAL BDA 145 METERS
OF TREE LINE

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED ARVN OPERATION
 (LEAVE BLANK)

ENROUTE WX 90 0

(A) HOSTILE FIRE	YES ☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES ☒ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☒ NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

23 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER Melville TIME 1645 DATE 2 Aug 69
 SQUADRON 311 CALL SIGN MAN 22 MSN NO. 0970 FLT CODE 152
 T/O 1535 LAND 1637 TOTAL TIME 2.0

PILOTS A/C
Melville we 19 DASC VS- TIME 1537
Schnell 14 CONTROLLER Covey 213 TIME 1550
 TYPE CONTROLLER FACA
 TYPE MISSION ST

TOT DESCRIPTION COORDINATES PROVINCE
1550 1608 TRANSshipment 42 XC 941 173 G
1530 1648

TGT TERRAIN Hills TGT WX clear VISIBILITY Ugh
 EEL ANGLE 450 PASSES 6 INTERVAL 30Sec MIN ALT 4000 REL ALT 6000
 ENROUTE ALT 18.5 RETURN ALT 17.5 TGT AIRSPEED 450
 ORDNANCE 12 D2 w/ly EXPENDED all JETTISONED none
 ORDNANCE/RTB none DUDS (SEE NOTE #1) none
100 % 75 M. RT ADDITIONAL BDA 1 Bridge Dam

SECONDARY EXPLOSIONS none NUMBER — SIZE —
 UNIT SUPPORTED 7th AF OPERATION —
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☒	GIVE REASON BELOW

REMARKS: THE "Golden Dragon" WAS watching
SAYETH Covey 213 (REFERENCE NOTE #3)

Also - Happiness is a Ground Control FREQ.

NOTE #1: — DUD REPORT LOCATION — REASON FOR —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: — ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: — ORDNANCE EFFECTIVENESS —

DEBRIEFER MIXSON TIME 1130 DATE 2 Aug 69
 SQUADRON 311 CALL SIGN HB 590 MSN NO. 6590 FLT CODE 152
 T/O 0850 LAND 1115 TOTAL TIME 2.4
 PILOTS A/C
MIXSON WL20 DASC Helix TIME 1040
CRANFORD 19 CONTROLLER Helix 23 TIME 1045
2 Soeties No Drop TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1049-1103</u>	<u>Troops in hut.</u>	<u>BS462767</u>	<u>5</u>
	<u>45</u>		

TGT TERRAIN Flat. TGT WX 0 VISIBILITY 10+
 MIN ALT 1500
 EEL ANGLE 30° PASSES 10 INTERVAL 455m REL ALT 3000
 ENROUTE ALT 20.5 RETURN ALT 21.5 TGT AIRSPEED 450
 ORDNANCE 4D8-207-6D24 EXPENDED 207-6D24 RETTISONED None.
 ORDNANCE/RTB 4D8 DUDS (SEE NOTE #1) None.
 BDA 100 % 75 % ADDITIONAL BDA 6 structures and
3 Bunkers destroyed 4 Bunkers Damaged.

SECONDARY EXPLOSIONS none NUMBER — SIZE —
 UNIT SUPPORTED America OPERATION GENOVA PARK
 (LEAVE BLANK)

ENROUTE WK —

(A) HOSTILE FIRE	YES	NO	FIRE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR

RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER DATA TIME 0930 DATE 2 Aug 69
 SQUADRON 311 CALL SIGN HB 450 MSN NO. 6450 FLT CODE 152
 T/O 0800 LAND 0915 TOTAL TIME 2.6

PILOTS A/C
DATA WL 25 DASC Dang Ha TIME 0820
ZAKRZEWski 3 CONTROLLER Capt 1A TIME 0823
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0831 - 48</u>	<u>NVA Troops</u> <u>45</u>	<u>YD 010679</u>	<u>Quang Tri</u>

TGT TERRAIN Hilly TGT WX 09 VISIBILITY 7
 EEL ANGLE 20° PASSES 10 INTERVAL 30sec MIN ALT 600
 ENROUTE ALT 18.5 RETURN ALT 19.5 REL ALT 1300
 TGT AIRSPEED 450
 ORDNANCE 16 DA / 4 D9 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 95 % 95 % ADDITIONAL BDA 5 Bombs Dest

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 105th Art 3rd M.O. OPERATION Idaho Canyon
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☒ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☒ NO ☐	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER LADIANO TIME 0945 DATE 8 Aug 69
 SQUADRON VNAH-223 CALL SIGN HBOHO MSN NO 6040 FLT 153/1
 T/O 0805 LAND 0920 TOTAL TIME 2.6

PILOTS

ACFT

JARNES up-12 DASC high speed TIME 0808
LADIANO up-04 CONTROLLER 121135 TIME 0830
 TYPE CONTROLLER FACB
 TYPE MISSION L2P

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0835-55</u>	<u>L2 PREP</u>	<u>10366995</u>	<u>2</u>
	<u>54</u>		

TOT TERRAIN Mountain TGT WX 1000 VISIBILITY 7
 REL ANGLE 70° PASSES 6 INTERVAL 30" MIN ALT 1800
 REL ALT 5000
 ENROUTE ALT 16.5 RETURN ALT 13.5 TGT AIRSPEED 450
 ORDNANCE 4D2y(D) 4D3y(D) EXPENDED 11 JETTISONED —
 ORDNANCE/REB — DUDS (SEE NOTE #1) 2D2y(D) 2D3y(D)
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 7th DAIGAD 1st Airborne OPERATION Campbell Stalker
 (LEAVE BLANK)

ENROUTE WX 1800 - 0

(A) HOSTILE FIRE	YES ☒ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☒ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☒	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☒ NO ☒	GIVE REASON BELOW

REMARKS: 2 D2y (D) 2 D3y (D) went dud on target
 (REFERENCE NOTE #3)
#1 aircraft had 2 D2y + 1 D3y dud + #2 a/c had 1 D3y dud

NOTE #1: DUD REPORT LOCATION 10366995 REASON FOR unknown

RECOVERABLE Y (D) FUZE (DELAY/ARM DELAY) 4 seconds
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

(13)

DEBRIEFER KRAUS TIME 1046 DATE 2 AUG 69
 SQUADRON B11 CALL SIGN HB 012 MSN NO. 6012 FLT CODE 152
 T/O 0928 LAND 1040 TOTAL TIME 2.45
 PILOTS A/C

KRAUS 07 DASC DANNAQ TIME
BRIGGS 104 CONTROLLER KIMCHE TIME 0925
 TYPE CONTROLLER FAA
 TYPE MISSION C-95

TOT	DESCRIPTION	COORDINATES	PROVINCE
0935-55	<u>Banking / Bodie traps</u>	<u>BT 167587</u>	<u>3</u>
	<u>+ suspected VC</u>		
	<u>19</u>		

TGT TERRAIN FLAT TGT WX 0 VISIBILITY 15
 SEL ANGLE 20° PASSES 14 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 7,500 RETURN ALT 19,500 REL ALT 1200
 TGT AIRSPEED 450
 ORDNANCE 16 DIA / 409 / D20 EXPENDED SAAL JETTISONED
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1)
 BDA 100% 100% ADDITIONAL BDA 2 low level lost.
1 Street lost.
1 small secondary base

SECONDARY EXPLOSIONS YES NUMBER 1 SIZE SMALL
 UNIT SUPPORTED ROK MC OPERATION Victory Dragon
 (LEAVE BLANK)
 ENROUTE WX 0

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NODDROPP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____

14 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

DEBRIEFER McVillie TIME 0720 DATE 2 Aug 69
 SQUADRON 371 CALL SIGN HB 558 MSN NO. 6558 FLT CODE 152
 T/O 0622 LAND 0708 TOTAL TIME 1-6

PILOTS McVillie A/C az 10 DASC VS TIME 0624
Soudens 12 CONTROLLER Helix 39 TIME 0635
 TYPE CONTROLLER FRCA
 TYPE MISSION L2P

TOT	DESCRIPTION	COORDINATES	PROVINCE
0640 0649	<u>L2P Zone</u>	<u>BS 689 386</u>	<u>Br</u>
	<u>54</u>		

TGT TERRAIN 1515 TGT WX clear VISIBILITY light
 REL ANGLE 20° PASSES 10 INTERVAL 30 sec MIN ALT 400
 REL ALT 1300
 ENROUTE ALT 10.5 RETURN ALT 5.5 TGT AIRSPEED 470
 ORDNANCE 16 DIA 409 EXPENDED all JETTISONED none
 ORDNANCE/RTB none DUDS (SEE NOTE #1) none
 BDA 100% 75% ADDITIONAL BDA

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED Aurcal OPERATION Iron MT.
 (LEAVE BLANK)
 ENROUTE WX clear / cool

(A) HOSTILE FIRE	YES	NO	FIRLE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NOCDROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: Helix Didn't know we were
scheduled for (REFERENCE NOTE #3)
the key.

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

DEBRIEFER PYTKO TIME 2230 DATE 2 AUG 69
 SQUADRON 311 CALL SIGN HB 554 MSN NO. 6554 FLT CODE 382
 T/O 3055 LAND 2218 TOTAL TIME 1.4

PILOTS A/C
PYTKO WL-10 DASC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION TPQ

TOT DESCRIPTION COORDINATES PROVINCE

NO DROP.

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 MIN ALT _____
 EEL ANGLE _____ PASSES _____ INTERVAL _____ REL ALT _____
 ENROUTE ALT 30.5 RETURN ALT 19.5 TGT AIRSPEED 450
 ORDNANCE 6 D2W/7 EXPENDED 0 JETTISONED 6 D2
 ORDNANCE/RTE _____ DUDS (SEE NOTE #1) _____
 BDA _____ % _____ % ADDITIONAL BDA _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FIRLE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: UNABLE TO CONTACT ASRT WITH MANUAL
SELECTED FRBQS. (REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

DEBRIEFER Capt. Schnell TIME 1341 H DATE 3 Aug 69
 SQUADRON 311 CALL SIGN H8 023 MSN NO. 6023 FLT 152
 T/O 1722 LAND 1321 TOTAL TIME 2.0

PILOTS		AIRCRAFT		
<u>SCHELL</u>	<u>DAUSICIN</u>	<u>WL-19</u>	DASC <u>Bill Gnt</u>	TIME <u>1233</u>
		<u>16</u>	CONTROLLER <u>Bill 33</u>	TIME <u>1235</u>
			TYPE CONTROLLER <u>FAC(A)</u>	
			TYPE MISSION <u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1240-47</u>	<u>Known Enemy Location</u>	<u>YC 298996</u>	<u>2</u>
	<u>55</u>		

TGT TERRAIN Mnts TGT WX 3000 VISIBILITY 10
 REL ANGLE 10 PASSES 8 INTERVAL 30 MIN ALT 16
 ENROUTE ALT 14.5 RETURN ALT 15.5 TGT AIRSPEED 450 KTS
 ORDNANCE 802A/409 EXPENDED ALL JETTISONED NONE
 ORDNANCE/RTB NONE DUDS (SEE NOTE #1) NO
 BDA 100 % 100 % ADDITIONAL

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 3rd Brig 101st AB OPERATION Montgomery Road
 ENROUTE WX 010 (LEAVE BLANK)

(A) HOSTILE FIRE	☒ YES	☐ NO	FILE FORM WITH BARREL <u>SM A (A)</u>
(B) AIRBURST	☒ YES	☐ NO	FILE FORM WITH BARREL
(C) ACFT HIT	☒ YES	☐ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	☒ YES	☐ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES	☐ NO	IF ADDITIONAL CIRCLE
(F) ABORT	☒ YES	☐ NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	☒ YES	☐ NO	GIVE REASON BELOW

REMARKS _____
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE SCM ENCOUNTERED FUZE (DELAY/ARM DELAY)
 _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS OKAY

DEBRIEFER McLville TIME 1542 DATE 3 Aug 69
 SQUADRON 311 CALL SIGN HB237 MSN NO. 6237 FLT 152
 T/O 1425 LAND 1530 TOTAL TIME 2.2

PILOTS MELVILLE AIRCRAFT WC 14
ZAKRZEWSKI 20

DASC DONG HA TIME 1440
 CONTROLLER BARKY 18 TIME 1445
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
1450/1505	TROOPS in forest	40 320410	1
	45		

TGT TERRAIN Hills TGT WX clear VISIBILITY UFR
 REL ANGLE 20° PASSES 10 INTERVAL 30 sec MIN ALT 600
 ENROUTE ALT 18.5 RETURN ALT 15.5 TGT AIRSPEED 450
 ORDNANCE 16 DIA 409 EXPENDED all JETTISONED none
 ORDNANCE/RTB none DUDS (SEE NOTE #1) 2
 BDA 95% 95% % ADDITIONAL

SECONDARY EXPLOSIONS None NUMBER SIZE
 UNIT SUPPORTED ARVN OPERATION
 ENROUTE WX clear (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☒ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒ NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT DIVERSE	YES ☒ NO	GIVE REASON BELOW

REMARKS
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION 311 REASON FOR Suspicious
1st - failed to explode
 RECOVERABLE no FUZE (DELAY/ARM DELAY) 2 sec M 90452
 NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED
 #3: ORDNANCE EFFECTIVENESS

DEBRIEFER MIXSON TIME 1845 DATE 3 Aug 69
 SQUADRON 311 CALL SIGN HB017 MSN NO. 6017 FLT 152
 T/O 1400 LAND 1600 TOTAL TIME 2.4

PILOTS

AIRCRAFT

MIXSON WL 25 DASC Helix TIME 1455
(CRANFORD 13) 23 CONTROLLER Helix 16 TIME 1500
IN UBON. No yellow TYPE CONTROLLER FACA
SHORT, County AS TYPE MISSION DAS

TOT

ONE!

DESCRIPTION

COORDINATES

PROVINCE

1608-1616 Enemy LocationAT 8172162155

TGT TERRAIN Hills TGT WX 4.00 VISIBILITY 10+
 REL ANGLE 20° PASSES 6 INTERVAL 45 sec MIN ALT 800
 ENROUTE ALT 12.5 RETURN ALT 18.5 TGT AIRSPEED 450
 ORDNANCE 802A 409 EXPENDED ALL JETTISONED —

ORDNANCE/RTB — DUDS (SEE NOTE #1) —
C BDA 90 % 100 % ADDITIONAL 1 Sec Fire.

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED America OPERATION —
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 (B) AIRBURST YES NO FILE FORM WITH BARREL
 (C) ACFT HIT YES NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
 (F) ABORT YES NO ACFT MALFUNCTION/NO DROP
 (G) DIRECT YES NO GIVE REASON BELOW

REMARKS Diverted to Ubon Pilot exchange.
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER MIXSON TIME 1850 DATE 3 Aug 69
 SQUADRON 311 CALL SIGN HB 017 MSN NO. 6017 FLT 152
 T/O 0930 LAND 1030 TOTAL TIME 2:0

PILOTS		AIRCRAFT		DASC		TIME	
<u>MIXSON</u>	<u>WL 25</u>						
<u>WHITE</u>	<u>23</u>			CONTROLLER		TIME	
				TYPE CONTROLLER			
				TYPE MISSION			

TOT	DESCRIPTION	COORDINATES	PROVINCE

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____
 ORDNANCE _____ EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____

ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS Return from Ubon
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DECLASSIFIED

DEBRIEFER AR TIME 0412 DATE 3 AUG 69
 SQUADRON VMA-31 CALL SIGN HELBORN MSN 6306 FLT CODE 352
 T/O 0245 LAND 0402 TOTAL TIME 1.3
 PILOTS A/C
ZAKRZEWSKI WL-14 DASC AN HOA ASRT TIME 0252
 CONTROLLER #62 TIME 0252
 TYPE CONTROLLER ASRT
 TYPE MISSION TPA

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0323</u>	<u>ENEMY POSITION</u>	<u>AT 863353</u>	<u>QUANG NAM</u>
	<u>SS</u>		

TGT TERRAIN R TGT WX 14.0 @ VISIBILITY 10+
 MIN ALT 13.9
 REL ALT 13.9
 WEL ANGLE L PASSES 1 INTERVAL —
 ENROUTE ALT 14.5 RETURN ALT ↘ TGT AIRSPEED 290
 ORDNANCE 6D2WY EXPENDED AN JETTISONED NO
 ORDNANCE/RTB NO DUDS (SEE NOTE #1) NO
 BDA % ADDITIONAL BDA —

SECONDARY EXPLOSIONS NO NUMBER — SIZE —
 UNIT SUPPORTED 5TH MAF/MAFSA OPERATION Dupham Peak
 (LEAVE BLANK)

ENROUTE WX 12-14.0 @

(A) HOSTILE FIRE	YES ☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES ☒ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☒ NO	GIVE REASON BELOW

REMARKS: DIVERTED FROM CHU-LAI ASRT - CHU-LAI WAS DOWN.
 (REFERENCE NOTE #3)

NOTE #1: — DUD REPORT LOCATION — REASON FOR —
RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 NOTE #2: — ECM ENCOUNTERED — TIME — HOW DIRECTED —
 NOTE #3: — ORDNANCE EFFECTIVENESS —

DECLASSIFIED

72
 DEBRIEFER Datin TIME 0900 DATE 3 Aug 69
 SQUADRON 311 CALL SIGN HB 559 MSN NO. 6559 FLT 152
 T/O 0755 LAND 0845 TOTAL TIME 1.6

PILOTS		AIRCRAFT			
<u>SORENSEN</u>		<u>WL 03</u>		DASC <u>VS</u>	TIME <u>0800</u>
<u>DATIS</u>		<u>07</u>		CONTROLLER <u>KIMCHEE 3</u>	TIME <u>0200</u>
				TYPE CONTROLLER <u>FALA</u>	
				TYPE MISSION <u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0800-0830</u>	<u>Bumbers</u>	<u>BT 167587</u>	<u>Quang Nam</u>
	<u>23</u>		

TGT TERRAIN Flat TGT WX 08 VISIBILITY 7
 REL ANGLE 20° PASSES 10 INTERVAL 30secs MIN ALT 1300
 ENROUTE ALT 6.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 16 DIA / 409 EXPENDED 15 DIA / 409 JETTISONED —
 ORDNANCE/RTB 1 DIA DUDS (SEE NOTE #1) —
 BDA 80 % 90 % ADDITIONAL 1 Bumber & 1 structure, 1 sec fire

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED ROK me OPERATION Victory Dragon
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD _____
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE _____
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP _____
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW _____

REMARKS _____
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 BOM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

PILOT PYC10R TIME 1000 DATE 3 July 69
 SQUADRON 311 CALL SIGN HB 451 MSN NO. 6451 FLT 52
 T/O 0753 LAND 0948 TOTAL TIME 3.8

PILOTS AIRCRAFT
PYC10R WPL 19 DASC HELIX TIME 0915
GARRATSON 20 CONTROLLER HELIX 34 TIME 0917
 TYPE CONTROLLER RAC (A)
 TYPE MISSION QAS

TOT DESCRIPTION COORDINATES PROVINCE
0922-31 ENEMY LOC BS 491 739 -5
55

TGT TERRAIN HILLY TGT WX 0 VISIBILITY 7+
 REL ANGLE 20 PASSES 12 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 18.5 RETURN ALT 5.5 TGT AIRSPEED 450
 ORDNANCE 16 DIA 409 EXPENDED ALL JETTISONED ---
 ORDNANCE/RTB --- DUDS (SEE NOTE #1) ---
 BDA 100 % 90 % ADDITIONAL ---

SECONDARY EXPLOSIONS --- NUMBER --- SIZE ---
 UNIT SUPPORTED AIRCRAFT OPERATION GENOVA PARK
 ENROUTE WX 0 (LEAVE BLANK)

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 (B) AIRBURST YES NO FILE FORM WITH BARREL
 (C) ACFT HIT YES NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
 (F) ABORT YES NO ACFT MALFUNCTION/NO DROP
 (G) DIRECT YES NO GIVE REASON BELOW

REMARKS AP
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION --- REASON FOR ---
 RECOVERABLE FUZE (DELAY/ARM DELAY)
 NOTE #2: ECM ENCOUNTERED --- TIME --- HOW DIRECTED ---
 ORDNANCE EFFECTIVENESS ---

REFERENCE MELVILLE TIME 1050 DATE 3 Aug 69
 SQUADRON 311 CALL SIGN HB 015 MSN NO. 6015 FLT 152
 T/O 0950 LAND 1042 TOTAL TIME 9
 PILOTS MELVILLE AIRCRAFT WC 14
 DASC VS TIME 0952
 CONTROLLER MMH #8 TIME 1002
 TYPE CONTROLLER ASRT
 TYPE MISSION TPQ
 1010-1070
~~40055935~~ KNOWN EN Location 40855935 PROVINCE 2
 DESCRIPTION 55 COORDINATES
 TGT TERRAIN Hills TGT WX clear VISIBILITY unltd
 REL ANGLE low PASSES 2 INTERVAL 8.5 MIN ALT 20.5
 ENROUTE ALT 20.5 RETURN ALT 8.5 REL ALT 20.5
 ORDNANCE 202 203 EXPENDED all TGT AIRSPEED 290
 ORDNANCE/RTB none JETTISONED none
 BDA unh DUDS (SEE NOTE #1) none
 % ADDITIONAL
 SECONDARY EXPLOSIONS
 UNIT SUPPORTED 101st ABN NUMBER 1 SIZE 1
 ENROUTE WX clear OPERATION Kentucky Jumper
 (LEAVE BLANK)
 (A) HOSTILE FIRE YES ☒ NO ☐
 (B) AIRBURST YES ☒ NO ☐
 (C) ACFT HIT YES ☒ NO ☐
 (D) RECON INSERT/EXTRACT YES ☒ NO ☐
 (E) BDA REPORTED YES ☒ NO ☐
 (F) ABORT YES ☒ NO ☐
 (G) DIRECT YES ☒ NO ☐
 YES ☒ NO ☐ FILE FORM WITH BARREL
 YES ☒ NO ☐ FILE FORM WITH BARREL
 YES ☒ NO ☐ FILE FLASH REPORT WITH BARREL
 YES ☒ NO ☐ CIRCLE ONE/COORD
 YES ☒ NO ☐ IF ADDITIONAL CIRCLE
 YES ☒ NO ☐ ACFT MALFUNCTION/NO DROP
 YES ☒ NO ☐ GIVE REASON BELOW
 REMARKS load A/c Down - instructed by
BARREL to TPQ (REFERENCE NOTE # 3)
 NOTE #1: DUD REPORT LOCATION
 RECOVERABLE
 NOTE #2: ECM ENCOUNTERED FUZE (DELAY/ARM DELAY) REASON FOR
 ORDNANCE EFFECTIVENESS TIME HOW DIRECTED

DEBRIEFER J.C.M. Play TIME 1300 DATE 3 August 1969
 SQUADRON 311 CALL SIGN HAB MSN NO. 16209 FLT 152
 T/O 0955 LAND 1125 TOTAL TIME 3.0

PILOTS

AIRCRAFT

Palmateer WL 12 DASC D.H. TIME 1020
m. Play 10 CONTROLLER SW 97-4 TIME 1035
 TYPE CONTROLLER FAC(A)
 TYPE MISSION CAS

TOT

DESCRIPTION

COORDINATES

PROVINCE

1635-1100 Enemy Troops XD939610 II
45

TGT TERRAIN MTS. TGT WX 4000 40 00 VISIBILITY 5 4+5
 REL ANGLE 10' PASSES 7 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 16.5 RETURN ALT 17.5 TGT AIRSPEED 450
 ORDNANCE 1601A/409 EXPENDED ALL JETTISONED ---
 ORDNANCE/RTB --- DUDS (SEE NOTE #1) ---
 BDA 100 % 100 % ADDITIONAL ---

SECONDARY EXPLOSIONS --- NUMBER --- SIZE ---

UNIT SUPPORTED 3rd Mar Div.

OPERATION Daho Canyon (P. 1000)
 (LEAVE BLANK)

ENROUTE WX 200 00 10

(A) HOSTILE FIRE YES ☒ NO FILE FORM WITH BARREL
 (B) AIRBURST YES ☒ NO FILE FORM WITH BARREL
 (C) ACFT HIT YES ☒ NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES ☒ NO CIRCLE ONE/COORD ---
 (E) BDA REPORTED YES ☒ NO IF ADDITIONAL CIRCLE ---
 (F) ABORT YES ☒ NO ACFT MALFUNCTION/NO DROP
 (G) DIRECT YES ☒ NO GIVE REASON BELOW

REMARKS ---

(REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION --- REASON FOR ---

NOTE #2: RECOVERABLE --- FUZE (DELAY/ARM DELAY) ---
 ECM ENCOUNTERED --- TIME --- HOW DIRECTED ---

NOTE #3: ORDNANCE EFFECTIVENESS ---

DEBRIEFER BISHOP TIME 1200 DATE 3 AUG 69
 SQUADRON VMA 311 CALL SIGN HB011 MSN NO. 6011 FLT 152
 T/O 0859 LAND 1138 TOTAL TIME 5.4

PILOTS AIRCRAFT
MAT WITTER 23 DASC DND TIME 0906
BISHOP 25 CONTROLLER Master "S" TIME 0920
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
11N-1121 STORAGE AREA AT982387 RUN/I
2.7

TGT TERRAIN MTNS TGT WX 150/100 VISIBILITY 7
 REL ANGLE 20° PASSES 8 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 18.5 RETURN ALT 17.5 TGT AIRSPEED 450
 ORDNANCE 409/802A EXPENDED ALL JETTISONED NONE
 ORDNANCE/RTB NONE DUDS (SEE NOTE #1) NONE
 BDA 100% 95% ADDITIONAL 150 meters of
tree line

SECONDARY EXPLOSIONS none NUMBER SIZE
 UNIT SUPPORTED 1st MAR DIV. OPERATION Durham Peak
 ENROUTE WX 1-0 7 (LEAVE BLANK)

(A) HOSTILE FIRE YES ☒ NO ☐ FILE FORM WITH BARREL
 (B) AIRBURST YES ☒ NO ☐ FILE FORM WITH BARREL
 (C) ACFT HIT YES ☒ NO ☐ FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES ☒ NO ☐ CIRCLE ONE/COORD
 (E) BDA REPORTED YES ☒ NO ☐ IF ADDITIONAL CIRCLE
 (F) ABORT YES ☒ NO ☐ ACFT MALFUNCTION/NO DROP
 (G) DIRECT YES ☒ NO ☐ GIVE REASON BELOW

REMARKS
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION REASON FOR

NOTE #2: RECOVERABLE FUZE (DELAY/ARM DELAY)
 30M ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER M. Kelly TIME 1310 DATE 3 Aug 69
 SQUADRON 311 CALL SIGN 4B MSN NO. 6459 FLT 152
 T/O 1137 LAND 1250 TOTAL TIME 2.4

PILOTS AIRCRAFT
Pitko W. 03 DASC DANANG TIME 1200
Kelly 07 CONTROLLER LOSANGELES TIME 1202
 TYPE CONTROLLER TAC
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1210</u>	<u>ENEMY TROOPS IN</u>	<u>AT-970370</u>	<u>RVN B</u>
<u>1235</u>	<u>TREES 45</u>		

TGT TERRAIN mount TGT WX 0 VISIBILITY 7
 REL ANGLE LEVEL PASSES 12 INTERVAL 30 SEC MIN ALT 200
 ENROUTE ALT 18.5 RETURN ALT 9.5 TGT AIRSPEED 450
 ORDNANCE 429/16 DIA EXPENDED 429/15 DIA JETTISONED NONE
 ORDNANCE/RTB 1 DIA DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL NONE

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1ST M. D. OPERATION DURAN PEAK
 ENROUTE WX 0-7 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS DELIVERY technique determined by
terrain. BDA will be passed on
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

ORDNANCE EFFECTIVENESS —

DEPARTER Light TIME 0015 DATE 3 August
 SQUADRON 311 CALL SIGN HBS 556 MSN NO. 6556 FLT CODE 352
 T/O 2254 LAND 2557 TOTAL TIME 1.1

PILOTS

A/C

Light WL25 DASC Dongha Asat TIME 2310
 CONTROLLER 31 TIME 2310
 TYPE CONTROLLER ASRT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2310-2330</u>	<u>Enemy base camp</u>	<u>XD 851 649</u>	<u>1</u>
	<u>55</u>		

TGT TERRAIN R TGT WX 0 VISIBILITY 7
 MIN ALT 20.5
 REL ANGLE Level PASSES 2 INTERVAL — REL ALT 20.5
 ENROUTE ALT 18.5 RETURN ALT 19.5 TGT AIRSPEED 290
 ORDNANCE 10011 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA % ADDITIONAL BDA —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3rd Mar OPERATION Georgia TAR
 (LEAVE BLANK)

ENROUTE WX 0

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: — (REFERENCE NOTE #3)

NOTE #1: — DUD REPORT LOCATION — REASON FOR —

35 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: — ECM ENCOUNTERED — TIME — HOW DIRECTED —NOTE #3: — ORDNANCE EFFECTIVENESS —

DEBRIEFER MIXSON TIME 0820 DATE 4 Aug 69
 SQUADRON 311 CALL SIGN HB 200 MSN NO. 6200 FLT 152
 T/O 0707 LAND 0815 TOTAL TIME 2.2

PILOTS		AIRCRAFT		DASC		TIME	
<u>CAHILL</u>	<u>WL 16</u>						
<u>MIXSON</u>	<u>7</u>			CONTROLLER	<u>Jake 73</u>	TIME	<u>0715</u>
				TYPE CONTROLLER	<u>FACA</u>		
				TYPE MISSION	<u>DAS</u>		

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0740-0753</u>	<u>Enemy Location</u>	<u>AT 938067</u>	<u>3</u>
	<u>55</u>		

TGT TERRAIN R TGT WX 0 VISIBILITY 9+
 REL ANGLE 45° 20 PASSES 14 INTERVAL 30Sec MIN ALT 600
 ENROUTE ALT 12.5 RETURN ALT 5.5 TGT AIRSPEED 450
 ORDNANCE 16 DIA-409 EXPENDED All JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED Spec ARVN OPERATION —
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS —
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 BOM ENCOUNTED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—

6

DEBRIEFER L16R1663 TIME 1125 DATE 4 Aug
 SQUADRON 311 CALL SIGN HBO18 MSN NO. 6018 FLT 152
 T/O 0930 LAND 1058 TOTAL TIME 2.0

PILOTS Page AIRCRAFT WL 23
6TR 1663 25
 DASC Dong Ha TIME 1000
 CONTROLLER SW 97-3 TIME 1005
 TYPE CONTROLLER PAC (A)
 TYPE MISSION CAS

TOT 1010-1525 DESCRIPTION troops COORDINATES VD 045647 PROVINCE B 1
US

TGT TERRAIN MTDN TGT WX 12,000 (D) VISIBILITY 10
 REL ANGLE 30 PASSES 8 INTERVAL 30 MIN ALT 1800
 ENROUTE ALT 18.5 RETURN ALT 21.5 TGT AIRSPEED 450
 ORDNANCE 403 402 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS no NUMBER — SIZE —
 UNIT SUPPORTED B1 (B2) (B3) (B4) OPERATION Idaho Canyon
 ENROUTE WX 100 (D) 7 (D) (LEAVE BLANK)

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) ACFT HIT
 (D) RECON INSERT/EXTRACT
 (E) BDA REPORTED
 (F) ABORT
 (G) DIRECT

YES NO FILE FORM WITH BARREL
 YES NO FILE FORM WITH BARREL
 YES NO FILE FLASH REPORT WITH BARREL
 YES NO CIRCLE ONE/COORD
 YES NO IF ADDITIONAL CIRCLE
 YES NO ACFT MALFUNCTION/NO DROP
 YES NO GIVE REASON BELOW

REMARKS (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

(u)

DEBRIEFER BISHOP TIME 1115 DATE 4 Aug 69
 SQUADRON VMA 311 CALL SIGN HB K2 MSN NO. 6152 FLT 152
 T/O 0934 LAND 1035 TOTAL TIME 2.0

PILOTS		AIRCRAFT			
<u>COL NICHOLS</u>	<u>10</u>	DASC	<u>AN Hoot</u>	TIME	<u>0950</u>
<u>BISHOP</u>	<u>12</u>	CONTROLLER	<u>#62</u>	TIME	<u>0954</u>
		TYPE CONTROLLER	<u>WART</u>		
		TYPE MISSION	<u>TPQ</u>		

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1008</u>	<u>ENEMY STORAGE AREA</u>	<u>AJ916431</u>	<u>RUH/I</u>
	<u>27</u>		

TGT TERRAIN Hilly TGT WX 4/0 0 VISIBILITY 7
 REL ANGLE LEVER PASSES ONE INTERVAL — MIN ALT 14000
 ENROUTE ALT 16.5 RETURN ALT 13.5 TGT AIRSPEED 450
 ORDNANCE 12D24/DC EXPENDED ALL JETTISONED NONE
 ORDNANCE/RTB NONE DUDS (SEE NOTE #1) —
 BDA — % — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1ST MAR DN OPERATION Durham Park
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS —
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 FROM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—

(10)

DEBRIEFER Brooks TIME 1025 DATE 4 Aug 69
 SQUADRON 311 CALL SIGN HBO12 MSN NO. 6012 FLT K82
 T/O 0920 LAND 1013 TOTAL TIME 1.8

PILOTS		AIRCRAFT	DASC	TIME
<u>Brooks</u>	<u>19</u>	<u>20</u>	<u>DNG</u>	<u>0930</u>
<u>WHITE</u>			CONTROLLER <u>KIMMAGE 03</u>	TIME <u>0935</u>
			TYPE CONTROLLER <u>USDAOA</u>	
			TYPE MISSION <u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0935-0955</u>	<u>Bunker complex</u>	<u>BT 024519</u>	<u>3</u>
	<u>19</u>		

TGT TERRAIN FLAT TGT WX 0 VISIBILITY 10
 REL ANGLE 30° PASSES 11 INTERVAL 30sec MIN ALT 600
 ENROUTE ALT 12.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 12 02W4 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1) —
 BDA 80 % 100 % ADDITIONAL 2 Bunkers destroyed 1 structure destroyed

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED ROKMC OPERATION Visiting Dragon
 (LEAVE BLANK)

ENROUTE WX 0

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES ☐ NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 BOM ENCOUNTED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

9

DEBRIEFER Souders TIME 1330 DATE 14 AUG 69
 SQUADRON 311 CALL SIGN HB458 MSN NO. 6458 FLT 152
 T/O 1207 LAND 1315 TOTAL TIME 2.2

PILOTS		AIRCRAFT			
<u>PALMATEER</u>	<u>WL 20</u>	DASC <u>HELI</u>	TIME <u>1038</u>		
<u>SQUADERS</u>	<u>16</u>	CONTROLLER <u>13</u>	TIME <u>1040</u>		
		TYPE CONTROLLER <u>FRCA</u>			
		TYPE MISSION <u>CAS</u>			

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1050-58</u>	<u>Known Enemy location</u>	<u>BS079942</u>	<u>(B) 4</u>
	<u>SS</u>		

TGT TERRAIN MTHS TGT WX 500 VISIBILITY 7
 REL ANGLE 20° PASSES 5 INTERVAL 300 MIN ALT 1.5
 ENROUTE ALT 18.5 RETURN ALT 17.5 TGT AIRSPEED 454/800
 ORDNANCE 409/601A EXPENDED 409/601A JETTISONED _____
 ORDNANCE/RTB 501A DUDS (SEE NOTE #1) _____
 BDA 100 % 40 % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED Americal OPERATION _____
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS WL 16 had engine panel come open in
flight brought rest of ordnance back.
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

(14)

BREFEER DANSKIN J.W. TIME 1200 DATE 4 AUG 69
 SQUADRON 311 CALL SIGN 388/590 MSN NO. 155/6590 FLT 152
 T/O 0852 LAND 1145 TOTAL TIME 3.9

PILOTS KRAUS AIRCRAFT 03 ANS HAA ASET TIME 1125
DANSKIN 14 CONTROLLER 62 TIME 1125
589 2 SORTIES NO DROP TYPE CONTROLLER ASPT
 TYPE MISSION TPQ

TOT 1125-1130 DESCRIPTION INFILTRATION ROUTE COORDINATES AT 901325 PROVINCE THB
62

TGT TERRAIN MTN TGT WX 0 10+ VISIBILITY 10+
 REL ANGLE 0° PASSES 1 INTERVAL — MIN ALT 14.1
 ENROUTE ALT 18.5 RETURN ALT 19.5 TGT AIRSPEED 290
 ORDNANCE 6024/205/407 EXPENDED ALL 602 JETTISONED —
 ORDNANCE/RTB 205/407 DUDS (SEE NOTE #1) —
 BDA — 100% % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 5th Marine Bn M.O. OPERATION DURHAM PEAKS
 ENROUTE WX 1800 10+ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS —
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
RECOVERABLE FUZE (DELAY/ARM DELAY) —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —
 #2: ORDNANCE EFFECTIVENESS —

16

DEBRIEFER Tomasko TIME 1200 DATE 4 Aug 69
 SQUADRON 311 CALL SIGN HB 238 MSN NO. 6238 FLT 152
 T/O 1054 LAND 1200 TOTAL TIME 2.3

PILOTS		AIRCRAFT			
<u>W. Herz</u>	<u>02</u>	DASC <u>DWING</u>	TIME <u>1100</u>		
<u>TOMASKO</u>	<u>07</u>	CONTROLLER <u>Hostage Man</u>	TIME <u>1110</u>		
		TYPE CONTROLLER <u>FAC</u>			
		TYPE MISSION <u>CAS</u>			

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1135-1145</u>	<u>TROOPS</u> <u>45</u>	<u>MT965399</u>	<u>3</u>

TGT TERRAIN MTNS TGT WX 0 VISIBILITY 107
 REL ANGLE 20° PASSES 8 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 14.5 RETURN ALT 17.5 TGT AIRSPEED 450
 ORDNANCE 16 DIA/409/20mm EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1ST MAR DIV OPERATION Dunham Park
 ENROUTE WX 0 (LEAVE BLANK)

(A) HOSTILE FIRE	YES <u>NO</u>	FILE FORM WITH BARREL
(B) AIRBURST	YES <u>NO</u>	FILE FORM WITH BARREL
(C) ACFT HIT	YES <u>NO</u>	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES <u>NO</u>	CIRCLE ONE/COORD
(E) BDA REPORTED	YES <u>NO</u>	IF ADDITIONAL CIRCLE
(F) ABORT	YES <u>NO</u>	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES <u>NO</u>	GIVE REASON BELOW

REMARKS —
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #2: ORDNANCE EFFECTIVENESS —

18

DEBRIEFER MIXSON TIME 1415 DATE 4 Aug 69
 SQUADRON 311 CALL SIGN HB 022 MSN NO. 6022 FLT 132
 T/O 1300 LAND 1400 TOTAL TIME 2.0

PILOTS		AIRCRAFT			
<u>MIXSON</u>	<u>WL 10</u>	DASC	<u>B.I.R.</u>	TIME	<u>1215</u>
<u>ZAKREWSKI</u>	<u>07</u>	CONTROLLER	<u>B.I.R. 35</u>	TIME	<u>1320</u>
		TYPE CONTROLLER	<u>FACA</u>		
		TYPE MISSION	<u>CAS</u>		

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1325/1333</u>	<u>Troops in contact.</u>	<u>YC 316942</u>	<u>2</u>
	<u>45</u>		

TGT TERRAIN mount. TGT WX 2.0 @ VISIBILITY 10+
 REL ANGLE 10° PASSES 8 INTERVAL 45 Sec MIN ALT 600
 ENROUTE ALT 16.5 RETURN ALT 15.5 TGT AIRSPEED 450
 ORDNANCE 8 D2A 409 EXPENDED A 11 JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) 2 D2A
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3rd 101st A.B. OPERATION Montgomery Road
 ENROUTE WX — (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	☒ NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	☒ NO	GIVE REASON BELOW

REMARKS —
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION YC 316942 REASON FOR UNKNOWN

NOTE #2: RECOVERABLE UNKNOWN FUZE (DELAY/ARM DELAY) instant. 2 sec.
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #2: ORDNANCE EFFECTIVENESS —
—
—

22

DEBRIEFER KRAUS TIME 1710 DATE 4 AUG 69
 SQUADRON 311 CALL SIGN HB 254 MSN NO. 6254 FLT
 T/O 1605 LAND 1658 TOTAL TIME 1.8

PILOTS

AIRCRAFT

~~17 COB BROOKS~~ 18
 CAPT KRAUS 19

DASC DANANG TIME
 CONTROLLER HOST KINA TIME 1620
 TYPE CONTROLLER FAA (A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
1630-43	BASE CAMP	2 C 163453	3
	SS		

TGT TERRAIN MTN TGT WX 12.0 (11) VISIBILITY 15 T
 REL ANGLE 30° PASSES 12 INTERVAL 30 SEC MIN ALT 600
 ENROUTE ALT 18.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 20 DIY/D20 EXPENDED 19 DIY/D20 JETTISONED
 ORDNANCE/RTB 1 DIY DUDS (SEE NOTE #1)
 BDA 100 % 100 % ADDITIONAL 2 bunkers destroyed
4 Street Destroyed

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 1ST MAR OPERATION Ducham Peak
 ENROUTE WX 12.0 (11) (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD <u> </u>
(E) BDA REPORTED	YES ☐ NO ☐	IF ADDITIONAL CIRCLE <u> </u>
(F) ABORT	YES ☐ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION REASON FOR

NOTE #2: RECOVERABLE FUZE (DELAY/ARM DELAY)
 ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

(27)

DEBRIEFER M. Kelly TIME 1750 DATE 4 Aug 69
 SQUADRON 311 CALL SIGN HB MSN NO. 6262 FLT 152
 T/O 1620 LAND 1715 TOTAL TIME 1.8

PILOTS		AIRCRAFT	DASC	TIME
<u>Kelly</u>	<u>411-02</u>	<u>HB</u>	<u>Helix</u>	<u>1625</u>
<u>White</u>	<u>VB</u>		CONTROLLER <u>BK17</u>	TIME <u>1627</u>
			TYPE CONTROLLER <u>TACA</u>	
			TYPE MISSION <u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1645</u>	<u>BUNKERS</u>	<u>BS08039</u>	<u>2134</u>
<u>1700</u>	<u>19</u>	<u>BS</u>	

TGT TERRAIN hilly TGT WX 10 00 VISIBILITY 7
 REL ANGLE 100 PASSES 10 INTERVAL 30 MIN ALT 300
 ENROUTE ALT 8.5 RETURN ALT 9.5 TGT AIRSPEED 450
 ORDNANCE 1621A/429 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —

BDA 75 % 50 % ADDITIONAL 2 hours dest.;
3 fighting hours Dest.
 SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 101st. AB. OPERATION Comar Plan
 ENROUTE WX 10 00 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS Delivering technique determined by
terrain. (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

29

DEBRIEFER Light TIME 1950 DATE 4 August 69
 SQUADRON 311 CALL SIGN 43268 MSN NO. 6268 FLT 152/352
 T/O 1851 LAND 1934 TOTAL TIME 1.2

PILOTS

AIRCRAFT

<u>Mikson</u>	<u>WL 16</u>	DASC <u>Helix</u>	TIME <u>1854</u>
<u>Light</u>	<u>WL 12</u>	CONTROLLER <u>Helix 21</u>	TIME <u>1857</u>
		TYPE CONTROLLER <u>PACA</u>	
		TYPE MISSION <u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1903-195</u>	<u>K.E.L.</u>	<u>85628990</u>	<u>5</u>
	<u>55</u>		

TGT TERRAIN Flat w/one small hill TGT WX 0 VISIBILITY 7
 REL ANGLE 20 PASSES 6 INTERVAL 30 SEC MIN ALT 600
 ENROUTE ALT 5.5 RETURN ALT 4.5 TGT AIRSPEED 450
 ORDNANCE 1601A 409 EXPENDED 011 JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE #1)
 BDA 100 % 100 % ADDITIONAL 2 secondary explosions

SECONDARY EXPLOSIONS 2 NUMBER 2 SIZE small

UNIT SUPPORTED Bn C-1 OPERATION GENERAL PARK
 (LEAVE BLANK)

ENROUTE WX 0

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION REASON FOR

NOTE #2: RECOVERABLE FUZE (DELAY/ARM DELAY)
 ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

31

REF. REF. 2C M Clay TIME 2345 DATE 4 Aug '69
 SQUADRON 311 CALL SIGN HB MSN NO. 6552 FLT 352
 T/O 2230 LAND 2320 TOTAL TIME 1.6

PILOTS	AIRCRAFT	DASC	TIME
<u>M. Clay</u>	<u>WC 10</u>	<u>DND</u>	<u>2235</u>
<u>Henkel</u>	<u>20</u>	CONTROLLER <u>Hos. Sierra</u>	TIME <u>2240</u>
		TYPE CONTROLLER <u>FAC</u>	
		TYPE MISSION <u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2345-2360</u>	<u>Enemy Location</u>	<u>AT790539</u>	<u>III 3</u>
	<u>55</u>		

TGT TERRAIN MTS TGT WX 0 VISIBILITY 10
 REL ANGLE 30 PASSES 8 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 10.5 RETURN ALT 9.5 TGT AIRSPEED 450
 ORDNANCE 20014 4022A 020 EXPENDED 20014/020 JETTISONED _____
 ORDNANCE/RTB 4022A DUDS (SEE NOTE #1) _____
 BDA 100 % 100 % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 1ST Mar Div OPERATION Durham Peak
 ENROUTE WX 1200 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS _____
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE FUZE (DELAY/ARM DELAY)
 30M ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

ORDNANCE EFFECTIVENESS _____

34

DEBRIEFER MATIL PAGE TIME 2250 DATE 4 AUG 69
 SQUADRON VMA-311 CALL SIGN H 554 MSN NO. 6554 FLT 352
 T/O 2140 LAND 2235 TOTAL TIME .9

PILOTS

AIRCRAFT

PAGE WL-14 DASC BWMA ASAT TIME 2155
 CONTROLLER #10 TIME 2155
 TYPE CONTROLLER ASAT
 TYPE MISSION TPA

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2206</u>	<u>ENEMY LOCATION</u>	<u>YC 740886</u>	<u>2</u>
	<u>55</u>		

TGT TERRAIN Hilly TGT WX 800 VISIBILITY 7
 REL ANGLE Level PASSES 1 INTERVAL — MIN ALT 18.5
 ENROUTE ALT 18.5 RETURN ALT 19.5 TGT AIRSPEED 290 KAS
 ORDNANCE 6 D2 w/x EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA — % — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 101st OPERATION KENTUCKY Jumper
 ENROUTE WX 800 7 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

33

DEBRIEFER LTCOL LA220 TIME 2345 DATE 4 AUG 69
 SQUADRON VMA 311 CALL SIGN H 55C MSN NO. 6556 FLT 382
 T/O 2225 LAND 2345 TOTAL TIME 1.3

PILOTS

AIRCRAFT

LA220 WL 03 DASC VANDYASRT TIME 2300
 CONTROLLER 19 TIME 2300
 TYPE CONTROLLER ASRT
 TYPE MISSION TPR

TOT 2300 DESCRIPTION CAUCS COORDINATES XD 783642 PROVINCE 1
40

TGT TERRAIN Hilly TGT WX 14000 ☐ VISIBILITY 7
 REL ANGLE level PASSES 1 INTERVAL — MIN ALT 18.5
 REL ALT 18.5
 ENROUTE ALT 12.5 RETURN ALT 17.5 TGT AIRSPEED 290 IAS
 ORDNANCE 602WY EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA — % — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3RD MAR DIV OPERATION GEORGIA TAR
 ENROUTE WX 14000 ☐ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS —
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—

36

DEBRIEFER GR 1665 TIME 0430 DATE 5 Aug 69
 SQUADRON 311 CALL SIGN HR 306 MSN NO. 6308 FLT 352
 T/O 0300 LAND 0400 TOTAL TIME 1.0

PILOTS AIRCRAFT
GR 1665 WL 16 DASC _____ TIME _____
 CONTROLLER Charles M. RT TIME 0320
 TYPE CONTROLLER ASRT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0335</u>	<u>Ens Enemy Pos</u>	<u>BT383002</u>	<u>4</u>
<u>0345</u>	<u>" " " "</u>	<u>BS 461783</u>	<u>V</u>

TGT TERRAIN R TGT WX 13.5 VISIBILITY 10
 REL ANGLE 0° PASSES 2 INTERVAL _____ MIN ALT 14.8
 ENROUTE ALT 14.5 RETURN ALT 20.5 TGT AIRSPEED 450
 ORDNANCE 6D2W EXPENDED ALL JETTISONED _____
 ORDNANCE/RTB NO DUDS (SEE NOTE #1) _____
 BDA _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED Americal OPERATION _____
 ENROUTE WX 300 130 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS _____
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

(2)

DEBRIEFER JES TIME 0700 DATE 5 August
 SQUADRON 311 CALL SIGN HB201 MSN NO. 6201 FLT 102
 T/O 0555 LAND 0640 TOTAL TIME 1.6

PILOTS		AIRCRAFT			
<u>SOUOERS</u>	<u>WL07</u>	DASC	<u>HELIX</u>	TIME	<u>0600</u>
<u>DANSTEIN</u>	<u>19</u>	CONTROLLER	<u>35 HELIX</u>	TIME	<u>0600</u>
		TYPE CONTROLLER	<u>FACA</u>		
		TYPE MISSION	<u>L2P/000</u>		

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0606-19</u>	<u>L2P/Enemy location</u>	<u>B5856281</u>	<u>(5)</u>
	<u>54</u>		

TGT TERRAIN FLAT TGT WX 0 VISIBILITY 7
 REL ANGLE 20° PASSES 8 INTERVAL 300 MIN ALT 0.8
 ENROUTE ALT 9.5 RETURN ALT 4.5 TGT AIRSPEED 450
 ORDNANCE 1601A 409 EXPENDED 1301A 409 JETTISONED _____
 ORDNANCE/RTB 301A DUDS (SEE NOTE #1) _____
 BDA 100 % 70 % ADDITIONAL 15 structure Dist 2 fire

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED America OPERATION IRON mountain
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS _____

(REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

(5)

DEBRIEFER Tomasko TIME 0700 DATE 5 Aug
 SQUADRON 311 CALL SIGN HB 151 MSN NO. 6151 FLT 352
 T/O 0550 LAND 0645 TOTAL TIME 1.8

PILOTS	AIRCRAFT	DASC	BIRMINGHAM	TIME
<u>Tomasko</u>	<u>14</u>	<u>BIRMINGHAM</u>	<u>ART</u>	<u>0600</u>
<u>ORTIS</u>	<u>25</u>	CONTROLLER	<u>10</u>	TIME <u>0600</u>
		TYPE CONTROLLER	<u>TPQ ART</u>	
		TYPE MISSION	<u>TPQ</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0605</u>	<u>ENEMY POSIT</u>	<u>YC 944 769</u>	<u>2</u>
<u>0612</u>	<u>" 55 "</u>	<u>"</u>	<u>"</u>

TGT TERRAIN R TGT WX 16.0 ⊕ VISIBILITY 10+
 REL ANGLE level PASSES 2 INTERVAL — MIN ALT 3000
 ENROUTE ALT 14.5 RETURN ALT 13.5 TGT AIRSPEED 290
 ORDNANCE 4D24/4037 EXPENDED R11 JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA — % — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 101ST AB OPERATION KENTUCKY Jumper
 ENROUTE WX 14.5 ⊕ (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☒ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☒ NO ☐	GIVE REASON BELOW

REMARKS TPQ vice CAS - "TOO DARK for controller to OPERATE"
 (REFERENCE NOTE #3) u

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

(4)

DEBRIEFER KRAUS TIME 0745 DATE 5 Aug 69
 SQUADRON 311 CALL SIGN HB011 MSN NO. 6011 FLT 102
 T/O 0640 LAND 0730 TOTAL TIME 01 1.6

PILOTS

AIRCRAFT

KRAUS 10 DASC BILK TIME 0655
CRUIKSHANK 20 CONTROLLER BILK 23 TIME 0658
 TYPE CONTROLLER FACA
 TYPE MISSION LZP

TOT	DESCRIPTION	COORDINATES	PROVINCE
0700-0712	LZP	40944969	2
	54		

TGT TERRAIN MOUNTAINOUS TGT WX 100 00 ~~15~~ VISIBILITY 3 NM
 REL ANGLE 20° PASSES 4 INTERVAL 35 sec MIN ALT 5000
 ENROUTE ALT 12500 RETURN ALT 13,500 TGT AIRSPEED 450
 ORDNANCE 1202W/4 EXPENDED 1202W/4 JETTISONED —
 ORDNANCE/RTB NONE DUDS (SEE NOTE #1) NONE
 BDA 100 % 75 % ADDITIONAL NONE

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 101 AB OPERATION Kentucky Tanager
 ENROUTE WX 140 (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☒	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 3CM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

(7)

DEBRIEFER BROOKS TIME 1100 DATE 5 Aug 69
 SQUADRON 311 CALL SIGN HB 157 MSN NO. 6157 FLT PLT
 T/O 1002 LAND 1052 TOTAL TIME 1.6

PILOTS		AIRCRAFT			
<u>Brooks</u>	<u>10</u>	DASC	<u>DNG</u>	TIME	<u>1007</u>
<u>WHITE</u>	<u>12</u>	CONTROLLER	<u>HOSTAGE 5'</u>	TIME	<u>1010</u>
		TYPE CONTROLLER	<u>USMC AC 12</u>		
		TYPE MISSION	<u>CAS</u>		

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1015-1036</u>	<u>TROOPS IN TREES</u>	<u>AT 993383</u>	<u>3</u>
	<u>45</u>		

TGT TERRAIN Hilly TGT WX 0 VISIBILITY 10
 REL ANGLE 30° PASSES 6 INTERVAL 30 MIN ALT 1200
 REL ALT 3000
 ENROUTE ALT 14.5 RETURN ALT 11.5 TGT AIRSPEED 450
 ORDNANCE 1202X EXPENDED 602X JETTISONED —
 ORDNANCE/RTB 602X DUDS (SEE NOTE #1) 0
 BDA 100 % 100 % ADDITIONAL NONE

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 5th STAFFORDS OPERATION Dunham Bank
 (LEAVE BLANK)

ENROUTE WX 0

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS - 2 brought out back - who pulls -
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

ORDNANCE EFFECTIVENESS —

13

DEBRIEFER AK Kelley TIME 1030 DATE 5 Aug 69
 SQUADRON 311 CALL SIGN H-308 MSN NO. 6013 FLT 152
 T/O 0925 LAND 1015 TOTAL TIME 1.8

PILOTS

AIRCRAFT

Wither W6-7 DASC Helix TIME 0915
Kelley 16 CONTROLLER BK 17 TIME 0930
 TYPE CONTROLLER DATA FOCA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0935</u>	<u>HOCHES</u>	<u>BS-157979</u>	<u>RVN 4</u>
<u>0950</u>	<u>22</u>		

TGT TERRAIN hilly TGT WX 0 VISIBILITY 7
 REL ANGLE 30° PASSES 8 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 10.5 RETURN ALT 9.5 TGT AIRSPEED 450
 ORDNANCE 1202 w/y EXPENDED all JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 75 % ADDITIONAL 2 military structures DEST
1 large bunker DEST.

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 101st AB OPERATION LAMAR PLAIN
 ENROUTE WX 0-7 (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☐	NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐	NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐	NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐	NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒	NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐	NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐	NO ☒	GIVE REASON BELOW

REMARKS

(REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

(11)

DEBRIEFER MAF PAGE TIME 1230 DATE 5 AUG-69
 SQUADRON VMA-311 CALL SIGN H455 MSN NO. 6455 FLT 152
 T/O 0955 LAND 1214 TOTAL TIME 4.6

PILOTS		AIRCRAFT			
<u>PAGE</u>	<u>WL</u>	<u>20</u>	DASC <u>Horix</u>	TIME <u>1845</u>	
<u>HAMPTON</u>	<u>25</u>		CONTROLLER <u>Horix 12</u>	TIME <u>1146</u>	
			TYPE CONTROLLER <u>FACA</u>	<u>FACA</u>	
			TYPE MISSION <u>CAS</u>		

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1154-59</u>	<u>Susp Enemy Locs</u>	<u>BT 201523</u>	<u>4</u>
	<u>SS</u>		

TGT TERRAIN Level TGT WX 0 VISIBILITY 7
 REL ANGLE 20° PASSES 5 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 18.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 60 DIA 409 EXPENDED 000 JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —

BDA 100 % 90 % ADDITIONAL 2 STRUCTURES DESTROYED
2 STRUCTURES DAMAGED 1 Secondary Fire

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED Americal OPERATION —

ENROUTE WX 1800 2000 7 (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS Covered a Recon Insert. 220/3/109 NO
drop there. (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 30M ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

(17)

DEBRIEFER Capt SCHNELL TIME 1538H DATE 5 Aug 69
 SQUADRON 311 CALL SIGN HB463 MSN NO. 6463 FLT 152
 T/O 1347 LAND 1517 TOTAL TIME 3.0

PILOTS

AIRCRAFT

CAHILL
SCHNELL

WL-14
20

DASC DONG HA TIME 1405
 CONTROLLER SW 97-7 TIME 1409
 TYPE CONTROLLER FA (A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1440-45</u>	<u>Rocket Posit</u>	<u>YD053670</u>	<u>1</u>
	<u>58</u>		

TGT TERRAIN Hilly TGT WX 50 DUUO VISIBILITY 7+
 REL ANGLE 20 PASSES 4 INTERVAL 30 MIN ALT 1.6
 ENROUTE ALT 18.5 RETURN ALT 17.5 TGT AIRSPEED 450
 ORDNANCE 16 DIA / 409 EXPENDED ALL JETTISONED NONE
 ORDNANCE/RTB NONE DUDS (SEE NOTE #1) NO
 BDA 100 % 100 % ADDITIONAL

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 3rd MAR DIV OPERATION Drake Canyon
 ENROUTE WX 50 DUUO 7+ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS _____
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS okay

(22)

129

DEBRIEFER LA 220 TIME 1530 DATE 5 AUG 69
 SQUADRON 311 CALL SIGN HB 598 MSN NO. 6593 FLT 152
 T/O 1329 LAND 1514 TOTAL TIME 3.4

PILOTS		AIRCRAFT	DASC	TIME
<u>LA 220</u>	<u>07</u>	<u>07</u>	<u>BICK</u>	<u>1420</u>
<u>WIGHT</u>	<u>16</u>	<u>16</u>	CONTROLLER <u>BICK 26</u>	TIME <u>1440</u>
			TYPE CONTROLLER <u>TACA</u>	
			TYPE MISSION <u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1430-1450</u>	<u>KN EN LOC</u>	<u>YC 314958</u>	<u>2</u>
	<u>55</u>		

TGT TERRAIN Hilly TGT WX 5000 VISIBILITY 7
 REL ANGLE 30° PASSES 8 INTERVAL 30 Sec MIN ALT 1500'
 ENROUTE ALT 20.5 RETURN ALT 17.5 TGT AIRSPEED 450
 ORDNANCE 205 6024 EXPENDED ALL JETTISONED -
 ORDNANCE/RTB 408 DUDS (SEE NOTE #1) -
 BDA 100 % 100 % ADDITIONAL -

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 101st A.B. OPERATION Montgomery Road
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS _____
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 30M ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
 ORDNANCE EFFECTIVENESS _____

2

102

DEBRIEFER MAT PAGE TIME 1910 DATE 6 AUG 69
 SQUADRON VMA-311 CALL SIGN H 249 MSN NO. 6249 FLT 152
 T/O 1745 LAND 1855 TOTAL TIME 2.4

PILOTS		AIRCRAFT	DASC <u>DONG HA</u> TIME <u>1810</u>	
<u>PAGE</u>	<u>10</u>		CONTROLLER <u>SW 97-10</u>	TIME <u>1815</u>
<u>ZAKREWSKI</u>	<u>25</u>		TYPE CONTROLLER <u>FASA FACA</u>	
			TYPE MISSION <u>DA5</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1820-25</u>	<u>Susp. Over Loc.</u>	<u>YD 066687</u>	<u>1</u>
	<u>55</u>		

TGT TERRAIN Hilly TGT WX 0 VISIBILITY 7
 REL ANGLE 30° PASSES 10 INTERVAL 30 MIN ALT 1000
 ENROUTE ALT 18.5 RETURN ALT 15.5 REL ALT 2530
 TGT AIRSPEED 450
 ORDNANCE 12 D28 EXPENDED ALL JETTISONED NO
 ORDNANCE/RTB — DUDS (SEE NOTE #1) 3
 BDA 50 % 50 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 137 RAR DIV OPERATION IDAHO CANYON
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS —
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—

DEBRIEFER McKelley TIME 1745 DATE 3 Aug 69
 SQUADRON 311 CALL SIGN 245 MSN NO. 6245 FLT 182
 T/O 1651 LAND 1740 TOTAL TIME 1.6

PILOTS

AIRCRAFT

KELLEY W6-3 DASC Danley TIME 1700
Brooks 19 CONTROLLER Haslam TIME 1702
 TYPE CONTROLLER FACA FACA
 TYPE MISSION CAS

TOT

DESCRIPTION

COORDINATES

PROVINCE

1705 RECON. EXTRACT 2C 194876 RVN 3
1720 45

TGT TERRAIN hilly TGT WX 50 00 R VISIBILITY 3
 REL ANGLE 260 PASSES 6 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 9.5 RETURN ALT 10.5 TGT AIRSPEED 450
 ORDNANCE 459/802A EXPENDED 211 JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 1ST BATTAL OPERATION —

(LEAVE BLANK)

ENROUTE WX 50 00

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☒	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS —
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 BOM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

(2)

DEBRIEFER Palmier TIME _____ DATE 5 Aug
 SQUADRON 311 CALL SIGN 023 MSN NO. 6023 FLT 152
 T/O 1825 LAND 1918 TOTAL TIME _____

PILOTS PALMIER AIRCRAFT 12
MCCLARY 70
 DASC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT _____ DESCRIPTION NO DROP COORDINATES _____ PROVINCE _____

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____
 ORDNANCE B077409 EXPENDED NO JETTISONED ALL
 ORDNANCE/RTB NO DUDS (SEE NOTE #1) _____
 BDA _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____
 ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS _____
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

ORDNANCE EFFECTIVENESS _____

INTERCEPT _____ TIME _____ DATE 5 Aug
 SQUADRON 311 CALL SIGN 153 MSN NO. 6153 FLT 152
 T/O 0630 LAND 0710 TOTAL TIME 1.2

PILOTS

AIRCRAFT

Sundans WL 10 DASC _____ TIME _____
2AK2205H 11 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT

DESCRIPTION

COORDINATES

PROVINCE

No Drop

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 ENROUTE ALT 7.5 RETURN ALT 5.5 TGT AIRSPEED _____
 ORDNANCE 802A 409 EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB ALL DUDS (SEE NOTE #1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____
 ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS Radio Problems
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

ORDNANCE EFFECTIVENESS _____

DEBRIEFER MIXSON TIME 1830 DATE 5 Aug 69
 SQUADRON 311 CALL SIGN HB 019 MSN NO. 6019 FLT 152
 T/O 1750 LAND 1820 TOTAL TIME .5

PILOTS		AIRCRAFT		DASC		TIME	
<u>MIXSON</u>	<u>WL 07</u>						
				CONTROLLER			TIME
				TYPE CONTROLLER			
				TYPE MISSION			

TOT	DESCRIPTION	COORDINATES	PROVINCE
	<u>NO DROP.</u>		

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 ENROUTE ALT 7.5 RETURN ALT 8.5 TGT AIRSPEED _____
 ORDNANCE 9 D2 Q EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB 9 D1 Q DUDS (SEE NOTE #1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS #1 Aborted mission because of wing transfe.
failure. #2 Did not take off A/C ↓
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Hampton TIME 1400 DATE 5 AUG 69
 SQUADRON 311 CALL SIGN HB 229 MSN NO. 6229 FLT #152
 T/O 1225 LAND 1335 TOTAL TIME 1.6

PILOTS	AIRCRAFT	DASC	TIME
<u>Hampton</u>	<u>WL 18</u>	<u>Helix</u>	<u>1230</u>
<u>DATIS</u>	<u>WL 23</u>	CONTROLLER <u>B.I.K. 03</u>	TIME <u>1255</u>
		TYPE CONTROLLER <u>FACA FACA</u>	
		TYPE MISSION <u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1305-55</u>	<u>Enemy Location</u>	<u>B5097907</u>	<u>4</u>
	<u>55</u>		

TGT TERRAIN Hill TGT WX 40 D VISIBILITY 10+
 REL ANGLE 30 PASSES 10 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 8.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 20014 EXPENDED A11 JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —

BDA 100 % 25 % ADDITIONAL 3 Buildings Dest-4 Tunnels
Collapsed 1 Sec Fire, 4 bunk dest, 1 KBA (C)

SECONDARY EXPLOSIONS Yes NUMBER 1 SIZE 7

UNIT SUPPORTED Amk 4 AB OPERATION Lamar Plain
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	<u>YES</u>	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS —

(REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

(19)

110

BRIEFER _____ TIME _____ DATE 6 Aug 69
 SQUADRON 311 CALL SIGN 222 MSN NO. 6882 FLT 142
 T/O 1030 LAND 1100 TOTAL TIME 0.5

PILOTS

AIRCRAFT

Thom MUXSON

WL 07

DASC _____

TIME _____

CONTROLLER _____

TIME _____

TYPE CONTROLLER _____

TYPE MISSION _____

TOT

DESCRIPTION

COORDINATES

PROVINCE

TEST

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____
 ORDNANCE _____ EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB _____ DUES (SEE NOTE #1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____
 ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS _____
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

ORDNANCE EFFECTIVENESS _____

DEBRIEFER Kelly TIME 1115 DATE 7 Aug 68
 SQUADRON -34 CALL SIGN HB 155 MSN NO. 6155 FLT 153
 T/O 0953 LAND 1055 TOTAL TIME 2-0

PILOTS Kelly AIRCRAFT wh 2 DASC Helix TIME 0948
White 18 CONTROLLER Helix 34 TIME 1000
 TYPE CONTROLLER AFACA
 TYPE MISSION CA-5

TOT 1015-43 DESCRIPTION Base Camp/bunkers COORDINATES B 5622498 PROVINCE 5
28

TGT TERRAIN hilly TGT WX 1000 VISIBILITY 7 f
 REL ANGLE 20 PASSES 8 INTERVAL 30" MIN ALT 600
 ENROUTE ALT 9500 RETURN ALT 6500 TGT AIRSPEED 450
 ORDNANCE 802A/409/020 EXPENDED 8/02A/409 JETTISONED —
 ORDNANCE/RTB 102A DUDS (SEE NOTE #1) one mape
 BDA 100 % 90 % ADDITIONAL 4 holes/fighting positions
damaged

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED AMCAL OPERATION Geneva Park

ENROUTE WX 100 0V 07 f (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION Stbd mape ruptured on release. no file REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #2: ORDNANCE EFFECTIVENESS effective. OK - Hit time just as

DEBRIEFER Oatis TIME 1145 DATE 7 Aug 69
 SQUADRON 311 CALL SIGN H0203 MSN NO. 6203 FLT 152
 T/O 0951 LAND 1121 TOTAL TIME 1.5

PILOTS OATIS AIRCRAFT WL 14 DASC VS TIME 0955
 CONTROLLER DANANG (??) TIME 1000
 TYPE CONTROLLER ASRT
 TYPE MISSION TDR

TOT 1000-1110 DESCRIPTION Calibration of target COORDINATES AT 970470 PROVINCE Quang Nam
55

TGT TERRAIN Flat TGT WX 140000 VISIBILITY 7
 REL ANGLE 0° PASSES 5 INTERVAL — MIN ALT 12.6
 ENROUTE ALT 18.5 RETURN ALT 9.5 TGT AIRSPEED 290
 ORDNANCE 10 DIW/Y EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED Banang ST. D. OPERATION Danham Peak
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☒	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

(13)

DEBRIEFER GARRETSO TIME 1045 DATE 7 Aug 69
 SQUADRON 311 CALL SIGN HB 455 MSN NO. 6455 FLT 152
 T/O 1000 LAND 1033 TOTAL TIME 1.2

PILOTS AIRCRAFT
GARRETSO WL 10 DASC — TIME —
SOLIDERS 20 CONTROLLER — TIME —
 TYPE CONTROLLER —
 TYPE MISSION CAP

TOT DESCRIPTION COORDINATES PROVINCE
NONE AIRBORNE ABORT PROP
RADIO FAILURE

TGT TERRAIN — TGT WX — VISIBILITY —
 REL ANGLE — PASSES — INTERVAL — MIN ALT —
 ENROUTE ALT — RETURN ALT — TGT AIRSPEED —
 ORDNANCE 16 DIA 4D9 EXPENDED NONE JETTISONED 4D9
 ORDNANCE/RTB 16 DIA DUDS (SEE NOTE #1) —
 BDA — % — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED — OPERATION —

ENROUTE WX 120 (11) (LEAVE BLANK)

(A) HOSTILE FIRE	YES	☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☐ NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	☐ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	☐ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	☐ NO	IF ADDITIONAL CIRCLE
(F) ABORT	☒ YES	☐ NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	☐ NO	GIVE REASON BELOW

REMARKS RADIO FAILURE
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 FROM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER MAT PAGE TIME 1320 DATE 7 AUG 69
 SQUADRON VMA-311 CALL SIGN H 023 MSN NO. 6023 FLT 152
 T/O 1149 LAND 1307 TOTAL TIME 2.6

PILOTS		AIRCRAFT	DASC	TIME
<u>Lt Col. LA220</u>	<u>W-19</u>	<u>25</u>	<u>BILK</u>	<u>1202</u>
<u>MAT PAGE</u>			CONTROLLER <u>BILK</u>	38 TIME <u>1207</u>
			TYPE CONTROLLER <u>TACA</u>	
			TYPE MISSION <u>220 L2P</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>122020</u>	<u>L2 PREP</u>	<u>YD 477093</u>	<u>2</u>
	<u>54</u>		

TGT TERRAIN Hilly TGT WX 900 VISIBILITY 7
 REL ANGLE 30° PASSES 6 INTERVAL 30 MIN ALT 1500 AGL
 ENROUTE ALT 10.5 RETURN ALT 11.5 TGT AIRSPEED 450
 ORDNANCE 403/402 EXPENDED 120 JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) NONE
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 101st A.B. OPERATION Kentucky Hammer
 (LEAVE BLANK)

ENROUTE WX 1200

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☒ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒ NO ☐	CIRCLE ONE/COORD <u>—</u>
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE <u>—</u>
(F) ABORT	YES ☒ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☒ NO ☐	GIVE REASON BELOW

REMARKS —

(REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DECLASSIFIED

DEBRIEFER Henkel TIME 1930 DATE 7 JULY
 SQUADRON 311 CALL SIGN H6017 MSN NO. 6017 FLT 152
 T/O 1440 LAND 1540 TOTAL TIME 2.0

PILOTS		AIRCRAFT		
<u>HAMPTON</u>	<u>03</u>	DASC <u>Helix</u>	TIME <u>1448</u>	
<u>LIGHT</u>	<u>23</u>	CONTROLLER <u>Helix 23</u>	TIME <u>1448</u>	
		TYPE CONTROLLER <u>FACA</u>		
		TYPE MISSION <u>CAS</u>		

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1447 / 1503</u>	<u>SUS. LOC.</u>	<u>BS448727</u>	<u>5</u>
	<u>55</u>		

TGT TERRAIN Level TGT WX 0 VISIBILITY 5
 REL ANGLE 30° PASSES 8 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 25.5 RETURN ALT 20.5 TGT AIRSPEED 450
 ORDANCE 12 D2W/V EXPENDED ALL JETTISONED none
 ORDANCE/RTB none DUDS (SEE NOTE #1)
 BDA 100 % 90 % ADDITIONAL 6 ST DEST. 1 sec Explosion

SECONDARY EXPLOSIONS Yes NUMBER 1 SIZE SMALL
 UNIT SUPPORTED AMERICAN OPERATION IRON Mountain
 (LEAVE BLANK)
 ENROUTE WX

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☒ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☒ NO ☐	GIVE REASON BELOW

REMARKS
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION REASON FOR

NOTE #2: RECOVERABLE FUZE (DELAY/ARM DELAY)
 NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #2: ORDANCE EFFECTIVENESS

70

DECLASSIFIED

DEBRIEFER Brooks TIME 1600 DATE 7 AUG 69
 SQUADRON VMA-311 CALL SIGN HB217 MSN NO. 6217 FLT
 T/O 1454 LAND 1548 TOTAL TIME 3.4

PILOTS Brooks AIRCRAFT 19
Phillips 25
 DASC TIME
 CONTROLLER TIME
 TYPE CONTROLLER None
 TYPE MISSION

TOT DESCRIPTION VR COORDINATES PROVINCE
NS FBT VR KAM

TGT TERRAIN TGT WX VISIBILITY
 REL ANGLE PASSES INTERVAL MIN ALT
 REL ALT
 ENROUTE ALT RETURN ALT TGT AIRSPEED
 ORDNANCE EXPENDED JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE #1)
 BDA % % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED OPERATION (LEAVE BLANK)
 ENROUTE WX

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION REASON FOR

NOTE #2: RECOVERABLE FUZE (DELAY/ARM DELAY)
 ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER BEEM TIME 1515 DATE 2 May 69
 SQUADRON 211 CALL SIGN HB 221 MSN NO 6221 FLT 152
 T/O 1400 LAND 1530 TOTAL TIME 2.0

PILOTS ACFT
MAT DONG CF 12 DASC DONG HA TIME 1420
CAPT BEEM CF 22 CONTROLLER 9W 88-1 TIME 1421
 TYPE CONTROLLER FALCA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1425-1435</u>	<u>BAO GUYS</u> <u>IN STREAM BED</u> <u>4.5</u>	<u>VTD 058456</u>	<u>F</u>

TOT TERRAIN Hilly TGT WX 1400 VISIBILITY 2
 REL ANGLE 10° PASSES 3 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 10.5 RETURN ALT 9.5 REL ALT 1000
 TGT AIRSPEED 450
 ORDNANCE 16 DIA 409 EXPENDED 14 DIA 409 JETTISONED
 ORDNANCE/RTB 2 DIA DUDS (SEE NOTE #1)
 BDA 80 % 80 % ADDITIONAL No Further

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 4th Bn 1st Div OPERATION Search for
 (LEAVE BLANK)
 ENROUTE WX

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE (DELAY/ARM DELAY)
 NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED
 NOTE #3: ORDNANCE EFFECTIVENESS

DEBRIEFER UPCHURCH TIME 1605 DATE 7 AUG 67
 SQUADRON 311 CALL SIGN HOB MSN NO. 6593 FLT 152
 T/O 1340 LAND 1552 TOTAL TIME 4.6

PILOTS

AIRCRAFT

MCCLESKY20UPCHURCH14

DASC DANANG TIME 1515
 CONTROLLER HOST KING TIME 1517
 TYPE CONTROLLER FACA
 TYPE MISSION 10A3

TOT

DESCRIPTION

COORDINATES

PROVINCE

1525/1535 VC BASE CAMP 20 15320 3
28

TGT TERRAIN HILLS TGT WX 1000? VISIBILITY 7
 REL ANGLE 30° PASSES 4 INTERVAL 30 MIN ALT 2000
 ENROUTE ALT 185 RETURN ALT 2.5 REL ALT 3000
 ORDNANCE 205/600/400 EXPENDED 205/600 TGT AIRSPEED 450
 ORDNANCE/RTH 400 JETTISONED DONE
 DUDS (SEE NOTE #1) —
 BDA 90 % 95 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 1ST MARDIV OPERATION Quintan Puro

ENROUTE WX SCATD CLOUDS & RAIN SHOWERS

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS

(REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 3CM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ADVANCE EFFECTIVENESS —

REFERRER 7PM Play TIME 1830 DATE 7 Aug 1969
 SQUADRON 311 CALL SIGN HOB MSN NO. 6237 FLT 152
 T/O 1613 LAND 1730 TOTAL TIME 2.6

PILOTS

AIRCRAFT

M. S. Play WL 7 DASC D.H. TIME 1638
Chamford 12 CONTROLLER SW 98-14 TIME 1640
 TYPE CONTROLLER FAC 91
 TYPE MISSION CAS

TOT

DESCRIPTION

COORDINATES

PROVINCE

1655-1706 Enemy Posit's 9D009635 1
55

TGT TERRAIN mts TGT WX 100 @ VISIBILITY 10
 REL ANGLE 20 PASSES 5 INTERVAL 30 MIN ALT 700'
 ENROUTE ALT 18.5 RETURN ALT 19.5 TGT AIRSPEED 450
 ORDNANCE 1601A/409 EXPENDED 1001A 409 JETTISONED —
 ORDNANCE/RTB 601A DUDS (SEE NOTE #1) —
 BDA 75 % 75 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 3rd Mar Div OPERATION Idaho Canyon
 ENROUTE WX 160 @ (LEAVE BLANK) Idaho Canyon

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS —
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER MIXSON TIME 1840 DATE 7 Aug 69
 SQUADRON 311 CALL SIGN HB 251 MSN NO. 6251 FLT 152
 T/O 1715 LAND 1830 TOTAL TIME 2.6

PILOTS		AIRCRAFT			
<u>MIXSON</u>	<u>WL 2</u>	DASC	<u>Danang</u>	TIME	<u>1730</u>
<u>ZAKAZWSKY</u>	<u>19</u>	CONTROLLER	<u>Hostage P</u>	TIME	<u>1740</u>
		TYPE CONTROLLER	<u>FACA</u>		
		TYPE MISSION	<u>CAS</u>		

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1805-1820</u>	<u>GOOKS IN TREES</u>	<u>AT974373</u>	<u>3</u>
	<u>45</u>		

TGT TERRAIN mount TGT WX 10 @ VISIBILITY 7
 REL ANGLE 10° PASSES 10 INTERVAL 30Sec MIN ALT 600
 ENROUTE ALT 12.5 RETURN ALT 9.5 TGT AIRSPEED 450
 ORDNANCE 16 DIA 409 EXPENDED All JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1st Mar Div. OPERATION Durham Peak
 ENROUTE WX — (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS —
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —
—
—

6A
 08

DEBRIEFER GOOD, W.A. TIME 2.4 DATE 7 AUG 1969
 SQUADRON VMA 311 CALL SIGN HB 555 MSN NO. 6555 FLT 352
 T/O 2125 LAND 2346 TOTAL TIME 2.4

PILOTS		AIRCRAFT	
<u>GOOD, W.A.</u>	<u>07</u>	DASC <u>MILKY</u>	TIME <u>2145</u>
		CONTROLLER <u>MILKY</u>	TIME <u>2145</u>
		TYPE CONTROLLER <u>TPQ ASRT</u>	
		TYPE MISSION <u>TPQ</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2159-2211</u>	<u>ENEMY POSITION</u>	<u>YC 725874</u>	<u>— 2</u>
	<u>55</u>		

TGT TERRAIN R TGT WX 300-4240 VISIBILITY 7
 REL ANGLE LEVEL PASSES 2 INTERVAL — MIN ALT 24500
 REL ALT 24500
 ENROUTE ALT 24,500 RETURN ALT 29,500 TGT AIRSPEED 400
 ORDNANCE 6 D2W/Y EXPENDED ALL JETTISONED AL
 ORDNANCE/RTB NONE DUDS (SEE NOTE #1) NONE
 BDA — % — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 101ST A/B OPERATION Kentucky Tumper
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD <u>—</u>
(E) BDA REPORTED	YES ☐ NO ☒	IF ADDITIONAL CIRCLE <u>—</u>
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS —
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

(40)

DEBRIEFER McKellig TIME 2400 DATE 7 Aug 69
 SQUADRON 31 CALL SIGN HB MSN NO. 6557 FLT SS
 T/O 2248 LAND 2345 TOTAL TIME 10

PILOTS

AIRCRAFT

KELEY alt. 23 DASC _____ TIME _____
 CONTROLLER Chula TIME 2300
 TYPE CONTROLLER ASRT
 TYPE MISSION TDG

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2325</u>	<u>Susp. encm. loc.</u>	<u>BT 345085</u>	<u>4</u>
	<u>55</u>		

TGT TERRAIN R TGT WX 150 0 VISIBILITY HR 2
 REL ANGLE LEVEL PASSES 2 INTERVAL 5 MIN ALT 1500
 ENROUTE ALT 15.5 RETURN ALT 14.5 TGT AIRSPEED 290
 ORDNANCE 602 w/4 EXPENDED 41 JETTISONED _____
 ORDNANCE/RTB 1 DUDS (SEE NOTE #1) _____
 BDA ? % ? % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED AMERICA OPERATION _____
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES ☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☒ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒ NO	CIRCLE ONE/COORD _____
(E) BDA REPORTED	YES ☒ NO	IF ADDITIONAL CIRCLE _____
(F) ABORT	YES ☒ NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☒ NO	GIVE REASON BELOW

REMARKS _____
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

(42)

6/7/69
 24
 69

DEBRIEFER MAT PAGE TIME 0345 DATE 8 AUG 1969
 SQUADRON VMA-311 CALL SIGN HB 553 MSN NO. 6553 FLT 352
 T/O 0217 LAND 0330 TOTAL TIME 2.3

PILOTS		AIRCRAFT		
<u>LT Col BROOKS</u>	<u>WV-18</u>	DASC <u>DA NANG</u>	TIME <u>0230</u>	
<u>MAT PAGE</u>	<u>WV-10</u>	CONTROLLER <u>HASINCH I</u>	TIME <u>0232</u>	
		TYPE CONTROLLER <u>BACA</u>		
		TYPE MISSION <u>CAS</u>		

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0245-0315</u>	<u>BUNKERS</u>	<u>ATB20585</u>	<u>3</u>
	<u>19</u>		

TGT TERRAIN Level TGT WX 80 @ VISIBILITY 7
 REL ANGLE 30° PASSES 6 INTERVAL 30 sec MIN ALT 1000 REL ALT 3000
 ENROUTE ALT 8.5 RETURN ALT 5.5 TGT AIRSPEED 450
 ORDNANCE 2001X/4022 EXPENDED ALL JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1) 0
 BDA 100 % 100 % ADDITIONAL

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 1st MAR DIV OPERATION Durham Peak
 ENROUTE WX 80 @ 7 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD _____
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS _____
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Lt Col. CAHILL TIME 1040 DATE 8 Aug 69
 SQUADRON VMA 34 CALL SIGN H8012 MSN NO. 6012 FLT 152
 T/O 0920 LAND 1020 TOTAL TIME 2.0

PILOTS

AIRCRAFT

CAHILL
CRANFORD

02
23

DASC DANANG TIME 0930
 CONTROLLER H8012 TIME 0946
 TYPE CONTROLLER FAC
 TYPE MISSION CHS

TOT

DESCRIPTION

COORDINATES

PROVINCE

0945-1002 Enemy Pos AT 983 378 3
55

TGT TERRAIN 862 FT TGT WX 900 VISIBILITY 10+
 REL ANGLE 30 PASSES 8 INTERVAL 30 sec MIN ALT 1500 AGL
 ENROUTE ALT 8500 FT RETURN ALT 7500 FT TGT AIRSPEED 450 KTS
 ORDNANCE 20 DIA EXPENDED 18 DIA JETTISONED NONE
 ORDNANCE/RTB 2 DIA DUDS (SEE NOTE #1) NONE
 BDA 90 % 90 % ADDITIONAL 2 KBA

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 5th MARN D OPERATION Durham Peaks
 ENROUTE WX 900 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS _____
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

9

DEBRIEFER Kelly TIME 1120 DATE 8 Aug 65
 SQUADRON -36 CALL SIGN HB154 MSN NO. 6154 FLT 152
 T/O 0954 LAND 1054 TOTAL TIME 2.0

PILOTS		AIRCRAFT		DASC <u>Helix</u>		TIME <u>0958</u>	
<u>Col Nichols</u>	<u>WL 19</u>			CONTROLLER <u>Helix</u>		TIME <u>0958</u>	
<u>Kelly</u>	<u>6</u>			TYPE CONTROLLER <u>FACA</u>			
				TYPE MISSION <u>L2P</u>			

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>① 1003-17</u>	<u>L2 Prep 54</u>	<u>BS 392889</u>	<u>3</u>
<u>② 1028-35</u>	<u>Mil Pack units</u>	<u>BS 446768</u>	

TGT TERRAIN ① Hilly TGT WX ② 10.0 VISIBILITY 7 f
 REL ANGLE ① 30° ② 20° PASSES ① 3 ② 2 INTERVAL 30" MIN ALT 600'
 ENROUTE ALT 8500 RETURN ALT 6500 TGT AIRSPEED 450
 ORDNANCE ① 12 D2Y(OC) ② 720 EXPENDED ALL JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) 2 D2Y(OC) BS 392889
 BDA ① 100% ② 75% % ADDITIONAL 1 mil pack units
damaged

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED AMCAL OPERATION GENEVA PARK
 ENROUTE WX 100 0000 (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS _____
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION BS392889 REASON FOR UNK
Probably

NOTE #2: RECOVERABLE 90% FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS Good

DEBRIEFER CAPT SCHNELL TIME 1215H DATE 8 Aug 69
 SQUADRON 311 CALL SIGN H/B 454 MSN NO. 6454 FLT 152
 T/O 0952 LAND 1203 TOTAL TIME 4.4

PILOTS

AIRCRAFT

MIXSON WL-14 DASC Dang Ha TIME 1020
SCHNELL 20 CONTROLLER Sw 97-3 TIME 1200
 TYPE CONTROLLER FAC(A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1115-30</u>	<u>Enemy location</u>	<u>4D006633</u>	<u>1</u>
	<u>SS</u>		

TGT TERRAIN Hilly TGT WX 30 @ VISIBILITY 7
 REL ANGLE 10 PASSES 12 INTERVAL 30 MIN ALT 8.6
 ENROUTE ALT 20.5 RETURN ALT 9.5 TGT AIRSPEED 450
 ORDNANCE 16 DIA/409 EXPENDED ALL JETTISONED NONE
 ORDNANCE/RTB NONE DUDS (SEE NOTE #1) NO
 BDA 100 % 100 % ADDITIONAL 2 Bombs Dest
2 Sec FIRE 1 Sec. Explosion

SECONDARY EXPLOSIONS YES NUMBER 1 SIZE 15-20' Blue Gray Smoke

UNIT SUPPORTED 3RD MAR DIV OPERATION TDANO CANYON
 (LEAVE BLANK)

ENROUTE WX 140 @ / @ 7

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS _____
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS OKAY

(16)

WAG

DEBRIEFER WCM Clay TIME 1225 DATE 8AUG69
 SQUADRON 311 CALL SIGN HB 572 MSN NO. 6572 FLT 252
 T/O 1113 LAND 1225 TOTAL TIME 2.5

PILOTS		AIRCRAFT			
<u>M. CLAY</u>	<u>WL10</u>	DASC <u>DH</u>	TIME <u>1130</u>		
<u>ZAK (Zewski)</u>	<u>12</u>	CONTROLLER <u>VANDY</u>	TIME <u>1133</u>		
		TYPE CONTROLLER <u>ASAT</u>			
		TYPE MISSION <u>TPP</u>			

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1135-1155</u>	<u>Bunker</u>	<u>90925326</u>	<u>II</u>
	<u>19</u>		

TGT TERRAIN MTS. TGT WX 1400 VISIBILITY 6
 REL ANGLE Level PASSES 2 INTERVAL 30 MIN ALT 16.9
 ENROUTE ALT 14.5 RETURN ALT 15.5 TGT AIRSPEED 290
 ORDNANCE 12 D2w/y EXPENDED ALL JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED Project Delta OPERATION Kentucky Temple
 (LEAVE BLANK)

ENROUTE WX 1800

(A) HOSTILE FIRE	YES ☒	NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐	NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐	NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐	NO ☒	CIRCLE ONE/COORD _____
(E) BDA REPORTED	YES ☐	NO ☒	IF ADDITIONAL CIRCLE _____
(F) ABORT	YES ☐	NO ☒	ACFT MALFUNCTION/NO DROP _____
(G) DIRECT Divert	☒ YES	☐ NO	GIVE REASON BELOW _____

REMARKS Diverted By Dmg HA DASC Due To
Target WX! (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

(18)

DEBRIEFER Davis TIME 1615 DATE 8 Aug 6
 SQUADRON 311 CALL SIGN HB 502/94 MSN NO. 6592/94 FLT 152
 T/O 1339 LAND 1509 TOTAL TIME 3.0

PILOTS AIRCRAFT
Davis WL 18 DASC Danang TIME 1530
WHITE 23 CONTROLLER Hst BULL TIME 1532
2 SORTIES NO DROP ABOUT TYPE CONTROLLER FACA
 TYPE MISSION NAI

TOT DESCRIPTION COORDINATES PROVINCE
1535-45 base area EC 205443 Quang Nam 3
28

TGT TERRAIN hilly TGT WX 130 @ 7 VISIBILITY 7
 REL ANGLE 30° PASSES 9 INTERVAL 30secs MIN ALT 1500
 REL ALT 3000

ENROUTE ALT 18.5 RETURN ALT 9.5 TGT AIRSPEED 450

ORDNANCE 205/408/602w/y EXPENDED 205/602w/y JETTISONED NONE

ORDNANCE/RTB 4 08 DUDS (SEE NOTE #1)

BDA 100 % 95 % ADDITIONAL 1 sec explosion; 3 hooches Dist.

SECONDARY EXPLOSIONS 1 sec NUMBER 1 SIZE white

UNIT SUPPORTED 1st mar div OPERATION Danang Peak
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☒ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☒ NO ☐	GIVE REASON BELOW

REMARKS
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION REASON FOR

RECOVERABLE FUZE (DELAY/ARM DELAY)
 NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

(7)

DEBRIEFER GOOD, W.A. TIME 1630 DATE 8 AUG 1969
 SQUADRON 311 CALL SIGN HB 462 MSN NO. 6462 FLT 152
 T/O 1520 LAND 1622 TOTAL TIME 2.0

PILOTS

AIRCRAFT

<u>KRAUS</u>	<u>19</u>	DASC <u>HELIX</u> TIME <u>1530</u>
<u>GOOD</u>	<u>07</u>	CONTROLLER <u>HELIX</u> TIME <u>1535</u>
		TYPE CONTROLLER <u>EACA</u>
		TYPE MISSION <u>CAS</u>

TOT

DESCRIPTION

COORDINATES

PROVINCE

1531-1545 TROOPS 45 BS 551757 5
1549-1604 BUNKERS + TROOPS AT 988138

TGT TERRAIN FLAT TGT WX 800/0 VISIBILITY 7
 REL ANGLE 10 PASSES 12 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 6,500 RETURN ALT 7500 TGT AIRSPEED 450
 ORDNANCE 409/1601A/020 EXPENDED ALL JETTISONED NONE

ORDNANCE/RTB NONE DUDS (SEE NOTE #1) NONE
 BDA 100/100% 80/100% ADDITIONAL 1 STRUCTURE DEST ^{Structure} 8 DAMAGED
3 SUSTAINED FIRES / 6 BUNKERS DEST 1 SUSTAINED FIRE

SECONDARY EXPLOSIONS NONE NUMBER — SIZE —

UNIT SUPPORTED AMERICAN OPERATION IRON MOUNTAIN
 (LEAVE BLANK)

ENROUTE WX 800/0

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☒ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☒ NO ☐	GIVE REASON BELOW

REMARKS (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #2: ORDNANCE EFFECTIVENESS —

DEBRIEFER MIXSON, ME. TIME 1600 DATE 8 August
 SQUADRON 311 CALL SIGN AB232 MSN NO. 6232 FLT 152
 T/O 1435 LAND 1550 TOTAL TIME 2.6

PILOTS		AIRCRAFT		
<u>MIXSON</u>	<u>WL 3</u>	DASC <u>Dongha</u>	TIME <u>1455</u>	
<u>TOMASKO</u>	<u>25</u>	CONTROLLER <u>Catkiller 47</u>	TIME <u>1500</u>	
		TYPE CONTROLLER <u>FACA</u>		
		TYPE MISSION <u>DAS</u>		

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1505-1525</u>	<u>Troops in Woods</u>	<u>YD042708</u>	<u>1</u>
	<u>45</u>		

TGT TERRAIN rolling hills TGT WX 600 VISIBILITY 12 miles
 REL ANGLE 20° PASSES 10 INTERVAL 30Sec MIN ALT 1200ft
 ENROUTE ALT 18.0 RETURN ALT 13.5 TGT AIRSPEED 450
 ORDNANCE 4D24405 EXPENDED 2D24405 JETTISONED —
 ORDNANCE/RTB 2D24 DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 108 Arty.iller AND p. OPERATION IDAHO CANYON
 (LEAVE BLANK)

ENROUTE WX 120

(A) HOSTILE FIRE
 (B) AIRBURST
 (C) ACFT HIT
 (D) RECON INSERT/EXTRACT
 (E) BDA REPORTED
 (F) ABORT
 (G) DIRECT

YES	NO	FILE FORM WITH BARREL
YES	NO	FILE FORM WITH BARREL
YES	NO	FILE FLASH REPORT WITH BARREL
YES	NO	CIRCLE ONE/COORD
YES	NO	IF ADDITIONAL CIRCLE
YES	NO	ACFT MALFUNCTION/NO DROP
YES	NO	GIVE REASON BELOW

REMARKS (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER MAJ PAGE TIME 1850 DATE 8 AUG 69
 SQUADRON VMA-311 CALL SIGN HB 018 MSN NO. 6018 FLT 152
 T/O 1720 LAND 1836 TOTAL TIME 2.6

PILOTS		AIRCRAFT	DASC	TIME
<u>Witter</u>	<u>WLC 07</u>		<u>Dong HA</u>	<u>1740</u>
<u>PAGE</u>	<u>12</u>		CONTROLLER <u>VANDY</u>	TIME <u>1745</u>
			TYPE CONTROLLER <u>ASRA-ASRT</u>	
			TYPE MISSION <u>TPR</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1755</u>	<u>Scoring Mission</u>	<u>XD680472</u>	<u>1</u>
	<u>20</u>		

TGT TERRAIN UNKNOWN TGT WX 120 @ VISIBILITY 3
 REL ANGLE level PASSES 1 INTERVAL 30 MIN ALT 15000
 ENROUTE ALT 15.5 RETURN ALT 9.5 TGT AIRSPEED 290 IAS
 ORDNANCE 12 D2 @ EXPENDED ALL JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1) UNKNOWN
 BDA — % — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3RD MAR DIV OPERATION ARLINGTON CANTON
 ENROUTE WX 120 @ 4 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

35

DEBRIEFER CAHILL TIME 0900 DATE 9 AUG 69
 SQUADRON 311 CALL SIGN HB153 MSN NO. 6153 FLT X
 T/O 0805 LAND 0857 TOTAL TIME 1.8

PILOTS CAHILL AIRCRAFT WC 14 DASC — TIME —
WHITE 18 CONTROLLER HELIX TIME 0810
 TYPE CONTROLLER —
 TYPE MISSION —

TOT — DESCRIPTION ABORT COORDINATES NO DROP PROVINCE —

TGT TERRAIN — TGT WX — VISIBILITY —
 REL ANGLE — PASSES — INTERVAL — MIN ALT —
 REL ALT —
 ENROUTE ALT — RETURN ALT — TGT AIRSPEED —
 ORDNANCE 4D3Q/4D2Q EXPENDED NONE JETTISONED —
 ORDNANCE/RTB ALL DUDS (SEE NOTE #1) —
 BDA — % — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED — OPERATION —
 ENROUTE WX 120 @ (LEAVE BLANK)

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 (B) AIRBURST YES NO FILE FORM WITH BARREL
 (C) ACFT HIT YES NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
 (F) ABORT YES NO ACFT MALFUNCTION/NO DROP
 (G) DIRECT YES NO GIVE REASON BELOW

REMARKS HELIX UNABLE TO UTILIZE ORDNANCE WITH
FRAGGED FUZING (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 NOTE #2: BCM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER MAJ PAGE TIME 0805 DATE 9 AUG 69
 SQUADRON VMA-311 CALL SIGN HB 151 MSN NO. 6151 FLT 182
 T/O 0642 LAND 0750 TOTAL TIME 2.3

PILOTS		AIRCRAFT			
<u>PAGE</u>	<u>WC. 06</u>	DASC <u>DUNG HA</u>	TIME <u>0702</u>		
<u>GOOD</u>	<u>12</u>	CONTROLLER <u>SW 98.2</u>	TIME <u>0703</u>		
		TYPE CONTROLLER <u>DECA</u>			
		TYPE MISSION <u>CAS</u>			

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0715-28</u>	<u>Susp Troop Location</u>	<u>XD995635</u>	<u>0</u>
	<u>45</u>		

TGT TERRAIN Hilly TGT WX 400 @ VISIBILITY 5
 REL ANGLE 10° PASSES 8 INTERVAL 30 MIN ALT 1000
 ENROUTE ALT 18.5 RETURN ALT 9.5 TGT AIRSPEED 450
 ORDNANCE 12 D24 EXPENDED ALL JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1) 6
 BDA 90 % 90 % ADDITIONAL

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 3RD MAR DIV OPERATION Idaho Canyon
 ENROUTE WX 400 @ 1000 / @ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS _____
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION 0700 REASON FOR UNKNOWN

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER BROOKS TIME 0740 DATE 9 Aug 69
 SQUADRON 311 CALL SIGN HB 011 MSN NO. 6011 FLT 182
 T/O 0650 LAND 0723 TOTAL TIME 1.2

PILOTS

AIRCRAFT

Brooks 2 DASC Helix TIME 52
Phillips 10 CONTROLLER Helix TIME 53
 TYPE CONTROLLER AF 600A
 TYPE MISSION DA 5

TOT

DESCRIPTION

COORDINATES

PROVINCE

0659-0710 Known. Pos. B548708 5
55

TGT TERRAIN Hilly TGT WX 0 VISIBILITY 10
 REL ANGLE 300 PASSES 10 INTERVAL 3050 MIN ALT 600
 ENROUTE ALT 8.5 RETURN ALT 9.5 TGT AIRSPEED 450
 ORDNANCE 1202W4 EXPENDED All JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1)
 BDA 100 % 60 % ADDITIONAL 2 Trmb out - 20
meters trail line dest.

SECONDARY EXPLOSIONS 0 NUMBER — SIZE —
 UNIT SUPPORTED American OPERATION Geneva Park
 ENROUTE WX 0 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 PCM ENCOUNTERED — TIME — HOW DIRECTED —

ORDNANCE EFFECTIVENESS —

DEBRIEFER MARRETSON TIME 0845 DATE 9 AUG 69
 SQUADRON 311 CALL SIGN HB 581 MSN NO. 6581 FLT 152
 T/O 0735 LAND 0830 TOTAL TIME 1.6

PILOTS

AIRCRAFT

KRAUS WL 03 DASC DNG TIME 0749
GARRETSON 25 CONTROLLER KIMCHEE 3 TIME 0753
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
0805-20	BUNKERS	BT 011517	TIB
	19		

TGT TERRAIN FLAT TGT WX 100 (11) VISIBILITY 7
 REL ANGLE 20° PASSES 8 INTERVAL 30 sec MIN ALT 600
 ENROUTE ALT 8.5 RETURN ALT 3.5 TGT AIRSPEED 450
 ORDNANCE 8 D9 EXPENDED 7 D9 JETTISONED —
 ORDNANCE/RTB 1 D9 DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL 2 BUNKERS & 1 STRUCT DEST
2 SEC EXPL. 1 SMALL SUST. FIRE
 SECONDARY EXPLOSIONS 2 YES NUMBER 2 SIZE 35 MEDIUM
 UNIT SUPPORTED ROK MARINES OPERATION Victory Dragon
 ENROUTE WX 100 (11) (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS _____
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Sorensen TIME 1005 DATE 9 Aug 69
 SQUADRON 311 CALL SIGN HB MSN NO 6041 FLT 182
 T/O 0845 LAND 0955 TOTAL TIME 1.2

PILOTS Sorensen AIRCRAFT W623 DASC — TIME —
 CONTROLLER AN HQ TIME 0920
 TYPE CONTROLLER ASRT
 TYPE MISSION 720

TOT	DESCRIPTION	COORDINATES	PROVINCE
0930 - 0940	ENEMY BASE CAMP	AT 891312	3
	28		

TGT TERRAIN .R TGT WX 16.5 @ VISIBILITY 5
 REL ANGLE 606 PASSES 1 INTERVAL — MIN ALT 18.5
 REL ALT 18.5
 ENROUTE ALT 14.5 RETURN ALT 23.5 TGT AIRSPEED 290
 ORDNANCE 602W/Y EXPENDED ALL JETTISONED NONE
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 EDA 100 % 100 % ADDITIONAL

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 5th MEINB M.D. OPERATION Durham Peak
 (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS _____
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

18

DEBRIEFER A2 TIME 1346 H DATE 9 AUG 69
 SQUADRON VMA-311 CALL SIGN HERCULES MSN NO. 6559 FLT 152
 T/O 1207 LAND 1325 TOTAL TIME 2.8

PILOTS

AIRCRAFT

MIXSON WL-14 DASC DONG HA TIME 1232
ZAKRZENSKI WL-18 CONTROLLER D.H. #31 TIME 1233
 TYPE CONTROLLER ASRT
 TYPE MISSION TPR

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1251-58</u>	<u>RIVER-FORD</u>	<u>XD 782344</u>	<u>QUANG TRI/LAOS</u>
	<u>61</u>		

TGT TERRAIN R TGT WX 80040/0 VISIBILITY 10+
 REL ANGLE 60 PASSES 2 INTERVAL 7 MIN MIN ALT 20.3
 ENROUTE ALT 18.5 RETURN ALT 9.5 TGT AIRSPEED 290
 ORDNANCE 403 402 EXPENDED ALL JETTISONED 1
 ORDNANCE/RTE — DUDS (SEE NOTE #1) —
 BDA 60% % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED "D" FORCE M.D. OPERATION ABDANG TON CANYON
 (LEAVE BLANK)

ENROUTE WX 80040/0 3-10 RW

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☒	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

20

DEBRIEFER MMT PAGE TIME 1345 DATE 9 AUG 69
 SQUADRON UUA-311 CALL SIGN HB 459 MSN NO. 0459 FLT 152
 T/O 1210 LAND 1327 TOTAL TIME 24 2.5

PILOTS

AIRCRAFT

PAGE WL-23 DASC DONG HA TIME 1230
GOOD -20 CONTROLLER RAKILICK 14 TIME 1231
 TYPE CONTROLLER MACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
1235-50	Enemy Position 55	XD001652 PD	1

TGT TERRAIN Hilly TGT WX 40 @ VISIBILITY 3
 REL ANGLE 20° PASSES 14 INTERVAL 30 MIN ALT 600 AGL
 REL ALT 2100 (1050 AGL)
 ENROUTE ALT 18.5 RETURN ALT 17.5 TGT AIRSPEED 450
 ORDNANCE 16 DIA / 409 EXPENDED ALL JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1) 0
 BDA 100 % 100 % ADDITIONAL

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED 3RD MAR DIV OPERATION Idaho Canyon
 (LEAVE BLANK)

ENROUTE WX 40 @ 90 @ 160 @

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS _____
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER McKellay TIME 1225 DATE 9 Aug 69
 SQUADRON 311 CALL SIGN HB MSN NO. 6227 FLT 12
 T/O 1102 LAND 1210-1212 TOTAL TIME 2.3

PILOTS

AIRCRAFT

Kelly WL 07 DASC Helix TIME 1105
Sanders 02 CONTROLLER Helix 33 TIME 1108
 TYPE CONTROLLER PAKA
 TYPE MISSION CAS

TOT

DESCRIPTION

COORDINATES

PROVINCE

1125-55 troops in contact BT 36/25 215
46

TGT TERRAIN level TGT WX 0 VISIBILITY 07
 REL ANGLE 20° PASSES 10 INTERVAL 30 MIN ALT low
 ENROUTE ALT 10.5 RETURN ALT 10.5 TGT AIRSPEED 450
 ORDNANCE 409/1601A EXPENDED all JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) 1 NAPE
 BDA 100 % 100 % ADDITIONAL 3 structures DEST, 3 DAM,
4 bunkers DEST.

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED AMERICAN OPERATION Genova Park
 (LEAVE BLANK)

ENROUTE WX 150 00

(A) HOSTILE FIRE	YES ☒	NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒	NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☒	NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒	NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒	NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒	NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☒	NO ☐	GIVE REASON BELOW

REMARKS (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

18

DEBRIEFER Witter TIME 1715 DATE 9 AUG 69
 SQUADRON 311 CALL SIGN HB 205 MSN NO. 6205 FLT 152
 T/O 1608 LAND 1708 TOTAL TIME 2.0

PILOTS		AIRCRAFT		
<u>MELVILLE</u>	<u>WL 25</u>		DASC	<u>TAKE ALPHA TIME 20</u>
<u>WITTER</u>	<u>WL 14</u>		CONTROLLER	<u>TAKE 73 TIME 25</u>
			TYPE CONTROLLER	<u>FACA FACA</u>
			TYPE MISSION	<u>CAS</u>

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1632-50</u>	<u>VC F HITCHES</u>	<u>BT 215226</u>	<u>4</u>
	<u>55</u>		

TGT TERRAIN LVL TGT WX 90 D / 10 VISIBILITY 10+
 REL ANGLE 30 PASSES 10 INTERVAL 45 SEC MIN ALT 800' REL ALT 4000'
 ENROUTE ALT 8500 RETURN ALT 5500 TGT AIRSPEED 450
 ORDNANCE 8 DM 220 EXPENDED ALL JETTISONED NEG

ORDNANCE/RTB NEG DUDS (SEE NOTE #1) -

BDA 100 % 80 % ADDITIONAL 6.5m SEC EXPL 8 SUST. FIRES
13 STRUCT. DESTR. 7 STRUCT DAM.

SECONDARY EXPLOSIONS YES NUMBER 6 SIZE SMALL

UNIT SUPPORTED AIRBORNE OPERATION -

ENROUTE WX 90 D / 10 (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS _____

(REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #2: ORDNANCE EFFECTIVENESS _____

30

222

DEBRIEFER Davis TIME 1330 DATE 9 Aug 69
 SQUADRON 3H CALL SIGN HB 157 MSN NO. 6157 FLT 152
 T/O 1202 LAND 1234 TOTAL TIME 1.2

PILOTS	AIRCRAFT	DASC	TIME
<u>Henkel</u>	<u>WL 10</u>	<u>Danang</u>	<u> </u>
<u>OATS</u>	<u>12</u>	CONTROLLER	TIME <u> </u>
		TYPE CONTROLLER	
		TYPE MISSION	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>N/A</u>	<u>No Drop</u>		

TGT TERRAIN TGT WX N/A VISIBILITY
 REL ANGLE PASSES INTERVAL MIN ALT
 ENROUTE ALT RETURN ALT TGT AIRSPEED
 ORDNANCE 809 EXPENDED JETTISONED 809
 ORDNANCE/RTB DUDS (SEE NOTE #1)
 BDA % % ADDITIONAL N/A

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED OPERATION (LEAVE BLANK)
 ENROUTE WX

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD <u> </u>
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE <u> </u>
(F) ABORT	YES NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES NO	GIVE REASON BELOW

REMARKS Both A/c lost radios - airborne abort
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION REASON FOR

NOTE #2: RECOVERABLE FUZE (DELAY/ARM DELAY)
 NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

311 201 MSN NO. 6201 FLT 142
 1300 LAND 1330 TOTAL TIME 5

PILOTS

AIRCRAFT

Tham WL 01
 DASC _____ TIME _____
 CONTROLLER _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT

DESCRIPTION

COORDINATES

PROVINCE

TEST HOP

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____
 ORDNANCE _____ EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES NO	FILE FLASH REPORT WITH BAR
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES NO	GIVE REASON BELOW

REMARKS _____

(REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ SCW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

PILOT PH LCLPS TIME 1435 DATE 10 August '69
 VMA-311 CALL SIGN [REDACTED]
 MON 21 MSN NO. 0936 FLT 1B2
 T/O 1255 LAND 1410 TOTAL TIME 1.6

PILOTS

AIRCRAFT

LTCOL Brooks
1LT PH LCLPS

8

25

DASC Hillsboro TIME 1320
 CONTROLLER Nail 39 TIME 1333
 TYPE CONTROLLER 4505 R210A
 TYPE MISSION ST

TOT

DESCRIPTION

COORDINATES

PROVINCE

1333-1334

Road cut

XD677036

F

62

1618 10634

TGT TERRAIN flat TGT WX 130 ⊕ VISIBILITY 8
 REL ANGLE 45° PASSES 2 INTERVAL 30 sec MIN ALT 5000
 ENROUTE ALT 12500 RETURN ALT 15,500 TGT AIRSPEED 450
 ORDNANCE 12 D2 W.Y. EXPENDED all JETTISONED None
 ORDNANCE/RTB None DUDS (SEE NOTE #1) None
 BDA 100 % Protrusion ADDITIONAL 5 meter road cut

SECONDARY EXPLOSIONS None NUMBER SIZE

UNIT SUPPORTED 7th AF OPERATION

ENROUTE WX DLV (LEAVE BLANK)

(A) HOSTILE FIRE YES ☒ NO
 (B) AIRBURST YES ☒ NO
 (C) ACFT HIT YES ☒ NO
 (D) RECON INSERT/EXTRACT YES ☒ NO
 (E) BDA REPORTED YES ☒ NO
 (F) ABORT YES ☒ NO
 (G) DIRECT YES ☒ NO

FILE FORM WITH BARREL
 FILE FORM WITH BARREL
 FILE FLASH REPORT WITH BARRE
 CIRCLE ONE/COORD
 IF ADDITIONAL CIRCLE
 ACFT MALFUNCTION/NO DROP
 GIVE REASON BELOW

REMARKS (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION REASON FOR

NOTE #2: RECOVERABLE FUZE (DELAY/ARM DELAY)
 FROM ENCOUNTERED TIME SOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

1615
 UPS
 TO
 RAY

10 Aug 69

311 CALL SIGN 204 MSN NO. 6204 FLT 102

T/O 1000 LAND 1030 TOTAL TIME 5

PILOTS them AIRCRAFT WL.00

DASC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT _____ DESCRIPTION _____ COORDINATES _____ PROVINCE _____

TEST HOR

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____
 ORDNANCE _____ EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____
 (LEAVE BLANK)

ENROUTE WX _____

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES NO	FILE FLASH REPORT WITH BARRE
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES NO	GIVE REASON BELOW

REMARKS _____
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

ORDNANCE EFFECTIVENESS _____

BRIEFER Light TIME 200 DATE 10 August 65
 311 46466
 SHADON CALL SIGN

T/01852 LAND 1932 TOTAL TIME 1.4 MSN NO. 4466 FLT 152/352

PILOTS

AIRCRAFT

Hampton Light

WL16 23

DASC 7 TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION Ferry from Udon

TOT

DESCRIPTION

COORDINATES

PROVINCE

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____
 ORDNANCE _____ EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED _____ OPERATION _____

ENROUTE WX _____ (LEAVE BLANK)

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES NO	GIVE REASON BELOW

REMARKS _____ (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE FUZE (DELAY/ARM DELAY)
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

MAJOR
UPCHURCH INT 2355 10 AUG 69
311 CALL SIGN HELLO BND
556 MSN NO. 6556 FTL 358
T/O 2245 LAND 2345 TOTAL TIME 1.0

PILOTS AIRCRAFT
UPCHURCH WL 20 DISC CHU LAI TIME 2250
CONTROLLER #37 TIME 2258
TYPE CONTROLLER ASRT
TYPE MISSION TPR

TOT DESCRIPTION COORDINATES PROVINCE
2302 SUSPECTED ENF LOC BS 385995 5
55
2308 SUSPECTED ENF LOC BS 364994

TGT TERRAIN R TGT WX 0 VISIBILITY 10
REL ANGLE 00 PASSES 2 INTERVAL — MIN ALT 14.0
ENROUTE ALT 14.0 RETURN ALT 20.0 TGT AIRSPEED 290
ORDNANCE 6 D2W/Y EXPENDED ALL JETTISONED —
ORDNANCE/RTE — DUDS (SEE NOTE #1) —
BDA — % — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
UNIT SUPPORTED AMERICAL OPERATION GENOVA PARK
(LEAVE BLANK)
ENROUTE WX R 1-00

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION REASON FOR

RECOVERABLE FUZE (DELAY/ARM DELAY)
NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

43

BRIEF WITTER TIME 2330 DATE 10 Aug 69
 STATION 311 CALL SIGN HB 554 MSN NO. 6544 FLT 352
 T/O 2207 LAND 2320 TOTAL TIME 1.2

PILOTS

AIRCRAFT

WITTERWL 19DASC AN HOATIME 2210CONTROLLER 26TIME 2215TYPE CONTROLLER ASRTTYPE MISSION TPQ

TOT

DESCRIPTION

COORDINATES

PROVINCE

2243ENEMY BASE CAMP AT 894312355TGT TERRAIN RTGT WX 140 0VISIBILITY 4REL ANGLE LVLPASSES 1INTERVAL —MIN ALT 14500REL ALT 18600ENROUTE ALT 14500RETURN ALT 21500TGT AIRSPEED 570 IASORDNANCE 6D2W4EXPENDED 6D2W4JETTISONED NEGORDNANCE/RTB NEGDUDS (SEE NOTE #1) —BDA —%—%ADDITIONAL —SECONDARY EXPLOSIONS —NUMBER —SIZE —UNIT SUPPORTED 5th AIRBORNEOPERATION Durham Peak

(LEAVE BLANK)

ENROUTE WX 130 0 140 0 / 0

(A) HOSTILE FIRE

YES

NO

FILE FORM WITH BARREL

(B) AIRBURST

YES

NO

FILE FORM WITH BARREL

(C) ACFT HIT

YES

NO

FILE FLASH REPORT WITH BARRE

(D) RECON INSERT/EXTRACT

YES

NO

CIRCLE ONE/COORD

(E) BDA REPORTED

YES

NO

IF ADDITIONAL CIRCLE

(F) ABORT

YES

NO

ACFT MALFUNCTION/NO DROP

(G) DIRECT

YES

NO

GIVE REASON BELOW

REMARKS

(REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION

REASON FOR

RECOVERABLE

FUZE (DELAY/ARM DELAY)

NOTE #2: COM ENCOUNTERED

TIME

HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

42

PILOT NOVICKIS TGT 2215 DATE 10 AUG 69
 SHADON 311 CALL SIGN 6506 MSN NO. 6506 FLT 352
 TO 2050 LAND 2150 TOTAL TIME 1.0

PILOTS

AIRCRAFT

NOVICKIS WLC06 DASC DOUG HA TIME 2015
 CONTROLLER VANDY TIME 2020
 TYPE CONTROLLER T-13
 TYPE MISSION TRQ

TOT

DESCRIPTION

COORDINATES

PROVINCE

2025 TROOP POSITION X1940 653 I Corps
45

TGT TERRAIN R TGT WX 1200 VISIBILITY VFR on top
 REL ANGLE — PASSES 2 INTERVAL — MIN ALT 2900
 ENROUTE ALT 18.5 RETURN ALT 23.5 TGT AIRSPEED 290
 ORDNANCE 6 D2 w/4 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA — % — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 3rd DIV OPERATION IDAHO canyon
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS —

(REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

39

REF ID: KRAUS TIME 2220 DATE 10 AUG 69
 SQUADRON 311 CALL SIGN AB55 MSN NO 6552 FLT 152
 T/O 2132 LAND 2226 TOTAL TIME 1.8

PILOTS KRAUS AIRCRAFT 2
PYC102 14
 DASC DAVANA TIME 2140
 CONTROLLER HOST DOG TIME 2145
 TYPE CONTROLLER FAC (A)
 TYPE MISSION CHS

TOT DESCRIPTION COORDINATES PROVINCE
2150 VC BASE AREA AT882867 3
2205 SS

TGT TERRAIN MTN TGT WX 90(4) VISIBILITY 3+
 REL ANGLE 30° PASSES 10 INTERVAL 30^{sec} MIN ALT 2300
 ENROUTE ALT 8.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 20014 EXPENDED 9/10 JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 1ST MAR DIV OPERATION —
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 (B) AIRBURST YES NO FILE FORM WITH BARREL
 (C) ACFT HIT YES NO FILE FLASH REPORT WITH BARRE
 (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
 (F) ABORT YES NO ACFT MALFUNCTION/NO DROP
 (G) DIRECT YES NO GIVE REASON BELOW

REMARKS —
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DECLASSIFIED

DEBRIEFER 040 TIME 1745 DATE 10 Aug 69
 SQUADRON 311 CALL SIGN HB 240 MSN NO. 6240 FLT CODE 152
 T/O 1626 LAND 1731 TOTAL TIME 2.2
 PILOTS A/C V-5
WITTER W208 DASC ~~W208~~ TIME 1630
0415 12 CONTROLLER Jake 42 TIME 1635
 TYPE CONTROLLER FACA
 TYPE MISSION cm

TOT	DESCRIPTION	COORDINATES	PROVINCE
1707-20	structures & bunkers 292	BS 349250	Phang Ngai 5

TGT TERRAIN valley TGT WX 90 0407 VISIBILITY 7
 REL ANGLE 30° PASSES 3 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 12.5 RETURN ALT 9.5 REL ALT 2000 TGT AIRSPEED 450
 ORDNANCE 20 D1Y EXPENDED 10 D1Y JETTISONED _____
 ORDNANCE/RTB 10 D1Y DUDS (SEE NOTE #1) _____
 BDA 100% 20 % ADDITIONAL BDA 4 brooches destroyed

C SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED American B-27 OPERATION _____
 (LEAVE BLANK)

ENROUTE WK _____

(A) HOSTILE FIRE	YES	NO	FIRE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: #2 Aircraft lost radios, could not drop.
 (REFERENCE NOTE #3)

NOTE #1: _____ DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: _____ ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
 NOTE #3: _____ ORDNANCE EFFECTIVENESS _____

DECLASSIFIED

DEBRIEFER Light TIME 2000 DATE 10 August 65
 SQUADRON 311 CALL SIGN 18466 MSN # 466 FLT CODE 152/342

T/O 1607 LAND 1755 TOTAL TIME 2.8

PILOTS A/C
Kelly - Saunders 4123-16

DASC Canary TIME 1615
 CONTROLLER 1 Mile 61 TIME 1611
 TYPE CONTROLLER FRCA
 TYPE MISSION CP5

TOT	DESCRIPTION	COORDINATES	PROVIDEN
1640-1652	Fertilized Trail	26245198	
	67		

TGT TERRAIN Hills TGT WX 3.0 VISIBILITY 5
 REL ANGE 200 PASSES 6 INTERVAL 30 sec MIN ALT 1000
 ENROUTE ALT 14.5 RETURN ALT 17.5 REL ALT 1200 TGT ALT 450
 ORDNANCE 4DS 16 DIA EXPENDED 411 JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE #1)
 BDA 100 % 35 % ADDITIONAL 4 structures destroyed
3 struct. damage

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED PRUN OPERATION (LEAVE BLANK)
 ENROUTE WX

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/C HIT	YES	NO	FILE FLASH REPORT WITH
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	<u>YES</u>	<u>NO</u>	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	A/C MALFUNCTION/NO D
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS:

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON

RECOVERABLE FUSE DELAY/ARM DELAY

NOTE #2: ECM ENCOUNTERED TIME HOW ELLECTED

NOTE #3: ORDNANCE EFFECTIVENESS

DESIGNEER UPCHURCH TIME 1610 DATE 10 AUG 69
 SQUADRON UMA 311 CALL SIGN HELLBORN MEN NO. 6570 FLT CODE 152
 T/O 1443 LAND 1500 TOTAL TIME 2.7
 PILOTS A/C
MCCLAY 02 DASC BICK TIME 1455
UPCHURCH 07 CONTROLLER BICK 36 TIME 1458
 TYPE CONTROLLER FAQA
 TYPE MISSION CAS

TGT	DESCRIPTION	COORDINATES	PROVINCE
<u>1520/34</u>	<u>KNOWN ENEMY LOC</u>	<u>YC302960</u>	<u>2</u>
	<u>55</u>		

TGT TERRAIN MOUNT TGT WX 3.5000 VISIBILITY 5
 REL ANGLE 20° PASSES 12 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 12.5 RETURN ALT 11.5 REL ALT 1300
 TGT AIRSPEED 450
 ORDNANCE 16 DIA/409 EXPENDED ALL JETTISONED
 ORDNANCE/RTB NONE DUDS (SEE NOTE #1)
 BDA 100 % 80 % ADDITIONAL BDA 2 BARRK DEST
2 SEC FIRES

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 101ST OPERATION CAMPBELL STRIKE
 (LEAVE BLANK)

ENROUTE WK SCOTD CUM + STAN

(A) HOSTILE FIRE	YES ☐	NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐	NO ☒	FILE FORM WITH BARREL
(C) A/C HIT	YES ☐	NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐	NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒	NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐	NO ☒	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☐	NO ☒	GIVE REASON BELOW

REMARKS: REFERENCE NOTE #3)

NOTE #1: — DUD REPORT LOCATION — REASON FOR —
— RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 NOTE #2: — ECM ENCOUNTERED — TIME — HOW DIRECTED —
 NOTE #3: — ORDNANCE EFFECTIVENESS —

EXPERIENCE PHILLIPS TIME 1555 DATE 10 July 69
 SQUADRON VMA-311 CALL SIGN HB 016 MSN NO. 6016 FLT CODE 152
 T/O 1457 LAND 1536 TOTAL TIME 1.5

PILOTS A/C

Brooks, Lt Col 6 DASC HELIX TIME 0453
PHILLIPS, 1st 10 CONTROLLER BILK 17 TIME 00-15
 TYPE CONTROLLER USAF (00904)
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVIDER
<u>1570-1575</u>	<u>HATCH Compound</u>	<u>B5084924</u>	<u>4</u>
	<u>22</u>		

TGT TERRAIN Hilly TGT WX 200-10 VISIBILITY 8
 REL ANGLE 30° PASSES 10 INTERVAL 30 sec MIN ALT 1500
 ENROUTE ALT 8500' RETURN ALT 7500' REL ALT 3000
 ORDNANCE 20 D1 x 4 EXPENDED 1901 TGT AIRSPEED 450
 JETTISONED NONE
 ORDNANCE/RTB 1 D1 x 4 DUDS (SEE NOTE #1) None
 BDA 100 % 75 % ADDITIONAL BDA 6 Hatches, 4 Bunkers

SECONDARY EXPLOSIONS None NUMBER SIZE
 UNIT SUPPORTED 101st Airborne OPERATION Lamar Plain
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO ☐	FILE FORM WITH BARREL
(C) A/C HIT	YES ☒ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒ NO ☐	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☒ NO ☐	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUSE (DELAY/ARM DELAY)

EXEMPTED MT Priority TIME 1525 DATE 10 Aug 69
 SQUADRON 34 CALL SIGN WB 022 MSN NO. 6022 FLT CODE 152
 T/O 1358 LAND 1503 TOTAL TIME 2.2

PILOTS A/C
McGlockey WL 25 DASC B/K Cont TIME 1402
Rasmussen 3 CONTROLLER B/K 36 TIME 1405
 TYPE CONTROLLER FAA(A)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROV. OF
<u>1435-1445</u>	<u>Cont. NVA PWs.</u>	<u>YC 299 935</u>	<u>2</u>
	<u>55</u>		

TGT TERRAIN 17/15 TGT WK 400 VISIBILITY 7
 REL ANGLE 30° PASSES 6 INTERVAL 30° MIN ALT 1500
 ENROUTE ALT 16.5 RETURN ALT 15.5 REL ALT 3000
 TGT AIRSPEED 450
 ORDNANCE 4030/4020 EXPENDED all JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE #1)
 BDA 100 % 100 % ADDITIONAL BDA

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 200mg 100 54A/B OPERATION Montgomery Road
 (LEAVE BLANK)

ENROUTE WK

(A) HOSTILE FIRE	YES ☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO	FILE FORM WITH BARREL
(C) A/C HIT	YES ☒ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒ NO	A/C MALFUNCTION/NO DROP
(G) DIVERT	YES ☒ NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR
 RECOVERABLE FUZE (DELAY/ARM DELAY)

DEBRIEFER MIXSON TIME 1445 DATE 10 Aug 69
 SQUADRON 311 CALL SIGN HB 566 MSN NO. 6566 FLT 152
 T/O 1322 LAND 1432 TOTAL TIME 2.4

PILOTS

AIRCRAFT

MIXSON
CRANFORD
WL 19
20

DASC. Bilk TIME 1345
 CONTROLLER Bilk 36 TIME 1330
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT

DESCRIPTION

COORDINATES

PROVINCE

1406-1415 Known Enemy Location YC307939 2
55

TGT TERRAIN mount TGT WX 930 VISIBILITY 7+
 REL ANGLE 20° PASSES 10 INTERVAL 30sec MIN ALT 600
 ENROUTE ALT 14.5 RETURN ALT 13.5 TGT AIRSPEED 450
 ORDNANCE 16 DIA 409 EXPENDED 14 DIA 409 JETTISONED —
 ORDNANCE/RTB 2 DIA DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 3rd Brig 101st AB Div OPERATION Campbell Striker
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS —
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

22

DERRIEFER CAMILL TIME 1430 DATE 10 Aug
 SQUADRON 311 CALL SIGN H3458 MSN NO. 6458 FLT 152
 T/O 1158 LAND 1358 TOTAL TIME 4.1

PILOTS

AIRCRAFT

CAMILL WL11 DASC Danano TIME 1325
CARRATSON 23 CONTROLLER Hostage "K" TIME 1330
 TYPE CONTROLLER FAC (P)
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1330/1337</u>	<u>TRUP POSIT</u>	<u>AT872632</u>	<u>3</u>
	<u>SS</u>		

TGT TERRAIN Hilly TGT WX 8000 VISIBILITY 10T
 REL ANGLE 20° PASSES 6 INTERVAL 30 sec MIN ALT 500 AGL
 ENROUTE ALT 20.5 RETURN ALT 9.5 TGT AIRSPEED 450
 ORDNANCE 2D9/18D1A EXPENDED ALL JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA 100 % 100 % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 1st MAR DIV OPERATION _____
 ENROUTE WX 1600 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS _____
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE FUZE (DELAY/ARM DELAY)
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

21

DEBRIEFER MAJOL PAGE TIME 1330 DATE 10 AUG 69
 SQUADRON UMA-311 CALL SIGN HB-218 MSN NO. 6218 FLT 152
 T/O 1152 LAND 1310 TOTAL TIME 2.6

PILOTS

AIRCRAFT

PAGE WL-02 DASC DONE HA TIME 1210
WHITE 07 CONTROLLER SW 98-9 TIME 1215
 TYPE CONTROLLER TACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1230-43</u>	<u>MORTAR POSITION</u>	<u>XD 93 N 46</u>	<u>1</u>
	<u>58</u>		

TGT TERRAIN Hilly TGT WX 35 @ VISIBILITY 5
 REL ANGLE 20° PASSES 14 INTERVAL 30 MIN ALT 600 AGL
 ENROUTE ALT 18.5 RETURN ALT 23.5 TGT AIRSPEED 450
 ORDNANCE 16 DIA / 409 EXPENDED ALL JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1) 0
 BDA 100 % 100 % ADDITIONAL

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3RD MAR DIV OPERATION Utah Canyon
 ENROUTE WX 100 @ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS _____
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

19

DEBRIEFER PHILLIPS TIME 1145 DATE 10 August 69
 SQUADRON VMA-311 CALL SIGN HB 014 MSN NO. 6014 FLT 152
 T/O 1051 LAND 1131 TOTAL TIME 1.7

PILOTS

AIRCRAFT

<u>LT Col Brooks</u>	<u>3</u>	DASC <u>BILK</u>	TIME <u>1055</u>
<u>LT PHILLIPS</u>	<u>25</u>	CONTROLLER <u>BILK 29</u>	TIME <u>1100</u>
		TYPE CONTROLLER <u>ASAF 10618</u>	
		TYPE MISSION <u>DAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1105-1115</u>	<u>INFILTRATION RT.</u>	<u>AT 877936</u>	<u>2</u>
	<u>6.2</u>		

TGT TERRAIN Hilly TGT WX 1100/40 VISIBILITY 10
 REL ANGLE 30° PASSES 10 INTERVAL 30 sec MIN ALT 600
 ENROUTE ALT 12,500 RETURN ALT 9,500 TGT AIRSPEED 450
 ORDNANCE 403x, 402x EXPENDED ALL JETTISONED None
 ORDNANCE/RTB NONE DUDS (SEE NOTE #1) None
 BDA 100 % 50 % ADDITIONAL 3 frail cuts, one bunker destroyed

SECONDARY EXPLOSIONS None NUMBER _____ SIZE _____

UNIT SUPPORTED 2nd Bn 101 Airborne OPERATION Kentucky Johnson
 (LEAVE BLANK)

ENROUTE WX 10

(A) HOSTILE FIRE	YES	☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☒ NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	☒ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	☒ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES	☒ NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	☒ NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	☒ NO	GIVE REASON BELOW

REMARKS _____
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

Me

DEBRIEFER Davis TIME 1130 DATE 10 Aug 68
 SQUADRON 311 CALL SIGN HB 454 MSN NO. 6454 FLT 152
 T/O 1000 LAND 1120 TOTAL TIME 2.6

PILOTS AIRCRAFT
Davis WL 06 DASC Ang Hg TIME 1040
CRANFORD 20 CONTROLLED Scav. 98-5 TIME 1042
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1045-1053 58 XD948644 Quang Tri
58

TGT TERRAIN hilly TGT WX 4000 VISIBILITY 7
 REL ANGLE 20° MIN ALT 600
 PASSES 10 INTERVAL 30secs REL ALT 1200
 ENROUTE ALT 22.5 RETURN ALT 23.5 TGT AIRSPEED 450
 ORDNANCE 16 DIA / 409 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) YES
 BDA 100 % 100 % ADDITIONAL 1 trail cut, 1 sec expl., 1 residual
fire, 1 probable KBMA.
 SECONDARY EXPLOSIONS YES NUMBER 1 SIZE ?
 UNIT SUPPORTED 3rd Mar Div OPERATION DAHO CANYON
 (LEAVE BLANK)
 ENROUTE WX —

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS —
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION XD948644 REASON FOR ?

NOTE #2: RECOVERABLE ? FUZE (DELAY/ARM DELAY) 2 secs
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS OK

13

DEBRIEFER Sorensen TIME 1040 DATE 10 AUG 69
 SQUADRON 311 CALL SIGN H8012 MSN NO. 6012 FLT 152
 T/O 0925 LAND 1030 TOTAL TIME 2.2

PILOTS	AIRCRAFT	DASC	TIME
<u>KOLY</u>	<u>WL 10</u>		
<u>SORENSEN</u>	<u>WL 16</u>	CONTROLLER <u>KIMCHI</u>	TIME <u>0945</u>
		TYPE CONTROLLER <u>TAC(4)</u>	
		TYPE MISSION <u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0945-1015</u>	<u>Enemy Structures</u>	<u>BT120514</u>	<u>3</u>
	<u>22</u>		

TGT TERRAIN LVL TGT WX 1400 VISIBILITY 0
 REL ANGLE 20° PASSES 10 INTERVAL 3052 MIN ALT 600
 ENROUTE ALT 10.5 RETURN ALT 5.5 TGT AIRSPEED 450
 ORDNANCE 5022/429 EXPENDED ALL JETTISONED NONE
 ORDNANCE/RTB - DUDS (SEE NOTE #1) -
 BDA 95 % 100 % ADDITIONAL 2 BUNKERS DEST

SECONDARY EXPLOSIONS YES NUMBER 1 SIZE MED
 UNIT SUPPORTED ROK MC OPERATION Victory Dragon
 (LEAVE BLANK)
 ENROUTE WX -

(A) HOSTILE FIRE	☒ YES ☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	☒ YES ☐ NO	FILE FORM WITH BARREL
(C) ACFT HIT	☒ YES ☐ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	☒ YES ☐ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES ☐ NO	IF ADDITIONAL CIRCLE
(F) ABORT	☒ YES ☐ NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	☒ YES ☐ NO	GIVE REASON BELOW

REMARKS _____
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

9

DEBRIEFER Melville TIME 1137 DATE 10 AUG 69
 SQUADRON 311 CALL SIGN HB 588 MSN NO. 6590 FLT 182
 T/O 0853 LAND 1125 TOTAL TIME 2.3
2.6

PILOTS AIRCRAFT
Melville WL 14 DASC DNG TIME 1030
ZAKRZewski 19 CONTROLLER Host Bull TIME 1032
SBP 2 Saeties No Drop TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
1052/1103	Troops in open + in Hooclen with <u>PMES</u> + RIFLES	2C 158457	1C <u>3</u>

TGT TERRAIN HILLS TGT WX 14.0 VISIBILITY 0.29+
 REL ANGLE 30° PASSES 10 INTERVAL 30 sec MIN ALT 1000
 ENROUTE ALT 22,000 RETURN ALT 8.5 TGT AIRSPEED 450
 ORDNANCE 8DU/2DS/4DS EXPENDED all JETTISONED none
 ORDNANCE/RTB none DUDS (SEE NOTE #1) none
 BDA 100 % 100 % ADDITIONAL 3 Hooclen NA Bunker Out
4 KBA

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 1st mm DIV OPERATION Dinhnam Peak
 ENROUTE WX 14.0/100 Layered to 21.5 (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS Super CAP - 0-8 Requested DANANG DASC
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

14

REF ID: 774 Clay TIME: 0300 DATE: 11 AUG 69
 CALL SIGN: 311 CALL SIGN: 6574 MSN NO. 6574 FIT 452
 T/O: 0123 LAND: 0245 TOTAL TIME: 14

PILOTS: M. Clay AIRCRAFT: WLO7
 DASC: _____ TIME: _____
 CONTROLLER: AN H001 TIME: 0205
 TYPE CONTROLLER: ASIT
 TYPE MISSION: TP9

TOT: 0215-030 DESCRIPTION: Enemy Location COORDINATES: AT 897319 PROVINCE: 3?
55

TGT TERRAIN: R TGT WX: 140 @ VISIBILITY: 10
 REL ANGLE: 0000 PASSES: 2 INTERVAL: _____ MIN ALT: 140'
 ENROUTE ALT: 18.5 RETURN ALT: 12.5 TGT AIRSPEED: 290
 ORDNANCE: 6P244 EXPENDED: ALL JETTISONED: _____
 ORDNANCE/RTB: _____ DUDS (SEE NOTE #1): _____
 BDA: Unk % ADDITIONAL: _____

SECONDARY EXPLOSIONS: _____ NUMBER: _____ SIZE: _____
 UNIT SUPPORTED: Self Defense MD OPERATION: Durham Peak
 ENROUTE WX: 14.0 @ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARRE
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT/Indirect	YES	NO	GIVE REASON BELOW

REMARKS: Don't HA ASIT handle to hold lock Diverted By
Vice 59400 to AN H001 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION: _____ REASON FOR: _____
 RECOVERABLE: _____ FUZE (DELAY/ARM DELAY): _____
 NOTE #2: ECM ENCOUNTERED: _____ TIME: _____ HOW DIRECTED: _____
 ORDNANCE EFFECTIVENESS: _____

BRIEFING GOOD TIME 0600 DATE 11 AUG 69
 311 CALL SIGN HB 578 MSN NO. 6518 FLT 352
 T/O 0340 LAND 0525 TOTAL TIME 1.8

PILOTS

AIRCRAFT

GOOD WL 61 DASC BIRMINGHAM TIME 0400
 CONTROLLER ASRT TIME 0400
 TYPE CONTROLLER ASRT
 TYPE MISSION TPA

TOT

DESCRIPTION

COORDINATES

PROVINCE

0400-0500 KNOWN ENEMY LOCATION YD578088 2
55

TGT TERRAIN R TGT WX 1500 VISIBILITY 2
 REL ANGLE — PASSES 1 INTERVAL — MIN ALT 12,000
 ENROUTE ALT 14,500 RETURN ALT 27,500 TGT AIRSPEED 400
 ORDNANCE 602W/Y EXPENDED ALL JETTISONED NONE
 ORDNANCE/RTB NONE DUDS (SEE NOTE #1) NONE
 EDA — Wh % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 101ST A.B. OPERATION Kentucky Hammer
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES ☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☒ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒ NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☒ NO	GIVE REASON BELOW

REMARKS (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: ECM ENCOUNTERED RECOVERABLE FUZE (DELAY/ARM DELAY) —
 TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

PILOT KRAUS TIME 0920 DATE 11 AUG 69
 PILOT 311 CALL SIGN HBO41 MSN NO. 6041 FLT 52
 T/O 0720 LAND 0855 TOTAL TIME 13 26

PILOTS
KRAUS
CRUIKSHANK
 AIRCRAFT
23
06
 AS-1
 DASC 15 TIME 11 38
 CONTROLLER BIRMINGHAM
 TYPE CONTROLLER ASRAT
 TYPE MISSION TPQ

TOT DESCRIPTION COORDINATES PROVINCE
0815-0820 SUSPECTED Emey YC 728887 2
LOCATION 55

TGT TERRAIN MOUNTAINOUS TGT WX 240 @ VISIBILITY 5
 REL ANGLE LEVEL PASSES 2 INTERVAL 1000 MIN ALT 24,500
 ENROUTE ALT 8500 RETURN ALT 25,500 TGT AIRSPEED 290
 ORDNANCE #D2W/403W EXPENDED SAME JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) — ?
 BDA — % ADDITIONAL —

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED 101ST AB OPERATION Kentucky Jumper
 ENROUTE WX 85 @ LAYER TO 240 U @ 5 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS

(REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION REASON FOR

RECOVERABLE FUZE (DELAY/ARM DELAY)
 NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

PILOT MMT PAGE TIME 0950 DATE 11 AUG 69
 SQUAD VMA-311 CALL SIGN 11-57 MSN NO. 6451 FLT 152
 TO 0755 LAND 0944 TOTAL TIME 3.6

PILOTS	AIRCRAFT	DASC	TIME
<u>PAGE</u>	<u>03</u>	<u>DA NAME</u>	<u>0910</u>
<u>WHITE</u>	<u>25</u>	CONTROLLER <u>LOPEZ</u>	TIME <u>0912</u>
		TYPE CONTROLLER <u>TACA</u>	
		TYPE MISSION <u>MS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0915-25</u>	<u>Susp. Enemy Position</u>	<u>26.149671</u>	<u>3</u>
	<u>SS</u>		

TGT TERRAIN Hilly TGT WX 80 @ VISIBILITY 3-8
 REL ANGLE 20° PASSES 10 INTERVAL 30 MIN ALT 6000 AGL
 ENROUTE ALT 24.5 RETURN ALT 5.5 TGT AIRSPEED 450
 ORDNANCE 12 DIA 409 EXPENDED ALL JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1) 0
 BDA 100 % 100 % ADDITIONAL 1 See Enpl

SECONDARY EXPLOSIONS YES NUMBER 1 SIZE SOFT WHITE
 UNIT SUPPORTED 51st RIA OPERATION (LEAVE BLANK)
 ENROUTE WX 130 @

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARRE
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS _____
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

PILOT A2 TIME 1310 DATE 11 AUG 1967
 SHADON VMA-311 CALL SIGN HULLBURN MSN NO. 6585 FLT 152
 T/O 1116 LAND 1224 TOTAL TIME 3.1

PILOTS

AIRCRAFT

KELLY WL07 DASC DONG HA TIME 1138
ZAKRZEWSKI WL18 CONTROLLER CORN-COR 22 TIME 1140
 TYPE CONTROLLER TAC(A)
 TYPE MISSION DAS

TOT

DESCRIPTION

COORDINATES

PROVINCE

1150-1200 BUNKER COMPLEX XD812189 QUANG TRI
19

TGT TERRAIN ROLLING TGT WX 20001000 VISIBILITY 7
 REL ANGLE 30 PASSES 6 INTERVAL 45 sec MIN ALT 1100
 ENROUTE ALT 13.5 RETURN ALT 13.5/11.5 TGT AIRSPEED 450
 ORDNANCE 4D3X4D2X EXPENDED AN JETTISONED NO
 ORDNANCE/RTB NO DUDS (SEE NOTE #1) NO
 BDA 100% 100 % ADDITIONAL NO

SECONDARY EXPLOSIONS NO NUMBER SIZE

UNIT SUPPORTED 3RD MDE DIV OPERATION Arlington Canyon
 (LEAVE BLANK)

ENROUTE WX 1400/0 2-10 R

(A) HOSTILE FIRE	YES ☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☒ NO	FILE FLASH REPORT WITH BARRE
(D) RECON INSERT/EXTRACT	YES ☒ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒ NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☒ NO	GIVE REASON BELOW

REMARKS NO

(REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION REASON FOR

NOTE #2: RECOVERABLE FUZE (DELAY/ARM DELAY)
 ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

REFERENCE CAPT OATIS TIME 1400 DATE 11/29/69
 SHADSO 11MA311 CALL SIGN H8459 MSN NO. 6459 FIT 15.2
 T/O 1205 LAND 1340 TOTAL TIME 3.2

PILOTS

AIRCRAFT

OATIS WL02
CRANFORD 19

DASC Dong HA TIME 1230
 CONTROLLER EAT KILLER TIME 1245
 TYPE CONTROLLER FACA
 TYPE MISSION EAS

TOT

DESCRIPTION

COORDINATES

PROVINCE

1300-1309 Enemy Pos 4D058704 1
SS

TGT TERRAIN 150 FT TGT WX 60 @ 100 VISIBILITY 7+
 REL ANGLE 20 PASSES 12 INTERVAL 30 sec MIN ALT 600
 ENROUTE ALT 22500 RETURN ALT 14500 TGT AIRSPEED 450
 ORDNANCE 12DIA 4D9 EXPENDED 12DIA 4D9 JETTISONED NONE
 ORDNANCE/RTB NONE DUDS (SEE NOTE #1) NONE
 BDA 90% 90% ADDITIONAL 3 bunkers, 1 secondary
explosion, Rockets laying around.
 SECONDARY EXPLOSIONS ✓ NUMBER 1 SIZE Medium
 UNIT SUPPORTED 3rd MAR Div OPERATION Idaho Canyon
 ENROUTE WX 100 @ 140 @ (LEAVE BLANK)

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) ACFT HIT
 (D) RECON INSERT/EXTRACT
 (E) BDA REPORTED
 (F) ABORT
 (G) DIRECT

YES	NO	FILE FORM WITH BARREL
YES	NO	FILE FORM WITH BARREL
YES	NO	FILE FLASH REPORT WITH BARREL
YES	NO	CIRCLE ONE/COORD
YES	NO	IF ADDITIONAL CIRCLE
YES	NO	ACFT MALFUNCTION/NO DROP
YES	NO	GIVE REASON BELOW

REMARKS

(REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

PILOT Light TIME 1410 DATE 11 August 69
 SQUADRON 311 CALL SIGN 16011 MSN NO. 6011 FIT 153
 T/O 1249 LAND 1350 TOTAL TIME 2.0

PILOTS

AIRCRAFT

McCleskey OK 16 DASC Bill Control TIME 1259
Light OK 12 CONTROLLER Bill 32 TIME 1263
 TYPE CONTROLLER FACR
 TYPE MISSION DAS

TOT

DESCRIPTION

COORDINATES

PROVINCE

1310-1320 Enemy Location 4C 501854 2
SS

TGT TERRAIN Hills TGT WX 55 @ 10000 VISIBILITY 5

REL ANGLE 30° PASSES 6 INTERVAL 30 sec MIN ALT 1500

ENROUTE ALT 12.5 RETURN ALT 11.5 TGT AIRSPEED 450

ORDNANCE 20 D1W/4 EXPENDED all JETTISONED —

ORDNANCE/RTB — DUDS (SEE NOTE #1) —

BDA 100 % 100 % ADDITIONAL 2 secondary explosions

6 bunkers destroyed, 1 structure destroyed

SECONDARY EXPLOSIONS 2/4 NUMBER 2 SIZE small

UNIT SUPPORTED 2nd Brigade 1st SF AB OPERATION Campbell Stalker
 (LEAVE BLANK)

ENROUTE WX 140 @

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS _____
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

C

WRITER MARRETSON TIME 1500 DATE 11 AUG 69
 CALL SIGN 311 CALL SIGN HB463 MSN NO. 6463 FLT 152
 T/O 1402 LAND 1452 TOTAL TIME 1.6

PILOTS	AIRCRAFT	DASC	TIME
<u>TOMASKO</u>	<u>WL 14</u>	<u>---</u>	<u>---</u>
<u>GARRETSON</u>	<u>20</u>	CONTROLLER <u>LOPEZ</u>	TIME <u>1408</u>
		TYPE CONTROLLER <u>FOR 4</u>	
		TYPE MISSION <u>CBP (CAS)</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1445-27</u>	<u>TROOPS IN CTC</u>	<u>AT 795416</u>	<u>THB</u>
	<u>45</u>		

TGT TERRAIN MTN TGT WX 1000 VISIBILITY 7
 REL ANGLE 10° PASSES 10 INTERVAL 30sec MIN ALT 600
 ENROUTE ALT 10.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 12 DIA 409 EXPENDED ALL JETTISONED ---
 ORDNANCE/RTB --- DUDS (SEE NOTE #1) ---
 BDA 100 % 50 % ADDITIONAL 1 Secondary Exp

SECONDARY EXPLOSIONS YES NUMBER 1 SIZE LARGE
 UNIT SUPPORTED Army Special Forces OPERATION ---
 ENROUTE WX 120 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS _____
(REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

PILOT MAJ. McCLAY TIME 1620 DATE 11 AUG. '69
 CALL SIGN UMA-311 AB017 MSN NO. 6017 FLT 152
 T/O 1515 LAND 1600 TOTAL TIME 1.6

PILOTS

AIRCRAFT

McCLAY
RASMUSSEN

WL-18
WL-03

DASC HELLY TIME 1520
 CONTROLLER BELKIS TIME 1523
 TYPE CONTROLLER EAC(A)
 TYPE MISSION CAS

TOT

DESCRIPTION

COORDINATES

PROVINCE

1525-1545 ENEMY CAVES BT 218055 4
40

TGT TERRAIN HELLY TGT WX 1000 VISIBILITY 7
 REL ANGLE 30° PASSES 15 INTERVAL 30 sec MIN ALT 1500
 ENROUTE ALT 10.5 RETURN ALT 7.5 REL ALT 3000
 ORDNANCE (12) D2W/Y EXPENDED ALL TGT AIRSPEED 450
 ORDNANCE/RTB NONE JETTISONED NONE
 ORDNANCE/RTB NONE DUDS (SEE NOTE #1) _____
 BDA 100 % 8.5 % ADDITIONAL NONE

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 101ST A.B. OPERATION Lamar Plain
 ENROUTE WX 1000 7 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS

(REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

PILOT CAPT. WHITE TIME 1800 DATE 11 AUG 1969
 SQUADRON 1 MA 311 CALL SIGN H B #237 MSN NO. 6237 FLT ✓
 T/O 1630 LAND 1740 TOTAL TIME 1.2

PILOTS

AIRCRAFT

MAJ MIRON
CAPT WHITE

1208

DASC DONG HA TIME 1645
 CONTROLLER CAT KILLER TIME 1655
 TYPE CONTROLLER DEAF
 TYPE MISSION DT

TOT

DESCRIPTION

COORDINATES

PROVINCE

1700 HILLY COUNTRY 20 018684 0
1708 FORTIFIED AREA 55

TGT TERRAIN HILLY TGT WX 500 @ 2000 VISIBILITY 2 AM
 REL ANGLE 10° PASSES 6 INTERVAL 30 SEC MIN ALT 800 REL ALT 1050
 ENROUTE ALT 12.5 RETURN ALT 13.5 TGT AIRSPEED 450
 ORDNANCE 12 DIA / 409 / 120 EXPENDED 12 DIA / 409 / 120 JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE #1) 0
 BDA 100 % 10 % ADDITIONAL 4 BUNKERS DEST.

SECONDARY EXPLOSIONS 0 NUMBER 0 SIZE —

UNIT SUPPORTED 3RD MAR DIV OPERATION Idaho Canyon
 (LEAVE BLANK)

ENROUTE WX 130 @ 7

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☒ NO ☐	GIVE REASON BELOW

REMARKS

(REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

OPERATOR UPCHURCH TIME 1920 D- 11A4669
 CALL SIGN 311 TELLWORTH
 019 MSN NO. 6019 FLT 152
 T/O 1235 LAND 1910/1920 TOTAL TIME 5.3

PILOTS UPCHURCH AIRCRAFT 07 DASC DONG HA TIME 1755
NOVICKIS 20 CONTROLLER CATKILLER 40 TIME 1810
 TYPE CONTROLLER FACA
 TYPE MISSION DAS

TOT 1814/22 DESCRIPTION BUNKER COMPLEX COORDINATES YD 018684 PROVINCE 1
19

TGT TERRAIN Hilly TGT WX 200 VISIBILITY 5
 REL ANGLE 20° PASSES 8 INTERVAL 30' MIN ALT 1500
 ENROUTE ALT 22.5 RETURN ALT 24.5 TGT AIRSPEED 450
 ORDNANCE 12 D24/y EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL 9 BUNKERS
DESTROYED

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 10RTH MD. OPERATION 10RTH MD. CANYON
 ENROUTE WX PODS (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☒ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☒ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIVERGENT	YES ☒ NO ☐	GIVE REASON BELOW

REMARKS DIVERGENT FROM DONG HA ASRT WHO COULD NOT
KEEP FLIGHT LOCKED UP AFTER 2 PASSES. AUTHORITY
WAS JOY RIDE. (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

PILOT McNille TIME 1500 DATE 11 AUG 69
 CALL SIGN 311 HB 205 MSN NO. 6205 FLT 152
 T/O 1330 LAND 1453 TOTAL TIME 2.8

PILOTS McNille AIRCRAFT WL 23 DASC DONS 17A TIME 1350
good 06 CONTROLLER DONS HA ASSET TIME 1352
 TYPE CONTROLLER ASRT
 TYPE MISSION TPP

TOT 1410/1423 DESCRIPTION Bunker COORDINATES XD797211 PROVINCE 1 Cfun
19

TGT TERRAIN WTR TGT WX 120 @ VISIBILITY 5
 REL ANGLE 444 PASSES 2 INTERVAL 10 min MIN ALT 20,000
 ENROUTE ALT 20,000 RETURN ALT 22,000 TGT AIRSPEED 290
 ORDNANCE 4024 4034 EXPENDED all JETTISONED none
 ORDNANCE/RTB none DUDS (SEE NOTE #1) —
 BDA — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED Del B² Forward OPERATION Arlington Canyon
 ENROUTE WX 120 @/ @ 5 (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☒	GIVE REASON BELOW

REMARKS —

(REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —NOTE #2: ORDNANCE EFFECTIVENESS —

PILOT Kelly TIME 0020 DATE 12 Aug 69
 -3111
 CALL SIGN H8511 MSN NO. 6511 FLT 452
 T/O 2251 LAND 0016 TOTAL TIME 1.4

PILOTS Kelly AIRCRAFT WL 16
 DASC _____ TIME _____
 CONTROLLER VANDY ASRT TIME 1120
 TYPE CONTROLLER ASRT
 TYPE MISSION TP9

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>236</u>	<u>Bunker</u>	<u>XD850616</u>	<u>1</u>
<u>19</u>			

TGT TERRAIN R TGT WX 130 @ VISIBILITY 10
 REL ANGLE level PASSES 1 INTERVAL _____ MIN ALT 15100
 ENROUTE ALT 18.5 RETURN ALT 21.5 TGT AIRSPEED 290
 ORDNANCE 1001Y EXPENDED A11 JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED BTRD machines OPERATION Georgia TAR
 ENROUTE WX 130 @ v @ 10 (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☒	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) <u>DIVERT</u>	YES ☒ NO ☐	GIVE REASON BELOW

REMARKS divert to Vandy ASRT from Dong Ha
ASRT. Reason - (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

C

DEBRIEFER _____ TIME _____ DATE 12 Aug 69
 SQUADRON 311 CALL SIGN 233 MSN NO. 6233 FLT 122
 T/O 1000 LAND 1030 TOTAL TIME .5

PILOTS AIRCRAFT
THEM 00 DASC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT DESCRIPTION COORDINATES PROVINCE
TEST HOP

TGT TERRAIN _____ TGT WEATHER _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 ENROUTE ALT _____ RETURN ALTITUDE _____ TGT AIRSPEED _____
 ORDNANCE _____ EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____
 (LEAVE BLANK)

ENROUTE WEATHER _____
 (A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 (B) AIRBURST YES NO FILE FORM WITH BARREL
 (C) ACRFT HIT YES NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORDNANCE
 (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
 (F) ABORT YES NO AIRCRAFT MALFUNCTION/NO DROP
 (G) DIVERT YES NO GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

NOTE #4: CONTROLLER EFFECTIVENESS _____

DEBRIEFER W. Keller TIME 1830 DATE 18 Aug 69
 SQUADRON UMA-311 CALL SIGN H.B. MSN NO. 6569 FLT 152
 T/O 1731 LAND 1810 TOTAL TIME 1.4

PILOTS AIRCRAFT
Sanders W. 12 DASC _____ TIME _____
Kelley 19 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION upon divert

TOT	DESCRIPTION	COORDINATES	PROVINCE
NO ORDNANCE			

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ REL ALT _____
 MIN ALT _____
 ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____
 ORDNANCE _____ EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
 BDA _____ % _____ ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER OF _____ SIZE OF _____
 UNIT SUPPORTED _____ OPERATION _____
 ENROUTE WEATHER 150 @ (LEAVE BLANK)

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR DUD _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ACM ENCOUNTERED _____ TIME _____ HOW DIVERTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____
 NOTE #4: CONTROLLER EFFECTIVENESS _____

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) ACFT HIT
 (D) RECON INSERT/EXTRACT
 (E) BDA REPORTED
 (F) ABORT
 (G) DIVERT

YES
 YES
 YES
 YES
 YES
 YES
 YES

NO
 NO
 NO
 NO
 NO
 NO
 NO

FILE FORM WITH BARREL
 FILE FORM WITH BARREL
 FILE FLASH REPORT WITH BARREL
 CIRCLE ONE (CROSS)
 IF ADDITIONAL CIRCLE
 ACFT MALFUNCTION/NO DROP
 GIVE REASON BELOW

0200 12/15/59
 34 CALL SIGN 116515 MSN NO. 6515 FLT 452
 0025 LAND 0635 TOTAL TIME 1.2

PILOTS

AIRCRAFT

0025 0635
 DASC 0045 TIME 0045
 CONTROLLER 116515 TIME 0045
 TYPE CONTROLLER 0545
 TYPE MISSION 109

TOT

DESCRIPTION

COORDINATES

PROVINCE

0055 NVA 905 X0999605 1
 55

TGT TERRAIN UNK TGT WX 1000 VISIBILITY 0
 REL ANGLE 0° PASSES 1 INTERVAL MIN ALT 15.5
 ENROUTE ALT 16.5 RETURN ALT 19.5 TGT AIRSPEED 390
 ORDNANCE 10014 EXPENDED ALL JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE #1)
 BDA % % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED 3RD MARDET OPERATION I DAHO CANYON
 (LEAVE BLANK)

ENROUTE WX

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION REASON FOR

RECOVERABLE FUZE (DELAY/ARM DELAY)
 NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

70M:Play TIME 1000 DATE 12 AUG 69
 311 CALL SIGN HB MSN NO. 6040 TIT 152
 T/O 0857 LAND 0945 TOTAL TIME 1.8

PILOTS

AIRCRAFT

MS:Play WL 23 DASC BILK TIME 0905
 Garretson 06 CONTROLLER BILK 36 TIME 0910
 TYPE CONTROLLER FAC(H)
 TYPE MISSION OAS

TOT

DESCRIPTION

COORDINATES

PROVINCE

0914-0925 CAVES 40 20149075 IR

TGT TERRAIN MTS. TGT WX 400 VISIBILITY 5A
 REL ANGLE 30° PASSES 8 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 10.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 403W 402W 024 EXPENDED ALL JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE #1)
 BDA 100 % 50 % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE

UNIT SUPPORTED 2nd Bn 101st AB OPERATION Kentucky Dancer
 (LEAVE BLANK)

ENROUTE WX 10 54

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS 1 CAVE

(REFERENCE NOTE # 3)

1 Bunker

NOTE #1: DUD REPORT LOCATION REASON FOR

RECOVERABLE FUZE (DELAY/ARM DELAY)
 NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

MISSION Melville TIME 1025 DATE 12 AUG 69
311 CALL SIGN 1212 MSN NO. 6212 FIT 152
T/O 0919 LAND 1009 TOTAL TIME 1.6

PILOTS Melville AIRCRAFT WL 19
WHITE 25
DASC DAG TIME 0925
CONTROLLER HOST 4000 TIME 0926
TYPE CONTROLLER FAEA
TYPE MISSION CR

TOT	DESCRIPTION	COORDINATES	PROVINCE
0935/0950	TROOPS IN A HOTEL ON TOP of A MTN	ZC 204703	3
	45		

TGT TERRAIN MTN TGT WX 800 VISIBILITY 3
REL ANGLE 446 PASSES 10 INTERVAL 308cc MIN ALT 5200
ENROUTE ALT 9.5 RETURN ALT 3.5 TGT AIRSPEED 450
ORDNANCE 12 DIA 4 DG EXPENDED 11 DIA 4 DG JETTISONED none
ORDNANCE/RTB 1 DIA DUDS (SEE NOTE #1) —
BDA 90 % 90 % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
UNIT SUPPORTED Recon (STRANDS CREEK) OPERATION —
ENROUTE WX — (LEAVE BLANK)

(A) HOSTILE FIRE	YES <u>NO</u>	FILE FORM WITH BARREL
(B) AIRBURST	YES <u>NO</u>	FILE FORM WITH BARREL
(C) ACFT HIT	YES <u>NO</u>	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES <u>NO</u>	CIRCLE ONE/COORD
(E) BDA REPORTED	YES <u>NO</u>	IF ADDITIONAL CIRCLE
(F) ABORT	YES <u>NO</u>	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES <u>NO</u>	GIVE REASON BELOW

REMARKS — (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE FUZE (DELAY/ARM DELAY)
SCM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

REF ID: A2 TIME 1120H DTG 12 AUG 69
 SQUADRON VMA-311 CALL SIGN ~~XXXXXXXXXX~~ NEWBORN MSN NO 6018 FLT 182
 T/O 0955 LAND 1105 TOTAL TIME 2.4

PILOTS AIRCRAFT
 TOMASKO WL-16 DASC DONG NA TIME 1020
 ZAKRZEWSKI WL-08 CONTROLLER EVERETT-14 TIME 1125
 TYPE CONTROLLER FAC (G)
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
 1025-35 ENEMY LOCATION XD 920625 Q/ANGTAL
 55

TGT TERRAIN MM TGT WX 90 @ VISIBILITY 8
 REL ANGLE 20 PASSES 10 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 10.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 10D2A/209/20mm EXPENDED A11 JETTISONED
 ORDNANCE/RTB DUDS (SEE NOTE #1)
 BDA 100 % 100 % ADDITIONAL

SECONDARY EXPLOSIONS NUMBER SIZE
 UNIT SUPPORTED 4th 3rd BATTALIES OPERATION Idaho Canyon
 ENROUTE WX 90 @ 5-R (LEAVE BLANK)

(A) HOSTILE FIRE YES NO FILE FORM WITH BARREL
 (B) AIRBURST YES NO FILE FORM WITH BARREL
 (C) ACFT HIT YES NO FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES NO CIRCLE ONE/COORD
 (E) BDA REPORTED YES NO IF ADDITIONAL CIRCLE
 (F) ABORT YES NO ACFT MALFUNCTION/NO DROP
 (G) DIRECT YES NO GIVE REASON BELOW

REMARKS
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION REASON FOR

RECOVERABLE FUZE (DELAY/ARM DELAY)
 NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

PILOT PHILLIPS TIME 1215 DATE 12 AUGUST '69
 CALL SIGN VMA-311 HB-558 MSN NO. 6558 FLT 15.2
 T/O 1043 LAND 1157 TOTAL TIME 3.2

PILOTS	AIRCRAFT	DASC	TIME
<u>MAJ DYOR</u>	<u>14</u>	<u>DING HA</u>	<u>1105</u>
<u>1LT PHILLIPS</u>	<u>7</u>	CONTROLLER <u>CORNCOBB</u>	TIME <u>1112</u>
		TYPE CONTROLLER <u>FACIA</u>	
		TYPE MISSION <u>DAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1112-1120</u>	<u>Base Camp - River Ford</u>	<u>XD 84293</u>	<u>1</u>
	<u>55</u>		

TGT TERRAIN flat TGT WX 1000 VISIBILITY 6
 REL ANGLE 30° PASSES 6 INTERVAL 30° MIN ALT 1500
 ENROUTE ALT 12,500 RETURN ALT 11,500 TGT AIRSPEED 450
 ORDNANCE 12 DZ W.Y. EXPENDED ALL JETTISONED NONE
 ORDNANCE/RTB None DUDS (SEE NOTE #1) None
 BDA 100 % 100 % ADDITIONAL

SECONDARY EXPLOSIONS None NUMBER SIZE
 UNIT SUPPORTED BRDADA Green OPERATION Helina to Canyon
 ENROUTE WX Base 11,500' (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS _____
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

19

C

PILOT Kelly TIME 1320 DATE 12 Aug 65
 SQUADRON 311 CALL SIGN HB 522 MSN NO. 6562 FLT 152
 T/O 1150 LAND 1300 TOTAL TIME 2.4

PILOTS AIRCRAFT
Kelly WC 25 DASC Dang Ha TIME 1209
Laz30 12 CONTROLLER COM Cdb 24 TIME 1212
 TYPE CONTROLLER FACIA
 TYPE MISSION DAF

TOT DESCRIPTION COORDINATES PROVINCE
1215-25 River crossing/ford XD764292 1
25 km

TGT TERRAIN hilly TGT WX 11.0 0000 VISIBILITY 10 f
 REL ANGLE 30° PASSES 3 INTERVAL 30" MIN ALT 1200
 ENROUTE ALT 8.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 1202 w/y EXPENDED A11 JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —

BDA 100 % 100 % ADDITIONAL 1 river crossing ford
destroyed plus both entrances

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 5th Spec Fwd OPERATION Religious Canyon
 ENROUTE WX 90 0000 5-12 (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

24 C

PILOT DANSKIN J.W. TIME 1530 DATE 124669
 SQUADRON 311 CALL SIGN 230 MSN NO. 6230 FLT 152
 T/O 1408 LAND 1503 TOTAL TIME 1.8

PILOTS	AIRCRAFT	DASC	TIME
<u>LT COL CAHILL</u>	<u>23</u>	<u>HELIX</u>	<u>1415</u>
<u>LT DANSKIN</u>	<u>06</u>	CONTROLLER <u>HELIX-17</u>	TIME <u>1425</u>
		TYPE CONTROLLER <u>FAZA</u>	
		TYPE MISSION <u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1435-1445</u>	<u>KNOWN ENEMY POSITION</u>	<u>BT 083 445</u>	<u>TH</u>
	<u>SS</u>		<u>U</u>

TGT TERRAIN HILLS TGT WX 120 @ VISIBILITY 5
 REL ANGLE 20° PASSES 10 INTERVAL 30 SEC MIN ALT 600
 ENROUTE ALT 10.5 RETURN ALT 8 9.5 TGT AIRSPEED 450
 ORD NANCE 10 D2A/209/10.5 EXPENDED ALL JETTISONED _____
 ORD NANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA 100 % 90 % ADDITIONAL 3 SUSTAINED FIRES

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED AMERICAN OPERATION _____
 ENROUTE WX 120 @ 5 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS _____
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORD NANCE EFFECTIVENESS _____

PILOT GOOD, W. A. TIME 1700
 SQUAD 311 CALL SIGN HB 240 MSN NO. 6240 FLT 152
 T/O 1537 LAND 1635 TOTAL TIME 2.0

PILOTS

AIRCRAFT

PAGE 20 DASC HELIX TIME 45
GOOD 03 CONTROLLER HELIX 20 TIME 50
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT

DESCRIPTION

COORDINATES

PROVINCE

1800-1613 MORTAR POSITION B5331850 5
58

TGT TERRAIN HILLY TGT WX 100 @/10 VISIBILITY 7
 REL ANGLE 20 PASSES 10 INTERVAL 30 MIN ALT 1000
 ENROUTE ALT 8500 RETURN ALT 7500 TGT AIRSPEED 450
 ORDNANCE 405/4024 EXPENDED ALL JETTISONED NONE
 ORDNANCE/RTB NONE DUDS (SEE NOTE #1) NONE
 BDA 100 % 70 % ADDITIONAL

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED AMERICAN OPERATION GENEVA PARK
 (LEAVE BLANK)

ENROUTE WX 100 @/10 7

(A) HOSTILE FIRE	☒ YES ☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☒	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS _____

(REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 FCM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

34

C

PRIOR UPCHURCH TIME 1715 DATE 12 AUG 69
 SQUADRON 311 CALL SIGN HELLBORE MSN NO. 6006 FLT 152
 T/O 1615 LAND 1705 TOTAL TIME 1.6

PILOTS	AIRCRAFT	DASC	TIME
<u>UPCHURCH</u>	<u>16</u>	<u>HELIX</u>	<u>1610</u>
<u>LIGHT</u>	<u>OP</u>	CONTROLLER <u>HELIX</u>	TIME <u>1620</u>
		TYPE CONTROLLER <u>FACA</u>	
		TYPE MISSION <u>DAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1632/45</u>	<u>KNOWN EN. LOC</u>	<u>BT 040210</u>	<u>5</u>
	<u>MORTARS</u>		
	<u>SS</u>		

TGT TERRAIN FLAT TGT WX 1200 VISIBILITY 10
 REL ANGLE 20° PASSES 8 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 8.5 RETURN ALT 9.5 REL ALT 1300
 TGT AIRSPEED 450
 ORDNANCE 802A/409 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 95 % ADDITIONAL 3 STRUC DEST
1 LARGE SEC EXPLOSION (WHITE & GREY SMOKE)
AND 1 SEC FIRE
 SECONDARY EXPLOSIONS 1 NUMBER 1 SIZE LARGE
 UNIT SUPPORTED AMERICAN OPERATION CELENA PARK
 (LEAVE BLANK)
 ENROUTE WX 12005-10

(A) HOSTILE FIRE	YES ☐ NO ☐	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☐	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO ☐	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☐	GIVE REASON BELOW

REMARKS _____
(REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS HIGH DUDS WOULD HAVE
BEEN BETTER WITH A DRY SMOKE
CELLING WAS HIGH & TYPE TARGET.
FRIENDLIES NO FACTOR

36

C

REFERENCE Hampton TIME 2030 DATE 12 AUG 69
 SQUADRON 311 CALL SIGN HB 502 MSN NO. 6502 FLT 352
 T/O 1900 LAND 2015 TOTAL TIME 1.3

PILOTS Hampton AIRCRAFT WL 23
 BASIC MILKY TIME 1930
 CONTROLLER MILKY TIME 1900
 TYPE CONTROLLER BSRT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1957</u>	<u>Enemy LOC</u>	<u>YC 334 844</u>	<u>2</u>
	<u>55</u>		

TGT TERRAIN URA TGT WX LTPO @ VISIBILITY 5
 REL ANGLE 0 PASSES 1 INTERVAL — MIN ALT 14000
 ENROUTE ALT 14.5 RETURN ALT 15.5 TGT AIRSPEED 320
 ORDNANCE 602W/4 EXPENDED A11 JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA — % — % ADDITIONAL 1 Sec FIRE

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 101 AB OPERATION CAMPBELL STRIKER
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS Birmingham No contact.
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 3CM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

40

CW

KRAUS TIME 2330 DATE 12 Aug 69
 SQUADRON VMA 311 CALL SIGN HB 514 MSN NO. 6514 FLT TRQ
 T/O 2209 LAND 2311 TOTAL TIME 110

PILOTS KRAUS AIRCRAFT 25
 DASC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION TRQ

TOT _____ DESCRIPTION NO DROP COORDINATES _____ PROVINCE _____

TGT TERRAIN _____ TGT WX / (D) VISIBILITY 3
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 REL ALT _____
 ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____
 ORDNANCE 6 D2W/Y EXPENDED NONE JETTISONED NONE
 ORDNANCE/RTB 6 D2W/Y DUDS (SEE NOTE #1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____ (LEAVE BLANK)
 ENROUTE WX 450 / - (D)

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	<u>YES</u> NO	<u>ACFT MALFUNCTION/NO DROP</u>
(G) DIRECT	YES NO	GIVE REASON BELOW

REMARKS GENERATOR FAILURE
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

PILOT: DANSKIN J.W. TIME: 0630 DATE: 12 AUG 69
 CALL SIGN: 311 CALL SIGN: 527 MSN NO. 6527 FLT 452
 T/O 0445 LAND 0606 TOTAL TIME 1.4

PILOTS DANSKIN J.W. AIRCRAFT 20
 DASC Done Hn TIME 0505
 CONTROLLER ASRT TIME 0505
 TYPE CONTROLLER ASRT
 TYPE MISSION TRQ

TOT 0505-0530 DESCRIPTION NO COORDINATES NO PROVINCE NO

TGT TERRAIN UAK TGT WX IFR VISIBILITY IFR
 REL ANGLE — PASSES — INTERVAL — MIN ALT —
 REL ALT —
 ENROUTE ALT 20.5 RETURN ALT 19.5 TGT AIRSPEED 290
 ORDNANCE 602W/4 EXPENDED NONE JETTISONED —
 ORDNANCE/RTB 602W/4 DUDS (SEE NOTE #1) —
 BDA — % — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED — OPERATION —

ENROUTE WX 1500 2000 3 (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS No DROP - ASRT COULD NOTE LOCK A/C
UP ON RADAR. (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DATE 12 Aug 69
 SQUADRON 311 CALL SIGN 208 MSN NO. 6208 FLT 112
 T/O 0930 LAND 1000 TOTAL TIME 5

PILOTS Thom. AIRCRAFT 01
 DASC _____ TIME _____
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT _____ DESCRIPTION _____ COORDINATES _____ PROVINCE _____
TEST HOP

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 ENROUTE ALT 18.5 RETURN ALT 17.5 TGT AIRSPEED _____
 ORDNANCE 1202 EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB ALL DUDS (SEE NOTE #1) _____
 BDA _____ % _____ % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____ (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES NO	FILE FORM WITH BARREL
(B) AIRBURST	YES NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES NO	GIVE REASON BELOW

REMARKS _____
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

DEBRIEFER Witter TIME 0835 DATE 13 Aug
 SQUADRON 311 CALL SIGN H8019 MSN NO. 6019 FLT 152
 T/O 0720 LAND 0827 TOTAL TIME 2.2

PILOTS

AIRCRAFT

Witter WL 19 DASC DH TIME 0735
ZAKRZEWSKI WL 08 CONTROLLER SW 98-4 TIME 0740
 TYPE CONTROLLER FACA
 TYPE MISSION L2P

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0747/55</u>	<u>12 Prep</u>	<u>XD 995 630</u>	<u>1</u>
	<u>54</u>		

TGT TERRAIN M TGT WX 6.0-0 VISIBILITY 5
 REL ALT 20 PASSES 9 INTERVAL 45 REL ALT 400
 MIN ALT 1000
 ENROUTE ALT 18.5 RETURN ALT 15.5 TGT AIRSPEED 450
 ORDNANCE 409 8 02A EXPENDED ALL JETTISONED 1
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) 1 02A
 BDA 95 % 95 ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER OF — SIZE OF —
 UNIT SUPPORTED 3rd M.D. OPERATION Georgia TAR
 (LEAVE BLANK)

ENROUTE WEATHER —
 REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION Target REASON FOR DUD Undetermined
 RECOVERABLE — FUZE (DELAY/ARM DELAY) 1 02A (Y)
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIVERTED —
 NOTE #3: ORDNANCE EFFECTIVENESS —
 NOTE #4: CONTROLLER EFFECTIVENESS —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/CODED
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) REVERT	YES	NO	GIVE REASON BELOW

REF ID: A66000
 311
 H3013 MSN NO. 6013 FLT 15.2
 T/O 0810 LAND 0848 TOTAL TIME 1.2

PILOTS

AIRCRAFT

BROOKS 20
 GOOD 03
 DASC DANANG TIME 820
 CONTROLLER KIMCHEE TIME 825
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT

DESCRIPTION

COORDINATES

PROVINCE

0825-0840 BUNKERS + TROOPS BT 081594 3

TGT TERRAIN FLAT TGT WX 800 VISIBILITY 7
 REL ANGLE 20 PASSES 4 INTERVAL 30 MIN ALT 6000
 ENROUTE ALT 8500 RETURN ALT 7500 TGT AIRSPEED 450
 ORDNANCE 809 EXPENDED ALL JETTISONED ALL
 ORDNANCE/RTE ALL DUDS (SEE NOTE #1) NONE
 BDA 90 % 90 % ADDITIONAL 1 BUNKER BURNING
 2 SEC EXPL. 1 SEC FIRE
 SECONDARY EXPLOSIONS 2 NUMBER 2 SIZE MED
 UNIT SUPPORTED ~~RTA~~ ROK SAC OPERATION Victory Dragon
 (LEAVE BLANK)
 ENROUTE WX 800

(A) HOSTILE FIRE YES ☒ NO ☐ FILE FORM WITH BARREL
 (B) AIRBURST YES ☒ NO ☐ FILE FORM WITH BARREL
 (C) ACFT HIT YES ☒ NO ☐ FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES ☒ NO ☐ CIRCLE ONE/COORD
 (E) BDA REPORTED YES ☒ NO ☐ IF ADDITIONAL CIRCLE
 (F) ABORT YES ☒ NO ☐ ACFT MALFUNCTION/NO DROP
 (G) DIRECT YES ☒ NO ☐ GIVE REASON BELOW

REMARKS (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION REASON FOR

RECOVERABLE FUZE (DELAY/ARM DELAY)
 NOTE #2: ECM ENCOUNTERED TIME HOW DIRECTED

NOTE #3: ORDNANCE EFFECTIVENESS

16 C

PILOT KRAUS TIME 1100 DATE 13 Aug 69
 SQUADRON 311 CALL SIGN HR 155 MSN NO. 6155 FLT 132
 T/O 0944 LAND 1039 TOTAL TIME 1.8

PILOTS

AIRCRAFT

KRAUS 22 DASC WELIX TIME 0945
CELIKSHANK 16 CONTROLLER HEW 31 TIME 0950
 TYPE CONTROLLER EACA
 TYPE MISSION DAS

TOT

DESCRIPTION

COORDINATES

PROVINCE

1007-1017 Known Enemy BS73470 5
Position SS

TGT TERRAIN Hilly TGT WX 400 VISIBILITY 30
 REL ANGLE 30° PASSES 8 INTERVAL 35 sec MIN ALT 2000
 ENROUTE ALT 9500 RETURN ALT 8500 TGT AIRSPEED 450
 ORDNANCE 4030/4024 EXPENDED 4030/4024 JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) 3024
 BDA 100 % 50 % ADDITIONAL 5 PROBABLE
BUNKERS

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED American Div. OPERATION Iron MT
 ENROUTE WX / 30 (LEAVE BLANK)

(A) HOSTILE FIRE YES ☒ NO ☐ FILE FORM WITH BARREL
 (B) AIRBURST YES ☒ NO ☐ FILE FORM WITH BARREL
 (C) ACFT HIT YES ☒ NO ☐ FILE FLASH REPORT WITH BARREL
 (D) RECON INSERT/EXTRACT YES ☒ NO ☐ CIRCLE ONE/COORD
 (E) BDA REPORTED YES ☒ NO ☐ IF ADDITIONAL CIRCLE
 (F) ABORT YES ☒ NO ☐ ACFT MALFUNCTION/NO DROP
 (G) DIRECT YES ☒ NO ☐ GIVE REASON BELOW

REMARKS (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION BS 73470 REASON FOR BAD BASE

NOTE #2: ECM ENCOUNTERED RECOVERABLE FUZE (DELAY/ARM DELAY) — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

19

C

PILOT DANSKIN J.W. TIME 1130 DATE 13 AUG 69
 CALL SIGN 311 CALL STATION 455 MSN NO. 6455 FLT 152
 E/O 0935 LAND 1105 TOTAL TIME 204

PILOTS	AIRCRAFT	DASC	TIME
<u>SORENSEN</u>	<u>14</u>	<u>MIKE-61</u>	<u>1030</u>
<u>DANSKIN</u>	<u>07</u>	<u>FACA</u>	
		<u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1035-1050</u>	<u>TROOPS IN THE OPEN.</u>	<u>BT 105025</u>	<u>IV</u>
	<u>45</u>		

TGT TERRAIN HILLS TGT WX 4000 VISIBILITY 5
 REL ANGLE 20° PASSES 8 INTERVAL 3000 MIN ALT 100
 ENROUTE ALT 16.5 RETURN ALT 5.5 TGT AIRSPEED 450
 ORDNANCE 12DA/409/1020 EXPENDED 601A/409 JETTISONED ---
 ORDNANCE/RTB 601A/1020 DUDS (SEE NOTE #1) ---
 BDA 100 % 20 % ADDITIONAL ---

SECONDARY EXPLOSIONS --- NUMBER --- SIZE ---
 UNIT SUPPORTED SPECIAL ABILITIES OPERATION ---
 ENROUTE WX 400/1005 (LEAVE BLANK)

(A) HOSTILE FIRE	YES ☐ NO ☒	FILE FORM WITH BARREL
(B) AIRBURST	YES ☐ NO ☒	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☐ NO ☒	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☐ NO ☒	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☐ NO ☒	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☐ NO ☒	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☐ NO ☒	GIVE REASON BELOW

REMARKS FIRE WARNING LIGHT PRECLUDED FURTHER
RUNS ON TGT. (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION --- REASON FOR ---
 NOTE #2: RECOVERABLE --- FUZE (DELAY/ARM DELAY) ---
 NOTE #2: ECM ENCOUNTERED --- TIME --- HOW DIRECTED ---
 NOTE #3: ORDNANCE EFFECTIVENESS ---

20

PILOT GARRETTSON TIME 1300 DATE 13 AUG 69
 SQUADRON 311 CALL SIGN HB023 MSN NO. 6023 FLT 152
 T/O 1150 LAND 1240 TOTAL TIME 2.3

PILOTS	AIRCRAFT	DASC	TIME
<u>GARRETTSON</u>	<u>WL 20</u>	<u>BILK GNT</u>	<u>1759</u>
<u>WALLACE</u>	<u>08</u>	CONTROLLER <u>SPENDY 11</u>	TIME <u>1200</u>
		TYPE CONTROLLER <u>FACA</u>	
		TYPE MISSION <u>DAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1205-15</u>	<u>Sus En. LOCATION</u>	<u>ZD121046</u>	<u>II</u>
	<u>55</u>		

TGT TERRAIN Hilly TGT WX 19.0 (11) VISIBILITY 7
 REL ANGLE 30° PASSES 8 INTERVAL 30 sec MIN ALT 1.5
 ENROUTE ALT 16.5 RETURN ALT 11.5 TGT AIRSPEED 450
 ORDNANCE 4D244D3Y EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL Many Barrels Destroyed

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 2nd Brig 101st AB OPERATION Kentucky Jumper
 ENROUTE WX 100 (11) (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

PILOT Light TIME 1310 DATE 13 Dec 68
 STATION 311 CALL SIGN H5 237 MSN NO. 6237 FLT 12

T/O 1202 LAND 1247 TOTAL TIME 1.6

PILOTS	AIRCRAFT	DASC	TIME
<u>McClay</u>	<u>WL 25</u>	CONTROLLER <u>Mike 61</u>	TIME <u>1207</u>
<u>Light</u>	<u>WL 18</u>	TYPE CONTROLLER <u>700A</u>	
		TYPE MISSION <u>DAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1215-1227</u>	<u>Known Enemy Location</u>	<u>B105025</u>	<u>4</u>
	<u>55</u>		

TGT TERRAIN Low Hills TGT WX 0 Bldgs in Area VISIBILITY 7
 REL ANGLE 20 PASSES 6 INTERVAL 30 sec MIN ALT 600
 ENROUTE ALT 16.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 82A 400 EXPENDED 402A 300 JETTISONED 100
 ORDNANCE/RTB 402A DUDS (SEE NOTE #1) _____
 BDA 100 % 10 % ADDITIONAL 2 structures destroyed

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____

UNIT SUPPORTED Small OPERATION _____ (LEAVE BLANK)

ENROUTE WX 30 @ Numerous Buildups in Area W of ch 00

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS _____ (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

26 C

DEBRIEFER Oatis TIME 13 Aug 69
 SQUADRON 311 CALL SIGN HB 569 MEN NO. 6569 FLT 152
 T/O 1230 LAND 1330 TOTAL TIME 2.0

PILOTS AIRCRAFT
Nixon WL 19 DASC Corn Cob 22 TIME 1253
Oatis 12 CONTROLLER FACA
 TYPE CONTROLLER DAS
 TYPE MISSION DAS

TOT DESCRIPTION COORDINATES PROVINCE
1255/1300 Cache XD 875187 1
27

TGT TERRAIN F TGT WEATHER 10.0 @ VISIBILITY 7
 REL ANGLE 30° PASSES 6 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 18.5 RETURN ALTITUDE 24.5 TGT AIRSPEED 450
 ORDNANCE 12 D2 EXPENDED 122 JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE #1) -
 BDA 100 % 100 % ADDITIONAL 1 Sec 2nd

SECONDARY EXPLOSIONS 3rd M.O. NUMBER 1 SIZE 1
 UNIT SUPPORTED 3rd M.O. OPERATION Arlington Canyon
 (LEAVE BLANK)

ENROUTE WEATHER

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACRAFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORDNANCE
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	AIRCRAFT MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION RECOVERABLE REASON FOR FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIRECT ED HOW DIRECT ED

NOTE #3: ORDNANCE EFFECTIVENESS Good

NOTE #4: CONTROLLER EFFECTIVENESS Good

30 C

DEBRIEFER RASMUSSEN TIME 1455 DATE 13 AUG '69
 SQUADRON VMA-311 CALL SIGN HB 593 MSN NO. 6593 FLT 152
 T/O 1328 LAND 1427 TOTAL TIME 1.0

PILOTS

AIRCRAFT

RASMUSSEN, F.R. WL-22 DASC BIRMINGHAM ASRT TIME 1355
 CONTROLLER #8 TIME 1400
 TYPE CONTROLLER ASRT
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1355-1410</u>	<u>ENEMY LOCATION</u>	<u>YB 834976</u>	<u>2</u>
	<u>55</u>		

TGT TERRAIN HILLY TGT WX 500 VISIBILITY 7
 REL ALT 18.5
 REL ANGLE 0° PASSES 2 INTERVAL — MIN ALT 18.5
 ENROUTE ALT 18.5 RETURN ALT 15.5 TGT AIRSPEED 290
 ORDNANCE (6) D2Y EXPENDED ALL JETTISONED NONE
 ORDNANCE/RTB NONE DUDS (SEE NOTE # 1) —
 BDA AMB ADDITIONAL TPQ

SECONDARY EXPLOSIONS — NUMBER OF — SIZE OF —
 UNIT SUPPORTED 101ST A.B. OPERATION Kentucky Hammer
 ENROUTE WEATHER 600 40 7 (LEAVE BLANK)

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR DUD —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 NOTE #2: HCM ENCOUNTERED — TIME — HOW DIVERTED —
 NOTE #3: ORDNANCE EFFECTIVENESS —
 NOTE #4: CONTROLLER EFFECTIVENESS —

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) ACFT HIT
 (D) RECON INSERT/EXTRACT
 (E) BDA REPORTED
 (F) ABORT
 (G) DIVERT

YES
 YES
 YES
 YES
 YES
 YES
 YES

NO
 NO
 NO
 NO
 NO
 NO
 NO

FILE FORM WITH BARREL
 FILE FORM WITH BARREL
 FILE FLASH REPORT WITH BARREL
 CIRCLE ONE (FOR)
 IF ADDITIONAL CIRCLE
 ACFT MALFUNCTION/NO DROP
 GIVE REASON BELOW

DEBRIEFER _____ TIME _____ DATE 13 Aug 69
 SQUADRON 311 CALL SIGN HB 251 MSN NO. 6251 FLT 152
 T/O 1455 LAND 1611 TOTAL TIME 2.6

PILOTS

AIRCRAFT

KRUAS
White

WL 03
18

DASC D.H. TIME _____
 CONTROLLER SW 98-15 TIME 1515
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1522/35</u>	<u>Bunkers</u> <u>with troops 19</u>	<u>XD 888648</u>	<u>1</u>

TGT TERRAIN M TGT WX 0 VISIBILITY 9+
 REL ANGLE 20 PASSES 14 INTERVAL 30 REL ALT 1200
 MIN ALT 600

ENROUTE ALT 18.5 RETURN ALT 15.5 TGT AIRSPEED 450
 ORDNANCE 1201A 409 EXPENDED ALL JETTISONED _____

ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____

BDA 100 % 100 ADDITIONAL 1 Bunker Dest
1 Sec Expl

SECONDARY EXPLOSIONS 1 NUMBER OF 1 SIZE OF _____

UNIT SUPPORTED 3rd M.D. OPERATION Georgia TAR
 (LEAVE BLANK)

ENROUTE WEATHER _____

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR DUD _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIVERTED _____

NOTE #3: ORDNANCE EFFECTIVENESS IN-EFFICIENT FOR BUNKERS
Improve HARD ORDNANCE

NOTE #4: CONTROLLER EFFECTIVENESS Good

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) ACFT HIT
 (D) RECON INSERT/EXTRACT
 (E) BDA REPORTED
 (F) ABORT
 (G) DIVERT

YES	NO
YES	NO
YES	NO
YES	NO
YES	NO
YES	NO
YES	NO

FILE FORM WITH BARREL
 FILE FORM WITH BARREL
 FILE FLASH REPORT WITH BARREL
 CIRCLE ONE (CHECK)
 IF ADDITIONAL CIRCLE
 ACFT MALFUNCTION/NO DROP
 GIVE REASON BELOW

DEBRIEFER Tomasko TIME 2100 DATE 13 AUG
 SQUADRON 311 CALL SIGN HR 553 MSN NO. 6553 FLT 352
 T/O 2022 LAND 2122 TOTAL TIME 1.9

PILOTS	AIRCRAFT	DASC	TIME
<u>Tomasko</u>	<u>22</u>	<u>AM H09</u>	<u>2055</u>
<u>LTCOL KELLY</u>	<u>08</u>	<u>76</u>	<u>2100</u>
		TYPE CONTROLLER	ASRT
		TYPE MISSION	<u>TPQ</u>

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2055-2100</u>	<u>EN Camp</u>	<u>AT 950345</u>	<u>3</u>
	<u>55</u>		

TGT TERRAIN — TGT WK 0 VISIBILITY 10 +
 REL ANGLE Level PASSES 1 INTERVAL — RFL ALT 14000
 ENROUTE ALT 10.5 RETURN ALT 9.5 TGT AIRSPEED 290
 ORDNANCE 20014/D22 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA — ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER OF — SIZE OF —
 UNIT SUPPORTED 473 THIAI D OPERATION PIPESTONE CANYON
 ENROUTE WEATHER 0 10 (LEAVE BLANK)

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR DUD —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 NOTE #2: LUN ENCOUNTERED — TIME — HOW DIVERTED —
 NOTE #3: ORDNANCE EFFECTIVENESS —
 NOTE #4: CONTROLLER EFFECTIVENESS —

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) ACFT HIT
 (D) RECON INSERT/EXTRACT
 (E) BDA REPORTED
 (F) ABORT
 (G) DIVERT

YES NO
 YES NO
 YES NO
 YES NO
 YES NO
 YES NO
 YES NO

FILE FORM WITH BARREL
 FILE FORM WITH BARREL
 FILE FLASH REPORT WITH BARREL
 CIRCLE ONE (CROSS)
 IF ADDITIONAL CIRCLE
 ACFT MALFUNCTION/NO DROP
 GIVE REASON BELOW

DESIGNER MAJOR PAGE TIME 2350 DATE 13 AUG 69SQUADRON VMA-311 CALL SIGN HB 267 MSN NO. 6267 FLT 352T/O 2224 LAND 2349 TOTAL TIME 2.6

PILOTS

AIRCRAFT

<u>PAGE</u>	<u>WL-06</u>
<u>Witter</u>	<u>WL-23</u>

DASC <u>DA NANG</u>	TIME <u>2230</u>
CONTROLLER <u>HOSTAGE UNIFORM</u>	TIME <u>2231</u>
TYPE CONTROLLER <u>TACA</u>	
TYPE MISSION <u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2240 2310</u>	<u>ENEMY NITE RENDEZVOUS</u>	<u>AT 825542</u>	<u>3</u>
	<u>Point 55</u>		

TGT TERRAIN <u>Level</u>	TGT WX <u>600</u>	VISIBILITY <u>4</u>
REL ANGLE <u>30°</u>	PASSES <u>10</u>	INTERVAL <u>1 MIN</u>

ENROUTE ALT <u>12.5</u>	RETURN ALT <u>9.5</u>	TGT AIRSPEED <u>450</u>
-------------------------	-----------------------	-------------------------

ORDNANCE <u>20 D18 4D22A</u>	EXPENDED <u>20 D18</u>	JETTISONED <u>0</u>
------------------------------	------------------------	---------------------

ORDNANCE/RTB <u>4D22A</u>	DUDS (SEE NOTE # 1) <u>0</u>
---------------------------	------------------------------

BDA <u>95 % 100</u>	ADDITIONAL <u>80 Meters tree line</u>
	<u>60 Meters trail destroyed</u>

SECONDARY EXPLOSIONS <u>0</u>	NUMBER OF <u>0</u>	SIZE OF <u>0</u>
-------------------------------	--------------------	------------------

UNIT SUPPORTED <u>8th SFG (MAD)</u>	OPERATION <u>Durham Peak</u>
	(LEAVE BLANK)

ENROUTE WEATHER <u>04</u>

REMARKS:
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION	REASON FOR DUD
RECOVERABLE	FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED	TIME	HOW DIVERTED
--------------------------	------	--------------

NOTE #3: ORDNANCE EFFECTIVENESS

NOTE #4: CONTROLLER EFFECTIVENESS

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) ACFT HIT
 (D) RECON INSERT/EXTRACT
 (E) BDA REPORTED
 (F) ABORT
 (G) DIVERT

YES	NO
YES	NO
YES	NO
YES	NO
YES	NO
YES	NO
YES	NO

FILE FORM WITH BARREL
 FILE FORM WITH BARREL
 FILE FLASH REPORT WITH BARREL
 CIRCLE ONE (CORRECT)
 IF ADDITIONAL CIRCLE
 ACT MALFUNCTION/NO DROP
 GIVE REASON BELOW

DEBRIEFER WALLACE TIME 2305 DATE 13 Aug 67
 SQUADRON 311 CALL SIGN HB MSN NO. 6555 FLT 352
 T/O 2157 LAND 2245 TOTAL TIME .8

PILOTS WALLACE AIRCRAFT WL 18
 DASC _____ TIME _____
 CONTROLLER AN HOA TIME 2320
 TYPE CONTROLLER ASST
 TYPE MISSION TPO

TOT 2230 DESCRIPTION NVA POSIT COORDINATES AT 947342 PROVINCE RUB/E/
55

TGT TERRAIN Level TGT WX 0 VISIBILITY 10+
 REL ALT 14100 REL ANGLE LEVEL PASSES 1 INTERVAL _____ MIN ALT 14100
 ENROUTE ALT 14500 RETURN ALT 15500 TGT AIRSPEED 290
 ORDNANCE 10 D2 W/9 EXPENDED ALL JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
 BDA _____ % _____ ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER OF _____ SIZE OF _____
 UNIT SUPPORTED STANDARD OPERATION PIPESTONE CANYON
 ENROUTE WEATHER 010+
 (LEAVE BLANK)

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR DUD _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIVERTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____
 NOTE #4: CONTROLLER EFFECTIVENESS _____

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) ACFT HIT
 (D) RECON INSERT/EXTRACT
 (E) BDA REPORTED
 (F) ABORT
 (G) DIVERT

YES
 YES
 YES
 YES
 YES
 YES
 YES

NO
 NO
 NO
 NO
 NO
 NO
 NO

FILE FORM WITH BARREL
 FILE FORM WITH BARREL
 FILE FLASH REPORT WITH BARREL
 CIRCLE ONE (CROSS)
 IF ADDITIONAL CIRCLE
 ACFT MALFUNCTION/NO DROP
 GIVE REASON BELOW

DEBRIEFER Kelly TIME 1630 DATE 14 Aug 69
 SQUADRON -311 CALL SIGN HB 016 MSN NO. 6016 FLT 152
 T/O 1458 LAND 1604 TOTAL TIME 2.2

PILOTS	AIRCRAFT	DASC	TIME
<u>Kelly</u>	<u>WL 22</u>	<u>Helix</u>	<u>1450</u>
<u>Cahill</u>	<u>25</u>	CONTROLLER <u>Helix</u>	TIME <u>1504</u>
		TYPE CONTROLLER <u>MACA</u>	
		TYPE MISSION <u>DAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1510-19</u>	<u>5m Bunkers</u>	<u>BT 143109</u>	<u>4</u>
	<u>19</u>		

TGT TERRAIN Level TGT WX 5.0 φ VISIBILITY 10 f
 REL ANGLE 30° PASSES 3 INTERVAL 30" REL ALT 1200
 ENROUTE ALT 8.5 RETURN ALT 9.5 TGT AIRSPEED 450
 ORDNANCE 12 D2 w/y EXPENDED A11 JETTISONED —

ORDNANCE/RTE — DUDS (SEE NOTE # 1) —
 BDA 90 % 90 ADDITIONAL 1 structure and
4 Bunkers destroyed

SECONDARY EXPLOSIONS — NUMBER OF — SIZE OF —
 UNIT SUPPORTED AMCAL OPERATION —
 (LEAVE BLANK)

ENROUTE WEATHER —
 REMARKS: —
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR DUD —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIVERTED —
 NOTE #3: ORDNANCE EFFECTIVENESS Good
 NOTE #4: CONTROLLER EFFECTIVENESS Excellent

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) ACFT HIT
 (D) RECON INSERT/EXTRACT
 (E) BDA REPORTED
 (F) ABORT
 (G) DIVERT

YES
 YES
 YES
 YES
 YES
 YES
 YES

NO
 NO
 NO
 NO
 NO
 NO
 NO

FILE FORM WITH BARREL
 FILE FORM WITH BARREL
 FILE FLASH REPORT WITH BARREL
 CIRCLE ONE (CROSS)
 IF ADDITIONAL CIRCLE
 ACFT MALFUNCTION/NO DROP
 GIVE REASON BELOW

DEBRIEFER CDD TIME 1755 DATE 14 Aug 69
 SQUADRON 311 CALL SIGN H3040 MSN NO. 6040 FLT 152
 T/O 1817 LAND 1725 TOTAL TIME 22

PILOTS

AIRCRAFT

DICKEY WL-23 DASC BILK TIME 1630
WHITE 03 CONTROLLER BILK 23 TIME
 TYPE CONTROLLER BACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1635-50</u>	<u>SUSPECTED EN 20173056</u>		<u>2</u>
	<u>POSITION</u>		

TGT TERRAIN Hilly TGT WK 5000 VISIBILITY 7+
 REL ALT 3000 REL ANGLE 30° PASSES 8 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 18.5 RETURN ALT 11.5 TGT AIRSPEED 450
 ORDNANCE 12 DDW/4 EXPENDED 802 JETTISONED None
 ORDNANCE/RTB 402 DUDS (SEE NOTE # 1) None
 BDA 100 % 80 ADDITIONAL 1 SEC EXP
5 SEC FIRES

SECONDARY EXPLOSIONS _____ NUMBER OF _____ SIZE OF _____
 UNIT SUPPORTED 101ST A.B. OPERATION Kentucky Hunger
 (LEAVE BLANK)
 ENROUTE WEATHER _____

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR DUD _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIVERTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____
 NOTE #4: CONTROLLER EFFECTIVENESS _____

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) ACFT HIT
 (D) RECON INSERT/EXTRACT
 (E) BDA REPORTED
 (F) ABORT
 (G) DIVERT

YES
 YES
 YES
 YES
 YES
 YES
 YES

NO
 NO
 NO
 NO
 NO
 NO
 NO

FILE FORM WITH BARREL
 FILE FORM WITH BARREL
 FILE FLASH REPORT WITH BARREL
 CIRCLE ONE (CROSS)
 IF ADDITIONAL CIRCLE
 ACFT MALFUNCTION/NO DROP
 GIVE REASONS BELOW

DEBRIEFER MAJ McCloy TIME 1820 DATE 14 Aug 69
 SQUADRON 1MA 311 CALL SIGN HB244 MSN NO. 6244 FLT 152
 T/O 1635 LAND 1807 TOTAL TIME 2.8

PILOTS McCloy AIRCRAFT WL 16
Cranford 20
 DASC Bilk Cont TIME 1710
 CONTROLLER Bilk 38
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
1723-1735	Bunker Complex	YC468858	2
	19		

TGT TERRAIN Hilly TGT WK 250 VISIBILITY 5
 REL ANGLE 20 PASSES 12 INTERVAL 30 REL ALT 1500
 MIN ALT 1500
 ENROUTE ALT 14500 RETURN ALT 15,500 TGT AIRSPEED 450
 ORDNANCE 405 4024 EXPENDED 405 3024 JETTISONED NONE
 ORDNANCE/RTB 1024 DUDS (SEE NOTE # 1) NONE
 BDA 100% 100 ADDITIONAL 1 TRUCK, 2 MILITARY
STRUCTURES, 2 Bunkers Out
 SECONDARY EXPLOSIONS _____ NUMBER OF _____ SIZE OF _____
 UNIT SUPPORTED 3rd BRAD 101st AB OPERATION Campbell Striker
 (LEAVE BLANK)
 ENROUTE WEATHER 4000

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR DUD _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIVERTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____
 NOTE #4: CONTROLLER EFFECTIVENESS _____

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) ACFT HIT
 (D) RECON INSERT/EXTRACT
 (E) BDA REPORTED
 (F) ABORT
 (G) DIVERT

YES	NO
YES	NO
YES	NO
YES	NO
YES	NO
YES	NO
YES	NO

FILE FORM WITH BARREL
 FILE FORM WITH BARREL
 FILE FLASH REPORT WITH BARREL
 CIRCLE ONE (CROSS)
 IF ADDITIONAL CIRCLE
 ACFT MALFUNCTION/NO DROP
 GIVE REASON BELOW

DEBRIEFER Brooks TIME 1840 DATE 14 Aug 69
 SQUADRON 311 CALL SIGN HB 250 MSN NO. 6250 FLT 152
 T/O 1755 LAND 1835 TOTAL TIME 1.4

PILOTS	AIRCRAFT	DASC	TIME
<u>Brooks</u>	<u>2</u>	<u>Helix</u>	<u>1800</u>
<u>Good</u>	<u>1</u>	CONTROLLER <u>Helix 22</u>	TIME <u>1802</u>
		TYPE CONTROLLER <u>USAF 440</u>	FACA
		TYPE MISSION <u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1802-1815</u>	<u>10 TROOPS</u>	<u>CS319880</u>	<u>5</u>
	<u>45</u>		

TGT TERRAIN Hilly TGT WX 350 VISIBILITY 5
 REL ANGLE 20 PASSES 15 INTERVAL 30sec REL ALT 1050
 ENROUTE ALT 4.5 RETURN ALT 7.5 TGT AIRSPEED 450
 ORDNANCE 12 DIA 409 EXPENDED ALL JETTISONED —
 ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) 0
 BDA 100 % 90 ADDITIONAL 2 MIA. STRUCT DEST
1 BUNKER DEST.

SECONDARY EXPLOSIONS 0 NUMBER OF — SIZE OF —
 UNIT SUPPORTED American OPERATION GENEVA PARK
 ENROUTE WEATHER D V D (LEAVE BLANK)

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR DUD _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIVERTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____
 NOTE #4: CONTROLLER EFFECTIVENESS _____

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) ACFT HIT
 (D) RECON INSERT/EXTRACT
 (E) BDA REPORTED
 (F) ABORT
 (G) DIVERT

YES	NO
YES	NO
YES	NO
YES	NO
YES	NO
YES	NO
YES	NO

FILE FORM WITH BARREL
 FILE FORM WITH BARREL
 FILE FLASH REPORT WITH BARREL
 CIRCLE ONE/COULD
 IF ADDITIONAL CIRCLE
 ACFT MALFUNCTION/NO DROP
 GIVE REASON BELOW

DEBRIEFER NCL TIME _____ DATE 14 AUG 69
 SQUADRON 311 CALL SIGN 500 MSN NO. 6500 FLT 382
 T/C 1930 LAND 2050 TOTAL TIME 1.3

PILOTS

AIRCRAFT

White WL 19 DASC _____ TIME _____
 CONTROLLER ONG HA 15 TIME 1940
 TYPE CONTROLLER ASST
 TYPE MISSION TPO

TOT 1942/45 DESCRIPTION Bombers COORDINATES XD 949 656 PROVINCE 1
19

TGT TERRAIN R TGT WEATHER ☉ VISIBILITY 10
 REL ANGLE _____ PASSES 1 INTERVAL _____ MIN ALT 14250
 ENROUTE ALT 12.5 RETURN ALTITUDE 13.5 TGT AIRSPEED 290
 ORDNANCE 6 02 1/4 EXPENDED ALL JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA 100% % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 3rd MAZ DIV OPERATION Idaho Canyon
 (LEAVE BLANK)

ENROUTE WEATHER

(A) HOSTILE FIRE	YES	☐ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☐ NO	FILE FORM WITH BARREL
(C) ACRRAFT HIT	YES	☐ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	☐ NO	CIRCLE ONE/COORDNANCE
(E) BDA REPORTED	YES	☐ NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	☐ NO	AIRCRAFT MAIFUNCTION/NO DROP
(G) DIVERT	YES	☐ NO	GIVE REASON BELOW

REMARKS:

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS N/A
 NOTE #4: CONTROLLER EFFECTIVENESS N/A

DEBRIEFER Light TIME 2130 DATE 14 Aug 69
 SQUADRON 311 CALL SIGN HB 504 MSN NO. 6504 FLT 352
 T/O 2000 LAND 2105 TOTAL TIME 11

PILOTS Light AIRCRAFT WL 07
 DASC Birmingham TIME 2030
 CONTROLLER 07 TIME "
 TYPE CONTROLLER ASST
 TYPE MISSION TRQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2030 2035</u>	<u>Known Enemy Location</u>	<u>TC 409855</u>	<u>2</u>

TGT TERRAIN R TGT WX 1400 VISIBILITY 7
 REL ALT 20000
 REL ANGLE level PASSES 1 INTERVAL " MIN ALT 20,000
 ENROUTE ALT 145 RETURN ALT 155 TGT AIRSPEED 280
 ORDNANCE 602W/4 EXPENDED 011 JETTISONED "
 ORDNANCE/RTB " DUDS (SEE NOTE # 1) "
 BDA 40% ADDITIONAL "

SECONDARY EXPLOSIONS " NUMBER OF " SIZE OF "
 UNIT SUPPORTED 101st A.B. OPERATION Campbell Strike
 (LEAVE BLANK)

ENROUTE WEATHER "
 REMARKS: "
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION " REASON FOR DUD "
 RECOVERABLE " FUZE (DELAY/ARM DELAY) "
 NOTE #2: ECM ENCOUNTERED " TIME " HOW DIVERTED "
 NOTE #3: ORDNANCE EFFECTIVENESS "
 NOTE #4: CONTROLLER EFFECTIVENESS "

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) ACFT HIT
 (D) RECON INSERT/EXTRACT
 (E) BDA REPORTED
 (F) ABORT
 (G) DIVERT

YES NO
 YES NO
 YES NO
 YES NO
 YES NO
 YES NO
 YES NO

FILE FORM WITH BARREL
 FILE FORM WITH BARREL
 FILE FLASH REPORT WITH BARREL
 CIRCLE ONE OCCUR
 IF ADDITIONAL CIRCLE
 ACFT MALFUNCTION/NO DROP
 GIVE REASON BELOW

41 C

DEBRIEFER Melville TIME 1145 DATE 14 AUG 69
 SQUADRON 311 CALL SIGN H3 212 MSN NO. 6212 FLT 12
 T/O 1030 LAND 1118 TOTAL TIME .8

PILOTS AIRCRAFT
Melville WL 00
 DASC VS TIME 1035
 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION TEST

TOT	DESCRIPTION	COORDINATES	PROVINCE
	<u>TEST</u>		

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ALT _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____
 ORDNANCE _____ EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
 BDA _____ % _____ ADDITIONAL _____
 SECONDARY EXPLOSIONS _____ NUMBER OF _____ SIZE OF _____
 UNIT SUPPORTED _____ OPERATION _____ (LEAVE BLANK)
 ENROUTE WEATHER _____
 REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR DUD _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIVERTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____
 NOTE #4: CONTROLLER EFFECTIVENESS _____

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) ACFT HIT
 (D) RECON INSERT/EXTRACT
 (E) BDA REPORTED
 (F) ABORT
 (G) DIVERT

YES NO
 YES NO
 YES NO
 YES NO
 YES NO
 YES NO
 YES NO

FILE FORM WITH BARREL
 FILE FORM WITH BARREL
 FILE FLASH REPORT WITH BARREL
 CIRCLE ONE (CHECK)
 IF ADDITIONAL CIRCLE
 ACFT MALFUNCTION/NO DROP
 GIVE REASON BELOW

DEBRIEFER TOMASKO TIME 1730 DATE 14 AUG '69
 SQUADRON 311 CALL SIGN 536 MSN NO. 6236 FLT 152
 T/O 1545 LAND 1715 TOTAL TIME 3.3

PILOTS

AIRCRAFT

TOMASKO
RASMUSSEN

14
07

DASC DOING HA TIME 1600
 CONTROLLER SW98-4 TIME 1605
 TYPE CONTROLLER FAC(A)
 TYPE MISSION CAP

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1605-1655</u>	<u>NO</u>	<u>10-587531</u>	<u>1</u>

TGT TERRAIN 1745 TGT WX 450 VISIBILITY 10+
 REL ANGLE — PASSES — INTERVAL — REL ALT —
 ENROUTE ALT 18.5 RETURN ALT 19.5 TGT AIRSPEED —
 ORDNANCE 12 DIA/409 EXPENDED — JETTISONED ALL
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA — ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER OF — SIZE OF —
 UNIT SUPPORTED 4th MARINES OPERATION — (LEAVE BLANK)
 ENROUTE WEATHER 0 10+
 REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR DUD —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIVERGED —
 NOTE #3: ORDNANCE EFFECTIVENESS —
 NOTE #4: CONTROLLER EFFECTIVENESS Bingo Fuel AFTER 2 Extracts
Det off 109

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) ACFT HIT
 (D) RECON INSERT EXTRACT
 (E) BDA REPORTED
 (F) ABORT
 (G) DIVERT

YES
 YES
 YES
 YES
 YES
 YES
 YES

(NO)
 (NO)
 (NO)
 (NO)
 (NO)
 (NO)
 (NO)

FILE FORM WITH BARREL
 FILE FORM WITH BARREL
 FILE FLASH REPORT WITH BARREL
 CIRCLE ONE NO 10-587531
 IF ADDITIONAL CIRCLE
 ACFT MALFUNCTION/NO DROP
 GIVE REASON BELOW

DEBRIEFER MIXSON TIME 1956 DATE 14 Aug 68
 SQUADRON 311 CALL SIGN HB 016 MSN NO. 8016 FLT 152
 T/O _____ LAND _____ TOTAL TIME _____

PILOTS	AIRCRAFT	DASC	TIME
<u>MIXSON</u>	<u>WL 22</u>	_____	_____
<u>DATIS</u>	<u>25</u>	CONTROLLER	TIME
_____	_____	TYPE CONTROLLER	_____
_____	_____	TYPE MISSION	_____

TOT	DESCRIPTION	COORDINATES	PROVINCE
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

FERA

TGT TERRAIN _____ TGT WX _____ VISIBILITY _____
 REL ALT _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 ENROUTE ALT _____ RETURN ALT _____ TGT AIRSPEED _____
 ORDNANCE _____ EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
 BDA _____ % _____ ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER OF _____ SIZE OF _____
 UNIT SUPPORTED _____ OPERATION _____ (LEAVE BLANK)
 ENROUTE WEATHER _____

REMARKS: Return from Uban.
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR DUD _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIVERTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____
 NOTE #4: CONTROLLER EFFECTIVENESS _____

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) ACFT HIT
 (D) RECON INSERT/EXTRACT
 (E) BDA REPORTED
 (F) ABORT
 (G) DIVERT

YES	NO
YES	NO
YES	NO
YES	NO
YES	NO
YES	NO
YES	NO

FILE FORM WITH BARREL
 FILE FORM WITH BARREL
 FILE FLASH REPORT WITH BARREL
 CIRCLE ONE/COUNT
 IF ADDITIONAL CIRCLE
 ACFT MALFUNCTION/NO DROP
 GIVE REASON BELOW

DEBRIEFER CRAFORD TIME 0250 DATE 14 Aug 69
 SQUADRON VMA 311 CALL SIGN HB535 MSN NO. 6535 FLT 352
 T/O 0130 LAND 0235 TOTAL TIME 11

PILOTS

AIRCRAFT

CRAFORD W2 12

DASC BIRMINGHAM TIME 0210
 CONTROLLER AIR ART #8 TIME 0210
 TYPE CONTROLLER ASST
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
0220	KNOW Enemy Pos. 4C487 849		2
	55		

TGT TERRAIN Level TGT WX 1000 VISIBILITY 10+
 REL ANGLE Level PASSES 1 INTERVAL — REL ALT 15,500 MSL
 MIN ALT 15,500 MSL
 ENROUTE ALT 20500 RETURN ALT 17500 TGT AIRSPEED 290 KTS
 ORDNANCE 6026/4 EXPENDED 6026/4 JETTISONED N/A
 ORDNANCE/RTB N/A DUDS (SEE NOTE # 1) N/A
 BDA — % — ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER OF — SIZE OF —
 UNIT SUPPORTED 101 FL OPERATION CAMPBELL STRIKER
 ENROUTE WEATHER 100 (LEAVE BLANK)

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR DUD _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIVERTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____
 NOTE #4: CONTROLLER EFFECTIVENESS _____

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) ACFT HIT
 (D) RECON INSERT/EXTRACT
 (E) BDA REPORTED
 (F) ABORT
 (G) DIVERT

YES
 YES
 YES
 YES
 YES
 YES
 YES
 YES

NO
 NO
 NO
 NO
 NO
 NO
 NO
 NO

FILE FORM WITH BARREL
 FILE FORM WITH BARREL
 FILE FLASH REPORT WITH BARREL
 CIRCLE ONE (X) FOR
 IF ADDITIONAL CIRCLE
 ACFT MALFUNCTION/NO DROP
 GIVE REASON BELOW

DEBRIEFER _____ TIME _____ DATE 14 Aug 69
 SQUADRON 311 CALL SIGN 541 MSN NO. 6541 FLT 352
 T/O 0315 LAND 0445 TOTAL TIME 1.5

PILOTS

AIRCRAFT

AKILL WL 03 DASC _____ TIME _____
 CONTROLLER Cam HA TIME 0340
 TYPE CONTROLLER ASRT
 TYPE MISSION TPR

TOT

DESCRIPTION

COORDINATES

PROVINCE

0350/0400 Enemy Loc YD04510 1
55

TGT TERRAIN R TGT WEATHER 0 VISIBILITY 10
 REL ANGLE _____ PASSES 1 INTERVAL _____ MIN ALT 17.2
 ENROUTE ALT 18.1 RETURN ALTITUDE 20.5 TGT AIRSPEED 290
 ORDNANCE 6 02 1/4 EXPENDED ALL JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA 100% % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED 3rd m. D. OPERATION Idaho Canyon
 (LEAVE BLANK)

ENROUTE WEATHER

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) A/CRAFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORDNANCE
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	AIRCRAFT MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS:

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

NOTE #4: CONTROLLER EFFECTIVENESS _____

DEBRIEFER Light TIME 0800 DATE 14 Aug 68
 SQUADRON 311 CALL SIGN HB 208 MSN NO. 6208 FLT 152
 T/O 0700 LAND 07366 TOTAL TIME 1.2

PILOTS

AIRCRAFT

Kraus Wk 14
Light 07

DASC Nellie Gnt. TIME 0708
 CONTROLLER Nellie 22 TIME 0705
 TYPE CONTROLLER 22CA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0706 - 0725</u>	<u>VC in hut</u> <u>22</u>	<u>BS364874</u>	<u>5</u>

TGT TERRAIN Valley TGT WX 0 VISIBILITY 7
 REL ANGLE 20 PASSES 8 INTERVAL 30sec REL ALT 1300
 MIN ALT 600

ENROUTE ALT 8.5 RETURN ALT 7.5 TGT AIRSPEED 450

ORDNANCE 12 DIA 405 EXPENDED all JETTISONED

ORDNANCE/RTB DUDS (SEE NOTE # 1)

BDA 95 % 50 ADDITIONAL 10 structures destroyed, 1 small
secondary

SECONDARY EXPLOSIONS NUMBER OF SIZE OF small

UNIT SUPPORTED Am Cal OPERATION Nantucket Beach
 (LEAVE BLANK)

ENROUTE WEATHER 0

REMARKS:
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION REASON FOR DUD
 RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED TIME HOW DIVERTED

NOTE #3: ORDNANCE EFFECTIVENESS

NOTE #4: CONTROLLER EFFECTIVENESS

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) ACFT HIT
 (D) RECON INSERT/EXTRACT
 (E) BDA REPORTED
 (F) ABORT
 (G) DIVERT

YES NO FILE FORM WITH BARREL
 YES NO FILE FORM WITH BARREL
 YES NO FILE FLASH REPORT WITH BARREL
 YES NO CIRCLE ONE (CROSS)
 YES NO IF ADDITIONAL CIRCLE
 YES NO ACFT MALFUNCTION/NO DROP
 YES NO GIVE REASON BELOW

DEBRIEFER M. Kelly TIME 0820 DATE 14 Aug 69
 SQUADRON 311 CALL SIGN HB MSN NO. 6150 FLT 152
 T/O 0730 LAND 0808 TOTAL TIME 1.4

PILOTS

AIRCRAFT

Kelly
Kelly
AL 05
06

DASC Helix TIME 0725
 CONTROLLER HELI 55 TIME 0737
 TYPE CONTROLLER PASA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0741-50</u>	<u>known enemy</u> <u>loc.</u>	<u>BS-877215</u>	<u>RVN</u>

TGT TERRAIN hilly TGT WX 60 0 VISIBILITY 7
 REL ANGLE 10° PASSES 6 INTERVAL 30 sec REL ALT 1200
 MIN ALT 600

ENROUTE ALT 13.5 RETURN ALT 10.5 TGT AIRSPEED 450

ORDNANCE 489 802A EXPENDED AM JETTISONED —

ORDNANCE/RTB — DUDS (SEE NOTE # 1) 1 Napalm

BDA 100 % 80 ADDITIONAL 30 meters trench, trail
cut, 1 sec. fire

SECONDARY EXPLOSIONS — NUMBER OF — SIZE OF —

UNIT SUPPORTED AMERICA OPERATION 1000 MT.

ENROUTE WEATHER 60 0 (LEAVE BLANK)

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION on 1st REASON FOR DUD ?
 RECOVERABLE NO FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIVERTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

NOTE #4: CONTROLLER EFFECTIVENESS —

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) ACFT HIT
 (D) RECON INSERT/EXTRACT
 (E) BDA REPORTED
 (F) ABORT
 (G) DIVERT

YES NO
 YES NO
 YES NO
 YES NO
 YES NO
 YES NO
 YES NO

FILE FORM WITH BARREL
 FILE FORM WITH BARREL
 FILE FLASH REPORT WITH BARREL
 CIRCLE ONE (CROSS)
 IF ADDITIONAL CIRCLE
 ACFT MALFUNCTION/NO DROP
 GIVE REASON BELOW

DEBRINTER Mei TIME 1010 DATE 14 Aug 69
 SQUADRON 311 CALL SIGN H3450 MSN NO. 6450 FLT 152
 T/O 0805 LAND 0938 TOTAL TIME 3.1

PILOTS	AIRCRAFT	DASC	TIME
<u>Hampton</u>	<u>06</u>	<u>Donatha</u>	<u>0830</u>
<u>Good</u>	<u>23</u>	<u>SW 98-3</u>	<u>0845</u>
		TYPE CONTROLLER	<u>FACA</u>
		TYPE MISSION	<u>IOAS</u>

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0846-57</u>	<u>Friendly Ammo</u>	<u>XD 902609</u>	<u>1</u>
	<u>in LZ 55</u>		

TGT TERRAIN R TGT WEATHER 0 VISIBILITY 100
 REL ANGLE 20° PASSES 6 INTERVAL 30 MIN ALT 600
 ENROUTE ALT 18.5 RETURN ALTITUDE 13.5 TGT AIRSPEED 450
 ORDNANCE 12 DIA 409 EXPENDED ALL JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE #1) -
 BDA 100 % 100 % ADDITIONAL 4 secondary expl

SECONDARY EXPLOSIONS yes NUMBER 4 SIZE -
 UNIT SUPPORTED 3rd MAR DIV OPERATION Badaho Canyon
 (LEAVE BLANK)

ENROUTE WEATHER -

(A) HOSTILE FIRE	YES	☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☒ NO	FILE FORM WITH BARREL
(C) ACRAFT HIT	YES	☒ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	☒ NO	CIRCLE ONE/COORDNANCE
(E) BDA REPORTED	YES	☒ NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	☒ NO	AIRCRAFT MALFUNCTION/NO DROP
(G) DIVERT	YES	☒ NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON FOR -
 RECOVERABLE - FUZE (DELAY/ARM DELAY) -

NOTE #2: ECM ENCOUNTERED - TIME - HOW DIRECTED -

NOTE #3: ORDNANCE EFFECTIVENESS Good

NOTE #4: CONTROLLER EFFECTIVENESS SAT (1st time out)

DEBRIEFER DANSKIN J.W. TIME 1345 DATE 14 Aug 69
 SQUADRON 311 CALL SIGN 458 MSN NO. 6458 FLT 152
 T/O 1153 LAND 1323 TOTAL TIME 3.0

PILOTS	AIRCRAFT	DASC	HELIK GUT	TIME
<u>DANSKIN</u>	<u>02</u>			<u>1240</u>
<u>MCCLESKEY</u>	<u>03</u>	CONTROLLER	<u>HELIK-21</u>	TIME <u>1242</u>
		TYPE CONTROLLER	<u>FACA</u>	
		TYPE MISSION	<u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1235-1305</u>	<u>ENEMY MORTAR POS</u>	<u>BS 333907</u>	<u>IV</u>
	<u>50</u>		

TGT TERRAIN Mtn TGT WX 8000 VISIBILITY 5
 REL ANGLE 20° PASSES 6 INTERVAL 30 sec. REL ALT 1300
 ENROUTE ALT 18.5 RETURN ALT 5.5 TGT AIRSPEED 450
 ORDNANCE 120IA/409 EXPENDED 3 70IA/409 JETTISONED —
 ORDNANCE/RTB 50IA DUDS (SEE NOTE # 1) —
 BDA 100 % 100 ADDITIONAL 2 SECONDARY EXPLOSIONS.

SECONDARY EXPLOSIONS X NUMBER OF 2 SIZE OF SMALL W/P
 UNIT SUPPORTED Americal OPERATION General Park
 ENROUTE WEATHER 8000 5 (LEAVE BLANK)

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR DUD _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIVERTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____
 NOTE #4: CONTROLLER EFFECTIVENESS _____

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) ACFT HIT
 (D) RECON INSERT/EXTRACT
 (E) BDA REPORTED
 (F) ABORT
 (G) DIVERT

YES NO
 YES NO
 YES NO
 YES NO
 YES NO
 YES NO
 YES NO

FILE FORM WITH BARREL
 FILE FORM WITH BARREL
 FILE FLASH REPORT WITH BARREL
 CIRCLE ONE (CROSS)
 IF ADDITIONAL CIRCLE
 ACFT MALFUNCTION/NO DROP
 GIVE REASON BELOW

DEBRIEFER MAT PAGE TIME 1430 DATE 14 AUG 69
 SQUADRON VMA-311 CALL SIGN M 21 MSN NO. 0946 FLT 152
 T/O 1250 LAND 1406 TOTAL TIME 2.6

PILOTS

AIRCRAFT

PAGE
CRUIKSHANK
WC-12
WC-23

DASC Hillsboro TIME 1259
 CONTROLLER NAIL 50 TIME 1320
 TYPE CONTROLLER AREA TACA
 TYPE MISSION ST

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1323-34</u>	<u>BRIDGE</u>	<u>XC 903981</u>	
	<u>25</u>	<u>1620 10651</u>	

TGT TERRAIN Hilly TGT WX 0 VISIBILITY 7
 REL ANGLE 30° PASSES 4 INTERVAL 30° REL ALT 3500
 ENROUTE ALT 20.5 RETURN ALT 21.5 MIN ALT 2000
 ORDNANCE 8024/405 EXPENDED 8024 TGT AIRSPEED 450
 ORDNANCE/RTB 405 DUDS (SEE NOTE # 1) 0
 BDA % ADDITIONAL 75% within 20 meters
100% within 50 meters 1 BRIDGE Damaged
 SECONDARY EXPLOSIONS — NUMBER OF — SIZE OF —
 UNIT SUPPORTED 7th AF OPERATION —
 ENROUTE WEATHER 07 (LEAVE BLANK)

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR DUD —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIVERTED —
 NOTE #3: ORDNANCE EFFECTIVENESS —
 NOTE #4: CONTROLLER EFFECTIVENESS —

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) ACFT HIT
 (D) RECON INSERT/EXTRACT
 (E) BDA REPORTED
 (F) ABORT
 (G) DIVERT

YES ☐ NO ☐
 YES ☐ NO ☐
 YES ☐ NO ☐
 YES ☐ NO ☐
 YES ☐ NO ☐
 YES ☐ NO ☐
 YES ☐ NO ☐

FILE FORM WITH BARREL
 FILE FORM WITH BARREL
 FILE FLASH REPORT WITH BARREL
 CIRCLE ONE CIRCLE
 IF ADDITIONAL CIRCLE
 ACFT MALFUNCTION/NO DROP
 GIVE REASON BELOW

DEBRIEFER Melville TIME 1530 DATE 14 Aug 69
 SQUADRON 311 CALL SIGN H3 592 MSN NO. 6592 FLT 152
 T/O 1325 LAND 1523 TOTAL TIME 4.0

PILOTS		AIRCRAFT			
<u>Melville</u>	<u>WL 08</u>	DASC	<u>US-5</u>	TIME	<u>1330</u>
<u>WALLACE</u>	<u>06</u>	CONTROLLER	<u>Helix 02</u>	TIME	<u>1445</u>
		TYPE CONTROLLER	<u>FACA</u>		
		TYPE MISSION	<u>CA2</u>		

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1453-1502</u>	<u>Books in trees</u> <u>45</u>	<u>BT 144 107</u>	<u>4</u>

TGT TERRAIN LVL TGT WX 600 VISIBILITY UNL
 REL ANGLE 30° PASSES 8 INTERVAL 30 Sec REL ALT 3000
 ENROUTE ALT 18.5 RETURN ALT 3.5 TGT AIRSPEED 450
 ORDNANCE 6D2 w/4 4D8 2D5 EXPENDED 6D2 w/4 4D8 JETTISONED None
 ORDNANCE/RTB 2 D5 DUDS (SEE NOTE # 1) None
 BDA 90 % ADDITIONAL 2 Structures 3 bunkers Dest
None to follow

SECONDARY EXPLOSIONS _____ NUMBER OF _____ SIZE OF _____
 UNIT SUPPORTED Amcar OPERATION _____
 ENROUTE WEATHER Clear (clear 15+) (LEAVE BLANK)
 REMARKS: None BDA to follow
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR DUD _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: EUM ENCOUNTERED _____ TIME _____ HOW DIVERTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____
 NOTE #4: CONTROLLER EFFECTIVENESS _____

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) ACFT HIT
 (D) RECON INSERT/EXTRACT
 (E) BDA REPORTED
 (F) ACFT
 (G) DIVERT

YES ☒ NO
 YES ☒ NO
 YES ☒ NO
 YES ☒ NO
 YES ☒ NO
 YES ☒ NO
 YES ☒ NO

FILE FORM WITH BARREL
 FILE FORM WITH BARREL
 FILE FLASH REPORT WITH BARREL
 CIRCLE ONE (CROSS)
 IF ADDITIONAL CIRCLE
 ACFT MALFUNCTION/NO DROP
 GIVE REASON BELOW

DEBRIEFER _____ TIME _____ DATE 15 Aug
 SQUADRON WMA 311 CALL SIGN HB 155 MSN NO. 6155 FLT 152
 T/O 0900 LAND 0950 TOTAL TIME 1.8

PILOTS

AIRCRAFT

MELVILLE 19
WHITE 07

DASC VS TIME 0905
 CONTROLLER HBLIX 22 TIME 0910
 TYPE CONTROLLER OVIFACA
 TYPE MISSION DAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0910-0935</u>	<u>LOW HILL</u> <u>55</u>	<u>BS 705-894</u>	<u>5</u>

TGT TERRAIN low hill TGT WX 4.50 VISIBILITY 8
 REL ALT 1200
 REL ANGLE 20° PASSES 10 INTERVAL 30 Sec MIN ALT 1000
 ENROUTE ALT 5.5 RETURN ALT 6.5 TGT AIRSPEED 450
 ORDNANCE 8 D2A 4 D9 EXPENDED 7 D2A 4 D9 JETTISONED 0
 ORDNANCE/RTB 1 D2A DUDS (SEE NOTE # 1) _____
 BDA 100 % 100 ADDITIONAL 2 BUNKERS 1 SPIDER HOLE

SECONDARY EXPLOSIONS _____ NUMBER OF _____ SIZE OF _____
 UNIT SUPPORTED AMERICAN OPERATION NANTUCKET Beach
 (LEAVE BLANK)
 ENROUTE WEATHER — ① 8-10

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION BS 705 894 REASON FOR DUD UNK
 RECOVERABLE no, FUZE (DELAY/ARM DELAY) w/y
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIVERTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____
 NOTE #4: CONTROLLER EFFECTIVENESS _____

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) ACFT HIT
 (D) RECON INSERT/EXTRACT
 (E) BDA REPORTED
 (F) ABORT
 (G) DIVERT

YES NO
 YES NO
 YES NO
 YES NO
 YES NO
 YES NO
 YES NO

FILE FORM WITH BARREL
 FILE FORM WITH BARREL
 FILE FLASH REPORT WITH BARREL
 CIRCLE ONE/COUNTED
 IF ADDITIONAL CIRCLE
 ACFT MALFUNCTION/NO DROP
 GIVE REASON BELOW

DEBRIEFER LTJG McCLURE TIME 0915 DATE 15 Aug 68
 SQUADRON 311 CALL SIGN 415 023 MSN NO. 6023 FLT 152
 T/O 0808 LAND 0900 TOTAL TIME 1.8

PILOTS

AIRCRAFT

UPCHURCH
McCLURE

WL 02
06

DASC Bilk TIME 1915
 CONTROLLER B-1E 31 TIME 1917
 TYPE CONTROLLER FACAI
 TYPE MISSION L2A

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0830-0835</u>	<u>L2P</u> <u>54</u>	<u>YC 580877</u>	<u>2</u>

TGT TERRAIN 14115 TGT WX 0 VISIBILITY 10
 REL ALT 3000
 REL ANGLE 30° PASSES 8 INTERVAL 30° MIN ALT 1500
 ENROUTE ALT 14.5 RETURN ALT 15.5 TGT AIRSPEED 450
 ORDNANCE 12 187400/00 EXPENDED 172 JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100 % 100 ADDITIONAL —

1-1406 see Annex for
 SECONDARY EXPLOSIONS — NUMBER OF — SIZE OF —
 UNIT SUPPORTED 101st AB OPERATION Campbell Striker
 (LEAVE BLANK)

ENROUTE WEATHER —
 REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR DUD —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 NOTE #2: ECM ENCOUNTERED — TIME — HOT DIVERTED —
 NOTE #3: ORDNANCE EFFECTIVENESS —
 NOTE #4: CONTROLLER EFFECTIVENESS —

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) ACFT HIT
 (D) RECON INSERT/EXTRACT
 (E) BDA REPORTED
 (F) ABORT
 (G) DIVERT

YES NO
 YES NO
 YES NO
 YES NO
 YES NO
 YES NO
 YES NO

FILE FORM WITH BARREL
 FILE FORM WITH BARREL
 FILE FLASH REPORT WITH BARREL
 CIRCLE ONE GOOD
 IF ADDITIONAL CIRCLE
 ACFT MALFUNCTION/NO DROP
 GIVE REASON BELOW

DEBRIEFER Brooks TIME 1010 DATE 15 Aug 69
 SQUADRON 311 CALL SIGN HB 211 MSN NO. 6211 FLT 152
 T/O 0905 LAND 0952 TOTAL TIME 1.08

PILOTS
Brooks
0475
 AIRCRAFT
23
25

DASC TRAC TIME 0915
 CONTROLLER TRAC 34 TIME 0920
 TYPE CONTROLLER TRAC 34 FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0920-0930</u>	<u>VC TROOPS</u>	<u>YD 855008</u>	<u>2</u>
	<u>45</u>		

TGT TERRAIN Aug TGT WX 0 VISIBILITY 10
 REL ANGLE 20 PASSES 16 INTERVAL 30 sec REL ALT 2050
 ENROUTE ALT 12.5 RETURN ALT 9.5 TGT AIRSPEED 450
 ORDNANCE 12 DIA 409 EXPENDED ALL JETTISONED -
 ORDNANCE/RTB - DUDS (SEE NOTE # 1) -
 BDA 100 % 50 ADDITIONAL -

SECONDARY EXPLOSIONS 0 NUMBER OF - SIZE OF -
 UNIT SUPPORTED 1st ARVN DIV OPERATION - (LEAVE BLANK)
 ENROUTE WEATHER Good

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION - REASON FOR DUD -
 RECOVERABLE - FUZE (DELAY/ARM DELAY) -
 NOTE #2: ECM ENCOUNTERED - TIME - HOW DIVERTED -
 NOTE #3: ORDNANCE EFFECTIVENESS -
 NOTE #4: CONTROLLER EFFECTIVENESS -

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE <u>GOOD</u>
(E) BDA REPORTED	YES	NO	IF ADDITIONAL <u>CIRCLE</u>
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

12

DEBRIEFER MAT PAGE TIME 1115 DATE 15 AUG 69SQUADRON UMA-311 CALL SIGN H213 MSN NO. 6213 FLT 152T/O 1010 LAND 1100 TOTAL TIME 1.6

PILOTS

AIRCRAFT

<u>PAGE</u>	<u>WL-03</u>
<u>KRAUS</u>	<u>WL-20</u>

DASC <u>DA NANG</u>	TIME <u>1015</u>
CONTROLLER <u>BLACK ACFT</u>	TIME <u>1016</u>
TYPE CONTROLLER <u>PACA</u>	
TYPE MISSION <u>DAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>103343</u>	<u>Base Camp</u> <u>28</u>	<u>2C 187624</u>	<u>3</u>

TGT TERRAIN <u>Hilly</u>	TGT WX <u>0</u>	VISIBILITY <u>7</u>
REL ANGLE <u>30</u>	PASSES <u>10</u>	INTERVAL <u>30</u>
ENROUTE ALT <u>14.5</u>	RETURN ALT <u>11.5</u>	TGT AIRSPEED <u>450</u>

ORDNANCE <u>20 D14</u>	EXPENDED <u>16 D14</u>	JETTISONED <u>0</u>
------------------------	------------------------	---------------------

ORDNANCE/RTB <u>4 D14</u>	DUDS (SEE NOTE # 1) <u>0</u>
---------------------------	------------------------------

BDA <u>100 %</u>	ADDITIONAL <u>4 Structures Destroyed</u>
------------------	--

100 meters tree line

SECONDARY EXPLOSIONS	NUMBER OF	SIZE OF
----------------------	-----------	---------

UNIT SUPPORTED <u>1st ARVN</u>	OPERATION
--------------------------------	-----------

ENROUTE WEATHER <u>07</u>	(LEAVE BLANK)
---------------------------	---------------

REMARKS: _____
(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR DUD _____

RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIVERTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

NOTE #4: CONTROLLER EFFECTIVENESS _____

- (A) HOSTILE FIRE
(B) AIRBURST
(C) ACFT HIT
(D) RECON INSERT/EXTRACT
(E) BDA REPORTED
(F) ABORT
(G) INVERT

YES	NO
YES	NO
YES	NO
YES	NO
YES	NO
YES	NO
YES	NO

FILE FORM WITH BARREL
FILE FORM WITH BARREL
FILE FLASH REPORT WITH BARREL
CIRCLE ONE/COORD
IF ADDITIONAL CIRCLE
ACFT MALFUNCTION/NO DROP
GIVE REASON BELOW

DEBRIEFER McKelley TIME 1045 DATE 15 Aug 69
 SQUADRON 311 CALL SIGN 14B MSN NO. 589 FLT 154
 T/O 0912 LAND 1030 TOTAL TIME 2.6

PILOTS AIRCRAFT
KELLEY UH 08 DASC 16/14 TIME 0915
SKINNER 13 CONTROLLER HEIX 34 TIME 0917
 TYPE CONTROLLER BACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>0950</u>	<u>RS-63/356</u>		<u>251</u>
<u>1011</u>	<u>51 CAL GUN SITE</u>		
	<u>01</u>		

TGT TERRAIN hilly TGT WX 0 VISIBILITY 7
 REL ALT 3000
 REL ANGLE 50° PASSES 12 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 11.5 RETURN ALT 10.5 TGT AIRSPEED 450
 ORDNANCE 205/408/1001 EXPENDED 105/408/1001 JETTISONED 105
 ORDNANCE/RTB _____ DUDS (SEE NOTE # 1) _____
 BDA 100 % 100 ADDITIONAL 6 large sec. Expl
possibly 1 site 5 small " "
 SECONDARY EXPLOSIONS _____ NUMBER OF _____ SIZE OF _____
 UNIT SUPPORTED American OPERATION Iron MT
 (LEAVE BLANK)
 ENROUTE WEATHER 07

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR DUD _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIVERTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____
 NOTE #4: CONTROLLER EFFECTIVENESS _____

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) ACFT HIT
 (D) RECON INSERT/EXTRACT
 (E) BDA REPORTED
 (F) ABORT
 (G) REVERT

YES NO
 YES NO
 YES NO
 YES NO
 YES NO
 YES NO
 YES NO

FILE FORM WITH BARREL 50 cal mm (M)
 FILE FORM WITH BARREL
 FILE FLASH REPORT WITH BARREL
 CIRCLE ONE GOOD
 IF ADDITIONAL CIRCLE
 ACFT MALFUNCTION/NO DROP
 GIVE REASON BELOW

DEBRIEFER _____ TIME _____ DATE 15 Aug
 SQUADRON 311 CALL SIGN 561 MSN NO. 6561 FLT 152
 T/O 1135 LAND 1255 TOTAL TIME 2.8

PILOTS	AIRCRAFT	DASC	TIME
<u>Garretson</u>	<u>WL 02</u>	<u>D.K.</u>	<u>1154</u>
<u>Good</u>	<u>23</u>	CONTROLLER <u>Cop. Ch 23</u>	TIME <u>1155</u>
		TYPE CONTROLLER <u>FACA</u>	
		TYPE MISSION <u>OAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1200/20</u>	<u>Way Station</u>	<u>XO 773413</u>	<u>1</u>
	<u>55</u>		

TGT TERRAIN H TGT WX 0 VISIBILITY 7
 REL ALT 30 PASSES 6 INTERVAL 30 REL ALT 3000
 MIN ALT 1000
 ENROUTE ALT 18.5 RETURN ALT 15.5 TGT AIRSPEED 450
 ORDNANCE 12 02 w/4 EXPENDED ALL JETTISONED ✓
 ORDNANCE/RTB — DUDS (SEE NOTE # 1) —
 BDA 100 % 100 ADDITIONAL —

SECONDARY EXPLOSIONS _____ NUMBER OF _____ SIZE OF _____
 UNIT SUPPORTED 3rd m.D. OPERATION Antitank Canyon
 (LEAVE BLANK)
 ENROUTE WEATHER _____

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR DUD _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIVERTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS unk
 NOTE #4: CONTROLLER EFFECTIVENESS Good

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) ACFT HIT
 (D) RECON INSERT/EXTRACT
 (E) BDA REPORTED
 (F) ABORT
 (G) DIVERT

YES	NO
YES	NO
YES	NO
YES	NO
YES	NO
YES	NO
YES	NO
YES	NO

FILE FORM WITH BARREL
 FILE FORM WITH BARREL
 FILE FLASH REPORT WITH BARREL
 CIRCLE ONE (CROSS)
 IF ADDITIONAL CIRCLE
 ACFT MALFUNCTION/NO DROP
 GIVE REASON BELOW

DEBRIEFER MIXSON TIME 1410 DATE 15 Aug 69
 SQUADRON 311 CALL SIGN HB-021 MSN NO. 6021 FLT 132
 T/O 1225 LAND 1355 TOTAL TIME 3.0

PILOTS

AIRCRAFT

MIXSON WL 6
RASMUSSEN JS

DASC Dang Ha TIME 1240
 CONTROLLER SW 98-10 TIME 1310
 TYPE CONTROLLER FACA
 TYPE MISSION CAS

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1314-1322</u>	<u>Enemy Positions</u>	<u>YD 974 614</u>	<u>1</u>
	<u>65</u>		

TGT TERRAIN Mountain TGT WX 3.0 0 VISIBILITY 10
 REL ALT 3000
 REL ANGLE 30° PASSES 8 INTERVAL 30° Sec MIN ALT 1200
 ENROUTE ALT 18.5 RETURN ALT 23.5 TGT AIRSPEED 450
 ORDNANCE 405-4024 EXPENDED 305 4024 JETTISONED —
 ORDNANCE/RTB 105 DUDS (SEE NOTE # 1) NONE
 BDA 100 % 100 ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER OF — SIZE OF —
 UNIT SUPPORTED 3rd Mar Div OPERATION Idaho Canyon
 (LEAVE BLANK)
 ENROUTE WEATHER ?

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR DUD —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIVERTED —
 NOTE #3: ORDNANCE EFFECTIVENESS Due To Lack of Time only made
2 Runs
 NOTE #4: CONTROLLER EFFECTIVENESS Dang Ha DASC Inefficient AAC
No Controllers Not Controllers Fault For Lack
of Time

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) ACFT HIT
 (D) RECON INSERT/EXTRACT
 (E) BDA REPORTED
 (F) ABORT
 (G) DIVERT

YES NO
 YES NO
 YES NO
 YES NO
 YES NO
 YES NO
 YES NO

FILE FORM WITH BARREL
 FILE FORM WITH BARREL
 FILE FLASH REPORT WITH BARREL
 CIRCLE ONE/CORD
 IF ADDITIONAL CIRCLE
 ACFT MALFUNCTION/NO DROP
 GIVE REASON BELOW

DEBRIEFER MAT PAGE TIME 1700 DATE 15 AUG 69
 SQUADRON VMA-311 CALL SIGN H 017 MSN NO. 6017 FLT 152
 T/O 1515 LAND 1645 TOTAL TIME 3.0

PILOTS AIRCRAFT
BROOKS WL-23 DASC HEZIX TIME 1520
PAGE -07 CONTROLLER HEZIX 35 TIME 1540
 TYPE CONTROLLER PACA
 TYPE MISSION CAS

TOT DESCRIPTION COORDINATES PROVINCE
1547-54 50 CAS (Arrive) BS 624396 5
01

TGT TERRAIN Hilly TGT WX 40 D VISIBILITY 10
 REL ALT 3000 AGL
 REL ANGLE 30° PASSES 6 INTERVAL 30 MIN ALT 1000 AGL
 ENROUTE ALT 10.5 RETURN ALT 33000 TGT AIRSPEED 450
 ORDNANCE 12 D2Y EXPENDED ALL JETTISONED 0
 ORDNANCE/RTB 0 DUDS (SEE NOTE # 1) 0
 BDA 100% 80 ADDITIONAL

SECONDARY EXPLOSIONS _____ NUMBER OF _____ SIZE OF _____
 UNIT SUPPORTED Americal OPERATION IRON MOUNTAIN
 ENROUTE WEATHER 40 D 7 (LEAVE BLANK)
 REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR DUD _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____
 NOTE #2: DCM ENCOUNTERED _____ TIME _____ HOW DIVERTED _____
 NOTE #3: ORDNANCE EFFECTIVENESS _____
 NOTE #4: CONTROLLER EFFECTIVENESS _____

- (A) HOSTILE FIRE
 (B) AIRBURST
 (C) ACFT HIT
 (D) RECON INSERT/EXTRACT
 (E) BDA REPORTED
 (F) ABORT
 (G) DIVERT

YES NO
 YES NO
 YES NO
 YES NO
 YES NO
 YES NO
 YES NO

FILE FORM WITH BARREL
 FILE FORM WITH BARREL
 FILE FLASH REPORT WITH BARREL
 CIRCLE ONE COORD
 IF ADDITIONAL CIRCLE
 ACFT MALFUNCTION/NO DROP
 GIVE REASON BELOW

REPORTER KRAUS TIME 1615 DATE 15 Aug 69
 SQUADRON 311 CALL SIGN HB463 MSN NO. 64603 FLT 152
 T/O 1425 LAND 1555 TOTAL TIME 3.0

PILOTS	AIRCRAFT	DASC	TIME
<u>KRAUS</u>	<u>03</u>	<u>BILK</u>	<u>1445</u>
<u>CRUIKSHANK</u>	<u>08</u>	CONTROLLER <u>BILK</u>	TIME <u>1455</u>
		TYPE CONTROLLER <u>BACA</u>	
		TYPE MISSION <u>CAS</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>1525-1530</u>	<u>SUSPECTED ENEMY</u>	<u>YC 751900</u>	<u>2</u>
	POSITION		
	<u>55</u>		

TGT TERRAIN MOUNTAINOUS TGT WX 450 VISIBILITY 15
 REL ANGLE 20° PASSES 8 INTERVAL 35° MIN ALT 1600
 ENROUTE ALT 18,500 RETURN ALT 15,500 TGT AIRSPEED 450
 ORDNANCE 12 DIA/409 EXPENDED 12 DIA/409 JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL 1 SUSTAINED FIRE
1st BOMB CRATER

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 2nd 101st AB OPERATION KENTUCKY Jumper
 (LEAVE BLANK)
 ENROUTE WX 450 20 MILES

(A) HOSTILE FIRE	YES ☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES ☒ NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES ☒ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES ☒ NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES ☒ NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES ☒ NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES ☒ NO	GIVE REASON BELOW

REMARKS (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

CAPT SORENSEN TIME 1740 DATE 15 AUG 69
 SERIALIZED VMA 311 CALL SIGN HB 467 MSN NO. 1467 FLT 152
 T/O 1615 LAND 1730 TOTAL TIME 2.6

PILOTS
SORENSEN WL 20
CRANFORD 25

AIRCRAFT
 DASC Dong HA TIME 1635
 CONTROLLER SEA NORTH 22-NM 1645
 TYPE CONTROLLER BACA
 TYPE MISSION EAS L2P

TOT 1645-1705 DESCRIPTION L2 PRED COORDINATES XD989629 PROVINCE 1
54

TGT TERRAIN 1000M TGT WX 4000 VISIBILITY 5
 REL ANGLE 20 PASSES 4 INTERVAL 30 MIN ALT 1500
 ENROUTE ALT 20,500 RETURN ALT 21,500 TGT AIRSPEED 450
 ORDNANCE 12 DIA/409 EXPENDED 12 DIA/409 JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA 100 % 100 % ADDITIONAL 10 BUNKER DEST.

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3+6 PRED OPERATION FLANKO Canyon
 ENROUTE WX 100 10+ (LEAVE BLANK)

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	☒ YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS —
 (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

Handwritten signature/initials

PILOT MIXSON TIME 2000 DATE 15 Aug 69
 SQUADRON 311 CALL SIGN HB501 MSN NO. 6501 FLT 352
 T/O 1845 LAND 1945 TOTAL TIME 1.0

PILOTS

AIRCRAFT

MIXSONWL-03

DASC _____ TIME _____
 CONTROLLER Birmingham TIME 02001900
 TYPE CONTROLLER ASRT
 TYPE MISSION TPD

TOT

DESCRIPTION

COORDINATES

PROVINCE

1906 Enemy Base Area YC309971 2
55

TGT TERRAIN Mount TGT WX 0 VISIBILITY 10+
 REL ANGLE level PASSES 1 INTERVAL — MIN ALT 20000
 ENROUTE ALT 20,500 RETURN ALT 19,500 TGT AIRSPEED 290
 ORDNANCE 602W/Y EXPENDED All JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA — % — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —

UNIT SUPPORTED 101st AB OPERATION CAMPDEN STRIKER
 (LEAVE BLANK)

ENROUTE WX —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORD
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	NO	GIVE REASON BELOW

REMARKS —

(REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —

NOTE #2: RECOVERABLE — FUZE (DELAY/ARM DELAY) —
 ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

DEBRIEFER GOOD TIME 2350 DATE 15 AUG 69
 SQUADRON VMA 311 CALL SIGN HB 511 MSN. NO. 6511 FLT 352
 T/O 2105 LAND 2205 TOTAL TIME 1.0

PILOTS

AIRCRAFT

OATS 08 DASC 1 TIME 2120
 CONTROLLER DONG HA TIME 2120
 TYPE CONTROLLER ASST
 TYPE MISSION TPQ

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2130-2150</u>	<u>ENEMY POSIT</u>	<u>XD 971655</u>	<u>1</u>
	<u>55</u>		

TGT TERRAIN R TGT WEATHER 3.0 @ VISIBILITY 8
 REL ANGLE — PASSES 2 INTERVAL — MIN ALT 14.1
 ENROUTE ALT 18.5 RETURN ALTITUDE +7.5 TGT AIRSPEED 400
 ORDNANCE 6 D2 w/y EXPENDED ALL JETTISONED NONE
 ORDNANCE/RTB NONE DUDS (SEE NOTE #1) NONE
 BDA % % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 3RD MP OPERATION LOPHO CANYON
 (LEAVE BLANK)

ENROUTE WEATHER

(A) HOSTILE FIRE	YES	☒ NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	☒ NO	FILE FORM WITH BARREL
(C) AIRCRAFT HIT	YES	☒ NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	☒ NO	CIRCLE ONE/COORDINANCE
(E) BDA REPORTED	YES	☒ NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	☒ NO	AIRCRAFT MALFUNCTION/NO DROP
(G) DIVERT	YES	☒ NO	GIVE REASON BELOW

REMARKS:

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

NOTE #4: CONTROLLER EFFECTIVENESS —

PILOT GARREYSON TIME 2200 DATE 15 AUG 69
 CALL SIGN HB 507 MSN NO. 6507 FLT 352
 TO 2018 LAND 2157 TOTAL TIME 1.7

PILOTS GARREYSON AIRCRAFT WL 25
 DASC _____ TIME _____
 CONTROLLER CH4601 64A TIME 2120
 TYPE CONTROLLER ASRT
 TYPE MISSION TPQ

TOT DESCRIPTION COORDINATES PROVINCE
2130 RK7 POSITION BT 472002 4
2135 " " BS 472966

TGT TERRAIN MTN TGT WX 0 VISIBILITY 7
 REL ANGLE LEVEL PASSES 2 INTERVAL 3000 MIN ALT 14.1
 ENROUTE ALT 18.5 RETURN ALT 17.5 TGT AIRSPEED 450
 ORDNANCE 6 D2W/Y EXPENDED ALL JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA + % 3 % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED AMERICAN OPERATION NANTUCKET BEACH
 (LEAVE BLANK)
 ENROUTE WX _____

(A) HOSTILE FIRE	YES	☐	FILE FORM WITH BARREL
(B) AIRBURST	YES	☐	FILE FORM WITH BARREL
(C) ACFT HIT	YES	☐	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	☐	CIRCLE ONE/COORD _____
(E) BDA REPORTED	YES	☐	IF ADDITIONAL CIRCLE _____
(F) ABORT	YES	☐	ACFT MALFUNCTION/NO DROP
(G) DIRECT	YES	☐	GIVE REASON BELOW

REMARKS DIVERT DUE TO INABILITY TO CONTACT
BIRMINGHAM (REFERENCE NOTE # 3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____

NOTE #2: RECOVERABLE FUZE (DELAY/ARM DELAY) _____
 ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS UNKNOWN

DEBRIEFER RASMUSSEN TIME 2330 DATE 15 AUG '69
 SQUADRON 311 CALL SIGN HB517 MSN NO. 6517 FLT 352
 T/O 2225 LAND 2318 TOTAL TIME 0.9

PILOTS	AIRCRAFT	DASC	AN HOA	AERT	TIME
<u>RASMUSSEN 1/KT</u>	<u>WL-07</u>				<u>2230</u>
		CONTROLLER	<u>#82</u>		TIME <u>2235</u>
		TYPE CONTROLLER		<u>AERT</u>	
		TYPE MISSION		<u>TPQ</u>	

TOT	DESCRIPTION	COORDINATES	PROVINCE
<u>2240-2248</u>	<u>ENEMY LOCATION</u>	<u>BT 0056 5902</u>	<u>3</u>
	<u>55</u>		

TGT TERRAIN R. TGT WEATHER 30/100 VISIBILITY 10+
 REL ANGLE — PASSES 1 INTERVAL — MIN ALT 14.5
 ENROUTE ALT 14.5 RETURN ALTITUDE 13.5 TGT AIRSPEED 590
 ORDNANCE (6182 W/Y) EXPENDED ALL JETTISONED NONE
 ORDNANCE/RTB NONE DUDS (SEE NOTE #1) —
 BDA — % — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED ROK'S OPERATION Victory Dragon
 (LEAVE BLANK)

ENROUTE WEATHER —

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) AIRCRAFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORDINANCE
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	AIRCRAFT MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: —

(REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
RECOVERABLE FUZE (DELAY/ARM DELAY)

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

NOTE #4: CONTROLLER EFFECTIVENESS —

DEBRIEFER CRANFORD TIME 0020 DATE 16 AUG 69
 SQUADRON VMA 311 CALL SIGN HB521 MSN NO. 6521 FLT 352
 T/O 2255 LAND 2400 TOTAL TIME 1-1

PILOTS CRANFORD AIRCRAFT WL 20
 DASC BIRMINGHAM ASRT TIME 2320
 CONTROLLER ASRT TIME 2320
 TYPE CONTROLLER ASRT
 TYPE MISSION FPD

TOT 2325-2330 DESCRIPTION ENEMY STORAGE AREA COORDINATES YC310909 PROVINCE 2
27

TGT TERRAIN R TGT WEATHER -300 VISIBILITY 17
 REL ANGLE Level PASSES 1 INTERVAL — MIN ALT 20,500
 ENROUTE ALT 20,500 RETURN ALTITUDE 19,500 TGT AIRSPEED 290 KTS
 ORDNANCE 6 D2W/4 EXPENDED 6 D2W/4 JETTISONED —
 ORDNANCE/RTB — DUDS (SEE NOTE #1) —
 BDA — % ADDITIONAL —

SECONDARY EXPLOSIONS — NUMBER — SIZE —
 UNIT SUPPORTED 101ST AB OPERATION CAMPBELL STRIKER
 (LEAVE BLANK)

ENROUTE WEATHER 30/10

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACRAFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORDNANCE
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	AIRCRAFT MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION — REASON FOR —
 RECOVERABLE — FUZE (DELAY/ARM DELAY) —

NOTE #2: ECM ENCOUNTERED — TIME — HOW DIRECTED —

NOTE #3: ORDNANCE EFFECTIVENESS —

NOTE #4: CONTROLLER EFFECTIVENESS —

DEBRIEFER _____ TIME _____ DATE 15 Aug 69
 SQUADRON 311 CALL SIGN 017 MSN NO. 6017 FLT 112
 T/O 1755 LAND 1833 TOTAL TIME 1.2

PILOTS AIRCRAFT
BROOKS WL 23 DASC _____ TIME _____
PAGE 02 CONTROLLER _____ TIME _____
 TYPE CONTROLLER _____
 TYPE MISSION _____

TOT DESCRIPTION COORDINATES PROVINCE
FERRY HOP.

TGT TERRAIN _____ TGT WEATHER _____ VISIBILITY _____
 REL ANGLE _____ PASSES _____ INTERVAL _____ MIN ALT _____
 ENROUTE ALT _____ RETURN ALTITUDE _____ TGT AIRSPEED _____
 ORDNANCE _____ EXPENDED _____ JETTISONED _____
 ORDNANCE/RTB _____ DUDS (SEE NOTE #1) _____
 BDA % ADDITIONAL _____

SECONDARY EXPLOSIONS _____ NUMBER _____ SIZE _____
 UNIT SUPPORTED _____ OPERATION _____
 (LEAVE BLANK)

ENROUTE WEATHER _____

(A) HOSTILE FIRE	YES	NO	FILE FORM WITH BARREL
(B) AIRBURST	YES	NO	FILE FORM WITH BARREL
(C) ACRFT HIT	YES	NO	FILE FLASH REPORT WITH BARREL
(D) RECON INSERT/EXTRACT	YES	NO	CIRCLE ONE/COORDNANCE
(E) BDA REPORTED	YES	NO	IF ADDITIONAL CIRCLE
(F) ABORT	YES	NO	AIRCRAFT MALFUNCTION/NO DROP
(G) DIVERT	YES	NO	GIVE REASON BELOW

REMARKS: _____
 (REFERENCE NOTE #3)

NOTE #1: DUD REPORT LOCATION _____ REASON FOR _____
 RECOVERABLE _____ FUZE (DELAY/ARM DELAY) _____

NOTE #2: ECM ENCOUNTERED _____ TIME _____ HOW DIRECTED _____

NOTE #3: ORDNANCE EFFECTIVENESS _____

NOTE #4: CONTROLLER EFFECTIVENESS _____