



CUT ALONG THIS LINE

U S M C

KEN NOLAN, INC. • SAN CLEMENTE, CALIF.

U. S. M. C.



Transfers

• WHY USMC TRANSFERS? Depending upon how long you have had your present utility jacket the USMC and MARINE CORPS EMBLEM may be faded. These transfers when properly applied (see instructions on other side) will restore this faded printing to a jet black giving the utility jacket a new, fresh sharp and neat look.

Enclosed in this envelope you will also find small Marine Corps emblems — these may be used on the utility cap.

Though the primary purpose of these transfers is to restore the older printing on the utility jacket and cap they may be used on any fabric — T-shirts, sea bags, club jackets, etc.

FOR IMPORTANT INSTRUCTIONS SEE OTHER SIDE

INSTRUCTIONS

These transfers are designed to fit exactly the present printing on your utilities.

1. Place the transfer **FACE DOWN** — this is the rough side, the printed side must face down.
2. Line up the old printing with the new. You may wish to hold the transfer in place with the use of scotch tape to assure it does not move when ironing.
3. Press **IRON FIRMLY** over transfer for 3 or 4 seconds using a medium hot (cotton) heat.
4. Then **REMOVE PAPER IMMEDIATELY** after pressing, while paper is still hot. If paper sticks re-heat and then remove.

A SUGGESTION . . . if you are applying these transfers to a white fabric (T-shirt, etc.) place a piece of dry cloth or paper over the transfer before ironing to prevent scorching the shirt material.

Thank you

*For additional transfers ask for them by name
"USMC TRANSFERS" at your base exchange . . .*

• **MADE BY THE MAKERS OF M-NU EMBLEM REFINISHER**

**KEN NOLAN, INC.
SAN CLEMENTE, CALIF.**

NOTICE: THESE ARE IRONING INSTRUCTIONS IN VIETNAMESE . . .

CHỈ DẪN

-Nên dùng tấm vải hoặc mặt nào bằng phẳng cũng được để ủi. -Trước khi
in Phù-hiệu nên xem cho mặt vải bằng phẳng và không nhăn. -Đặt tấm phù-
hiệu bề mặt xuống vải. Không nên sử-dụng bàn ủi hơi. Khi xài bàn ủi khô,
vặn nút chỉ "Coton" hoặc "laine" (450°F) và ấn cho mạnh trong khoản thời
gian 2 hoặc 3 giây đồng hồ. -Gỗ ngay miếng giấy ra trong lúc còn nóng.

KEN NOLAN, INC., SAN CLEMENTE, CALIF.

U S M C



CUT ALONG THIS LINE



APPLICATION INSTRUCTIONS

1. Use ironing board or any smooth padded surface.
2. Before applying transfer, be sure cloth is smooth and not wrinkled.
3. Place decal badge on cloth, **COLOR SIDE DOWN**. Do not use steam iron. Place dry iron indicator to "Cotton" or "Linen" temp. (450°F) and press iron over design 3 to 4 seconds with firm pressure.
4. Remove paper at once while paper is still Hot.

KEN NOLAN, INC., SAN CLEMENTE, CALIF., U.S.A.