

WINDON O KRAUSE O KATZ O NOTKL
O O O O O O O
OPEDAW OLEFEVER
LEPAGE

Native So. American tribal hats

1 HALO TRAINING
 2 Panama-Davo
 3 " "
 4 "
 5 "
 6 "
 7 J.O.C. TRAINING
 8 IN PANAMA
 9 1964?
 10 #7 is Hans Nohr
 11 #9 " " "
 12 IN Honduras
 13 1965
 14 #9 Sqf Windsor
 15 Honduras
 16 #10 1966-Ecuador
 17 Hans Nohr
 18 #11 - J.O.C - FT
 19 Sherman, PA
 20 1966
 21 #20 Hans Nohr
 22 "Chito" Robo
 23 #21 Nohr
 24 George LeFever
 25 Bolivia 1966
 26
 27
 28
 29 Dom REP 1966
 30 Hurricane INEZ
 31
 32
 33
 34
 35

36
 37
 38
 39
 40
 41
 42
 43
 44 1966 Colombia
 45 US does Customs
 46 Training
 47 V
 48 Sgt LeFever
 49
 50
 51
 52 COLUMBIA -
 53 MIT Academy
 54
 55
 56
 57
 58 Sqf Windsor
 59
 60 Sqf LeFever
 61 V
 62
 63 See over →
 64 Survey for
 65 New Panama
 66 Canal 1967
 67
 68
 69
 70

71
 72
 73
 74
 75 1967 TRAINING
 76 Bolivian Tracy
 77 (They caught
 78 'Che' Guevara
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100
 101
 102
 103
 104
 105

106
 107
 108
 109
 110
 111
 112
 113
 114
 115
 116
 117
 118
 119
 120
 121
 122
 123
 124
 125
 126
 127
 128
 129
 130
 131
 132
 133
 134
 135
 136
 137
 138
 139
 140

● The KODAK CAROUSEL 140 Slide Tr

This tray holds 140 slides. It accepts slides in 2 x 2-inch cardboard or thin plastic mounts (*not* glass or metal mounts) up to $\frac{1}{16}$ inch thick. Since this tray was designed to hold as many slides as possible, the slide compartments in the tray are quite narrow. For this reason, your slide mounts should be in good condition. Mounts which are warped or bent may fail to drop from the tray into the projector. (If this happens, straighten the mount with your fingers or place the slide in a new mount, such as a KODAK READY-MOUNT.)

Clip off all mount corners that are frayed. Do not use slides mounted with loose or sticky tape.

Loading Slide Tray

Check the bottom of the tray to make sure that the INDEX HOLE is opposite the INDEX NOTCH, as shown. If it is not, release the LATCH (slide it in the direction shown by the arrow) and turn the bottom plate until the index hole points to the index notch.


Remove the lock ring from the top of the tray by turning it in the direction of the arrow marked UNLOCK; then lift off the ring. Insert a slide in each slot in the tray, with the top of the picture down. The printed border or trademark side of each cardboard mount, or the emulsion (dull) surface of the slide, should face the lower-numbered slides. For example, the bordered, trademark (or emulsion) side of slide No. 2 should face toward the first slide; the third slide should face toward No. 2, etc.

Replace the lock ring, turning it in the direction of the arrow marked **LOCK** until the ring is secure on the tray.

Placing Slide Tray on Projector

Put the loaded slide tray on the projector so that the hole in the center of the tray fits over the center post on the top of the projector; then revolve the tray slowly **in a clockwise direction** until the identification bar (between numbers 2 and 140) is opposite the gate index on the projector. The tray will drop down into operating position on the top of the projector. **If the slide tray does not easily drop into place, check the alignment of the index hole and the index notch as described under "Loading Slide Tray."**

NOTE: The tray drops down further during the **first** change cycle or when the **SELECT BAR** is pressed.



AUXILIARY EQUIPMENT

KODAK Carrying Case for KODAK CAROUSEL Slide Trays

Has two compartments so that three additional slide trays may be carried or a lesser number plus extension cords, lenses, and other miscellaneous equipment. Available from your photo retailer.



EASTMAN KODAK COMPANY • ROCHESTER, NEW YORK 14650