

U.S.N.S. GENERAL JOHN POPE T-P-110

PRINCIPAL CHARACTERISTICS

CLASS----- P-2

LENGTH OVERALL ~~622'~~ 622' 07"
BEAM - - - - - 75' 06"
MAX. DRAFT- - - - - 26' 01"
MAX. SUSTAINED SPEED ~~19.8~~ 19.8 KNOTS
ECONOMICAL SPEED- - - - 17.2 KNOTS
CRUISING RADIUS - - - - 12,000 MILES AT ECONOMICAL SPEED
FULL LOAD DISPLACEMENT - 20,700 TONS
CARGO DEADWEIGHT TONS - 1,500 TONS
FUEL OIL CAPACITY- - - - 20,203 BBLs.
FRESH WATERCAPACITY - - 1,245 TONS
DAILY DISTILLER CAPACITY- 80,000 GALS.
REFRIGERATION SPACE, SHIPS USE- 33,984 CU. FT.

U.S.N.S.

GENERAL JOHN POPE (TAP# 110)

HATCH NO.	DECK	SIZE OF HATCH OPENING	COAMING	INSQUARE	SQ. FEET	CU. FEET	BOOMS
1	HOLD	SHIPS STORES USE, NO BOOMS					
2	HOLD	12' 08" X 25'	14'	15'	2079	36309	2 - 8 TON
3		SHIPS STORES ONLY					
4		PLATFORMS AND HOLD SHIPS REFRIGERATED STORES ONLY.					
6	UPPER TRUNK	13' 02" X 25' 03"	11' 02"	11' 02"	400	4004	2 - 8 TON
	MIDDLE TRUNK	13' 02" X 25' 03"	7' 02"	7' 02"	429	3770	
	HOLD	14' 05" X 25' 00"	6' 04"	6' 04"	2865	25058	
7	HOLD	14' 06" X 16' 02"	6' 05"	6' 05"	11155	11416	2 8 TON
	LOCKER 2A 9' 00" X 31' 00" (MEAN)						
	LOCKER 2B 10' 00" X 22' 00" (MEAN)						

NOTE- ALL CUBIC FEET— BALE CAPACITY.

U.S.N.S. GENERAL JOHN POPE TAP 110
#3 = 15' 06" X 25'


21 March 1966

HOSPITAL SPACE

#7
2-8 TON
14' 06" X 15' 10"


#6
13' 02" X 25'

#2
19' 08" X 25'




USNS GENERAL JOHN POPE TAP-110
TRANSIT OFFICERS QUARTERS
MAIN DECK AFT OF #2 HATCH.

TOTAL BERTHS 13
TRANSIT OFFICERS



13 TRANSIT OFFICERS


-5-



TOTAL TRANSIT OFFICERS 13
SPARE BUNKS 3


TRANSIT OFFICERS STATEROOMS MAIN DECK , FRD OF #6 HATCH

TOTAL BUNK SPACE AVAILABLE + 32 OFFICERS




32
TRANSIT
OFFICERS

SECOND DECK STARBOARD SIDE TOTAL 179



~~←←~~ AFT.
TO SR 207

FORWARD TO 209




179
TRANSIT OFFICERS

NUMBER ONE HATCH FOURTH DECK

COMPARTMENT 4-1

LOCATION 4-16-D-L

FORWARD



HATCH #1 4th DECK

COMPARTMENT 4-1

TROOP BERTHING

TOTAL 56 MEN


GUARDS 30
PRISONERS 26

TOTAL 56 TROOPS

HATCH NUMBER TWO, SECOND DECK

TROOP COMPARTMENT NO. 2-2

*22 additional bunks installed
but not usable due to pipes, vents,
and other obstructions*



HATCH NO.2 , 2nd. DECK TROOP BERTHING

HEIGHT TO PONTOON - - - 11'00"

BOOMS - - - 2- 8 TON

HEIGHT TO COAMING - - - 7'06"

HEIGHT FOR CUBE * - - - - 7'00"

* NOTE - AVAILABLE FOR
PORTABLE BUNKS IF REQUIRED
WILL ACCOMODATE 96 MEN IN
SQUARE OF HATCH


TOTAL TROOP SPACE 200 MEN
SQUARE 96

200 TROOPS

USNS GENERAL JOHN POPE TAP 110

HATCH NUMBER TWO , THIRD DECK

TROOP COMPARTMENT 3-2



HATCH NO.2 DECK NO.3

TROOP COMPARTMENT 3-2

* NOTE HATCH SQUARE AVAILABLE FOR
PORTABLE BUNKS .
WILL ACCOMODATE 96 MEN OR BAGGAGE

TOTAL TROOP SPACE 173


*(AVAIL) SQUARE 96

173 TROOPS

USNS GENERAL JOHN POPE TAP 110

HATCH NUMBER TWO , FOURTH DECK

TROOP COMPARTMENT 4-2



24 additional berths installed but not usable due to pipes, valves, and other obstructions

NO 2 HATCH 4th. DECK

COMPARTMENT 4-2

HEIGHT IN SQUARE- - - 7'03"

HEIGHT FOR CUBIC - - - 7'06"

MINIMUM HEIGHT - - - 6'03"

BOOMS- - - 2 = 8 TON


NOTE= SQUARE OF HATCH
AVAILABLE FOR TROOPS
WILL ACCOMMODATE 72 MEN

COMPARTMENT ACCOMMODATES 173 TROOPS

MILITARY SEA TRANSPORTATION
USNS GENERAL JOHN POPE TAP110

HATCH NUMBER THREE SECOND DECK

TROOP COMPARTMENT 2-3




NO. 3 HATCH ,2nd. DECK

HATCH NOT TRUNKED.
HATCH SQUARE AVAILABLE FOR PORTABLE BUNKS
ACCOMMODATES SIXTY EIGHT (68) MEN

TOTAL TROOP SPACE 316

HATCH NUMBER THREE, THIRD DECK ,COMPARTMENT 3-3

8 additional berths not reachable due to pipes, vents and other obstructions



HATCH NO. 3 3rd. DECK
COMPARTMENT 3-3

HATCH NOT TRUNKED. AVAILABLE FOR PORTABLE BUNKS, ACCOMMODATES
72 troops.


TROOP COMPARTMENT ACCOMMODATES 303 men

USNS GENERAL JOHN POPE TAP 110

HATCH NUMBER THREE , FOURTH DECK

COMPARTMENT NUMBER 4-3

8 additional bunks installed but not ^{usable} ~~shown~~ due to obstructions



HATCH NO. 3 , 4th DECK


TROOP COMPARTMENT 4-3

NOTE- SQUARE OF THE HATCH AVAILABLE FOR PORTABLE BUNKS TO ACCOMMODATE 72 MEN.

COMPARTMENT
TOTAL TROOPS 368

HATCH FOUR, FOURTH DECK

COMPARTMENT 4-4



11 additional berths not usable due to obstructions


HATCH NO. 4 4th. DECK
COMPARTMENT 4-4

TROOP BERTHS 441 TOTAL

PORT SIDE

HATCH NUMBER FIVE ,FOURTH DECK

STARBOARD SIDE



LARGE RECREATION ROOM

NOTE- STANTIONS REMOVED FROM THIS AREA,
BUT CAN BE CONVERTED TO SLEEPING COMPARTMENT

HATCH NO. 5 4th. DECK
COMPARTMENT 4-5


RECREATION AREAS CONVERT INTO BERTHING FOR 260 MEN

TOTAL TROOP SPACE 112

TROOP SPACE 212

USNO GENERAL JUVEN POPE TAP-110
HATCH NUMBER SIX , FOURTH DECK
COMPARTMENT NUMBER 4-6

AFT.



NO. 6 HATCH 4th. DECK
COMPARTMENT 4-6

NOTE-
HATCH SQUARE AVAILABLE FOR
PORTABLE BUNKS IF REQUIRED
WILL ACCOMMODATE 48 MEN.

HEIGHT OF GIRDERS -- 7'00"
HEIGHT TO TR. BEAMS - 7'09"

BOOMS 2 = 8 TON


TOTAL TROOPS IN COMPARTMENT 397

USNS GENERAL JOHN POPE TAP 110

HATCH NUMBER SEVEN , SECOND DECK

COMPARTMENT 2-7

FORWARD



ATT.

HATCH NO. 7 , 2nd. DECK

COMPARTMENT 2-7

HEIGHT OF PONTON- - - 11'02"

BOOMS- - - - 2-8 TON

SQ. FT. - - - - - 208

CU. FT- - - 2323


NOTE- HATCH SQUARE AVAILABLE FOR PORTABLE BUNKS FOR 32 MEN

TOTAL TROOP
306

USNS GENERAL JOHN POPE TAP 110

HATCH NUMBER SEVEN, THIRD DECK

COMPARTMENT 3-7




HATCH NO. 7 3rd. DECK

COMPARTMENT 3-7

PORTABLE BUNKS MAY BE PLACED IN SQUARE
AO HATCH, ACCOMMODATES 40 MEN

TROOP COMPARTMENT
ACCOMMODATES 308 MEN



HATCH NO. 7 4th. DECK

COMPARTMENT 4-7


NOTE -

HATCH SQUARE
NOT TREKKED, AVAILABLE
FOR PORTABLE BUNKS FOR 30 MEN

TROOP COMPARTMENT TOTAL 348 MEN

HATCH NUMBER 2 HOLD

FORWARD




HEIGHT OF BOARDS - - -	16'10"		
HEIGHT TO TR. BEAMS -	16'02"	#2 LOWER HOLD	BOOMS 2= 8 TON
HEIGHT TO GIRDERS -	15'00"		SQ. FT. 2079
MIN. HEIGHT - - - -	14'00"		CU. FT. 36309
HATCH OVER: 19'05" x 25'00"			

USNS GENERAL JOHN POPE IAP 110

NUMBER THREE WATCH AREA DECK

UPPER SQUARE ONLY

FORWARD




NO. 3 MAIN DECK SQUARE ONLY.
HEIGHT TO PONTOONS - 11'00" BOOMS 2- 5TON.

NOTE:-
SPACE USUALLY AVAILABLE FOR CARGO IF NOT USED FOR TROOP
ARRANGEMENT.

USNS GENERAL JOHN POPE TAP 110
NUMBER THREE HOLD, SHIPS STORES

FORWARD



NO. 3 HOLD (USED FOR SHIPS STORES).

HEIGHT TO -- 19'06"
BOARDS

HEIGHT TO -- 17'08"
GIRDERS AND COAMING

HEIGHT TO -- 19'00"
BEAMS


MIN. HEIGHT -- 16'10"
(PIPES)

ROOMS - - - - 2, 5 TON

CUB. FT. AVAILABLE IF NOT USED FOR STORES
31,800.

(DOES NOT INCLUDE P&S CAGES PLAT AND HOLD).

USNS GENERAL JOHN POPE TAP 110
 HATCH NUMBER SIX ,SECOND DECK




NO. 6 HATCH 2nd. DECK HEIGHT TO PORTGONS -- 11'02" DOORS 2=5 TON
 HATCH OPENING ----- 13'02"X25'03"
 L. FT. -- 400
 W. FT. -- 400

USNS GENERAL JOHN POPE TAP 110

NUMBER SIX HATCH, THIRD DECK
COMPARTMENT 3-5

FORWARD



NO. 6 HATCH 3rd. DECK

HEIGHT TO BOARDS - - 9'00"

HEIGHT TO COAMING - - 7'02"

STRONGBACKS AT TOP - 3

BOOMS 2 = 8 TON


SQUARE FT. 429 NET

CUBIC FT. 3070

* NOTE

SQUARE AVAILABLE FOR PORTABLE BUNKS IF REQUIRED, CAN BE USED FOR CARGO.

NUMBER SIX LOWER HOLD




BOOMS 2 = 8 TON

SQUARE FT. 2865

CUBIC FT. 25,058

NOTE - DECK UNDER HATCH RAISED
5" AREA 25' 0" X 25' 0"

USNS GENERAL JOHN POPE TAP110
NUMBER SEVEN HATCH LOWER HOLD



NO. 7 LOWER HOLD

HEIGHT TO BOARDS 8'04"
HEIGHT TO GIRDERS
AND COAMING - - - 6'05"
HEIGHT TO BEAMS= -- 8'00"
HATCH OVER 14'06" X 16'02"
HEIGHT IN LOCKERS- - - 7'00"

BOOMS 2=8 TON
SQ. FT. 1155
CU FT. 11416
LOCKERS (CU) 3143

NOTE- DECK UNDER HATCH COVER RAISED
5" AREA 23'00" X 16'02"

USUALLY AVAILABLE FOR MILITARY SUPPLIES
TAT AND GENERAL CARGO AND SECURITY CARGO