

RELEASED BY		DRAFTED BY		PHONE EXT. NR.		PAGE		PAGES	
DATE <b>20 MAY '65</b>		TOR/TOD <b>0230 PM MERCAT</b>		ROUTED BY <b>DP</b>		CHECKED BY <b>DP</b>		OF	
MESSAGE NR.		DATE/TIME GROUP (GCT) <b>201916Z -15</b>		PRECEDENCE		FLASH		EMERGENCY	
				ACTION					
				INFO					
						OPERATIONAL IMMEDIATE		PRIORITY	
								ROUTINE	
								DEFERRED	

FM : ADMINO COMSTS

TO : ALMSTS

INFO NYKLINES KEYSHIPCO PHILA MATSHIPS PHILA

UNCLAS A. FLDBRUMED BKLYN 201600Z NOTAL TYPE II COMPLAINT

1. SUSPEND FROM ISSUE AND USE ALL FSN 8128-132-51 CYLINDER,

COMPRESSED GAS, OXYGEN, SIZE D, 95 GAL MANUFACTURED BY WALTER KIDDE AND CO. INC., AND IDENTIFIED BY INITIALS "W K" ON

CYLINDER. ITEMS REPORTED AS BEING PARTIALLY FILLED WITH NITROGEN

2. PRECAUTION SHOULD BE TAKEN TO INSURE THAT ALL CYLINDERS WHICH HAVE NOT BEEN PREVIOUSLY INSPECTED AND FILLED BY USING ACTIVITIES BE COMPLETELY VENTED AND INSPECTED PRIOR TO FILLING AND USE.

3. THIS ALMSTS CANCELLED WHEN APPROPRIATE ACTION HAS BEEN COMPLETED AND FOR RECORD PURPOSES ON 31 DEC 65

DISTRIBUTION:

(PAGE ONE ONLY)

MASTER \_\_\_\_\_ COMILIEPT \_\_\_\_\_ CHENG \_\_\_\_\_ CHMATE Y \_\_\_\_\_  
FILE.

UNCLASSIFIED

DATE/TIME GROUP (GCT)

201916Z -15