


U.S.N.S.

GEN. JOHN POPE (T-AP-110)



CARGO LOADING CHARACTERISTICS

21 MARCH 1966

Scale 1/8" to 1'

PRINCIPAL CHARACTERISTICS

CLASS----- P-2

LENGTH OVERALL ~~622'~~ 622' 07"
 BEAM - - - - - 75' 06"
 MAX. DRAFT- - - - - 26' 01"
 MAX. SUSTAINED SPEED ~~19.8~~ 19.8 KNOTS
 ECONOMICAL SPEED- - - - 17.2 KNOTS
 CRUISING RADIUS - - - - 12,000 MILES AT ECONOMICAL SPEED
 FULL LOAD DISPLACEMENT - 20,700 TONS
 CARGO DEADWEIGHT TONS - 1,500 TONS
 FUEL OIL CAPACITY- - - - 20,203 BBL.
 FRESH WATERCAPACITY - - 1,245 TONS
 DAILY DISTILLER CAPACITY- 80,000 GALS.
 REFRIGERATION SPACE, SHIPS USE- 33,984 CU. FT.

TRANSIT OFFICERS QUARTERS

1. MAIN DECK AFT OF OFFICERS LOUNGE PORT AND STARBOARD ----- 13 MEN
2. MAIN DECK FORWARD OF NUMBER SIX(6) HATCH PORT AND STARBOARD-- 32 MEN
3. SECOND(2) DECK STARBOARD SIDE APT OF TROOP MESS HALL----- 179 MEN

Total 224

TROOP COMPARTMENT AND HATCH SQUARE

HATCH NO.	COMPARTMENT NO.	INSTANT	USABLE COMPARTMENT	PRISONERS	AVAILABLE SPACE IN SQUARE
HATCH NO. 1	COMPARTMENT NO. 4-1	---	---	30	26
HATCH NO. 2	COMPARTMENT NO. 2-2	---	---	200	96
	3-2	---	---	173	96
	4-2	---	---	173	72
HATCH NO. 3	COMPARTMENT NO. 2-3	---	---	316	68
	3-3	---	---	303	72
	4-3	---	---	368	72
HATCH NO. 4	COMPARTMENT NO. 4-4	---	---	441	NONE
HATCH NO. 5	COMPARTMENT NO. 4-5	---	---	112	260
HATCH NO. 6	COMPARTMENT NO. 4-6	---	---	397	48
HATCH NO. 7	COMPARTMENT NO. 3-7	---	---	308	80
	4-7	---	---	307	30
	5-7	---	---	306	32
TOTAL			3474	TOTAL	912

960
252

U.S.N.S.


GENERAL JOHN POPE (TAP# 110)

HATCH NO.	DECK	SIZE OF HATCH OPENING	COAMING	INSQUARE	SQ. FEET	CU. FEET	BOOMS
1	HOLD	SHIPS STORES USE, NO BOOMS					
2	HOLD	19' 06" X 25'	14'	15'	2079	36309	2 - ⁵ 8 TON
3		SHIPS STORES ONLY					
4		PLATFORMS AND HOLD SHIPS REFRIGERATED STORES ONLY.					
6	UPPER TRUNK	13' 02" X 25' 03"	11' 02"	11' 02"	400	4004	2 - ⁵ 8 TON
	MIDDLE TRUNK	13' 02" X 25' 03"	7' 02"	7' 02"	429	3770	
	HOLD	14' 05" X 25' 00"	6' 04"	6' 04"	2865	25058	
7	HOLD	14' 06" X 16' 02"	6' 05"	6' 05"	11155	11416	2 - ⁵ 8 TON
	LOCKER 2A	9' 00" X 31' 00"	(MEAN)				
	LOCKER 2B	10' 00" X 22' 00"	(MEAN)				

NOTE- ALL CUBIC FEET— BALE CAPACITY.

U.S.N.S. GENERAL JOHN POPE TAP 110
#3 = 15' 06" X 25'

21 March 1966




TOTAL 961 TOTAL 397 TOTAL 112 TOTAL 441 TOTAL 987 TOTAL 546 TOTAL 30

GRAND TOTAL 5474 AVAIL BUNKS


USNS GENERAL JOHN POPE TAP-110
TRANSIT OFFICERS QUARTERS
MAIN DECK AFT OF #2 HATCH.

TOTAL BERTHS 13
TRANSIT OFFICERS



13 TRANSIT OFFICERS

-5-




TOTAL TRANSIT OFFICERS 13
SPARE BUNKS 3

GENERAL JOHN POPE TAP 110


TRANSIT OFFICERS STATEROOMS MAIN DECK , FRD OF #6 HATCH

TOTAL BUNK SPACE AVAILABLE + 32 OFFICERS



32
TRANSIT
OFFICERS


FORWARD



← AFT.
TO S.R. 207

USNS GENERAL JOHN POPE TAP110
TROOP OFFICERS STATEROOMS

SECOND DECK STARBOARD SIDE TOTAL 179




179
TRANSIT OFFICERS

NUMBER ONE HATCH FOURTH DECK

COMPARTMENT 4-1

LOCATION 4-16-0-L

FORWARD



HATCH#1 4th DECK

COMPARTMENT 4-1

TROOP BERTHING

TOTAL 56 MEN


GUARDS 30
PRISONERS 26

TOTAL 56 TROOPS

HATCH NUMBER TWO, SECOND DECK

TROOP COMPARTMENT NO. 2-2

22 additional bunks installed but
not usable due to pipes, vents, and
other obstructions



HATCH NO.2 , 2nd. DECK TROOP BERTHING

HEIGHT TO PONTOON - - - 11'00"

BOOMS— 2- 8 TON

HEIGHT TO COAMING - - - 7'06"

HEIGHT FOR CUBE * - - - 7'00"


* NOTE - AVAILABLE FOR
PORTABLE BUNKS IF REQUIRED
WILL ACCOMODATE 96 MEN IN
SQUARE OF HATCH

TOTAL TROOP SPACE 200 MEN
SQUARE 96

200 TROOPS

HATCH NUMBER TWO , THIRD DECK

TROOP COMPARTMENT 3-2



AFT.

BOOMS -- 2 = 8 TON

HATCH NO.2 DECK NO.3

TROOP COMPARTMENT 3-2

* NOTE HATCH SQUARE AVAILABLE FOR
PORTABLE BUNKS .
WILL ACCOMODATE 96 MEN OR BAGGAGE


TOTAL TROOP SPACE 173

*(AVAIL) SQUARE 96

173 TROOPS

USNS GENERAL JOHN POPE TAP 110
 HATCH NUMBER TWO , FOURTH DECK
 TROOP COMPARTMENT 4-2

*note: 24 additional bunks
 installed but not usable due
 to pipes, vents, and other
 obstructions.*



NO 2 HATCH 4th. DECK
 COMPARTMENT 4-2

HEIGHT IN SQUARE- - - 7'03"
 HEIGHT FOR CUBIC - - - 7'06"
 MINIMUM HEIGHT - - - 6'03"

BOOMS- - - 2 - 8 TON


NOTE- SQUARE OF HATCH
 AVAILABLE FOR TROOPS
 WILL ACCOMMODATE 72 MEN

COMPARTMENT ACCOMMODATES 173 TROOPS

MILITARY SEA TRANSPORTATION
USNS GENERAL JOHN POPE TAPLLO

HATCH NUMBER THREE SECOND DECK

TROOP COMPARTMENT 2-3



NO. 3 HATCH ,2nd. DECK


HATCH NOT TRUNKED.
HATCH SQUARE AVAILABLE FOR PORTABLE BUNKS
ACCOMMODATES SIXTY EIGHT (68) MEN

TOTAL TROOP SPACE 316

USNS GENERAL JOHN POPE TAP 110

HATCH NUMBER THREE, THIRD DECK ,COMPARTMENT 3-3

8 additional berths not usable due to obstructions



HATCH NO. 3 3rd. DECK
COMPARTMENT 3-3

HATCH NOT TRUNKED. AVAILABLE FOR PORTABLE BUNKS, ACCOMMODATES
72 troops.


TROOP COMPARTMENT ACCOMMODATES 303 men

USNS GENERAL JOHN POPE TAP 110

HATCH NUMBER THREE , FOURTH DECK

COMPARTMENT NUMBER 4-3

8 additional berths not usable due to obstructions.



HATCH NO. 3 , 4th DECK


TROOP COMPARTMENT 4-3

NOTE- SQUARE OF THE HATCH AVAILABLE FOR PORTABLE BUNKS TO ACCOMMODATE 72 MEN.

COMPARTMENT
TOTAL TROOPS 368

HATCH FOUR, FOURTH DECK

COMPARTMENT 4-4




HATCH NO. 4 4th. DECK
COMPARTMENT 4-4

TROOP BERTHS 441 TOTAL

PORT SIDE

HATCH NUMBER FIVE, FOURTH DECK

STARBOARD SIDE




HATCH NO. 5 4th. DECK
COMPARTMENT 4-5

RECREATION AREAS CONVERT INTO BERTHING FOR 260 MEN

TOTAL TROOP SPACE 112

TROOP SPACE 212

APT.



NO. 6 HATCH 4th. DECK

COMPARTMENT 4-6

NOTE-

HATCH SQUARE AVAILABLE FOR
PORTABLE BUNKS IF REQUIRED
WILL ACCOMMODATE 48 MEN.

HEIGHT OF GIRDERS -- 7'00"


HEIGHT TO TR. BEAMS - 7'09"

BOOMS 2 = 8 TON

TOTAL TROOPS IN COMPARTMENT 397

USNS GENERAL JOHN POPE TAP 110
 HATCH NUMBER SEVEN., SECOND DECK
 COMPARTMENT 2-7

FORWARD



HATCH NO. 7 , 2nd. DECK COMPARTMENT 2-7
 HEIGHT OF PONTOON- - - 11'02" BOOMS- - - - 2-8 TON
 SQ. FT. - - - - - 208 CU. FT- - - 2323


NOTE- HATCH SQUARE AVAILABLE FOR PORTABLE BUNKS FOR 32 MEN

TOTAL TROOP
 306

USNS GENERAL JOHN POPE TAP 110

HATCH NUMBER SEVEN, THIRD DECK

COMPARTMENT 3-7



HATCH NO. 7 3rd. DECK

COMPARTMENT 3-7


PORTABLE BUNKS MAY BE PLACED IN SQUARE
AO HATCH, ACCOMMODATES 40 MEN

TROOP COMPARTMENT
ACCOMMODATES 308 MEN

ENS. GENERAL JOHN POPE TAP-110

HATCH NO. 7, FOURTH DECK

COMPARTMENT 4-7



HATCH NO. 7 4th. DECK

COMPARTMENT 4-7


NOTE -

HATCH SQUARE
NOT TRUNKED, AVAILABLE
FOR PORTABLE BUNKS FOR 30 MEN

TROOP COMPARTMENT TOTAL 348 MEN

HATCH NUMBER 2 HOLD

FORWARD



HEIGHT OF BOARDS - - - 16'10"

HEIGHT TO TR. BEAMS - 16'02"

HEIGHT TO GIRDERS - 15'00"

MIN. HEIGHT - - - - 14'00"

HATCH OVER: 19'08" x 25'00"

#2 LOWER HOLD

BOOMS 2= 8 TON


SQ. FT. 2079

CU. FT. 36309

NUMBER THREE HATCH ,MAIN DECK

UPPER SQUARE ONLY

FORWARD




NO. 3 MAIN DECK SQUARE ONLY.
HEIGHT TO PONTOONS - 11'00" BOOMS 2- 5TON.

NOTE:-
SPACE USUALLY AVAILABLE FOR CARGO IF NOT USED FOR TROOP
BAGGAGE.

USNS GENERAL JOHN POPE TAP 110
NUMBER THREE HOLD, SHIPS STORES

FORWARD



NO. 3 HOLD (USED FOR SHIPS STORES).

HEIGHT TO 19'06"
BOARDS

HEIGHT TO 17'08"
GIRDERS AND COAMING

HEIGHT TO 19'00"
WEAMS

MIN. HEIGHT 16'10"
(PIPES)

BOOMS - - - - 2 : 5 TON

CU. FT. AVAILABLE IF NOT USED FOR STORES
31,800.


(DOES NOT INCLUDE P&S CAGES PLAT AND HOLD).

DOGS PER - 4 PER FIVE TAP 110

WATER SOURCE SIX, 100' PL BACK

1FT.

FORWARD



DOGS 2=5 TW

DOGS 2=5 TW

DOGS 2=5 TW

DOGS 2=5 TW

DOGS 2=5 TW

DOGS 2=5 TW

USNS GENERAL JOHN POPE TAP L10



PASSAGE

2' 07"

NOTE*

2'05"

29' 06"

161 1911

5" STANCHION

5" STANCHION

DOOR 26" X 6'04"

DOOR 26" X 6'4"

LADDER.

ART

NO. 6 HATCH 3rd. DECK

HEIGHT TO BOARD - -- 9'00"

HEIGHT TO COAMING - - 7'02"

STRONGBACKS AT TOP - 3

BOOMS 2 = 8 TON


SQUARE FT. 429 NET

CUBE FT. 3770

*** NOTE**

SQUARE AVAILABLE FOR PORTABLE BUNKS IF REQUIRED , CAN BE USED FOR CARGE.

NUMBER SIX LOWER HOLD



HATCH NO.6 , HOLD DECK

HEIGHT TO BOARDS - - - 8'01"

HEIGHT TO GIRDERS AND
COAMING - - - 6'04"

HEIGHT TO TR. BEAMS - - 8'00"

HATCH OVER 14'05" X 25'00"


BOOMS 2 = 8 TON

SQUARE FT. 2865

CUBIC FT. 25,058

NOTE + DECK UNDER HATCH RAISED
5" AREA 25'00" X 25'00"

USNS GENERAL JOHN POPE TAP110
NUMBER SEVEN HATCH LOWER HOLD



NO. 7 LOWER HOLD

HEIGHT TO BOARDS 8'04"
HEIGHT TO GIRDERS
AND COAMING - - - 6'05"
HEIGHT TO BEAMS - - 8'00"
HATCH OVER 14'06" X 16'02"
HEIGHT IN LOCKERS - - - 7'00"

BOOMS 2-8 TON
SQ. FT. 1155
CU FT. 11416
LOCKERS (CU) 3143

NOTE- DECK UNDER HATCH COVER RAISED
5" AREA 23'00" X 16'02"

USUALLY AVAILABLE FOR MILITARY SUPPLIES
TAT AND GENERAL CARGO AND SECURITY CARGO