


U.S.N.S.

GEN. JOHN POPE (T-AP-110)



CARGO LOADING CHARACTERISTICS


MARCH 1966

Scale 1/8" to 1'

U.S.N.S.

RETURN TO
FIRST OFFICER

GEN. JOHN POPE (T-AP-110)




CARGO LOADING CHARACTERISTICS

20 MARCH 1966

Scale: 1/4" to 1'

U T W T F
14-20-21-22-23-24



PRINCIPAL CHARACTERISTICS

CLASS----- P-2

LENGTH OVERALL --- 622' 07"
BEAM - - - - - 75' 06"
MAX. DRAFT- - - - - 26' 01"
MAX. SUSTAINED SPEED --- 19.8 KNOTS
ECONOMICAL SPEED- - - - 17.2 KNOTS
CRUISING RADIUS - - - - 12,000 MILES AT ECONOMICAL SPEED
FULL LOAD DISPLACEMENT - 20,700 TONS
CARGO DEAD-WEIGHT TONS - 1,500 TONS
FUEL OIL CAPACITY- - - - 20,203 BBLs.
FRESH WATER CAPACITY - - 1,245 TONS
DAILY DISTILLER CAPACITY- 80,000 GALS.
REFRIGERATION SPACE, SHIPS USE- 33,984 CU. FT.

TRANSIT OFFICERS QUARTERS

1.	MAIN DECK AFT OF OFFICERS LOUNGE	PORT AND STARBOARD -----	13	MEN
2.	MAIN DECK FORWARD OF NUMBER SIX(6) HATCH	PORT AND STARBOARD---	32	MEN
3.	SECOND(2) DECK STARBOARD SIDE AFT OF TROOP MESS HALL-----		179	MEN
Total			224	

TROOP COMPARTMENT AND HATCH SQUARE

				COMPARTMENT		AVAILABLE SPACE IN SQUARE
HATCH NO.	---	COMPARTMENT NO.	---	---	PRISONERS	26
HATCH NO.1	---	COMPARTMENT NO. 4-1	---	30		
HATCH NO.2	---	COMPARTMENT NO. 2-2	---	200		96
		3-2	---	173		96
		4-2	---	173		72
HATCH NO. 3	---	COMPARTMENT NO. 2-3	---	316		68
		3-3	---	303		72
		4-3	---	368		72
HATCH NO. 4	---	COMPARTMENT NO. 4-4	---	441		NONE
HATCH NO. 5	---	COMPARTMENT NO. 4-5	---	112		260
HATCH NO. 6	---	COMPARTMENT NO. 4-6	---	397		48
HATCH NO.7	---	COMPARTMENT NO. 3-7	---	308		80
		4-7	---	347		30
		5-7	---	306		32
TOTAL				3474	TOTAL	912

U.S.N.S.


GENERAL JOHN POPE (TAP 110)

HATCH NO.	DECK	SIZE OF HATCH OPENING	COAMING	INSQUARE	SQ. FEET	CU. FEET	BOOMS
1	HOLD	SHIPS STORES USE, NO BOOMS					
2	HOLD	19' 08" X 25'	14'	15'	2079	36309	2 - 8 TON
3		SHIPS STORES ONLY					
4		PLATFORMS AND HOLD SHIPS REFRIGERATED STORES ONLY.					
6	UPPER TRUNK	13' 02" X 25' 03"	11' 02"	11' 02"	400	4004	2 - 8 TON
	MIDDLE TRUNK	13' 02" X 25' 03"	7' 02"	7' 02"	429	3770	
	HOLD	14' 05" X 25' 00"	6' 04"	6' 04"	2865	25058	
7	HOLD	14' 06" X 16' 02"	6' 05"	6' 05"	11155	11416	2 8 TON
	LOCKER 2A 9' 00" X 31' 00" (MEAN)						
	LOCKER 2B 10' 00" X 22' 00" (MEAN)						

NOTE- ALL CUBIC FEET-- BALE CAPACITY.


U.S.N.S. GENERAL JOHN POPE TAP 110
 #3 -15' 06" X 25'

21 March 1966




USNS GENERAL JOHN POPE TAP-110
TRANSIT OFFICERS QUARTERS
MAIN DECK AFT OF #2 HATCH.

TOTAL BERTHS, 13
TRANSIT OFFICERS



13 TRANSIT OFFICERS


-5-



TOTAL TRANSIT OFFICERS 13
SPARE BUNKS 3


TRANSIT OFFICERS STATEROOMS MAIN DECK , FRD OF #6 HATCH

TOTAL BUNK SPACE AVAILABLE + 32 OFFICERS



32
TRANSIT
OFFICERS

FORWARD




PASSAGE WAY

USNS GENERAL JOHN POPE TAP110

TROOP OFFICERS STATEROOMS

SECOND DECK STARBOARD SIDE TOTAL 179

FORWARD TO 209



PASSAGE WAY


179
TRANSIT OFFICERS

AFT.

TO S.R. 207

NUMBER ONE HATCH FOURTH DECK

COMPARTMENT 4-1
LOCATION 4-16-D-L



HATCH#1 4th DECK

COMPARTMENT 4-1


TROOP BERTHING
TOTAL 56 MEN

GUARDS 30
PRISONERS 26

TOTAL 56 TROOPS

HATCH NUMBER TWO, SECOND DECK

TROOP COMPARTMENT NO. 2-2 *NOTE*
22 ADDITIONAL BUNKS
INSTALLED BUT UNUSABLE DUE TO
PIPES, VENTS OBSTRUCTION



HATCH NO.2 , 2nd. DECK TROOP BERTHING

HEIGHT TO PONTOON - - - 11'00"

HEIGHT TO COAMING - - - 7'06"

HEIGHT FOR CUBE * - - - - 7'00"

BOOMS --- 2= 8 TON

* NOTE - AVAILABLE FOR
PORTABLE BUNKS IF REQUIRED
WILL ACCOMODATE 96 MEN IN
SQUARE OF HATCH

TOTAL TROOP SPACE 200 MEN
SQUARE 96


200 TROOPS

HATCH NUMBER TWO , THIRD DECK

TROOP COMPARTMENT 3-2

FORWARD

2 ADDITIONAL BUNK
INSTALLED BUT UNUSABLE
DUE TO VENT OBSTRUCTION



AFT.

BOOMS -- 2 = 8 TON

HATCH NO.2 DECK NO.3

TROOP COMPARTMENT 3-2

* NOTE HATCH SQUARE AVAILABLE FOR
PORTABLE BUNKS .
WILL ACCOMMODATE 96 MEN OR BAGGAGE

TOTAL TROOP SPACE 173

*(AVAIL) SQUARE 96

173 TROOPS


USNS GENERAL JOHN POPE TAP 110

HATCH NUMBER TWO , FOURTH DECK

TROOP COMPARTMENT 4-2

NOTE

24 ADDITIONAL BUNKS
INSTALLED BUT UNUSABLE
DUE TO VELTS & OBSTRUCTIONS



NO 2 HATCH 4th. DECK

COMPARTMENT 4-2

HEIGHT IN SQUARE- - - 7'03"

HEIGHT FOR CUBIC - - - 7'06"

MINIMUM HEIGHT - - 6'03"

BUNKS- - - 2 - 8 TON


NOTE- SQUARE OF HATCH
AVAILABLE FOR TROOPS
WILL ACCOMMODATE 72 MEN

COMPARTMENT ACCOMMODATES 173 TROOPS

MILITARY SEA TRANSPORTATION
USNS GENERAL JOHN POPE TAP110

HATCH NUMBER THREE SECOND DECK

TROOP COMPARTMENT 2-3




NO. 3 HATCH ,2nd. DECK

HATCH NOT TRUNKED.
HATCH SQUARE AVAILABLE FOR PORTABLE BUNKS
ACCOMMODATES SIXTY EIGHT (68) MEN

TOTAL TROOP SPACE 316

HATCH NUMBER THREE, THIRD DECK ,COMPARTMENT 3-3

AN ADDITIONAL 8 BUNKS
INSTALLED BUT UNUSABLE
DUE TO PIPE, VENT, OBSTRUCTION



HATCH NO. 3 3rd. DECK
COMPARTMENT 3-3

HATCH NOT TRUNKED. AVAILABLE FOR PORTABLE BUNKS, ACCOMMODATES
72 troops.


TROOP COMPARTMENT ACCOMMODATES 303 men

USNS GENERA JOHN POPE TAP 110

HATCH NUMBER THREE , FOURTH DECK

COMPARTMENT NUMBER 4-3

NOTE
AN ADDITIONAL 8 BUNKS
INSTALLED BUT UNUSABLE
DUE TO PIPE, VENT OBSTRUCTION



HATCH NO. 3 , 4th DECK

TROOP COMPARTMENT 4-3

NOTE- SQUARE OF THE HATCH AVAILABLE FOR PORTABLE
BUNKS TO ACCOMMODATE 72 MEN.


COMPARTMENT
TOTAL TROOPS 368

HATCH FOUR, FOURTH DECK

COMPARTMENT 4-4

NOTE

AN ADDITIONAL 11 BUNKS
INSTALLED BUT NOT
USABLE DUE TO ULT
OBSTRUCTION




HATCH NO. 4 4th. DECK
COMPARTMENT 4-4

TROOP BERTHS 441 TOTAL

PORT SIDE

HATCH NUMBER FIVE ,FOURTH DECK

STARBOARD SIDE



HATCH NO. 5 4th. DECK
COMPARTMENT 4-5


RECREATION AREAS CONVERT INTO BERTHING FOR 260 MEN

TOTAL TROOP SPACE 112

TROOP SPACE 212

USNS GENERAL JOHN POPE TAP-110
HATCH NUMBER SIX , FOURTH DECK
COMPARTMENT NUMBER 4-6

AFT.



NO. 6 HATCH 4th. DECK
COMPARTMENT 4-6

NOTE-
HATCH SQUARE AVAILABLE FOR
PORTABLE BUNKS IF REQUIRED
WILL ACCOMMODATE 48 MEN.

HEIGHT OF GIRDERS -- 7'00"
HEIGHT TO TR. BEAMS - 7'09"

BOOMS 2 = 8 TON


TOTAL TROOPS IN COMPARTMENT 397

USNS GENERAL JOHN POPE TAP 110

HATCH NUMBER SEVEN , SECOND DECK

COMPARTMENT 2-7

FORWARD



ATT.

HATCH

NO. 7 , 2nd. DECK

COMPARTMENT 2-7

TOTAL TROOP
306

HEIGHT OF PONTOON- - - 21'02"

BOOMS- - - - 2-8 TON

SQ. FT. - - - - - 208


CU. FT- - - 2323

NOTE- HATCH SQUARE AVAILABLE FOR PORTABLE BUNKS FOR 32 MEN

USNS GENERAL JOHN POPE TAP 110

HATCH NUMBER SEVEN, THIRD DECK

COMPARTMENT 3-7




HATCH NO. 7 3rd. DECK

COMPARTMENT 3-7

PORTABLE BUNKS MAY BE PLACED IN SQUARE
AO HATCH, ACCOMMODATES 40 MEN

TROOP COMPARTMENT
ACCOMMODATES 308 MEN



HATCH NO.7 4th. DECK

COMPARTMENT 4-7


NOTE -

HATCH SQUARE
NOT TRUNKED, AVAILABLE
FOR PORTABLE BUNKS FOR 30 MEN

TROOP COMPARTMENT TOTAL 348 MEN

HATCH NUMBER 2 HOLD

FORWARD



HEIGHT OF BOARDS - - - 16'10"
 HEIGHT TO TR. BEAMS - 16'02"
 HEIGHT TO GIRDERS - 15'00"
 MIN. HEIGHT - - - - 14'00"
 HATCH OVER: 19'08" x 25'00"


#2 LOWER HOLD

BOOMS 2= 8 TON
 SQ. FT. 2079
 CU. FT. 36309

NUMBER THREE HATCH MAIN DECK

UPPER SQUARE ONLY

FORWARD




NO. 3 MAIN DECK SQUARE ONLY.
HEIGHT TO PONTOONS - 11'00" BOOMS 2- 5TON.

NOTE:-
SPACE USUALLY AVAILABLE FOR CARGO IF NOT USED FOR TROOP
BAGGAGE.

USNS GENERAL JOHN POPE TAP 110
NUMBER THREE HOLD, SHIPS STORES

FORWARD



NO. 3 HOLD (USED FOR SHIPS STORES).

HEIGHT TO -- 19'06"
BOARDS

HEIGHT TO -- 17'08"
GIRDERS AND COAMING

HEIGHT TO - 19'00"
BEAMS

MIN. HEIGHT - 16'10"
(PIPES)

BOOMS - - - - 215 TON

CU. FT. AVAILABLE IF NOT USED FOR STORES
31,800.


(DOES NOT INCLUDE P&S ~~CAGES~~ PLAT AND HOLD).

USNS GENERAL JOHN POPE TAP 110

HATCH NUMBER SIX ,SECOND DECK

AFT.

FORWARD




NO. 6 HATCH 2nd. DECK HEIGHT TO PONTOONS -- 11'02" BOOMS 2=5 TON

HATCH OPENING ----- 13'02"X25'03"

CU. FT. -- 400

CU. FT. -- 4004

APPROX. 61X HATCH, SUPER DECK
COMPLETELY 6-6



NO. 6 HATCH 3rd. DECK


APPROX. 61X HATCH - -- 9'00"
APPROX. 61X HATCH - -- 7'02"
APPROX. 61X HATCH - -- 3

DOOR 2 = 8'00"
APPROX. 61X HATCH - -- 4'23" 1950
APPROX. 61X HATCH - -- 3'70"

* NOTE

61X HATCH AVAILABLE IF PORTAL BURN IS REQUIRED, CAN BE USED FOR GAGE.

NUMBER SIX LOWER HOLD



HATCH NO.6 , HOLD DECK

HEIGHT TO BOARDS - - - 8'01"

HEIGHT TO GIRDERS AND
COAMING - - - 6'04"

HEIGHT TO TR. BEAMS - - 8'00"

HATCH OVER 14'05" X 25'00"


BOOMS 2 = 8 TON

SQUARE FT. 2865

CUBIC FT. 25,058

NOTE - DECK UNDER HATCH RAISED
5" AREA 25'00" X 25'00"

USNS GENERAL JOHN POPE TAP110
NUMBER SEVEN HATCH LOWER HOLD



NO. 7 LOWER HOLD

HEIGHT TO BOARDS 8'04"
HEIGHT TO GIRDERS
AND COAMING - - - 6'05"
HEIGHT TO BEAMS - - 8'00"
HATCH OVER 14'06" X 16'02"
HEIGHT IN LOCKERS - - - 7'00"

BOOMS 2=8 TON
SQ. FT. 1155
CU FT. 11416
LOCKERS (CU) 3143

NOTE- DECK UNDER HATCH COVER RAISED
5" AREA 23'00" X 16'02"

USUALLY AVAILABLE FOR MILITARY SUPPLIES
TAT AND GENERAL CARGO AND SECURITY CARGO

