

DAMAGE CONTROL EQUIPMENT

NAME AND DESCRIPTION OF ITEM	ALLOW. DSGN	STOCK NUMBER	BUSHIPS PLAN NUMBER	UNIT OF ISSUE	ALLOWANCE	LINE NO.
ITEMS FOR EACH D.C. LOCKER. MARKED O FROM ENGINE DEPT X						
Apparatus, breathing, oxygen, Type A-3 w/o canister	R	HF4240-270-4515		4 ea	10(A) ⁵	
Axe, fire pickhead, 6 lbs.	13	9C4210-639-9630		1 ea	2(A)	
Bar, wrecking goose-neck, 30"	13	9G5120-293-0665		1 ea	2	10 X
Bar, crow, pinch point, 1-1/4"	13	9G5120-224-1390		1 ea	2	
Batten, shore measuring (B)	13		S8801-851644	1 ea	2	4
Belts, safety, webbing w/two steel "D" rings	13	9Y4240-516-4633		1 ea	2	
Belt, safety, tail line assembly (C)	13	9Y4240-695-5820		1 ea	2	
Belt, tool electrical repair, consisting of:	R			1 ea	1	15 X
1 Belt, canvas	13	9G5140-391-1069				
1 Puller, fuse, 0-30 x 31-100 Amp	13	9G5120-224-9456				
1 Pliers, diagonal cutter, 6"	13	9G5110-239-8253				
1 Pliers, side cutter, 8-1/2"	R	9G5120-239-8251				
1 Screwdriver, common, 4"	13	9G5120-278-1282				20
1 Screwdriver, common, 8"	13	9G5120-278-1280				
1 Wrench, adjustable, 22-1/2" angle	13	9G5120-240-5328				
1 Roll-Tape, friction, 3/4"	13	N5970-184-2003				
1 Ball-Twine, hemp	13	9G4020-231-5870				
1 Tester, voltage	R	N6625-284-0264				25
Case, rescue breathing	13	H4240-300-9927				
Lamp "C"	13	9G5120-203-6432		6 ea	12	(D)
Clipper, bolt, 3/8" capacity	13	9G5110-596-9156		1 ea	2	
Cutter, cable, hand-operated	12	9G5110-595-8267		1 ea	2	
Cutter, pipe, hand, 1/8" - 2" capacity	13	9G5110-293-0460		1 ea	1	
Cutter, pipe, hand, 2-1/2" - 4" cap.	13	9G5110-555-8276		1 ea	1	
Connector, cable, type CCPS						
Cable Size	Max. Amps.					
60-75	230	6 13	N5940-240-3434	ea	6	
75-100	270	6 13	N5940-240-3435	ea	6	
125-150	365	6 13	N5940-240-3436	ea	6	
150-200	423	6 13	N5940-240-3446	ea	6	
250-350	670	6 13	N5940-240-3447	ea	6	40

- A) Not in addition to the Allowance authorized in Part II Group S93-9, Page 1.
See Part II Group S93 for further details.
- B) To be manufactured by ship's force or submit on a work request to local repair facility.
- C) For use with safety belt 9Y4240-516-4633.
- D) To be requisitioned as required for each OBA for which satisfactory protection is not available, at the approved stowage location. Not in addition to the Allowance authorized in Group S93-9, Page 1.

DATE 11-61

CHANGE NO.

COMSTSLANTAREA

PREPARED

IM

TYPED

HY

PROOFED

APPROVED

GE NAVSHIPS 4124 (REV. 10-55)

Stocked in CDS

U. S. GOVERNMENT PRINTING OFFICE 16-58310-2

NAME AND DESCRIPTION OF ITEM	ALLOW. DEGN.	STOCK NUMBER	BUSHIPS PLAN NUMBER	UNIT OF ISSUE	ALLOW. AMT.	LINE NO.
Kit, repair, metallic pipe, No. 1 consisting of: 1/8 lb. chalk line 1 sheet cloth, abrasive, 9" x 11" 1 piece cloth, glass woven, 24" x 40" 2 ea faceshields 1 piece film, (PVC) 36" x 72" 4 pair gloves, polyethylene 4 co hardner, liquid, 100 grams each 4 cans resin, liquid, 400 grams each 1 each scissors 4 each spatula (stirring Tools) 1 each void cover, 8" x 36"	(A) 13	H 4730-542-3359		ea	2	5
		TO BE STOCKED IN E.R. & REP 2 LKR.				10
Kit, repair, metallic bulkheads, decks, valves and fittings No. 2 Consisting of: 4 cans hardner, paste, 75 grams each 4 cans resin, paste, 300 grams each 4 each spatula (stirring tools)	(A) 13	H 4730-542-3362		ea	2	20
		AS ABOVE.				25
Kit, tool - consisting of: 1 tool box, metal 1 chisel, blacksmith, 1-1/2" 1 pinch, blacksmith, 3/4" 1 hammer, machinist, 2 lb. ✓ 1 hacksaw ✓ 6 blade, hacksaw, 10" 6 blade, hacksaw, 12" wedge, jointing and breaking: 1 - 3/4" x 1-1/2" x 6" 1 - 2" x 2" x 10" 1 wrench, vice grip adj. 1 wrench, stillson, 1/2" to 1-1/2" ✓ 2 pin, drift, 1/2" x 5-1/2" ✓ 1 hammer, claw, 1 lb. ✓ 1 saw, rip, carpenters ✓ 1 screwdriver, common, 6" ✓ 1 screwdriver, common, 12" ✓ 1 wrench, stillson, 2-1/2" to 5-1/2" ✓	R	9G5140-369-4927 9G5110-221-1075 9G5120-197-9477 9G5120-224-4047 9G5110-237-8107 9G5110-243-0901 9G5120-224-9486 9G5120-224-9487 9G5120-277-4244 9G5120-277-1486 9G5120-242-8673 9G5120-223-9124 9G5110-142-5015 9G5120-277-9493 9G5120-277-9495 9G5120-270-4309		① ea	2	35
						40
						45
						50

(A) See NavShips 250-638-2 for instructions and guidance regarding application and use.

DATE 11-61

CHANGE NO.

COMSTSLANTAREA

PREPARED

IM

TYPED

HY

PROOFED

APPROVED

NAME AND DESCRIPTION OF ITEM	ALLOW. DSGN	STOCK NUMBER	BUSHIPS PLAN NUMBER	UNIT OF ISSUE	ALLOW-ANCE	LINE NO.
Lantern, head type (A)	R	6230-		ea	10	5
Lantern, w.t., 2.4 w/lamp, w/o batteries	R	N 6230-270-5420	✓ 15	ea	4	
Battery, BA-23 (2 per lantern)	13	N 6135-164-8764	✓ 30	ea	8	
Lamp, naptha, safety w/container	R	H 6665-240-2215		ea	2	
Lifeline, 3/16" steel aircraft cable w/hooks (B)	12	H 4240-285-9901		ea	6	
Litter, metal splint (Stokes) or (C)	12	L 6530-783-7810		ea	2	10
Litter, semi-rigid, canvas, Type "A"		L 6530-783-7600				
Gloves, asbestos, 21"	13	D 8415-266-8841		pr	2	
Insulating, synthetic, 1/4 x 36 x 36" for (D)	13	9G7220-267-4630		ea	4	
Use around electric circuits						15
Insulating, 5 lb.	13	9G5120-255-1476		ea	2	
Outfit, cutting, oxyacetylene pack type	R	Y3432-026-4718	✓ 1	ea	2	
Outfit, telephone, sound powered; consisting of:	12			ea	2	
2 - Head and Chest Sets, Type M	12	NF5965-606-6699	✓ 3	ea	2	20
2 - Jack Boxes, Type GL5A	13	NF5935-355-4737	✓ 3			
1 - Portable Lead Assy., 200' Type MRL-D-1	13	N 6145-191-1962	✓ 2			
2 - Plugs	13	N 5935-254-9287	✓ 2			
Overalls, rubber, Arctic, N-1	13	D 8430-144-1675		ea	10(E)	
Overalls, wet weather	13	D 8405-268-8048		ea	10(E)	
Parasuit, wet weather, w/hood	13	D 8405-171-1420		ea	10(E)	
Pump, submersible bilge, portable, 230 V, DC	12	HM4320-554-9466		ea	2(F)	

- A) Similar or equal to Justrite Mfg. Co. No. 1704-7.
 B) For use with OBA. Not in addition to the allowance authorized in Group S93-9, Page 1.
 C) To be mounted on bulkhead in vicinity of damage control stations.
 D) Cut to size from indicated GSSO bulk stock or equal.
 E) Sizes required to be determined by First Officer.
 F) For stowage purposes only. Not in addition to the allowance listed in Group S47.

DATE 11-61

CHANGE NO.

P NAME DAMAGE CONTROL EQUIPMENT

A) The quantities shown here are for stowage purposes only and not in addition to total quantity shown in Part II, Group S93.

B) Present allowances of asbestos suits to be replaced with aluminized suits when no longer serviceable. Aluminized suits shall be requisitioned for initial outfitting purposes.

CHANGE NO.

PREPARED

IM

TYPED

HY

PROOFED

APPROVED

NAME AND DESCRIPTION OF ITEM			ALLOW. DSGN	STOCK NUMBER	BUSHIPS PLAN NUMBER	UNIT OF ISSUE	ALLOW- ANCE	LINE NO.
Wedge, wood								
Thickns.	Width	Length						
(In.)	(In.)	(Ft.)						
2	2	8	13	9C5510-268-3479		ea	12	5
1-1/2	2	12	13	9C5510-268-3475		ea	12	
1-1/2	3	12	13	9C5510-268-3476		ea	12	10
3	3	12	13	9C5510-268-3481		ea	24	
2-1/4	3	18	13	9C5510-268-3477		ea	12	
2	4	8	13	9C5510-268-3480		ea	12	
2-1/4	4	18	13	9C5510-268-3478		ea	12	
3	6	12	13	9C5510-268-3482		ea	12	15
NOTE. WEDGES, PLUGS, AND SHORING TO BE STOWED OUTSIDE D.C. LOCKER UNLESS STOWAGE PERMITS.								

DATE 11-21

CHANGE NO.

COMSTSLANTAREA

PREPARED

IM

TYPED

HY

PROOF D

APPROVED