

	TIME	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	
1.	L.P. EXHAUST TEMP								73	74			87	74	90	70	70	88	92	95	95	95	95	95	95	94
2.	MN COND STE TEMP								62	62			61	63	63	63	60	57	57	57	62	62	63	63	63	63
3.	MN ENJ TEMP								64				73	65	65	65	68	72	73	77	77	78	77	76	70	
4.	MN OVBD TEMP								100	102			120	109	109	109	114	120	124	126	130	131	132	131	129	
5.	L.O. TO COOLERS								97	99			104	104	104	104	106	110	104	106	110	111	112	111	106	
6.	L.O. FROM COOLERS								97	100			113	102	103	104	106	112	115	115	119	120	120	120	120	
7.	THRUST ENG TEMP								100	100			117	104	104	104	120	118	122	120	123	124	124	125	124	
8.	FWD H.P. ROTOR BNG								103	103			132	106	106	106	124	128	135	132	136	140	140	141	131	
9.	AFT H.P. ROTOR BNG								107	107			127	120	120	135	130	128	130	132	138	136	136	136	135	
10.	FWD L.P. ROTOR BNG								115	115			118	120	120	125	120	120	125	128	130	130	130	130	130	
11.	AFT L.P. ROTOR BRG								76	96			145	145	144	144	148	152	155	157	155	155	155	155	152	
12.	HOT GEAR BRG FWD								96	96			142	142	142	142	135	140	145	145	150	150	150	150	150	
13.	HOT GEAR BRG AFT								75	83	84	/	88	88	88	88	90	88	88	88	91	88	88	88	86	
14.	AUX COND STE TEMP								65	80			156	84	102	135	158	158	158	160	160	160	160	160	150	
15.	1ST STAGE AIR TEMP								238	237			243	240	238	240	240	240	240	240	240	240	240	240	240	
16.	D.C. HEATER TEMP								600	550			657						684	685	685	685	680	677	677	
17.	SUPRHT TEMP PORT								610	500			657						684	685	685	685	680	677	677	
18.	SUPRHT TEMP STBD								80	84			70				90	90	90	88	88	90	90	90	90	
19.	F.O. SETT TEMP P								85	85			75				85	85	85	85	82	84	84	84	84	
20.	F.O. SETT TEMP S								295	315			320				340	320	322	322	327	327	327	327	321	
21.	UPTAKE PORT								320	342			315				330	310	312	312	315	315	314	311	311	
22.	UPTAKE STBD								85	85			75				90	90	90	90	92	92	92	92	86	
23.	F.O. PUMP SUCT TEMP								32	32			31	33	34	34	33	32	32	33	32	30	29	32	29	
24.	MN FD PMP L.O PORT								24	24			22	23	23	25	23	23	23	23	24	24	24	23	24	
25.	MN FD PMP L.O STBD								18.5	18.5			18	19	19	19	19	18	18	18	18	18	18	18	18	
26.	L.O. TO GEARS								-	-			-	-	-	-	-	-	-	-	-	-	-	-	-	
27.	AIR CONTR L.O. PRESS								-	-			-	-	-	-	-	-	-	-	-	-	-	-	-	

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
29. L.O. PRES #1								9	9			9	9	9	9	9	9	9	9	9	9	9	9	9
28. L.O. PRES #2								8	8			7	7	7	7	7	7	7	7	7	7	7	7	7
31. L.O. TO COOLER #1								117	115			122	130	130	130	128	126	130	124	120	120	120	120	120
30. L.O. TO COOLER #2								129	130			130	130	130	130	126	128	126	128	130	130	130	130	130
33. L.O. FROM COOLER #1								107	106			112	112	112	112	115	112	108	108	110	112	115	112	112
32. L.O. FROM COOLER #2								113	114			115	115	115	115	116	118	112	114	114	115	114	114	114
35. L.O. GOV PRES #1								62	63			62	62	62	62	62	62	62	62	62	62	62	62	62
34. L.O. GOV PRES #2								67	67			68	67	67	67	67	67	67	67	67	67	67	67	67
37. AMPS POS #1								650	400			550	1000	500	500	560	600	600	550	800	500	650	600	500
36. AMPS POS #2								250	500			580	800	500	500	580	650	630	550	500	950	650	500	500
39. AMPS NEG #1								650	400			600	850	500	500	600	620	620	600	850	550	700	650	500
38. AMPS NEG #2								250	650			680	850	800	500	650	680	700	670	850	800	600	650	500
41. HP HIGH SPEED PIN. AFT								90	90			136	101	101	105	140	140	140	140	145	145	145	145	145
42. HP INTER SPEED PIN FWD								92	92			133	102	102	130	135	132	138	140	137	137	144	145	145
43. HP INTER SPEED PIN AFT								95	95			138	115	115	135	140	135	140	145	150	150	150	150	149
44. L.P. THRUST BEARING								98	98			120	109	109	153	130	130	132	132	136	136	136	137	137
45. H.P. THRUST BEARING								95	95			138				124	130	138	142	149	150	150	150	150
46. LP HIGH SPEED PIN. FWD								95	95			127	110	110	130	128	132	135	132	137	140	137	137	137
47. LP HIGH SPEED PIN. AFT								94	94			125	115	115	130	126	128	130	128	130	130	130	130	140
48. LP INTER SPEED PIN FWD								96	96			142				132	155	153	132	155	155	155	155	155
49. LP INTER SPEED PIN. AFT								96	101			125	105	105	105	125	126	126	128	135	135	135	135	135
50. MAIN GEAR ROTOR FWD								99	99			107				108	110	110	110	110	111	111	111	111
51. MAIN GEAR ROTOR AFT								95	95			102	102	102	102	105	105	104	104	104	110	110	110	106
52. LP BLEAD								20	20			12	19	19	19	18	10	08	07	07	07	07	07	11
HP HIGH SPEED PIN FWD												145	1			142	148	152	155	160	160	160	160	160

11-3-67

11-2-67

	TIME	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
1.	L.P. EXHAUST TEMP	96	96	96	97	97	103	102	102	102	102	102	102	102	102	102	96	95	95	96	96	96	96	96	96
2.	MN COND STE TEMP	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	84	84	84	86	92	92	92	94	94
3.	MN INJ TEMP	64	65	65	66	66	68	66	66	66	66	66	66	66	66	66	58	58	58	58	64	64	64	64	64
4.	MN OVBD TEMP	72	72	72	76	76	78	78	78	78	78	78	78	78	78	78	70	70	70	70	74	72	74	72	72
5.	L.O. TO COOLERS	126	126	126	128	128	126	126	125	125	125	125	125	125	125	125	128	128	128	128	128	128	128	128	126
6.	L.O. FROM COOLERS	110	110	110	110	110	108	108	108	108	108	108	108	108	108	108	112	112	112	112	105	108	108	110	110
7.	THRUST ENG TEMP	116	116	116	116	116	114	114	114	114	114	114	114	114	114	114	113	113	113	113	115	115	118	118	118
8.	FWD H.C. ROTOR ENG	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	128	128	128	128	125	125	125	125	125
9.	AFT H.P. ROTOR ENG	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130
10.	FWD L.P. ROTOR ENG	132	132	132	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130
11.	AFT L.P. ROTOR ENG	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130
12.	HOT GEAR BRG FWD	146	146	146	150	150	150	150	150	150	150	150	150	150	150	150	140	140	140	140	140	140	140	140	140
13.	HOT GEAR BRG AFT	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140
14.	AUX COND STE TEMP	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94
15.	1ST STAGE AIR TEMP	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170	165	165	165	165	165	165	165	165	165
16.	D.C. HEATER TEMP	238	238	238	237	237	237	237	237	237	237	237	237	237	237	237	238	238	238	238	238	238	238	238	238
17.	SUPRHT TEMP PORT	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	725	720	720	725	720	722	720	720	720
18.	SUPRHT TEMP STBD	720	720	720	720	720	720	720	720	720	720	720	720	720	720	720	725	720	720	725	720	722	720	720	720
19.	F.O. SETT TEMP P	100	100	100	102	102	116	116	116	116	116	116	116	116	116	116	112	112	112	112	115	112	112	112	112
20.	F.O. SETT TEMP S	100	100	100	102	102	112	112	112	112	112	112	112	112	112	112	105	105	105	105	105	105	105	105	105
21.	UPTAKE PORT	95	96	95	—	—	—	—	—	298	298	298	298	298	298	298	—	—	—	—	—	—	—	—	95
22.	UPTAKE STBD	290	290	290	—	—	—	—	—	298	298	298	298	298	298	298	—	—	—	—	—	—	—	—	290
23.	F.O. PUMP SUCT TEMP	100	100	100	103	103	120	120	120	120	120	120	120	120	120	120	106	106	106	106	128	125	128	125	125
24.	MN FD PMP L.O PORT	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34
25.	MN FD PMP L.O STBD	28	28	28	30	30	30	30	30	30	30	30	30	30	30	30	30	31	31	31	31	29	29	29	28
26.	L.O. TO GEARS	112	112	112	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	112
27.	AIR COOL L.O. PRESS	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	—	—	—	—	—

	TIME	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
L.P. EXHAUST TEMP		101	101	101	103	103	105	105	105	104	101	105													
MN COND STE TEMP		98	98	98	98	98	98	98	99	98	98	101													
MN INJ TEMP		63	63	64	66	66	66	66	68	67	67	69													
MN OVBD TEMP		70	70	70	80	80	82	82	82	82	82	83													
L.O. TO COOLERS		128	129	130	130	129	129	129	132	131	132	132													
L.O. FROM COOLERS		110	110	111	110	110	110	110	111	111	112	112													
THRUST ENG TEMP		117	116	116	115	115	115	115	120	120	120	120													
FWD H.P. ROTOR BNG		124	124	124	124	124	123	123	124	124	124	123													
AFT H.P. ROTOR BNG		136	136	136	135	135	135	135	140	140	140	140													
FWD L.P. ROTOR BNG		135	135	135	135	135	135	135	135	136	136	136													
AFT L.P. ROTOR BNG		130	130	130	130	130	130	130	131	130	130	132													
HOT GEAR BNG FWD		150	150	150	158	158	158	158	160	160	160	160													
HOT GEAR BNG AFT		150	150	150	150	150	148	145	150	150	150	150													
AUX COND STE TEMP		99	99	99	99	99	99	99	99	99	99	102													
1ST STAGE AIR TEMP		150	150	150	160	160	161	161	163	160	163	162													
D.C. HEATER TEMP		240	240	240	240	240	240	240	240	240	240	240													
SUPRHT TEMP PORT		677	677	677	685	670	670	670	655	686	685	682													
SUPRHT TEMP STBD		680	680	680	685	670	670	670	655	686	685	682													
F.O. SETT TEMP P		90	90	90	105	120	120	120	102	120	120	117													
F.O. SETT TEMP S		84	84	84	88	120	118	118	118	115	115	111													
UPTAKE PORT		321	321	321	325	323	320	320	318	322	324	324													
UPTAKE STBD		311	311	311	315	310	310	310	312	313	315	315													
F.O. PUMP SUCT TEMP		86	86	86	90	116	126	126	127	126	125	125													
MN FD PMP L.O PORT		29	29	29	29	29	33	33	29	31	31	32													
MN FD PMP L.O STBD		24	24	24	24	24</																			

11-3-67

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
29. L.O. PRES #1	9	9	9	9	9	9	9	9	9	9	9													
28. L.O. PRES #2	7	7	7	7	7	7	7	7	7	7	7													
31. L.O. TO COOLER #1	120	120	120	120	120	122	122	122	124	124	124													
30. L.O. TO COOLER #2	130	130	130	130	130	132	132	132	132	131	132													
33. L.O. FROM COOLER #1	112	112	112	112	112	112	112	113	114	114	114													
32. L.O. FROM COOLER #2	114	114	114	118	118	118	118	116	118	119	119													
35. L.O. GOV PRES #1	62	62	62	62	62	62	62	62	62	62	62													
34. L.O. GOV PRES #2	67	67	67	67	67	67	67	67	67	67	67													
37. AMPS POS #1	550	550	550	500	500	550	550	550	550	500	700													
36. AMPS POS #2	550	550	550	600	600	550	550	700	550	700	500													
39. AMPS NEG #1	530	700	750	550	550	600	600	600	600	530	750													
38. AMPS NEG #2	530	700	750	650	700	700	700	750	600	750	650													
41. HP HIGH SPEED PIN. AFT	141	141	141	141	141	145	145	145	145	145	146													
42. HP INTER SPEED PIN FWD	142	142	142	142	142	142	142	145	145	145	145													
43. HP INTER SPEED PIN AFT	144	150	150	150	150	145	145	150	150	150	150													
44. L.P. THRUST BEARING	134	134	134	134	134	136	136	136	136	136	136													
45. H.P. THRUST BEARING	149	149	149	145	145	148	148	150	150	150	150													
46. LP HIGH SPEED PIN. FWD	135	135	135	135	135	135	135	137	137	137	137													
47. LP HIGH SPEED PIN. AFT	130	130	130	130	130	130	130	130	130	130	130													
48. LP INTER SPEED PIN FWD	150	150	150	150	150	150	150	155	155	155	155													
49. LP INTER SPEED PIN. AFT	135	135	135	135	135	135	135	130	135	135	135													
50. MAIN GEAR ROTOR FWD	111	111	111	111	111	111	111	112	112	112	113													
51. MAIN GEAR ROTOR AFT	110	110	110	110	110	110	110	111	111	111	112													
52. LP BLEAD	12	12	11	8	8	8	8	07	07	07	07													
HP HIGH SPEED PIN FWD	11	11	11	158	158	158	158	160	160	160	160													

11-3-67

	TIME	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	
1.	L.P. EXHAUST TEMP	104	104	104	103	103	103	103	103	103	104	103	102	102	102	102	102	103	104	104	105	105	105	104	104	104
2.	MN COND STE TEMP	98	98	98	98	98	98	98	98	98	98	96	96	96	96	97	97	98	98	98	98	98	98	98	98	98
3.	MN INJ TEMP	70	70	70	71	71	71	71	71	71	71	71	69	69	69	69	70	70	71	71	71	71	71	71	71	70
4.	MN OVBD TEMP	82	82	82	84	84	84	84	84	84	84	84	80	80	80	80	82	82	83	83	83	82	82	82	82	82
5.	L.O. TO COOLERS	128	128	128	128	128	128	128	128	128	118	118	126	126	126	126	128	128	128	128	128	128	128	128	128	128
6.	L.O. FROM COOLERS	110	110	110	110	110	110	112	112	112	106	106	110	110	110	110	110	110	110	110	110	110	110	110	110	110
7.	THRUST BRG TEMP	115	115	115	115	115	115	116	116	116	116	115	116	116	116	116	116	116	115	115	115	115	115	115	115	115
8.	FWD H.P. ROTOR BRG	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128
9.	AFT H.P. ROTOR BRG	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128
10.	FWD L.P. ROTOR BRG	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130
11.	AFT L.P. ROTOR BRG	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130
12.	HOT GEAR BRG FWD	148	148	148	148	148	148	148	148	148	140	140	140	148	148	148	148	149	149	149	149	149	149	149	149	148
13.	HOT GEAR BRG AFT	138	138	138	140	140	140	140	140	140	140	140	136	136	136	136	138	138	138	138	138	138	138	138	138	138
14.	AUX COND STE TEMP	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108
15.	1ST STAGE AIR TEMP	170	170	170	176	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170
16.	D.C. HEATER TEMP	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238
17.	SUPRHT TEMP PORT	710	710	710	705	720	725	720	710	715	715	715	720	720	720	720	720	720	720	720	720	720	720	720	720	710
18.	SUPRHT TEMP STBD	710	710	710	705	720	725	720	710	715	715	715	720	720	720	720	720	720	720	720	720	720	720	720	720	710
19.	F.O. SETT TEMP P	110	110	110	106	106	106	105	105	105	105	108	114	114	114	114	117	117	117	117	117	110	110	110	110	110
20.	F.O. SETT TEMP S	94	94	94	94	94	94	90	90	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94
21.	UPTAKE PORT	100	100	100	-	-	-	-	-	-	-	-	100	100	100	100	-	-	-	-	-	285	285	285	285	285
22.	UPTAKE STBD	350	350	350	-	-	-	-	-	-	-	-	280	280	290	290	290	290	-	-	-	285	285	285	285	350
23.	F.O. PUMP SUCT TEMP	110	110	110	110	110	110	96	96	100	100	100	114	114	114	114	120	120	120	120	120	120	120	120	120	120
24.	MN FD PMP L.O PORT	34	34	34	34	34	34	29	35	35	35	35	33	33	33	33	34	34	34	34	34	34	34	34	34	34
25.	MN FD PMP L.O STBD	28	28	28	28	28	28	27	28	28	28	28	27	27	27	27	28	28	28	28	28	28	28	28	28	28
26.	L.O. TO GEAR	112	112	112	112	112	112	112	112	112	112	112	108	112	112	112	112	112	112	112	112	112	112	112	112	112
27.	AIR CONTR L.O. PRESS	28	28	28	28	28	28	29	29	30	30	30	31	31	31	31	31	31	31	31	31	31	31	31	31	31

		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
29. L.O. PRES #1	3	8	8	8	9	9	9	9	9	9	9	9	8	8	8	8	8	8	8	8	8	8	8	8	8
28. L.O. PRES #2	4	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5
31. L.O. TO COOLER #1	3	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130
30. L.O. TO COOLER #2	4	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135
33. L.O. FROM COOLER #1	3	110	110	110	110	110	110	110	110	110	110	110	108	108	108	108	108	108	110	110	110	110	110	110	110
32. L.O. FROM COOLER #2	4	118	118	118	120	120	120	120	120	120	120	120	118	118	118	118	120	120	120	120	120	120	120	120	120
35. L.O. GOV PRES #1	3	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65
34. L.O. GOV PRES #2	4	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45
37. AMPS POS #1	3	1000	1000	1000	1050	1100	1100	1100	1100	1100	1100	1100	1100	1100	1100	1100	1100	1100	1100	1100	1100	1100	1100	1100	1100
36. AMPS POS #2	4	1200	1200	1200	1250	1300	1300	1300	1300	1300	1300	1300	1300	1300	1300	1300	1300	1300	1300	1300	1300	1300	1300	1300	1300
39. AMPS NEG #1	3	1000	1000	1000	1050	1100	1100	1100	1100	1100	1100	1100	1100	1100	1100	1100	1100	1100	1100	1100	1100	1100	1100	1100	1100
38. AMPS NEG #2	4	1100	1100	1100	1150	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200
41. HP HIGH SPEED PIN. AFT	1	138	138	138	138	138	138	138	138	138	138	138	136	136	136	136	136	136	136	136	136	136	136	136	136
42. HP INTER SPEED PIN FWD	1	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140
43. HP INTER SPEED PIN AFT	1	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135
44. L.P. THRUST BEARING	1	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142
45. H.P. THRUST BEARING	1	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142
46. LP HIGH SPEED PIN. FWD	1	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128
47. LP HIGH SPEED PIN. AFT	1	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125
48. LP INTER SPEED PIN FWD	1	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115	115
49. LP INTER SPEED PIN. AFT	1	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130
50. MAIN GEAR ROTOR FWD	1	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114
51. MAIN GEAR ROTOR AFT	1	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110
52. LP BLEAD	1	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12
VOLTS 3	1	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240
VOLTS 4	1	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240
OLVET BD. Cond	1	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84
ISPD. N.P. FWD PIN	1	148	148	148	148	148	148	148	148	148	148	148	148	148	148	148	148	148	148	148	148	148	148	148	148

	TIME	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
1.	L.P. EXHAUST TEMP	106	106	106	106	106	108	108	104	105	104	104	105	105	105	105	105	105	106	104	106	106	106	106	106
2.	MN COND STE TEMP	102	101	102	102	102	102	103	98	105	95	95	101	100	100	100	100	100	100	100	100	101	102	102	101
3.	MN INJ TEMP	70	70	70	70	70	70	71	71	72	71	71	72	70	70	70	70	70	70	70	70	70	69	68	70
4.	MN OVBD TEMP	84	84	84	84	84	84	86	85	86	85	84	129	129	129	128	86	84	86	84	85	85	84	83	84
5.	L.O. TO COOLERS	127	128	128	128	128	128	124	127	128	126	126	120	125	125	127	128	128	128	128	128	128	128	128	128
6.	L.O. FROM COOLERS	110	110	110	110	110	110	109	109	109	108	108	110	110	110	110	108	108	108	108	108	109	109	109	109
7.	THRUST BRG TEMP	117	117	117	117	117	117	117	117	115	115	115	117	117	117	117	115	115	115	115	117	118	117	117	117
8.	FWD H.P. ROTOR BRG	123	124	124	123	123	123	123	123	121	121	121	124	124	124	124	123	123	123	123	123	123	123	123	123
9.	AFT H.P. ROTOR BRG	136	136	136	135	135	135	135	135	135	135	135	136	136	136	136	135	135	135	135	137	137	138	139	139
10.	FWD L.P. ROTOR BRG	134	134	134	135	135	135	135	134	132	132	131	134	133	133	133	132	132	132	132	135	135	137	138	134
11.	AFT L.P. ROTOR BRG	130	130	130	130	130	130	130	130	130	130	129	130	130	130	129	130	130	130	130	130	130	130	130	130
12.	HOT GEAR BRG FWD	153	153	153	153	153	153	155	150	150	150	150					153	153	153	153	155	155	154	154	153
13.	HOT GEAR BRG AFT	149	149	149	148	148	148	148	145	145	145	144					145	145	145	145	145	145	145	145	145
14.	AUX COND STE TEMP	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108
15.	1ST STAGE AIR TEMP	164	163	164	164	164	164	164	160	160	160	160	160	160	161	160	162	160	160	160	160	160	162	162	162
16.	D.C. HEATER TEMP	245	240	240	240	240	240	240	240	240	240	240					240	240	240	240	240	240	240	240	245
17.	SUPRHT TEMP PORT	640	640	640	675	675	675	675	687	670	665	665					685	685	680	680	673	670	670	670	650
18.	SUPRHT TEMP STBD	650	650	650	675	675	675	675	687	670	665	665					685	685	680	680	673	670	670	670	660
19.	F.O. SETT TEMP P	100	100	100	100	100	100	102	115	117	112	117	128	128	128	128	110	110	110	110	105	101	100	100	100
20.	F.O. SETT TEMP S	100	100	100	102	100	105	112	113	117	113	116	125	125	125	125	100	100	98	98	101	100	100	100	100
21.	UPTAKE PORT	315	312	320	323	325	325	327	330	317	311	313					325	325	325	325	319	323	321	320	332
22.	UPTAKE STBD	315	341	319	323	325	325	325	325	305	301	304					315	315	315	315	305	310	310	310	285
23.	F.O. PUMP SUCT TEMP	107	107	108	106	106	110	112	120	123	126	127					124	124	116	98	116	108	106	105	107
24.	MN FD PMP L.O PORT	229	29	29	28	28	28	28	32	31	32	28	29	29	30	29	30	30	30	30	31	31	31	29	29
25.	MN FD PMP L.O STBD	24	24	24	22	22	22	22	23	23	23	23	24	24	24	24	23	23	23	23	23	22	23	23	23
26.	L.O. TO GEARS	18	18	18	18	18	18	18	18	18	18	18	19	19	19	19	110	110	111	111	19	18	19	19	18
27.	AIR COOL L.O. PRESS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

11-4-67

	TIME	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
1.	L.P. EXHAUST TEMP	100	95	96	98	98	98	99	99	98	98	98	97	97	97	97	94	94	95	95	96	96	96	96	96
2.	MN COND STE TEMP	96	96	96	94	96	96	96	96	96	96	96	97	97	97	97	94	94	95	95	96	96	96	96	96
3.	MN INJ TEMP	70	71	71	70	70	71	72	72	72	72	72	72	72	72	71	71	71	71	71	71	71	71	71	70
4.	MN OVBD TEMP	80	80	80	80	80	81	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	80
5.	L.O. TO COOLERS	124	126	126	126	126	126	126	126	126	126	126	126	126	126	124	124	124	124	124	124	124	124	124	124
6.	L.O. FROM COOLERS	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	108	108	108	108	110	110	110	110	110
7.	THRUST ENG TEMP	112	112	112	112	112	112	112	112	112	112	112	114	114	114	114	112	112	112	112	112	112	112	112	112
8.	FWD H.P. ROTOR ENG	120	120	120	125	125	125	125	125	125	125	125	120	120	120	120	120	120	120	120	120	120	120	120	120
9.	AFT H.P. ROTOR ENG	128	127	127	128	128	128	128	128	128	128	128	126	126	126	126	128	128	128	128	128	128	128	128	128
10.	FWD L.P. ROTOR ENG	125	124	124	125	125	125	125	125	125	125	125	124	124	124	124	125	125	125	125	125	125	125	125	125
11.	AFT L.P. ROTOR ENG	125	124	124	124	124	124	124	124	124	124	124	125	125	125	125	125	125	125	125	125	125	125	125	125
12.	HOT GEAR BRG FWD	144	144	144	144	144	144	144	144	144	144	144	142	142	142	142	144	144	144	144	144	144	144	144	144
13.	HOT GEAR BRG AFT	134	134	134	134	134	134	134	134	134	134	134	132	132	132	132	134	134	134	134	134	134	134	134	134
14.	UX COND STE TEMP	104	104	104	104	104	104	104	104	104	104	104	102	102	102	102	104	104	104	104	104	104	104	104	104
15.	1ST STAGE AIR TEMP	170	165	165	165	165	165	165	165	165	165	165	170	170	170	170	165	165	165	165	165	165	165	165	167
16.	D.C. HEATER TEMP	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238
17.	SUPRHT TEMP PORT	720	720	720	710	715	720	720	720	720	720	720	715	715	715	715	715	720	720	722	722	722	722	722	720
18.	SUPRHT TEMP STBD	720	720	720	710	715	720	720	720	720	720	720	715	715	715	715	715	720	720	722	722	722	722	722	720
19.	F.O. SETT TEMP P	107	106	106	107	107	107	107	107	107	104	104	106	106	106	108	107	107	107	107	107	107	107	107	107
20.	F.O. SETT TEMP S	90	90	90	90	90	90	90	90	95	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90
21.	UPTAKE PORT	-	-	-	-	-	-	-	-	-	-	-	285	285	285	285	285	-	-	-	-	285	285	285	285
22.	UPTAKE STBD	285	285	285	-	-	-	-	285	285	285	285	285	285	285	285	285	-	-	-	-	285	285	285	285
23.	F.O. PUMP SUCT TEMP	102	98	98	100	100	100	100	100	100	100	102	98	98	98	98	102	102	102	102	102	102	102	102	102
24.	MN FD PMP L.O PORT	34	33	33	34	34	34	34	34	34	34	34	33	33	33	33	33.5	33.5	33.5	33.5	34	34	34	34	34
25.	MN FD PMP L.O STBD	27	26	26	28	28	28	28	28	28	28	28	27	27	27	27	28.5	28.5	28.5	28.5	27	27	27	27	27
26.	L.O. TO GEARS	112	111	111	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110
27.	AIR CONTR L.O. PRESS	29	29	29	29	29	29	29	29	29	29	29	-	-	29	-	29	29	29	29	29	29	29	29	29

[illegible]

11-5-67

11-4-67

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
29. L.O. PRES #1	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
28. L.O. PRES #2	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
31. L.O. TO COOLER #1	120	120	119	119	118	118	118	119	119	120	120	121	121	121	121	120	120	120	118	120	119	120	120	120
30. L.O. TO COOLER #2	131	131	131	130	132	132	132	132	132	132	132	132	132	132	132	132	132	132	132	132	132	132	132	132
33. L.O. FROM COOLER #1	111	111	109	108	108	108	108	109	109	110	110	120	120	121	131	110	110	110	110	110	109	110	110	110
32. L.O. FROM COOLER #2	118	118	118	119	118	118	118	118	118	118	118	119	119	118	118	120	120	120	120	120	120	120	120	118
35. L.O. GOV PRES #1	62	62	62	62	62	62	62	62	62	62	62	61	61	61	61	61	61	61	61	61	62	62	62	62
34. L.O. GOV PRES #2	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67
37. AMPS POS #1	550	550	550	600	600	600	550	600	550	600	650	500	500	500	550	650	700	600	600	550	600	600	600	600
36. AMPS POS #2	650	550	550	600	600	600	600	650	600	650	550	500	500	550	650	650	600	600	600	600	500	650	600	600
39. AMPS NEG #1	650	650	550	650	650	650	600	600	550	550	700	700	650	550	650	750	650	650	600	650	650	550	650	650
38. AMPS NEG #2	650	650	650	650	650	650	650	650	600	600	700	700	650	550	650	700	650	650	700	650	650	650	650	650
41. HP HIGH SPEED PIN. AFT	141	141	141	141	141	141	141	141	140	141	140	141	141	141	141	140	140	140	140	140	140	140	141	141
42. HP INTER SPEED PIN FWD	141	141	141	140	140	140	140	140	140	140	142	140	140	140	140	140	140	140	140	140	140	140	142	142
43. HP INTER SPEED PIN AFT	144	144	145	145	145	145	145	146	146	146	146	142	142	143	143	143	143	143	143	144	144	145	145	145
44. L.P. THRUST BEARING	130	131	131	130	130	130	130	130	130	130	130	131	130	130	130	130	130	130	130	131	131	131	131	131
45. H.P. THRUST BEARING	144	144	144	143	143	143	143	145	144	144	144	145	144	144	144	140	140	140	140	145	145	145	145	145
46. LP HIGH SPEED PIN. FWD	130	130	130	130	130	130	130	133	134	135	134	130	130	130	129	128	128	128	128	128	130	130	130	130
47. LP HIGH SPEED PIN. AFT	130	130	130	130	130	130	130	130	130	130	130	130	127	127	127	128	128	128	128	130	130	130	130	130
48. LP INTER SPEED PIN FWD	150	150	150	150	150	150	150	150	150	150	150	150	150	150	150	150	150	150	150	150	150	150	150	150
49. LP INTER SPEED PIN. AFT	130	130	130	130	130	130	130	130	130	130	130	140	130	130	130	130	130	130	130	130	130	130	130	130
50. MAIN GEAR ROTOR FWD	116	116	115	115	115	115	115	116	108	108	115	114	115	115	115	115	115	115	115	116	116	116	116	116
51. MAIN GEAR ROTOR AFT	109	109	110	110	110	110	110	105	103	103	105	106	106	105	105	105	105	105	105	107	107	107	108	108
52. LP BLEAD	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
HIGH SPEED HP INTER SPEED FWD	150	150	150	151	151	151	151	154	155	155	155	155	155	155	155	155	155	155	155	155	155	155	155	155
COND OVER FLD	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80

Wed 11-8-67

Tue 11-7-67

TIME	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
1. L.P. EXHAUST TEMP	106	106	106	106	106	106	106	106	106	106	106	104	105	105	105	104	105	106	106	106	106	106	106	106
2. MN COND TEMP	104	104	104	104	104	104	104	104	104	104	104	103	104	104	104	101	102	104	104	104	104	104	104	104
3. MN INJ TEMP	78	78	78	78	78	78	78	78	78	78	78	75	75	75	75	76	76	76	76	78	78	78	78	78
4. MN OVBD TEMP	84	86	86	86	86	86	86	86	86	86	86	84	84	84	84	88	88	88	88	88	88	88	88	86
5. L.O. TO COOLERS	124	126	126	126	126	126	126	125	125	125	125	128	128	128	128	127	127	127	127	127	127	127	127	126
6. L.O. FROM COOLERS	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110
7. THRUST ENG TEMP	114	116	116	115	115	115	115	115	115	115	115	116	116	116	116	115	115	115	115	115	115	115	115	115
8. FWD H.P. ROTOR ENG	125	125	125	125	125	125	125	125	125	125	125	124	124	124	124	125	125	125	125	125	125	125	125	125
9. AFT H.P. ROTOR ENG	128	128	128	130	130	130	130	130	130	130	130	124	126	126	126	130	130	130	130	130	130	130	130	130
10. FWD L.P. ROTOR ENG	124	124	124	124	125	125	125	125	125	125	125	127	127	127	127	125	125	125	125	125	125	125	125	124
11. AFT L.P. ROTOR ENG	124	124	124	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	124
12. HOT GEAR ENG FWD	148	148	148	150	150	150	150	150	150	150	150	148	148	148	148	150	150	150	150	150	150	150	150	148
13. HOT GEAR ENG AFT	138	138	138	140	140	140	140	140	140	140	140	137	140	140	140	138	138	140	140	140	140	140	140	138
14. AUX COND STE TEMP	118	118	118	118	118	118	118	118	118	118	118	120	120	120	120	118	118	118	118	118	118	118	118	118
15. 1ST STAGE AIR TEMP	170	170	170	170	170	170	170	175	175	175	175	170	170	170	170	170	170	170	170	170	170	170	170	170
16. D.C. HEATER TEMP	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238
17. SUPRHT TEMP PORT	725	725	725	725	725	725	725	725	725	725	725	715	715	715	715	710	715	720	725	725	725	725	725	725
18. SUPRHT TEMP STBD	725	725	725	725	725	725	725	725	725	725	725	715	715	715	715	710	715	720	725	725	725	725	725	725
19. F.O. SETT TEMP P	110	110	110	109	109	109	109	109	109	109	109	110	110	110	110	110	110	112	112	112	112	112	112	110
20. F.O. SETT TEMP S	102	102	102	101	101	103	105	105	105	105	105	98	98	98	98	97	97	100	102	102	102	102	102	102
21. UPTAKE PORT	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22. UPTAKE STBD	290	290	290	—	—	—	—	290	290	290	290	290	290	290	290	—	—	—	—	290	290	290	290	290
23. F.O. PUMP SUCT TEMP	104	104	104	106	106	108	108	108	108	108	108	98	98	98	98	97	97	100	104	104	104	104	104	104
24. MN FD PMP L.O PORT	33	33	33	33	33	34	34	34	34	34	34	33	33	33	33	33	33	33	33	33	33	33	33	33
25. MN FD PMP L.O STBD	27	27	27	27	27	28	28	28	28	28	28	27	27	27	27	27	27	27	27	27	27	27	27	27
26. L.O. TO GEARS	112	112	112	112	112	110	110	112	112	112	112	112	112	112	112	110	110	110	110	112	112	112	112	112
27. AIR CONTR L.O. PRESS	29	29	29	29	—	—	29	29	29	29	29	—	—	—	—	28	—	29	—	—	29	29	29	29

11-7-67

[illegible]

11-7-67

	TIME	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
1.	L.P. EXHAUST TEMP	110	110	110	110	110	110	111	112	113	113	110	110	110	110	110	110	110	110	110	112	113	112	112	111
2.	MN COND STE TEMP	107	105	106	106	106	106	108	108	108	110	110	107	106	107	105	104	104	106	107	108	109	109	108	107
3.	MN INJ TEMP	75	75	75	75	76	76	76	76	76	78	78	75	75	75	74	74	74	75	76	77	78	77	77	75
4.	MN OVBD TEMP	90	90	90	90	90	90	90	91	92	93	93	90	90	90	90	90	90	90	90	93	93	93	93	90
5.	L.O. TO COOLERS	125	125	125	125	125	125	125	126	126	128	128	128	127	127	127	127	127	127	127	128	128	129	127	125
6.	L.O. FROM COOLERS	108	108	108	108	108	108	108	109	109	110	110	110	110	110	110	110	109	110	110	110	111	112	108	108
7.	THRUST ENG TEMP	115	115	115	115	115	115	115	117	117	118	120	119	119	119	117	117	117	117	117	120	120	117	115	
8.	FWD H.P. ROTOR BNG	124	124	124	123	123	123	123	123	124	125	125	125	125	125	125	125	125	123	123	125	125	125	123	124
9.	AFT H.P. ROTOR BNG	136	136	136	135	135	135	135	137	137	138	138	136	136	136	136	135	135	135	135	135	135	135	135	131
10.	FWD L.P. ROTOR BNG	132	132	132	132	132	132	133	133	134	135	135	135	134	134	135	135	135	135	135	135	135	135	135	131
11.	AFT L.P. ROTOR BNG	129	129	129	129	129	129	129	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	129
12.	HOT GEAR BNG FWD	152	152	152	152	152	152	152	153	152	155	156	160	160	160	160	160	160	160	160	160	160	160	160	152
13.	HOT GEAR BNG AFT	143	143	143	143	143	143	143	144	145	145	146	146	146	145	145	145	145	145	145	145	146	147	147	143
14.	AUX COND STE TEMP	105	105	105	105	105	105	105	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106
15.	1ST STAGE AIR TEMP	165	165	165	164	164	164	164	165	166	163	166	163	163	165	163	162	162	164	164	164	165	165	166	164
16.	D.C. HEATER TEMP	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240
17.	SUPRHT TEMP PORT	675	675	676	680	675	675	670	675	680	682	682	675	675	675	675	675	680	680	680	680	675	680	675	674
18.	SUPRHT TEMP STBD	675	675	676	680	675	675	670	675	680	682	682	675	675	675	675	675	680	680	680	680	675	680	675	674
19.	F.O. SETT TEMP P	114	114	115	115	112	112	110	110	110	110	110	125	125	124	120	120	112	115	112	112	112	112	112	114
20.	F.O. SETT TEMP S	101	101	101	103	115	115	115	111	108	109	109	126	125	124	125	120	112	115	107	106	105	105	105	105
21.	UPTAKE PORT	340	345	345	345	343	343	340	347	331	332	332	329	335	335	334	335	330	335	338	327	330	330	335	339
22.	UPTAKE STBD	315	322	321	325	320	320	320	325	312	313	314	314	320	320	315	320	310	310	310	310	312	315	315	315
23.	F.O. PUMP SUCT TEMP	120	120	121	120	122	122	122	122	122	120	118	131	130	130	130	128	128	120	118	116	117	117	119	120
24.	MN FD PMP L.O PORT	28	30	29	28	28	28	28	28	31	29	28	29	29	31	29	29	29	29	29	29	32	32	32	29
25.	MN FD PMP L.O STBD	24	24	24	24	24	24	24	22	23	23	23	24	24	24	24	24	24	24	24	23	23	23	23	24
26.	L.O. TO GEARS	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18
27.	AIR CONTR L.O. PRESS	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X

Tues 21-7-67

Mon - 11-6-67

		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
29. L.O. PRES #1	3	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
28. L.O. PRES #2	4												9.5	9.5	9.5	1									
31. L.O. TO COOLER #1	3	130	130	129	130	130	132	132	132	134	134	134	132	132	132	130	130	130	130	130	130	130	130	130	130
30. L.O. TO COOLER #2	4												136	136	136	1									
33. L.O. FROM COOLER #1	3	110	110	108	110	110	110	110	110	110	110	110	110	110	110	108	110	110	110	110	110	110	110	110	110
32. L.O. FROM COOLER #2	4												118	118	118	1									
35. L.O. GOV PRES #1	3	68	68	68	67	67	67	67	67	67	67	67	68	68	68	68	67	67	67	67	67	67	67	67	68
34. L.O. GOV PRES #2	4												45	45	45	1									
37. AMPS POS #1	3	1250	1250	1250	1250	1250	1350	1400	1350	1350	1400	1400	1100	1150	1150	1450	1500	1500	1300	1250	1250	1250	1250	1250	1250
36. AMPS POS #2	4												1100	1150	1150	1									
39. AMPS NEG #1	3	1250	1250	1250	1250	1250	1350	1400	1350	1350	1400	1400	1100	1150	1150	1450	1500	1500	1300	1250	1250	1250	1250	1250	1250
38. AMPS NEG #2	4												1100	1150	1150	1									
41. HP HIGH SPEED PIN. AFT		136	136	136	140	140	138	138	138	138	138	138	136	136	136	136	138	138	138	138	138	138	138	138	138
42. HP INTER SPEED PIN FWD		140	140	140	142	142	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140
43. HP INTER SPEED PIN AFT		134	134	134	135	135	135	135	135	135	135	135	134	134	134	135	135	135	135	135	135	135	135	135	135
44. L.P. THRUST BEARING		130	130	130	132	132	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130
45. H.P. THRUST BEARING		144	144	144	144	144	144	144	144	144	144	144	130	130	130	130	144	144	144	144	144	144	144	144	144
46. LP HIGH SPEED PIN. FWD		130	130	130	126	126	124	123	123	123	123	123	129	128	128	128	130	130	130	130	130	130	130	130	130
47. LP HIGH SPEED PIN. AFT		126	126	126	125	125	124	124	124	124	124	124	125	126	125	127	128	128	128	128	128	128	128	128	128
48. LP INTER SPEED PIN FWD		118	118	118	118	118	120	120	120	120	120	120	118	118	118	118	118	118	118	118	118	118	118	118	118
49. LP INTER SPEED PIN. AFT		138	138	136	140	140	140	140	140	140	140	140	138	138	138	138	140	140	140	140	140	140	140	140	140
50. MAIN GEAR ROTOR FWD		108	108	108	112	112	110	110	110	110	110	110	115	115	115	115	110	110	110	110	110	110	110	110	110
51. MAIN GEAR ROTOR AFT		110	110	110	108	108	107	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108
52. LP BLEAD		11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11
8 Volts	3	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240
10 Volts	4	240	240	240									240	240	240	1									
Aux. Overhd. discharge	9	78	78	78									84	84	84	74									78
High speed pinion		148	148	148	150	150	150	150	150	150	150	150	148	148	148	148	150	150	150	150	150	150	150	150	150

To: Oiler
Keep all
mach. bearings
cleaned of
oil as much
is possible.

Do NOT
Pump main
Eng. Rm. bilges
Sea clean in
them.

Keep an eye
on all spring
bearings
etc.

Tues. 11-7-67

Aft.

Mon. 11-6-67

TIME	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
1. L.P. EXHAUST TEMP	103	103	102	103	103	104	104	104	103	103	103	102	102	102	102	103	104	104	104	104	104	104	104	103
2. MN COND. TEMP	102	102	102	103	104	104	104	103	103	103	103	102	102	102	102	102	102	102	102	102	102	102	102	102
3. MN INJ TEMP	74	74	74	75	76	76	76	76	76	76	76	73	73	73	72	73	73	74	74	74	74	74	74	74
4. MN OVBD TEMP	85	85	85	86	86	86	86	86	86	86	86	82	84	84	84	84	84	85	85	85	85	85	85	85
5. L.O. TO COOLERS	126	124	124	124	126	126	126	126	126	127	127	127	127	127	127	128	128	128	128	128	128	128	129	129
6. L.O. FROM COOLERS	110	110	110	110	110	110	110	110	110	110	110	116	116	116	116	116	116	116	116	116	116	116	116	116
7. THRUST BRG TEMP	116	116	116	115	115	114	114	114	114	114	114	115	115	115	115	115	115	115	115	115	115	115	115	116
8. FWD H.P. ROTOR BRG	122	122	122	123	123	123	123	124	124	124	124	124	124	124	124	124	124	124	124	124	124	124	124	122
9. AFT H.P. ROTOR BRG	128	128	128	130	130	130	130	130	130	130	130	124	124	124	124	130	130	130	130	130	130	130	130	128
10. FWD L.P. ROTOR BRG	128	128	128	130	130	128	127	128	128	130	130	125	125	125	125	130	130	130	130	130	130	130	130	124
11. AFT L.P. ROTOR BRG	124	124	124	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	124
12. HOT GEAR BRG FWD	148	148	148	150	150	150	150	150	150	150	150	148	148	148	148	150	150	150	150	150	150	150	150	150
13. HOT GEAR BRG AFT	138	138	138	140	140	140	140	140	140	140	140	138	138	138	138	140	140	140	140	140	140	140	140	140
14. AUX COND STE TEMP	112	112	112	112	112	112	112	112	112	112	112	108	108	108	108	110	110	110	110	110	110	110	110	110
15. 1ST STAGE AIR TEMP	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170	170
16. D.C. HEATER TEMP	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238
17. SUPRHT TEMP PORT	710	710	705	705	710	715	715	720	720	720	720	715	720	720	720	710	715	715	715	715	715	715	715	710
18. SUPRHT TEMP STBD	710	710	705	705	710	715	715	720	720	720	720	715	720	720	720	710	715	715	715	715	715	715	715	710
19. F.O. SETT TEMP P	108	108	108	108	108	108	108	108	108	108	108	110	110	110	110	111	111	109	109	109	109	109	109	110
20. F.O. SETT TEMP S	95	95	95	96	96	98	102	102	102	102	102	95	95	95	95	95	95	97	97	97	97	97	97	97
21. UPTAKE PORT	-	-	-	-	-	-	-	-	-	-	-	X	X	X	X	-	-	-	-	-	290	290	290	290
22. UPTAKE STBD	240	240	305	-	-	-	-	320	320	320	320	295	300	300	300	-	-	-	-	-	290	290	290	290
23. F.O. PUMP SUCT TEMP	98	98	98	102	102	104	106	106	106	106	106	110	110	110	95	96	96	97	97	97	98	98	98	98
24. MN FD PMP L.O PORT	34	34	34	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33
25. MN FD PMP L.O STBD	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27
26. L.O. TO GEARS	112	112	112	110	110	110	110	110	110	110	110	111	112	112	112	110	110	110	110	110	110	110	110	110
27. AIR CONTR L.O. PRESS	29	29	29	29	29	29	-	29	29	29	29	28	28	28	28	29	-	29	-	-	29	29	29	29

	11-7-67											11-8-67												
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
29. L.O. PRES #1	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
28. L.O. PRES #2	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
31. L.O. TO COOLER #1	120	120	120	120	120	120	120	120	120	120	121	120	120	120	120	120	121	121	121	124	120	120	120	120
30. L.O. TO COOLER #2	135	135	135	134	134	134	134	134	136	136	136	132	132	132	136	136	136	134	133	136	136	136	136	136
33. L.O. FROM COOLER #1	110	109	109	110	110	110	119	110	110	111	110	110	110	110	110	110	112	112	113	114	110	110	110	110
32. L.O. FROM COOLER #2	121	120	120	122	122	122	122	123	123	123	123	119	118	119	119	122	122	122	123	123	122	124	121	121
35. L.O. GOV PRES #1	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62
34. L.O. GOV PRES #2	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67
37. AMPS POS #1	950	950	1000	950	1000	1000	1000	1000	1000	950	1000	500	550	550	1050	950	1000	950	950	1000	1000	1000	950	950
36. AMPS POS #2	950	950	1000	950	1000	1050	1050	1000	1050	950	1000	550	550	550	1050	1000	1050	1000	1000	1000	950	1000	950	1000
39. AMPS NEG #1	950	950	1000	950	1050	1000	1000	1000	1050	950	1000	550	550	550	1050	1000	1050	1000	1000	1000	1000	950	1000	1000
38. AMPS NEG #2	950	950	1000	950	1050	1050	1050	1000	1050	950	1000	550	550	550	1050	1000	1050	1000	1000	1000	1000	950	1000	1000
41. HP HIGH SPEED PIN. AFT	141	141	141	142	142	142	142	144	142	145	143	141	141	141	141	140	140	142	142	142	143	142	144	142
42. HP INTER SPEED PIN FWD	142	142	142	142	142	142	142	144	144	144	144	142	143	143	142	143	143	143	143	144	143	143	144	141
43. HP INTER SPEED PIN AFT	145	145	145	145	145	145	145	148	147	147	148	145	146	146	145	145	145	145	145	146	146	146	146	145
44. L.P. THRUST BEARING	134	134	134	134	134	134	134	134	134	134	135	135	134	134	134	134	134	134	134	133	134	134	134	134
45. H.P. THRUST BEARING	146	147	147	148	148	147	147	148	148	149	149	148	148	148	148	145	145	145	145	148	147	148	147	148
46. LP HIGH SPEED PIN. FWD	135	135	135	135	135	135	135	135	135	135	136	135	135	135	135	135	135	135	135	135	135	135	135	135
47. LP HIGH SPEED PIN. AFT	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130
48. LP INTER SPEED PIN FWD	154	154	154	154	154	154	154	153	155	154	155	150	150	150	150	150	150	150	150	155	155	155	155	154
49. LP INTER SPEED PIN. AFT	130	130	130	130	130	130	130	130	130	130	132	130	135	135	135	135	135	135	135	130	130	130	130	130
50. MAIN GEAR RCTOR FWD	115	115	115	115	115	115	115	114	110	115	115	115	115	115	115	115	115	115	115	113	115	115	115	115
51. MAIN GEAR RCTOR AFT	110	110	110	110	110	110	110	108	108	108	108	106	105	105	105	105	105	105	105	110	110	110	110	110
52. LP BLEED	9	9	9	9	9	9	9	9	9	8	8	9	9	9	9	9	9	9	9	9	9	9	9	9
HP HIGH SPEED FWD	160	160	160	160	160	158	158	158	158	160	160	157	160	160	160	158	158	158	158	160	160	160	160	160
COND OVER BLD	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85

M

11-6-67

	TIME	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
1.	L.P. EXHAUST TEMP	110	109	110	110	110	110	110	110	110	111	111	106	104	105	106	108	108	108	108	109	110	110	110	110
2.	MN COND STE TEMP	106	104	104	106	107	107	107	104	107	108	106	103	103	103	103	103	104	104	104	106	106	114	106	106
3.	MN INJ TEMP	74	73	74	75	75	74	74	73	74	76	76	72	72	72	72	72	72	72	72	74	75	74	74	74
4.	MN OVBD TEMP	89	88	89	90	90	90	90	89	90	91	91	86	86	86	86	86	86	86	86	89	90	90	90	90
5.	L.O. TO COOLERS	126	127	127	127	127	128	128	128	128	128	128	127	127	127	127	126	126	126	126	127	127	127	127	127
6.	L.O. FROM COOLERS	110	110	110	110	109	110	110	110	110	110	111	110	110	110	109	108	108	108	108	110	110	110	110	110
7.	THRUST BRG TEMP	115	116	116	115	115	118	118	118	119	120	120	115	115	115	115	115	115	115	115	117	118	117	117	116
8.	FWD H.P. ROTOR BRG	124	124	124	123	123	123	123	125	124	125	125	125	125	124	124	123	123	123	123	124	124	124	124	124
9.	AFT H.P. ROTOR BRG	135	135	135	135	135	135	135	137	137	137	138	135	135	135	135	135	135	135	135	136	137	137	137	136
10.	FWD L.P. ROTOR BRG	134	134	134	134	134	134	134	135	134	135	135	134	134	134	134	135	135	133	133	134	134	134	134	134
11.	AFT L.P. ROTOR BRG	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	128	128	130	130	130	130	130
12.	HOT GEAR BRG FWD	160	160	160	160	160	158	158	158	158	160	160	157	160	160	160	158	158	158	158	160	160	160	160	160
13.	HOT GEAR BRG AFT	145	145	145	145	145	145	145	148	147	147	148	145	146	146	145	145	145	145	145	148	147	146	146	145
14.	LUX COND STE TEMP	108	108	108	109	109	108	108	106	107	107	108	105	105	105	105	104	104	104	104	106	106	106	106	104
15.	1ST STAGE AIR TEMP	164	163	163	164	164	164	164	163	163	165	165	163	164	164	163	164	164	164	164	162	166	164	164	164
16.	D.C. HEATER TEMP	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240
17.	SUPRHT TEMP PORT	675	670	675	675	675	675	675	675	676	669	670	686	685	685	685	685	685	685	685	685	676	675	677	675
18.	SUPRHT TEMP STBD	675	670	675	675	675	675	675	675	676	669	670	686	685	685	685	685	685	685	685	685	676	675	677	675
19.	F.O. SETT TEMP P</																								

[illegible]

	TIME	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	
1.	L.P. EXHAUST TEMP	105	105	106	107	108	109	109	109	107	107	106	104	104	104	105	103	105	105	105	105	108	108	108	107	
2.	MN COND STE TEMP	102	102	103	103	104	104	104	104	104	110	105	100	99	100	99	98	100	99	99	103	105	104	105	104	
3.	MN INJ TEMP	70	71	71	72	73	73	73	73	72	72	72	71	71	71	71	71	72	71	71	72	72	72	72	71	
4.	MN OVBD TEMP	85	84	84	86	86	88	88	89	88	87	88	84	84	84	84	82	84	84	84	85	87	87	87	85	
5.	L.O. TO COOLERS	128	128	128	128	128	128	128	128	128	128	128	126	126	126	126	127	128	128	128	128	129	129	129	129	
6.	L.O. FROM COOLERS	110	109	109	109	109	109	109	110	110	109	109	110	110	110	110	110	110	110	110	110	111	110	110	110	
7.	THRUST BRG TEMP	115	115	115	115	115	115	115	118	118	117	117	116	116	116	115	115	115	115	115	115	118	120	120	120	115
8.	FWD H.T. ROTOR BRG	125	125	124	123	123	123	123	124	124	124	125	124	124	124	124	123	123	123	123	124	125	123	125	125	
9.	AFT H.P. ROTOR BRG	136	136	135	135	135	135	135	137	137	137	137	135	135	135	135	135	135	135	135	135	136	138	138	138	136
10.	FWD L.P. ROTOR BRG	134	134	134	133	133	133	133	134	134	134	134	130	131	131	131	133	133	133	133	132	135	135	135	135	
11.	AFT L.P. ROTOR BRG	130	130	130	128	128	130	130	130	130	130	130	126	128	128	128	128	128	128	128	130	136	130	130	130	
12.	HOT GEAR BRG FWD	144	154	154	158	158	158	158	160	160	160	160	134	151	151	151	153	153	154	154	155	160	160	160	160	
13.	HOT GEAR BRG AFT	144	148	148	145	145	145	145	147	147	147	146	145	145	145	145	145	145	145	145	145	148	148	148	149	
14.	AUX COND STE TEMP	103	102	103	104	104	104	104	104	103	103	103	101	101	101	100	100	100	100	100	100	104	104	104	103	
15.	1ST STAGE AIR TEMP	164	164	164	164	164	164	164	165	165	165	165	160	161	161	160	158	160	160	160	160	165	163	165	162	
16.	D.C. HEATER TEMP	240	240	240	240	240	240	240	240	240	240	240	244	244	244	244	238	238	240	240	246	240	240	240	240	
17.	SUPRHT TEMP PORT	675	675	657	670	675	675	675	676	680	684	687	653	650	654	654	665	670	675	675	675	675	675	675	675	
18.	SUPRHT TEMP STBD	675	675	657	670	675	675	675	676	680	684	687	653	650	654	654	665	670	675	675	675	675	675	675	675	
19.	F.O. SETT TEMP P	121	120	119	120	110	110	110	104	103	104	104	112	111	111	112	112	112	113	113	116	116	116	119	120	
20.	F.O. SETT TEMP S	120	120	119	115	108	105	105	108	106	105	106	110	110	111	111	120	123	123	123	110	115	118	122	125	
21.	UPTAKE PORT	325	326	325	330	333	330	330	330	323	336	345	320	316	318	318	315	312	312	312	312	315	321	325	323	324
22.	UPTAKE STBD	311	314	311	315	315	315	315	318	309	310	306	305	304	301	300	300	298	300	300	305	310	310	310	310	
23.	F.O. PUMP SUCT TEMP	128	128	128	126	126	130	130	127	124	125	123	120	120	120	120	118	120	120	120	118	120	124	125	129	
24.	MN FD PMP L.O PORT	28	28	29	30	30	30	30	29	30	28	26	29	29	29	30	30	30	30	30	30	28	28	29	29	
25.	MN FD PMP L.O STBD	24	24	24	23	23	23	23	23	23	23	23	24	24	24	23	23	23	23	23	22	22	23	23	23	
26.	L.O. TO GEARS	19	18	18	18	18	18	18	18	18	18	18	18	19	18	18	19	19	19	19	18	18	18	18	18	
27.	AIR COOL L.O. PRESS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

11-6-67

11-5-67

		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
29. L.O. PRES #1	3	9	9	9	9	9	9	9	9	9	9		9	8	8	8	9	9	9	9	9	9	9	9	9
28. L.O. PRES #2	4	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5		9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5
31. L.O. TO COOLER #1	3	132	132	132	132	132	132	132	132	132	132		130	130	130	130	130	130	130	130	130	130	130	130	132
30. L.O. TO COOLER #2	4	134	134	134	134	134	134	134	134	134	134		135	135	135	135	135	135	135	135	135	135	135	135	134
33. L.O. FROM COOLER #1	3	109	109	109	109	109	109	109	109	109	110		108	108	108	108	108	110	110	110	110	110	110	110	109
32. L.O. FROM COOLER #2	4	118	118	118	118	118	118	118	118	118	118		118	118	118	118	118	118	118	118	118	118	118	118	118
35. L.O. GOV PRES #1	3	65	65	65	65	65	65	65	65	65	67		67	67	67	67	67	67	67	65	65	65	65	65	65
34. L.O. GOV PRES #2	4	47	47	47	47	47	47	47	47	47	47		45	45	45	45	45	45	45	45	45	45	45	45	47
37. AMPS PQS #1	3	1000	1000	1050	1000	1000	1050	1000	1150	1100	1150		1050	1050	1050	1100	1100	1000	950	1000	1000	1000	1000	1000	1000
36. AMPS POS #2	4	1000	950	1050	1000	1000	1050	1000	1150	1100	1150		1100	1100	1100	1100	1100	1000	950	1000	1000	1000	1000	1000	1000
39. AMPS NEG #1	3	1000	1000	1050	1000	1000	1050	1000	1150	1100	1150		1050	1050	1050	1100	1100	1100	950	1000	1000	1000	1000	1000	1000
38. AMPS NEG #2	4	1000	950	1050	1000	1000	1050	1000	1150	1100	1150		1100	1100	1100	1100	1100	1000	950	1000	1000	1000	1000	1000	1000
41. HP HIGH SPEED PIN. AFT		136	136	136	138	138	138	140	140	140	140		130	132	132	132	134	134	134	134	134	134	134	134	134
42. HP INTER SPEED PIN FWD		138	138	138	140	140	140	140	140	140	140		138	138	138	138	138	138	138	138	138	138	138	138	138
43. HP INTER SPEED PIN AFT		132	132	132	135	135	135	135	135	135	135		132	132	132	132	132	132	132	132	132	132	132	132	132
44. L.P. THRUST BEARING		130	130	130	130	130	130	130	130	130	130		125	125	125	125	125	126	126	126	126	126	126	126	130
45. H.P. THRUST BEARING		142	142	142	144	144	144	145	145	145	145		138	138	138	138	140	142	142	142	142	142	142	142	142
46. LP HIGH SPEED PIN. FWD		126	126	126	128	128	128	128	128	128	128		123	123	123	123	126	126	126	126	126	126	126	126	126
47. LP HIGH SPEED PIN. AFT		124	124	124	125	125	125	125	125	125	125		124	124	124	124	125	125	125	125	125	125	125	125	124
48. LP INTER SPEED PIN FWD		120	120	120	120	120	120	120	120	120	120		118	118	118	118	118	118	118	118	118	118	118	118	120
49. LP INTER SPEED PIN. AFT		136	136	136	140	140	140	140	140	140	140		130	130	130	130	130	130	130	130	130	130	130	130	136
50. MAIN GEAR ROTOR FWD		114	114	114	113	113	113	113	113	113	112		114	114	114	114	108	112	112	112	112	112	112	112	114
51. MAIN GEAR ROTOR AFT		112	112	112	107	107	107	108	108	108	106		110	110	110	110	105	111	111	112	112	112	112	112	112
52. LP BLEAD		11	11	11	12	12	12	12	12	12	12		13	13	13	13	14	15	15	15	15	15	15	15	15
VOLTS 3		240	240	240	240	240	240	240	240	240	240		240	240	240	240	240	240	240	240	240	240	240	240	240
VOLTS H		240	240	240	240	240	240	240	240	240	240		240	240	240	240	240	240	240	240	240	240	240	240	240
Aux over/ld Cond Temp		82	82	82	84	84	84	84	84	84	84		85	85	85	85	85	83	83	83	83	83	83	83	82
Hi Speed Pin Hi Pres. FWD		148	148	148	150	150	150	150	150	150	150		142	142	142	142	144	144	144	144	144	144	144	144	148

11-6-67

11-5-67

	TIME	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
1.	L.P. EXHAUST TEMP	101	101	101	102	102	103	103	104	104	104	104	97	97	97	97	96	99	89	79	98	98	98	98	100
2.	MN COND STE TEMP	100	100	100	100	100	102	102	104	104	102	102	98	98	98	98	94	96	96	96	96	96	96	100	100
3.	MN INJ TEMP	72	72	72	72	72	73	73	74	74	74	74	73	73	73	73	71	72	72	72	72	72	72	72	72
4.	MN OVBD TEMP	82	82	82	83	84	85	85	85	85	84	86	80	80	80	80	80	82	82	82	82	82	82	82	82
5.	L.O. TO COOLERS	126	126	126	126	126	126	126	128	128	125	125	124	124	124	124	125	126	126	126	126	126	126	126	126
6.	L.O. FROM COOLERS	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	112	112	112	112	112	112	112	112
7.	THRUST BRG TEMP	114	114	114	114	114	114	114	114	114	114	114	116	116	116	116	112	113	113	113	113	113	113	113	113
8.	FWD H.P. ROTOR BRG	123	123	123	125	125	125	125	125	125	125	125	121	121	121	121	123	123	123	123	123	123	123	123	123
9.	AFT H.P. ROTOR BRG	126	126	126	130	130	130	130	130	130	130	130	121	121	121	121	124	126	126	126	126	126	126	126	126
10.	FWD L.P. ROTOR BRG	125	125	125	127	127	127	130	130	130	130	130	123	123	123	123	125	126	126	126	126	126	126	126	126
11.	AFT L.P. ROTOR BRG	125	125	125	125	125	125	125	125	125	125	125	122	122	122	122	125	125	125	125	125	125	125	125	125
12.	HOT GEAR BRG FWD	148	148	148	150	150	150	150	150	150	150	150	142	142	142	142	144	144	144	144	144	144	144	144	144
13.	HOT GEAR BRG AFT	136	136	136	140	140	140	140	140	140	140	140	132	132	132	132	134	134	134	134	134	134	134	134	134
14.	AUX COND STE TEMP	110	110	110	110	110	110	110	110	110	110	110	112	112	112	112	110	110	110	110	110	110	110	110	110
15.	1ST STAGE AIR TEMP	170	170	170	170	170	170	170	170	170	170	170	165	165	165	165	165	165	165	165	165	165	165	165	165
16.	D.C. HEATER TEMP	238	238	238	238	238	238	238	240	240	240	240	238	238	238	238	238	238	238	238	238	238	238	238	238
17.	SUPRHT TEMP PORT	720	720	720	710	715	720	720	720	720	715	715	720	720	720	720	715	720	720	720	720	720	720	720	715
18.	SUPRHT TEMP STBD	720	720	720	710	715	720	720	720	720	715	715	720	720	720	720	715	720	720	720	720	720	720	720	715
19.	F.O. SETT TEMP P	108	108	108	110	110	110	110	110	110	110	110	104	104	104	104	105	110	110	110	110	110	110	110	108
20.	F.O. SETT TEMP S	98	98	98	98	98	96	96	96	94	94	94	95	95	95	95	95	99	99	99	99	95	95	95	98
21.	UPTAKE PORT	—	—	—	—	—	—	—	300	300	290	290	—	—	—	—	—	—	—	—	—	270	285	285	290
22.	UPTAKE STBD	290	290	290	—	—	—	—	300	300	290	290	280	280	280	280	—	—	—	—	—	270	285	285	290
23.	F.O. PUMP SUCT TEMP	100	100	100	106	106	105	105	105	105	106	106	104	104	104	104	98	103	103	103	103	103	103	103	100
24.	MN FD PMP L.O PORT	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33
25.	MN FD PMP L.O STBD	27	27	27	27	27	27	27	27	27	27	27	26	26	26	26	27	27	27	27	27	27	27	27	27
26.	L.O. TO GEARS	110	110	110	110	110	110	110	110	110	110	110	111	111	112	112	110	110	110	110	110	110	110	110	110
27.	AIR CONTR L.O. PRESS	29	29	29	29	—	29	29	29	29	29	29	—	—	—	—	29	29	29	29	29	29	29	29	29

[illegible]

Aft 11/11/67

TIME	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
1. L.P. EXHAUST TEMP	110	110	110	111	111	110	110	110	110	110	110	108	108	108	108	108	108	108	108	111	111	111	111	110
2. MN COND STE TEMP	110	110	110	108	109	109	110	108	108	108	108	108	108	108	108	108	108	108	108	112	112	112	112	110
3. MN INJ TEMP	80	80	80	81	81	82	82	82	81	81	82	79	79	79	79	80	80	81	81	81	81	81	81	80
4. MN OVBD TEMP	94	94	94	92	92	94	94	94	94	94	94	90	88	88	88	92	92	94	94	94	94	94	94	94
5. L.O. TO COOLERS	128	128	128	126	126	126	126	128	126	126	126	127	127	127	127	130	128	128	128	128	128	128	128	128
6. L.O. FROM COOLERS	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110
7. THRUST ENG TEMP	116	115	114	115	115	115	115	115	115	115	115	116	116	116	116	116	116	116	115	115	115	115	115	115
8. FWD H.P. ROTOR ENG	125	125	125	125	125	125	125	125	125	125	125	121	121	121	121	125	125	125	125	125	125	125	125	125
9. AFT H.P. ROTOR ENG	132	132	132	132	132	132	132	132	132	132	132	130	130	130	130	132	132	132	132	132	132	132	132	132
10. FWD L.P. ROTOR ENG	130	130	130	130	130	130	130	130	130	130	130	128	127	127	127	130	130	130	130	130	130	130	130	130
11. AFT L.P. ROTOR ENG	130	130	130	130	130	130	130	130	130	130	130	125	125	125	125	130	130	130	130	130	130	130	130	130
12. HOT GEAR ENG FWD	150	150	150	150	150	150	150	150	150	150	150	148	148	148	148	151	151	151	151	151	151	151	151	151
13. HOT GEAR ENG AFT	140	140	140	140	140	140	140	140	140	140	140	148	148	148	148	151	151	151	151	151	151	151	151	151
14. AUX COND STE TEMP	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120
15. 1ST STAGE NR TEMP	175	175	175	175	175	175	175	175	175	175	175	170	175	175	175	175	175	175	175	175	175	175	175	175
16. D.C. HEATER TEMP	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238
17. SUPRHT TEMP PORT	720	720	720	720	720	720	720	715	715	715	715	725	725	725	725	725	725	725	725	725	725	725	725	720
18. SUPRHT TEMP STBD	720	720	720	720	720	720	720	715	715	715	715	725	725	725	725	725	725	725	725	725	725	725	725	720
19. F.O. SETT TEMP P	113	113	113	112	112	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110
20. F.O. SETT TEMP S	109	109	109	106	106	100	95	92	92	92	92	104	104	104	104	105	105	107	109	109	109	109	109	109
21. UPTAKE PORT	—	—	—	—	—	—	—	310	310	310	310	285	285	285	285	—	—	—	—	—	—	—	—	—
22. UPTAKE STBD	305	305	305	—	—	—	—	310	310	310	310	—	—	—	—	—	—	—	—	—	—	—	—	—
23. F.O. PUMP SUCT TEMP	110	110	110	110	110	107	104	104	104	104	100	112	112	112	112	108	108	110	113	110	112	112	112	112
24. MN FD PMP L.O PORT	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33
25. MN FD PMP L.O STBD	27	27	27	27	27	27	27	27	27	27	27	28	28	28	28	28	28	28	28	28	28	28	28	28
26. L.O. TO GEARS	112	112	112	114	112	112	110	115	115	115	115	112	112	112	112	114	112	112	112	110	112	112	112	112
27. AIR CONTR L.O. PRESS	28	28	28	—	28	29	—	29	29	29	29	27	27	27	27	28	28	—	28	28	28	28	28	28

[illegible]

Frnd 11/11/67

		FWD 11/11/67																							
TIME		0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
1.	L.P. EXHAUST TEMP	112	112	112	113	114	114	115	110	111	110	110	115	116	115	115	115	113	114	114	114	114	114	114	114
2.	MN COND STE TEMP	108	109	107	109	109	110	110	106	106	107	107	111	111	112	112	109	109	110	110	110	110	110	110	108
3.	MN INJ TEMP	79	78	78	78	80	80	80	80	80	80	80	78	78	80	80	80	80	80	80	80	80	80	80	80
4.	MN OVBD TEMP	92	92	92	92	94	94	94	93	93	93	93	92	92	93	94	94	94	94	94	94	94	94	94	93
5.	L.O. TO COOLERS	127	127	127	126	127	127	127	126	126	125	125	126	126	126	126	124	126	124	126	127	127	127	127	127
6.	L.O. FROM COOLERS	109	109	109	109	110	110	110	110	109	108	108	109	109	109	109	109	109	110	110	110	110	110	110	110
7.	THRUST ENG TEMP	116	116	116	115	115	115	115	114	117	117	117	116	116	116	116	118	118	118	118	118	118	118	118	117
8.	FWD H.P. ROTOR BNG	124	124	124	123	123	123	123	125	122	123	123	124	124	124	124	123	123	123	123	125	124	125	125	124
9.	AFT H.P. ROTOR BNG	136	136	135	135	135	135	135	135	135	135	135	136	136	136	136	135	135	135	135	135	136	137	136	136
10.	FWD L.P. ROTOR BNG	132	133	133	133	133	133	133	133	131	131	131	132	132	132	132	133	133	133	133	133	135	134	134	134
11.	AFT L.P. ROTOR BNG	130	130	130	130	130	130	130	130	129	129	129	130	130	130	130	130	130	130	130	130	130	130	130	130
12.	HOT GEAR BRG FWD	160	160	160	160	160	160	160	158	157	157	157	160	160	160	160	160	160	160	160	160	160	161	160	161
13.	HOT GEAR BRG AFT	145	145	145	145	145	145	145	145	144	144	144	144	144	144	144	144	144	144	144	144	146	145	145	145
14.	AUX COND STE TEMP	110	110	110	110	110	110	110	109	109	111	110	110	108	108	108	106	106	106	106	106	106	106	106	106
15.	1ST STAGE AIR TEMP	165	165	165	164	164	166	164	167	163	163	161	165	165	165	165	164	162	168	164	165	167	162	166	165
16.	D.C. HEATER TEMP	238	238	238	238	240	240	240	239	239	240	240	240	240	240	240	240	240	240	240	240	238	238	237	238
17.	SUPRHT TEMP PORT	680	680	685	685	685	680	680	675	677	680	680	675	680	680	680	690	690	675	685	675	685	686	685	685
18.	SUPRHT TEMP STBD	680	680	685	685	685	680	680	675	677	680	680	675	680	680	680	690	690	675	685	675	685	686	685	685
19.	F.O. SETT TEMP P	124	120	120	120	93	105	105	105	105	104	106	111	111	116	115	115	115	112	112	86	105	110	113	120
20.	F.O. SETT TEMP S	124	121	121	120	115	105	105	116	115	115	112	109	106	106	106	110	105	105	105	101	108	112	119	125
21.	UPTAKE PORT	340	340	341	340	338	338	338	340	322	321	323	345	350	350	356	360	340	330	330	335	340	342	340	340
22.	UPTAKE STBD	319	320	320	325	323	320	320	322	310	310	310	329	330	330	334	335	310	305	305	315	317	320	319	319
23.	F.O. PUMP SUCT TEMP	130	130	130	128	128	120	120	125	124	124	120	120	120	120	119	120	120	120	120	120	120	120	120	120
24.	MN FD PMP L.O PORT	30	28	28	28	28	28	28	35	31	31	28	29	30	29	29	28	28	28	28	28	28	28	28	28
25.	MN FD PMP L.O STBD	24	24	24	23	23	23	23	23	23	24	24	24	24	24	24	23	23	23	23	23	24	23	24	24
26.	L.O. TO GEARS	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18
27.	AIR CONTR L.O. PRESS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
29. L.O. PRES #1	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
28. L.O. PRES #2	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
31. L.O. TO COOLER #1	120	120	120	120	120	120	120	121	121	121	121	121	121	122	122	123	122	121	121	122	121	121	121	120
30. L.O. TO COOLER #2	127	136	136	136	136	136	136	138	137	138	138	140	138	139	139	140	139	139	139	138	138	138	137	137
33. L.O.FROM COOLER #1	110	110	110	110	110	110	111	111	111	111	110	111	111	115	112	112	112	110	110	112	111	111	111	110
32. L.O.FROM COOLER #2	124	124	123	126	126	126	126	124	125	126	125	126	126	126	126	128	128	128	128	124	125	124	125	124
35. L.O. GOV PRES #1	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62
34. L.O. GOV PRES #2	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67
37. AMPS POS #1	650	650	650	600	600	700	700	650	650	650	650	1050	1000	1050	1000	1000	600	650	650	650	650	650	650	650
36. AMPS POS #2	650	650	650	600	600	700	700	700	700	700	700	1050	1050	1050	1000	1000	600	650	650	700	700	700	700	700
39. AMPS NEG #1	700	650	550	650	650	750	750	650	650	650	650	1050	1050	1050	1000	1000	650	700	700	650	650	650	650	650
38. AMPS NEG #2	750	650	550	650	650	750	750	700	700	700	700	1050	1050	1050	1000	1000	650	700	700	700	700	700	700	700
41. HP HIGH SPEED PIN. AFT	142	141	141	141	141	141	141	140	139	139	140	141	141	141	141	141	141	141	141	143	142	142	142	142
42. HP INTER SPEED PIN FWD	140	140	140	140	140	140	140	139	137	136	136	140	140	140	140	140	140	140	140	141	141	141	140	140
43. HP INTER SPEED PIN AFT	145	145	145	145	145	145	145	145	144	144	144	144	144	144	144	144	144	144	144	146	145	145	145	145
44. L.P. THRUST BEARING	134	134	134	134	134	134	134	132	131	131	131	133	133	133	133	132	132	134	134	135	134	134	134	134
45. H.P. THRUST BEARING	149	149	149	148	148	148	148	146	146	146	145	148	148	148	148	148	148	148	148	150	148	149	149	149
46. LP HIGH SPEED PIN. FWD	135	135	135	135	135	135	135	134	133	133	133	142	134	134	134	134	134	134	134	135	135	135	135	135
47. LP HIGH SPEED PIN. AFT	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	131	131	130	130	130
48. LP INTER SPEED PIN FWD	153	153	153	153	153	153	153	152	150	150	150	151	151	151	151	150	150	150	150	153	155	155	155	155
49. LP INTER SPEED PIN. AFT	130	130	130	130	130	130	130	128	126	125	125	130	130	130	130	130	130	130	130	130	130	130	130	130
50. MAIN GEAR ROTOR FWD	109	110	111	111	111	110	110	114	114	113	113	111	111	111	111	113	113	113	113	115	115	114	115	115
51. MAIN GEAR ROTOR AFT	110	110	110	110	110	110	110	107	107	105	105	109	109	109	109	109	109	109	109	110	110	110	111	110
52. LP BLEED	9	9	9	9	8	8	8	10"	10"	10"	10"	9	9	9	9	9	9	9	9	8"	7"	8"	7"	8
HP High Speed Pin FWD	160	160	160	160	160	160	160	158	157	157	157	160	160	160	160	160	160	160	160	161	160	161	161	161
Aux. COND OVER BOARD.	88	88	88	88	88	88	88	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89

TIME	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
1. L.P. EXHAUST TEMP	107	107	108	109	109	110	110	110	110	110	110	108	108	108	108	108	108	109	109	109	109	109	109	109
2. MN COND STE TEMP	106	106	106	106	106	107	108	108	108	108	108	107	105	104	104	104	104	106	106	106	106	106	106	106
3. MN INJ TEMP	81	81	81	82	82	82	82	82	82	82	82	82	81	80	80	80	80	81	81	81	81	81	81	81
4. MN OVBD TEMP	88	88	88	91	92	92	92	92	92	92	92	90	88	88	88	90	90	92	92	92	92	92	92	88
5. L.O. TO COOLERS	125	125	125	128	126	126	126	128	128	128	128	126	126	126	125	125	125	125	125	125	125	125	125	125
6. L.O. FROM COOLERS	110	110	110	114	110	110	110	110	110	110	110	110	110	110	109	108	108	110	110	110	110	110	110	110
7. THRUST ENG TEMP	114	114	114	115	115	115	115	115	115	115	115	116	116	116	116	114	114	114	114	114	114	114	114	114
8. FWD H.P. ROTOR ENG	125	125	125	125	125	125	125	125	125	125	125	125	125	125	124	125	125	125	125	125	125	125	125	125
9. AFT H.P. ROTOR ENG	130	130	130	132	132	133	133	134	134	134	134	126	126	126	126	128	130	130	130	130	130	130	130	130
10. FWD L.P. ROTOR ENG	125	125	125	130	130	130	130	130	130	130	130	125	125	125	125	130	130	130	130	130	130	130	130	125
11. AFT L.P. ROTOR ENG	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125
12. HOT GEAR BRG FWD	146	146	146	149	149	148	148	148	148	148	148	146	146	146	146	148	148	148	148	148	148	148	148	146
13. HOT GEAR BRG AFT	136	136	136	138	138	138	138	138	138	138	138	136	136	136	136	138	138	138	138	138	138	138	138	136
14. AUX COND STE TEMP	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114
15. 1ST STAGE AIR TEMP	170	170	170	175	175	175	175	175	175	175	175	175	175	175	175	170	170	170	170	170	170	170	170	170
16. D.C. HEATER TEMP	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238
17. SUPRHT TEMP PORT	725	725	730	720	720	725	725	725	725	725	725	725	720	720	720	725	725	725	725	725	725	725	725	725
18. SUPRHT TEMP STBD	725	725	730	720	720	725	725	725	725	725	725	725	720	720	720	725	725	725	725	725	725	725	725	725
19. F.O. SETT TEMP P	112	112	112	112	112	111	112	112	112	112	112	109	109	109	109	110	110	112	112	112	112	112	112	112
20. F.O. SETT TEMP S	100	100	100	98	98	104	109	109	109	106	106	106	96	96	96	95	95	97	97	100	100	100	100	100
21. UPTAKE PORT	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22. UPTAKE STBD	295	295	295	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
23. F.O. PUMP SUCT TEMP	106	106	106	100	100	105	109	110	110	110	110	105	105	105	105	110	108	108	106	106	106	106	106	106
24. MN FD PMP L.O PORT	33	33	33	33	33	33	33	34	34	34	34	33	33	33	33	33	33	33	33	33	33	33	33	33
25. MN FD PMP L.O STBD	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27
26. L.O. TO GEARS	110	110	110	114	110	110	110	112	112	112	112	112	112	112	112	110	110	110	110	110	110	110	110	110
27. AIR CONTR L.O. PRESS	28	28	28	28	29	—	29	29	29	29	29	28	28	28	28	28	—	—	28	28	28	28	28	28

	11-12-67											11-11-67												
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
29. L.O. PRES #1	3	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
28. L.O. PRES #2	4	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95
31. L.O. TO COOLER #1	3	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130
34. L.O. TO COOLER #2	4	138	138	138	138	138	140	140	140	140	140	140	139	138	138	138	138	138	138	138	138	138	138	138
33. L.O. FROM COOLER #1	3	110	110	110	110	110	110	110	110	110	110	108	108	108	108	110	110	110	110	110	110	110	110	110
32. L.O. FROM COOLER #2	4	120	120	120	122	122	122	122	122	122	122	120	120	120	120	122	122	122	122	122	122	122	122	122
35. L.O. GOV PRES #1	3	65	65	65	65	65	65	67	67	67	67	68	68	68	67	67	67	67	67	67	67	67	67	67
34. L.O. GOV PRES #2	4	45	45	45	45	45	45	42	42	42	42	45	45	45	45	45	45	45	45	45	45	45	45	45
37. AMPS POS #1	3	1250	1250	1300	1300	1300	1400	1500	1550	1550	1550	1300	1400	1300	1350	1300	1300	1250	1300	1300	1300	1250	1250	1250
36. AMPS POS #2	4	1250	1250	1300	1300	1300	1400	1500	1550	1550	1550	1300	1400	1300	1350	1300	1300	1250	1300	1300	1300	1250	1250	1250
39. AMPS NEG #1	3	1250	1250	1300	1300	1300	1400	1500	1550	1550	1550	1300	1400	1300	1350	1300	1300	1250	1300	1300	1300	1250	1250	1250
38. AMPS NEG #2	4	1250	1250	1300	1300	1300	1400	1500	1550	1550	1550	1300	1400	1300	1350	1300	1300	1250	1300	1300	1300	1250	1250	1250
41. HP HIGH SPEED PIN. AFT		136	136	136	138	138	138	138	138	138	138	136	136	136	136	138	138	138	138	138	138	138	138	136
42. HP INTER SPEED PIN FWD		140	140	140	142	142	142	142	142	142	142	140	140	140	140	142	142	142	142	142	142	142	142	140
43. HP INTER SPEED PIN AFT		135	135	135	135	135	135	135	135	135	135	130	138	130	130	135	135	135	135	135	135	135	135	135
44. L.P. THRUST BEARING		130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130
45. H.P. THRUST BEARING		142	142	142	144	144	144	144	144	144	144	142	142	142	142	142	142	142	142	142	142	142	142	142
46. LP HIGH SPEED PIN. FWD		125	125	125	126	126	126	126	126	126	126	126	124	124	124	124	124	124	124	124	124	124	124	125
47. LP HIGH SPEED PIN. AFT		125	125	125	125	125	125	125	125	125	125	124	124	124	124	125	125	125	125	125	125	125	125	125
48. LP INTER SPEED PIN FWD		114	114	114	114	114	114	114	114	114	114	116	118	118	118	114	114	114	114	114	114	114	114	114
49. LP INTER SPEED PIN. AFT		135	135	135	135	135	135	135	135	135	135	134	134	134	134	135	135	135	135	135	135	135	135	135
50. MAIN GEAR ROTOR FWD		110	110	110	112	112	112	112	112	112	112	110	110	110	110	110	110	110	110	110	110	110	110	110
51. MAIN GEAR ROTOR AFT		107	107	107	109	109	109	109	109	109	109	106	108	108	108	106	107	107	107	107	107	107	107	107
52. LP BLEAD		12	12	12	12	12	12	12	12	12	12	11	11	11	11	12	12	12	12	12	12	12	12	12
VOLTS 3		240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240
VOLTS 4		240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240
Aux overBd Temp Cond		92	92	92	93	93	95	95	95	95	95	92	92	93	93	92	92	92	92	92	92	92	92	92
Hi SPD Hi Pres Pin Fwd		146	146	146	149	149	148	148	148	148	148	146	146	146	146	146	146	146	146	146	146	146	146	146

11/12/67														11/11/67										20002100220023002400				2500
TIME	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400				
1. L.P. EXHAUST TEMP	110	110	111	110	110	111	111	111	111	111	111		110	110	110	110	110	110	110	110	110	110	110	110	110	110		
2. MN COND STE TEMP	108	108	107	107	106	107	107	106	107	106	107		107	106	105	106	104	105	107	107	107	107	106	107	108	107		
3. MN INJ TEMP	80	80	80	80	79	80	80	80	80	80	80		80	80	78	78	78	78	79	79	79	79	79	80	80	80		
4. MN OVBD TEMP	92	92	92	92	92	92	92	93	93	93	93		92	92	91	91	90	90	92	92	92	92	92	92	92	92		
5. L.O. TO COOLERS	126	126	126	125	125	125	125	126	126	126	126		125	125	125	125	124	124	125	125	126	126	126	126	126	125		
6. L.O. FROM COOLERS	110	110	110	109	109	109	109	110	110	110	110		109	109	108	108	108	108	109	109	110	110	110	110	110	110		
7. THRUST BRG TEMP	117	117	116	115	115	115	115	118	118	117	118		116	115	115	115	115	115	115	115	118	118	118	118	118	118		
8. FWD H.P. ROTOR BRG	124	124	124	123	123	123	123	123	123	123	123		124	124	124	124	123	123	123	123	123	123	123	123	123	124		
9. AFT H.P. ROTOR BRG	135	135	135	135	135	135	135	135	135	135	135		135	135	135	135	135	135	135	135	135	135	135	135	135	135		
10. FWD L.P. ROTOR BRG	132	132	131	131	131	131	131	132	132	132	133		130	130	130	130	130	130	130	130	130	130	130	130	130	130		
11. AFT L.P. ROTOR BRG	130	130	130	130	130	130	130	129	130	130	130		130	130	130	128	128	128	128	128	128	128	128	128	128	128		
12. HOT GEAR BRG FWD	157	157	156	156	156	156	156	157	157	157	157		156	156	156	156	155	155	155	157	157	157	157	157	157	157		
13. HOT GEAR BRG AFT	143	143	143	143	143	143	143	144	144	143	143		144	143	143	143	143	143	143	143	143	143	143	144	144	144		
14. AUX COND STE TEMP	109	109	109	109	109	110	110	110	110	110	110		110	110	110	110	110	110	110	110	110	110	110	110	110	110		
15. 1ST STAGE AIR TEMP	163	163	163	162	162	162	162	160	162	162	162		163	163	163	162	160	162	162	162	162	162	162	162	162	163		
16. D.C. HEATER TEMP	240	240	240	240	240	240	240	240	240	240	240		240	240	239	239	240	240	240	240	240	240	240	240	240	240		
17. SUPRHT TEMP PORT	675	675	675	675	680	675	675	677	683	683	684		680	675	675	680	675	680	680	680	680	680	682	683	678	680		
18. SUPRHT TEMP STBD	675	675	675	675	680	675	675	677	683	683	684		680	675	675	680	675	680	680	680	680	680	682	683	678	680		
19. F.O. SETT TEMP P	105	109	111	113	123	115	115	113	114	114	107		105	106	105	106	105	110	105	105	104	105	105	105	105	105		
20. F.O. SETT TEMP S	105	105	105	113	113	110	110	108	110	110	105		110	109	109	108	110	110	110	110	106	107	105	105	105	105		
21. UPTAKE PORT	324	320	325	330	330	327	327	326	323	322	320		321	321	321	322	325	323	320	320	322	324	325	324	323	323		
22. UPTAKE STBD	310	310	314	315	315	313	315	313	310	305	308		311	310	310	311	312	308	308	310	308	310	310	310	310	311		
23. F.O. PUMP SUCT TEMP	116	119	121	120	120	120	120	118	118	118	118		120	120	119	120	118	120	110	110	110	116	112	116	111	111		
24. MN FD PMP L.O PORT	28	30	30	30	30	30	30	28	28	31	28		28	30	29	30	30	30	30	30	28	31	29	28	30	30		
25. MN FD PMP L.O STBD	24	24	24	24	24	24	24	23	23	23	23		24	24	24	24	24	24	24	24	24	24	24	24	24	24		
26. L.O. TO GEARS	18	18	18	18	18	18	18	18	18	18	18		18	18	18	18	18	18	18	18	18	18	18	18	18	18		
27. AIR COOL L.O. PRESS																												

	11/12/67											11/17/67												
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
29. L.O. PRES #1	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
28. L.O. PRES #2	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
31. L.O. TO COOLER #1	120	120	120	120	120	120	120	121	121	122	122	120	120	120	120	120	120	120	120	121	120	120	120	120
34. L.O. TO COOLER #2	137	137	137	137	137	137	137	139	138	138	138	137	137	137	137	136	136	136	136	137	136	137	137	137
33. L.O. FROM COOLER #1	110	110	110	110	110	110	110	111	111	112	112	110	110	110	110	110	110	110	110	110	110	110	110	110
32. L.O. FROM COOLER #2	123	123	123	124	124	124	124	125	124	125	125	123	124	124	124	126	126	126	126	124	124	124	124	123
35. L.O. GOV PRES #1	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62
34. L.O. GOV PRES #2	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67
37. AMPS POS #1	650	650	700	650	600	600	650	650	650	650	650	650	900	750	550	600	600	600	600	600	650	650	650	650
36. AMPS POS #2	650	650	700	650	600	600	650	600	600	600	650	650	900	750	550	600	600	600	600	650	600	600	600	650
39. AMPS NEG #1	650	650	500	700	650	650	700	700	700	700	700	650	550	550	750	650	650	650	650	650	700	700	700	650
38. AMPS NEG #2	650	650	650	700	650	650	700	700	700	700	700	650	650	750	750	650	650	650	650	650	700	700	700	650
41. HP HIGH SPEED PIN. AFT	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	138	138	140	140	140	141	142	141	141
42. HP INTER SPEED PIN FWD	137	137	137	137	137	137	137	138	138	138	137	135	135	135	135	135	135	135	135	138	139	140	140	140
43. HP INTER SPEED PIN AFT	143	143	143	143	143	143	143	144	144	143	143	144	143	143	143	143	143	143	143	143	143	144	144	144
44. L.P. THRUST BEARING	132	132	132	132	132	132	132	132	132	132	132	131	131	131	130	130	130	132	132	132	132	133	133	133
45. H.P. THRUST BEARING	147	146	146	146	146	146	146	146	147	147	147	145	145	145	145	145	145	145	145	147	147	147	147	146
46. LP HIGH SPEED PIN. FWD	134	134	134	133	133	133	133	134	134	134	134	133	132	132	132	132	132	132	132	134	134	134	134	134
47. LP HIGH SPEED PIN. AFT	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	120	130	130	131	130
48. LP INTER SPEED PIN FWD	150	150	150	150	150	150	150	152	150	150	150	150	150	150	150	150	150	150	150	152	152	152	152	150
49. LP INTER SPEED PIN. AFT	130	130	130	130	130	130	130	127	125	129	127	130	130	130	130	130	130	130	130	127	127	127	127	128
50. MAIN GEAR ROTOR FWD	115	115	115	115	115	115	115	114	114	114	115	112	111	111	111	110	110	110	110	114	114	115	115	116
51. MAIN GEAR ROTOR AFT	110	110	110	110	110	110	110	107	109	108	110	105	105	105	104	103	103	103	110	110	110	110	110	110
52. LP BLEAD	10	10	10	10	10	10	10	10"	10"	10"	10"	9	9	10	9	10	10	10	10	10"	10"	10"	10"	10
HP High speed FWD	157	157	156	156	156	156	156	157	157	157	157	156	156	156	156	155	155	157	157	157	157	157	157	157
A4+ COND. OVER BOARD Discharge	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88

At

Mon. 11-13-67

Sun 11-12-67

TIME	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
1. L.P. EXHAUST TEMP	110	110	110	111	111	111	111	111	111	111	111	110	110	110	110	110	110	110	110	110	110	110	110	110
2. MN COND STE TEMP	108	108	108	108	109	108	108	108	108	108	108	107	107	107	107	106	106	106	106	108	108	108	108	108
3. MN INJ TEMP	83	83	83	83	84	84	84	84	84	84	84	82	82	82	82	82	82	82	82	82	82	82	82	83
4. MN OVBD TEMP	90	90	90	92	92	93	93	93	93	93	93	90	90	90	90	92	92	92	92	92	92	92	92	90
5. L.O. TO COOLERS	127	127	127	130	127	126	126	126	126	126	126	127	126	126	126	125	125	125	125	124	124	124	124	127
6. L.O. FROM COOLERS	110	110	110	113	111	110	110	110	110	110	110	116	110	110	110	110	110	110	110	110	110	110	110	110
7. THRUST ENG TEMP	114	114	114	115	115	115	115	115	115	115	115	114	114	114	114	114	114	114	114	114	114	114	114	114
8. FWD H.P. ROTOR ENG	125	125	125	130	130	130	130	130	130	130	130	124	125	125	125	125	125	125	125	125	125	125	125	125
9. AFT H.P. ROTOR ENG	132	132	132	133	133	133	133	133	133	133	133	130	132	132	132	134	134	134	134	134	134	134	134	132
10. FWD L.P. ROTOR ENG	130	130	130	130	130	130	130	130	130	130	130	128	127	127	127	130	130	130	130	130	130	130	130	130
11. AFT L.P. ROTOR ENG	125	125	125	125	125	125	125	125	125	125	125	128	125	125	125	125	125	125	125	125	125	125	125	125
12. HOT GEAR ENG FWD	148	148	148	148	148	148	148	146	146	148	148	148	148	148	148	148	148	148	148	148	148	148	148	148
13. HOT GEAR ENG AFT	136	136	136	138	138	138	138	136	136	136	136	137	137	137	137	138	138	138	138	138	138	138	138	138
14. AUX COND STE TEMP	118	118	119	120	120	120	122	122	122	122	122	120	120	120	120	120	120	120	120	120	120	120	120	120
15. 1ST STAGE AIR TEMP	170	170	170	170	175	175	175	175	175	175	175	170	170	170	170	170	170	170	170	170	170	170	170	170
16. D.C. HEATER TEMP	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238
17. SUPRHT TEMP PORT	730	730	730	730	730	730	730	730	730	730	730	715	715	715	715	715	715	715	715	715	715	715	715	715
18. SUPRHT TEMP STBD	730	730	730	730	730	730	730	730	730	730	730	715	715	715	715	715	715	715	715	715	715	715	715	715
19. F.O. SETT TEMP P	114	114	116	115	115	116	116	116	116	116	116	112	112	112	112	112	112	112	112	112	112	112	112	112
20. F.O. SETT TEMP S	108	108	108	110	110	107	104	104	104	104	104	106	106	106	106	105	105	105	105	105	105	105	105	105
21. UPTAKE PORT	—	—	—	—	—	—	—	290	290	290	290	—	—	—	—	—	—	—	—	—	—	—	—	—
22. UPTAKE STBD	295	295	295	—	—	—	—	290	290	290	290	295	290	290	290	—	—	—	—	—	—	—	—	—
23. F.O. PUMP SUCT TEMP	114	116	116	114	114	116	116	114	114	116	116	112	112	112	112	108	108	112	116	116	116	116	116	116
24. MN FD PMP L.O. PORT	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33
25. MN FD PMP L.O. STBD	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27	27
26. L.O. TO GEARS	112	112	112	114	110	110	110	110	110	110	110	112	112	112	112	110	110	110	110	110	110	110	110	112
27. AIR CONTR L.O. PRESS	28	28	28	—	28	28	—	28	28	28	28	28	28	28	28	—	28	28	—	28	28	—	28	28

118
120

		mon 11-13-67												Sun 11-12-67											
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
29. L.O. PRES #1	3	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
28. L.O. PRES #2	4	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5
31. L.O. TO COOLER #1	3	132	132	132	132	132	132	132	132	132	132	132	132	132	132	132	132	132	132	132	132	132	132	132	132
30. L.O. TO COOLER #2	4	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140
33. L.O. FROM COOLER #1	3	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110
32. L.O. FROM COOLER #2	4	120	120	120	122	122	122	122	122	122	122	122	122	122	122	122	122	122	122	122	122	122	122	122	122
35. L.O. GOV PRES #1	3	68	68	68	67	67	67	67	67	67	67	67	68	65	65	65	65	65	65	65	67	67	67	67	67
34. L.O. GOV PRES #2	4	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45
37. AMPS POS #1	3	1250	1250	1300	1250	1300	1350	1400	1350	1350	1350	1350	1350	1300	1300	1300	1300	1350	1300	1300	1300	1300	1300	1300	1250
36. AMPS POS #2	4	1250	1250	1250	1250	1300	1350	1400	1350	1350	1350	1350	1400	1300	1300	1300	1300	1350	1300	1300	1300	1300	1300	1300	1250
39. AMPS NEG #1	3	1250	1250	1300	1250	1300	1350	1400	1350	1350	1350	1350	1350	1300	1300	1300	1300	1350	1300	1300	1300	1300	1300	1300	1250
38. AMPS NEG #2	4	1250	1250	1200	1250	1300	1350	1400	1350	1350	1350	1350	1400	1300	1300	1300	1300	1350	1300	1300	1300	1300	1300	1300	1250
41. HP HIGH SPEED PIN. AFT		136	136	136	138	138	138	138	138	138	138	138	137	136	136	136	136	138	138	138	138	138	138	138	136
42. HP INTER SPEED PIN FWD		140	140	140	142	142	142	142	142	142	142	142	140	140	140	140	142	142	142	142	142	142	142	142	140
43. HP INTER SPEED PIN AFT		134	134	134	135	135	135	135	135	135	135	135	134	134	134	134	135	135	135	135	135	135	135	135	134
44. L.P. THRUST BEARING		130	130	130	132	132	132	132	132	132	132	132	130	130	130	130	130	130	130	130	130	130	130	130	130
45. H.P. THRUST BEARING		144	144	144	145	145	145	145	145	145	145	145	142	142	142	142	143	143	143	143	143	143	143	143	144
46. LP HIGH SPEED PIN. FWD		128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128	128
47. LP HIGH SPEED PIN. AFT		125	125	125	125	125	125	125	125	125	125	125	125	124	124	124	125	125	125	125	125	125	125	125	125
48. LP INTER SPEED PIN FWD		114	114	114	114	114	114	114	114	114	114	114	118	115	115	115	114	114	114	114	114	114	114	114	114
49. LP INTER SPEED PIN. AFT		135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135
50. MAIN GEAR ROTOR FWD		112	112	112	114	115	115	115	115	115	115	115	114	114	114	114	112	112	112	112	112	112	112	112	112
51. MAIN GEAR ROTOR AFT		108	108	108	109	109	109	109	109	109	109	109	110	110	110	110	107	107	107	107	107	107	107	107	107
52. LP BLEAD		12	12	12	12	12	12	12	12	12	12	12	11	11	11	11	12	12	12	12	12	12	12	12	12
	3	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240
	4	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240
Aug overhd. Overhaul	4	94	94	94	95	95	95	95	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94
Hi Speed		148	148	148	148	148	148	148	148	148	148	148	148	148	148	148	148	148	148	148	148	148	148	148	148

Fwd, 11-13-67

11-12-67

		11-13-67																							
TIME		0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
1.	L.P. EXHAUST TEMP	111	111	111	111	111	111	111	112	112	112	111	111	110	110	110	110	110	110	110	110	111	111	111	111
2.	MN COND STE TEMP	108	108	108	108	108	108	108	107	108	108	108	107	107	107	107	106	107	107	107	107	108	108	109	109
3.	MN INJ TEMP	81	81	81	81	81	81	81	81	81	81	81	80	80	80	80	80	80	80	80	80	80	80	81	81
4.	MN OVBD TEMP	93	92	92	92	94	94	94	93	93	93	94	92	92	92	92	92	92	92	92	93	93	93	93	93
5.	L.O. TO COOLERS	127	126	126	126	126	126	126	120	120	126	126	125	125	125	125	124	124	127	127	127	126	126	127	127
6.	L.O. FROM COOLERS	110	110	110	109	109	109	109	110	109	109	109	110	110	110	110	110	110	110	110	110	110	110	111	110
7.	THRUST ENG TEMP	117	117	117	117	117	117	117	117	117	117	117	117	117	117	117	117	117	117	117	118	119	118	119	119
8.	FWD H.P. ROTOR BNG	124	124	124	123	123	123	123	123	123	123	122	124	124	124	124	123	123	123	123	123	124	124	124	124
9.	AFT H.P. ROTOR BNG	136	136	136	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	134	134
10.	FWD L.P. ROTOR BNG	134	134	134	132	132	132	132	132	132	132	132	133	133	133	133	133	133	133	133	133	133	133	134	134
11.	AFT L.P. ROTOR BNG	130	130	130	130	130	128	128	128	129	130	129	130	130	130	130	130	130	130	130	130	130	130	130	130
12.	HOT GEAR BNG FWD	159	159	159	158	158	158	158	158	158	158	158	157	157	157	157	157	157	158	158	158	158	158	159	159
13.	HOT GEAR BNG AFT	144	144	144	144	144	143	143	143	143	143	143	147	147	147	147	147	147	147	147	143	143	143	144	144
14.	AUX COND STE TEMP	115	115	115	115	115	114	115	112	113	113	113	112	112	112	112	112	112	112	112	112	112	112	112	112
15.	1ST STAGE AIR TEMP	164	164	164	162	164	164	164	163	164	163	163	164	164	164	163	160	164	164	164	164	162	162	164	164
16.	D.C. HEATER TEMP	439	239	239	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	238	238	239	239
17.	SUPRHT TEMP PORT	680	680	680	685	675	675	675	682	690	688	690	680	680	676	676	675	680	680	680	680	684	683	680	681
18.	SUPRHT TEMP STBD	680	680	680	685	675	675	675	682	690	688	690	680	680	676	676	675	680	680	680	680	684	683	680	681
19.	F.O. SETT TEMP P	115	116	115	115	110	108	108	107	108	108	107	112	114	114	114	115	118	118	118	115	117	116	115	115
20.	F.O. SETT TEMP S	109	105	106	110	108	108	108	108	108	108	108	107	109	109	109	110	115	110	110	110	110	110	110	109
21.	UPTAKE PORT	322	322	325	328	330	330	330	330	327	327	325	321	320	322	324	325	320	320	320	320	322	325	325	323
22.	UPTAKE STBD	309	310	312	312	313	315	315	313	307	307	307	306	308	307	309	310	305	305	305	307	309	309	309	310
23.	F.O. PUMP SUCT TEMP	124	123	123	120	120	120	120	120	120	120	119	120	120	120	120	120	122	124	124	124	124	124	123	124
24.	MN FD PMP L.O PORT	29	30	28	28	28	28	28	27	20	28	30	30	30	29	30	30	30	30	30	30	30	31	28	28
25.	MN FD PMP L.O STBD	23	24	23	23	23	23	23	27	23	30	30	24	24	24	24	24	24	24	24	24	23	23	23	23
26.	L.O. TO GEARS	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18
27.	AIR CONTR L.O. PRESS																								

11-13-67

11-12-69

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
29. L.O. PRES #1	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
28. L.O. PRES #2	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
31. L.O. TO COOLER #1	121	121	122	122	122	121	121	122	123	123	123	120	120	120	120	120	120	120	120	121	121	122	122	121
30. L.O. TO COOLER #2	138	138	138	138	138	138	138	139	138	139	139	138	138	137	137	137	137	137	137	138	138	138	139	138
33. L.O. FROM COOLER #1	111	111	111	111	111	110	110	112	112	112	112	110	110	110	110	110	110	110	110	111	111	112	112	111
32. L.O. FROM COOLER #2	124	124	124	126	126	124	124	125	125	126	125	126	126	125	125	126	126	126	126	124	124	124	125	124
35. L.O. GOV PRES #1	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62
34. L.O. GOV PRES #2	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	66	67	67	67	67
37. AMPS POS #1	650	650	650	650	600	600	600	600	650	650	650	650	650	550	500	600	600	550	600	650	650	650	650	650
36. AMPS POS #2	650	650	650	650	600	600	600	550	600	650	650	650	650	550	500	600	600	550	600	600	600	600	600	650
39. AMPS NEG #1	650	650	650	700	650	650	650	650	700	700	700	650	650	650	750	650	650	650	650	700	700	700	700	650
38. AMPS NEG #2	650	650	700	700	650	650	650	650	700	700	700	650	650	650	750	650	650	650	650	700	700	700	700	700
41. HP HIGH SPEED PIN. AFT	140	140	140	139	139	140	140	140	140	140	140	140	140	140	140	141	140	140	140	141	141	141	141	141
42. HP INTER SPEED PIN FWD	138	138	138	136	136	135	135	136	137	137	137	136	136	136	137	137	137	138	138	139	139	139	140	140
43. HP INTER SPEED PIN AFT	144	144	143	144	144	143	143	143	143	143	143	147	147	147	147	147	147	143	143	143	144	143	144	144
44. L.P. THRUST BEARING	132	132	132	132	132	132	132	132	132	132	131	132	132	132	132	132	132	132	132	132	132	132	133	133
45. H.P. THRUST BEARING	147	146	146	146	146	144	144	146	146	146	146	146	146	146	145	145	147	147	147	147	147	147	147	147
46. LP HIGH SPEED PIN. FWD	134	134	134	133	133	133	133	133	134	134	133	134	134	134	133	133	133	133	134	134	135	135	135	135
47. LP HIGH SPEED PIN. AFT	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	131	131	131	131
48. LP INTER SPEED PIN FWD	150	150	150	150	150	150	150	153	152	152	152	150	150	150	151	150	150	150	150	151	151	154	154	154
49. LP INTER SPEED PIN. AFT	130	130	130	130	130	130	130	127	126	127	127	130	130	130	130	130	130	130	130	128	127	130	130	130
50. MAIN GEAR ROTOR FWD	115	115	115	115	115	115	115	113	113	113	113	115	115	115	115	115	115	115	115	115	115	115	115	115
51. MAIN GEAR ROTOR AFT	110	105	106	106	106	106	106	107	108	108	108	110	110	110	110	110	110	110	110	110	110	110	110	110
52. LP BLEAD	10	10	10	10	10	10	10	10"	10"	10"	10"	9	9	9	10	10	10	10	10	10"	10"	10"	10"	10
HP High Speed Pin. FWD	159	159	159	158	158	158	158	158	158	158	158	157	157	157	157	157	157	158	158	158	158	158	159	159
Aux Cond over Board DISC.	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90

11-14-67 *ASL*

11-13-67

TIME	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
1. L.P. EXHAUST TEMP	110	110	110	111	111	111	111	111	111	111	111	111	111	111	112	113	114	113	112	112	112	112	112	110
2. MN COND STE TEMP	106	106	108	107	108	107	106	106	106	106		106	106	106	108	105	106	106	107	106	106	106	106	106
3. MN INJ TEMP	82	82	83	83	83	82	82	82	82	82		82	82	82	82	83	83	83	83	82	82	82	82	82
4. MN OVBD TEMP	92	92	92	94	94	92	90	90	90	90		90	90	90	90	92	92	92	92	92	92	92	92	92
5. L.O. TO COOLERS	126	126	126	130	126	125	125	124	124	124		120	126	126	126	125	125	125	125	125	125	125	125	125
6. L.O. FROM COOLERS	110	110	110	115	112	110	109	109	109	109		110	110	110	110	110	110	110	110	110	110	110	110	110
7. THRUST ENG TEMP	116	116	116	116	116	114	114	114	114	114		116	116	116	116	115	115	115	115	115	115	115	115	115
8. FWD H.P. ROTOR ENG	125	125	125	125	125	125	125	125	125	125		125	125	125	125	125	125	125	125	125	125	125	125	125
9. AFT H.P. ROTOR ENG	136	136	136	138	138	136	134	134	134	134		136	136	134	134	135	134	135	135	135	135	135	135	135
10. FWD L.P. ROTOR ENG	125	125	125	130	130	127	127	127	127	127		127	127	127	127	125	125	125	125	125	125	125	125	125
11. AFT L.P. ROTOR ENG	125	125	125	125	125	125	125	125	125	125		125	125	125	125	125	125	125	125	125	125	125	125	125
12. HOT GEAR BRG FWD	146	146	146	148	148	146	146	146	146	146		146	146	146	146	146	146	146	146	146	146	146	146	146
13. HOT GEAR BRG AFT	136	136	136	138	138	136	136	136	136	136		136	136	136	136	138	138	136	136	136	136	136	136	136
14. AUX COND STE TEMP	122	122	122	123	123	122	122	122	122	122		122	122	122	122	122	122	122	122	122	122	122	122	122
15. 1ST STAGE AIR TEMP	170	170	170	170	170	170	170	170	170	170		170	170	170	170	170	170	170	170	170	170	170	170	170
16. D.C. HEATER TEMP	238	238	238	238	238	238	238	238	238	238		238	238	238	238	238	238	238	238	238	238	238	238	238
17. SUPRHT TEMP PORT	725	725	725	725	725	725	725	725	725	725		725	725	725	725	725	725	725	725	725	725	725	725	725
18. SUPRHT TEMP STBD	725	725	725	725	725	725	725	725	725	725		725	725	725	725	725	725	725	725	725	725	725	725	725
19. F.O. SETT TEMP P	110	110	110	110	110	110	110	110	110	110		110	110	110	110	110	110	110	110	110	110	110	110	110
20. F.O. SETT TEMP S	104	104	104	108	110	108	106	106	106	106		106	106	104	104	104	104	104	104	104	104	104	104	104
21. UPTAKE PORT																								
22. UPTAKE STBD	285	285	285									285	285	285	285									
23. F.O. PUMP SUCT TEMP	108	108	108	108	108	102	98	94	94	94		108	108	108	108	108	108	108	108	108	108	108	108	108
24. MN FD PMP L.O. PORT	33	33	33	32.5	32.5	32.5	32.5	32.5	32.5	32.5		33	33	33	33	33	33	33	33	33	33	33	33	33
25. MN FD PMP L.O. STBD	28	28	28	27.5	27.5	27.5	27.5	27.5	27.5	27.5		28	28	28	28	28	28	28	28	28	28	28	28	28
26. L.O. TO GEARS	112	112	112	116	114	112	110	110	110	110		112	112	112	112	112	112	112	112	112	112	112	112	112
27. AIR CONTR L.O. PRESS	28	28	28	26	26	26						28	28	28	28									

11-13

11-14-67

11-13-47

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
29. L.O. PRES #1	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
28. L.O. PRES #2	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95
31. L.O. TO COOLER #1	132	132	132	132	132	132	132	132	132	132	132	132	132	132	132	132	132	132	132	132	132	132	132	132
34. L.O. TO COOLER #2	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140
33. L.O. FROM COOLER #1	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110
32. L.O. FROM COOLER #2	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120
35. L.O. GOV PRES #1	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67
34. L.O. GOV PRES #2	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45
37. AMPS POS #1	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250
36. AMPS POS #2	1270	1270	1270	1270	1270	1270	1270	1270	1270	1270	1270	1270	1270	1270	1270	1270	1270	1270	1270	1270	1270	1270	1270	1270
39. AMPS NEG #1	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250	1250
38. AMPS NEG #2	1280	1280	1280	1280	1280	1280	1280	1280	1280	1280	1280	1280	1280	1280	1280	1280	1280	1280	1280	1280	1280	1280	1280	1280
41. HP HIGH SPEED PIN. AFT	136	136	136	136	136	136	136	136	136	136	136	136	136	136	136	136	136	136	136	136	136	136	136	136
42. HP INTER SPEED PIN FWD	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142	142
43. HP INTER SPEED PIN AFT	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135	135
44. L.P. THRUST BEARING	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130
45. H.P. THRUST BEARING	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144	144
46. LP HIGH SPEED PIN. FWD	127	127	127	127	127	127	127	127	127	127	127	127	127	127	127	127	127	127	127	127	127	127	127	127
47. LP HIGH SPEED PIN. AFT	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125
48. LP INTER SPEED PIN FWD	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114
49. LP INTER SPEED PIN. AFT	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130
50. MAIN GEAR ROTOR FWD	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114
51. MAIN GEAR ROTOR AFT	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110
52. LP BLEND	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13
VOLTS 3	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240
VOLTS 4	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240
X OVER'BD Cond temp	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94
Hi pres Hi speed FWD	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146	146

Tues 11-14-67 Fwd.

11-13-67

	TIME	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
1.	L.P. EXHAUST TEMP	110	111	111	111	111	111	111	110	110	110	110	110	111	111	111	111	111	110	110	110	110	110	110	110
2.	MN COND STE TEMP	108	107	108	107	107	107	107	106	106	106	106	107	107	108	107	107	107	107	107	108	106	107	106	108
3.	MN INJ TEMP	81	81	81	80	81	81	81	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80
4.	MN OVBD TEMP	93	93	93	92	92	92	92	93	92	93	93	92	93	93	93	92	92	92	92	93	92	92	92	92
5.	L.O. TO COOLERS	125	125	125	125	125	125	125	124	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125
6.	L.O. FROM COOLERS	109	109	109	109	109	109	109	108	108	108	108	109	109	109	109	108	109	108	108	109	109	109	108	109
7.	THRUST ENG TEMP	115	115	115	115	115	115	115	116	117	116	116	116	115	115	115	115	115	115	115	116	116	116	116	116
8.	FWD H.P. ROTOR BRG	123	123	123	123	123	123	123	123	122	122	123	124	124	123	124	123	123	122	122	123	123	123	123	123
9.	AFT H.P. ROTOR BRG	135	135	135	135	135	135	135	135	135	135	135	135	135	136	135	135	135	135	135	135	135	135	135	135
10.	FWD L.P. ROTOR BRG	132	132	132	131	131	131	131	132	131	132	132	131	131	131	131	131	131	131	131	132	132	132	132	132
11.	AFT L.P. ROTOR BRG	128	128	128	128	128	128	128	128	128	128	128	130	130	130	130	128	128	128	128	128	128	128	128	128
12.	HOT GEAR BRG FWD	159	159	159	157	157	157	157	158	158	158	158	159	159	159	159	158	158	157	157	158	158	158	158	159
13.	HOT GEAR BRG AFT	143	143	143	143	143	143	143	142	142	142	142	142	142	143	143	143	143	143	143	143	143	143	143	143
14.	AUX COND STE TEMP	114	114	114	114	115	115	115	116	116	116	117	116	116	116	116	115	115	115	115	115	115	115	115	115
15.	1ST STAGE AIR TEMP	163	163	162	162	162	162	162	162	162	162	162	163	164	163	164	162	164	164	164	164	163	162	162	163
16.	D.C. HEATER TEMP	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240
17.	SUPRHT TEMP PORT	680	682	681	680	680	680	680	680	687	683	685	690	690	680	680	685	685	685	685	685	680	682	684	684
18.	SUPRHT TEMP STBD	680	682	681	680	680	680	680	680	687	683	685	690	690	680	680	685	685	685	685	685	680	682	684	684
19.	F.O. SETT TEMP P	105	105	105	108	110	110	110	108	108	108	108	106	106	109	109	110	108	95	95	97	97	97	97	99
20.	F.O. SETT TEMP S	99	99	99	98	103	105	105	103	104	105	101	106	106	109	109	110	108	95	95	97	97	97	97	99
21.	UPTAKE PORT	330	330	330	333	330	328	328	325	322	319	322	326	325	326	325	330	325	325	325	327	330	330	330	330
22.	UPTAKE STBD	312	314	312	315	315	313	313	317	310	310	310	305	306	306	310	308	305	305	306	310	310	307	312	310
23.	F.O. PUMP SUCT TEMP	112	112	112	106	110	112	112	117	116	115	115	114	117	120	121	122	122	130	130	115	117	117	117	112
24.	MN FD PMP L.O PORT	28	28	30	30	30	30	30	28	31	31	28	29	29	28	28	28	28	28	28	31	31	30	28	31
25.	MN FD PMP L.O STBD	23	23	24	23	23	23	23	27	30	23	30	26	24	30	27	28	28	28	28	27	23	23	23	28
26.	L.O. TO GEARS	18	18	18	18	18	18	18	18	18	18	18	19	18	18	18	18	18	18	18	18	18	18	18	18
27.	AIR CONTR L.O. PRESS								25		25	25													

Aft 13-14/67

TIME	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
1. L.P. EXHAUST TEMP	110	110	110	110	110	111	112	112	112	112	112	110	110	109	109	110	110	110	110	110	110	110	110	110
2. MN COND STE TEMP	100	100	100	103	105	107	109	109	109	109	109	106	107	106	106	106	105	105	105	105	100	100	100	100
3. MN INJ TEMP	84	84	84	82	82	82	82	82	82	82	82	82	81	81	81	82	82	82	82	82	82	82	82	82
4. MN OVBD TEMP	92	92	90	90	90	92	92	92	92	92	92	89	88	88	88	90	92	92	92	92	92	92	92	92
5. L.O. TO COOLERS	126	126	126	126	126	126	126	126	126	126	126	127	125	125	125	130	126	126	126	126	126	126	126	126
6. L.O. FROM COOLERS	110	110	110	110	110	110	110	110	110	110	110	109	108	108	108	115	110	110	110	110	110	110	110	110
7. THRUST ENG TEMP	116	116	116	115	115	116	116	116	116	116	116	116	116	116	116	115	115	115	115	115	115	115	115	115
8. FWD H.P. ROTOR ENG	125	125	125	125	125	125	125	125	125	125	125	125	124	124	124	125	125	125	125	125	125	125	125	125
9. AFT H.P. ROTOR ENG	134	134	134	136	136	136	136	136	136	136	136	132	134	134	134	139	139	139	138	138	138	138	138	138
10. FWD L.P. ROTOR ENG	130	130	130	130	130	130	130	130	130	130	130	130	126	126	126	125	125	125	125	125	125	125	125	125
11. AFT L.P. ROTOR ENG	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125
12. HOT GEAR ENG FWD	146	146	146	147	147	150	151	151	151	151	151	146	146	146	146	148	148	148	148	148	148	148	148	146
13. HOT GEAR ENG AFT	134	134	134	138	138	139	139	139	139	139	139	136	134	134	134	139	139	138	138	138	138	138	138	138
14. AUX COND STE TEMP	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120
15. 1ST STAGE AIR TEMP	170	170	170	170	170	175	175	175	175	175	175	170	170	170	170	170	170	170	170	170	170	170	170	170
16. D.C. HEATER TEMP	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238	238
17. SUPRHT TEMP PORT	725	725	725	725	725	735	740	740	740	740	740	725	725	722	722	725	730	725	725	725	725	725	725	730
18. SUPRHT TEMP STBD	725	725	725	725	725	735	740	740	740	740	740	725	725	722	722	725	730	725	725	725	725	725	725	730
19. F.O. SETT TEMP P	116	116	116	115	115	116	116	116	116	116	116	112	112	112	112	114	114	116	117	117	117	117	117	117
20. F.O. SETT TEMP S	108	108	108	108	108	108	108	108	108	108	108	102	102	102	102	102	102	104	108	110	110	110	110	110
21. UPTAKE PORT	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22. UPTAKE STBD	295	295	295	—	—	—	—	—	—	—	—	295	295	290	290	—	—	—	—	—	290	290	290	294
23. F.O. PUMP SUCT TEMP	112	112	112	110	110	112	113	113	113	113	113	108	108	108	108	108	108	112	112	112	112	112	112	112
24. MN FD PMP L.O. PORT	32	32	33	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32.5	32	32	32	32	32	32	32	32	32	32	32	32	32
25. MN FD PMP L.O. STBD	27	27	27	27.5	27.5	27	27.5	27.5	27.5	27.5	27.5	27	27	27	27	27	27	27	27	27	27	27	27	27
26. L.O. TO GEARS	112	112	112	110	110	110	110	112	112	112	112	112	110	110	110	116	112	110	110	110	110	110	110	110
27. AIR CONTR L.O. PRESS	28	28	28	30	30	30	30	30	30	30	30	38	38	28	28	—	30	—	30	30	—	—	20	28

120
104

11-15-67

11-14-67

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
29. L.O. PRES #1	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
28. L.O. PRES #2	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5
31. L.O. TO COOLER #1	132	132	132	132	132	132	132	132	132	132	132	132	132	132	132	132	132	132	132	132	132	132	132	132
34. L.O. TO COOLER #2	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140	140
33. L.O. FROM COOLER #1	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110
32. L.O. FROM COOLER #2	120	120	120	122	122	122	122	122	122	122	122	122	120	120	120	122	122	122	122	122	122	122	122	120
35. L.O. GOV PRES #1	68	68	68	65	65	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70
34. L.O. GOV PRES #2	45	45	45	45	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	42
37. AMPS POS #1	1300	1250	1300	1300	1300	1350	1400	1450	1400	1400	1400	1400	1400	1400	1400	1400	1350	1300	1300	1350	1350	1350	1350	1250
36. AMPS POS #2	1250	1250	1300	1300	1300	1350	1400	1450	1400	1400	1400	1400	1400	1400	1350	1350	1400	1350	1300	1300	1350	1350	1350	1250
39. AMPS NEG #1	1300	1250	1300	1300	1300	1350	1400	1450	1400	1400	1400	1400	1400	1400	1400	1400	1350	1300	1300	1350	1350	1350	1350	1300
38. AMPS NEG #2	1250	1250	1300	1300	1300	1350	1400	1450	1400	1400	1400	1400	1400	1400	1350	1350	1400	1350	1300	1300	1350	1350	1350	1300
41. HP HIGH SPEED PIN. AFT	136	136	136	138	138	139	139	140	140	140	140	136	134	134	134	138	138	138	136	136	136	136	136	136
42. HP INTER SPEED PIN FWD	142	142	142	142	142	144	144	144	144	144	144	144	142	142	142	142	142	142	142	142	142	142	142	142
43. HP INTER SPEED PIN AFT	134	134	134	135	135	135	135	135	135	135	135	134	134	134	134	135	135	135	135	135	135	135	135	134
44. L.P. THRUST BEARING	130	130	130	130	130	133	133	133	133	133	133	130	128	128	128	130	130	130	136	136	136	136	136	130
45. H.P. THRUST BEARING	142	142	142	144	144	146	146	146	146	146	146	144	142	142	142	143	143	143	143	142	142	142	142	142
46. LP HIGH SPEED PIN. FWD	127	127	127	127	127	128	128	128	128	128	128	128	127	127	127	127	128	128	128	128	128	128	128	127
47. LP HIGH SPEED PIN. AFT	125	125	125	125	125	125	125	125	125	125	125	125	124	124	124	125	125	125	125	125	125	125	125	125
48. LP INTER SPEED PIN FWD	114	114	114	114	114	115	115	115	115	115	115	114	114	114	114	114	114	114	114	114	114	114	114	114
49. LP INTER SPEED PIN. AFT	134	134	134	135	135	135	135	135	135	135	135	135	133	113	113	113	113	113	113	113	113	113	113	114
50. MAIN GEAR ROTOR FWD	110	110	110	110	110	112	114	114	114	114	114	112	112	112	112	110	110	110	110	110	110	110	110	110
51. MAIN GEAR ROTOR AFT	108	108	108	108	108	109	109	109	109	109	109	109	109	109	109	108	108	108	108	108	108	108	108	108
52. LP BLEAD	13	13	13	13	13	12	11	11	11	11	11	12	12	12	12	13	13	13	13	13	13	13	13	13
VOLTS 3	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240
VOLTS 4	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240
AUX OVERBOARD COND. TEMP	94	94	94	94	94	95	96	96	96	96	96	94	94	94	94	94	94	94	94	94	94	94	94	94
FWD HI SPD HI PRES PIN	146	146	146	147	147	150	151	151	151	151	151	146	146	146	146	146	146	146	146	146	146	146	146	146

Wed.

11-15-67

Tues. 11-14-67

TIME	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
1. L.P. EXHAUST TEMP	111	111	110	110	110	111	111	113	115	115	115	110	110	108	108	110	110	110	110	111	112	112	112	111
2. MN COND STE TEMP	108	109	108	107	109	108	108	110	112	113	112	105	105	103	105	104	105	107	107	108	109	109	109	108
3. MN INJ TEMP	82	82	81	81	80	80	80	81	81	81	81	80	79	78	79	80	80	81	81	82	83	83	83	82
4. MN OVBD TEMP	94	94	93	92	92	94	94	94	95	95	96	92	92	90	90	92	92	92	92	94	94	94	95	94
5. L.O. TO COOLERS	126	126	126	126	124	127	127	128	128	129	129	125	122	123	124	124	125	126	126	126	127	127	127	127
6. L.O. FROM COOLERS	111	111	110	110	109	110	110	112	111	111	111	109	106	106	107	108	109	110	110	110	111	111	111	111
7. THRUST ENG TEMP	117	117	117	115	115	115	115	118	118	119	119	115	112	115	114	115	115	115	115	116	118	116	118	117
8. FWD H.P. ROTOR BNG	124	124	124	123	123	123	123	125	125	125	125	124	120	123	122	123	123	123	123	123	124	125	124	124
9. AFT H.P. ROTOR BNG	136	136	136	135	135	137	137	137	139	139	139	136	135	135	135	135	135	135	135	135	135	136	136	136
10. FWD L.P. ROTOR BNG	134	134	134	132	132	133	133	134	135	135	135	133	130	131	130	130	130	130	130	130	130	130	130	130
11. AFT L.P. ROTOR BNG	130	130	130	128	128	128	128	130	131	131	131	128	126	127	127	128	128	130	130	130	130	130	130	130
12. HOT GEAR BNG FWD	150	150	150	148	148	152	152	152	154	154	154	154	150	150	147	148	148	148	148	150	150	152	150	150
13. HOT GEAR BNG AFT	143	143	143	143	143	145	145	146	147	148	147	142	137	140	140	140	141	143	143	144	144	144	143	143
14. AUX COND STE TEMP	110	111	110	108	108	108	108	112	113	113	113	115	112	111	111	112	112	112	112	112	111	115	114	114
15. 1ST STAGE AIR TEMP	164	160	162	162	164	164	164	164	167	168	167	162	161	162	162	160	162	162	162	162	164	164	163	163
16. D.C. HEATER TEMP	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240
17. SUPRHT TEMP PORT	680	680	681	685	680	675	675	675	690	683	680	685	699	686	690	690	690	690	690	687	690	686	685	686
18. SUPRHT TEMP STBD	680	680	681	685	680	675	675	675	690	683	680	685	699	686	690	690	690	690	690	687	690	686	685	686
19. F.O. SETT TEMP P	110	109	110	108	125	125	125	120	121	120	120	100	100	102	102	105	108	115	115	110	111	111	111	110
20. F.O. SETT TEMP S	106	106	106	108	110	110	110	108	107	109	108	109	108	107	109	105	105	110	110	109	110	109	109	109
21. UPTAKE PORT	324	324	325	328	323	328	328	327	327	334	340	321	341	336	336	330	320	320	320	320	322	322	322	322
22. UPTAKE STBD	316	318	321	325	320	323	323	322	319	317	318	310	310	314	315	315	313	313	313	312	315	314	313	316
23. F.O. PUMP SUCT TEMP	118	117	118	116	116	116	116	117	118	117	118	110	110	114	114	114	114	116	116	117	118	117	118	117
24. MN FD PMP L.O PORT	31	31	31	30	30	28	28	30	28	28	28	28	30	28	30	30	30	30	30	30	31	31	28	31
25. MN FD PMP L.O STBD	30	26	30	24	24	25	25	26	26	26	26	24	30	23	28	23	23	23	23	27	30	23	26	30
26. L.O. TO GEARS	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18
27. AIR CONTR L.O. PRESS	25	—	25	25	25	25	25	—	—	25	25	—	—	—	—	25	25	25	25	—	25	—	—	25

Fwd, wed.

11-15-62

Tues.

11-14-60

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
29. L.O. PRES #1	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
28. L.O. PRES #2	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
31. L.O. TO COOLER #1	123	123	122	121	120	120	120	122	121	122	123	121	122	121	121	121	121	121	121	123	123	124	124	124
30. L.O. TO COOLER #2	138	138	138	138	138	138	138	138	137	138	139	138	138	138	137	138	138	138	138	139	138	139	139	139
33. L.O. FROM COOLER #1	111	111	111	110	110	110	110	111	110	112	113	110	112	110	110	110	110	110	110	113	113	114	114	113
32. L.O. FROM COOLER #2	126	126	126	126	126	126	126	124	125	125	125	125	126	126	126	124	124	124	124	125	126	126	126	126
35. L.O. GOV PRES #1	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62
34. L.O. GOV PRES #2	67	67	67	67	67	67	67	67	67	67	66	67	67	67	67	67	67	67	67	67	67	67	67	67
37. AMPS POS #1	650	650	900	600	650	600	600	650	750	750	700	700	900	900	900	900	600	600	650	650	700	650	650	600
36. AMPS POS #2	650	650	900	650	650	600	600	650	650	650	650	700	900	900	900	900	600	600	650	650	700	700	700	750
39. AMPS NEG #1	750	650	850	650	700	650	650	700	750	750	750	650	400	650	650	650	650	650	700	700	700	700	700	750
38. AMPS NEG #2	750	650	650	700	700	650	650	700	750	750	700	700	900	250	750	650	650	700	700	700	700	700	700	750
41. HP. HIGH SPEED PIN. AFT	145	145	144	142	142	145	145	146	147	148	147	140	141	141	140	141	141	143	143	144	145	146	146	146
42. HP INTER SPEED PIN FWD	136	135	136	135	135	138	138	140	141	142	142	135	132	132	130	130	130	133	133	134	136	136	135	136
43. HP INTER SPEED PIN AFT	143	143	143	143	143	143	143	144	145	145	145	142	137	140	140	140	140	140	140	143	144	144	143	143
44. L.P. THRUST BEARING	132	132	132	132	132	134	134	134	135	135	135	131	128	129	128	128	128	131	131	132	132	132	132	132
45. H.P. THRUST BEARING	146	146	146	145	145	147	147	148	149	149	150	146	145	145	145	145	145	145	145	146	146	147	147	147
46. LP HIGH SPEED PIN. FWD	135	134	134	133	133	133	133	134	135	135	135	133	130	131	130	130	130	133	133	133	133	134	134	134
47. LP HIGH SPEED PIN. AFT	130	130	130	130	130	130	130	130	131	131	131	130	126	127	127	128	128	130	130	130	130	131	131	130
48. LP INTER SPEED PIN FWD	150	150	150	150	150	150	150	152	154	154	154	150	150	150	150	150	150	150	150	152	152	152	152	151
49. LP INTER SPEED PIN. AFT	130	130	130	130	130	130	130	130	130	130	130	130	129	130	130	130	130	130	130	127	129	130	130	130
50. MAIN GEAR ROTOR FWD	115	115	115	115	115	115	115	114	115	116	115	111	110	110	110	110	110	110	110	109	114	115	115	110
51. MAIN GEAR ROTOR AFT	110	110	109	109	109	108	108	108	109	110	109	110	105	106	106	108	108	110	110	110	110	110	110	110
52. LP BLEED	10	10	10	10	10	9	9	9	8	8	8	10	10	10	10	11	11	10	10	10	10	10	10	10
HP High Speed PIN FWD	150	150	150	148	148	152	152	152	154	154	154	159	150	150	147	148	148	148	148	150	150	150	150	150
Cond over BOARD Discharge	89	90	90	88	88	90	90	90	90	90	90	89	89	89	89	89	89	89	89	89	89	89	89	89