

	Wed. 12-13-67															Tues. 12-12-67														
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24						
29. L.O. PRES #1	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	-	-	-	9	9	9	9	9						
28. L.O. PRES #2	7	7	7	7	7	7	7	7	7	7	7	-	-	7	7	-	7	-	-	7	7	7	7	7						
31. L.O. TO COOLER #1	118	120	121	120	120	120	120	119	119	118	117	117	120	120	120	119	-	-	-	125	127	125	125	125						
34. L.O. TO COOLER #2	130	130	130	130	130	131	131	131	130	130	129	-	-	115	128	-	132	131	131	130	131	130	130	130						
33. L.O. FROM COOLER #1	108	110	111	110	110	110	110	109	109	108	107	108	110	110	110	109	-	-	-	115	117	114	114	115						
32. L.O. FROM COOLER #2	115	114	115	116	116	117	117	115	115	115	114	-	-	104	112	-	118	117	117	115	115	115	115	116						
35. L.O. GOV PRES #1	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	-	-	-	62	62	62	62	62						
34. L.O. GOV PRES #2	67	67	67	67	67	67	67	67	67	67	67	-	-	67	67	-	67	-	-	67	67	67	67	67						
37. AMPS POS #1	-	-	-	-	-	-	-	-	-	-	-	1200	1300	300	50	1200	-	-	-	-	-	-	-	-						
36. AMPS POS #2	1250	1300	1300	1400	1300	1300	1300	1275	1350	1350	1450	-	-	1050	1200	-	1250	1300	1300	1250	1250	1250	1400	1400						
39. AMPS NEG #1	-	-	-	-	-	-	-	-	-	-	-	1250	1350	300	100	1250	-	-	-	-	-	-	-	-						
38. AMPS NEG #2	1300	1350	1350	1450	1350	1350	1350	1325	1400	1400	1500	-	-	1200	1250	-	1300	1350	1350	1325	1300	1300	1450	1400						
41. HP HIGH SPEED PIN. AFT	141	141	141	142	142	142	142	145	141	143	143	141	141	142	141	141	141	141	141	142	142	141	142	141						
42. HP INTER SPEED PIN FWD	141	141	141	143	143	143	143	144	141	142	143	141	141	141	141	141	140	140	140	141	140	139	140	141						
43. HP INTER SPEED PIN AFT	145	146	146	146	146	147	147	149	146	148	148	146	146	145	146	146	146	145	145	146	146	145	146	146						
44. L.P. THRUST BEARING	131	131	132	132	132	132	132	130	131	132	132	130	130	130	131	131	130	130	130	128	129	130	132	131						
45. H.P. THRUST BEARING	143	144	145	145	145	144	144	145	144	145	145	143	144	144	144	144	143	143	143	143	143	143	144	144						
46. LP HIGH SPEED PIN. FWD	135	136	136	137	137	137	137	138	133	133	133	136	136	136	136	136	135	135	135	136	138	135	137	137						
47. LP HIGH SPEED PIN. AFT	128	130	130	130	130	130	130	130	130	129	129	130	130	130	130	130	130	130	130	129	130	128	129	129						
48. LP INTER SPEED PIN FWD	152	151	152	152	152	152	152	155	154	154	154	151	151	151	151	151	150	150	150	154	155	154	154	153						
49. LP INTER SPEED PIN. AFT	135	134	134	133	133	132	132	138	137	137	136	134	133	133	133	133	134	134	134	138	138	136	136	135						
50. MAIN GEAR ROTOR FWD	114	114	114	114	114	114	114	115	115	115	115	115	115	115	115	115	115	115	115	113	114	113	114	114						
51. MAIN GEAR ROTOR AFT	105	104	106	107	107	107	107	98	102	104	103	100	105	102	102	100	105	105	105	105	108	105	106	106						
52. LP BLEAD	8	8	8	8	8	8	8	8"	8"	8"	8"	8	8	8	8	8	8	8	8	8"	8"	8"	8"	8						
HP HIGH SPEED PIN FWD	160	160	160	160	160	159	159	161	160	160	160	160	160	160	159	159	158	158	158	160	160	160	160	160						
AUX COND OVER BOARD	68	68	68	68	68	68	68	67	67	65	65	68	68	68	68	68	68	68	68	68	68	68	68	68						

Thurs. 12-14-67

WCA - 12-13-69

	TIME	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
1.	L.P. EXHAUST TEMP	88	88	88	89	88	89	90					92	92	92	92	92	92	92	92	92	92	92	92	89
2.	MN COND STE TEMP	89	88	87	89	89	91	91					92	90	92	92	90	90	92	90	90	90	90	90	88
3.	MN INJ TEMP	60	60	58	61	61	62	62			62		61	60	60	61	61	61	61	61	61	61	61	61	60
4.	MN OVBD TEMP	72	70	69	70	70	72	72			76		73	70	70	72	72	72	71	71	70	70	70	70	69
5.	L.O. TO COOLERS	127	127	127	128	128	124	124			112		124	124	125	124	128	126	126	126	126	126	126	126	127
6.	L.O. FROM COOLERS	111	110	109	112	110	109	109			110		107	108	110	110	112	110	110	110	110	110	110	110	110
7.	THRUST BRG TEMP	111	111	110	112	112	110	110					110	110	110	110	112	110	110	110	110	110	110	110	111
8.	FWD H.P. ROTOR BRG	121	120	119	120	121	121	121					120	120	119	120	122	122	122	122	122	122	122	122	121
9.	AFT H.P. ROTOR BRG	127	127	126	128	128	130	130					126	127	127	127	130	130	130	130	130	130	130	130	128
10.	FWD L.P. ROTOR BRG	125	125	124	128	128	125	125					122	122	123	123	122	123	123	123	125	125	125	125	124
11.	AFT L.P. ROTOR BRG	125	125	125	126	126	124	124					123	123	123	124	125	125	125	125	125	125	125	125	125
12.	HOT GEAR BRG FWD	148	148	146	149	149	149	149					148	148	146	146	149	149	148	148	148	148	148	148	148
13.	HOT GEAR BRG AFT	136	136	136	138	138	136	136					138	138	138	140	138	138	138	138	138	138	138	138	136
14.	AUX COND STE TEMP	92/96	92/96	89/94	92/96	92/98	92/100	92/100			92/96		92/98	92/96	92/98	92/96	92/100	92/100	92/100	92/98	92/98	92/98	92/98	92/98	92/98
15.	1ST STAGE AIR TEMP	170	170	170	165	165	165	165					170	165	170	165	165	165	165	165	165	170	170	170	170
16.	D.C., HEATER TEMP	239	240	240	240	240	240	239					240	240	240	240	240	240	240	240	240	240	240	240	240
17.	SUPRHT TEMP PORT	725	730	730	740	740	740	741					740	735	730	735	735	735	740	740	740	740	740	740	725
18.	SUPRHT TEMP STBD	725	730	730	740	740	740	740					740	735	730	735	735	735	740	740	740	740	740	740	725
19.	F.O. SETT TEMP P	92	91	92	90	90	90	90			90		90	90	90	90	90	90	90	90	90	90	90	90	91
20.	F.O. SETT TEMP S	76	76	76	75	75	85	85			76		86	77	78	77	75	75	80	80	68	68	68	68	75
21.	UPTAKE PORT	X	X	X	X	X	X	X					X	X	X	X	X	X	X	X	X	X	X	X	X
22.	UPTAKE STBD	295	295	295	X	X	X	X					300	300	300	300	X	X	X	X	X	300	300	300	295
23.	F.O. PUMP SUCT TEMP	79	79	81	80	80	90	90			95		72	75	76	77	78	76	88	78	90	80	80	80	80
24.	MN FD PMP L.O PORT	34	34	35	34	34	34	34			32		34	34	34	34	34	34	34	34	34	35	35	35	35
25.	MN FD PMP L.O STBD	28	29	33	28	28	28	28			28		27	27	27	27	27	27	27	27	33	33	33	29	28
26.	L.O. TO GEARS	111	111	110	114	110	110	110			110		110	110	110	110	112	110	110	110	110	110	110	110	111
27.	AIR CONTR L.O. PRESS																								

AFT.

Thurs 12-14-67

Wed 12-13-67

		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
29. L.O. PRES #1	3	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
28. L.O. PRES #2	4	9.9	9.9	9.9	9.5	9.5	9.5	9.5			9.5		9.9	9.9	9.9	9.9	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.9
31. L.O. TO COOLER #1	3	131	130	130	132	132	132	136			136		130	134	132	132	132	132	130	130	130	130	130	130	128
30. L.O. TO COOLER #2	4	130	130	128	130	130	130	131			131		130	130	128	129	132	132	130	131	130	130	130	130	128
33. L.O. FROM COOLER #1	3	110	108	110	111	111	110	114			114		108	110	110	110	110	110	110	110	110	110	110	110	108
32. L.O. FROM COOLER #2	4	111	108	109	112	112	112	112			112		109	109	109	108	110	110	110	110	110	110	110	110	108
35. L.O. GOV PRES #1	3	75	75	75	78	78	75	75			75		75	75	75	75	75	75	75	75	75	75	75	75	75
34. L.O. GOV PRES #2	4	48	48	48	48	48	48	48			48		48	48	48	48	48	48	48	48	48	48	48	48	48
37. AMPS POS #1	3	1000	1160	1050	1000	1050	1000	1050			1000		1100	1100	1100	1150	1200	1250	1150	1050	1050	1050	1050	1050	1000
36. AMPS POS #2	4	950	1000	1010	1000	1050	1000	1050			900		1050	1160	1100	1100	1200	1250	1150	1050	1050	1050	1050	1050	1000
39. AMPS NEG #1	3	950	1050	1000	1000	1050	1000	1050			900		1050	1050	1050	1100	1200	1250	1150	1050	1050	1050	1050	1050	960
38. AMPS NEG #2	4	950	1000	1060	1000	1050	1000	1050			900		1050	1050	1050	1100	1200	1250	1150	1050	1050	1050	1050	1050	950
41. HP HIGH SPEED PIN. AFT		136	136	134	138	138	136	136					136	136	134	136	138	138	138	138	138	138	138	138	136
42. HP INTER SPEED PIN FWD		138	138	140	140	140	140	140					138	138	138	140	140	138	138	138	148	148	148	148	138
43. HP INTER SPEED PIN AFT		134	132	130	130	130	130	130					130	130	131	132	130	130	130	130	130	130	130	130	134
44. L.P. THRUST BEARING		130	129	127	131	131	129	129					130	130	130	130	130	130	130	130	130	130	130	130	128
45. H.P. THRUST BEARING		142	140	140	142	142	141	141					140	140	140	140	142	142	140	140	140	140	140	140	141
46. LP HIGH SPEED PIN. FWD		123	122	121	122	122	124	126					123	124	123	124	125	125	125	125	125	125	125	125	124
47. LP HIGH SPEED PIN. AFT		123	123	121	125	125	124	124					120	121	121	122	124	124	124	124	124	124	124	124	123
48. LP INTER SPEED PIN FWD		115	116	116	115	115	117	117					118	117	117	118	118	115	115	115	115	116	116	115	115
49. LP INTER SPEED PIN. AFT		137	136	136	140	140	138	138					138	138	138	138	140	138	138	136	136	136	136	136	136
50. MAIN GEAR ROTOR FWD		108	108	107	110	110	108	108					106	106	106	106	110	110	110	110	110	110	110	110	108
51. MAIN GEAR ROTOR AFT		104	104	103	105	105	100	110					100	100	100	100	104	104	103	103	103	103	103	103	104
52. LP BLEND		12	11.5	12	12	12	12	12					12	11.5	12	12	12	12	12	12	12	12	12	12	12
	3	240	240	240	240	240	240	240			240		240	240	240	240	240	240	240	240	240	240	240	240	240
	4	240	240	240	240	240	240	240			240		240	240	240	240	240	240	240	240	240	240	240	240	240
Aux Oil & Fuel		71	70	69	72	72	73	73			72		71	70	71	73	71	71	72	72	72	72	72	72	70
		148	148	146	149	149	149	149					148	148	146	148	149	149	148	148	148	148	148	148	148

THUR.
12-14-67 FWD.

WED.
12-13-67

	TIME	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
1.	L.P. EXHAUST TEMP	99	99	98	99	99	99	99			186	210	101	100	100	100	100	99	99	99	99	99	98	98	99
2.	MN COND STE TEMP	93	92	92	92	93	92	92			68	69	94	93	94	94	91	91	92	93	92	92	92	91	91
3.	MN INJ TEMP	62	60	60	61	62	62	62			62	62	62	60	61	62	60	59	60	61	61	61	61	60	60
4.	MN OVBD TEMP	74	73	72	74	74	74	74			65	66	75	74	75	76	75	72	73	74	74	74	74	73	73
5.	L.O. TO COOLERS	130	130	130	133	132	129	129			114	114	129	128	129	130	129	129	129	130	133	130	131	130	130
6.	L.O. FROM COOLERS	107	107	107	110	110	108	108			109	109	108	107	109	108	108	108	108	108	113	110	109	109	108
7.	THRUST ENG TEMP	117	117	117	116	116	115	115					117	117	118	118	118	118	118	118	121	118	117	117	117
8.	FWD H.P. ROTOR BNG	122	122	123	122	123	122	122					122	121	122	122	121	121	122	122	128	124	123	123	122
9.	AFT H.P. ROTOR BNG	137	137	137	136	135	135	135					138	137	139	138	137	137	137	137	140	138	138	138	137
10.	FWD L.P. ROTOR BNG	130	130	130	134	130	128	128					131	131	132	132	131	131	132	132	132	131	131	129	130
11.	AFT L.P. ROTOR BNG	123	123	123	123	125	125	125					126	127	124	123	122	122	123	123	128	127	127	126	125
12.	HOT GEAR BNG FWD	160	160	159	157	160	160	160					160	160	160	159	158	158	158	158	163	162	162	162	160
13.	HOT GEAR BNG AFT	145	146	148	150	148	145	145					147	146	149	149	148	148	148	148	151	148	146	147	145
14.	AUX COND STE TEMP	88.00	88.99	84.99	84.00	80.00	83.00	83.00			82.93	84.93	80.99	81.00	87.00	88.00	83.99	88.99	88.04	88.04	90.04	90.04	89.05	89.00	89.00
15.	1ST STAGE AIR TEMP	163	162	162	158	162	162	162			93	91	162	161	162	161	158	158	159	160	162	161	161	163	162
16.	D.C. HEATER TEMP	240	240	240	240	240	240	240			240	242	240	240	240	240	240	240	240	240	240	240	240	240	240
17.	SUPRHT TEMP PORT	675	675	675	675	670	670	670			525	542	685	687	690	684	685	680	680	678	682	678	681	679	680
18.	SUPRHT TEMP STBD	675	675	675	675	670	670	670			560	580	685	689	690	684	685	680	680	678	682	678	681	679	680
19.	F.O. SETT TEMP P	82	82	82	85	85	85	85			79	79	81	84	85	85	88	85	85	85	89	94	95	95	82
20.	F.O. SETT TEMP S	92	94	94	95	90	80	80			83	83	80	85	82	93	98	88	88	90	81	82	82	82	92
21.	UPTAKE PORT	325	326	326	325	325	323	323			295	289	324	331	331	332	332	323	322	320	320	319	355	349	323
22.	UPTAKE STBD	360	365	369	367	365	368	368			292	290	325	330	334	330	333	330	330	333	342	346	324	309	357
23.	F.O. PUMP SUCT TEMP	94	93	93	92	88	86	84			84	86	84	87	91	94	96	88	90	90	92	92	93	93	94
24.	MN FD PMP L.O PORT	32	32	32	30	30	30	30			31	31	32	29	29	32	28	28	28	28	29	28	28	28	32
25.	MN FD PMP L.O STBD	30	24	24	24	24	24	24			27	27	24	24	24	24	24	24	24	24	23	23	23	23	30
26.	L.O. TO GEARS	18	18	18	18	18	18	18			18	18	18	18	18	18	18	18	18	18	18	18	18	18	18
27.	AIR CONTR L.O. PRESS	29	29		27	27	27	27			—	29	—	29	29	29	28	28	27	27	—	—	—	—	29

THUR.
12-14-67

Wed.
12-13-67

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
29. L.O. PRES #1	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
28. L.O. PRES #2	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
31. L.O. TO COOLER #1	122	122	120	121	123	123	123	120	121	121	124	117	118	120	125	114	114	114	118	123	124	124	124	124
30. L.O. TO COOLER #2	128	128	128	128	130	130	130	127	128	128	128	129	128	128	128	128	129	129	130	128	129	129	129	129
33. L.O. FROM COOLER #1	111	111	110	111	112	112	112	110	111	111	114	107	108	110	110	105	104	107	109	113	114	114	114	114
32. L.O. FROM COOLER #2	113	112	112	114	114	115	115	113	113	114	114	114	113	113	113	114	114	114	114	114	114	114	114	113
35. L.O. GOV PRES #1	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62
34. L.O. GOV PRES #2	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67
37. AMIS POS #1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36. AMPS POS #2	1250	1350	1350	1350	1300	1250	1250	1200	1000	1000	1000	1200	1200	1250	1200	1250	1400	1350	1350	1250	1250	1200	1300	1200
39. AMPS NEG #1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38. AMPS NEG #2	1300	1400	1400	1400	1350	1300	1300	1250	1050	1050	1050	1300	1250	1300	1250	1300	1450	1400	1400	1500	1300	1275	1550	1200
41. HP HIGH SPEED PIN. AFT	142	142	142	141	143	142	142	142	142	142	142	143	142	142	142	142	142	143	143	146	144	143	143	142
42. HP INTER SPEED PIN FWD	142	142	143	143	143	142	142	142	142	142	142	142	142	143	144	143	143	143	143	145	144	143	143	143
43. HP INTER SPEED PIN AFT	145	145	148	150	148	145	145	145	145	145	145	147	146	149	149	148	148	148	148	151	148	146	147	145
44. L.P. THRUST BEARING	129	129	130	134	128	127	127	127	127	127	127	132	131	131	131	131	131	132	131	132	130	128	128	129
45. H.P. THRUST BEARING	145	146	146	145	143	144	144	144	144	144	144	144	144	145	144	143	143	143	143	148	145	145	145	145
46. LP HIGH SPEED PIN. FWD	136	137	137	138	135	135	135	135	135	135	135	135	132	134	133	132	132	133	133	138	135	134	134	133
47. LP HIGH SPEED PIN. AFT	128	128	128	130	130	130	130	130	130	130	130	130	129	129	130	130	130	130	130	131	131	130	130	130
48. LP INTER SPEED PIN FWD	151	151	151	150	151	150	150	150	150	150	150	152	152	152	151	150	150	151	151	157	155	155	155	152
49. LP INTER SPEED PIN. AFT	133	133	134	133	135	135	135	135	135	135	135	135	134	134	135	135	135	133	133	142	139	139	139	134
50. MAIN GEAR ROTOR FWD	113	113	114	114	115	115	115	115	115	115	115	115	114	115	115	115	115	114	118	115	114	113	113	113
51. MAIN GEAR ROTOR AFT	100	102	103	103	107	107	107	107	107	107	107	102	104	104	102	103	103	104	106	110	107	106	106	105
52. LP BLEED	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	7.5	7.5	8
HP HIGH SPEED PIN FWD	160	160	159	157	160	160	160	160	160	160	160	159	160	159	158	158	158	158	158	163	162	162	162	160
AUX COND OVERBOARD	66	66	63	64	64	64	64	64	64	64	64	65	64	64	64	64	64	64	64	62	63	63	62	64

12-15-67

12-14-67

	TIME	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
1.	L.P. EXHAUST TEMP	89	88	89	89	89	89	89	82	85	85	6	92	92	92	92	92	92	92	88	90	90	90	88	89
2.	MN COND STE TEMP	88	88	89	88	86	86	86	72	72	72	68	92	92	92	91	71	92	88	90	90	90	90	90	88
3.	MN INJ TEMP	56	58	58	56	55	54	59	56	56	56	54	60	61	61	60	60	59	57	56	56	56	56	56	56
4.	MN OVBD TEMP	69	69	68	68	68	67	67	64	64	64	64	70	70	71	71	72	72	70	68	68	68	68	70	68
5.	L.O. TO COOLERS	127	127	127	128	128	126	126	126	126	126	125	126	127	127	128	128	128	126	126	126	126	126	126	127
6.	L.O. FROM COOLERS	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	112	110	109	109	110	110	110	110	110
7.	THRUST BRG TEMP	106	106	106	110	110	110	110	105	105	105	100	112	112	112	113	113	110	107	107	107	107	108	108	106
8.	FWD H.P. ROTOR BRG	119	121	120	121	121	121	121	115	115	112		126	120	120	121	121	124	119	120	120	120	120	120	119
9.	AFT H.P. ROTOR BRG	128	128	128	130	130	130	130	120	120	120		128	128	128	130	130	129	126	126	126	126	126	126	128
10.	FWD L.P. ROTOR BRG	124	124	125	126	126	126	126	115	110	110		125	125	125	126	126	125	124	124	124	124	124	124	124
11.	AFT L.P. ROTOR BRG	125	126	125	125	125	125	125	115	110	110		125	125	125	125	125	124	123	123	124	124	124	124	125
12.	HOT GEAR BRG FWD	150	150	150	150	150	149	149	150	125	125		148	148	150	150	150	149	150	150	150	150	150	150	150
13.	HOT GEAR BRG AFT	140	138	138	138	138	137	138	124	124	125		138	138	138	138	138	138	138	138	138	138	138	138	138
14.	AUX COND STE TEMP	85	85	85	85	85	85	85	85	85	85		85	85	85	85	85	85	85	85	85	85	85	85	85
15.	1ST STAGE AIR TEMP	170	170	170	165	165	165	165	150	150	150		170	170	170	165	165	165	165	165	165	165	165	170	170
16.	DIC. HEATER TEMP	239	240	239	240	240	240	240	240	240	240		239	239	239	239	240	240	240	240	240	240	240	240	238
17.	SUPRHT TEMP PORT	740	735	740	735	735	740	730	660	660	660		740	740	735	740	740	740	750	740	740	740	740	740	735
18.	SUPRHT TEMP STBD	740	735	740	735	735	740	730	660	660	660		740	740	735	740	740	740	750	740	740	740	740	740	735
19.	F.O. SETT TEMP P	98	99	100	95	95	95	95	90	90	90	90	94	94	95	95	95	95	100	90	90	100	100	100	98
20.	F.O. SETT TEMP S	96	95	95	95	95	95	95	95	95	95	90	89	90	90	100	100	100	80	70	70	90	100	100	96
21.	UPTAKE PORT	X	X	X	X	X	X	X	270	270	270		X	X	X	X	X	X	X	X	X	X	X	X	X
22.	UPTAKE STBD	305	305	308	X	X	X	X	270	270	270		310	310	310	X	X	X	X	X	X	310	310	300	305
23.	F.O. PUMP SUCT TEMP	98	98	100	102	104	102	102	102	104	104		94	95	95	94	94	94	92	94	94	94	94	94	98
24.	MN FD PMP L.O. PORT	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34	34
25.	MN FD PMP L.O. STBD	27	27	27	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28
26.	L.O. TO GEARS	110	110	111	111	111	110	110	110	110	110	110	110	110	111	111	110	110	110	110	110	110	110	110	110
27.	AIR CONTR L.O. PRESS																								

12-15-67 Aft

12-14-67

29. L.O. PRES #1

28. L.O. PRES #2

31. L.O. TO COOLER #1

30. L.O. TO COOLER #2

33. L.O. FROM COOLER #1

32. L.O. FROM COOLER #2

35. L.O. GOV PRES #1

34. L.O. GOV PRES #2

37. AMPS POS #1

36. AMPS POS #2

39. AMPS NEG #1

38. AMPS NEG #2

41. HP HIGH SPEED PIN. AFT

42. HP INTER SPEED PIN FWD

43. HP INTER SPEED PIN AFT

44. L.P. THRUST BEARING

45. H.P. THRUST BEARING

46. LP HIGH SPEED PIN. FWD

47. LP HIGH SPEED PIN. AFT

48. LP INTER SPEED PIN FWD

49. LP INTER SPEED PIN. AFT

50. MAIN GEAR ROTOR FWD

51. MAIN GEAR ROTOR AFT

52. LP BLEAD

VOLTS 3

VOLTS 4

AUX OVER BD Cond Temp

HP SPD PIN FWD

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
29. L.O. PRES #1	9	9	9	9	9	9	9	9	9.5	9			9	9	9	9	9	9	9	9	9	9	9	9
28. L.O. PRES #2	9.9	9.9	9.9	9.5	9.5	9.5	9.5	9.7	9.7	9.7			9.9	9.9	9.9	9.5	9.5	9.5	9.5	10	10	10	10	9.9
31. L.O. TO COOLER #1	132	132	132	132	132	132	132	132	132	130			132	132	132	130	130	130	130	130	130	130	130	126
30. L.O. TO COOLER #2	129	132	132	130	130	130	130	130	130	130			130	130	130	132	132	132	132	130	130	130	130	128
33. L.O. FROM COOLER #1	112	110	110	110	110	110	110	110	110	110			110	110	110	110	110	110	110	110	110	110	110	104
32. L.O. FROM COOLER #2	110	110	110	112	112	110	110	110	110	110			110	110	111	110	110	110	110	110	110	110	110	106
35. L.O. GOV PRES #1	75	75	75	75	75	75	75	75	78	79			75	75	75	78	75	75	75	75	75	75	75	75
34. L.O. GOV PRES #2	48	48	48	48	48	48	48	48	48	48			48	48	48	48	48	48	48	48	48	48	48	48
37. AMPS POS #1	1000	950	1000	950	1000	950	1000	900	900	900			1100	1100	1050	1050	1000	950	950	950	950	950	950	950
36. AMPS POS #2	950	900	900	950	1000	950	1000	900	900	900			1050	1050	1000	1050	1000	950	950	950	950	950	950	900
39. AMPS NEG #1	950	900	950	950	1000	950	1000	900	900	900			1050	1050	1000	1050	1000	950	950	950	950	950	950	900
38. AMPS NEG #2	950	900	900	950	1000	950	1000	900	900	900			1050	1050	990	1050	1000	950	950	950	950	950	950	900
41. HP HIGH SPEED PIN. AFT	136	136	136	138	138	136	134	128	128	125			138	138	138	138	138	136	138	138	138	138	138	136
42. HP INTER SPEED PIN FWD	140	138	140	140	140	140	138	132	120	120			140	140	140	140	140	138	138	138	140	140	140	140
43. HP INTER SPEED PIN AFT	134	134	135	135	135	135	134	124	122	120			135	135	135	135	135	132	132	132	132	132	132	134
44. L.P. THRUST BEARING	130	130	130	131	131	130	130	115	115	110			130	130	131	130	130	130	128	150	150	150	150	130
45. H.P. THRUST BEARING	141	142	142	142	142	140	138	130	120	120			140	141	142	140	140	140	140	140	140	140	140	142
46. LP HIGH SPEED PIN. FWD	124	124	125	126	126	126	124	115	115	115			128	124	124	126	125	125	124	124	124	124	124	125
47. LP HIGH SPEED PIN. AFT	122	124	122	124	124	124	124	115	115	115			123	124	124	125	125	124	122	122	124	124	124	123
48. LP INTER SPEED PIN FWD	118	118	118	117	117	117	115	110	100	100			115	115	115	115	115	115	115	116	116	116	116	117
49. LP INTER SPEED PIN. AFT	140	138	138	140	140	140	138	120	100	100			135	135	135	135	135	135	135	135	135	135	135	138
50. MAIN GEAR ROTOR FWD	104	104	104	108	108	108	108	100	100	100			105	105	105	108	108	108	108	108	108	106	106	104
51. MAIN GEAR ROTOR AFT	102	102	102	102	102	102	102	105	100	100			100	100	100	102	102	101	101	101	101	101	101	102
52. LP BLEAD	12	12	11.5	12"	12"	12"	12"	20"	18"	20"			11	11	11	12"	12"	12"	13"	13"	13"	12"	12"	12"
VOLTS 3	240	240	240	240	240	240	240	240	240	240			240	240	240	240	240	240	240	240	240	240	240	240
VOLTS 4	240	240	240	240	240	240	240	240	240	240			240	240	240	240	240	240	240	240	240	240	240	240
AUX OVER BD Cond Temp	66	67	67	66	65	65	65	65	64	64			72	72	72	71	71	71	67	67	67	67	66	66
HP SPD PIN FWD	150	150	150	150	150	149	149	140	140	140			148	148	148	150	150	149	150	150	150	150	150	150

Adjust
Temp.from cooler
#3 & 4 gen
at 110° f.

FRI. 12/15/67 FWD

THUR. 12/14/67

TIME	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
1. L.P. EXHAUST TEMP	100	100	100	97	98	78	98	86	107	95	88	100	100	100	100	102	101	100	100	100	100	100	98	98
2. MN COND STE TEMP	92	92	92	89	88	90	91	69	61	60	60	96	96	97	96	97	94	93	93	94	92	94	92	92
3. MN INJ TEMP	56	56	56	55	54	55	56	56	56	54	54	60	61	62	62	61	60	58	58	59	58	58	57	58
4. MN OVBD TEMP	79	72	72	70	68	70	70	61	61	60	59	76	76	76	76	76	76	76	75	75	74	74	72	72
5. L.O. TO COOLERS	130	136	132	130	131	132	132	124	120	117	119	128	132	132	134	132	132	130	130	133	132	132	130	130
6. L.O. FROM COOLERS	108	109	108	108	108	108	109	108	108	106	108	110	110	110	109	111	109	108	107	110	109	109	107	108
7. THRUST ENG TEMP	116	116	116	116	116	116	116	114	112	110	112	116	116	116	116	116	116	115	115	118	117	117	116	116
8. FWD H.P. ROTOR ENG	124	124	124	123	123	123	123	120	116	112	115	125	125	125	125	123	123	120	120	124	123	123	122	124
9. AFT H.P. ROTOR ENG	137	137	137	137	137	136	136	130	128	122	124	142	142	142	142	138	138	135	135	140	138	138	131	137
10. FWD L.P. ROTOR ENG	130	130	136	130	130	130	130	122	116	114	118	134	134	134	134	132	132	128	128	131	130	130	129	130
11. AFT L.P. ROTOR ENG	130	130	130	128	128	128	128	123	120	118	120	125	125	125	127	130	130	127	127	130	129	129	128	129
12. HOT GEAR ENG FWD	161	161	161	157	157	156	156	138	125	124	125	181	181	181	180	161	158	157	157	158	157	156	156	156
13. HOT GEAR ENG AFT	146	146	146	150	150	149	149	136	126	125	127	150	150	150	150	147	145	143	143	148	150	148	147	149
14. UX COND STE TEMP	86	86	86	84	84	84	84	82	82	82	82	86	86	86	86	86	86	86	86	86	86	86	86	86
15. 1ST STAGE AIR TEMP	162	145	162	160	160	160	161	161	113	110	111	145	150	152	160	162	160	162	162	161	163	160	162	140
16. D.C. HEATER TEMP	240	240	240	240	240	240	240	240	230	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240
17. SUPRHT TEMP PORT	640	640	640	680	673	675	675	674	561	555	552	650	650	650	650	675	685	685	685	680	685	683	682	680
18. SUPRHT TEMP STBD	660	660	660	680	673	675	675	674	561	555	552	660	660	660	660	675	685	685	685	680	685	683	682	690
19. F.O. SETT TEMP P	80	80	80	80	80	80	80	73	75	76	76	80	80	90	80	85	85	87	87	70	72	72	73	90
20. F.O. SETT TEMP S	78	78	78	92	92	85	73	80	81	82	82	85	85	85	85	83	83	83	83	76	77	77	76	80
21. UPTAKE PORT	340	340	340	338	338	338	338	318	291	282	278	340	340	340	340	340	323	323	323	322	328	333	333	310
22. UPTAKE STBD	340	340	340	342	342	345	348	323	297	286	283	380	380	380	380	385	333	333	335	327	330	334	333	345
23. F.O. PUMP SUCT TEMP	68	68	68	94	82	82	82	82	82	82	83	84	84	83	83	82	80	80	80	68	68	68	68	64
24. MN FD PMP L.O PORT	120	30	32	33	33	33	33	32	30	30	31	33	33	33	33	33	33	33	33	30	31	30	30	32
25. MN FD PMP L.O STBD	28	28	27	24	24	24	24	24	29	30	30	28	28	28	28	28	28	28	28	23	28	27	31	28
26. L.O. TO GEARS	14	14	14	18	18	18	18	18	18	18.5	18.5	18	18	18	18	18	18	18	18	18	18	18	18	19
27. AIR CONTR L.O. PRESS	30	-	30	29	29	29	29	-	29	29	28	29	29	29	29	29	29	29	29	-	-	29	28	-

Fri. 12/15/67

Thur. 12/14/67

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
29. L.O. PRES #1	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
28. L.O. PRES #2	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
31. L.O. TO COOLER #1	115	115	120	121	121	123	123	120	120	120	121	115	115	115	115	115	115	115	115	116	116	117	116	115
30. L.O. TO COOLER #2	126	126	126	126	126	124	124	128	127	127	127	125	125	127	127	130	130	129	129	128	128	128	128	128
33. L.O. FROM COOLER #1	105	110	110	111	111	115	115	110	110	110	111	110	105	105	105	105	105	105	105	107	106	107	107	108
32. L.O. FROM COOLER #2	112	112	112	112	112	112	112	111	110	110	110	108	110	110	110	114	114	114	114	113	113	113	113	117
35. L.O. GOV PRES #1	62	62	62	62	62	62	62	62	62	62	62	62	62	62	63	63	64	64	64	64	63	63	62	62
34. L.O. GOV PRES #2	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67
37. AMPS POS #1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36. AMPS POS #2	1200	1200	1200	1150	1150	1150	1150	1100	950	900	1000	1250	1250	1250	1250	1250	1150	1200	1200	1250	1225	1200	1225	1225
39. AMPS NEG #1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38. AMPS NEG #2	1300	1300	1300	1200	1200	1200	1200	1150	1000	950	1075	1300	1250	1250	1250	1300	1200	1250	1250	1300	1275	1250	1325	1300
41. HP HIGH SPEED PIN. AFT	145	145	145	146	146	144	144	130	124	124	125	145	145	145	145	145	143	143	143	148	146	145	144	145
42. HP INTER SPEED PIN FWD	143	143	143	144	144	144	144	125	120	119	120	135	138	140	141	143	142	141	140	144	143	143	142	142
43. HP INTER SPEED PIN AFT	145	145	145	150	150	149	149	136	126	125	127	147	145	142	143	147	145	143	143	148	150	148	147	148
44. L.P. THRUST BEARING	128	128	128	127	127	127	127	114	108	106	109	127	127	127	127	128	128	126	126	130	128	128	126	126
45. H.P. THRUST BEARING	145	145	145	143	143	144	144	130	120	118	120	142	143	143	142	145	145	143	143	145	145	145	144	145
46. LP HIGH SPEED PIN. FWD	135	136	136	135	135	135	135	129	121	120	122	135	135	133	134	135	135	132	132	135	135	135	133	133
47. LP HIGH SPEED PIN. AFT	130	130	130	130	130	130	130	127	124	121	125	130	130	130	130	130	130	128	128	130	130	130	129	130
48. LP INTER SPEED PIN FWD	153	153	153	153	153	152	152	138	125	124	125	157	157	153	153	153	152	150	150	155	155	155	154	154
49. LP INTER SPEED PIN. AFT	137	137	137	135	135	135	135	123	123	122	124	135	135	136	135	135	135	135	135	139	139	139	128	139
50. MAIN GEAR ROTOR FWD	114	114	114	114	114	114	114	113	110	113	114	114	114	114	115	115	115	115	115	115	114	114	113	116
51. MAIN GEAR ROTOR AFT	94	94	94	95	95	95	95	96	97	97	98	97	97	97	97	98	98	98	98	98	96	96	93	94
52. LP BLEED	9	9	9	7	7	7	7	20"	24"	-	-	8	8	8	8	8	8	7	7	7	7	7	7	7
HP High Speed Pin. Fwd.	156	156	156	157	157	156	154	130	122	122	125	161	160	161	161	161	158	157	157	158	157	156	156	156
Aux. Cond. OVERBOARD Discharge Temp.	67	67	67	68	68	68	68	65	65	65	65	69	68	68	68	68	65	64	64	64	62	62	62	62

12-17-67 Sun

12-16-67 SAT

[illegible]

12-17-67 Syn

12-16-67 SAT

[illegible]

12-15-67

[illegible]

12-18-67 Mon

72-17-67 Syn

[illegible]

12-18-67 Mon

12-17-67 Sun

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
29. L.O. PRES #1	10	10	10	10	10	10	10	9	7	9	9	9	9	9	9	9	9	9	9	9	9	9	9	10
28. L.O. PRES #2	9.5	9.5	9.5	9.5	9.5	9.5	10	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5
31. L.O. TO COOLER #1	120	120	121	121	123	122	126	128	128	128	130	130	130	130	132	132	132	132	132	132	132	132	132	132
34. L.O. TO COOLER #2	131	132	131	131	132	130	130	129	128	128	128	128	128	130	130	130	130	130	130	130	130	130	130	131
33. L.O. FROM COOLER #1	98	98	99	100	102	100	104	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	97
32. L.O. FROM COOLER #2	111	113	112	112	113	110	109	116	116	116	110	110	110	110	110	110	110	110	110	110	110	110	110	111
35. L.O. GOV PRES #1	75	75	75	75	75	75	74	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	76
34. L.O. GOV PRES #2	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48
37. AMPS POS #1	850	835	850	850	850	875	900	900	950	900	850	900	900	900	850	950	850	850	850	900	900	850	900	900
36. AMPS POS #2	900	850	850	875	890	875	925	900	750	900	850	900	900	900	850	950	850	850	850	900	900	850	900	900
39. AMPS NEG #1	850	825	850	850	850	875	900	900	950	900	850	900	900	900	850	950	850	850	850	900	900	850	900	900
38. AMPS NEG #2	850	825	800	850	850	800	900	900	550	700	850	900	900	900	850	950	850	850	850	900	900	850	900	900
41. HP HIGH SPEED PIN. AFT																								
42. HP INTER SPEED PIN FWD																								
43. HP INTER SPEED PIN AFT																								
44. L.P. THRUST BEARING																								
45. H.P. THRUST BEARING																								
46. LP HIGH SPEED PIN. FWD																								
47. LP HIGH SPEED PIN. AFT																								
48. LP INTER SPEED PIN FWD																								
49. LP INTER SPEED PIN. AFT																								
50. MAIN GEAR ROTOR FWD																								
51. MAIN GEAR ROTOR AFT																								
52. LP BLEND																								
VOLTS (3)	240	240	240	240	235	235	235	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240
VOLTS (4)	240	240	240	240	235	235	235	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240
OVERBd. Disch. (4)	59	59	57	57	59	57	57	59	59	59	60	59	60	60	61	61	61	61	62	62	62	62	62	59

12-19-67 Tue

12-18-67 Mon

TIME	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
1. L.P. EXHAUST TEMP																								
2. MN COND STE TEMP	86	104	85	86	91	93	93	93	95	95		86	88	90	88	88	88	86	86	86	86	86	86	86
3. MN INJ TEMP in Reefs	52	52	51	51	53	53	50	51	51	50		52	52	52	53	53	54	54	54	54	54	54	54	55
4. MN OVBD TEMP																								
5. L.O. TO COOLERS																								
6. L.O. FROM COOLERS																								
7. THRUST BRG TEMP																								
8. FWD H.P. ROTOR BRG																								
9. AFT H.P. ROTOR BRG																								
10. FWD L.P. ROTOR BRG																								
11. AFT L.P. ROTOR BRG																								
12. HOT GEAR BRG FWD																								
13. HOT GEAR BRG AFT																								
14. AUX COND STE TEMP	87 83	98 88	85 82	86 83	91 83	102 82	101 86	96 86	96 86	96 86		96 89	94 87	96 90	96 90	96 90	96 90	96 90	96 90	96 90	96 90	96 90	96 90	96 90
15. 1ST STAGE AIR TEMP	144	140	140	135	142	143	141	141	143	141		125	125	125	125	125	125	125	125	125	125	125	125	146
16. D.C. HEATER TEMP	237	233	249	240	240	238	239	239	239	238		238	238	238	238	240	238	240	238	238	236	238	238	239
17. SUPRHT TEMP PORT																								
18. SUPRHT TEMP STBD																								
19. F.O. SETT TEMP P	94	98	98	98	98	98	99	98	70	98		95	95	95	95	95	92	92	92	90	90	85	85	90
20. F.O. SETT TEMP S	89	93	95	95	92	93	93	92	85	93		85	85	85	85	85	82	82	82	80	80	78	78	85
21. UPTAKE PORT																								
22. UPTAKE STBD																								
23. F.O. PUMP SUCT TEMP	99	100	105	105	98	96	96	96	96	96														99
24. MN FD PMP L.O. PORT	32	32	32	32	32	32	32	32	32	32		32	32	32	32	32	32	32	32	32	32	32	32	32
25. MN FD PMP L.O. STBD																								
26. L.O. TO GMRS																								
27. AIR CONTR L.O. PRESS	-	-	-	30	-	30	30	-	30	30		30	30	-	30	-	30	30	30	-	30	30	30	-

12-19-67 Tue

12-18-67 Mon

		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
29. L.O. PRES #1	(3)	9	9	9	9	9	9	9	9	9	9		9	9	9	9	9	9	9	9	9	9	9	9	9
28. L.O. PRES #2	(4)	10	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8		9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	10
31. L.O. TO COOLER #1	(3)	130	132	133	133	131	132	132	132	132	130		132	132	132	130	130	130	130	130	130	130	130	130	130
34. L.O. TO COOLER #2	(4)	130	133	133	133	131	133	133	133	133	127	129		129	129	129	130	130	130	130	130	130	130	130	127
33. L.O. FROM COOLER #1	(3)	108	110	113	110	110	110	110	110	108	110		110	110	110	110	110	108	108	110	110	110	110	110	107
32. L.O. FROM COOLER #2	(4)	110	113	113	111	110	111	111	111	106	108		110	110	110	110	110	112	112	110	110	110	110	110	106
35. L.O. GOV PRES #1	(3)	74	74	74	74	74	74	74	74	74	74		74	74	74	74	74	74	74	74	74	74	74	74	74
34. L.O. GOV PRES #2	(4)	48	48	48	48	48	48	48	48	48	48		48	48	48	48	48	48	48	48	48	48	48	48	48
37. AMPS POS #1	(3)	800	850	825	850	850	875	900	900	900	900		900	950	1000	950	900	900	900	900	900	850	850	900	850
36. AMPS POS #2	(4)	850	900	850	875	875	900	925	900	850	850		900	950	1000	950	900	900	900	900	800	850	900	900	850
39. AMPS NEG #1	(3)	800	850	825	850	850	875	900	900	900	900		900	950	1000	950	900	900	900	900	850	850	900	900	850
38. AMPS NEG #2	(4)	825	850	825	850	850	875	900	900	900	900		900	950	1000	950	900	900	900	900	800	850	900	900	850
41. HP HIGH SPEED PIN. AFT																									
42. HP INTER SPEED PIN FWD																									
43. HP INTER SPEED PIN AFT																									
44. L.P. THRUST BEARING																									
45. H.P. THRUST BEARING																									
46. LP HIGH SPEED PIN. FWD																									
47. LP HIGH SPEED PIN. AFT																									
48. LP INTER SPEED PIN FWD																									
49. LP INTER SPEED PIN. AFT																									
50. MAIN GEAR ROTOR FWD																									
51. MAIN GEAR ROTOR AFT																									
52. LP BLEAD																									
VOLTS	(3)	240	240	240	240	240	240	240	240	240	240		240	240	240	240	240	240	240	240	240	240	240	240	240
VOLTS	(4)	240	240	240	240	240	240	240	240	240	240		240	240	240	240	240	240	240	240	240	240	240	240	240
Overd. Disch.	(4)	57	57	57	57	58	58	58	58	58	58		58	59	59	59	59	58	58	58	58	58	58	58	57

N/O STEAM ON
SETTLING TANKS
2 & 1

12/19-20/67

12-19-67 TUES.

	TIME	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
1.	L.P. EXHAUST TEMP																								
-2.	MN COND STE TEMP	84	82	85	83	85	84	86	85	86	86			88	88	88	90	90	90	90	90	90	90	90	85
-3.	MN INJ TEMP IN REEFER	51	51	52	53	50	50	53	51	50	52			52	51	52	52	52	52	52	52	52	52	52	51
4.	MN OVBD TEMP																								
5.	L.O. TO COOLERS																								
6.	L.O. FROM COOLERS																								
7.	THRUST ENG TEMP																								
8.	FWD H.P. ROTOR BNG																								
9.	AFT H.P. ROTOR BNG																								
10.	FWD L.P. ROTOR BNG																								
11.	AFT L.P. ROTOR BNG																								
12.	HOT GEAR BNG FWD																								
13.	HOT GEAR BNG AFT																								
-14.	AUX COND STE TEMP	87 65	84 82	88 84	84 83	88 84	85 83	86 84	88 84	96 92	92 90			60 88	60 88	60 90	60 90	60 90	60 90	60 90	60 90	60 90	60 90	60 90	85
-15.	1ST STAGE AIR TEMP	140	133	132	136	138	136	136	137	136	136			142	144	145	145	145	145	145	145	145	145	145	140
-16.	D.O. HEATER TEMP	237	234	234	232	233	233	235	235	238	238			239	239	238	238	238	238	238	238	238	238	238	238
17.	SUPRHT TEMP PORT																								
18.	SUPRHT TEMP STBD																								
-19.	F.O. SETT TEMP P	86	88	87	90	85	84	91	92	94	92			80	80	80	80	80	80	80	80	80	80	78	84
-20.	F.O. SETT TEMP S	88	85	86	90	91	90	95	95	96	95			85	85	82	82	82	82	82	82	82	82	80	80
21.	UPTAKE PORT																								
22.	UPTAKE STBD																								
-23.	F.O. PUMP SUCT TEMP	85 90	93	95	97	104	104	104	104	103	103			96	96	95	95	95	95	95	95	95	92	92	85
-24.	MN FD PMP L.O PORT	32	32	32	32	32	32	32	32	32	32			32	32	32	32	32	32	32	32	32	32	32	32
25.	MN FD PMP L.O STBD																								
26.	L.O. TO GMARS																								
-27.	AIR CONTR L.O. PRESS	30	-	30	-	-	30	30	33	30	30			30	30	30	30		30	30		30	30	30	-

[illegible]

WED. 12-20-67

TIME	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
1. L.P. EXHAUST TEMP																								
2. MN COND STE TEMP	82	83	84	84	84	84	85	86	86	88	88	86	88	88	88	88	88	88	88	88	88	88	88	83
3. MN INJ TEMP IN REEFER	52	51	52	53	54	52	51	52	51	51	51	50	53	53	53	53	53	53	53	53	53	53	53	50
4. MN OVBD TEMP																								
5. L.O. TO COOLERS																								
6. L.O. FROM COOLERS																								
7. THRUST BNG TEMP																								
8. FWD H.P. ROTOR BNG																								
9. AFT H.P. ROTOR BNG																								
10. FWD L.P. ROTOR BNG																								
11. AFT L.P. ROTOR BNG																								
12. HOT GEAR BNG FWD																								
13. HOT GEAR BNG AFT																								
14. AUX COND STE TEMP	85	82	83	86	86	85	84	85	83	84	90	87	88	86	88	90	87	91	87	88	90	88	90	85
15. 1ST STAGE AIR TEMP	132	132	132	132	132	131	131	135	135	135	134	136	140	136	136	136	136	136	136	136	136	136	136	136
16. D.C. HEATER TEMP	235	234	234	233	234	237	237	237	237	236	236	237	234	233	233	233	233	233	233	233	233	233	233	239
17. SUPRHT TEMP PORT																								
18. SUPRHT TEMP STBD																								
19. F.O. SETT TEMP P	98	98	98	95	93	93	92	95	95	95	95	96	96	96	96	96	98	98	100	100	100	100	100	92
20. F.O. SETT TEMP S	94	100	100	98	97	95	94	94	94	93	92	97	98	98	97	97	98	98	99	95	95	95	95	89
21. UPTAKE PORT																								
22. UPTAKE STBD																								
23. F.O. PUMP SUCT TEMP	98	98	98	98	98	98	97	98	98	98	97	103	102	103	103	103	103	103	103	103	103	103	103	98
24. MN FD PMP L.O. PORT	33	33	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	33
25. MN FD PMP L.O. STBD																								
26. L.O. TO CMRS																								
27. AIR CONTR L.O. PRESS	—	30	30	—	—	—	—	—	30	—	—	30	—	31	31	31	40	—	—	30	30	—	30	—

WAS DOCS

[illegible]

FRIDAY - 12-22-67

THURS. - 12-21-67

TIME	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
1. L.P. EXHAUST TEMP																								
2. MN COND STE TEMP	86	87	86	86	86	86	85	85	85	84	86	86	88	90	86	86	86	86	84	86	86	86	86	86
3. MN INJ TEMP IN REEFER	54	51	50	50	52	50	50	50	52	50	53	52	53	53	51	51	51	51	51	51	52	51	51	51
4. MN OVBD TEMP																								
5. L.O. TO COOLERS																								
6. L.O. FROM COOLERS																								
7. THRUST BKG TEMP																								
8. FWD H.P. ROTOR BNG																								
9. AFT H.P. ROTOR BNG																								
10. FWD L.P. ROTOR BNG																								
11. AFT L.P. ROTOR BNG																								
12. HOT GEAR BNG FWD																								
13. HOT GEAR BNG AFT																								
14. AUX COND STE TEMP	86	86	85	84	87	88	84	89	85	87	88	86	86	84	86	84	85	84	84	84	84	84	84	86
15. 1ST STAGE AIR TEMP	135	135	135	136	135	135	135	135	135	135	135	134	134	134	134	134	134	134	134	134	134	134	134	137
16. D.C. HEATER TEMP	235	235	235	236	235	236	236	236	236	236	235	234	234	234	236	236	236	236	236	236	236	236	236	235
17. SUPRHT TEMP PORT																								
18. SUPRHT TEMP STBD																								
19. F.O. SETT TEMP P	90	91	86	92	90	86	94	94	94	95	95	95	96	96	95	95	95	95	95	95	95	95	95	90
20. F.O. SETT TEMP S	89	92	90	94	94	92	97	97	98	98	98	90	90	84	70	70	70	70	70	70	70	70	70	89
21. UPTAKE PORT																								
22. UPTAKE STBD																								
23. F.O. PUMP SUCT TEMP	88	88	88	92	93	93	98	98	100	100	101	98	98	98	98	98	98	98	98	98	98	98	98	88
24. MN FD PMP L.O. PORT	33	33	33	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	33
25. MN FD PMP L.O. STBD																								
26. L.O. TO GRAS																								
27. AIR CONTR L.O. PRESS	31	—	30	30	—	—	—	31	—	31	30	—	30	—	30	—	30	—	—	30	—	30	—	—

SATURDAY 12-23-67

FRIDAY 12-22-67

TIME	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
1. L.P. EXHAUST TEMP																								
2. MN COND STE TEMP	86	85	85	85	83	84	84	82	82	84	84	86	86	86	—	86	86	86	86	86	86	86	86	85
3. MN INJ TEMP IN REEFER	50	52	50	50	52	51	53	52	52	51	51	50	52			52	52	52	52	52	52	52	52	52
4. MN OVBD TEMP																								
5. L.O. TO COOLERS																								
6. L.O. FROM COOLERS																								
7. THRUST BRG TEMP																								
8. FWD H.P. ROTOR BRG																								
9. AFT H.P. ROTOR BRG																								
10. FWD L.P. ROTOR BRG																								
11. AFT L.P. ROTOR BRG																								
12. HOT GEAR BRG FWD																								
13. HOT GEAR BRG AFT																								
14. AUX COND STE TEMP	87	85	85	85	86	84	84	86	86	84	84	86	86	86	86	86	86	86	86	86	86	86	86	83
15. 1ST STAGE AIR TEMP	135	135	135	135	135	136	133	133	133	134	135	135	135	135	135	135	135	135	135	135	135	135	135	135
16. D.C. HEATER TEMP	234	234	234	235	238	238	238	238	238	238	238	234	234	235	235	235	235	235	235	235	235	235	235	235
17. SUPRHT TEMP PORT																								
18. SUPRHT TEMP STBD																								
19. F.O. SETT TEMP P	95	91	95	98	99	100	100	100	100	100	94	96	98	100	100	100	100	100	100	100	100	100	100	95
20. F.O. SETT TEMP S	101	96	97	98	97	97	95	95	95	95	92	100	100	102	102	100	100	105	105	105	100	100	100	102
21. UPTAKE PORT																								
22. UPTAKE STBD																								
23. F.O. PUMP SUCT TEMP	105	103	102	102	102	100	100	100	100	100	98	104	104	108	108	108	108	108	108	110	110	110	110	107
24. MN FD PMP L.O PORT	33	33	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32
25. MN FD PMP L.O STBD																								
26. L.O. TO GEARS																								
27. AIR CONTR L.O. PRESS	30	—	—	—	—	—	30	—	30	30	—	31	—	—	—	—	—	—	—	34	—	—	—	31, 31

SUNDAY 12-24-67

SATURDAY 12-23-67

TIME	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
1. L.P. EXHAUST TEMP																								
2. MN COND STE TEMP								82	88	82	82	82	82	84	84	84	84	84	84	84	84	84	84	84
3. MN INJ TEMP IN REEFER	52	52	52	52	52	52	52	52	52	53	53	51	51	51	53	53	53	53	53	52	52	52	53	53
4. MN OVBD TEMP																								
5. L.O. TO COOLERS																								
6. L.O. FROM COOLERS																								
7. THRUST BKG TEMP																								
8. FWD H.P. ROTOR BNG																								
9. AFT H.P. ROTOR BNG																								
10. FWD L.P. ROTOR BNG																								
11. AFT L.P. ROTOR BNG																								
12. HOT GEAR BNG FWD																								
13. HOT GEAR BNG AFT																								
14. AUX COND STE TEMP	82	82	83	82	82	84	84	84	94	92	86	84	84	84	84	84	84	84	84	84	84	84	84	84
15. 1ST STAGE AIR TEMP	130	130	128	128	128	130	130	133	133	133	131	132	132	132	132	132	132	132	132	132	132	132	132	128
16. D.C. HEATER TEMP	236	237	236	236	237	239	239	234	234	234	234	238	238	238	238	238	238	238	234	234	234	234	234	235
17. SUPRHT TEMP PORT																								
18. SUPRHT TEMP STBD																								
19. F.O. SETT TEMP P	92	92	92	92	95	95	95	95	96	94	80	92	92	92	92	92	92	92	92	92	92	92	90	92
20. F.O. SETT TEMP S	85	85	85	85	85	85	85	84	85	80	80	90	89	89	89	89	90	98	98	95	95	95	85	92
21. UPTAKE PORT																								
22. UPTAKE STBD																								
23. F.O. PUMP SUCT TEMP	88	88	86	86	86	86	86	86	86	86	86	97	97	98	98	98	98	98	98	98	98	98	98	
24. MN FD PMP L.O. PORT	32	32	32	32	31	31	31	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32
25. MN FD PMP L.O. STBD																								
26. L.O. TO GEARS																								
27. AIR CONTR L.O. PRESS								30	30	30	—	30	—	30	—	—	80		0.0	30	—	—	—	—

	SUNDAY 12-24-67												SATURDAY 12-23-67											
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
29. L.O. PRES #1	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
28. L.O. PRES #2	9	9	9	9	9	9	9	98	98	99	99	99	99	99	99	99	99	99	99	99	99	99	99	9
31. L.O. TO COOLER #1	140	142	135	130	135	137	135	133	133	133	133	130	130	131	132	132	132	132	132	132	132	132	132	138
30. L.O. TO COOLER #2	132	130	128	125	130	132	132	130	131	131	131	130	130	130	130	130	130	130	130	130	130	130	130	135
33. L.O.FROM COOLER #1	120	122	118	110	112	112	110	110	112	110	110	108	109	110	110	110	110	110	110	110	110	110	110	120
32. L.O.FROM COOLER #2	112	110	105	102	110	110	108	110	110	109	109	110	109	110	110	110	110	115	112	108	108	108	110	115
35. L.O. GOV PRES #1	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74
34. L.O. GOV PRES #2	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48
37. AMPS POS #1	650	650	650	650	630	630	630	900	900	900	900	900	900	850	900	850	800	800	800	800	800	800	800	750
36. AMPS POS #2	650	650	650	650	700	700	740	900	900	900	900	900	875	850	900	850	800	800	800	800	800	800	800	750
39. AMPS NEG #1	650	650	650	650	600	600	600	800	850	900	900	850	850	850	850	850	800	800	800	800	800	800	800	750
38. AMPS NEG #2	650	650	650	650	650	650	700	800	850	925	875	850	850	850	850	900	850	800	800	800	800	800	800	750
41. HP HIGH SPEED PIN. AFT																								
42. HP INTER SPEED PIN FWD																								
43. HP INTER SPEED PIN AFT																								
44. L.P. THRUST BEARING																								
45. H.P. THRUST BEARING																								
46. LP HIGH SPEED PIN. FWD																								
47. LP HIGH SPEED PIN. AFT																								
48. LP INTER SPEED PIN FWD																								
49. LP INTER SPEED PIN. AFT																								
50. MAIN GEAR ROTOR FWD																								
51. MAIN GEAR ROTOR AFT																								
52. LP BLEAD																								
VOLTS	235	238	240	240	238	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240
VOLTS	238	238	240	240	238	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240
AUX OVERBOARD DISCH.								57	58	57	57	57	57	57	57	57	57	57	57	57	57	57	57	58

CHRISTMAS 12-25-67

SUNDAY 12-24-67

TIME	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
1. L.P. EXHAUST TEMP																								
2. MN COND STE TEMP	83	83	83	83	83	84	84	84	84	84	84	83	83	84	83	83	83	83	83	83	83	83	83	83
3. MN INJ TEMP IN REEF	53	53	53	53	53	53	53	52	52	52	53	51	51	50	52	52	52	52	52	53	53	53	53	53
4. MN OVBD TEMP																								
5. L.O. TO COOLERS																								
6. L.O. FROM COOLERS																								
7. THRUST ENG TEMP																								
8. FWD H.P. ROTOR ENG																								
9. AFT H.P. ROTOR ENG																								
10. FWD L.P. ROTOR ENG																								
11. AFT L.P. ROTOR ENG																								
12. HOT GEAR ENG FWD																								
13. HOT GEAR ENG AFT																								
14. AUX COND STE TEMP	86/82	86/82	86/82	86/82	86/82	86/82	86/82	86/84	86/84	86/84	86/84	86/84	86/82	86/82	86/83	86/90	86/90	86/90	86/90	86/90	86/90	86/90	86/90	86/92
15. 1ST STAGE AIR TEMP	130	130	130	130	130	130	130	132	130	132	132	134	132	132	130	130	130	130	130	130	130	130	130	130
16. D.C. HEATER TEMP	235	238	236	237	238	238	240	237	237	237	237	238	236	242	238	238	236	236	236	236	236	236	234	233
17. SUPRHT TEMP PORT																								
18. SUPRHT TEMP STBD																								
19. F.O. SETT TEMP P	90	90	90	88	88	88	88	85	86	86	86	80	80	82	82	82	82	80	85	82	80	78	75	78
20. F.O. SETT TEMP S	80	80	80	78	78	78	78	76	76	75	75	82	82	83	82	82	82	78	78	78	76	76	70	72
21. UPTAKE PORT																								
22. UPTAKE STBD																								
23. F.O. PUMP SUCT TEMP	86	86	86	84	84	85	85	83	84	85	85	86	86	87	87	87	87	87	87	85	85	85	85	86
24. MN FD PMP L.O. PORT	31	31	31	31	31	31	31	32	32	32	32	32	32	32	32	32	32	35	35	35	35	30	38	31
25. MN FD PMP L.O. STBD																								
26. L.O. TO GEAR																								
27. AIR COOL L.O. PRESS									30	30		30		29				30				30		

TUESDAY - 12-26-67.

MONDAY - CHRISTMAS - 12-25-67

TIME	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
1. L.P. EXHAUST TEMP																								
2. MN COND STE TEMP	82	83	83	82	82	83	84	84	84	84	84	82	82	84	84	84	84	84	84	84	84	84	83	82
3. MN INJ TEMP IN REEFER	52	51	51	51	51	52	52	52	52	56	57	52	52	52	52	52	52	52	52	52	52	52	52	52
4. MN OVBD TEMP																								
5. L.O. TO COOLERS																								
6. L.O. FROM COOLERS																								
7. THRUST ENG TEMP																								
8. FWD H.P. ROTOR ENG																								
9. AFT H.P. ROTOR ENG																								
10. FWD L.P. ROTOR ENG																								
11. AFT L.P. ROTOR ENG																								
12. HOT OIL R ENG FWD																								
13. HOT OIL R ENG AFT																								
14. AUX COND STE TEMP	82	82	81	80	80	82	82	82	86	84	84	82	82	86	84	84	84	84	84	84	84	84	85	81
15. 1ST STAGE AIR TEMP	130	130	130	130	130	132	132	133	132	125	132	132	132	132	134	134	134	134	134	134	134	134	130	130
16. D.C. HEATER TEMP	236	238	237	237	237	238	239	236	234	238	238	228	234	234	236	234	236	236	236	236	236	236	232	230
17. SUPRHT TEMP PORT																								
18. SUPRHT TEMP STBD																								
19. F.O. SETT TEMP P	80	80	80	80	80	80	80	86	86	86	86	88	88	88	86	87	87	87	87	87	87	87	85	82
20. F.O. SETT TEMP S	70	70	70	68	70	70	72	75	75	75	75	76	76	78	80	70	70	70	70	68	68	68	70	68
21. UPTAKE PORT																								
22. UPTAKE STBD																								
23. F.O. PUMP SUCT TEMP	84	84	84	84	85	85	85	86	88	88	88	85	85	85	84	84	84	84	84	84	84	84	84	84
24. MN FD PMP L.O. PORT	31	31	31	31	31	31	31	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	31
25. MN FD PMP L.O. STBD																								
26. L.O. TO GENRS																								
27. AIR COOL L.O. PRESS								-	30	30	30	30	-	30	-	30			30					

WEDNESDAY 12-27-67

TUESDAY 12-26-67

TIME	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
1. L.P. EXHAUST TEMP												86	81	81										
2. MN COND STE TEMP	82	84	84	84	84	88	90	90	88	82	90	52	53	52	82	84	84	84	85	85	83	83	84	83
3. MN INJ TEMP <i>in Ref</i>	52	52	52	52	52	52	53	53	53	52	54				53	54	54	54	54	52	52	52	52	52
4. MN OVBD TEMP																								
5. L.O. TO COOLERS																								
6. L.O. FROM COOLERS																								
7. THRUST ENG TEMP																								
8. FWD H.P. ROTOR BNG																								
9. AFT H.P. ROTOR BNG																								
10. FWD L.P. ROTOR BNG																								
11. AFT L.P. ROTOR BNG																								
12. HOT GEAR BNG FWD																								
13. HOT GEAR BNG AFT																								
14. AUX COND STE TEMP <i>A/B</i>	83/82	86/80	96/72	86/82	86/90	96/78	100/92	98/78	96/86	86/86	96/92	86/84	86/84	84/82	84/82	86/83	86/82	88/85	86/84	84/82	84/82	84/82	84/82	84/82
15. 1ST STAGE AIR TEMP	132	135	132	135	132	135	140	136	136	130	135	135	134	134	134	130	135	135	130	130	130	130	130	132
16. D.C. HEATER TEMP	238	234	238	237	238	239	237	234	236	236	234	236	236	236	234	234	238	236	236	234	234	234	234	236
17. SUPRHT TEMP PORT																								
18. SUPRHT TEMP STBD																								
19. F.O. SETT TEMP P	94	94	93	94	94	93	94	92	94	92	93	90	90	90	90	92	92	93	93	93	93	93	93	93
20. F.O. SETT TEMP S	88	88	87	87	87	87	85	85	85	85	85	96	80	80	82	82	82	85	85	85	85	86	86	86
21. UPTAKE PORT																								
22. UPTAKE STBD																								
23. F.O. PUMP SUCT TEMP	94	94	94	94	94	94	86	88	88	88	90	88	88	86	86	90	90	90	90	90	90	92	92	92
24. MN FD PMP L.O PORT	31	31	31	31	31	31	31	32	32	32	32	32	32	32	32	33	33	33	33	33	33	33	33	31
25. MN FD PMP L.O STBD																								
26. L.O. TO GEARS																								
27. AIR COOL L.O. PRESS	29							30	—	30	30	30	30	—	—	28	28	—	28	—	—	29	29	

		WEDNESDAY 12-27-67												TUESDAY 12-26-67											
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
29.	L.O. PRES #1	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
28.	L.O. PRES #2	9	10	10	10	10	10	10	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	10
31.	L.O. TO COOLER #1	132	130	128	130	130	135	130	132	132	132	132	132	132	132	132	130	130	132	132	132	132	130	130	130
30.	L.O. TO COOLER #2	130	130	128	132	132	128	132	130	130	130	130	130	130	132	132	132	132	132	132	132	132	130	130	130
33.	L.O. FROM COOLER #1	110	108	108	110	110	112	106	110	110	110	110	108	110	110	110	110	110	110	110	110	110	110	110	110
32.	L.O. FROM COOLER #2	110	110	108	110	110	106	110	108	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110
35.	L.O. GOV PRES #1	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74
34.	L.O. GOV PRES #2	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48
37.	AMPS POS #1	730	750	750	800	830	900	930	900	800	850	850	850	850	900	850	850	825	850	825	850	825	875	850	850
36.	AMPS POS #2	750	750	770	850	850	900	930	900	800	850	850	850	850	850	850	800	850	800	825	800	850	850	800	800
39.	AMPS NEG #1	700	720	720	760	800	830	930	950	800	850	900	900	800	800	800	800	825	800	875	850	750	800	800	800
38.	AMPS NEG #2	730	700	750	800	830	830	900	900	800	850	900	900	800	800	800	800	800	800	850	850	750	750	800	750
41.	HP HIGH SPEED PIN. AFT																								
42.	HP INTER SPEED PIN FWD																								
43.	HP INTER SPEED PIN AFT																								
44.	L.P. THRUST BEARING																								
45.	H.P. THRUST BEARING																								
46.	LP HIGH SPEED PIN. FWD																								
47.	LP HIGH SPEED PIN. AFT																								
48.	LP INTER SPEED PIN FWD																								
49.	LP INTER SPEED PIN. AFT																								
50.	MAIN GEAR ROTOR FWD																								
51.	MAIN GEAR ROTOR AFT																								
52.	LP BLEAD																								
	VOLTS —	240	240	238	238	238	238	238	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240
	VOLTS —	240	240	238	238	238	238	238	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240
	AUX. OVERB'D DISCH								58	58	57	59	57	57	57	57	57	57	58	58	58	58	58	58	58

THURSDAY 12-28-67

WEDNESDAY 12-27-67

TIME	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
1. L.P. EXHAUST TEMP																								
2. MN COND STE TEMP	90	86	90	90	88	90	92	90	96	86	86	82	90	86	94	88	86	86	86	94	96	96	97	92
3. MN INJ TEMP <i>IN REEFER</i>	52	52	52	53	54	54	54	54	54	54	54	52	54	53	51	54	54	54	53	56	52	56	52	52
4. MN OVBD TEMP																								
5. L.O. TO COOLERS																								
6. L.O. FROM COOLERS																								
7. THRUST BKG TEMP																								
8. FWD H.P. ROTOR BKG																								
9. AFT H.P. ROTOR BKG																								
10. FWD L.P. ROTOR BKG																								
11. AFT L.P. ROTOR BKG																								
12. HOT GEAR BKG FWD																								
13. HOT GEAR BKG AFT																								
14. AUX COND STE TEMP	100/80	92/86	100/84	90/85	92/87	100/87	100/90	92/88	88/82	88/88	88/84	84/84	90/100	112/90	90/88	88/84	87/84	85/85	102/98	100/93	96/94	100/93	100/80	
15. 1ST STAGE <i>Heater</i> TEMP	145	140	145	140	140	145	145	145	146	130	145	120	135	135	136	149	135	135	135	140	144	145	145	145
16. D.C. HEATER TEMP	238	238	238	236	233	236	236	236	238	240	240	236	236	236	238	240	240	236	240	237	234	234	239	238
17. SUPRHT TEMP PORT																								
18. SUPRHT TEMP STBD																								
19. F.O. SETT TEMP P	90	90	90	88	88	88	88	88	88	88	86	92	94	92	94	88	88	88	88	88	88	88	88	90
20. F.O. SETT TEMP S	85	85	85	83	83	83	83	82	83	82	82	85	85	85	85	85	85	85	85	85	85	85	85	85
21. UPTAKE PORT																								
22. UPTAKE STBD																								
23. F.O. PUMP SUCT TEMP	85	85	85	84	84	84	83	85	83	83	83	86	86	88	88	86	86	86	86	86	86	86	86	85
24. MN FD PMP L.O. PORT	31	31	31	31	31	31	31	31	31	31	31	32	32	32	32	32	32	32	32	32	31.5	31.5	31.5	31
25. MN FD PMP L.O. STBD																								
26. L.O. TO GMRS																								
27. AIR COOL L.O. PRESS	28											30	29	29	28	29	28	28	29	29	28	28	29	

THURSDAY 12-28-67

WEDNESDAY -12-27-67

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
29. L.O. PRES #1	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
28. L.O. PRES #2	10	10	10	10	10	10	10	10	10	10	10	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	10
31. L.O. TO COOLER #1	132	135	135	135	130	130	130	130	132	131	130	130	130	132	132	132	132	133	132	132	132	132	132	132
30. L.O. TO COOLER #2	133	133	132	132	130	132	135	134	132	135	135	130	130	130	131	135	135	134	134	134	135	135	135	133
33. L.O. FROM COOLER #1	112	110	115	112	110	110	112	111	110	110	108	108	110	110	110	110	110	110	110	110	110	110	110	110
32. L.O. FROM COOLER #2	110	110	112	110	108	108	110	108	112	110	110	110	110	110	110	110	110	110	110	110	110	111	111	110
35. L.O. GOV PRES #1	73	73	73	73	73	73	73	75	74	75	76	74	74	74	74	74	74	74	74	74	74	74	74	74
34. L.O. GOV PRES #2	48	48	48	48	48	47	47	47	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48
37. AMPS POS #1	770	740	800	800	730	800	900	850	850	900	975	960	900	850	900	800	800	850	850	800	800	750	775	800
36. AMPS POS #2	800	750	800	780	750	800	920	850	850	900	975	925	900	850	850	750	825	800	800	750	750	750	750	750
39. AMPS NEG #1	750	700	760	780	730	780	880	850	850	900	975	860	900	900	850	750	750	800	750	785	800	750	775	780
38. AMPS NEG #2	750	730	750	750	720	750	920	850	850	900	975	860	900	900	850	750	750	775	750	775	800	750	775	720
41. HP HIGH SPEED PIN. AFT																								
42. HP INTER SPEED PIN END																								
43. HP INTER SPEED PIN AFT																								
44. L.P. THRUST BEARING																								
45. H.P. THRUST BEARING																								
46. LP HIGH SPEED PIN. FWD																								
47. LP HIGH SPEED PIN. AFT																								
48. LP INTER SPEED PIN FWD																								
49. LP INTER SPEED PIN. AFT																								
50. MAIN GEAR RCTOR FWD																								
51. MAIN GEAR RCTOR AFT																								
52. LP BLEAD																								
VOLTS	240	240	238	238	240	238	238	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240
VOLTS	240	240	238	238	240	238	238	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240
AUX. OVERB'D DISCH.												58	60	58	60	59	59	59	59	59	60	60	60	

FRIDAY-12-29-67

THURSDAY-12-28-67

[illegible]

FRIDAY - 12-29-67

THURSDAY - 12-28-67

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
29. L.O. PRES #1	10	10	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
28. L.O. PRES #2	10	10	10	10	9	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
31. L.O. TO COOLER #1	125	130	130	135	130	134	130	132	130	130	130	132	129	130	131	132	132	132	131	131	131	131	131	128
30. L.O. TO COOLER #2	125	130	128	128	128	132	130	129	132	130	130	132	130	134	134	130	130	130	128	130	132	132	132	130
33. L.O.FROM COOLER #1	104	110	112	115	110	112	110	110	110	110	110	110	108	108	108	108	109	107	109	110	110	111	108	108
32. L.O.FROM COOLER #2	108	110	106	106	110	108	108	108	108	108	109	111	110	109	110	110	110	108	108	110	108	108	108	108
35. L.O. GOV PRES #1	73	73	73	73	74	74	73	74	78	74	75	75	75	74	75	75	74	75	75	75	75	75	75	74
34. L.O. GOV PRES #2	48	48	47	47	47	47	48	48	48	48	48	48	48	47	48	48	47	47	48	48	48	48	48	48
37. AMPS POS #1	750	750	780	760	800	850	950	900	900	860	800	900	900	950	850	900	800	800	860	800	860	800	800	750
36. AMPS POS #2	800	750	750	800	800	900	950	900	900	850	800	900	900	900	860	800	800	900	860	800	860	800	800	800
39. AMPS NEG #1	750	750	750	750	780	850	750	900	910	860	800	900	900	950	850	800	800	800	860	800	860	800	800	730
38. AMPS NEG #2	760	730	720	750	750	850	700	900	900	850	800	900	900	950	850	800	800	800	860	800	860	800	800	780
41. HP HIGH SPEED PIN. AFT																								
42. HP CENTER SPEED PIN FWD																								
43. HP INTER SPEED PIN AFT																								
44. H.P. THRUST BEARING																								
45. H.P. THRUST BEARING																								
46. LP HIGH SPEED PIN. FWD																								
47. LP HIGH SPEED PIN. AFT																								
48. LP CENTER SPEED PIN FWD																								
49. LP CENTER SPEED PIN.																								
50. MAIN GEAR ROTOR FWD																								
51. MAIN GEAR ROTOR AFT																								
52. LP BLEED																								
VOLTS	238	238	238	238	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	238
VOLTS	238	238	238	238	240	240	240	240	238	240	240	240	240	240	240	240	240	240	240	240	240	240	240	238
AUX - OVERB'D DISCH																								

SUNDAY-12-31-67

SATURDAY-12-29-67

TIME	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
1. L.P. EXHAUST TEMP																								
2. MN COND STE TEMP	84	83	86	86	84	83	84	84	84	89	84	96	90	84	84	88	87	87	87	86	87	87	86	84
3. MN INJ TEMP ^{WATER}	56	56	55	55	54	54	54	52	52	52	81	51	52	51	51	54	54	58	54	54	54	54	57	56
4. MN OVBD TEMP																								
5. L.O. TO COOLERS																								
6. L.O. FROM COOLERS																								
7. THRUST BKG TEMP																								
8. FWD H.P. ROTOR BKG																								
9. AFT L.P. ROTOR BKG																								
10. FWD L.P. ROTOR BKG																								
11. AFT L.P. ROTOR BKG																								
12. HOT GEAR BKG FWD																								
13. HOT GEAR BKG AFT																								
14. AUX COND STE TEMP ^{WATER}	86/84	86/84	90/84	92/86	90/84	88/84	92/86	90/86	98/88	100/90	100/102	100/100	86/86	88/84	89/86	89/86	89/86	89/86	89/86	89/86	91/87	87/84	87/85	87/84
15. 1ST STAGE AIR TEMP	140	140	145	145	145	142	142	125	125	238	140	140	140	138	140	140	140	140	140	140	135	135	140	140
16. D.C. HEATER TEMP	232	233	236	234	235	236	234	238	238	238	238	240	140	236	238	234	234	234	233	234	234	235	235	234
17. SUPRHT TEMP PORT																								
18. SUPRHT TEMP STBD																								
19. F.O. SETT TEMP P	91	92	92	92	92	92	92	92	95	94	95	85	80	90	90	90	90	90	90	90	90	90	90	90
20. F.O. SETT TEMP S	80	80	80	82	80	80	80	80	80	80	80	75	75	75	75	75	78	78	78	78	78	79	79	78
21. UPTAKE PORT																								
22. UPTAKE STBD																								
23. F.O. PUMP SUCT TEMP	88	90	90	90	92	92	93	90	85	86	84	80	82	84	82	82	84	86	86	86	86	86	88	88
24. MN FD PMP L.O PORT								32	32	32	32	36	32	32	32	33	33	32.5	32.5	32.5	32.5	32.5	32.5	32
25. MN FD PMP L.O STBD																								
26. L.O. TO GEARS																								
27. AIR CONTR L.O. PRESS																30.5	30	31	31	31	31	31	31	31

SUNDAY-12-31-67

SATURDAY 12-30-67

[illegible]

SATURDAY-12-30-67

FRIDAY-12-29-67

[illegible]

FRIDAY-12-29-67

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
29. L.O. PRES #1	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	10
28. L.O. PRES #2	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
31. L.O. TO COOLER #1	130	134	132	132	134	132	132	132	132	132	132	132	130	132	132	130	130	130	128	128	128	128	128	120
34. L.O. TO COOLER #2	130	130	132	132	130	130	132	132	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	125
33. L.O. FROM COOLER #1	110	110	110	110	110	108	112	110	108	109	108	110	108	108	110	108	108	108	110	110	108	108	108	100
32. L.O. FROM COOLER #2	108	108	110	108	106	106	112	111	110	110	110	110	109	108	108	108	108	108	110	110	110	110	110	104
35. L.O. GOV PRES #1	74	74	74	74	73	73	73	74	74	75	74	75	74	74	75	74	74	74	74	74	74	74	74	74
34. L.O. GOV PRES #2	47	48	48	48	48	48	48	48	48	48	48	48	47	48	48	48	48	48	48	48	48	48	48	48
37. AMPS POS #1	750	800	750	750	800	800	850	800	800	800	800	800	800	800	800	800	800	800	800	800	800	800	800	770
36. AMPS POS #2	750	820	800	750	800	800	850	800	800	800	800	800	800	800	800	800	800	800	800	800	800	800	800	750
39. AMPS NEG #1	730	800	750	750	780	800	840	800	800	800	800	800	800	800	800	800	800	800	800	800	800	800	800	750
38. AMPS NEG #2	720	800	760	720	720	800	810	800	800	800	800	800	800	800	800	800	800	800	800	800	800	800	800	720
41. HP HIGH SPEED PIN. AFT																								
42. HP INTER SPEED PIN FWD																								
43. HP INTER SPEED PIN AFT																								
44. L.P. THRUST BEARING																								
45. H.P. THRUST BEARING																								
46. LP HIGH SPEED PIN. FWD																								
47. LP HIGH SPEED PIN. AFT																								
48. LP INTER SPEED PIN FWD																								
49. LP INTER SPEED PIN. AFT																								
50. MAIN GEAR ROTOR FWD																								
51. MAIN GEAR ROTOR AFT																								
52. LP BLEND																								
VOLTS	240	240	238	240	240	240	238	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	238
VOLTS	240	240	238	240	240	240	238	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	238
ALX OVERD. DISCH																60	60	60	60	60	60	60	60	60

MONDAY-1-1-68

SUNDAY-12-31-67

[illegible]

