

II

12-14-67

DISTILLED WATER RECORD

HOUR ENDING	METER READING	GALLONS	
		SHIPS TANKS*	FEED TANKS*
0000			
0100	00209100	1000	
0200	00210300	1100	
0300	00211200	1000	
0400	00212300	1100	
0500	00213300	1000	
0600	00214300		1000
0700	00215200		900
0800	00216100		900
0900	00217100	1000	70
1000	00218100	1000	
1100	00219200	1100	
x 1200	00195200	8300	800
1300	00196200		1000
1400	00197200		1000
1500	00198300		1100
1600	00199500		1200
1700	00200600		1100
1800	00201800		1200
1900	00203000		1200
2000	00204000		1000
2100	00205000		1000
2200	00206100		1100
2300	00207100		1000
2400	00208100		1000
		16,600	

* Indicate under REMARKS number of tanks being filled.

SCALING RECORD

	EFFECT		
	NO. 1	NO. 2	NO. 3
DATE LAST SCALED			
HOURS BROUGHT FORWARD			
HOURS THIS DATE			
HOURS TO DATE			
GALLONS BROUGHT FORWARD			
GALLONS THIS DATE			
GALLONS TO DATE			
CHECKED (Signature)			
APPROVED			
(Engineer Officer, U. S. N.)			

NAVSHIPS 3676 (REV. 11-50) BACK

REMARKS

0000-0400	# 2 - EVAP DIST TO #1 STBD FEED SWITCH TO FWD PEAK 0100 SIGNED <u>McRay Hill</u>
0400-0800	# 2 Evap. Dist. to Fwd peak. @ 0500 Shifted Dist. to #1 STBD SIGNED <u>R. Sheppard</u>
0800-1200	1000-1200 # 2 Dist. to Fwd peak Tank. SIGNED <u>R. Sheppard</u>

1200-1600	# 2 Dist. to #1 STBD FEED SIGNED <u>McRay Hill</u>
1600-2000	# 2 Dist. to #1 STBD FEED SIGNED <u>R. Sheppard</u>
2000-2400	# 2 Evap. Dist. to #1 STBD FEED SIGNED <u>R. Sheppard</u>

Stocked in CDS

For disposal of this record see current Records Disposal Instructions for Vessels of the U. S. Navy.

LOW PRESSURE DISTILLING PLANT OPERATING RECORD

UNDERWAY X

U. S. S.

Gen John Pope Z-AP-110

PLANT NO.

I

AT ANCHOR

TIME: ZONE DESCRIPTION

AHEAD
OR
BACK

MINUTES AT

DATE 12-14 1967

	12-13-67								12-14-67															
	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
STEAM TO REG. VALVE, PRESSURE, #G	9								9	8	8	9	4	4	4	9	9	9	9	9	9	9	9	9
STEAM FROM REG. VALVE, PRESSURE, #G	3								3	2	2	3	3	3	3	3	3	3	3	3	3	3	3	3
STEAM TO 1ST EFFECT, PRESSURE, "HG OR #G	0								0	3"	3"	0	0	0	0	0	0	0	0	0	0	0	0	0
STEAM TO 1ST EFFECT, TEMPERATURE, °F	230								230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230
1ST EFFECT COIL DRAIN, TEMPERATURE, °F	195								180	190	190	195	195	195	195	195	195	195	195	195	195	195	195	195
1ST EFFECT SHELL PRESSURE, "HG	13								15	14"	14"	13"	13"	13	13	13"	13"	13"	13"	13"	13"	13"	13"	13
2D EFFECT COIL DRAIN, TEMPERATURE, °F	166								158	160	160	164	162	160	160	164	166	166	166	166	166	166	166	166
2D EFFECT SHELL PRESSURE, "HG	16								17	17"	17"	17"	17	16	16	16"	16"	16"	16"	16"	16"	16"	16"	16
3D EFFECT COIL DRAIN, TEMPERATURE, °F	150								146	150	150	146	146	148	148	150	150	150	150	150	150	150	150	150
3D EFFECT SHELL PRESSURE, "HG	23								25	24"	24"	24"	24	24	24	24"	24"	24"	24"	24"	24"	24"	24"	24
CONDENSATE TO COOLER, TEMPERATURE, °F	122								126	126	126	126	126	126	126	126	126	126	126	126	126	126	126	126
CONDENSATE FROM COOLER, TEMPERATURE, °F	82								78	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82
BRINE OVERBOARD, TEMPERATURE, °F	126								118	120	120	126	126	126	126	126	126	126	126	126	126	126	126	126
STEAM TO AIR EJECTOR, PRESSURE, #G	88								92	92	92	90	90	90	90	90	90	90	90	90	90	90	90	90
AIR EJECTOR DRAINS, TEMPERATURE, °F																								
CIRC. WATER INJECTION, TEMPERATURE, °F	58								54	54	54	61	61	61	62	61	61	61	59	58	57	58	58	58
CIRC. WATER TO CONDENSATE COOLER, TEMPERATURE, °F	58								54	54	54	61	61	61	62	61	61	61	59	58	57	58	58	58
CIRC. WATER TO DISTILLER CONDENSER, TEMPERATURE, °F																								
FEED TO AIR EJECTOR CONDENSER, TEMPERATURE, °F																								
FEED TO 2D EFFECT VAP. FD. HEATER, TEMPERATURE, °F																								
FEED TO 1ST EFFECT VAP. FD. HEATER, TEMPERATURE, °F																								
FEED TO 1ST EFFECT, TEMPERATURE, °F	166								158	164	164	166	166	166	166	166	166	166	166	166	166	166	166	166
CIRC. WATER OVERBOARD, TEMPERATURE, °F	104								98	104	104	102	102	102	102	102	102	102	102	102	102	102	102	102
CIRC. PUMP SUCTION PRESSURE, #G	0								0	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0
CIRC. PUMP DISCHARGE PRESSURE, #G	18								18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18
BRINE PUMP SUCTION PRESSURE, #G	25								26	26"	25"	25	25	25	25	25"	25"	25"	25"	25"	25"	25"	25"	25"
BRINE PUMP DISCHARGE PRESSURE, #G	23								25	25	24	23	23	23	23	23	23	23	23	23	23	23	23	23
FEED PUMP SUCTION PRESSURE, #G																								
FEED PUMP DISCHARGE PRESSURE, #G																								
1ST EFFECT DRAIN PUMP SUCTION PRESSURE, #G	1								1	1"	0	1	1	1	1	1	1	1	1	1	1	1	1	1
1ST EFFECT DRAIN PUMP DISCHARGE PRESSURE, #G	58								60	57	57	55	55	58	58	58	58	58	58	58	58	58	58	58
F. W. PUMP DISCHARGE PRESSURE	10								10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
FEED DENSITY, 32NDS																								
BRINE OVERBOARD DENSITY, 32NDS	1.5								1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
AIR EJECTOR DRAINS, SALINITY—E. P. M.	40								30	40	40	20	20	20	20	20	30	30	40	40	40	40	40	40
1ST EFFECT DRAINS, SALINITY—E. P. M.	0								0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CONDENSATE FROM COOLER, SALINITY—E. P. M.																								

SECURED 0100

I

12-14-67

DISTILLED WATER RECORD

HOUR ENDING	METER READING	GALLONS	
		SHIPS TANKS*	FEED TANKS*
0000			
0100	14247700	1600	
0200	14248900	1200	
0300			
0400			
0500			
0600			
0700			
0800			
0900	14249200	300	
1000	14250600	1400	
1100	14252300	1700	
1200	14227100		1500
1300	14228600		1500
1400	14230100		1500
1500	14231800		1700
1600	14233300		1500
1700	14235100	1800	2700
1800	14236900	1800	
1900	14238500	1600	
2000	14240100	1600	
2100	14241700	1600	
2200	14243100	1400	
2300	14244400	1500	
2400	14246100	1500	
		17100	

* Indicate under REMARKS number of tanks being filled.

SCALING RECORD

	EFFECT		
	NO. 1	NO. 2	NO. 3
DATE LAST SCALED			
HOURS BROUGHT FORWARD			
HOURS THIS DATE			
HOURS TO DATE			
GALLONS BROUGHT FORWARD			
GALLONS THIS DATE			
GALLONS TO DATE			
CHECKED (Signature)			
APPROVED			

(Engineer Officer, U. S. N.)

0000-0800

I EVAP DIST TO FWD PEAK

SECURED 0150

SIGNED

McRoy Hall

0800-1600

Secured

SIGNED

REMARKS

1200-1600

1 Dist to # 3 STBD FEED

SWITCH TO # 3 STBD 1400

SIGNED

McRoy Hall

1600-2000

1 Dist to # 3 STBD

@ 1800 shifted dist. to Fwd peak tank

Added 807 chlorine per 1000 Gals Dis

~~@ 2145 Lost Air Ejector steam for~~
few minutes - Dis RAS

SIGNED

R. Shppard

2000-2400

1 Evap Dist. to Fwd - peak Tank

Added 807 chlorine per 1000 Gals

@ 2145 Lost Air Ejector steam for
few minutes - Dis. to Bilge
for 30 min.

SIGNED

R. Shppard

LOW PRESSURE DISTILLING PLANT OPERATING RECORD

UNDERWAY

U. S. S.

PLANT NO.

AT ANCHOR

TIME: ZONE DESCRIPTION

SET CLOCKS OR BACK

MINUTES AT

DATE _____

15

12-14-67

#-1

12-13-67

DISTILLED WATER RECORD

HOUR ENDING	METER READING	GALLONS	
		SHIPS TANKS*	FEED TANKS*
0000	14185000		
0100	14209700	1700	
0200	14211400	1700	
0300	14213300	1900	
0400	14215000	1700	
0500	14216800	1800	
0600	14218500	1700	
0700	14220200	1700	
0800	14221900	1700	
0900	14222500	1600	
1000	14224100	1600	
1100	14225600	1500	
1200	14186700	1700	
1300	14188500	1800	
1400	14190400	1900	
1500	14192100	1700	
1600	14194900	1900	
1700	14		
1800	14197600	3600	
1900	14199400	1800	
2000	14201100	1700	
2100	14202800	1700	
2200	14204500	1700	
2300	14206300	1800	
2400	14108000	1700	
		41600	

* Indicate under REMARKS number of tanks being filled.

SCALING RECORD

	EFFECT		
	NO. 1	NO. 2	NO. 3
DATE LAST SCALED			
HOURS BROUGHT FORWARD			
HOURS THIS DATE			
HOURS TO DATE			
GALLONS BROUGHT FORWARD			
GALLONS THIS DATE			
GALLONS TO DATE			
CHECKED (Signature)			
APPROVED			
(Engineer Officer, U. S. N.)			

REMARKS

0000-0400

I EVAP DIST TO # B STBD PRT-
ADDED 80Z CHLORINE PER 1000 GALS

SIGNED

McRoy Hill

0400-0800

1 Evap. Dist. to # 3 stbd
Added 80Z chlorine per 1000 gals
0800 shifted dist to # 1 stbd.

SIGNED

R. Sheppard

0800-1200

I EVAP DIST TO # E STBD FEED

SIGNED

McRoy Hill

1200-1600

I EVAP DIST TO # 3 PORT PRT
ADDED 80Z CHLORINE PER 1000 GALS

SIGNED

McRoy Hill

1600-2000

1 Evap. Dist. to # 3/stbd.
Added 80Z chlorine per 1000 gals.

SIGNED

R. Sheppard

2000-2400

#-1 Evap. Dist. to

#-3 Stbd...

Added 80Z chlorine

per 1000

SIGNED

J. F. Magallon

LOW PRESSURE DISTILLING PLANT OPERATING RECORD

UNDERWAY _____

U. S. S.

PLANT NO.

AT ANCHOR

TIME: ZONE DESCRIPTION

SET CLOCKS OR BACK

MINUTES AT

DATE 12-13

HOUR ENDING

	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
STEAM TO REG. VALVE, PRESSURE #G	9	8	7	10	10	9	9	9	8	8	8	8	9	8	8	8	8	8	8					10
STEAM FROM REG. VALVE, PRESSURE #G	3	2	2	4	4	4	4	4	4	4	4	2	2	2	4	4	4	3	3					3
STEAM TO 1ST EFFECT, PRESSURE, "HG OR #G	4	4	3	5	5	5	5	5	5	5	5	4	4	4	4	4	4	4	4					4
STEAM TO 1ST EFFECT, TEMPERATURE, °F	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230					230
1ST EFFECT COIL DRAIN, TEMPERATURE, °F	208	208	208	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210					208
1ST EFFECT SHELL PRESSURE, "HG	6	6	6	6"	6"	6"	6"	6"	6"	6"	6"	6	6	6	6	6	7"	7"	6"	6"				6"
2D EFFECT COIL DRAIN, TEMPERATURE, °F	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160					160
2D EFFECT SHELL PRESSURE, "HG	22	22	21	21"	21"	21"	21"	21"	21"	21"	21"	21	21	21	22	22	22	22	22					22
3D EFFECT COIL DRAIN, TEMPERATURE, °F	156	156	156	156	156	156	156	156	156	156	156	156	156	156	156	156	156	156	156					156
3D EFFECT SHELL PRESSURE, "HG	23	23	23	23"	23"	23"	23"	23"	23"	23"	23"	23	23	23	23	23	23	23	23					23
CONDENSATE TO COOLER, TEMPERATURE, °F	134	134	134	134	134	134	134	134	134	134	134	134	134	134	134	134	134	134	134					134
CONDENSATE FROM COOLER, TEMPERATURE, °F	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84					84
BRINE OVERBOARD, TEMPERATURE, °F	118	118	118	126	126	126	126	126	126	126	126	118	118	118	118	120	120	120	120					118
STEAM TO AIR EJECTOR, PRESSURE, #G	92	92	94	94	94	94	94	94	94	94	94	92	92	92	92	94	94	94	94					94
AIR EJECTOR DRAINS, TEMPERATURE, °F																								
CIRC. WATER INJECTION, TEMPERATURE, °F	60	60	60	61	61	61	61	61	61	61	62	61	61	61	61	60	59	60	60					60
CIRC. WATER TO CONDENSATE COOLER, TEMPERATURE, °F	60	60	60	61	61	61	61	61	61	61	62	61	61	61	61	60	59	60	60					60
CIRC. WATER TO DISTILLER CONDENSER, TEMPERATURE, °F																								
FEED TO AIR EJECTOR CONDENSER, TEMPERATURE, °F																								
FEED TO 2D EFFECT VAP. FD. HEATER, TEMPERATURE, °F																								126
FEED TO 1ST EFFECT VAP. FD. HEATER, TEMPERATURE, °F	138	138	138	138	138	140	140	140	140	140	140	134	138	138	138	132	132	138	138					138
FEED TO 1ST EFFECT, TEMPERATURE, °F	158	158	158	158	158	160	160	160	160	160	160	154	158	158	158	152	152	158	158					158
CIRC. WATER OVERBOARD, TEMPERATURE, °F	102	102	1																					

12-14-67

#-2

12-13-67

DISTILLED WATER RECORD

HOUR ENDING	METER READING	GALLONS	
		SHIPS TANKS*	FEED TANKS*
0000	00167000		
0100	00182800		1100
0200	00184000		1200
0300	00185200		1200
0400	00186300		1100
0500	00187500		1200
0600	00188600		1100
0700	00189800		1200
0800	00190800		1000
0900	00191700		900
1000	00193000		1300
1100	00194200		1200
1200	00168100	1100	
1300	00169300	1200	
1400	00170600		1300
1500	00171800		1200
1600	00172400	600	
1700		2900	
1800	00174800		2400
1900	00176000		1200
2000	00177100		1100
2100	00178300		1200
2200	00179400		1100
2300	00180600		1200
2400	00181700		1100
			24200

* Indicate under REMARKS number of tanks being filled.

SCALING RECORD

	EFFECT		
	NO. 1	NO. 2	NO. 3
DATE LAST SCALED			
HOURS BROUGHT FORWARD			
HOURS THIS DATE			
HOURS TO DATE			
GALLONS BROUGHT FORWARD			
GALLONS THIS DATE			
GALLONS TO DATE			
CHECKED (Signature)			
APPROVED			
(Engineer Officer, U. S. N.)			

NAVSHIPS 2676 (REV. 11-50) BACK

REMARKS

0000-0400

2-EVAP DIST TO #1 STBD FEED

SIGNED

McRoy Hill

0400-0800

2 Evap. Dist. to #1 STBD
 @ 0745 Air Ejector steam to
 Low - Dist to Bilge

SIGNED

R. Sheppard

0800-1200

2-EVAP DIST TO #1 STBD FEED

SIGNED

McRoy Hill

1200-1600

2-EVAP DIST TO #3 PORT PORT

SWITCH TO #1 STBD FEED 1400

BRIME LOST SUC- 1510-1530

SIGNED

McRoy Hill

1600-2000

2 Evap. Dist to #1 STBD-Feed

SIGNED

R. Sheppard

2000-2400

#-2 EVAP. DIST. TO

#-1 STBD FEED

SIGNED

E. A. Gallardo

Stocked in CDS

For disposal of this record see current Records Disposal Instructions for Vessels of the U. S. Navy.

LOW PRESSURE DISTILLING PLANT OPERATING RECORD

UNDERWAY

U.S.S.

PLANT NO

AT ANCHOR

TIME: ZONE DESCRIPTION

SET CLOCKS BACK

MINUTES AT

DATE 12-7-2

19 6/

	HOUR ENDING																								
	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	
STEAM TO REG. VALVE, PRESSURE #G	9	9	9	9	9	9	9	9	9	9	9													9	
STEAM FROM REG. VALVE, PRESSURE #G	1	1	1	2	2	2	2	2	2	2	2													1	
STEAM TO 1ST EFFECT, PRESSURE, "HG OR #G	3"	3"	3"	3"	3"	3"	3"	3"	3"	3"	3"													3"	
STEAM TO 1ST EFFECT, TEMPERATURE, °F	230	230	230	230	230	230	230	230	230	230	230													230	
1ST EFFECT COIL DRAIN, TEMPERATURE, °F	190	190	190	190	190	190	190	190	190	190	190													190	
1ST EFFECT SHELL PRESSURE, "HG	14	14	14	13"	13"	13"	13"	13	13	13	13													15	
2D EFFECT COIL DRAIN, TEMPERATURE, °F	160	160	160	168	168	168	168	168	168	168	168													158	
2D EFFECT SHELL PRESSURE, "HG	16	16	16	16"	16"	16"	16"	16	16	16	16													17	
3D EFFECT COIL DRAIN, TEMPERATURE, °F	148	148	148	150	150	150	150	152	152	152	152													148	
3D EFFECT SHELL PRESSURE, "HG	24	24	24	24"	24"	24"	24"	24	24	24	24													23	
CONDENSATE TO COOLER, TEMPERATURE, °F	120	120	120	122	122	122	122	122	122	122	122													112	
CONDENSATE FROM COOLER, TEMPERATURE, °F	84	84	84	84	84	84	84	84	84	84	85													84	
BRINE OVERBOARD, TEMPERATURE, °F	122	122	124	124	124	124	124	124	124	124	124													120	
STEAM TO AIR EJECTOR, PRESSURE, #G	88	88	88	90	90	90	90	90	90	90	90													90	
AIR EJECTOR DRAINS, TEMPERATURE, °F																									
CIRC. WATER INJECTION, TEMPERATURE, °F	64	64	64	64	64	64	64	61	61	61	61													63	
CIRC. WATER TO CONDENSATE COOLER, TEMPERATURE, °F	64	64	64	64	64	64	64	61	61	61	61													63	
CIRC. WATER TO DISTILLER CONDENSER, TEMPERATURE, °F																									
FEED TO AIR EJECTOR CONDENSER, TEMPERATURE, °F																									
FEED TO 2D EFFECT VAP. FD. HEATER, TEMPERATURE, °F																									
FEED TO 1ST EFFECT, TEMPERATURE, °F	166	166	166	170	170	170	170	170	170	170	170													166	
CIRC. WATER OVERBOARD, TEMPERATURE, °F	104	104	104	104	104	104	104	104	104	104	104													104	
CIRC. PUMP SUCTION PRESSURE, #G	0	0	0	0	0	0	0	0	0	0	0													0	
CIRC. PUMP DISCHARGE PRESSURE, #G	16	16	16	18	18	18	18	18	18	18	18													20	
BRINE PUMP SUCTION PRESSURE, #G	25	25	25	25"	25"	25"	25"	25	25	25	25													25	
BRINE PUMP DISCHARGE PRESSURE, #G	28	28	28	30	30	30	30	28	30	30	30													25	
FEED PUMP SUCTION PRESSURE, #G																									
FEED PUMP DISCHARGE PRESSURE, #G																									
1ST EFFECT DRAIN PUMP SUCTION PRESSURE, #G				0	0	0	0	0	0	0	0													0	
1ST EFFECT DRAIN PUMP DISCHARGE PRESSURE, #G	55	56	55	58	58	58	56	55	55	55	55													57	
F. W. PUMP DISCHARGE PRESSURE	10	10	10	10	10	10	10	10	10	10	10													10	
	1																								
FEED DENSITY, 32NDS																									
BRINE OVERBOARD DENSITY, 32NDS	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5													1.5	
chemical Test																									
AIR EJECTOR DRAINS, SALINITY—E. P. M.				40	40	50	40	40	40	40	40														
1ST EFFECT DRAINS, SALINITY—E. P. M.				52	1+7																				
CONDENSATE FROM COOLER, SALINITY—E. P. M.				0	0	0	0	0	0	0	0														

DISTILLED WATER RECORD			
HOUR ENDING	METER READING	GALLONS	
		SHIPS TANKS*	FEED TANKS*
0000			
0100			
0200			
0300			
0400	14172900		
0500	14174900	2000	
0600	14176000	1100	40 min
0700	14177800	1800	
0800	14179600	1800	
0900	14181400	1800	
1000	14183200	1800	
1100	14185000	1800	
1200		11,100	
1300			
1400			
1500			
1600			
1700			
1800			
1900			
2000			
2100			
2200			
2300			
2400			

* Indicate under REMARKS number of tanks being filled.

SCALING RECORD			
	EFFECT		
	NO. 1	NO. 2	NO. 3
DATE LAST SCALED			
HOURS BROUGHT FORWARD			
HOURS THIS DATE			
HOURS TO DATE			
GALLONS BROUGHT FORWARD			
GALLONS THIS DATE			
GALLONS TO DATE			
CHECKED (Signature)			
APPROVED			
(Engineer Officer, U. S. N.)			

REMARKS	
0000-0600	1200-1800
#1 EVAP DIST TO BILGE	
SIGNED <u>Mc Roy Hill</u>	SIGNED _____
0600-1200	1800-2400
Condu shifted dist. to #3	
Added 8 oz chlorine per 1000 gals	
SIGNED <u>R. Shippard</u>	SIGNED _____
0800-1200	2000-2400
#1 EVAP. Dist. to	Lit off #1 EVAP
#3 Stbd...	@ 21:00
Added 8 oz. chlorine	Dist. to Bilge
per 1000 gals Dist.	
SIGNED <u>E. J. Magallanes</u>	SIGNED <u>E. J. Magallanes</u>

LOW PRESSURE DISTILLING PLANT OPERATING RECORD

UNDERWAY

U. S. S.

PLANT NO.

AT ANCHOR

TIME: ZONE DESCRIPTION

SET CLOCKS BACK

MINUTES AT

DATE 12-12 19 67

	HOUR ENDING																							
	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
STEAM TO REG. VALVE, PRESSURE #G	8	9	9	8	8	8	8	8	8	8	8	7	8	8	7	8	8	8	8	8	8	8	8	8
STEAM FROM REG. VALVE, PRESSURE #G	2	3	3	3	3	3	3	3	3	3	3	2	3	3	2	2	2	2	2	2	2	2	2	2
STEAM TO 1ST EFFECT, PRESSURE, *HG OR #G	3	4	4	4	4	4	4	4	4	4	4	3	4	4	4	3	3	3	3	3	3	3	3	3
STEAM TO 1ST EFFECT, TEMPERATURE, °F	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	225	225	225	225	225
1ST EFFECT COIL DRAIN, TEMPERATURE, °F	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210	210
1ST EFFECT SHELL PRESSURE, *HG	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	7	7	7	6
2D EFFECT COIL DRAIN, TEMPERATURE, °F	162	164	164	164	164	164	164	164	162	162	162	160	166	166	166	166	168	168	168	168	158	158	158	160
2D EFFECT SHELL PRESSURE, *HG	21	21	21	21	21	21	21	21	21	21	21	21	22	22	21	21	21	21	21	20	20	20	20	21
3D EFFECT COIL DRAIN, TEMPERATURE, °F	148	148	148	148	148	148	148	148	148	148	148	148	152	152	152	152	152	152	152	154	146	146	146	148
3D EFFECT SHELL PRESSURE, *HG	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23
CONDENSATE TO COOLER, TEMPERATURE, °F	136	136	136	136	136	136	136	136	136	136	136	136	136	136	136	136	136	136	136	136	136	136	136	136
CONDENSATE FROM COOLER, TEMPERATURE, °F	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90
BRINE OVERBOARD, TEMPERATURE, °F	126	126	126	126	126	126	126	126	126	126	126	126	126	126	126	126	126	126	126	126	126	126	126	126
STEAM TO AIR EJECTOR, PRESSURE, #G	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92
AIR EJECTOR DRAINS, TEMPERATURE, °F																								
CIRC. WATER INJECTION, TEMPERATURE, °F	64	64	64	64	64	64	64	61	61	61	61	63	63	64	64	64	64	64	64	63	63	63	63	63
CIRC. WATER TO CONDENSATE COOLER, TEMPERATURE, °F	64	64	64	64	64	64	64	61	61	61	61	63	63	64	64	64	64	64	64	63	63	63	63	63
CIRC. WATER TO DISTILLER CONDENSER, TEMPERATURE, °F																								
FEED TO AIR EJECTOR CONDENSER, TEMPERATURE, °F																								
FEED TO 2D EFFECT VAP. FD. HEATER, TEMPERATURE, °F																								
FEED TO 1ST EFFECT VAP. FD. HEATER, TEMPERATURE, °F	138	138	138	136	136	140	140	140	138	135	135	138	140	140	140	140	140	140	142	140	138	138	138	136
FEED TO 1ST EFFECT, TEMPERATURE, °F	156	156	156	156	156	160	160	156	156	156	156	156	160	160	162	160	160	160	162	158	158	158	158	156
CIRC. WATER OVERBOARD, TEMPERATURE, °F	102	102	102	102	102	104	104	104	104	104	104	106	106	106	106	106	106	106	106	104	104	104	104	102
CIRC. PUMP SUCTION PRESSURE, #G	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
CIRC. PUMP DISCHARGE PRESSURE, #G	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
BRINE PUMP SUCTION PRESSURE, #G	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26	26
BRINE PUMP DISCHARGE PRESSURE, #G	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
FEED PUMP SUCTION PRESSURE, #G																								
FEED PUMP DISCHARGE PRESSURE, #G																								
1ST EFFECT DRAIN PUMP SUCTION PRESSURE, #G	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
1ST EFFECT DRAIN PUMP DISCHARGE PRESSURE, #G	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48
F. W. PUMP DISCHARGE PRESSURE	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
FEED DENSITY, 32NDS																								
BRINE OVERBOARD DENSITY, 32NDS	1.05	1.05	1.05	1.05	1.05	1.05	1.05	1.05	1.05	1.05	1.05	1.05	1.05	1.05	1.05	1.05	1.05	1.05	1.05	1.05				1.05
Chemical Test																								
AIR EJECTOR DRAINS, SALINITY—E. P. M.	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20				20
1ST EFFECT DRAINS, SALINITY—E. P. M.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				0
CONDENSATE FROM COOLER, SALINITY—E. P. M.																								

DISTILLED WATER RECORD			
HOUR ENDING	METER READING	GALLONS	
		SHIPS TANKS*	FEED TANKS*
	00140500		
0000			
0100	00156100	1200	
0200	00157300	1200	
0300	00158000	700	1200 in
0400	00159400	1400	
0500	00160500	1100	
0600	00161000	500	400 in
0700	00162200	1200	
0800	00163300	1100	
0900	00164400	1100	
1000	00165700		1300
1100	00167000		1300
1200	00141300	1000	
1300	00142700	1200	
1400	00143900	1200	
1500	00145100	1200	
1600	00146300	1200	
1700	00147500	1200	
1800	00148600	1100	
1900	00149700	1100	
2000	00150800	1200	
2100	00151900		1100
2200	00153100		1200
2300	00153800		700 400 in
2400	00154900	1100	5600
		19900	

* Indicate under REMARKS number of tanks being filled.

SCALING RECORD			
	EFFECT		
	NO. 1	NO. 2	NO. 3
DATE LAST SCALED			
HOURS BROUGHT FORWARD			
HOURS THIS DATE			
HOURS TO DATE			
GALLONS BROUGHT FORWARD			
GALLONS THIS DATE			
GALLONS TO DATE			
CHECKED (Signature)			
APPROVED			
(Engineer Officer, U. S. N.)			

NAVSHIPS 3676 (REV. 11-50) BACK

REMARKS	
0000-0400	1200-1600
# 2- EVAP DIST TO #3 PORT POT ADDED 80Z CHLORINE PER 1000 GALS	# 2- EVAP DIST TO #3 STBD POT ADDED 80Z CHLORINE PER 1000 GALS
SIGNED <u>McRoy Hill</u>	SIGNED <u>McRoy Hill</u>
0400-0800	1600-2000
# 2 Evap. Dist. to #3 Added 80Z chlorine per 1000 Gals	# 2 Evap. Dist. to #3 Added 80Z chlorine per 1000 Gals
SIGNED <u>R. Sheppard</u>	SIGNED <u>R. Sheppard</u>
0800-1200	2000-2400
#-2 EVAP. DIST TO #-3 STBD. @ 0900 Shifted Dist to #-1 STBD Feed	#-2 EVAP. DIST TO #-1 STBD Feed
SIGNED <u>E. J. Jagallan</u>	SIGNED <u>E. J. Jagallan</u>

Stocked in GDS

For disposal of this record see current Records Disposal Instructions for Vessels of the U. S. Navy.

12-12-67

#-II

12-10-67

DISTILLED WATER RECORD

HOUR ENDING	METER READING	GALLONS	
		SHIPS TANKS*	FEED TANKS*
0000	00111900		
0100	00128900	1100	
0200	00130600	1100	
0300	00131100	1100	
0400	00132200	1100	
0500	00133400	1200	
0600	00134600	1200	
0700	00135800	1200	
0800	00136900	1100	
0900	00138100	1200	
1000	00139400	1300	
1100	00140500	1100	
1200	00113000	1100	
1300	00114200	1300	
1400	00115600	1300	
1500	00116700	1100	
1600	00118000	1300	
1700	00119300	1300	
1800	00120500	1200	
1900	00121700	1200	
2000	00122800	1100	
2100	00124100		1300
2200	00125300		1200
2300	00126500		1200
2400	00127800	1100	3700
		23,700	

* Indicate under REMARKS number of tanks being filled.

SCALING RECORD

	EFFECT		
	NO. 1	NO. 2	NO. 3
DATE LAST SCALED			
HOURS BROUGHT FORWARD			
HOURS THIS DATE			
HOURS TO DATE			
GALLONS BROUGHT FORWARD			
GALLONS THIS DATE			
GALLONS TO DATE			

CHECKED (Signature)

APPROVED

(Engineer Officer, U. S. N.)

NAVSHIPS 3676 (REV. 11-50) BACK

REMARKS

0000-0400

2-EVAP DIST TO # 3 STBD PORT
ADDED 8 OZ CHLORINE PER 1000 GALS

SIGNED

McRoy Hill

0400-0800

2 Evap. Dist. To # 3 STBD.

Added 8 oz chlorine per 1000 gals. Dist.

SIGNED

R. Sheppard

0800-1200

2 Evap. Dist. To
3 STBD.

(Added 8 oz. chlorine
per 1000 gals)

SIGNED

G. J. Jaganian

Stocked in CDS

1200-1600

2-EVAP DIST TO # 3 PORT PORT
ADDED 8 OZ CHLORINE PER 1000 GALS

SIGNED

McRoy Hill

1600-2000

2 Evap. Dist. To # 3 STBD.

Added 8 oz chlorine per 1000 gals. Dist.

SIGNED

R. Sheppard

2000-2400

2 Evap. Dist. To
1 STBD FEED

SIGNED

G. J. Jaganian

For disposal of this record see current Records Disposal Instructions for Vessels
of the U. S. Navy.

10-11-67

2

12-10-67

DISTILLED WATER RECORD

HOUR ENDING	METER READING	GALLONS	
		SHIPS TANKS*	FEED TANKS*
	00082400		
0000			
0100	00100100	1300	
0200	00101400	1300	
0300	00102200	800	
0400	00103500	1300	
0500	00104800	1300	
0600	00105700	900	40 Min
0700	00107000	1300	
0800	00108100	1100	
0900	00109400	1300	
1000	00110700	1300	
1100	00111900	1200	
1200	00083700	1300	
1300	00085000	1300	
1400	00086400	1400	
1500	00087700	1300	
1600	00089000	1300	
1700	00090300	1300	
1800	00091700	1400	
1900	00093000	1300	
2000	00094100	1100	
2100	00095400	1300	
2200	00096700	1300	
2300	00097500	800	40 MIN
2400	00098800	1300	
		29100	

* Indicate under REMARKS number of tanks being filled.

SCALING RECORD

	EFFECT		
	NO. 1	NO. 2	NO. 3
DATE LAST SCALED			
HOURS BROUGHT FORWARD			
HOURS THIS DATE			
HOURS TO DATE			
GALLONS BROUGHT FORWARD			
GALLONS THIS DATE			
GALLONS TO DATE			
CHECKED (Signature)			
APPROVED			
(Engineer Officer, U. S. N.)			

REMARKS

0000-0400
2-EVAP DIST TO # 3 PORT
ADDED 8 OZ CHLORINE PER 1000 GALS
SIGNED McRoy Hill

1200-1600
2-EVAP DIST TO # 3 STBD PORT
SWITCH TO FWD PEAK 1310
SIGNED McRoy Hill

0400-0800
2 EVAP. DIST. TO # 3 STBD
ADDED 8 OZ chlorine per 1000 GALS
SIGNED R. Shippard

1600-2000
1 EVAP. DIST. TO # 3 STBD
ADDED 6 OZ chlorine per 1000 GALS
DIST.
SIGNED R. Shippard

0800-1200
2 EVAP. DIST. TO
3 STBD.
ADDED 8 OZ chlorine
PER 1000 GALS
SIGNED E. J. Yagellauer

2000-2400
2 EVAP. DIST. TO
3 PORT
ADDED 8 OZ chlorine
PER 1000 GALS.
SIGNED E. J. Yagellauer

LOW PRESSURE DISTILLING PLANT OPERATING RECORD

UNDERWAY _____

U.S.S.

PLANT NO

AT ANCHOR

TIME: ZONE DESCRIPTION

SET CLOCKS BACK

MINUTES AT

DATE 1-27-77 19 67

	HOUR ENDING																							
	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
STEAM TO REG. VALVE, PRESSURE #G	9	9	9	9	9	9	9					9	9	9	9	9	9	9	9	9	9	9	9	9
STEAM FROM REG. VALVE, PRESSURE #G	3	3	3	4	4	4	4					4	4	4	4	5	5	5	5	5	5	5	5	3
STEAM TO 1ST EFFECT, PRESSURE, *HG OR #G	2	2	2	3	3	3	3					3	3	3	3	3	3	3	3	3	3	3	3	3
STEAM TO 1ST EFFECT, TEMPERATURE, °F	220	220	220	230	230	230	230					220	225	230	230	230	230	230	230	230	230	230	230	220
1ST EFFECT COIL DRAIN, TEMPERATURE, °F	205	205	205	205	206	206	208					205	205	205	205	205	205	207	207	205	205	205	205	205
1ST EFFECT SHELL PRESSURE, *HG	15	15	15	15"	15"	15"	15"					15	15	16	15	15"	15"	15"	15"	15	15	15	15	15
2D EFFECT COIL DRAIN, TEMPERATURE, °F	160	160	160	166	166	166	166					158	158	160	160	164	164	164	164	166	166	166	166	160
2D EFFECT SHELL PRESSURE, *HG	16	16	16	17"	17"	17"	17"					16	16	17	16	17"	17"	17"	17	16	16	16	16	16
3D EFFECT COIL DRAIN, TEMPERATURE, °F	150	150	154	154	154	134	134					150	150	150	150	152	154	154	154	155	156	156	156	154
3D EFFECT SHELL PRESSURE, *HG	23	23	23	23"	23"	23"	23"					23	23	23	23	23"	23"	23"	23"	23	23	23	23	23
CONDENSATE TO COOLER, TEMPERATURE, °F	134	134	134	134	134	134	134					136	130	130	130	132	132	132	132	135	135	135	135	136
CONDENSATE FROM COOLER, TEMPERATURE, °F	88	87	87	92	92	92	92					87	87	87	87	88	88	90	90	92	92	92	92	90
BRINE OVERBOARD, TEMPERATURE, °F	128	128	128	128	128	128	128					128	128	128	128	124	124	126	126	130	130	130	130	128
STEAM TO AIR EJECTOR, PRESSURE, #G	96	96	96	96	96	96	96					96	96	96	96	96	96	96	96	96	96	96	96	96
AIR EJECTOR DRAINS, TEMPERATURE, °F																								
CIRC. WATER INJECTION, TEMPERATURE, °F	66	66	65	65	66	66	66					67	67	67	67	66	66	66	66	66	66	66	66	66
CIRC. WATER TO CONDENSATE COOLER, TEMPERATURE, °F	66	66	65	65	66	66	66					67	67	67	67	66	66	66	66	66	66	66	66	66
CIRC. WATER TO DISTILLER CONDENSER, TEMPERATURE, °F																								
FEED TO AIR EJECTOR CONDENSER, TEMPERATURE, °F																								
FEED TO 2D EFFECT VAP. FD. HEATER, TEMPERATURE, °F																								
FEED TO 1ST EFFECT VAP. FD. HEATER, TEMPERATURE, °F												3												
FEED TO 1ST EFFECT, TEMPERATURE, °F	146	146	146	146	146	146	146					144	144	142	142	144	144	144	144	146	146	146	146	146
CIRC. WATER OVERBOARD, TEMPERATURE, °F	100	100	100	102	102	102	104					100	100	100	100	102	102	102	102	102	102	102	104	104
CIRC. PUMP SUCTION PRESSURE, #G	5	5	5	5	5	5	5					5	5	5	5	5	5	5	5	5	5	5	5	5
CIRC. PUMP DISCHARGE PRESSURE, #G	20	20	20	20	20	20	20					20	20	20	20	20	20	20	20	20	20	20	20	20
BRINE PUMP SUCTION PRESSURE, #G	25	25	25	25"	25"	25"	25"					25	25	25	25	25"	25"	25"	25"	25"	25	25	25	25
BRINE PUMP DISCHARGE PRESSURE, #G	30	30	30	30	30	30	30					30	30	30	30	28	28	28	28	28	30	30	30	30
FEED PUMP SUCTION PRESSURE, #G																								
FEED PUMP DISCHARGE PRESSURE, #G																								
1ST EFFECT DRAIN PUMP SUCTION PRESSURE, #G	3	3	3	3	3	3	3					3	3	3	3	2	2	3	3	3	3	3	3	3
1ST EFFECT DRAIN PUMP DISCHARGE PRESSURE, #G	62	62	60	60	60	60	60					62	63	50	50	40	40	40	40	58	58	58	58	58
F. W. PUMP DISCHARGE PRESSURE	10	10	10	10	10	10	10					10	10	10	10	10	10	10	10	10	10	10	10	10
FEED DENSITY, 32NDS																								
BRINE OVERBOARD DENSITY, 32NDS	1.5	1.5	1.5	1.5	1.5	1.5	1.5					1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
AIR EJECTOR DRAINS, SALINITY—E. P. M.	20	20	20	20	20	20	20					20	20	20	20	20	20	20	20	20	20	20	20	20
1ST EFFECT DRAINS, SALINITY—E. P. M.	0	0	0	0	0	0	0					0	0	0	0	0	0	0	0	0	0	0	0	0
CONDENSATE FROM COOLER, SALINITY—E. P. M.																								

#-1

DISTILLED WATER RECORD			
HOUR ENDING	METER READING	GALLONS	
		SHIPS TANKS*	FEED TANKS*
	14155900		
0000			
0100	14166500		800
0200	14167200		700
0300	14168000		800
0400	14168700	700	"
0500	14169500	800	
0600	14170200	700	
0700	14171000	800	
0800	14171700	700	
0900		3,700	
1000			
1100			
1200	14156700		800
1300	14157500		800
1400	14158300		800
1500	14159000		700
1600	14159700		700
1700	14160500		800
1800	14161200		800
1900	14162000		700
2000	14162700		700
2100	14163700		700
2200	14164200		800
2300	14165000		800
2400	14165800		700
			12,100

* Indicate under REMARKS number of tanks being filled.

SCALING RECORD			
	EFFECT		
	NO. 1	NO. 2	NO. 3
DATE LAST SCALED			
HOURS BROUGHT FORWARD			
HOURS THIS DATE			
HOURS TO DATE			
GALLONS BROUGHT FORWARD			
GALLONS THIS DATE			
GALLONS TO DATE			
CHECKED (Signature)			
APPROVED			
(Engineer Officer, U. S. N.)			

0000-0400
1 EVAP DIST TO # 1 STBD FEED
SIGNED <u>McRoy Hill</u>

0400-0800
1 Evap. Dist. To # 3 port Added 60z chlorine per 1000 Gals. dist.
SIGNED <u>R. Sheppard</u>

0800-1200
1 EVAP. SECURED @ 08:15
SIGNED <u>E. J. Yagallanes</u>

1200-1600
1 EVAP DIST TO # 1 STBD FEED SWITCH TO # 3 PORT 0300 ALL FEED TANKS FULL
SIGNED <u>McRoy Hill</u>

1600-2000
1 Evap. Dist. to # 1 stbd.
SIGNED <u>R. Sheppard</u>

2000-2400
1 EVAP. DIST. TO # 1 STBD FEED.
SIGNED <u>E. J. Yagallanes</u>

LOW PRESSURE DISTILLING PLANT OPERATING RECORD

UNDERWAY

U. S. S.

PLANT NO.

AT ANCHOR

TIME: ZONE DESCRIPTION

SET CLOCKS AHEAD OR BACK

MINUTES AT

DATE 12-9

19 67

	HOUR ENDING																X							
	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
STEAM TO REG. VALVE, PRESSURE, #G	9	8	10	10	10	10	10	10	9	9	9						11	10	10	9	9	9	9	9
STEAM FROM REG. VALVE, PRESSURE, #G	2	2	2	2	2	3	3	2	2	2	2						3	2	2	2	2	2	2	2
STEAM TO 1ST EFFECT, PRESSURE, #HG OR #G	4	3	4	4	4	5	5	3	3	3	3						4	4	4	3	3	3	3	4
STEAM TO 1ST EFFECT, TEMPERATURE, °F	230	230	230	230	230	230	230	230	225	225	225						230	230	230	230	230	230	230	230
1ST EFFECT COIL DRAIN, TEMPERATURE, °F	208	208	210	210	210	210	210	210	206	206	206						210	210	210	206	206	206	206	208
1ST EFFECT SHELL PRESSURE, #HG	6	6	6	6"	6"	6"	6"	6	6	6	6						9"	6"	6"	6	6	6	6	6
2D EFFECT COIL DRAIN, TEMPERATURE, °F	164	164	166	168	168	170	170	164	164	164	164						156	168	168	165	164	164	164	164
2D EFFECT SHELL PRESSURE, #HG	21	21	26	21"	22"	21"	21"	21	21	21	21						22"	22"	22"	22	22	22	22	21
3D EFFECT COIL DRAIN, TEMPERATURE, °F	148	148	150	150	152	154	154	146	146	146	146						140	152	152	150	150	150	150	148
3D EFFECT SHELL PRESSURE, #HG	26	26	24	24"	23"	23"	23"	23	23	23	23						23"	23"	23"	23	23	23	23	25
CONDENSATE TO COOLER, TEMPERATURE, °F	132	132	134	134	134	134	134	132	132	132	132						130	134	134	134	134	134	134	132
CONDENSATE FROM COOLER, TEMPERATURE, °F	88	88	90	90	90	90	92	88	88	88	88						88	92	92	90	90	90	90	88
BRINE OVERBOARD, TEMPERATURE, °F	128	128	130	130	130	130	128	130	128	128	128						124	128	128	130	130	130	130	128
STEAM TO AIR EJECTOR, PRESSURE, #G	92	92	92	92	92	92	92	92	92	92	92						96	96	96	96	96	96	96	92
AIR EJECTOR DRAINS, TEMPERATURE, °F																								
CIRC. WATER INJECTION, TEMPERATURE, °F	66	66	65	65	66	66	66	66	66	66	66						65	65	65	66	66	66	66	66
CIRC. WATER TO CONDENSATE COOLER, TEMPERATURE, °F	66	66	65	65	66	66	66	66	66	66	66						65	65	65	66	66	66	66	66
CIRC. WATER TO DISTILLER CONDENSER, TEMPERATURE, °F																								
FEED TO AIR EJECTOR CONDENSER, TEMPERATURE, °F																								
FEED TO 2D EFFECT VAP. FD. HEATER, TEMPERATURE, °F																								
FEED TO 1ST EFFECT VAP. FD. HEATER, TEMPERATURE, °F	140	140	140	142	144	144	144	142	140	140	140						134	140	144	142	142	142	142	140
FEED TO 1ST EFFECT, TEMPERATURE, °F	158	158	158	160	162	162	162	158	158	158	158						150	160	164	158	158	158	158	158
CIRC. WATER OVERBOARD, TEMPERATURE, °F	100	100	100	102	104	1																		

II

DISTILLED WATER RECORD				REMARKS			
HOUR ENDING	METER READING	GALLONS		0000-0400	1200-1600		
		SHIPS TANKS*	FEED TANKS*				
0000				# 2 EVAP DIST TO # 3 STBD PORT ADDED 6 OZ CHLORINE PER 1000 GALS	# 2- EVAP DIST TO # 3 STBD PORT- ADDED 6 OZ CHLORINE PER 1000 GALS		
0100	0006900	1400					
0200	00070300	1300					
0300	00071700	1400					
0400	00073100	1400					
0500	00074400	1300					
0600	00075700	1300					
0700	00077100	1400					
0800	00078400	1300					
0900	00079700	1300					
1000	00081000	1300					
1100	00082400	1400					
1200				SIGNED <u>McRay Hill</u>	SIGNED <u>McRay Hill</u>		
1300				# 2 Evap. Dist. to # 2 Port Added 6 oz chlorine per 1000 gals Dist.	C 1640 hit off # 2 Evap. C 1710 # 2 Evap. Dist. to # 3 port Added 6 oz chlorine per 1000 gals Dist.		
1400							
1500							
1600							
1700	00058400						
1800	00059700	1100					
1900	00061000	1300					
2000	00062300	1300					
2100	00063600	1300					
2200	00065000	1400					
2300	00066300	1300					
2400	00067600	1300					
		23900		SIGNED <u>R. Shppard</u>	SIGNED <u>R. Shppard</u>		
* Indicate under REMARKS number of tanks being filled.							
SCALING RECORD							
	EFFECT			0800-1200	2000-2400		
	NO. 1	NO. 2	NO. 3				
DATE LAST SCALED				#- 2 EVAP. DIST. TO #- 3 PORT Added 8 oz chlorine per 1000 gals Dist.	#- 2 EVAP. DIST. TO #- 3 STBD PORT Added 6 oz. chlorine per 1000 gals-		
HOURS BROUGHT FORWARD							
HOURS THIS DATE							
HOURS TO DATE							
GALLONS BROUGHT FORWARD							
GALLONS THIS DATE							
GALLONS TO DATE							
CHECKED (Signature)							
APPROVED							
(Engineer Officer, U. S. N.)						SIGNED <u>E. J. Yagallanes</u>	SIGNED <u>E. J. Yagallanes</u>

DISTILLED WATER RECORD			
HOUR ENDING	METER READING	GALLONS	
		SHIPS TANKS*	FEED TANKS*
0000	14098700		
0100	14109800	800	
0200	14110700	1000	
0300	14111600	900	
0400	14112400	800	
0500	14113300	900	
0600	14114100	800	
0700	14115000	900	
0800	14115700	700	700
0900	14116400	6,800	800
1000	14117200		900
1100	14118100		900
1200	14099600		900
1300	14100400		800
1400	14101300		900
1500	14102100		800
1600	14103000		900
1700	14103800		800
1800	14104500		700
1900	14105300		800
2000	14106000		700
2100	14106700		700
2200	14107400		700
2300	14108100		700
2400	14108900		800
			13,500

* Indicate under REMARKS number of tanks being filled.

SCALING RECORD			
	EFFECT		
	NO. 1	NO. 2	NO. 3
DATE LAST SCALED			
HOURS BROUGHT FORWARD			
HOURS THIS DATE			
HOURS TO DATE			
GALLONS BROUGHT FORWARD			
GALLONS THIS DATE			
GALLONS TO DATE			
CHECKED (Signature)			
APPROVED			
(Engineer Officer, U. S. N.)			

REMARKS	
0000-0400	1200-1600
# I EVAP DIST TO #3 PORT PAT- ADDED 802 CHLORINE PER 1000 GAL SIGNED <u>McRay Hill</u>	# I EVAP DIST TO # I STBD FEED SIGNED <u>McRay Hill</u>
0400-0800 #1 Evap. Dist. to #3 Port Added 802 chlorine per 1000 gals. Dist. SIGNED <u>R. Shippard</u>	1600-2000 #1 Evap. Dist. to #1 STBD. + #2 port Feed SIGNED <u>R. Shippard</u>
0800-1200 #-1 EVAP. DIST. TO #-1 STBD FEED SIGNED <u>E. J. Magallanes</u> Stocked in CDS	2000-2400 #-1 EVAP. DIST. TO #-1 STBD FEED @ 23:00 SIFTED DIST. TO #-3 STBD... SIGNED <u>E. J. Magallanes</u>

DISTILLED WATER RECORD			
HOUR ENDING	METER READING	GALLONS	
		SHIPS TANKS*	FEED TANKS*
0000	09093100		
0100	09109400	1200	
0200	09110700	1300	
0300	09111800	1100	
0400	09113100	1300	
0500	09114300	1200	
0600	09115600	1300	
0700	09116800	1200	
0800	09118900	1100	
0900			
1000			OUT
1100			
1200	09093600	500	Reading 1135
1300	09094300	700	
1400	09095600	1300	
1500	09097000	1400	
1600	09098100	1100	
1700	09099400	1300	
1800	09100700	1300	
1900	09102000	1300	
2000	09103200	1200	
2100	09104500	1300	
2200	09105800	1300	
2300	09107100	1300	
2400	09108200	1100	
		27800	

* Indicate under REMARKS number of tanks being filled.

SCALING RECORD			
	EFFECT		
	NO. 1	NO. 2	NO. 3
DATE LAST SCALED			
HOURS BROUGHT FORWARD			
HOURS THIS DATE			
HOURS TO DATE			
GALLONS BROUGHT FORWARD			
GALLONS THIS DATE			
GALLONS TO DATE			
CHECKED (Signature)			
APPROVED			
(Engineer Officer, U. S. N.)			

REMARKS	
0000-0800	1200-1800
# 2-EVAP DIST TO #3 PORT POT- ADDED 8 OZ CHLORINE PER 1000 GALS	# 2-EVAP DIST TO # 3 SEBO POT- ADDED 8 OZ CHLORINE PER 1000 GALS
SIGNED <u>McRoy Hill</u>	SIGNED <u>McRoy Hill</u>
0800-0800	1800-2000
# 2 Evap. Dist. to # 3 Port. Added 8 oz chlorine per 1000 gals. dist.	# 2 Evap. Dist. to # 3 SEBO. Added 8 oz chlorine per 1000 gals dist.
SIGNED <u>R. Sheppard</u>	SIGNED <u>R. Sheppard</u>
0800-1200	2000-2400
#- 2 EVAP. DIST. TO #- 3 SEBO... (Added 8 oz. chlorine per 1000 gals Dist.)	#- 2 Evap. Dist. to #- 3 SEBO... (Added 8 oz chlorine per 1000 gals Dist.)
SIGNED <u>J. J. Magallanes</u>	SIGNED <u>J. J. Magallanes</u>