

THU. 2-1-68

[illegible]

Fri. 2/2/68

2-1-68 - THUR.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
29. L.O. PRES #3	10	10	10	10	10	10	10	9.6	9.8	9.8	9.5	10	10	10	10	9	9	9	9	9	9	9	9	9
28. L.O. PRES #4	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.5	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8
31. L.O. TO COOLER #3	128	128	128	128	128	128	128	130	132	132	132	130	130	130	130	130	132	132	136	136	132	128	128	128
34. L.O. TO COOLER #4	130	130	130	130	130	130	130	128	130	132	134	130	130	130	130	128	130	132	132	132	132	132	132	132
33. L.O. FROM COOLER #3	108	106	106	106	106	108	108	110	108	108	108	108	108	108	108	106	110	110	112	112	110	106	106	106
32. L.O. FROM COOLER #4	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	107	107	109	109	109	109	109	109	109
35. L.O. GOV PRES #3	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74
34. L.O. GOV PRES #4	50	50	50	50	50	52	52	51	52	52	52	50	50	50	50	52	52	52	52	52	52	52	52	52
37. AMPS POS #3	850	850	850	850	850	860	1000	950	900	1050	1000	900	900	900	850	850	850	900	900	900	900	900	900	900
36. AMPS POS #4	750	800	750	850	850	1000	1000	950	950	950	950	800	800	800	950	900	900	850	850	850	850	850	850	850
39. AMPS NEG #3	850	850	850	850	850	850	950	950	900	1050	1000	900	900	900	850	850	850	850	850	850	850	850	850	850
38. AMPS NEG #4	750	800	750	850	850	1000	1000	950	950	950	950	800	800	800	950	900	850	850	850	850	850	850	850	850
41. HP HIGH SPEED PIN. AFT																								
42. HP INTER SPEED PIN FWD																								
43. HP INTER SPEED PIN AFT																								
44. L.P. THRUST BEARING																								
45. H.P. THRUST BEARING																								
46. LP HIGH SPEED PIN. FWD																								
47. LP HIGH SPEED PIN. AFT																								
48. LP INTER SPEED PIN FWD																								
49. LP INTER SPEED PIN. AFT																								
50. MAIN GEAR RCTOR FWD																								
51. MAIN GEAR RCTOR AFT																								
52. LP BLEAD																								
VOLTS #3	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240
VOLTS #4	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240
Aux. OVBD. DISC TEMP	57	57	57	57	57	57	57	57	57	57	57	58	58	58	58	58	58	58	58	56	56	56	56	57

FRIDAY 2-2-68

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
29. L.O. PRES #3	9.8	9.8	9.8	9.8	1.0	1.0	1.0	9.5	9.5	9.5	9.7	9.5	9.2	9.8	9.6	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.8
28. L.O. PRES #4	9.8	10	9.8	10	9.8	9.8	9.5	9.5	9.5	9.6	9.7	10	9.8	9.8	9.8	9.5	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8
31. L.O. TO COOLER #3	130	130	130	130	132	132	132	134	134	132	133	134	134	134	134	134	132	132	132	132	130	130	130	130
30. L.O. TO COOLER #4	132	132	132	132	132	132	132	134	134	135	134	132	132	132	132	132	132	132	132	132	132	132	132	132
33. L.O. FROM COOLER #3	108	108	108	108	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	108	108	108	108	108
32. L.O. FROM COOLER #4	110	110	110	110	110	110	110	112	112	112	112	110	110	110	110	110	110	110	110	110	110	110	110	110
35. L.O. GOV PRES #3	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74
34. L.O. GOV PRES #4	51	50	50	50	50	50	48	48	48	49	50	52	52	52	52	52	51	51	51	51	51	51	51	51
37. AMPS POS #3	1000	850	850	850	850	850	850	900	900	900	850	1050	1050	1000	1000	900	900	1000	950	950	1000	1000	1000	1000
36. AMPS POS #4	750	750	750	750	750	850	850	850	850	850	850	900	850	850	850	800	750	750	750	750	750	750	750	750
39. AMPS NEG #3	1000	850	850	850	850	850	850	900	900	900	850	1000	1000	1000	1000	900	900	1000	950	950	1000	1000	1000	1000
38. AMPS NEG #4	750	750	750	750	750	850	850	800	850	850	850	900	850	850	850	800	750	750	750	750	750	750	750	750
41. HP HIGH SPEED PIN. AFT																								
42. HP INTER SPEED PIN FWD																								
43. HP INTER SPEED PIN AFT																								
44. L.P. THRUST BEARING																								
45. H.P. THRUST BEARING																								
46. LP HIGH SPEED PIN. FWD																								
47. LP HIGH SPEED PIN. AFT																								
48. LP INTER SPEED PIN FWD																								
49. LP INTER SPEED PIN. AFT																								
50. MAIN GEAR RCTOR FWD																								
51. MAIN GEAR RCTOR AFT																								
52. LP BLEND																								
VOLTS #3	240	240	240	240	240	240		240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240
#4	240	240	240	240	240	240		240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240
OVER BOARD DIS. TEMP	58	58	58	58	58	58		58	58	58	58	56	56	56	57	57	58	58	58	58	58	58	58	58

2-3-68

[illegible]

SATURDAY 2-3-68

[illegible]

SUN. 2-4-68

[illegible]

TUE - 2-6-68

Mon. 2-5-68

[illegible]

WED. 2-7-68

[illegible]

WED. 2-7-68

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
29. L.O. PRES # 3	10	10	10	10	10	10	10	9.5	9.5	9.5	9.5	9.8	9.8	9.5	9.8	9.8	9.8	9.8	9.5	9.5	9.5	9.5	9.5	9.5
28. L.O. PRES # 4	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	10	10	10	10
31. L.O. TO COOLER # 3	130	130	132	132	132	132	132	132	133	133	133	132	133	133	133	132	132	132	132	132	132	132	132	132
30. L.O. TO COOLER # 4	130	130	130	130	130	130	130	132	131	130	130	132	133	133	131	132	132	132	132	132	130	130	130	128
33. L.O. FROM COOLER # 3	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110
32. L.O. FROM COOLER # 4	108	108	108	108	108	108	108	110	110	110	110	110	110	110	108	110	110	110	110	110	108	108	108	108
35. L.O. GOV PRES # 3	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74
34. L.O. GOV PRES # 4	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51
37. AMPS POS # 3	850	850	850	850	850	850	850	800	800	800	850	900	850	850	850	850	850	850	850	900	850	850	850	850
36. AMPS POS # 4	750	750	750	750	750	850	850	900	900	850	950	900	950	950	900	850	850	850	850	900	900	900	750	750
39. AMPS NEG # 3	850	850	850	850	850	850	850	800	900	800	850	900	850	850	850	850	850	850	850	850	850	850	850	850
38. AMPS NEG # 4	750	750	750	750	750	850	850	900	900	850	950	900	950	950	900	850	850	850	850	850	850	850	750	750
41. HP HIGH SPEED PIN. AFT																								
42. HP INTER SPEED PIN FWD																								
43. HP INTER SPEED PIN AFT																								
44. L.P. THRUST BEARING																								
45. H.P. THRUST BEARING																								
46. LP HIGH SPEED PIN. FWD																								
47. LP HIGH SPEED PIN. AFT																								
48. LP INTER SPEED PIN FWD																								
49. LP INTER SPEED PIN. AFT																								
50. MAIN GEAR ROTOR FWD																								
51. MAIN GEAR ROTOR AFT																								
52. LP BLEAD																								
VOLTS # 3	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240
VOLTS # 4	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240
OVERBOARD DISCH. TEMP.	58	58	58	58	58	58	58	58	58	58	58	59	59	59	59	59	60	60	60	60	58	58	58	58

THURSDAY 2-8-68

[illegible]

SATURDAY-17-68

[illegible]

MONDAY-1-8-68

SUNDAY-1-7-68

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	
29. L.O. PRES #1	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	
28. L.O. PRES #2	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	
31. L.O. TO COOLER #1	140	135	140	135	132	130	130	132	134	134	132	132	132	132	136	130	130	131	130	130	130	131	130	130	
30. L.O. TO COOLER #2	133	130	130	128	132	130	132	130	133	133	133	130	130	130	131	133	133	133	133	133	132	132	133	130	
33. L.O. FROM COOLER #1	120	116	120	118	110	108	106	108	112	116	116	109	110	112	111	112	109	108	110	110	110	110	110	114	
32. L.O. FROM COOLER #2	108	106	108	106	108	106	108	109	112	112	112	108	108	108	109	111	110	110	110	110	110	110	110	108	
35. L.O. GOV PRES #1	73	74	73	73	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	
34. L.O. GOV PRES #2	47	48	47	47	47	47	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	
37. AMPS POS # 3	600	650	630	650	750	800	850	150	800	750	750	700	140	750	150	700	750	750	750	750	750	725	750	700	650
36. AMPS POS # 4	650	700	680	700	750	840	880	800	900	900	900	750	180	740	800	725	700	725	700	650	700	750	675	700	
39. AMPS NEG # 3	600	630	600	650	730	780	850	100	750	750	750	740	150	740	190	700	750	700	750	750	700	725	700	630	
38. AMPS NEG # 4	610	650	650	650	700	800	830	800	900	900	900	730	100	740	750	700	700	675	650	650	650	725	650	650	
41. HP HIGH SPEED PIN. AFT																									
42. HP INTER SPEED PIN FWD																									
43. HP INTER SPEED PIN AFT																									
44. L.P. THRUST BEARING																									
45. H.P. THRUST BEARING																									
46. LP HIGH SPEED PIN. FWD																									
47. LP HIGH SPEED PIN. AFT																									
48. LP INTER SPEED PIN FWD																									
49. LP INTER SPEED PIN. AFT																									
50. MAIN GEAR ROTOR FWD																									
51. MAIN GEAR ROTOR AFT																									
52. LP BLEND																									
VOLTS	240	238	240	240	238	238	238	240	240	240	240	240	240	240	240	240	238	238	238	238	238	238	238	238	
VOLTS	240	238	240	240	238	238	238	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	238	
AUX-OVERDISCH	58	60	58	58	58	58	58	58	58	58	58	58	58	58	58	56	58	57	57	57	57	57	57	57	

Tuesday 1/9/68

MONDAY 1/8/68

[illegible]

Tuesday 1/9/68

Monday 1/8/68

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
-29. L.O. PRES #1 3	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
-28. L.O. PRES #1 4	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	10
-31. L.O. TO COOLER #1 3	130	132	134	138	134	130	132	132	132	128	129	132	134	136	136	131	132	132	132	134	132	132	131	130
-30. L.O. TO COOLER #1 4	128	130	132	132	132	134	132	133	133	133	133	132	131	131	131	133	133	132	132	131	132	132	132	131
-33. L.O. FROM COOLER #1 3	108	110	112	116	112	106	110	112	112	108	110	112	114	118	120	110	110	110	110	114	110	110	110	108
-32. L.O. FROM COOLER #1 4	108	108	108	106	108	110	110	111	111	111	111	108	108	108	108	110	110	108	108	108	109	109	110	110
-35. L.O. GOV PRES #1 3	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	73	74	74	74	74
-34. L.O. GOV PRES #1 4	48	48	47	48	48	48	47	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48	48
-37. AMPS POS #1 3	800	750	780	750	750	750	850	950	850	950	850	750	750	850	950	850	850	850	850	875	825	850	900	800
-36. AMPS POS #1 4	750	750	780	750	750	800	850	850	750	750	750	950	850	750	700	800	750	750	750	800	700	750	700	750
-39. AMPS NEG #1 3	750	730	780	730	750	750	850	950	850	900	850	750	750	850	950	825	850	850	850	850	800	850	900	800
-38. AMPS NEG #1 4	710	700	740	700	730	780	850	800	700	700	700	950	850	700	700	750	750	700	750	750	650	725	650	730
41. HP HIGH SPEED PIN. AFT																								
42. HP INTER SPEED PIN FWD																								
43. HP INTER SPEED PIN AFT																								
44. L.P. THRUST BEARING																								
45. H.P. THRUST BEARING																								
46. LP HIGH SPEED PIN. FWD																								
47. LP HIGH SPEED PIN. AFT																								
48. LP INTER SPEED PIN FWD																								
49. LP INTER SPEED PIN. AFT																								
50. MAIN GEAR ROTOR FWD																								
51. MAIN GEAR ROTOR AFT																								
52. LP BLEAD																								
Volts #3	240	240	240	240	238	240	238	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240
Volts #4	240	240	240	240	238	240	238	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240
MAX. OVERBOARD DISCHARGE TEMP.								57	58	57	57	58	58	58	58	58	57	57	57	57	57	57	57	57

Friday 2/9/68

[illegible]

[illegible]

TIME	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
1. L.P. EXHAUST TEMP																								
2. MN COND STE TEMP	78	78	78	78	78	77	78	78	77	76	78	76	76	76	76	76	76	76	76	76	76	76	76	77
3. MN INJ TEMP	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54
4. MN OVBD TEMP																								
5. L.O. TO COOLERS																								
6. L.O. FROM COOLERS																								
7. THRUST BRG TEMP																								
8. FWD H.P. ROTOR BRG																								
9. AFT H.P. ROTOR BRG																								
10. FWD L.P. ROTOR BRG																								
11. AFT L.P. ROTOR BRG																								
12. HOT GEAR BRG FWD																								
13. HOT GEAR BRG AFT																								
14. AUX COND STE TEMP	18/74	76/74	76/74	76/74	78/74	78/74	80/76	78/74	78/74	76/74	76/74	78/75	78/74	80/74	80/74	80/74	80/74	80/74	80/74	80/74	80/74	80/74	78/74	78/74
15. 1ST STAGE AIR TEMP	149	152	151	150	150	150	150	148	149	149	150	148	149	149	149	148	148	148	148	148	148	148	148	149
16. D.C. HEATER TEMP	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240	240
17. SUPRHT TEMP PORT																								
18. SUPRHT TEMP STBD																								
19. F.O. SETT TEMP P	96	96	96	95	95	95	95	95	95	95	95	90	90	90	90	90	90	90	90	95	95	95	95	95
20. F.O. SETT TEMP S	92	92	92	91	91	95	95	95	95	95	95	98	95	95	95	90	90	90	90	90	90	90	88	90
21. UPTAKE PORT																								
22. UPTAKE STBD																								
23. F.O. PUMP SUCT TEMP	94	94	94	94	94	94	94	94	94	96	96	96	96	96	94	94	94	94	94	96	96	96	96	94
24. MN FD PMP L.O PORT																								
25. MN FD PMP L.O STBD	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28
26. L.O. TO GEARS																								
27. AIR CONTR L.O. PRESS	30		30				30			30					30			30					30	

[illegible]

[illegible]