

LIFEBOATS AND DAVITS LIST

EQUIPMENT

Boat Covers

Falls

Frapping Lines

Gripes

Limit Switches

Man Lines

Propelling Gear

Releasing Gear

Rollers, Davit

Stopper Bars

Tricing Gear

Turnbuckles

LIFE RAFT LOCATIONS

TOTAL RAFTS

53

TOTAL LIGHTS

53

LOCATIONS	PER.	NO.
04-92-0 FLYING BRIDGE	25	3
11-11-11 FLYING BRIDGE	11	3
03-124-0 TOP OF HOUSE FWD (SUN DECK)	25	3
01-42-0 TOP OF HOUSE RESISTOR RM FWD	25	3
01-65-0 FORWARD OF #3 HATCH	60	3
01-65-0 FORWARD OF #3 HATCH	60	3
01-70-2 FORWARD OF #2 LIFEBOAT	60	3
01-70-1 FORWARD OF #1 LIFEBOAT	60	3
01-146-0 TOP OF FAN RM FWD #5 HATCH	25	3
01-146-1 STARBOARD SIDE FAN ROOM	60	4
01-155-2 FORWARD #12 LIFEBOAT	60	3
01-155-1 FORWARD #11 LIFEBOAT	60	3
01-165-0 AFT #5 HATCH (BETWEEN KING POST)	60	3
01-165-0 SAME AS ABOVE	60	3
01-178-2 TOP OF HOUSE	25	4
01-178-1 TOP OF HOUSE	25	3
01-196-0 TOP OF HOUSE FWD #8 HATCH	25	4

LIFE RAFT LOCATIONS

TOTAL ~~FLOORS~~ *FLOATS*,
53TOTAL LIGHTS
53

LOCATIONS	PER.	NO.
04-92-0 FLYING BRIDGE	25	3
11-11-11 FLYING BRIDGE	11	3
03-124-0 TOP OF HOUSE FWD (SUN DECK)	25	3
01-42-0 TOP OF HOUSE RESISTOR RM FWD	25	3
01-65-0 FORWARD OF #3 HATCH	60	3
01-65-0 FORWARD OF #3 HATCH	60	3
01-70-2 FORWARD OF #2 LIFEBOAT	60	3
01-70-1 FORWARD OF #1 LIFEBOAT	60	3
01-146-0 TOP OF FAN RM FWD #5 HATCH	25	3
01-146-1 STARBOARD SIDE FAN ROOM	60	4
01-155-2 FORWARD #12 LIFEBOAT	60	3
01-155-1 FORWARD #11 LIFEBOAT	60	3
01-165-0 AFT #5 HATCH (BETWEEN KING POST)	60	3
01-165-0 SAME AS ABOVE	60	3
01-178-2 TOP OF HOUSE	25	4
01-178-1 TOP OF HOUSE	25	3
01-196-0 TOP OF HOUSE FWD #8 HATCH	25	4

USNS GEN. EDWIN D. PATRICK (T-AP 124)
C/O FLEET POST OFFICE
SAN FRANCISCO, CALIFORNIA

OK PP

9 August 1958

Life Jackets

Ref: (a) COMSTS INSTR 4441.4 of 27 July 1954
(b) USCG Certificate 1958

1. In accordance with reference (a) and (b), the number of life jackets required to be carried aboard as follows:

Ref. (b) <u>Adult</u>	2,154
(a) " 25% stowed in boxes on deck	539
Total:	2,693

Ref. (a) Children, 55% of cabin class passengers(461) capacity 254

2. Ref. (a), para. 5-b. Additional life jackets, equal to 25% of the maximum capacity shall be stowed topside in suitable lockers near abandon ship stations. Life jackets, when released from stowage, must not obstruct exits. EXITS

3. Ref. (a), para. 5-c. Children's life jackets shall be properly distributed throughout passenger staterooms of dependent carrying troop ships so that at least one life jacket is available for each child embarked. Of the total number of children's life jackets provided in dependent carrying troop ships, 40 shall be stowed topside in lockers near abandon ship stations.

14
Total

3041

USNS GENERAL E. D. PATRICK (T-AP 124)

C/O FLEET POST OFFICE
SAN FRANCISCO, CALIFORNIA

9 August 1958

Life Jackets

Ref: (a) COMSTS INSTR 4441.4 of 27 July 1954
(b) USCG Certificate 1958

1. In accordance with reference (a) and (b), the number of life jackets required to be carried aboard as follows:

Ref. (b) Adult 2,154

(a) " 25% stowed in boxes on deck . . 539

Total: 2,693

Ref. (a) Children, 55% of cabin class
passengers(461) capacity 254

2. Ref. (a), para. 5-b. Additional life jackets, equal to 25% of the maximum capacity shall be stowed topside in suitable lockers near abandon ship stations. Life jackets, when released from stowage, must not obstruct exits.

3. Ref. (a), para. 5-c. Children's life jackets shall be properly distributed throughout passenger staterooms of dependent carrying troop ships so that at least one life jacket is available for each child embarked. Of the total number of children's life jackets provided in dependent carrying troop ships, 40 shall be stowed topside in lockers near abandon ship stations.

"Think Safety—Talk Safety—and Sell Safety"

LIFE JACKETS ADULTS

REF. (a) COMST. INSTR. 4441.4 dtd. 27 July 1954

IN ACCORDANCE WITH REF. (a) THE NUMBER OF LIFE JACKETS TO BE CARRIED ARE AS FOLLOWS:

BASIS: NUMBER OF PERSONS ALLOWED ABOARD IN ACCORDANCE WITH VESSELS CERTIFICATE PLUS 25%

NUMBER OF PERSONS ALLOWED:
25 % TO BE STOWED IN BOXES ON DECK

NUMBER REQUIRED

2087

522

2609

CHILDREN LIFE JACKETS:

BASIS: 10 % OF PERSONS ALLOWED OR 55 % OF CABIN CLASS PASSENGERS CARRIED WHICHEVER IS THE GREATER.

55 % OF CABIN CLASS PASSENGERS.

TOTAL

241

REF.(a) PARA. (b)

Additional adult life jackets, equal to 25 % of the maximum capacity, shall be stowed topside in suitable lockers near abandon ship stations. Life jackets when released from stowage, must not obstruct exits.

Ref. (a) para. (c) Children's lifejackets shall be properly distributed throughout passenger staterooms of dependent carrying troopships so that at least one lifejacket is available for each child embarked. Of the total number of children's jackets provided, 40 each shall be stowed topside in lockers near abandon ship stations.

4/11/55 No Adult jackets Fore Peak 273
" " " Boxes on Deck 634
2154 ADULT
216 CHILDRENS
Troops 1372
Troop Brig 48
Passengers 437
Crew 257
Mil 26
In Boats 40
Total 3047

USNS GEN. EDWIN D. PATRICK(T-AP 124)
c/o Fleet Post Office
San Francisco, California

Date _____

RING BUOY CHECK OFF LIST

No.	Location	Type	Size	Halyard	No.	Location	Type	Size	Halyard
1	03-84-1	lite	29½"		16	01-150-2		30½"	
2	03-84-2	lite	31"		17	01-190-1	lite	28-3/4"	
3	01-40-1		30"		18	01-190-2	lite	30½"	
4	01-40-2		30½"		19	1-115-1	line	30-7/8"	"A"
5	01-65-1	lite	29½"		20	1-113-2	line	30¼"	"A"
6	01-65-2	lite	29-3/4"		21	1-145-1	line	30½"	"A"
7	01-89-1	lite	31¼"		22	1-153-2	line	29½"	"A"
8	01-88-2	lite	29-3/4"		23	1-175-1		29-3/4"	
9	01-104-1				24	1-175-2		30"	
10	01-104-2	lite			25	1-222-1	lite	30¼"	
11	01-119-1	lite	31"		26	1-222-2	lite	30-3/4"	
12	01-118-2	lite	30½"		27	2-115-1		31¼"	
13	01-134-1	lite	30"		28	2-115-2		29½"	"A"
14	01-138-2	lite	31"		29	3-78-1		30"	"A"
15	01-150-1		31½"		30	3-78-2		30"	"A"

Note: "A" Halyard size - 6 thread x 15 fathom

Number required USCG - 24 ea.
Actual no. on board -- 30 ea.

Number (with lights) USCG - 12
Actual number (with lights)-14

LAST TIME ALL WATER LIGHT BATTERIES CHANGED-- Date _____

Remarks:

USNS GEN. EDWIN D. PATRICK(T-AP 124)
c/o Fleet Post Office
San Francisco, California

Date _____

RING BUOY CHECK OFF LIST

No.	Location	Type	Size	Halyard	No.	Location	Type	Size	Halyard
1	03-84-1	lite	29½"		16	01-150-2		30½"	
2	03-84-2	lite	31"		17	01-190-1	lite	28-3/4	
3	01-40-1		30"		18	01-190-2	lite	30½"	
4	01-40-2		30½"		19	1-115-1	line	30-7/8	"A"
5	01-65-1	lite	29½"		20	1-113-2	line	30¼"	"A"
6	01-65-2	lite	29-3/4"		21	1-145-1	line	30½"	"A"
7	01-88-1	lite	31¼"		22	1-153-2	line	29½"	"A"
8	01-88-2	lite	29-3/4"		23	1-175-1		29-3/4"	
9	01-104-1				24	1-175-2		30"	
10	01-104-2	lite			25	1-222-1	lite	30¼"	
11	01-119-1	lite	31"		26	1-222-2	lite	30-3/4"	
12	01-118-2	lite	30½"		27	2-115-1		31¼"	
13	01-134-1	lite	30"		28	2-115-2		29½"	"A"
14	01-138-2	lite	31"		29	3-78-1		30"	"A"
15	01-150-1		31½"		30	3-78-2		30"	"A"

Note: "A" Halyard size - 6 thread x 15 fathom

Number required USCG - 24 ea.

Actual no. on board -- 30 ea.

Number (with lights) USCG - 12

Actual number (with lights)-14

LAST TIME ALL WATER LIGHT BATTERIES CHANGED-- Date _____

Remarks:

LIFE RING CHECK-OFF LIST

Responsibility: Jr. Deck Officer, 8 - 12 Watch

Procedure: Inspect condition of rings, beackets, lines, light, bracket and stencilling on first working day of each month. Discrepancies requiring further attention will be listed in the remarks column.

Location	Ring	Beackets	Lines	Light	Bracket	Stencil	Remarks
03-84-1							
03-84-2							
01-5-1							
01-5-2							
01-40-1							
01-40-2							
01-65-1							
01-65-2							
01-88-1							
01-88-2							
01-104-1							
01-104-2							
01-119-1							
01-118-2							
01-134-1							
01-138-2							
01-150-1							
01-150-2							
01-190-1							
01-190-2							
1-115-1							
1-113-2							
1-145-1							
1-153-2							
1-175-1							
1-175-2							
1-222-1							
1-222-2							
2-115-1							
2-115-2							
3-84-1							
3-84-2							

USNS GENERAL EDWIN D. PATRICK

c/o FLEET POST OFFICE
SAN FRANCISCO, CALIFORNIA

LIFE RINGS

- | | |
|-------------------------|--------------|
| 1. 03-84-1 | 17. 01-150-1 |
| 2. 03-84-2 | 18. 01-150-2 |
| 3. 01-5-1 | 19. 01-190-1 |
| 4. 01-5-2 | 20. 01-190-2 |
| 5. 01-40-1 | 21. 1-115-1 |
| 6. 01-40-2 | 22. 1-113-2 |
| 7. 01-65-1 | 23. 1-145-1 |
| 8. 01-65-2 | 24. 1-153-2 |
| 9. 01-88-1 | 25. 1-175-1 |
| 10. 01-88-2 | 26. 1-175-2 |
| 11. 01-104-1 | 27. 1-222-1 |
| 12. 01-104-2 | 28. 1-222-2 |
| 13. 01-119-1 | 29. 2-115-1 |
| 14. 01-118-2 | 30. 2-115-2 |
| 15. 01-134-1 | |
| 16. 01-138-2 | |

ON BOARD: 28
WITH LIGHTS: 14

USCG REQUIREMENTS:

24 life rings minimum, at least 12 of which shall have water lights attached with 10 ft. length of line. One on each side of ship shall have at least 15 fathoms of line attached.