

NAVSHIP 527 (REV. 10-48)	INDEX		UNIT		CARD NO.
	SUBJECT: National Model NC-183 MR				
	LOCATION				ALL LIST PG.
	DRWG. NO.	ALT. NO.	PC. NO.	MFGR. DRWG. NO.	
	SPARE PARTS BOX(ES) NO.		LOCATION		
	REF. LTRS.—PERTINENT DATA				
MACHINERY HISTORY CARD	NAME PLATE DATA: R-651/URR-39 receiver, radio NOBSR 64281 - 125;CNA Serial No. 125				
	DATE	REMARKS			HRS. IN USE
	3-16-55	New installation.			
Stocked in CDS					
16-52005-4					

[illegible]

AMPLIFIER UNIT & 4 SPEAKERS ENTERTAINMENT SYSTEM

1

CARD NO.

INDEX

UNIT

SUBJECT: Amplifier & 4 Speakers

LOCATION C/L Troop Recreation Hall, Frame 119

ALL LIST PG.

DRWG. NO.

ALT. NO.

PC. NO.

MFGR. DRWG. NO.

SPARE PARTS BOX(ES) NO.

LOCATION

REF. LTRS.—PERTINENT DATA

NAME PLATE DATA: RCA 30 watts, PA Amplifier, 117 volts, 50 to 60 cycles, MI 132968 high impedance.

DATE

REMARKS

HRS. IN USE

7/30/54

New Installation

5-20-55

All 4 speaker sound deflection damaged by troops hanging on for support — removed them and installed screens & retainer rings.

SPEAKER AMPLIFIER, UNIT, ENTERTAINMENT SYSTEM

CARD NO.

INDEX

UNIT

SUBJECT:

SPEAKER AND AMPLIFIER

LOCATION

A DECK STBD FR 124 MIL DEPT REC RM

ALL LIST PG.

DRWG. NO.

ALT. NO.

PC. NO.

MFGR. DRWG. NO.

SPARE PARTS BOX(ES) NO.

LOCATION

REF. LTRS.—PERTINENT DATA

NAME PLATE DATA:

TYPE CMX 49545, 115 VOLTS, 60 CY AC., 50 WATTS, 600 OHM AUDIO INPUT, 6 MILLIWATTS AUDIO OUTPUT 3 WATTS., MFG MAGNAVOX CO, FORT WAYNE, IND., SERIAL

DATE

REMARKS

HRS. IN USE

6-24-55

Tested tubes, Replaced defective volume control

7-15-55

Replaced defective volume control and tone control.

MACHINERY HISTORY CARD
NAVSIPS 527 (REV. 10-48)

8

NAVSIPS 527 (REV. 10-48)

MACHINERY HISTORY CARD

Stocked in ODS

16-22005-4

1

16-52905-2

2

0-52905-2

SPEAKER AMPLIFIER UNIT, ENTERTAINMENT SYSTEM

1

INDEX UNIT

SUBJECT: Speaker & Amplifier

CARD NO.

LOCATION "B" Deck, port troop mess, frame 166

DRWG. NO.

ALT. NO.

PC. NO.

ALL LIST PG.

SPARE PARTS BOX(ES) NO.

MFG. DRWG. NO.

REF. LTRS.—PERTINENT DATA

LOCATION

NAME PLATE DATA: Type - CMX 49545, 115, volts, 60 cycles A.C., 50 watts, 600 ohms audio input
6 milliwatts audio output 3 watts mfg. Magnavox Co. Fort Wayne Ind.
Serial 947

DATE

REMARKS

HRS. IN USE

7/30/54

New Installation

6-24-55

Removed defective volume control & broken loudspeaker

MACHINERY HISTORY CARD
NAVSHIPS 827 (REV. 10-46)

Stocked in ODS

10-52905-2

SPEAKER AMPLIFIER UNIT, ENTERTAINMENT SYSTEM

1

INDEX UNIT

SUBJECT: Speaker & Amplifier

CARD NO.

LOCATION "B" Deck, stbd. troop mess, frame 166

DRWG. NO.

ALT. NO.

PC. NO.

ALL LIST PG.

SPARE PARTS BOX(ES) NO.

MFG. DRWG. NO.

REF. LTRS.—PERTINENT DATA

LOCATION

NAME PLATE DATA: Type - CMX 49545, 115 volts, 60 cycles A.C., 50 watts, 600 ohms audio input
6 milliwatts audio output 3 watts mfg. Magnavox Co. Fort Wayne Ind.
Ser. 1175

DATE

REMARKS

HRS. IN USE

7/30/54

New Installation

6-24-55

Tested tubes - repaired volume control

MACHINERY HISTORY CARD
NAVSHIPS 827 (REV. 10-46)

Stocked in ODS

10-52905-2

INDEX

UNIT

CARD NO.

ALL LIST PG

DRWG. NO.

ALT. NO.

PC No.

MFGR. DRWG. NO.

SPARE PARTS BOX(ES) No.

LOCATION

REF. LTRS.—PERTINENT DATA

DATE _____

REMARKS

HRS. IN USE

DATE	
7/30/54	New Installation

1-24-55	REPLACED R-106 VOLUME CONTROL
---------	-------------------------------

6-24-55 Renewed defective volume control

T

INDEX

UNIT

CARD NO.

LOCATION	"B" Deck, stbd C/L, Troop Mess, Frame 142
----------	---

ALL LIST PG.

DRWG. NO.

ALT. NO.

PC. NO

MFGR. DRWG. NO.

SPARE PARTS BOX(ES) No.

LOCATION

REF. LTRS.—PERTINENT DATA

Ser. 784

DATE _____

REMARKS

HRS. IN USE

7/30/54	New Installation
---------	------------------

SPEAKER AMPLIFIER UNIT, ENTERTAINMENT SYSTEM

1

INDEX UNIT

CARD NO.

SUBJECT: Speaker & AmplifierLOCATION "B" Deck, Troop mess, Stbd., Frame 120

ALL LIST PG.

DRWG. NO.

ALT. NO.

PC. NO.

MFG. DRWG. NO.

SPARE PARTS BOX(ES) NO.

LOCATION

REF. LTRS.—PERTINENT DATA

NAME PLATE DATA: Type CMX 49545, 115 volts, 60 cycles A.C., 50 watts, 600 ohms, audio input
6 milliwatts audio output 3 watts mfg. Magnavox Co. Fort Wayne Ind.Ser. 5309

DATE

REMARKS

HRS. IN USE

7/30/54 New Installation

SPEAKER AMPLIFIER UNIT, ENTERTAINMENT SYSTEM

1

INDEX UNIT

CARD NO.

SUBJECT: Speaker & AmplifierLOCATION "B" Deck, Crews Day Room, stbd. C/L, Frame 94

ALL LIST PG.

DRWG. NO.

ALT. NO.

PC. NO.

MFG. DRWG. NO.

SPARE PARTS BOX(ES) NO.

LOCATION

REF. LTRS.—PERTINENT DATA

NAME PLATE DATA: Type - CMX 49545, 115 volts, 60 cycles A.C., 50 watts, 600 ohms audio input
6 milliwatts audio output 3 watts mfg. Magnavox Co. Fort Wayne Ind.Ser. 687

DATE

REMARKS

HRS. IN USE

7/30/54 New Installation9/15/54 REPLACED BROKEN SPEAKER LEAD (AT SPEAKER TERMINAL)

SPEAKER AMPLIFIER UNIT, ENTERTAINMENT SYSTEM

1

INDEX UNIT

SUBJECT: Speaker & Amplifier

CARD NO.

LOCATION Deck "B", CPQ's Mess, Port side, Frame 114

ALL LIST PG.

DRWG. NO.

ALT. NO.

PC. NO.

MFGR. DRWG. NO.

SPARE PARTS BOX(ES) NO.

LOCATION

REF. LTRS.—PERTINENT DATA

NAME PLATE DATA: Type - CMX 49545, 115 volts, 60 cycles A.C., 50 watts, 600 ohms audio input
6 milliwatts audio output 3 watts mfg. Magnavox Co. Fort Wayne Ind.

Ser. 5124

DATE

REMARKS

HRS. IN USE

7/30/54 New Installation

MACHINERY HISTORY CARD
NAVSHIPS 527 (REV. 10-48)

Stocked in ODS

10-52805-2

SPEAKER AMPLIFIER UNIT, ENTERTAINMENT SYSTEM

1

INDEX UNIT

SUBJECT: Speaker & Amplifier

CARD NO.

LOCATION "B" Deck, Navy mess, port side, C/L, Frame 110

ALL LIST PG.

DRWG. NO.

ALT. NO.

PC. NO.

MFGR. DRWG. NO.

SPARE PARTS BOX(ES) NO.

LOCATION

REF. LTRS.—PERTINENT DATA

NAME PLATE DATA: Type - CMX 49545, 115 volts, 60 cycles A.C., 50 watts, 600 ohms audio input
6 milliwatts audio output 3 watts mfg. Magnavox Co. Fort Wayne Ind.

Serial No. 692

DATE

REMARKS

HRS. IN USE

7/30/54 New Installation

MACHINERY HISTORY CARD
NAVSHIPS 527 (REV. 10-48)

Stocked in ODS

10-52805-2

10-52905-2

SPEAKER AMPLIFIER UNIT, ENTERTAINMENT SYSTEM

1

CARD NO.

INDEX

UNIT

SUBJECT: Speaker & Amplifier

LOCATION "A" Deck, First Class Auditorium, Port C/L, Frame 158

ALL LIST PG.

DRWG. NO.

ALT. NO.

PC. NO.

MFGR. DRWG. NO.

SPARE PARTS BOX(ES) NO.

LOCATION

REF. LTRS.—PERTINENT DATA

NAME PLATE DATA: Type CMX 49545, 115 volts, 60 cycles A.C., 50 watts, 600 ohms audio input 6 milliwatts audio output 3 watts, mfg. Magnavox Co., Fort Wayne Ind.
Serial No. 5221

DATE

REMARKS

HRS. IN USE

7/30/54 New Installation

SPEAKER AMPLIFIER UNIT, ENTERTAINMENT SYSTEM

1

CARD NO.

INDEX

UNIT

SUBJECT: Speaker & Amplifier

LOCATION "A" Deck, Hospital area, troop ward, port side, frame 155

ALL LIST PG.

DRWG. NO.

ALT. NO.

PC. NO.

MFGR. DRWG. NO.

SPARE PARTS BOX(ES) NO.

LOCATION

REF. LTRS.—PERTINENT DATA

NAME PLATE DATA: Type CMX 49545, 115, volts, 60 cycles A.C., 50 watts, 600 ohms audio input 6 milliwatts audio output 3 watts, mfg. Magnavox Co., Fort Wayne Ind.
Serial No. 1052

DATE

REMARKS

HRS. IN USE

7/30/54 New Installation

9-25-54 REPLACED DEFECTIVE R-106 VOLUME CONTROL

10-52905-2

1

MACHINERY HISTORY CARD
NAVSHIPS 527 (REV. 10-46)

Stocked in CDG

16-52905-2

T

MACHINERY HISTORY CARD
NAVSHIPS 527 (REV. 10-46)

Stocked in CDs

16-52905-2

[illegible]

SPEAKER AMPLIFIER UNIT, ENTERTAINMENT SYSTEM		1
INDEX	UNIT	CARD NO.
SUBJECT: Speaker & Amplifier		
LOCATION	From deck, inclosed deck, stbd. side, frame 170	ALL LIST PG.
DRWG. NO.	ALT. NO.	PC. NO.
SPARE PARTS BOX(ES) NO.		MFG. DRWG. NO.
REF. LTRS.—PERTINENT DATA		LOCATION
NAME PLATE DATA: Type CMX 49545, 115 volts, 60 cycles A.C., 50 watts, 600 ohms audio input 6 milliwatts audio output 3 watts, mfg. Magnavox Co., Fort Wayne Ind. Serial No. 4969		
DATE	REMARKS	HRS. IN USE
7/30/54	New Installation	
10/22/54	CLEARED SALT WATER SHORT - REPLACED FUSE	

SPEAKER AMPLIFIER UNIT, ENTERTAINMENT SYSTEM

1

CARD NO.

INDEX

UNIT

SUBJECT: **Speaker & Amplifier**

LOCATION **Prom Deck, inclosed deck, port side, Frame 166**

ALL LIST PG.

DRWG. NO.

ALT. NO.

PC. NO.

MFGR. DRWG. NO.

SPARE PARTS BOX(ES) NO.

LOCATION

REF. LTRS.—PERTINENT DATA

NAME PLATE DATA: **Type - CMX 49545, 115 volts, 60 cycles A.C., 50 watts, 600 ohms audio input
6 milliwatts audio output 3 watts, mfg. Magnavox Co., Fort Wayne Ind.
Serial No. 4993**

DATE

REMARKS

HRS. IN USE

7/30/54

New Installation

6-24-55

Renewed defective volume control

SPEAKER & AMPLIFIER UNIT, ENTERTAINMENT SYSTEM

1

CARD NO.

INDEX

UNIT

SUBJECT: **Speaker & Amplifier**

LOCATION **Boat deck, Officers day room stbd. C/L, Frame 125**

ALL LIST PG.

DRWG. NO.

ALT. NO.

PC. NO.

MFGR. DRWG. NO.

SPARE PARTS BOX(ES) NO.

LOCATION

REF. LTRS.—PERTINENT DATA

NAME PLATE DATA: **Type CMX 49545, 115 volts, 60 cycles A.C., 50 watts, 600 ohms audio input 6
milliwatts audio output 3 watts, mfg. Magnavox Co., Fort Wayne Ind.
Serial No. 5184**

DATE

REMARKS

HRS. IN USE

7/30/54

New Installation

SPEAKER AMPLIFIER UNIT ENTERTAINMENT SYSTEM

1

CARD NO.

INDEX

UNIT

SUBJECT: Speaker & Amplifier

LOCATION Prom deck, first Class Lounge, Port C/L, Frame 132

ALL LIST PG.

DRWG. NO.

ALT. NO.

PC. NO.

MFG. DRWG. NO.

SPARE PARTS BOX(ES) NO.

LOCATION

REF. LTRS.—PERTINENT DATA

NAME PLATE DATA: Type - CMX 49545, 115 Volts, 60 cycles A.C., 50 Watts, 600 ohms, audio input
6 milliwatts audio output 3 watts, mfg, Magnavox Co., Fort Wayne, Ind.
Serial No. 5298

DATE

REMARKS

HRS. IN USE

30 Aug 54

New Installation.

9-4-54

REPLACED DEFECTIVE SPEAKER

SPEAKER AMPLIFIER UNIT ENTERTAINMENT SYSTEM

1

CARD NO.

INDEX

UNIT

SUBJECT: Speaker & Amplifier

LOCATION Prom deck, First Class Lounge, Stbd. C/L, Frame 132

ALL LIST PG.

DRWG. NO.

ALT. NO.

PC. NO.

MFG. DRWG. NO.

SPARE PARTS BOX(ES) NO.

LOCATION

REF. LTRS.—PERTINENT DATA

NAME PLATE DATA: Type - CMX 49545, 115 volts, 60 cycles A. C., 50 watts, 600 ohms audio input
6 milliwatts audio output 3 watts, mfg. Magnavox Co., Fort Wayne Ind.
Serial 5298

DATE

REMARKS

HRS. IN USE

7/30/54

New Installation

6-24-55

Renewed defective volume control

MACHINERY HISTORY CARD
NAVSHIPS 527 (REV. 10-46)

Stocked in ODS

10-52800-2

MACHINERY HISTORY CARD
NAVSHIPS 527 (REV. 10-46)

Stocked in ODS

10-52800-2

SPEAKER AMPLIFIER UNIT ENTERTAINMENT SYSTEM

1

CARD NO.

INDEX

UNIT

SUBJECT: Speaker & Amplifier

LOCATION From deck, entertainment system sound room, C/L, Frame 65

ALL LIST PG.

DRWG. NO.

ALT. NO.

PC. NO.

MFGR. DRWG. NO.

SPARE PARTS BOX(ES) NO.

LOCATION

REF. LTRS.—PERTINENT DATA

NAME PLATE DATA: Type CMX 49545, 115 volts, 60 cycles A. C., 50 watts, 600 ohms audio input
6 milliwatts audic output 3 watts, mfg. Magnavox Co., Fort Wayne Ind., Ser. 3407

DATE

REMARKS

HRS. IN USE

7/30/54 New installation

MICROPHONE, Entertainment system

1

CARD NO.

INDEX

UNIT

SUBJECT: Microphone, floor mounted stand

LOCATION Entertainment system room,

ALL LIST PG.

DRWG. NO.

ALT. NO.

PC. NO.

MFGR. DRWG. NO.

SPARE PARTS BOX(ES) NO.

LOCATION

REF. LTRS.—PERTINENT DATA

NAME PLATE DATA: Electric Voice, Buchanan, Michigan
Serial No. 2963

Microphone Model 630 IMP 50

DATE

REMARKS

HRS. IN USE

MICROPHONE, Entertainment system

1

CARD NO.

INDEX

UNIT

SUBJECT: Microphone, table mounted stand

ALL LIST PG.

LOCATION Entertainment system room,

DRWG. NO.

ALT. NO.

PC. NO.

MFG. DRWG. NO.

SPARE PARTS BOX(ES) NO.

LOCATION

REF. LTRS.—PERTINENT DATA

NAME PLATE DATA: Electric Voice, Buchanan, Michigan
Serial No. 3462

Microphone Model 630

IMP 50

DATE

REMARKS

HRS. IN USE

RECORD PLAYER, Entertainment system

1

CARD NO.

INDEX

UNIT

SUBJECT: Record player

ALL LIST PG.

LOCATION Entertainment system room,

DRWG. NO.

ALT. NO.

PC. NO.

MFG. DRWG. NO.

SPARE PARTS BOX(ES) NO.

LOCATION

REF. LTRS.—PERTINENT DATA 3 speed: 78, 45 and 33 R.P.M.

NAME PLATE DATA: No name plate data.

DATE

REMARKS

HRS. IN USE

6-20-55

Rebuilt broken & sieged turntable spindle assembly

1

CARD NO.

INDEX

UNIT

SUBJECT: Record player

LOCATION Entertainment system room.

ALL LIST PG.

DRWG. NO.

ALT. NO.

PC. NO.

MFGR. DRWG. NO.

SPARE PARTS BOX(ES) No.

LOCATION

REF. LTRS.—PERTINENT DATA 3 speed: 78, 45 and 33 R.P.M.

NAME PLATE DATA: Mfg. V.M. PRODUCTS No other name plate data.

DATE _____

REMARKS

HRS. IN USE

AUDIO CONTROL & DIST. PANEL, Entertainment System

1

CARD NO.

INDEX

UNIT

SUBJECT: **Panel**

LOCATION Prom. Deck, Entertainment sound system room, C/L, Frame 65.

ALL LIST PG.

DRWG. NO.

ALT. NO.

PC. NO.

MFGR. DRWG. NO.

SPARE PARTS BOX(ES) NO.

LOCATION

REF. LTRS.—PERTINENT DATA

NAME PLATE DATA: Model 5M2, Chattin Engr. Assoc. Inc., Oakland, California.

Serial No. 7

DATE _____

REMARKS

HRS. IN USE

30 Sep 54	New installation.
-----------	-------------------

MACHINERY HISTORY CARD
NAVSHIPS 527 (REV. 10-48)

Stocked in CD8

10-5205-2

MACHINERY HISTORY CARD
NAVSHIPS 527 (REV. 10-48)

Stocked in CDs

10-2405-2

AMPLIFIER UNIT & 6 SPEAKERS ENTERTAINMENT SYSTEM

1

INDEX

UNIT

CARD NO.

SUBJECT: Amplifier & 6 Speakers

LOCATION Prom Deck, C/L, First Class Saloon, Frame 158

ALL LIST PG.

DRWG. NO.

ALT. NO.

PC. NO.

MFGR. DRWG. NO.

SPARE PARTS BOX(ES) NO.

LOCATION

REF. LTRS.—PERTINENT DATA RCA 30 watts, PA Amplifier, 117 volts, 50 to 60 cycles, MI 132968 high impedance

NAME PLATE DATA:

DATE

REMARKS

HRS. IN USE

7/30/54 New Installation

AMPLIFIER UNIT & 2 SPEAKERS Entertainment System

1

INDEX

UNIT

CARD NO.

SUBJECT: Amplifier & 2 Speakers

LOCATION Prom Deck, entertainment system sound room, C/L, Frame 65

ALL LIST PG.

DRWG. NO.

ALT. NO.

PC. NO.

MFGR. DRWG. NO.

SPARE PARTS BOX(ES) NO.

LOCATION

REF. LTRS.—PERTINENT DATA 2 Speakers located promdeck port & stbd. weather deck frame 172
#1 Speaker Jensen, NB 10002 reproduces class M Grade I & II. #2 Remler model M256, Remler Co. ltd.NAME PLATE DATA: AM 215 B/U AF Amplifier 110 to 120 volts, 50 to 60 cycles, mfg. Dynamic Electronics
New York, INC.
Serial No. 226

DATE

REMARKS

HRS. IN USE

7/30/54 New Installation