

Req. #	DATE	FSN	Nomenclature
0200 7201-	20 July 67	6850-637-6142	Compound seal Removing
7202-	21 July 67		
-0200	-do-	5330-252-9225	Gasket, oil pump #187127
-0201	-do-	4130-300-7885	" cylinder Hol. #179300
-0202	"	5310-274-7868	Washer center spacer
-0203	"	" - 550-3908	" spacer, suet valve #172993
-0204	"	N/S	Contractor #202 SM #1167526
-0205	"	5930-912-3359	Modification kit, press Temp Cont.
-0206	"	6110-312-5395	Spring #5502833
-0207	"	5977-400-6369	Brushholder #W362878
-0208	"	" 280-8460	Brush #146704
-0209	"	" 028-6813	Ring, Rocker #233120
-0210	"	" 306-0277	Spring, Brushholder #1521
-0211	"	" 238-9210	Brush, Carbon
-0212	"	" 280-8439	" " #54497
-0213	"	6105-350-9210	Spring, Brushholder #28398
-0214	"	" 248-4711	Coil, Shunt Field #182476K
-0215	"	N/S	" Comm. Field #126938-S
-0216	"	6105-312-5795	" Series Fld. #182476-L
-0217	"	4320-394-6225	Ring, Casing
-0218	"	" " 6226	" "
-0219	"	5977-238-9210	Brush, Carbon #SP-53375
-0220	"	" 250-7643	" " SP-53326
-0221	"	" 038-0948	Holder, Brush
-0222	"	" 312-3826	Spring, Brushholder #35113-C
-0223	"	" 280-3937	Brush, Carbon #5230482
-0224	"	6240-179-1801	Lamp, Fire
-0225	"	4410-391-5849	Valve, Relief #FM 6292
-0226	"	4320-420-1884	Rotor, Prop. IDL #RS-3000GD
-0227	"	" " 1831	" " PWR. DS3000GD
-0228	"	" 398-7046	Housing, Rotor #58046EX1
-0229	"	" 420-1986	Pin Htg. STP. 583496X4
-0230	"	N/S - 1149	Brush ARMATURE
"	"	"	BEARING, BALL
"	"	"	BRUSHES, MOTOR

Wt	Qty	Pri	Mat. Code	DATE Rec'd	TOTAL Price	Qty	REMARKS
DR	10	06	5130 E2	10 AUG 1967	196. ⁰⁰	10	NZZ
4	13		5180-7 E9	10-3-67	6 ⁹⁶		559-1 pg. 2 LN. 27
4	13		" "	10-3-67	4.80		559-1 pg. 2 LN. 20
8	canceled 12/5/68			10-3-68			" pg. 5 LN. 21
8	"	"	"	10-3-67	2 ⁵⁰		" " LN. 39
4	"	"	"	"			563-2 pg. 13 LN. 9
8	" CANCEL 10-3-67 148.80						CH. ENG. NARSHIP No. 8620
3	"	"	"	10-3-67	2 ⁵⁰		563-1 pg. " LN. 30
1	"	"	"	10-3-67	40		567-1 pg. 21 LN. 36
3	8/25/67	"	"	8/25/67	1.20	3	" pg. 21 LN. 37
1	10-3-67	"	"	11-24-67	6.00	4	" " LN. 42
4	"	"	"	10-3-67			" " LN. 44
9	"	"	"	10-3-67	2 ³⁴		563-1 pg. 29 LN. 36
2	"	"	"	10-3-67	3.40		" pg. 234 LN. 33
3	"	"	"	REC'D To 7223-2001			" " LN. 40
1	"	"	"	10-3-67			" pg. 189 LN. 41
1	"	"	"	4-25-68			" " LN. 42
1	"	"	"	10-3-67	6.50		" " LN. 43
1	"	"	"				547-3 pg. 23
1	"	"	"	10-3-67	20.90		" "
16	"	"	"	10-3-67	7.84		563-1 pg. 32 LN. 11
29	"	"	"	1-22-68	13.92		" " LN. 12
9	"	"	"	10-3-67	11.34		" " LN. 15
8	"	"	"	10-3-67	2.30		" " LN. 21
16	"	"	"	10-3-67	8.96		" pg. 193 LN. 40
4	"	"	"	10-3-67	1.68		565-4 pg. 38 LN. 27
18	"	"	"	CANCELED 6/11/68			551-4 pg. 3 LN. 40
12	"	"	"	10-3-67	136 ⁰⁰		547-4 pg. 4 LN. 34
1	"	"	"	10-3-67	192 ⁰⁰		" "
1	"	"	"	10-3-67	137 ⁰⁰		" " LN. 14
1	"	"	"	10-3-67	133 ⁰⁰		" "
1	"	"	"	11-24-67	121.45		563-1 pg. 77 LN. 30
2	"	"	"	11-24-67	4.45		" " LN. 31
1	"	"	"	11-24-67			" " LN. 32

Req. #	DATE	FSN	NOMENCLATURE
7202-0230	21 July 67	N/S - DD 1149	Garlock, Kloguac
"	"	"	Hobler, Brush

7205- 7-24-67

0200	"	5960-813-3467	Elct. Tube 2J70
0201	"	" 272-8560	" " 6043
0202	"	" 193-5092	" " 1827
0203	"	5930-655-1507	switch, Toggle
0204	"	" 581-8426	" "
0205	"	5935-189-6963	Conn. Repl 125V AC
0206	"	7310-336-9545	Control EX knob
0207	"	5977-316-3728	Spring, Brush Hobler
0208	"	4320-300-5984	Spring, Valve,
0209	"	5950-648-6808	Solenoid Coil
0210	"	4410-391-5899	Valve, Relief
0211	"	4320-394-6159	Ring, Wearing
0212	"	4320-339-2519	Brushing Slv.
0213	"	" 148-1461	Channel Ring
0214	"	5306-274-3107	Bolt, Shoulder
0215	"	4320-128-1459	Impeller
0216	"	" 394-6157	Ring, Impeller
0217	"	" " 6158	" casing

7208-2001	7-27-67	N/S	Floodlight
2002	7/27-67	6810-598-7316	Sodium Hypochlorite solution

INT	QTY	PAI.	ACCT. Code.	DATE Rec'd	TOTAL PRICE	QTY	REMARKS
EA	(1)	13	5180-7 E9	11-24-67	1 45		563-1 pg. 27 LN. 34
EA	(1)	"	" "	11-24-67	.		" " LN. 36
EA	(1)	13	5180-7 E9	10-3-67	219 00		F/R.O.
"	(1)	"	" "	10-3-67	83 00		"
"	(3)	"	" "	10-3-67	62 20		"
"	(20)	"	" "	10-3-67	37 00		F/CN. ELEC.
"	(10)	"	" "	10-3-67	9 20		" "
"	24	"	" "				
"	(2)	"	" "	10-3-67	28 00		534-4 pg. 27 LN. 10
"	(3)	"	" "	10-3-67	1 56		563-1 pg. 19 LN. 48
"	(16)	"	" "	10-3-67	14 00		
"	(1)	"	" "	10-3-67	4 35		
"	(63)	"	" "	Cancelled 6/4/68			(ISSUED MAY 1967) 551-4 pg. 3 LN. 41
"	(2)	"	" "	10-3-67	28 60		547-3 pg. 38-39
"	(1)	"	" "	11-24-67	11 20		547-3 pg. "
"	1	"	" "	Cancelled 6/11/68			" "
"	(6)	"	" "	10-3-67	4 62		" "
"	(1)	"	" "	10-3-67	147 00		" "
"	(2)	"	" "	11-24-67	45 00		" pg. 2
"	(2)	"	" "	11-24-67	28 00		" "
EA	(6)	06	5130 E2	10-3-67	561 00		RECUT F/6320-0251
EA	(352)	06	5130 E2	10-3-67	281 60		RECUT F/7051-2068

Req. #	DATE	FSN	NOMENCLATURE
7220 -			
0200	8-8-67	2825-147-9747	Bushing, Piston
0201	"	" 335-9766	Weight, Trip f/sim. Aux. Turbine
0202	"	3110-144-8990	BEARING f/sealing & chipping Tool
0203	"	" " 8996	" "62022
0204	"	" 156-1430	" Rot. Rear S. Align.
0205	"	" " 4181	" f/sealing & chipping Tool
0206	"	4320-125-7694	SHAFT, pump
0207	"	" 127-4265	CHANNEL Ring f/Aux. Cond. pump
0208	"	" 128-1459	Impeller, 2nd Stg.
0209	"	" 146-4762	Rod Assy. Piston
0210	"	" 148-1461	CHANNEL Ring
0211	"	" 394-6159	CASING Ring
0212	"	" 336-5270	SHAFT sleeve Aux. Cond. pump
0213	"	" 394-6123	CASING Ring " "
0214	"	" 420-6857	Rod & Piston
0215	"	4510-287-3014	Valve, globe 1/2" BRASS
0216	"	4820-541-0362	" Angle, 1/2" 300 PSI
0217	"	5130-330-9269	Disk & CAP f/sealing & chipping Tool
0218	"	5306-274-3107	Coupling bolt
0219	"	5310-637-2309	Ret. Pkg. f/Aux. Cond. pump
0220	"	5945-258-3705	CONTACT, Elect.
0221	"	" 387-3145	" " "
0222	"	5977-038-0748	BRUSH, Elect. f/sealing & chip. Tool
0223	"	" 234-9551	" " f/VENT MOTOR
0224	"	" 239-6456	" " Drink water cooler G.E.
0225	"	" 366-5396	Holder, BRUSH " " " "
0226	"	" 422-4640	BRUSH, Elect.
0227	"	" 644-3209	" "
0228	"	" 665-3928	" "
0229	"	6105-306-0529	ARMATURE, Complete
0230	"	" 399-0033	Winding, motor Field / WRT. COOLER
0231	"	" 548-2576	MOTOR, D.C. comm.
0232	"	6110-500-5992	CONTACT, Elect.
0233	"	6685-239-4005	Thermometer, SALINOMETER 100-220
0234	"	" 515-3802	" 30-240
0235	"	7310-389-4686	Element, Heating,

4/5	9/7	POL.	Amt. Code	DATE Rec'd.	Total Price	Qty.	REMARKS
EA	(1)	13	5180-7	E9 10-3-67	18.50		550-1 pg 2 LN 22
EA	(1)	"	"	" 10-3-67	10.30		" pg 3 LN 20
EA	(4)	"	"	" 10-3-67	2.76		N/F CH Elect. (2) 592-1 pg 11 LN 12 pt. 2
"	(4)	"	"	10-3-67	2.76		
"	(2)	"	"	" 10-3-67	50.20		N/F CH Elect. / Fire Pump 563-1 pg 203 LN 38
"	(4)	"	"	" 10-3-67	3.52		592-1 pg 11 LN 13 pt. 2
"	(1)	"	"	" 10-3-67	225.00		547-3 FIRE pump
"	(1)	"	"	" 10-3-67	147.00		" pg 25, 26 547-3 FIRE pump
AY	(2)	"	"	" 10-3-67	26.40		547-1 pg 6 LN 27
EA	1	"	"	Canceled 6/4/68			547-3 FIRE pump
"	2	"	"				" " "
"	(2)	"	"	" 10-3-67	176.00		" pg 25, 26
"	2	"	"				" " "
AY	(2)	"	"	" 10-3-67	25.50		547-2 pg 7 LN 21
EA	(6)	"	"	5/14/68	14.22		
"	(1)	"	"	" 10-3-67	2.58		
"	(7)	"	"	" 10-3-67	1.04		592-1 pg 11 LN 10 pt. 2
"	(6)	"	"	" 10-3-67	4.62		547-3 FIRE Pump
"	(3)	"	"				547-3 pg 25, 26
"	(2)	5-15-68	"	"			N/F CH Elect.
"	(4)	"	"	" 10-3-67	7.40		" " "
SE	(12)	"	"	2/19/68	10.32		CH Elect. 592-1 pg 11 LN 11
EA	(30)	"	"	" 10-3-67	16.50		CH Elect.
EA	(20)	"	"	" 10-3-67	9.70		CH Elect. 563-1 pg 59 LN 33
EA	(3)	"	"	10-3-67			CH Elect.
"	(20)	"	"	Rec'd To	7244-2001		" " LN 38
"	(20)	"	"	" 10-3-67	15.40		Vent Motor / CH Elect.
"	(30)	"	"	" 10-3-67	27.00		" " " "
"	(30)	"	"	" 10-3-67	19.20		" " " "
"	(1)	"	"	" 10-3-67	30.90		CH Elect. WATER Cooler 563-1 pg 59 LN 30
SE	(2)	"	"	" 10-3-67	52.60		CH Elect. pg 53 LN 36
EA	(7)	"	"	5-25-68	169.00		CH Elect. pg 59 LN 18
"	(6)	"	"	" 10-3-67	3.78		CH Elect.
"	(1)	"	"				
"	(2)	"	"	" 10-3-67	28.00		
"	(6)	"	"	" 10-3-67	29.00		Roasting oven

Req #	DATE	F.S.N.	Nomenclature
7220-0236	8-8-67	HM40 TIM 10007	SWITCH F/scaling chip Tank
0237	"	H 64 HRT 30859	Brush elect.
0238	"	6SA*4510-208-2709	Dispenser, soap
0239	"	4510-595-2496	Lavatory, Basin
0240	"	5340-292-6975	Tip, Furniture Leg, F/CHAIRS
0241	"	6135-120-1020	BATTERIES BA-30
0242	"	6810-233-1715	Sodium Carb. 100LB Bgs.
0243	"	" 598-2316	Sodium Hypochlorite 1gal Co.
0244	"	" 819-6081	STARCH, Laundry 1*ct.
0245	"	6830-290-4376	Dichloro -- F-12
0246	"	8120-128-1597	Cylinder, 10LB. F-12

★
7221-0200 8-9-67 9140-256-8610 Fuel oil, N-spec. Bulk, Black oil

marked in Spec. Co. JAPAN TO MSC COK.

0200	7222-	8-10-67	N/S	-1149	laundromat, Automatic washer
0201	"	"	N/S	-1149	coil, solenoid, Auto. switch
0202	"	"	N/S	item #1 - 1149	Ring, Packing Lig. Piston #5571P
"	"	"	item #2	"	Bushing, Control cyl link #6006P
"	"	"	" #3	"	Spring, Pilot Val. #27f.
"	"	"	" #4	"	Packing, sideboard

7223-
2001 8-11-67 5977-330-9210 Spring, Brush holder, #28398

U/L	QTY	PAT	ACCT. Code	DATE Rec'd.	TOTAL Price	QTY	REMARKS
EA	(2)	13	5180-7 E9	10-3-67	4 60		CH. Elect.
"	(20)	"	" "	10-3-67	11 20		592-1 pg. 11 Ln. 15 p. 2
"	(24)	"	5130 E2	10-3-67	81 60		W.T. MOTORS 1/CH. Elect.
"	(3)	"	" "	10-3-67			STWD. Dept.
"	(3016)	"	" "	10-3-67	201 60		Plumber - STK.
"	(192)	"	" "	10-3-67	11 52		STWD. Dept.
RG	(7)	"	" "	10-3-67	74 92		STWD. Dept.
CG	400	"	" "				STWD. - 100 Eng. 300
LB	(200)	"	" "	10-3-67	62 00		STWD. Dept.
LB	(20)	"	" "				CH. Reeter
cy	2	"	" "				" "

GL	77195	13	— —	8-9-67	—	77195	Brake B-1 SAEbo
----	-------	----	-----	--------	---	-------	-----------------

ED	(2)	13	5171-E7	11-24-67	3 83 00		Survey #7221-0200
"	(6)	13	5180-7 E9	8/27/67			534-4 pg. 21 Ln. 30
"	(8)	"	" "	11-24-67			547-1 pg. 18 Ln. 20
"	1	"	" "				547-2 pg. 2 Ln. 23
"	2	"	" "				" pg. 3 Ln. 27
SE	3	"	" "				" pg. 2 Ln. 35

DA	3	13	5180-7 E9				#7202-0213 RECUIT 563-1 pg. 155 Ln. 40
----	---	----	-----------	--	--	--	---

Reg #	DATE	F. S. N.	DESCRIPTION
7235-	8-23-67		
0200	"	N/S	FAN, Elect. 12" Oscillating
0201	"	N/S	Cooler, Drinking WATER 10 GAL
0202	"	N/S	Compressor, Ret. F-12
0203	"	5966-100-7110	Electron Tube, 25A6
0204	"	" 188-3572	" " 65G7
0205	"	" 114-3866	" " 6J5
0206	"	" 188-0841	" " 25Z6
0207	"	N/S	Tube, Neon #NE32
"	"	N/S	B+ Filter Condenser,
0208	"	6830-290-4371	Acetylene, Tech, 225 CF
0209	"	" 286-5434	" " 10 CF
0210	"	" 390-4290 169-0804	AVIATORS 200 # Oxygen, Tech 55 CF
0211	"	" 577-4228	" " 24 CF
0212	"	8120-268-3360	Cylinder, Acety. 225 CF
0213	"	" 285-4733	" " 10 CF
0214	"	" 178-1602	" Oxy. 55 CF
0215	"	" 285-1576	" Oxy. 24 CF
0216	"	" 178-1600	Cyl. F-22
0217	"	6830-290-4375	F-22
0218	"	8120-178-1598	Cylinder, F-12 50 LB. CAP.
0219	"	6830-290-4377	GAS, F-12
0220	"	6810-682-6435	Same prev. Comp.
0221	"	3432-262-2743	Electrode, weld, 1/8" Nickel alloy.
0222	"	5250-187-6282	Cloth, Abr. 50 yd. 1 1/2" #120
0223	"	N/S 1149	BRUSH, CARBON
"	"	" "	" "
"	"	" "	" "
"	"	" "	" "
"	"	" "	" "
0224	"	7320-389-4866	Guide, SAW
0225	"	" " 4869	" "
0226	"	3030-220-7769	Belt V
0227	"	3110-144-8882	BEARING, BALL
0228	"	" 184-0035	" "

W/T	QTY	PRT	MAT. CODE	DATE Rec'd.	TOTAL Price	QTY.	REMARKS
EA	(10)	13	5171 E7	1-26-68	1615 ⁰⁰		TURN-IN DOC # 7234-0201 & 0202
"	(1)	"	" "	11-24-67	152 ⁰⁰		TURN-IN DOC # 7234-0203
"	(1)	"	5180-7 E9	1-26-68			TURN-IN DOC # 7234-0205
"	3	08	" "				F/R-O
"	(6)	08	" "	10-3-67	6 ⁰⁰		"
"	(3)	08	" "	10-3-67	9 ⁴⁸		"
"	(3)	08	" "	10-3-67	15 ⁰⁰		"
"	6	08	" "	REMIT TO 7244-2002			"
"	(2)	08	" "	10-3-67	7 ⁴⁰		"
CF	(450)	08	5130 E2	10-3-67	135 ⁰⁰		
"	(120)	08	" "	8/25/67	9 ⁶⁰	120	
"	(650)	08	" "	10-3-67			
"	(73)	08	" "	10-3-67	6 ⁵⁷		
EA	2	08	" "				
"	12	08	" "	8/25/67	181 ³²	10	
"	(11)	08	" "	10-3-67	28 ⁰⁰	X11	
"	3	08	" "				
"	1	08	" "				
LB	(44)	08	" "	10-3-67	17 ⁶⁰		
EA	(12)	08	" "	10-3-67	158 ⁰⁰		
LB	600	08	" "				
DR	(4)	08	" "	10-3-67	144 ⁰⁰		
LB	(30)	08	" "	1-22-68	63 ⁰⁰		
RL	(2)	08	" "	10-3-67	4 ⁰²		
EA	(64)	13	5180-7 E9	10-3-67			F/CA. Elect. Vents
"	(40)	13	" "	10-3-67			" " Air Cond.
"	(40)	13	" "	10-3-67			" " " "
"	(40)	13	" "	10-3-67			" " " "
"	(20)	13	" "	10-3-67			" " " "
"	(2)	06	" "	10-3-67	7 ⁰⁰		534-3 pp. 1 Ln. 27
"	(2)	06	" "	10-3-67	1 ⁹⁸		" " " Ln. 38
"	2	06	" "				" " " Ln. 29
"	(2)	06	" "	10-3-67	1 ⁸⁹		" " " Ln. 26
"	(2)	06	" "	10-3-67	1 ⁰⁰		" " " Ln. 27

Req #	DATE	F.S.N.	Nomenclature
7237-0200	8-25-67	N/S	Lub. Oil TANK, "Capella D"
7242-2001	8-30-67	6105-308-9627	ARMATURE MOTOR
7244-			
0200	9-1-67	6810-297-9540	BATTERY WATER, TECH. 5 gal.
0200	"	N/S	SHOWER ASSY. "Capri."
2001	"	5977-366-5396	Holder, BAUSH
2002	"	6240-244-0483	LAMP, glow #NE-32
7251-			
0200	9-8-67	N/S	Item #1 Coil Assy
"	"	N/S	" #2 " "
"	"	N/S	" #3 THERMOSTAT
"	"	N/S	" #4 Coil Assy.
"	"	N/S	" #5 Dial. Knob Assy
"	"	N/S	" #6 Contactor Repair Kit
7254-			
0200	9-11-67	3110-198-1975	Bearing, W306PP
0201	"	N/S	" W305PP CI
4469	0200	-----	BATTERY, DRY
7256-			
2001	9-13-67	5310-274-7869	WASHER, CENTER SPACER

U/I	Qty.	PRI.	ACCT. CODE	DATE Rec'd	TOTAL Price	QTY.	REMARKS
GL	(50)	06	5130	E2	10-3-67	76.50	CH. Reel
EA	(1)	13	5180-7	E9	10-3-67	597.00	
GL	(10)	06	5130	E2	10-3-67	22.00	F/RADIO OFFICER
EA	(24)	06	5130	E2	10-3-67	739.20	NETLEY CH. Eng.
EA	(3)	13	5180-7	E9	10-3-67	10-3-67 60.00	RECUT #1220-0225 563-1 pp. 59 Ln. 38
EA	(6)	13	"	"	10-3-67	4 62	RECUT #1235-0207
EA	(3)	06	5140-7	E9	10-3-67	332.00	F/G.E. MARINE GRILL
EA	(3)	"	"	"	10-3-67		model MG 55A
EA	(3)	"	"	"	10-3-67		220 Volt DC
"	(3)	"	"	"	10-3-67		
"	(3)	"	"	"	10-3-67		
"	(3)	"	"	"	10-3-67		
EA	(1)	06	5180-7	E9	10-3-67		WALK-THRU F/VENT
EA	(2)	06	"	"	10-3-67	11.05	" " "
EA	4	06	5180-7	E9	10-3-67		WALK-THRU F/VENT
EA	(8)	13	5180-9	E9	10-3-67	.88	RECUT #7202-0202 559-1 pp. 5 Ln. 21

Req. #	DATE	F. S. N.	Nomenclature
7261-	0200	18/18	Light Fixture, Incandescent w/switch # 508-1 Berth light
	0201	4510-245-9499	Trop. S type w/clean cut
	0202	4510-595-2496	Lavatory Basin
	0203	4730-050-4205	Fitting, lube 0°
	0204	4730-172-0001	" " 4°
	0205	4730-595-4320	" " 0°
	0206	5110-188-0713	Reamer, hd, strt bdy 3/8"
	0207	5120-199-7770	Socket, Socket wrench 3/4"
	0208	5120-788-8732	Wrench, Set, allen
	0209	5335-231-1222	Metal Screening 90% copp
	0210	5940-155-9693	Terminal lug 12-10 AWG
	0211	5940-186-2876	Splice cond. 10 AWG
	0212	5940-197-8745	Terminal lug 12-10 AWG
RECUT 8016/2001	0213	5940-197-9772	Terminal lug 12-10 AWG
	0214	5940-230-0566	Terminal lug 20-18 AWG
	0215	5940-230-0568	Terminal lug 5 AWG
	0216	5940-242-4952	Clip, Elect SH. 2 1/4" lg
	0217	5940-258-5890	Splice, cond. 7 AWG
	0218	5940-258-5891	Splice cond. 9 AWG
	0219	5940-258-5895	Splice, cond. 2 AWG
	0220	5940-501-7669	Terminal lug, 12-10 AWG
	0221	5940-539-5061	Terminal lug, 12-10 AWG
	0222	5940-557-1629	Terminal lug, 22-18 AWG
	0223	5940-577-3714	Terminal lug, 8 AWG
	0224	5940-583-6259	Terminal lug, 16-14 AWG
	0225	5940-804-0364	Terminal lug, 26-24 AWG
	0226	5940-825-3693	Terminal lug 12-10 AWG
	0227	5970-166-1675	Insul. Norm. Electrical
	0228	5975-178-0760	Stuffing tube S2 L
	0229	5975-178-1499	Stuffing tube S2 A
	0230	5975-178- ¹⁵¹⁷ 1502	Stuffing tube S2 D
	0231	5975-178-1503	Stuffing tube S2 E
	0232	5975-178-1504	Stuffing tube S2 F
	0233	5975-178-1505	Stuffing tube S2 G
	0234	5975-178-1506	Stuffing tube S2 J
	0235	5975-178-1507	Stuffing tube S2 K
	0236	6240-755-8656	Lights, Blinker
	0237	6240-155-7966	Pilot light type #1813
	0238	6830-290-4371	Acetylene Tech. 225 C.F. cap
	0239	8120-268-3360	Cylinder, Acetylene Tech 225 CF cap

W/T	QTY	PR.	ART CODE	DATE Rec'd	TOTAL PRICE	QTY	REMARKS
EA	20	13	5130				
EA	(3)	13	5130	11-24-67	8.70		
EA	(4)	13	5130	1-26-68	110.00		
EA	(50)	13	5130	12-24-67	2.00		
EA	(50)	13	5130	10-3-67	2.00		
EA	50	13	5130	11-24-67	60.00		Rec'd 100
EA	(3)	13	5130	10-3-67	8.40		
EA	(6)	13	5130	10-3-67	8.46		
SE	(6)	13	5130	10-3-67	15.18		
SF	12	13	5130				
PG	(10)	13	5130	10-3-67	1.20		
PG	(2)	13	5130	10-3-67	2.50		
PG	(4)	13	5130	10-3-67	7.20		
PG	(8)	13	5130	8/27/68	4.16		
PG	(2)	13	5130	10-3-67	7.20		
PG	(4)	13	5130	10-3-67	2.84		
PR	(10)	13	5130	11-24-67	4.10		
PG	(1)	13	5130	10-3-67	1.20		
PG	(1)	13	5130	10-3-67	1.10		
PG	(1)	13	5130	10-3-67	4.60		
PG	(8)	13	5130	10-3-67	1.12		
EA	(200)	13	5130	10-3-67	6.00		
PG	(1)	13	5130	10-3-67	1.60		
EA	(100)	13	5130	10-3-67	8.00		
PG	(4)	13	5130	11-24-67	2.08		
PG	(2)	13	5130	11-24-67	3.80		
PG	(4)	13	5130	10-3-67	4.00		
EA	(2)	13	5130	10-3-67	3.60		
EA	(5)	13	5130	11-24-67	5.00		
EA	(5)	13	5130	11-24-67	4.45		
EA	(5)	13	5130	8/27/68	10.00		Rec'd
EA	(5)	13	5130	12-24-67	11.25		YOKO SUB K.7
EA	(5)	13	5130	12-24-67	11.25		
EA	(5)	13	5130	12-24-67	12.50		
EA	(5)	13	5130	9/3/68	14.00		Rec'd (5) 8/27/68 14.00
EA	5	13	5130	Cancelled	6/11/68		AT HUNTERS PT.
EA	(2)	13	5130	10-3-67			S64-2 PI L40
EA	(2)	13	5130	10-3-67	10.68		F/cyl.
EA	50	13	5130	Cancelled	6/11/68		
EA	2	13	5130	Cancelled	6/11/68		

Reg. #	DATE	F.S.N.	Nomenclature
7261	0240	8120-178-1598	cylinder, Dichloroethane ^{F-12, 5013}
	0241	6830-290-4377	Gus, Dichloroethane ^{5016, COP F-12}
	0242	3030-246-0175	Belt V.
	0243	3110-120-1606	Bearing, Rol. Tpr.
RECUT 8064-2001	0244	4320-132-5217	Ring, Steam piston #1614P
	0245	4320-146-4758	Slide, Valve #1626P
	0246	4320-300-5986	Spring Hel. #6143P
	0247	4320-332-2662	Bearing Sleeve #5972
	0248	4320-420-6851	Cup, Piston #6138P
	0249	4320-420-6853	Valve, check #6140P
	0250	4320-420-6854	Guard, Valve #6141P
	0251	4320-420-6855	Seat, Valve
RECUT 8064-2001	0252	5330-196-5049	Ring lig. piston ^{#1658P} packing
	0253	5910-642-6796	Capacitor
	0254	5930-258-5936	Switch, pressure
	0255	5930-583-1896	Switch, pressure
	0256	5950-648-1622	Coil, #XA1550-1
	0257	5960-752-7892	Tube, Electron type 12AT7WB
	0258	5960-889-9246	Tube, Electron type 6EW6
	0259	5960-952-7202	Tube, Electron type 778
	0260	6685-288-8372	Reg. Ed. Pres.
	0261	7310-099-9089	Modification Kit
	0262	7310-389-4662	Coil, Holding #G30P302
	0263	7310-389-4680	Strap, balance #N163P45
	0264	7310-389-4689	Switch, 3 heat #33SW126
	0265	N66-ALX-30558	Header belt, #248-091
	0266	5950-648-1414 #1706-07132651	Coil, Shunt
	0267	6230-2705418	Flashlight 2 cell G.P.

7262 0200 N/S Gamlen Sea Clean 30 g/l drum

7263 0200 6140-755-7566 Battery

7268 0200 N/S Relay #7436-46
 " " " Overload - #7437-49
 " " " Temp. Control
 " " " Condenser, Fan Motor

U/I	QTY	PRI	ACT CODE	DATE Rec'd	TOTAL PRICE	QTY.	REMARKS
EA	(2)	13	5130	10-3-67	4.58		F/G06
LB	100	13	5130				
EA	(2)	13	5180	12-29-67	9.40		YOKOSUKA S35-1, Pg 6, L14
EA	(4)	13	5180	10-3-67	21.60		
EA	4	13	5180				S49-1, Pg 6, L25 EVAP. Feed Pump
EA	(2)	13	5180	11-24-67	1.50		S47-1, Pg 6, L34 EVAP. Feed Pump
EA	(8)	13	5180	10-3-67	6.00		S-47-2, Pg 5 L25 Pump Sanitary
EA	1	13	5180	cancel'd	NSC 8/5/68		S-47-2, Pg 2, L19 Pump, Recip. Boiler Fe
EA	(6)	13	5180	10-23-67	14.50		S47-2, Pg 7 Pump drink & wash water
EA	(8)	13	5180	10-3-67	19.52		S47-2, Pg 5, L29 Pump Sanitary
EA	(2)	13	5180	10-3-67	2.90		S47-2, Pg 5, L30 Pump Sanitary
EA	(8)	13	5180	1-24-68	52.80		S47-2, Pg 5 Pump Sanitary
EA	8	13	5180				S47-1 Pg 6, L24 EVAP. Feed Pump
EA	(2)	13	5180	11-24-67 10-3-67	1.50 1.50		S34-4, Pg 27
EA	(3)	13	5180	12-29-67	7.50	(1)	
EA	(2)	13	5180	10-3-67	50.00		
EA	(6)	13	5180	12-29-67	28.20		S59-1, Pg 15
EA	(1)	13	5180	10-3-67	.80		
EA	(2)	13	5180	10-3-67	1.20		
EA	(1)	13	5180	10-3-67	10.30		
EA	(1)	13	5180	10-3-67	7.76		S59-1, Pg 13, L30 Valve, Pres. Reg.
EA	(6)	13	5180	6/5/68	118.00		S34-4, Pg 4 Kettle Fry, Elect.
EA	(4)	13	5180	11-24-67 10-3-67	20.50 61.50	(3)	S34-1 Pg 3, L26 F/Oven, Bake Elect. GE
EA	(1)	13	5180	10-3-67	1.35		S34-4, Pg 16, L27 Oven, Roasting Elect.
EA	(5)	13	5180	11-24-67	47.00		S34-1 Pg 3, L47 S34-4 Pg 14, L34
EA	(1)	13	5180	10-3-67	8.30		S35-1 Pg 17-19 F/Bendix Wash Mach.
EA	(3)	13	5180	11-24-67	64.50		Vent System, Exh.
EA	36	13	5130				
GL	(150)	06	5130		367.00		
EA	(4)	06	5130				Fire Pump F/Emerg. Diesel
EA	(1)	06	5180	11-24-67	10.50		
EA	(1)	06	5180	11-24-67	6.00		SEPT
EA	(1)	06	5180	11-24-67	10.00		
EA	(1)	06	5180	11-24-67	17.20		

Req #	DATE	F.S.N.	Nomenclature
7268	0200	N/S	Capacitor Start
	0201	N/S	D.C. Magnetic Relay
	0202	3010-174-5632	coupling, Motor to Pump ^{#D-1093}
	0203	N/S	Pressure Reducing Valve
	0204	"	Bell 6" W.T. AS-50
see Ray, outstanding	0205	"	Rotary Switch Interiors
	0205	"	Lampholders, Flange type
	0206	"	Glass, Sight Oil Res.
	0207	3110-198-1975	Bearing #306 PP CI
	0208	5330-543-6081	Gasket, Flex 1/2" 300-600"
	0209	7320-389-4868	Cleaner-Wheel
RECUT 8043-2001	0210	7320-389-4875	Cleaner-Saw

7271	0200	4320-127-4235	Impeller
	0201	4320-212-9887	Ring, Casing
	0203	N/S	cup, Locking, Shaftnut
	0204	"	Gasket, Impeller
	0205	"	Nut, Shaft
	0206	"	Ring, Casing, Oversize
	0207	"	Sleeve, Shaft

7272	0200	5977-244-4316	Brush, Carbon
	0201	5306-274-3107	Bolts, Couplings
	0202	3020-294-6136	Drive Chain
	0203	3110-184-0035	Bearing, Ball
	0204	N/S	Bearing, Spiral Pinion
	0205	"	Bearing, step Bevel Gears
	0206	"	collar, Step Bearing
	0207	"	Gear, Bevel Spiral ^{21 Teeth}
	0208	"	Pinion, Spiral Bevel ^{18 Teeth}
	0209	"	Pump, oil Assy. complete
	0210	"	Shaft, Drive S&P
	0211	3110-100-4153	Bearing, Rollers

7292	0200	3110-100-4153	Bearing, Rollers
	0201	6810-682-6435	scale Prev comp 75" Drum

REQ NO.	DATE	F S N	NOMENCLATURE
7293	0200	3110-156-3576	Bearing
	0201	3110-156-4658	"
	0202	3110-156-4126	"
	0203	3110-156-4862	"
	0204	3110-156-4887	"
	0205	3110-156-5044	"
	0206	3110-156-5250	"
	0207	3110-156-5328	"
	0208	3110-156-5439	"
	0209	3110-156-5456	"
	0210	3110-156-6862	"
	0211	3110-156-7440	"
	0212	3110-156-7927	"
	0213	3110-156-8415	"
	0214	3110-156-8172	"
	0215	3110-156-5854 ¹⁸³⁹⁴⁻³²²⁷ 944-3227	
	0216	3110-186-0969	Washer, Key
	0217	7320-389-4868	Cleaner Wheel
Recut 7345-2002	0218	4320-267-5668	Rings, Steam Piston
	0219	6105-312-5580	coil, Shunt Field
	0220	6105-312-5581	coil Series, Field
	0221	6105-312-5582	Coil, Commutating Field
	0222	3070-288-3396	Sprocket Pump Shaft
	0223	#60-WGR-13836 7320-337-7180	Rod, Valve, w/ head Thermometer, Panel type
RECUT 8019/2001	0224	6685-202-3966	Gage, CMP
	0225	4320-300-4077	Ring - Packing
	0226	5930-361-9400	Life Boat Limit Switch
	0227	5340-290-3793	Plate, Zinc 24"x28"x1/2
	0228	N/S	Relay, Cycle R3
	0229	3110-155-6843	Bearing
	0230	3110-156-4887	"
	0231	3110-156-5336	"
	0232	7320-337-7180	Thermometer, Panel Type
		4320-141-9820	
7303	0200	Ring, Piston Valve	Ring, Piston Valve #1372P
	0201	4320-278-9697	Ring, Piston #5379P
	0202	4320-346-8664	Ring, Liquid Piston #5851P
	0203	4228-9700	Ring, Steam Piston #9649P
	0204	4320-141-9820	Rings, Snap, Lig. Pist. #90696L
	0204	4320-141-9820	Ring, Pist. Valve #1372

U/I	QTY	PRI	ACCT.CODE	REC'D.	TOTAL PRICE	REMARKS
EA	(4)	13	5180	11-24-67	8.80	
EA	(2)	13	5180	11-24-67	1.76 ⁺ ₄₅₈	
EA	2	13	5180			
EA	(2)	13	5180	11-24-67	5.60	
EA	(5)	13	5180	11-24-67	50.00	
EA	(2)	13	5180	11-24-67	8.00	
EA	(2)	13	5180	11-24-67	10.80	
EA	(2)	13	5180	11-24-67	40.02	
EA	(2)	13	5180	5-25-68	40.02	
EA	(2)	13	5180	11-24-67	8.70	
EA	(2)	13	5180	8-27-68	12.40	
EA	4	13	5180			
EA	(2)	13	5180	11-24-67	44.00	
EA	2	13	5180			
EA	2	13	5180			
EA	(2)	13	5180	58.00		
EA	(1)	13	5180	11-24-67	2.34	
EA	(1)	13	5130	11-24-67	0.25	
EA	4	13	5180			F/DUMPS, F.O. TRANSFER S47-1, P14, L27
EA	(4)	13	5180	11-24-67	96.20	S63-1, P202, L41
EA	(4)	13	5180	8/27/68	21.60	S63-1, P202, L40
EA	(1)	13	5180	11-24-67	33.12	S63-1, P202, L39
EA	(1)	13	5180	9/11/68 6/27/68	33.17	S47-2, L27, S47-1, P2, L31 S24-1, P2, L20
EA	(1)	13	5180	11-22-67	9.10	
EA	(2)	13	5180	2/19/68	6.66	
EA	(2)	13	5180	5-15-68		S47-1, P14, L24
EA	4	13	5180	canceled 11/13/67		
EA	(1)	13	5130	11-24-67	38.50	
EA	(1)	13	5180	2/19/68	9.54	S59-2, P5, L29
EA	(2)	13	5180	11-24-67	6.90	
EA	1	13	5180			
EA	(1)	13	5180	11-24-67	17.00	
EA	(1)	13	5180	11-24-67	17.00	S34-11, P7, L10
EA	(4)	06	5180	11-22-67	1.00	S47-1, P2, L27
EA	(4)	06	5180	11-24-67	58.80	S47-1, P2, L28
EA	(2)	06	5180	11-24-67	58.80	S47-1, P2, L23
EA	(2)	06	5180	11-24-67	29.60	S47-1, P16, L25
EA	(2)	06	5180	11-24-67	58.00	" " L26
EA	(2)	06	5180	11-22-67	29.60	" " L26

REQ. NO. & DATE	FS N	NOMENCLATURE
7304 0200	4320-218-3548	Pin, Lever PT. #1443P
0201	4320-141-9820	Ring Piston Valve #1372P
0202	4320-278-9697	wrong item (gland) Ring, Steam Piston #5379
0203	3120-787-9911	Bushing, Piston Rod #1440P
0204	4320-339-2654	Bushing, Valve Rodhead #189P
0205	4320-300-5975	Spring, Valve #5461P
0206	4320-035-7485	Valve, Pump #5459P
0207	4320-146-4766	Valve, Guard #1655P
0208	4320-147-0371	Valve, Seat #1656P
0209	4320-300-5945	Spring, Helical #1657P
0210	5950-645-4008	Coil, Shunt #5-654213
0211	8010-781-4105	Prussian Blue Paste
0212	6810-733-1715	(Soda Ash) Sodium Carbonate
0213	6105-312-5581	Coil Series Field-L-77818-2
0214	6105-312-5580	Coil Shunt Field L-77818-1
0215	6105-312-5582	Coil Commutating L-77818-3
IBM cont 1-24-68 0216	4710-277-4532 HHS	Tubing copper #1/4" 86 Casing, Pump SL 486
0217	N/S	Packing Ring Assy #5393P
0218	VARIOUS	SERVE MART
IBM 2806 -24-68 7305 0200	N/S V-5460-0819	VALVE REFER
	N/S V-5460-818	VALVE REFER
	N/S V-5460-821	VALVE REFER
IBM 1-24-68 0201	N/S SIZE 2	MOTOR, DAMPER
	N/S SIZE 2	DIAPHRAGMS
	N/S SIZE 3	MOTOR, DAMPER
	N/S SIZE 3	DIAPHRAGMS
	N/S SIZE 4	MOTOR, DAMPER
	N/S SIZE 4	DIAPHRAGMS
IBM 1-24-68 0202	N/S V-128	VALVE, AIR, 3 WAY
IBM 1-24-68 0203	N/S PT NO 13737	DIAPHRAGMS
	N/S PT NO 13443	DIAPHRAGMS
	N/S PT NO 13444	DIAPHRAGMS
IBM 1-24-68 0204	N/S PT NO 6201	GAGE, AIR
	0205 N/S PT NO 02278	GAGE, SUCTION
	N/S PT NO 02271	GAGE, OIL
	N/S PT NO 02277	GAGE, DISCHARGE
	N/S PT NO 010104-3	CONTROL, PRESSURE
RECUT 7332-2008 0206	N/S 4140-255-7802	FAN, DIFFUSER

U/I	QTY	PR	ACCT NO.	REC'D	TOTAL PRICE	REMARKS
EA	(2)	13	5180	11-24-67	3.10	547-1, P2, L24
EA	(2)	13	"	11-24-67	1.90	" " L27
EA	(2)	13	"	11-24-67	27.40	" " L28
EA	(2)	13	"	11-24-67	10.00	" " L10
EA	(2)	13	"	11-24-67	2.00	" " L11
EA	(4)	13	"	11-24-67	5.60	" " L36
EA	(2)	13	"	11-24-67	36.20	" " L40
EA	(2)	13	"	11-24-67	1.44	" PH L15
EA	(2)	13	"	11-24-67	2.00	" " L30
EA	(4)	13	"	12-29-67	1.04	" " L31
EA	(2)	13	"	4/25/68	39.00	563-2, P132, L18
TU	(12)	13	5130	11-24-67	5.50	
BG	(10)	13	"	11-24-67	35.60	2nd Steward
EA	(2)	13	5180	8/27/68	10.80	563-1, P202, L40
EA	(2)	13	"	11-24-67	48.10	" " L41
EA	(1)	13	"	11-24-67	33.15	" " L39
EA	(2)	13	"	12/24/67		547-3, P47, L29
EA	(2)	"	"	4/26/68		547-1, P2, L20
	13	"		10/31/67	277.94	BERVEMART SUBIC

					EST. PR. ACTUAL	
EA	(1)	13	5180	4-25-68	IBM 1-2-68	JOHNSON CONTROL
EA	(1)	13	5180	"	IBM Card 1-7-68	JOHNSON CONTROL
EA	(1)	13	5180		"	JOHNSON CONTROL
EA	(1)	13	5180		"	JOHNSON CONTROL
EA	(1)	13	5180		"	" "
EA	(1)	13	5180		"	" "
EA	(1)	13	5180	4/25/68	" 101.50	" "
EA	(1)	13	5180	4/25/68	"	" "
EA	(1)	13	5180	4/25/68	" 19.00	A/C UNIT 1-40
EA	(2)	13	5180	4/25/68	"	JOHNSON CONTROL
EA	(2)	13	5180	4/25/68	"	" "
EA	(1)	13	5180	4/25/68	"	" "
EA	(3)	13	5180	4/25/68	"	" "
EA	(1)	13	5180	4-25-68		WORTHINGTON CORP
EA	(1)	13	5180	4-25-68		" "
EA	(1)	13	5180	4-26-68		" "
EA	(1)	13	5180			" "
EA	(2)	06	5171	11-24-67	25.80	538-4 P46 L20

REQ NO	DATE	ESN	DESCRIPTION
7306	0207	"CAPRI" N/S #8-2372	SHOWER, ASSY
7307	0200	N/S PT NO 14810	GEAR BEVEL
		N/S PT NO 14805	COUPLING, HALVES
		N/S PT NO 14807	LINK, UNLIKE HOLES
		N/S PT NO 14808	LINK, LIKE HOLES
	0201	N/S PT NO 14811	GEAR, PINION, BEVEL
	0202	N/S PT NO 14754	SHELL, LINE BEARING COMP
		N/S PT NO 14772	THRUST BEARING, COMP
	0203	N/S REC'D HAWAII	BELT, DRIVE
	0204	5330-599-9544	PACKING 1/8
	0205	5330-599-9545	PACKING 3/16
	0206	5330-599-9546	PACKING 1/4
	0207	5330-599-9547	PACKING 5/16
	0208	5330-599-9548	PACKING 3/8
	0209	5330-599-9550	PACKING 1/2
EXTRA	SENT BY NSC	PTN 14886	PACKING SET AOP
7325	0200	5970-511-7187	Insulation Set
	0201	5330-184-4168	Packing Material, 1 1/2" Sq
	0202	4730-289-4686	Clamp Hose, 3/16"
	0203	4730-289-7687	Clamp Hose, 5/16"
	0204	6220-152-2877	Blinker, Light
	0205	4410-391-5899	Valve, Air
	0206	N/S	Packing "ChemPac 1/2" c200
	0207	N/S	Bellows, Assy. comp. #8686
		N/S	Glass, Sight, Oil Res. #14795
	0208	N/S	Packing Set #14886
		N/S	Washer, Shaft Seal #13781
	0209	3110-198-1975	Bearing, Ball W306 PPC
	0210	N/S	Bearing, Ball W305 PPC
	0211	N/S	Lube Oil, "Capella D"
	0212	N/S	Bearing, Spiral Pinion, #14804
	0213	3110-144-8671	Bearing
	0214	5340-292-6975	TIP, Furniture Leg f/Chair

[illegible]

REQ. NO.	DATE	FSN	NOMENCLATURE
7325	0215	N/S	Lock, Cabinet #C2138
	0216		Battery, Wet Cell
	0217	3110-110-4153	Bearing, Rollers 0862
7326	0200	6830 281-3036	Freon 11, 200 [#] DR.
	0201	N/S	Spring F/ Steam Press
	0202	N/S	Seal #Victor 600 1/4"
7331	0200	N/S	Fuel Pump complete
	0201	N/S	Springs, Inner & Outer
	0202	N/S	Belt Tightener Spring ^{Mounds}
	0203	N/S	Coupling, Flexible
7338	Mixed in	- to N/S	
	0200	3110-144-1882	Bearing F/West, Bone & Fris
	0201	N/S	Tub Boot # Q133271
		N/S	V Belt # Q62152
		N/S	V Belt # Q62149
		N/S	V Belt # Q12970
	0202	N/S P/N 71468	Fuel Pump overhaul kit
		N/S P/N 72070	Carburetor Overhaul kit
		N/S P/N 70858	Distributor Overhaul kit
	0203	3110-144-9005	Bearing,
	0204	4730-249-3883	Elbow, 90° Brs 1/4"

QTY	PRJ	Acct NO.	REC'D	T-PRICE	REMARKS
50	06	5180			Ch. Eng
1	06	5180			Ch. Radio
(6)	06	5180	11-21-67	12 60	
(5)	06	5180	11-27-67	250.00	
4	06	5180	NSE		cancelled 10-7-67
4	06	5180	NSE		cancelled 12-7-67
(30)	1				
(1)	06	5180	11-24-67	225.00	
(2)	06	5180	11-28-67		
(3)	06	5180	11-28-67		
(2)	06	5180	12-5-67	198.00	Rec'd Hawaii
4	06	5180			BIRD S34-3, P1, L26
(4)	06	5180	4/26/68	44.86	F/Westinghouse Wash. Mach.
2	06	5130			" "
2	06	5130			" "
2	06	5130			" "
(2)	06	5180	4-25-68	4.52	F/Lifeboat Engine
(2)	06	5180	4-25-68	13.50	" "
(2)	06	5180	4-25-68	20.86	" "
(4)	06	5180	8-27-68	4.16	
2(2)	13	5130	8-27-68	.18	shot of 10m

REQ NO.	DATE	F S N	NO MEMORANDUM
7339	SERV MART HAWAII		
0200	SERV MART	CHECK for \$500.00	
0201	3110-144-8882	Bearing, F/ BIRD MEAT	
0202	3110-109-1155	Bearing, MRC 205 S22	
0203	3110-158-8247	Bearing MRC 305 SFFC	
0204	3110-198-1975	Bearing W206 PP	
0205	6810-664-0388	Trichloroethane, 5 gal drum	
0206	8030-243-3284	Antiseize comp F/Oxygen ^{Gas Service}	
0207	5340-256-2159	Springs, Take Up	
0208	5340 -265-2160	Springs, Rewind	
0209	6240-243-8336	Lamps, Exciter, 6 Volts	
0210	6240-156-1568	Lamps, Projection 115 Volts	
0211	6240-143-3409	Lamps, Threading	
0212	5960-669-6861	Tubes, 6AQ5 S85-1 P2	
0213	5960-166-7664	Tubes, 12AX7 S85-1 P2	
0214	5960-271-9182	Tubes, 6X4 S85-1 P2	
0215	6230- ⁰⁶⁷⁻⁴⁸⁸² 548-0714	Lamp, Fluorescent	
0216	Filters ⁶²⁹⁵ 6710-399-	Filters F/ " "	
7355	MAILER IN	QUINCY	
0200	4730-222-1837	Nipple, close 1/4"	
0201	4730-222-1839	Nipple 3/4 x 1 1/8"	
0202	4730-249-3884	Elbow, Brs, 90°, 3/8"	
0203	4730-249-1476	Elbow, Galv. 90° 3/8"	
0204	4820-262-6874	Globe, Valve 100 PSI 1/4"	
0205	4730-266-0538	Adapter 1/4 TMP 5/8-18	
0206	4510-273-1090	Strainer	
0207	5720-288-8732	Wrench, Allen, Set	
0208	5720-061-8543	Hammer, Mach, Ball Peen	
0209	5720-234-5224 6230-270-3418	Mach. Steel Rule Flashlight, 2 cell	
0210	6210-236-8714	Globe, Elect Light	
0211	6135-120-1020	Battery, dry cell	
0212	4320-300-5945	Spring, Valve #1657P	
0213	4320-146-4765	Valve, Liquid End #1654P	
0214	4320-146-4766	Guard Valve	
0215	4320-146-4763	Valve Rod w/head	
0216	9330-281-9909	Plastic Sheet 1/4"	
0217	N/S	Oil Conditioning Element	