

**AIR FACILITIES
DATA
THAILAND**

AIR FACILITY DATA PAMPHLET
REVISION RECORD

Revisions to this publication will be distributed by the area Flight Information Center on the basis of the current distribution list. It is important that individual pamphlet holders promptly insert each revision and make appropriate entry or entries on the list of revised pages (unless a new listing of revised pages is provided for insertion.)

Check lists of current Air Facility Data Pamphlet pages will be maintained and distributed by the area Flight Information Center concerned.

* Revised Pages

| Page No. | Effective Date | Page No. | Effective Date | Page No. | Effective Date |
|----------|----------------|----------|----------------|----------|----------------|
| 1 | 1/9/72 | 12 | 1/9/72 | 25 | 1/9/72 |
| 1(A) | 1/9/72 | 13 | 1/9/72 | 26 | 1/9/72 |
| 2 | 1/9/72 | 14 | 1/9/72 | 27 | 1/9/72 |
| 2(A) | 1/9/72 | 15 | 1/9/72 | 28 | 1/9/72 |
| 3 | 1/9/72 | 16 | 1/9/72 | 29 | 1/9/72 |
| 4 | 1/9/72 | 17 | 1/9/72 | 30 | 1/9/72 |
| 5 | 1/9/72 | 18 | 1/9/72 | 31 | 1/9/72 |
| 6 | 1/9/72 | 19 | 1/9/72 | 32 | 1/9/72 |
| 7 | 1/9/72 | 20 | 1/9/72 | 33 | 1/9/72 |
| 8 | 1/9/72 | 21 | 1/9/72 | 34 | 1/9/72 |
| 9 | 1/9/72 | 22 | 1/9/72 | 35 | 1/9/72 |
| 10 | 1/9/72 | 23 | 1/9/72 | 36 | 1/9/72 |
| 11 | 1/9/72 | 24 | 1/9/72 | 37 | 1/9/72 |

| Page No. | Effective Date | Page No. | Effective Date | Page No. | Effective Date |
|----------|----------------|----------|----------------|----------|----------------|
| 38 | 1/9/72 | 57 | 1/9/72 | 76 | 1/9/72 |
| 39 | 1/9/72 | 58 | 1/9/72 | 77 | 1/9/72 |
| 40 | 1/9/72 | 59 | 1/9/72 | 78 | 1/9/72 |
| 41 | 1/9/72 | 60 | 1/9/72 | 79 | 1/9/72 |
| 42 | 1/9/72 | 61 | 1/9/72 | 80 | 1/9/72 |
| 43 | 1/9/72 | 62 | 1/9/72 | 81 | 1/9/72 |
| 44 | 1/9/72 | 63 | 1/9/72 | 82 | 1/9/72 |
| 45 | 1/9/72 | 64 | 1/9/72 | 83 | 1/9/72 |
| 46 | 1/9/72 | 65 | 1/9/72 | 84 | 1/9/72 |
| 47 | 1/9/72 | 66 | 1/9/72 | 85 | 1/9/72 |
| 48 | 1/9/72 | 67 | 1/9/72 | 86 | 1/9/72 |
| 49 | 1/9/72 | 68 | 1/9/72 | 87 | 1/9/72 |
| 50 | 1/9/72 | 69 | 1/9/72 | 88 | 1/9/72 |
| 51 | 1/9/72 | 70 | 1/9/72 | 89 | 1/9/72 |
| 52 | 1/9/72 | 71 | 1/9/72 | 90 | 1/9/72 |
| 53 | 1/9/72 | 72 | 1/9/72 | 91 | 1/9/72 |
| 54 | 1/9/72 | 73 | 1/9/72 | 92 | 1/9/72 |
| 55 | 1/9/72 | 74 | 1/9/72 | 94 | 1/9/72 |
| 56 | 1/9/72 | 75 | 1/9/72 | 95 | 1/9/72 |

FOREWORD

PURPOSE

- A. This publication is to be used as a local supplement to Civil or Military flight information publications. Airfield and site status is subject to change as a result of local operational conditions. The Flight Information Center - Udorn, coordinates with all interested agencies to maintain current information on Thailand facilities. AAM operations staff at Bangkok and Chiang Mai monitor their operating areas and furnish current site information to FIC - UTH. This FIC will be contacted as the primary source and/or final company authority whenever airfield or site status is in doubt.
- B. Adherence to instructions contained in the Air Facility Data Pamphlet, its Addenda and NOTAMs is mandatory for Company flying and ground personnel concerned (See Air America Operators Manual - Southeast Asia; Section 4.70) .

REVISIONS

Revised pages will be issued by FIC - UTH when necessary to update coverage. FIC - UTH will publish and distribute local Addenda or NOTAMs to all pamphlet holders for interim pen and ink correction pending publication and distribution of revised pages.

SUBMISSION OF INFORMATION

Company personnel or customer and allied agencies should submit any pertinent or new information to the FIC at the Air America operating base in their respective area.

TABLE OF CONTENTS

- Section I - Facility Data Legend.**
- Section II - Listing of Tango Airfields/Sites by Number.**
- Section III - Listing of Sites by UTM coordinates with corresponding numerical and alphabetical designations (e.g. MA 9672 T-11, Chiang Mai.)**
- Section IV - Alphabetical listing of Sites with corresponding numerical designations and UTM coordinates (e.g.: Aranyaprathet, T-209, TA 3115.)**
- Section V - Air Facilities open to AAM Aircraft.**
- Section VI - Company/Customer communications.**
- Section VII - Instrument approach procedures charts.**
- Section VIII - General information.**

SECTION I

(Revision) FACILITY DATA LEGEND

Minimum useable runway dimensions authorized for regular operation of Company aircraft are listed below. Weather factors and/or other operational considerations may require additional runway length/width for safe operation. Always consult the applicable Aircraft Flight or Operations Manual for accurate performance information. Operation into runways not meeting these basic limitations must have prior approval of the Chief Pilot concerned.

| <u>Type</u> | <u>Width</u> | <u>Length</u> |
|-------------|--------------|----------------------|
| C-130 | 100' | 3,000' |
| C-46 | 77' | 3,000' |
| C-47 | 56' | 2,000' |
| C-123K | 75' | 1,700' (53,000 lbs.) |
| | 75' | 2,600' (60,000 lbs.) |
| 10-2 | 39' | 2,000' |
| VTB | 39' | 1,500' |
| DHC4/C7A | 35' | 1,000' |
| DHC6 | 50' | 750' |
| PC6 | 30' | 500' |

Definitions:

CLOSED - Closed for physical reasons or non-usage.

CLOSED UNFRIENDLY - Site is controlled by hostile forces.

OPEN TO - Specifies maximum type Company aircraft field is open to.

R/W - Rotor wing aircraft.

TDOA - Thailand Department of Aviation.

RTAF - Royal Thai Air Force.

RTA - Royal Thai Army.

SR-SS - Sunrise to Sunset.

Map References - example

NE47-7 = JOG, 1:250,000 scale

K-9B = ONC, 1:500,000 scale

UTM Grid - e.g. UD 8142 - Two letters indicate a 100,000 meter square grid. The following two numbers are read to the right and indicate the point to the right and indicate the point to 1,000 meters horizontal. The next two numbers are read up and indicate the point to 1,000 meters vertical.

. 1 Sept. 1972

2(A)

THAI

SECTION

II

AIRFIELDS/SITES

NE 47-15, J-10-C 16°47'N 100°17'E
 TDOA 165' 5893'x150' Asphalt/Concrete 14/32
 Lights: Rwy Approach sequence flashing lights, rotating beacon. 2 hour prior notice required.

Fuel: 100/130 115/145 A-1

Comm.: Twr.: 236.6, 122.3, 6672, 5491.5

BKK ACC remote site 133.1/265.9

Nav. Aids: NDB "PL" 263 at field operated 24 hours daily. VOR/DME "PSL" 114.1, CH 88, Test basis only. At fld.

Commercial Radio: 1030

Radar: GCI "DORA" 135.9 278.4

Remarks: Operates 2300-1400Z. 200' overruns each end. NDB not within acceptable tolerance. 412' tower 3 NM N. of field.

02 Roi Et (VTUR)

UC 5677

NE 48-14 J-11-D 16°04'N 103°39'E
 TDOA 459' 2600'x98' Gravel/Laterite 17/35

Remarks: Overrun on north end unusable. Open to C47 C123. Opr. SR-SS 200' towers $\frac{1}{2}$ mi. S. Do not land short. Approach rwy 17 over mud holes & sharp 1' upslope at rwy threshold. Rwy closed every Sunday and Tuesday for repairs.

03 Muang Lampang (VTCL)

NA 5420

NE 47-7 K-9-B 18°16'N 99°30'E
 TDOA 794' 4850'x100' Asphalt 18/36

Lights: Temporary Rwy lights. 2 hour prior notice required.

Fuel: None

Comm.: Tower: 122.3, 6672, 5491.5

Nav. Aids: NDB 'LP' 395 at field. Operates 24 hrs daily. NDB reported unreliable.

Commercial Radio: 1130

Remarks: Rwy strength SWL 30,000 LBS. 195' overrun each end. First 2600' rwy 36 unusable. Open C46. Field operates SR-SS. Closed to C130. 250' AGL tower NA545221. 200' AGL tower NA482174.

04 Tak (VTPT)

NU 1666

NE 47-15 J-10-C

16°53'N 99°09'E

TDOA 363' 4300'x128' Laterite

09/27

Lights: None Fuel: None

Comm.: Tower 118.1, 6672, 5491.5

Nav. Aids: Commercial Radio Station: 880

Remarks: No overruns. Road crosses
rwy. Slick when wet. Ditches and
brush off rwy sides. Field operates
SR-SS Hazards-approach rwy 09 over 40'
power line $\frac{1}{2}$ mi., 25' trees 300'-400'
prior to threshold. Water for personel,
cattle and vehicles on rwy.

05 Takhli (VTPI)

PS 4088

ND 47-3 K-9-B

15°17'N 100°18'E

RTAF 105' 9840'x150' Concrete

36/18

Lights: Rotating Beacon; rwy lights; high intensity
sequence flashing lights; 10 min. prior
notice required.

Fuel: 115/145 JP-4. Prior notice required.

Comm.: Tower: 126.18 236.6 122.3 118.1

GND CON.: 275.8

Nav. Aids: NDB 'TL' 284 at field 2300Z-0700Z,
unusable 060°-110° beyond 6NM. out
0500Z-0600Z mon.

TACAN 'TKL' CHAN. 95

NDB 690 no I. D., 15 min. prior

notice required to "Seahorse 3" 121.1

Commercial Radio: 960

Remarks: 1000 overrun each end. Customer

Call sign "Seahorse 3" 121.1

operating 0100-1000Z daily,

other times on request. Rwy, twy

and obstruction lights out.

Tacan unusable 070°-150° beyond 20 NM

below 5000' 270°-280° beyond 25 NM

below 5500' 300°-330° beyond 15 NM

below 6500'.

06 Mae Hong Son (VTCH)

LB 9334

NE 47-2 J-10-C

19° 18' N 97° 59' E

TDOA 905' 4314' x 98' Asphalt

11/29

Lights: None Fuel: None

Comm.: Tower: 122.3, 6672, 5491.5

Nav. Aids: NDB 'MH' 420 on test basis only.
2300-1100Z. Located at field.

Remarks: SR-SS. Caution in rainy season.

197' overrun on rwy 11. High terrain all quads. Approach to rwy 29 not recommended-over high terrain, steep down slope to rwy. 50' trees 300' prior to threshold. Approach rwy 11 over 1000' hill slightly south $\frac{1}{2}$ mile. 30' trees approximately 500' and sharp upslope 200' prior to threshold.

Tarffic Pattern: Land rwy 11, takeoff rwy 29 winds permitting.

Status undetermined for C-130

07 Phrae (VTCP)

PA 2405

NE 47-7 J-10-C

18° 08' N 100° 10' E

515' 3635' x 110' Laterite

02/20

Lights: Temp. (3 hrs. prior notice required)

Fuel: None

Comm.: Tower: 122.3, 6672, 5491.5 (SR-SS)

Nav. Aids: NDB 'PR' 224 at field. Test status. Opr. 0001Z-0930Z.

Remarks: Opr. SR-SS 150' overruns each end. Open to C-46. Status undetermined for C-130. Caution: New runway under construction. Men and equipment on old runway.

1 Sept. 1972

6

THAI

08 Udorn (VTUD)

TE 6523

NE 48-9 J-11-D 17°22'N 102°48'E

RTAF(USAF) 584' 10,000'x125' Concrete 12/30

Lights: Rotating Beacon, Rwy Lights,
Hi-intensity app. lights rwy 30
on request.

Fuel: 115/145 JP-4 A-1

Comm.: Tower: 122.5 236.6 355.4 266.7T

APP. CON.: 119.7 363.8 389.5 108.3(T),
237.1, 267.6(T)

UHF/DF: 236.6

GND CON.: 275.8 126.2 126.18

METRO: 344.6

DEP. CON.: 270.6 119.7

Customer: Rascal I: 121.1

Radar: GCI Brigham 338.3 333.4 135.9
278.4 228.4

GCA: GCA Call RAPCON 134.1 261.4

266.3 269.0 389.5 284.0 329.0 248.8

Company Radio: 119.1 8765 5568

Nav. Aids: NDB 'UD' 236 at field.

TACAN CH. 70 at field. Unusable
from 070° - 310° beyond 40 NM

below 5000' msl. Out 0800Z-1000Z

Mon. and Fri.

VOR 113.9 'UDN' at field. Out 0200Z-
0300A Mon. and Fri.

Commercial Radio: 1230

Remarks: Student pilot training 0100 to 1000Z
daily. Air America Ramp not visible
from Tower. Avoid overfl of populated
area of base N. of rwy below 500'.
Maintain min. separation of 2000'
between aircraft. USAF controllers
available if instructions not understood.
Do not taxi on yellow striped non-load
bearing pavement. R/W operations on
infield. Twy 3 designated as a helipad.

Restricted areas: Udorn bombing
range 249°/2NM from TACAN CH. 70.
Jettison area, 4NM wide, from 198°/
16NM to 198°/21NM from TACAN.

1 Sept. 1972

8

THAI

09 Don Muang (VTBD)

ND 47-13 K-9-B 13° 55' N 100° 37' E
RTAF (USAF) 12' 10,500' x 197' Concrete 03L/21L
9,840' x 148' Concrete 03R/21L

Lights: Rotating Beacon, Hi-intensity rwy lights.
Approach Lights.

Fuel: 100/130 115/145 JP-4

Comm.: Tower: 118.1 126.18 236.6(E)

Clnc delivery: 121.9 257.8

DEPCON 125.5 255.6

GND. CON.: 121.9 257.8

APP. CON.: 119.1 284.0 363.8

Company Radio: 127.3 8765 5568

BKK ACC ATS 200NM radius from 'MK'
NDB H24.

Nav. Aids: NDB 'MK' 345 018⁰/11.2 NM to field

NDB 'BK' 293 209⁰/4.2 NM to field

VORTAC 'BKK' 112.1 CH. 58, 209⁰
4.8 NM to field.

NDB 'KK' 276 at field

VHF/DF 121.5 (118.1/119.1 on request)

Radar: GCA IFR Call BKK APP. CON.: VFR

Call BKK Tower. 134.1 142.02 255.6

289.4 270.6 284.0 266.6 (T)

Remarks: M & R avail. Conventional aircraft
traffic pattern 1000'. Light aircraft
600'. All pilots must follow parking
instructions given by tower. No radio
contact with training acft operating from
rwy 21L/03R 800' TFC pattern Mon-Fri
0600Z-0930Z. (VFR reporting points,
see last page.) Night flights in BKK
control zone must be IFR unless ap-
proved by tower. Some twy lights out.
R/W traffic prohibited on USAF ramp.
Antenna site 300 meters approach end
of rwy 21L-195 meters from W. side
of rwy 21L. Rwy 21L/03R use ext.
caution due local small acft traffic.
Rwy 21R/03L under construction open
to AVRO748 only.

10 Hua Hin (VTBH)

PP 0496

ND 47-15 K-9-B

12°38'N 99°57'E

TDOA 10' 3150'x100' Asphalt

16/34

Lights: Temp. 2 hr. prior notice required.

Fuel: None for AAM.

Comm.: Customer Radio: HH 120.1

TWR 122.7 6672 5491.5 Contact 10
minutes out, BKK control: 263.8, 120.5

Nav. Aids: NDB 'HN' 213 at field.

Remarks: Opr. SR-SS. Restricted area

R-3 S. W. of fld, active by notam.

C-46 OTOW 46.0.

C-130 OTOW/OLW 132.0

11 Chiang Mai (VTCC)

MA 9672

NE 47-6 J-10-C

18°46'N 98°58'E

TDOA 1063' 7000'x125' Concrete

18/36

Lights: Rotating Beacon; Rwy Lights; Twy Lights

Fuel: 100/130 115/145 A-1

Comm.: Twr: 236.6 305.4 121.5, primary 118.1,
secondary 122.3, (2300-1400
15 PNR), 6672 5491.5

APPCON: 305.4 126.18 122.3

GNDCON: 275.8, 118.1

A/G Voice Radio 6672, 5491.5

Nav. Aids: NDB 'CM' 255 at field.

Opr. 2300Z-1400Z

TACAN 'CHM' CH. 109 at

field. Unusable 260°-350° unusable
beyond 40 NM. 184° radial unusable.

Commercial Radio: 985

Remarks: Caution: High speed gunnery passes
being flown by T-28 aircraft thru
traffic pattern. Ramp space limited.
Prior notice required. North Twy
closed due military acft. parking.
New Twy completed 75'x70'.

12 Khun Yuam (VTCK)

LA 8270

NE 47-6 J-10C

18° 50'N 97° 56'E

1312' 3600'x145' Laterite

18/36

Remarks: CLOSED.

13 Korat (VTUN) (Nakhon Ratchasima)

SB 8653

ND 47-6 K-9-B K-10-A

14° 56'N 102° 05'E

RTAF (USAF) (USA) 729'

9845'x150' Concrete

06/24

Lights: Rotating Beacon; Rwy Lights;
Hi-Intensity approach lights;
sequence flashing lights.

Fuel: 115/145 JP-4

Comm.: Tower: 118.1 236.6 390.6 (E)

APP.CON.: 363.8 134.1 302.3

GND CON 275.8

UHF/DF: Call Tower 305.4 (U)

Customer: Rascal V 121.1

DEP CON 237.1

Nav. Aids: NDB 'KT' 230 MP 0700-0900Z THU.

180° -1.4 NM to field. TACAN 'KRT'

Chan. 125 at field. MP 0700-0900Z

Tue. Tacan CH86 at field, enroute only.

Commercial Radio: 800

Radar: GCA Call APP.CON.: 126.2, 241.2,

289.4 264.7 261.4

Remarks: All aircraft use left hand traffic
pattern landing rwy 24. Use right
hand pattern when landing rwy 06.
Do not fly over populated area W
of Korat, or over Korat. In
event of radio failure, execute
standard radio failure pattern and
monitor VOR Freq. 108.3. Requires
ICAO flight plan for all takeoff and
landings. Mobile tower in use. expect
loss of communication 160°-180°.
PPR, no RON.

ND 48-5 K-9-B

14° 59' N 102° 08' E

729' 1150x32' Asphalt

05/23

Lights: None Fuel: None

Comm.: Tower: Call Korat tower.

Customer: Rascal V 121.1

Remarks: Traffic West of T-13. Strip is through building complex. Ground traffic across strip controlled by Customer - contact before landing. 150' smokestack 240°/1/8 NM from rwy. Open to Porter.

13B Korat Royal Thai Army

SB 8655

ND 47-6 K-9-B K-10-A

14° 57' N 102° 05' E

RTA 679' 3800'x65' Asphalt

07/25

Lights: None Fuel: None Comm: None

Nav. Aids: See T13.

Remarks: Call Korat tower for traffic advisory. 1329' tower 255°/4.5 NM from field. 500' unstressed overrun at each end left hand traffic. On take off from rwy 07 no turn allowed until past the city or above 2,000'. Open C47, C123K. C-130 status undetermined.

14 Nakhon Sawan (VTPN)

PT 2233

ND 47-3 K-9-B

15° 40' N 100° 08' E

TDOA 92' 3600'x145' Laterite/Sod

05/23

Lights: None Fuel: None

Comm.: Tower: 122.3 6495, 6672.

(0130-0900Z)

Commercial Radio: 1090

Remarks: Opr. SR-SS. May be unusable when wet. High antennas at NW end of strip, 100' overruns each end. 0-1 Trng. Area. Open to C-46. Open to C-130, if dry, OTOW 148.0, OLW 150.0.

15 Koke Kathiem (VTBL) (Lop Buri) PS 7945

ND 47-8 K-9-B 14° 53'N 100° 40'E

RTAF 98' 7250'x140' Asphalt 16/34

4100'x150' Concrete 05/23

Lights: Portable Electric

Fuel: 115/145

Comm.: Tower: 118.1 236.6 336.6 122.3

Nav. Aids: NDB 'LB' 280 at field. 2300-1100Z

Commercial Radio: 630 not on air at all times.

Remarks: Opr. 2230-1100Z Monday thru Friday
Rwy 16/34 closed.

16 Chiang Rai (VTCR) NB 8798

NE 47-3 J-10-C 19° 53'N 99° 50'E

TDOA 1365' 4890'x98' Asphalt 18/36

Lights: Rwy lights, approach sequence flashing
lights

Fuel: None

Comm.: Tower: 6672 5491.5 118.1 SR-SS

Nav. Aids: NDB 'CR' 277 at field. Opr. 2300-
1100Z.

Commercial Radio: 1280

Remarks: NDB outside acceptable tolerance.

Caution low passes by fighter aircraft.
Operates SR-SS.

17 Loei (VTUL) QV 8939

NE 47-12 J-10-C 17° 27'N 101° 44'E

TDOA 853' 3937'x99' Laterite 04/22

Lights: None Fuel: None

Comm.: Tower: 118.1, 122.5, 6765, 5491.5
SR-SS

Remarks: Caution after rain. OPEN C46.

Status undetermined for C-130.

18 Sattahip (VTBS) (Ban Sattihip) QP 1299

ND 47-16 K-9-B 12° 39' N 100° 57' E

RTAF 23' 4100' x 125' Asphalt 05/23

Lights: None Fuel: JP-4

Comm.: Tower 118.1 126.18 236.6

Remarks: Restricted areas: 10 NM Radius from
QQ 0772 and QQ 0228, up to 10,000'.

All VFR aircraft avoid flying over
populated area below 3000'. Construction
on edge of rwy and on twy. Status
undetermined for C130.

18A Ban U Tapao (VTBU) QQ 1900

ND 47-16, K-9-B 12° 41' N 101° 01' E

59' 11,500' x 200' Concrete 18/36

Lights: Hi-intensity Approach lights. Rwy lights

Fuel: 115/145 JP-4

Comm.: Tower 126.2 227.0 236.6 118.1

RADAR.: 261.4 339.0 275.4 322.5

134.1 119.9 306.2 289.4

279.6 108.3* 126.0

* VOR frequency monitor

DEP. CON.: 238.3

GND. CON.: 275.8

APP. CON.: 327.1 134.1

Nav. Aids: TACAN 'BUT' CH. 105 at field

VOR 'BUT' 110.8 at field

out 0300-0500Z Wed & Sat

Radar: Call APP. CON. 261.4x 275.4x 339.0x 322.5x

Remarks: Restricted Areas: 10 NM Radius
from QQ 0772 and QQ 0228, up
to 10,000'. Unlgted Hill 896' 2.2 NM
NNE of Rwy. All VFR aircraft avoid
flying over populated area below 3000'.
72hr prior permission required, for
ron only. Circling west of runway not
authorized. Tacan unusable 020-050
beyond 7 NM below 9000 ft. 210-345
beyond 15 NM below 7000 ft. Expect
1 hr delay for landing and take off.
Inbound VFR contact tower 10 NM.

Out for traffic and landing instruction.

1 Sept. 1972

14

THAI

19 Ubon (VTUU) (Muang Ubol)
(Ratchathani)

VB 8685

ND 48-2 K-10-A 15° 15' N 104° 52' E

TDOA (USAF) 405' 9000' x 125' Concrete 05/23

Lights: Rotating Beacon. Hi-intensity rwy and
Approach lights.

Fuel: 115/145 JP-4

Comm.: Tower: 122.5 236.6 126.2 274.5
5680 6765.

GND. CON.: 275.8

APP. CON.: 119.7 363.8

DEP. CON.: 270.6

PTD 372.2

Customer: Rascal IV 121.1

Nav. Aids: NDB 'UB' 373 at field

VOR 'UBL' 112.7 at field. Enroute
Aid only.

TACAN 'UBL' CH93 at field out
2300-0100Z Mon & Tue.

Radar: GCI "LION" 135.9 278.4 234.3 316.0

GCA Call APP. CON. 395.0 335.8

134.1 327.1 306.2 289.2 275.4 261.4
240.5

Remarks: TACAN unusable below 2500' beyond

10 NM 255° - 265° and below 3500'

beyond 25 NM 265° - 315° below

2,000' beyond 30 NM 077° - 120°

below 4,000 beyond 18 NM 315° - 035°.

Caution: Opposite direction ATC

procedures in terminal area.

Limit use of field per T19 base
operations officer.

20 Lom Sak (VTPL)

QU 4161

NE 47-16 J-10-C

16°49'N 101°15'E

RTAF 500' 3955'x90' Laterite/Rock

18/36

Lights: Flare pots on request.

Fuel: JP-4, 100/130 from RTA, availability
not assured.

Comm.: Twr. 118.1

Nav. Aids: NDB 'LOM' 270 at field.

Operates SR-SS, unusable 170-210
beyond 20 NM, 210-170 beyond 5 NM.

Remarks: Slick when wet. Status undetermined for
C-130. Closed for repair.

21 Mae Sariang (VTCS)

LA 8710

NE 47-6 J-10-C

18°11'N 97°56'E

TDOA 1030' 3300'x105' Laterite

01/19

Lights: None Fuel: None

Comm.: Tower: 122.3, 5491.5, 6672, SSB4565
and 6995, SR-SS.

Nav. Aids: NDB 'MR' 360 at field.

Opr. 0130-0930Z OT 1 hr prior notice.

Remarks: Opr. SR-SS. Dry field capacity
37,000 lbs any wheel config. 450'
ovrn North end, 50' ovrn South End.
Closed to all Fixed Wing during Rainy
Season, by NOTAM. OPEN C7A.
Status undetermined for C-130.

22 Nong Khai (VTUM)

TE 6176

NE 48-9 J-11-D

17°52'N 102°45'E

TDOA 525' 3400'x100' Laterite

01/19

Lights: Night lighting avail. Fuel: None

Comm.: Call Radio 122.5, 6765, 5680

Remarks: Opr. SR-SS Radio Tower to NE.

2000' overrun to SW. Avoid sharp
turns on rwy. OPEN C123K.

- Status undetermined for C-130.

23 Chumpon (Na Nian) NM 0960

NC 47-8 K-9-C 10° 30' N 99° 05' E
35' 2700'x40' Laterite 07/25

Remarks: CLOSED.

24 Ranong (VTSR) MM 6000

NC 47-10 K-9-C 09° 51' N 98° 37' E
TDOA 115' 3500'x98' Gravel/Soil 09/27

Remarks: CLOSED.

25 Surat Thani (VTSB) NL 4010

NC 47-11 K-9-C 09° 08' N 99° 22' E
TDOA 15' 2700'x100' Sod 04/22

Nav. Aids: Commercial Broadcast 210 in area.

Remarks: CLOSED.

26 Nakhon Si Thammarat (VTSN) PK 0536

NC 47-15 K-9-C 08° 27' N 99° 58' E
RTAF 44' 3600'x50' Sand/Sod 17/35

Fuel: emerg. 115/145 contact JUSMAG.

Lights: None Comm: None

Remarks: Ruts in runway. OPEN C123K.
Status undetermined for C-130.

NC 47-14 K-9-C

08° 07' N 98° 19' E

TDOA 6' 4725' x 98' Asphalt

09/27

Lights: Rotating beacon. Threshold; Rwy; Twy lights

Fuel: 100/130

Comm.: Tower: 122.7, 5680, 6765, SR-SS.

Nav. Aids: NDB 'PU' 210 at field, unusable

beyond 25 NM. VOR/DME 112.9/

CH. 76 operates 24 hrs. test basis.

Remarks: Opr. SR-SS obst. lights out. Work in progress. Use extreme caution landing rwy 27, approach lights in place rwy 27 not operable. Status undetermined for C-130.

28 Trang (Ton Du) (VTST)

NJ 6930

NB 47-3 K-9-C L-10

07° 30' N 99° 37' E

TDOA 60' 4900' x 98' Asphalt

08/26

Lights: None Fuel: None

Comm.: Tower: 122.7, 118.1 4565, 6945 SR-SS

Nav. Aids: NDB 332, 25 watt, operates 0130-0930Z.

Remarks: Use caution, old rwy north of tower (unmarked) closed. Status undetermined for C-130.

29 Songkhla (VTSS)

PH 7894

NB 47-3 K-9-C L-10

07° 11' N 100° 37' E

TDOA 13' 4960' x 148' Asphalt

13/31

Lights: Rotating beacon. Temp. lights.

Fuel: 100/130 (Day) 115/145 (JP-4, Limited)

Comm.: Tower: 122.7, 5680, 6765, SR-SS.

Nav. Aids: NDB SK, 420. at field. Test basis.

Remarks: Opr. SR-SS. Other times 3 hr notice. Usable width of asphalt is 65'. Overrun unusable. 150' radio tower $\frac{1}{4}$ mi. SW of airfield. 100' towers N. of airfield. Strong gusty crosswinds prevalent. No touch down markers. Status undetermined for C-130. Closed to all civil aircraft.

30 Pattani (VTSK)

QJ 8620

NB 47-8 K-9-C 06°47' N 101°10' E

TDOA 20' 4550 x115' Asphalt 08/26

Lights: None Fuel: None

Comm.: Tower: 122.7, 5680, 6765

Nav. Aids: New compass locator facility
on test basis.

ID "PT" 06°47' N 101°09'42" E

SR-SS.

Remarks: Opr. SR-SS. Not recommended for night operation, livestock have access to rwy. Approach hazardous rwy 08' over trees and houses. 6' fences and road 800' prior to threshold. Rwy 26'-over 80' trees and 20' houses 1000'. 6' bushes 180' prior to threshold. Status undetermined for C-130.

31 Prachinburi (Coa Eto) (VTBA)

QR 5757

ND 47-8 K-9-B 14°05' N 101°23' E

RTAF 80' 3000'x230' Clay 17/35

Lights: None Fuel: None

Comm.: Customer 123.6

Nav. Aids: NDB 'PB' 201 348°/3 NM from field.

Remarks: Recommend takeoff North, Land South due to obstacles South end. Make runup prior to taxiing in position to avoid blowing dust at South end of rwy. Closed if wet. No Tower control. Call T-31 on 123.6 and advise inbound. OPEN C47/C123K. Open to C-130, if dry, OTOW/OLW-130.0.

32 Chanthaburi (VTBC) (Nurn Ploy Waem) SU 7898

ND 48-13 K-9-B 12°38' N 102°02' E

TDOA 120' 3300'x200' Sod/Laterite 17/35

Nav. Aids: Commercial Radio 875

Remarks: CLOSED.

33 Phet Buri (Petchaburi) NQ 9832
(Ban Yang Yong)

ND 47-15 K-9-B 12° 57' N 99° 54' E
40' 2445' x 60' Laterite/Sod 17/35
Remarks: CLOSED

34 Prachub Khiri Khan (VTBP) NP 8802

NC 47-3 K-9-C 11° 47' N 99° 49' E
RTAF 16' 6570' x 130' Asphalt 08/26
3285' x 130' Asphalt 18/36
Lights: None Fuel: None
Comm.: Tower 118.1 236.6
Nav. Aids: NDB 'PC' 255 at field. Operates
2300-1100Z.
Remarks: Runway 08/26 closed for repair.

35 Ban Mae Sot (VTPM) (Mae Sot) MU 5146

NE 47-14 J-10-C 16° 42' N 98° 33' E
TDOA 672' 3535' x 110' Laterite/Sod/Gravel 05/23
Lights: None Fuel: None
Comm.: Tower: (SR-SS) 122.3, 5491.5, 6672,
6945.
Nav. Aids: NDB 'MD' 316 at field
Remarks: Opr. SR-SS Dry field capacity
37,000 lbs. any wheel config.
15,000 lbs. single wheel loading.
NDB unusable 000-030 beyond 50 NM.
1st 800' W. end loose rocks. Closed
when wet. Construction on rwy 05
end, 2,900' usable. OPEN C7A.

1 Sept. 1972

20

THAI

36 Pai (VTCD) MB 4240

NE 47-2 J-10-C 19° 21' N 98° 27' E
889' 2300' x 125' Laterite 18/36

Remarks: Open PC-6.

37 Ban Na Khu (VTUA) UD 9754

NE 48-14 J-11-D 16° 46' N 104° 02' E
RTAF 845' 3300' x 90' Laterite 15/33

Remarks: CLOSED.

38 Sakon Nakhon VD 0897

NE 48-10 J-11-D 17° 17' N 104° 06' E
TDOA 560' 2300' x 100' Laterite 13/31

Lights: None

Fuel: None

Comm.: None

Nav. Aids: Commercial Radio 843

Remarks: CLOSED to all aircraft. Use T437

39 Yan Hi NV 0605

NE 47-11 J-10-C 17° 14' N 99° 04' E
TDOA 490' 4200' x 95' Asphalt 05/23

Lights: None

Fuel: None

Comm.: TWR 118.1 Radio 6672 5491.5 24 hrs
prior notice required.

Remarks: Operates SR-SS. Status undetermined
for C-130.

40 Khon Kaen (VTUK)

TD 6421

NE 48-13 J-11-D

16° 28' N 102° 47' E

TDOA 754' 5300'x100' Asphalt

03/21

Lights: None Fuel: None

Comm.: Tower: 255.4 122.5 6765 5680.

BKK ACC remote on test
basis 118.9 280.2

Nav. Aids: Commercial Radio 810.

NDB 393 'KN' OPR. 24 hrs.
at field.

Remarks: Opr. SR-SS. Pilot training 0600-
1300L Monday thru Saturday, with
non radio equipped aircraft. Work
in progress.

50 Nakhon Phanom East (VTUP)

VE 7625

NE 48-10 J-11-D

17° 25' N 104° 47' E

TDOA 452' 3900'x135' Laterite

15/33

Lights: Temporary (2 hrs. PNR)

Fuel: None

Comm.: Tower 122.5 5680 6765 SR-SS

Customer - Rascal III 121.1

Nav. Aids: NDB 'NP' 369 090°/1.3 NM to field.

Remarks: Operates SR-SS. OPEN C46.

Status undetermined for C-130.

1 Sept. 1972

22

THAI

55 Nakhon Phanom West (VTUW) VE 6320
 NE 48-10 J-11-D 17°23'N 104°39'E
 RTAF 580' 8000'x150' Asphalt 15/33
 Lights: Portable Electric. Hi-intensity rwy lights,
 high intensity approach lights, sequence
 flashing lights and VASI lights.
 Fuel: 115/145 Jp-4
 Comm.: Tower: 118.1 236.6 126.2 255.6
 PTD 372.2 (All nonsched flts/Non Tac flts
 contact 50 NM out)
 GND CON.: 275.8
 DEP CON 134.1
 APP CON.: 134.1 291.1
 Nav. Aids: NDB 'NPT' 310 at field.
 TACAN 'NPT' CH. 89 at field.
 (Unusable below 4400' beyond
 20 NM between 260-330). VOR
 116.0, 'NPT', out 0700-0800Z
 SAT and SUN.
 Radar: GCI INVERT 278.4 (E) 135.9 265.5 265.6
 Remarks: ASR MP 0100-0300Z dly. PAR MP
 0300-0500Z dly. R/W operations on
 parallel twy and twy 1.

 57 Phu Khieo (VTUG) SD 9611
 NE 48-13 J-10-C 16°22'N 102°10'E
 754' 3400'x130' Laterite 03/21
 Remarks: CLOSED

 58 Chaiyaphum (VTUC) SC 8149
 ND 49-1 K-9-B K-10-A 15°48'N 102°01'E
 RTAF 610' 3400'x150' Laterite 05/23
 Remarks: Open to C-46. 350' Sod overrun E end.
 Approach to rwy 23 over numerous
 30'-40' buildings, antennas and smoke
 stacks 1,500' from threshold. Dry
 creek 600' from threshold. Status
 undetermined for C-130.

59 Ban Ko Kha NA 4412

NE 47-7 J-10-C 18° 12'N 99° 25'E
582' 5200'x? Sod/Laterite
Remarks: CLOSED.

60 Chieng Khrua (Ban Nong Hoi) (VTUS) VE 0611
(Sakon Nakhon)

NE 48-10 J-11-D 17° 17'N 104° 06'E
550' 4290'x65' Asphalt 04/22
Lights: None Fuel: None
Comm.: Tower 118.1 6765
Nav. Aids: NDB 'SN' 340 24 hrs at field
Remarks: Opr. SR-SS. Distance markers in
meters. uncontrolled vehicles,
pedestrians and animals have
access to rwy. Status undetermined
for C-130.

61 Ban Kut Khae Don VC 4299

ND 48-2 K-10-A 16° 18'N 104° 27'E
500' 3300'x200' Sod 02/20
Remarks: CLOSED

62 Crossroads (Loeng Nak Tha) (VTUT) VC 5988

ND 48-2 K-10-A 16° 10'N 104° 36'E
RTAF 524' 4800'x120' Concrete 03/21
Lights: None Fuel: None Comm.: None
Remarks: OPEN C46. Caution animals and
debris on field. Status undetermined
for C-130.

63 Wattahana Nakhon (VTBW) TA 1121

ND 48-9 K-9-B 13° 46' N 102° 19' E
RTAF 200' 3700' x 100' Laterite/Sod 05/23
Remarks: CLOSED.

64 Rat Buri NR 8200

ND 47-11 K-9-B 13° 34' N 99° 45' E
TDOA 150' 2625' x 85' Laterite 01/19
Remarks: CLOSED.

65 Satun (VTSA) QH 5301

18' 3600' x 130' Asphalt 06° 40' N 100° 05' E 17/35
Remarks: CLOSED.

66 Ya La (VTSY) QH 4921

RTAF 50' 3200' x 150' Asphalt 06° 32' N 101° 15' E 16/34
Remarks: CLOSED.

67 Uttaradit East (VTCU) PV 3353

NE 47-11 J-10-C 17° 40'N 100° 15'E
265' 3225'x100' Asphalt 05/23

Lights: Flare Pots on request.

Fuel: None

Comm.: Tower 6672 5491.5 6954 122.3

Nav. Aids: Commercial in town 1350

Remarks: Opr. SR-SS. CLOSED Sun, Tue &
Fri. Work in progress both ends of
runway. Land at inner threshold.

PSP Parking 1200'x300'. OPEN

C46. Status undetermined for C-130.

68 Pak Chong (VTUH) QS 7814

ND 47-8 K-9-B 14° 36'N 101° 35'E
RTAF 1505' 2475'x68' Asphalt Laterite 05/23

Lights: None Fuel: JP-4 115/145

Comm.: 38.8 (SR-SS)

Remarks: CLOSED.

69 Narathiwat QP 6778

PC 859A 06° 31'N 101° 45'E
10' 3270'x130' Asphalt 02/20

Nav. Aids: VOR 112.3 VKB 297/39

Remarks: OPEN to C-46.

Sand blows on to rwy. Avoid small
Radius turns if possible. Rwy 20
over 20' trees 1000' prior to threshold.
Status undetermined for C-130.

N overrun 320' laterite/S overrun 351'
laterite.

70 Hat Yai

PH 5668

TPC L-10A 0656N 10025E

TDOA 27' 10,000x148 Concrete 08/26

Nav. Aids: VOR 115.3, DME Ch. 100, Ident.

HTY, Operates 24 hrs.

Remarks: Rwy strength 60,000 lbs SWL.

No instrument approach, if marginal

VFR approach is to be made, it

should be made from East across

Songkhla Lake. C-46/C-130.

307 Poom Salom (BPP 373 & 312)

VA7199

ND 48-6 K-10-A 14° 28'N 104° 44'E

730' 1400'x150' Sod 17/35

Lights: None Fuel: None Comm.: None

Remarks: OPEN/Porter.

T315 Sisaket

VB 2770

400' 1050'x69' Grass 12/30

OPEN PC-6.

338 Nong Seang

WB 5127

ND 48-7 K-10-A 14° 43'N 105° 28'E

650' 3977'x80' 02/20

Lights: None Fuel: None Comm.: Cust 119.1

Nav. Aids.: NDB 'X' 1710

Remarks: OPEN C123. Caution soft spots.

Open to C130 if dry.

ARTY fire to east from field hold west

until cleared by customer on 119.1

339 Phra Viharn

VA 6692

ND 48-6 K10A

14°24'N 104°41'E

1300' 730'x25'

02/20

TAR/Crushed Rock

Remarks: Closed to all acft. Except for
emergency situation only (per
CP/L). Rwy slopes to west and
has two humps in surface. Check
with FIC for details.

404 Bung Kan

VF 5631

700' 1000x60 Grass/Laterite

1822N10339E

OPEN PC-C, PC-6

07/25

408 BPP Camp #1

TE 7123

640' 2000'x105' Laterite

07/25

OPEN to DHC-6, PC-6

411 Chiang Khan

QV 8280

NE 47-12 J-10-C

17°53'N 101°40'E

400' 1400'x90' Sod/Grass

09/27

Remarks: Open PC-6/C/Porter

1 Sept. 1972

28

THAI

417 Mukdahan (VTUB)

VD 7028

NE 48-14 J-11-D 16° 33'N 104° 44'E

500' 2000'x150' Sod/Laterite 03/21

Nav. Aids: TACAN 'MKD' CH. 99, at field.

Enrte aid only. Unusable beyond
40 NM below 35,000'.

Lights: None Fuel: JP-4 Comm.: None

Remarks: CLOSED.

432 Nam Pong Dam North (VTUE)

UD 9177

NE 48-10 J-11-D 16° 58'N 103° 59'E

900' 2110'x50' Asphalt 12/30

Remarks: CLOSED.

437 Na Khon

VE 0700

NE 48-10 J-11-D 17° 11'N 104° 07'E

RTAF 550' 960'x75' Laterite 03/21

Lights: None Fuel: None

Comm.: Customer: Rascal II 121.1

Remarks: RESTRICTED. Caution R/W traffic
in area. Caution, dirt piles on the
right side of rwy 03.
New 2,000 runway complete, however
the local commander restricts field to
single engine aircraft. OPEN PC-6/C
Porter.

439 Nam Pong Dam South (VTUF)

UD 9175

NE 48-10 J-11-D 16° 57'N 103° 59'E

900' 1150'x35' Asphalt 03/21

Lights: Flare pots & battery lights available.

Fuel: JP-4 avail in emerg.

Comm.: Special Forces FM 38.8 C/S

"Dull-sails."

Remarks: Soft when wet. Slightly rolling slope
C7A OTOW 26000 lbs.

504 Chiang Klang (VTCD)

PB 9634

NE 47-4 J-10-C

19⁰ 18'N 100⁰ 52'E

1000' 2020'x60' PSP

01/19

Lights: None

Nav.Aids: NDB 350 'CKL', at PB 9553.

Remarks: OPEN PC-6.

506 Ban Pua (VTCE)

QB 0122

NE 47-4 J-10-C

1910N 10054E

850' 1000'x50' PSP

08/26

Remarks: OPEN PC-6.

509 Muang Nan (VTCN)

PA 8779

NE 47-8 J-10-C

18⁰ 48'N 100⁰ 47'E

657' 3937'x98' Asphalt

03/21

Lights: None Fuel: JP-4 115/145 available from
RTA on emerg. basis only.

Nav.Aids: NDB 301 'NAN' at field, SR-SS.

Comm.: Twr 118.1, primary 122.3

Remarks: NDB unreliable beyond 20 NM. Caution
ground TFC crossing rwy. Medic avail.
Runway strength 37,000 LBS AUW.
Caution due to extensive light A/C and
rotor wing traffic. OPEN to C-47,
VTB. Closed to C-123, C-46 except
with special permission from RTAF
due rwy strength limitation. Status
undetermined for C-130.

1 Sept. 1972

30

THAI

513 Ban Na Wai

MB 9896

NE 47-2 J-10-C

1937N 9859E

1000' 750'x50' Grass

18/36

Remarks: CLOSED.

514 Ban Chiang Kham (VTCB)

PB 3557

19°31'N 100°17'E

RTA 1, 275' 3, 200'x125' Laterite

18/36

Remarks: Operates SR-SS. No parking area.
CLOSED. New asphalt rwy under
construction.

514A Ban Chiang Kham

PB 3558

NE 47-3 J-10-C

19°31'N 100°17'E

1275' 1650'x90' Sod

03/21

Lights: None Fuel: None Comm.: None

Remarks: Caution during rainy season. C-7A
OTOW 24.5/OLW 27.5.

516 Chiang Khong

PC 4640

NF 47-15 J-10-B J-10-C

20°15'N 100°25'E

1300' 1500'x100' Dirt

14/32

Nav. Aids: NDB 'RK' 410 at field.
Remarks: CLOSED.

.17 Ban Mae Suai

NB 5574

NE 47-3 J-10-C

1939N 9932E

Remarks: CLOSED.

521 Ban Tha Phang

LV 6297

NE 47-6 J-10-C

18⁰03'N 97⁰42'E

390' 850'x70' Sod

17/35

Lights: None Fuel: None Comm.: None

Remarks: OPEN to Porter.

522 Mai Sai

NC 9256

NF 47-15 J-10-B

2024N 9952E

1500' 795'x78' Sod

06/24

Remarks: OPEN PC-6.

526 Chiang Khong Military (VTCA)

PC 4828

NF 47-15 J-10-C

20⁰09'N 100⁰25'E

1250' 1900'x70' PSP/Dirt

18/36

Lights: None Fuel: None Comm.: None

Remarks: Soft and slippery when wet. Open

C-123K if dry. C123K OLW 52.0/

OTOW 50.0.

1 Sept. 1972

32

THAI

528 Pai

MB 4243

NE 47-3 J-10-C

1923N 9826E

1700' 900'x40' Sod

09/27

Remarks: CLOSED.

538 Ton Du

NC 4618

NF 47-15 J-10-B

2004N 9927E

1500' 1890'x100' Sod

01/19

Remarks: CLOSED.

539 Pu Muen (Muen)

NC 1714

NF 47-15 J-10-C

2002N 9910E

3900' 585'x65' Sandy Loam

Remarks: CLOSED.

540 Theong

PB 3076

NE 47-3 J-10-C

19⁰41'N 100⁰15'E

1500' 1300'x100' Laterite

07/25

Remarks: Open to C7A.

545 Sam Muem New

MB 5549

NE 47-2 J-10-C

1926N 9834E

4700' 1052'x42' Sod

19/36

Remarks: CLOSED.

550 San Kham Lea MB 3164

NE 47-2, J-10-C 19⁰ 37'N 98⁰ 21'E
2900' 840'x34' Dirt 08/26
Remarks: Open PC-6, Land 08, T.O. 26.

551 Muang Puk MB 6270

NE 47-2, J-10-C 19⁰ 38'N 98⁰ 37'E
2500' 960'x65' Sod 05/23
Remarks: Open PC-6.

553 Muang Ngam (Ban Mu Sae Wa) NC 5019

NF 47-15, J-10-C 20⁰ 04'N 99⁰ 28'E
1500' 1930'x70 Sod 14/32
Remarks: Open PC-6.

554 Mae Rim MA 9591

NE 47-6, J-10-C 18⁰ 55'N 98⁰ 57'E
1080' 820'x78' Sod 15/33
Remarks: Open PC-6.

575 BPP 504 PC 4739

NF 47-15, J-10-C 20⁰ 15'N 100⁰ 24'E
1,300' 1,075'x63' Clay/Laterite 16/34
Remarks: Closed awaiting checkout.

1 Sept. 1972

34

THAI

603 Pitts Camp (Ban Nok Aen) (VTPS)
(Suritsena)

PU 6461

NE 47-16 J-10-C

16°50'N 100°33'E

350' 2700'x81' Asphalt

02/20

Lights: None

Fuel: 100/130 JP-4 115/145 A-1.

Limited quantities available.

Company Radio: 127.3 5568 8765

Remarks: All aircraft arriving/departing must
contact GCI "DORA" giving ETA for
arriving aircraft and destination for
departing aircraft. Frequency 278.4
135.9. Be well briefed before using
nearby pads. Open to C-47, C-123K.
OTOW/OLW 55,000 lbs. 10-2 OTOW
9,000 lbs.

624 Pawai

PS 7934

ND 47-8, K-9-B

14°46'N 100°40'E

50' 1600'x100' Asphalt

05/23

Fuel: 100/130 115/145 JP-4

Remarks: Open PC-6.

706 Kanchanaburi Military (RTAF)

NR 4962

14°07'N 99°27'E

105' 3200'x64' M8A1 (Aluminum)

05/23

Lights: Rwy except first 400' 05

Fuel: None

Comm.: Cust 123.6

Remarks: Livestock on field. Artillery range
NE. 60' trees and power line app end
rwy 05. Slippery when wet. Rwy has
slight upslope S. to N. OPEN to C-46.
Open to C-130 if dry. OTOW 134.0,
OLW 139.0.

NE 48-13 J-11-D 16°39'N 102°58'E

750' 10,000'x50' Concrete 01/19

Comm.: Tower: Primary 249.2, 128.0,
secondary 271.5, 120.1

Lights: Rwy. Appch lights N. end.

Nav. Aids: NDB 525KHZ. CH C1 TACAN

Remarks: Caution, livestock near rwy.

High trees on APP Rwy 01

Hazardous operations SR-SS to

6000' 15 NM radius. OPEN to

C46/C130. Laterite HLZ at N.W.

corner of field.

713 Kamphaeng Saen (VTBK)

PR 0616

ND 47-11 K-9-B 14°06'N 99°55'E

RTAF 30' 9000'x150' Concrete 03/21

Lights: Rwy, VASI

Fuel: 115/145 JP-4

Comm.: Tower 126.18 382.4

GND CON 257.8

BKK APP CON 119.1 363.8

Nav. Aids: VOR 'KPS' 114.5, 3.6NM/211° to field.

Out for maintance daily 1800-0600L.

TACAN 'KPS' CH. 32 at field,

NDB 'KPS' 305, 3.9 NM/211°

to field.

Remarks: Caution, 2-158' lighted masts at
field. Control zone 25 NM radius to
6,000'. Open to C46/C130.

THE FOLLOWING SITES ARE SELDOM USED AND ARE CLOSED OR CLOSED UNFRIENDLY AS INDICATED. FOR FURTHER REQUIRED INFORMATION, CONTACT F. I. C. UDORN, THAILAND.

| | | | |
|------|------------------|---------|--------|
| 201 | Ban Sangae | TA 7254 | CLOSED |
| 202 | Khao Nai | TA 3303 | CLOSED |
| 203 | Ban Bau Rai | TU 3303 | CLOSED |
| 204 | Ban Nuon Mak Mun | TA 5326 | CLOSED |
| 205 | Ban Pung Chanang | TV 2542 | CLOSED |
| 206 | Ban Whan Mon | TA 3807 | CLOSED |
| 207 | Ban Chlong Yai | TU 6902 | CLOSED |
| 208 | Ban Ta Phaya | TA 6349 | CLOSED |
| 209 | Aranyaprayhet | TA 3115 | CLOSED |
| 210 | Phaom | QR 6121 | CLOSED |
| 211 | Kabin Furi | QR 9240 | CLOSED |
| 212 | Sara Buri | QS 0605 | CLOSED |
| 213 | Banko Khet | QR 5658 | CLOSED |
| 214 | Raynong | QP 6296 | CLOSED |
| 301 | Ban Dan | WB 5393 | CLOSED |
| 302 | Ban Don Chik | WB 2983 | CLOSED |
| 303 | Ban Nong Saeng | WB 5029 | CLOSED |
| 304 | Ban Song | WC 4832 | CLOSED |
| 305 | Chong Baranae | TA 8172 | CLOSED |
| 306 | Chong Nek | WB 4873 | CLOSED |
| 308 | Surin | UB 3844 | CLOSED |
| 308A | Surin | UB 3946 | CLOSED |
| 309 | Khok Mai | TA 6890 | CLOSED |
| 310 | Ban Pru Yai | VB 1914 | CLOSED |
| 311 | Ban Khae Don | WA 1293 | CLOSED |
| 312 | Ban Si | VB 3916 | CLOSED |
| 313 | Ban Chanuman | WC 0193 | CLOSED |
| 314 | Ban Nong Kheo | VB 4613 | CLOSED |
| 316 | Nong Manao | VB 8294 | CLOSED |
| 317 | Ban Kemmerat | WC 2574 | CLOSED |
| 318 | Bam Iaharn Sai | TA 6995 | CLOSED |
| 319 | Buriram | TB 9457 | CLOSED |
| 320 | Ban Nong Mek | WB 4113 | CLOSED |
| 321 | Ban Pak La | WC 6830 | CLOSED |
| 322 | Ban Nong Khan | WC 4937 | CLOSED |

| | | | | |
|------|--------------------|----|------|--------|
| 323 | Dean's Strip | VA | 8499 | CLOSED |
| 324 | Joe's Strip | TA | 9691 | CLOSED |
| 325 | Ban Kapchoeng | UB | 5000 | CLOSED |
| 326 | Ran Gamey | UB | 7153 | CLOSED |
| 328 | Ban Hin Khon Dong | TA | 4295 | CLOSED |
| 328A | Ban Plackham | TA | 4998 | CLOSED |
| 331 | Ban Ta Miang | UA | 1396 | CLOSED |
| 333 | Ban Dan Yee | WB | 4398 | CLOSED |
| 334 | Ban Nang Nu | UA | 3398 | CLOSED |
| 335 | Khon Buri | TB | 0407 | CLOSED |
| 336 | Ban Prasat | UB | 2919 | CLOSED |
| 337 | Buntharik | UB | 4331 | CLOSED |
| 401 | Ban Tha Bo | TE | 4173 | CLOSED |
| 402 | Phon Phisai | TE | 9898 | CLOSED |
| 403 | Ban Bung Kla No. 1 | UF | 9324 | CLOSED |
| 405 | Kaeng Nang | VD | 2047 | CLOSED |
| 406 | Sri Chiang Mai | TE | 4587 | CLOSED |
| 407 | Ban Khok Huai | TF | 0112 | CLOSED |
| 409 | Ban Phon Phaeng | UF | 0814 | CLOSED |
| 410 | Pak Huei | QV | 5959 | CLOSED |
| 412 | Ban Chai Buri | VE | 4251 | CLOSED |
| 413 | Ban Bund Kla #2 | UF | 9320 | CLOSED |
| 414 | Na Khae | VE | 1979 | CLOSED |
| 415 | Maha Sarahkam | UE | 1791 | CLOSED |
| 416 | Ban Ngap Phang | VD | 7463 | CLOSED |
| 418 | Moung Champa | VD | 5247 | CLOSED |
| 419 | That Phanom | VD | 7174 | CLOSED |
| 420 | Pha Tang | TE | 2293 | CLOSED |
| 422 | (No Name) | VD | 4673 | CLOSED |
| 423 | Ban Sibilai | UE | 6711 | CLOSED |
| 424 | Ban Kut Khaen | UF | 1093 | CLOSED |
| 425 | Sawang Daen | UE | 3733 | CLOSED |
| 426 | Ban Pak Chom | RV | 0694 | CLOSED |
| 427 | Ban Kham | SE | 9881 | CLOSED |
| 428 | Ban Chuang | TE | 1199 | CLOSED |
| 429 | Nong Sone | TE | 6581 | CLOSED |
| 430 | Wanon Niwat | UE | 6850 | CLOSED |
| 433 | Ban Si Yaek | UD | 6748 | CLOSED |
| 435 | Kalasin | ND | 4215 | CLOSED |

| | | | | |
|-----|----------------|---------|--------|------------|
| 436 | Camp | VD 4470 | CLOSED | |
| 438 | Kuchinarai | UD 9928 | CLOSED | |
| 440 | Khon Kaen East | TD 6919 | CLOSED | |
| 501 | Muang Ngup | PB 9955 | CLOSED | Unfriendly |
| 502 | Ban Ai | MB 1474 | CLOSED | |
| 503 | Mae Lana | MB 1866 | CLOSED | |
| 505 | Tha Wang Pha | PB 9315 | CLOSED | |
| 507 | Chiang Saen | PC 1444 | CLOSED | |
| 508 | Ban Yao | QB 0845 | CLOSED | Unfriendly |
| 510 | Huai Khrai | PB 4781 | CLOSED | Unfriendly |
| 511 | Ban Mae Raeng | NC 3214 | CLOSED | |
| 512 | Ban Sa | PA 8553 | CLOSED | |
| 513 | Ban Na Wai | MB 9869 | CLOSED | |
| 515 | Uttaradit | PV 1753 | CLOSED | |
| 517 | Ban Mae Suai | NB 5574 | CLOSED | |
| 518 | Theong | PB 3176 | CLOSED | |
| 519 | Ban Boyuak | QB 3241 | CLOSED | Unfriendly |
| 520 | Mae Chan | NC 9125 | CLOSED | |
| 523 | Lao U | PB 4788 | CLOSED | Unfriendly |
| 524 | Ban Yao | PB 4894 | CLOSED | Unfriendly |
| 525 | Fi Kuk | PC 5910 | CLOSED | Unfriendly |
| 527 | Ban Tham | PB 5657 | CLOSED | Unfriendly |
| 528 | Pai | MB 4243 | CLOSED | |
| 529 | Huei San | PC 4812 | CLOSED | |
| 530 | Phu Lang Kha | PB 5842 | CLOSED | Unfriendly |
| 531 | Doi Luang | PC 3947 | CLOSED | |
| 532 | Khun Ao | QB 0551 | CLOSED | Unfriendly |
| 533 | Pang Kop | QB 2426 | CLOSED | |
| 534 | Hung Haw | QB 1938 | CLOSED | Unfriendly |
| 535 | Huai Han | PB 5799 | CLOSED | Unfriendly |
| 536 | Phi Si | PC 6113 | CLOSED | Unfriendly |
| 537 | Pang Nong | QB 1746 | CLOSED | Unfriendly |
| 538 | Ton Du | NC 4618 | CLOSED | |
| 539 | Pu Muen | NC 1714 | CLOSED | |
| 541 | Sen Chai | NC 7837 | CLOSED | |
| 542 | Doi Chang | NB 5992 | CLOSED | |
| 543 | Huai Mai Khum | NC 5054 | CLOSED | |
| 544 | Ja Ju La Ba | NC 6937 | CLOSED | |
| 545 | Sam Muem New | MB 5549 | CLOSED | |

| | | | | |
|-----|-----------------------|---------|--------|------------|
| 546 | Khun Khong | MB 7559 | CLOSED | |
| 547 | Pha Yang Mai | NC 8047 | CLOSED | |
| 548 | Pang Nun | NC 5550 | CLOSED | |
| 549 | Hauì Fuang | PB 5939 | CLOSED | Unfriendly |
| 552 | Meo Mow | PB 5847 | CLOSED | Unfriendly |
| 555 | Juai Khu | PC 5801 | CLOSED | Unfriendly |
| 556 | Hin Taek | NC 6839 | CLOSED | |
| 557 | Tha Kham | PC 5211 | CLOSED | Unfriendly |
| 558 | Zang Kai | PB 6605 | CLOSED | |
| 559 | Ban No So Phit | PB 7859 | CLOSED | Unfriendly |
| 560 | Huai Khon | QB 1867 | CLOSED | |
| 562 | Steele's Strip | QU 1333 | CLOSED | Unfriendly |
| 566 | Ngao | PB 3175 | CLOSED | |
| 567 | Bo Klua Tai | QB 2819 | CLOSED | Unfriendly |
| 569 | Ban Kweng | QA 1275 | CLOSED | |
| 570 | Chiang Saen | PC 1343 | CLOSED | |
| 571 | Hin Taek | NC 6640 | CLOSED | |
| 572 | Ban Yang Mae Chaem | MB 2504 | CLOSED | |
| 573 | Mae Taeng | MB 9820 | CLOSED | |
| 574 | Kornpejr Field | PC 4838 | CLOSED | |
| 601 | Ban Poeng Khloeng | MT 5647 | CLOSED | |
| 575 | BPP 504 | PC 4739 | CLOSED | |
| 602 | Ban Nam Muap | QA 0745 | CLOSED | |
| 604 | Mae Usu | MV 1416 | CLOSED | |
| 605 | Ban Mai | PV 8363 | CLOSED | |
| 606 | Mae Kon Ken | MU 5733 | CLOSED | |
| 607 | Tha Song Vang | LV 8543 | CLOSED | |
| 608 | Mae Ramat | MU 4878 | CLOSED | |
| 609 | Pua Pa | MU 6615 | CLOSED | |
| 610 | Na Bua | QV 0101 | CLOSED | |
| 611 | Ban Moung | QA 2600 | CLOSED | |
| 612 | Pa Wai | QU 1681 | CLOSED | Unfriendly |
| 613 | Sae Nong | QU 1122 | CLOSED | Unfriendly |
| 614 | Lao Na | QU 1224 | CLOSED | Unfriendly |
| 615 | Khi Thao | QU 2183 | CLOSED | Unfriendly |
| 616 | Pa Yaab | QU 2275 | CLOSED | Unfriendly |
| 617 | Nam Pat | PV 7961 | CLOSED | |
| 618 | Na Wiang | QV 2913 | CLOSED | |

| | | | |
|-----|-----------------------|---------|-------------------|
| 619 | Muang Phrae | QV 2235 | CLOSED |
| 620 | Ban Maeo Thap Beek | QU 2676 | CLOSED Unfriendly |
| 621 | Sadieng | QU 3018 | CLOSED |
| 622 | Ban Mae Tan | MV 1905 | CLOSED |
| 701 | Satyai | NQ 5405 | CLOSED |
| 702 | Kanchanaburi | NR 5750 | CLOSED |
| 703 | Maruk | PQ 0403 | CLOSED |
| 704 | Baw | NQ 3998 | CLOSED |
| 705 | Pattani | QJ 9830 | CLOSED |
| 707 | J & B Site | QH 3748 | CLOSED |
| 708 | Pran Buri | NP 9572 | CLOSED |
| 709 | Rangek | QP 5560 | CLOSED |
| 710 | Trat | TU 2953 | CLOSED |

SECTION III
LISTING BY UTM

| <u>UTM</u> | <u>T-Number</u> | <u>Name</u> |
|------------|-----------------|--------------------|
| LA 8270 | 12 | Khun Yuam |
| 8710 | 21 | Mae Sariang |
| LB 9334 | 06 | Mae Hong Son |
| LV 6297 | 521 | Ban Tha Phang |
| 8543 | 607 | Tha Song Vang |
| MA 9591 | 554 | Mae Rim |
| 9672 | 11 | Chiang Mai |
| MB 1474 | 502 | Ban Ai |
| 1866 | 503 | Mae Lana |
| 2504 | 572 | Ban Yang Mae Chaem |
| 3164 | 550 | San Kham Lea |
| 4240 | 36 | Pai |
| 4243 | 528 | Pai |
| 5549 | 545 | Sam Muem New |
| 6270 | 551 | Muang Puk |
| 7559 | 546 | Khun Khong |
| 9820 | 573 | Mae Taeng New |
| 9869 | 513 | Ban Na Wai |
| MJ 2397 | 27 | Phuket |
| MM 6000 | 24 | Ranong |
| MT 5647 | 6 01 | Ban Poeng Khloeng |
| MU 4878 | 608 | Mae Ramat |
| 5146 | 35 | Ban Mae Sot |
| 5733 | 606 | Mae Kon Ken |
| 6615 | 609 | Pua Pa |
| MV 1416 | 604 | Mae Usu |
| 1905 | 622 | Ban Mae Tan |

| <u>UTM</u> | <u>T-Number</u> | <u>Name</u> |
|------------|-----------------|-----------------------|
| NA 4412 | 59 | Ban Ko Kha |
| 5420 | 03 | Muang Lampang |
| NB 5574 | 517 | Ban Mae Suai |
| 5992 | 542 | Doi Chang |
| 8698 | 16 | Chiang Rai |
| NC 1714 | 539 | Pu Muen |
| 4618 | 538 | Ton Du |
| 3214 | 511 | Ban Mae Raeng |
| 4817 | 553 | Muang Ngam |
| 5054 | 543 | Huai Mai Khum |
| 5550 | 548 | Pang Nun |
| 6640 | 571 | Hin Taek (New) |
| 6839 | 556 | Hin Taek |
| 6937 | 544 | Ja Ju La Ba |
| 7837 | 541 | Sen Chai |
| 8047 | 547 | Pha Yang Mai |
| 9125 | 520 | Mae Chan |
| 9256 | 522 | Mai Sai |
| NJ 6930 | 28 | Trang |
| NL 4010 | 25 | Surat Thani |
| NM 0960 | 23 | Chumpon |
| NP 8803 | 34 | Prachub Khiri Khan |
| 9572 | 708 | Pran Buri |
| NQ 3998 | 704 | Baw |
| 5405 | 701 | Sat Yai |
| 9833 | 33 | Phet Buri |
| NR 4961 | 706 | Kanchanaburi Military |
| 5750 | 702 | Kanchanaburi |
| 8200 | 64 | Rat Buri |

| <u>UTM</u> | <u>T-Number</u> | <u>Name</u> |
|------------|-----------------|--------------------------|
| NU 1666 | 04 | Tak |
| NV 0605 | 39 | Yan Hi |
| PA 2405 | 07 | Phrae |
| 8553 | 512 | Ban Sa |
| 8779 | 509 | Muang Nan |
| PB 3076 | 540 | Theong |
| 3175 | 566 | Ngao |
| 3176 | 518 | Theong (Chieng Khong) |
| 3558 | 514 | Ban Chiang Kham |
| 3558 | 514A | Ban Chiang Kham |
| 4781 | 510 | Huai Khrai |
| 4788 | 523 | Lao U |
| 4894 | 524 | Ban Yao (Seng Heng) |
| 5657 | 527 | Ban Tham (Pang) |
| 5799 | 535 | Huai Han |
| 5842 | 530 | Phu Lang Kha |
| 5847 | 552 | Meo Mow |
| 5939 | 549 | Huai Fuang (Camp "C") |
| 6605 | 558 | Zang Kai |
| 7859 | 559 | Ban No So Phit |
| 9315 | 505 | Tha Wang Pha |
| 9634 | 504 | Chiang Klang |
| 9955 | 501 | Muang Ngup |
| PC 1343 | 570 | Chiang Saen (New) |
| 1444 | 507 | Chiang Saen |
| 3947 | 531 | Doi Luang |
| 4640 | 516 | Chiang Khong |
| 4739 | 575 | BPP 504 |
| 4812 | 529 | Huei San |
| 4828 | 526 | Chiang Khong (Mil) |
| 4838 | 574 | Kornpejr |
| 5211 | 557 | Tha Kham |
| 5801 | 555 | Huai Khu |
| 5910 | 525 | Fi Kuk |
| 6113 | 536 | Phi Si |

| | <u>UTM</u> | <u>T-Number</u> | <u>Name</u> |
|----|------------|-----------------|----------------------------|
| PH | 5668 | 70 | Hat Yai |
| | 7894 | 29 | Songkhla |
| PK | 0535 | 26 | Nakorn Sri Thamarat |
| PP | 0496 | 10 | Hua Hin |
| PQ | 0403 | 703 | Maruk |
| PR | 0057 | 713 | Kamphaeng Saen |
| | 7438 | 09 | Don Muang |
| PS | 4088 | 05 | Takhli |
| | 7933 | 624 | Pawai |
| | 7945 | 15 | Koke Kothiem (Lop Buri) |
| PT | 2233 | 14 | Nakhon Sawan |
| PU | 3757 | 01 | Phitsanulok |
| | 6461 | 603 | Pitt's Camp |
| PV | 1753 | 515 | Uttaradit |
| | 3353 | 67 | Uttaradit East |
| | 7961 | 617 | Nam Pat |
| | 8363 | 605 | Ban Mai |
| QA | 0745 | 602 | Ban Nam Muap |
| | 1275 | 569 | Ban Kweng |
| | 2600 | 611 | Ban Moung |
| QB | 0123 | 506 | Ban Pua |
| | 0551 | 532 | Khun Ao |
| | 0845 | 508 | Ban Yao (Pang Yao) |
| | 1746 | 537 | Pang Nong |
| | 1867 | 560 | Huai Khon |
| | 1938 | 534 | Hung Haw |
| | 2426 | 533 | Pang Kop |
| | 2819 | 567 | Bo Klua Tai |
| | 3241 | 519 | Ban Boyuak |

| | <u>UTM</u> | <u>T-Number</u> | <u>Name</u> |
|----|------------|-----------------|--------------------|
| QH | 3748 | 707 | J & B Site |
| | 4921 | 66 | Ya La |
| | 5301 | 65 | Satun |
| QJ | 8620 | 30 | Pattani (VTSK) |
| | 9830 | 705 | Pattani |
| QP | 1299 | 18 | Sattahip (VTBS) |
| | 5560 | 709 | Rangek |
| | 6296 | 214 | Raynong |
| | 6778 | 69 | Narathiwat |
| QQ | 1900 | 18A | Ban U Tapao |
| QR | 6022 | 210 | Phanom Sarakham |
| | 5658 | 213 | Banko Khet |
| | 5757 | 31 | Prachinburi |
| | 9240 | 211 | Kabin Buri |
| QS | 0605 | 212 | Sara Buri |
| | 7814 | 68 | Pak Chong |
| QU | 1122 | 613 | Sae Nong |
| | 1224 | 614 | Lao Na |
| | 1333 | 562 | Steele's Strip |
| | 1681 | 612 | Pa Wai |
| | 2183 | 615 | Khi Thao |
| | 2275 | 616 | Pa Yaab |
| | 2676 | 620 | Ban Maeo Thap Boek |
| | 3018 | 621 | Sadieng |
| | 4161 | 20 | Lom Sak |
| QV | 0101 | 610 | Na Bua |
| | 2235 | 619 | Muang Phrae |
| | 2913 | 618 | Na Wiang |
| | 5959 | 410 | Pak Huei |
| | 8280 | 411 | Chiang Khan |
| | 8939 | 17 | Loei |

| <u>UTM</u> | <u>T-Number</u> | <u>Name</u> |
|------------|-----------------|-------------------------------|
| RV 0694 | 426 | Ban Pak Chom |
| SB 8653 | 13 | Korat |
| 8655 | 13B | Korat Royal Thai Army |
| 9158 | 13A | USOM |
| SC 8149 | 58 | Chaiyaphum |
| SD 9611 | 57 | Phu Khieo |
| SE 9881 | 427 | Ban Nakham |
| SU 7898 | 32 | Chanthaburi |
| TA 1121 | 63 | Watthana Nokhon |
| 3115 | 209 | Aranyaprathet |
| 3303 | 202 | Khao Nai |
| 3807 | 206 | Ban Whan Mon |
| 4295 | 328 | Ban Hin Khon Dong |
| 4998 | 328A | Ban Plackham (Pat's Strip) |
| 5326 | 204 | Ban Non Mak Mun |
| 6349 | 208 | Ban Ta Phava |
| 6890 | 309 | Khok Mai |
| 6995 | 318 | Ban Laharn Sai |
| 7254 | 201 | Ban Sangae |
| 8172 | 305 | Chong Baranae |
| 9691 | 324 | Joe's Strip |
| TB 0407 | 335 | Khon Buri |
| 9457 | 319 | Buriram |
| TD 6421 | 40 | Khon Kaen |
| 6919 | 440 | Khon Kaen East |
| 8342 | 712 | Nam Phong |