

Mac - L-25



**AIR FACILITIES
DATA**

THAILAND

FIC - UDORN

NOVEMBER

1969

NOTICE
USERS MUST DESTROY
THIS PUBLICATION WHEN
SUPERSEDED OR NO
LONGER REQUIRED

TABLE OF CONTENTS

Section I - Area Approach and Letdown Plates.

Section II - Listing of Tango Airfields/Sites by Number.

Section III - Listing of Sites by UTM coordinates with corresponding numerical and alphabetical designations (e.g.: LA 8270, T-12, Khum Yuam).

Section IV - Alphabetical listing of Sites with corresponding numerical designations and UTM coordinates (e.g.: Aranyapra-thet, T-209, TA 3115.)

Section V - Information of general and special interest to Company aircrews, Company Operations staff and allied area agencies.

Back cover international phonetic alphabet (ICAO)

LEGEND

BIC - Border Information Center (Border Police).

M & R - Maintenance and Repair facilities available.

Restricted - Fields not open to all aircraft assigned within the Theater of Operations.

Closed - Not for F/W use - Due physical conditions not unfriendly elements. Possible R/W use.

Unfriendly - Occupied by hostile elements.

Off Limits - Insecure-Hostile elements, threatening site enough to warrant not landing.

SR - SS - Sunrise to Sunset.

PSP - Pierced Steel Planking.

PNR - Prior Notice Required.

All Pilots will have the responsibility to submit:


- (a) Corrections to any data contained herein.
- (b) Notification of site opening and closures.
- (c) Information pertinent for inclusion in future additions of this book.

Dates have been included with many site entries to indicate when the site was last checked out by pilots or other interested representatives. Such is to indicate how recent (or how old) the data is. Major airfields which are used daily do not have dates included with the listing.

FIC/UTH
20 October 1969



NDB (ADF)-1 RWY 12

UDON A/D
CHANGWAT UDON THANI



PROCEDURE TURN SOUTH SIDE OF TLv 80
COURSE REMAIN WITH 10 NM TA 6000

FLV.: 582'
CAUTION:
Construction
REIL aval Rwy
12-30



CATEGORY	A	B	C	D
	1120-1	537	(600-1)	790'
LANDING	1120-1	537 (600-1)	1140-1½ 557(600-1½)	1140-2 557(600-2)

17°22'N, 102°48'E

SECTION

IIA

FIELDS

01 Phitsanulok (VTBL)

PU 3757
16°47'N 100°16'E

NE 47-15 J-10-C
TCAA 150' 6000' x 195' Asphalt 14/32
Lights: Temp. (2 Hr. PNR)
Fuel: 100/130 115/145 JP-1
Comm.: Twr.: 118.1 236.6
A/G Voice: (TCAA) Radio (SR-SS) 6672
5491.5

Nav. Aids: NDB PL 263 at field
Commercial Radio: 1370 kcs.
Radar: GCI "DORA" 135.9 261.6 278.4 (F) 361.7
Remarks: Opr. 2300-1400Z. 200' overruns each end.
NDB not within acceptable tolerance -
PL 263. (25/6/69)

02 Roi Et (VTUR)

UC 5677
16°04'N 103°39'E

NE 48-14 J-11-D
TCAA 459' 2600' x 98' Gravel/Laterite
17/35

Lights: None Fuel: None Comm.: None
Remarks: R/W soft when wet. Radio Tower $\frac{1}{2}$ NM from SW
corner of field. No windsock. Hole on R/W
17. Bushes along R/W 35. OPEN. (1/7/68)

03 Muang Lampang (VTCL)

NA 5420
18°16'N 99°30'E

NE 47-7 K-9-B
TCAA 900' 4800' x 98' Asphalt 18/36
Lights: Temp. (1 hr. PNR)
Fuel: None
Comm.: Tower: 118.1 (SR-SS)
A/G Voice: (TCAA) Call Radio (SR-SS) 6672
5491.5

Nav. Aids: NDB LP 353 kcs. 221°/1.5 NM to field.
Opr. 0130-0930Z. NDB not within acceptable
tolerance.
Commercial Radio: 1130 kcs.
Remarks: SR-SS. 170' overrun each end. (11/9/68)

04 Tak (VTBT)

NU 1666
16°53'N 99°09'E

NE 47-15 J-10-C

TCAA 360' 4300' x 110' Laterite 09/27
Lights: None Fuel: None
Comm.: Tower: 118.1 (SR-SS)
A/G Voice: (TCAA) Call Radio (SR-SS)
6672 5491.5

Nav. Aids: Commercial Radio Station: 880 kcs.
Remarks: Opr. SR-SS. No overruns. OPEN. (24/9/69)

05 Takhli (VTBI)

PS 4088
15°16'N 100°18'E

ND 47-3 K-9-B

RTAF (USAF) 112' 9840' x 150' Concrete 36/18
Lights: Rotating Beacon; R/W lights; Hi-Intensity
Approach lights; 10nm. PNR for threshold
strobe lights.

Fuel: 115/145 JP-4
Comm.: Tower: 126.18 236.6 263.5 (E) 265.2 115.1
DEP. CON.: 389.5
APP. CON.: 363.8 134.1(E) 248.1
D/F Call Tower: 305.4
GND CON.: 275.8 (VHF)
METRO: 344.6 ALCE: 291.8
Radio at AAM Parking Area: 120.1

Nav. Aids: NDB TL 284 at field
VOR TKL 115.1 (Inusable 60°-70° beyond
20 NM below 4000'; 70°-120° beyond 20NM
below 3000' TACAN TKL CH. 95 at field)

Commercial Radio: 960 kcs. 120.1 Radio at Parking
area

Radar: GCA (IFR Call APP. CON.: VFR Call Tower)
3895 108.3 264.1 289.4 335.8 348.4

Remarks: M & R available. 1000' overrun each end.
Contact APP. CON. 248.8(VHF) 134.1 VHF
when crossing or entering radius of fifty
miles.

Customer Call sign - SEA Horse.

06 Mae Hong Song (VTCH)

LB 9334
19°18'N 97°59'E

NE 47-2 J-10-C

TCAA 866' 3300' x 125' Laterite 10/28
Lights: None Fuel: None
Comm.: Tower: 118.1
A/G Voice: (TCAA) Call Radio (SR-SS) 6672
5491.5

Nav. Aids: NDB MH 325 (at field) (SR-SS) OT O/R 1 hr.
PNR before SS. NDB outside of acceptable
tolerance.

Remarks: Opr. SR-SS.
OPEN

(13/5/69)

07 Phrae (VTCP)

PA 2405
18°08'N 100°10'E

NE 47-7 J-10-C

TCAA 515' 3676' x 110' Laterite 02/20
Lights: Temp. (3 hrs. PNR)
Fuel: None
Comm.: Tower: 118.1 SR-SS
A/G Voice: (TCAA) Call Radio (SR-SS) 6672
5491.5

Nav. Aids: NDB PR at field. Out of service UFN
Remarks: Opr. SR-SS. OPEN (1/7/69)

08 Udorn (VTUD)

TE 6523
17°22'N 102°48'E

NE 48-9 J-11-D

RTAF (USAF) 583' 10,000' x 125' Concrete 12/30
Lights: Rotating Beacon, R/W Lights, Hi-Intensity
app. Lights, Rwy 30 O/R
Fuel: 115/145 JP-4
Comm.: Tower: 118.1 236.6 355.4 265.2
APP. CON.: 119.7 363.8 389.5
VHF/DF: 236.6
GND CON.: 275.8(E) 126.2
METRO: 344.6
DEP. CON.: 270.6 119.7 RAPCAN 389.5

Nav. Aids: NDB UD 236 at field.
TACAN CH. 70 at field Unusable from 070°-
310° beyond 40 NM below 5000' msl.

08 Udorn (VTUD) Cont'd

Commercial Radio: 1230 kcs.
Radar: GCI Brigham US - Use 338.2 135.9,
Thai use 333.4
Company Radio: 119.1 8765 5568
Remarks: M & R Available. Student pilot training
- O100 to 1000Z daily. Air America Ramp
not visible from Tower.
See wx note last section site book.

09 Don Muang (VTBD) PR 7438
13°55'N 100°37'E

ND 47-13 K-9-B
RTAF (USAF) 12' 10,500'x197' Concrete 03L/21R
9,840'x148' Concrete 03R/21L
Lights: Rotating Beacon, Hi-Intensity R/W lights.
Approach Lights.
Fuel: 100/130 115/145 JP-4
Comm.: Tower: 118.1 126.18 236.6 (E)
ALCE: 291.8 112.17
GND. CTR.: 121.9 257.8
APP. CON.: 119.1 363.8 (E)
Nav.Aids: NDB BKK 345 018°/11.2 NM to field
NDB RS 365 207°/4.2 NM to field
NDB BKK 293 209°/4.2 NM to field
VOR TAC 112.1 CH. 58 209° 4NM to field
NDB BKK 276 at field
TACAN MBL CH. 58 at field
Radar: GCA IFR Call BKK APP. CON.: VFR Call BKK
Tower. 125.5 134.1 142.02 255.6 289.4
270.6 284.0 306.2
Company Radio: 127.3 8765 5568
Remarks: UFR TFC report position 25 NM from field.
In-out Bound.M & R available. Conventional
aircraft traffic pattern 1000'. Light
aircraft 600'. All pilots must follow
parking instructions given by tower.
(24/9/69)

10 Hua Hin (VTBH)

PP 0496
12°38'N 99°58'E

ND 47-15 K-9-B
TCAA 10' 2756' x 98' Asphalt 16/34
Lights: Temp. (2 hr. PNR)
Fuel: None for AAM
Comm.: Customer Radio: HH 120.1
Contact 10 minutes out.
A/G Voice: (TCAA) Call Radio (SR-SS)
6765 5680
Nav.Aids: NDB HN 213 at field.
Remarks: Opr. SR-SS. OPEN. Only 2500' of R/W
usable due to traffic and construction.
(13/5/69)

11 Chiang Mai (VTCC)

MA 9672
18°49'N 98°57'E

NE 47-6 J-10-C
TCAA 1063' 7000' x 125' Concrete 18/36
Lights: Rotating Beacon; R/W Lights.
Fuel: 100/130 115/145 JP-1
Comm.: Tower: 275.8 305.4 126.18 236.6 118.1
256.6 (2300 - 1400 15 PNR)
A/G Voice: (TCAA) Call Radio 6672 5491.5
Nav.Aids: NDB CM 255 at field. (Opr. 2300-1400Z OT
1 hr. PNR before 1400Z) TACAN CHM CH. at
field.
Commercial Radio: 985 kcs.
Remarks: OPEN. NDB outside acceptable tolerance.
Caution: High speed gunnery passes being
flown by T-28 through traffic pattern.
TACAN only for Inst Approach. Do not use
NDB for approaches. (22/6/69)

12 Khun Yuam (VTCK)

IA 8270
18°43'N 97°53'E

NE 47-6 J-10C
1312' 2600' x 145' Laterite 01/19
Lights: None Fuel: None Comm.: None
Remarks: Opr. SR-SS OPEN (11/9/68)

13 Korat (VTUN) (Nakhon Ratchasima) SB 8653
14°56'N 102°05'E

ND 47-6 K-9-B K-10-A
RTAF (USAF) (USA) 729' 9845'x150' Concrete 06/24
Lights: Rotating Beacon; R/W Lights; Hi-Intensity approach lights available 20 min. PNR.
Fuel: 115/145 JP-4 (with AF Form 181)
Comm.: Tower: 118.1 236.6 390.6(E)
ALCE: 291.8 APP.CON.: 363.8 237.1 134.1
UHF/DF: Call Tower 305.4(U) DEP CON 237.1
Nav.Aids: NDB KT 230 180° -1.4 NM to field.
TACAN KRT Chan. 125 at field.
Commercial Radio: 800 kcs.
Radar: GCA Call APP.CON.: 126.2
Remarks: All aircraft use left hand traffic pattern landing R/W 24. Use right hand pattern when landing R/W 06. Do not fly over populated area W of Korat D 20 or over Korat. In event of radio failure, execute standard radio failure pattern and monitor ILS Freq. 108.3 mcs.
OPEN.

13A USOM Center SE 9158
14°59'N 102°08'E

ND 48-5 K-9-B
450' 1150'x33' Laterite 05/23
Lights: None
Fuel: None
Comm.: Tower: (T-13) 118.1
Customer: 121.8
Remarks: Traffic West of T-13. Strip is through building complex. Ground traffic across strip controlled by Customer CTC before landing. Wind sock W side runway.
(18/8/69)

14 Nakhon Sawan (VTPN) PT 2233
15°40'N 100°08'E

ND 47-3 K-9-B
TCAA 91' 3900'x145' Laterite 05/23
Lights: None Fuel: None
Comm.: Tower: 118.1 (Opr. 0130-0900Z)
A/G Voice: (TCAA) Call Radio 6672 5491.5
118.1 (0130-0900Z)
Nav.Aids: NDB NS 243 at field.
Commercial Radio: 1090 kcs.
Remarks: Opr. SR-SS. May be unusable when wet. High antennas at NW end of strip, large stones and small rut in middle of strip.

15 Koke Kathiem (VTER) (Lop Buri) PS 7945
14°51'N 100°40'E

ND 47-8 K-9-B
RTAF 98' 7250'x140' Asphalt 16/34
4100'x95' Asphalt 05/23
Lights: Portable Electric
Fuel: 115/145 100/130
Comm.: Tower: 118.1 126.18 236.6 6212
Nav.Aids: NDB LB 251 at field. (Opr. SR-SS)
NDB not within acceptable tolerance.
Commercial Radio: 630 kcs.
Remarks: Opr. 2230-1130Z Monday thru Friday(4/9/69)
Rwy 05/23 Closed.

16 Chiang Rai (VTCR) NB 8698
19°53'N 99°49'E

NE 47-3 J-10-C
TCAA 1365' 4850'x98' Asphalt 18/36
Lights: Temp. Fuel: None
Comm.: Tower: 118.1 (SR-SS)
A/G Voice: (TCAA) Call Radio 6672 5491.5
(SR-SS)
Nav.Aids: NDB CR 277 at field. Opr. 2300-1100Z.
Commercial Radio: 1280 kcs.
Remarks: Opr. SR-SS. Caution after rains.
NDB outside acceptable tolerance.
OPEN (25/7/69)

17 Loei (VTUL)

QV 8930
17°27'N 101°44'E

NE 47-12 J-10-C

TCAA 937' 3900'x65' Laterite 04/22

Lights: None Fuel: None

Comm.: Loei Radio 6765, 5491.5 kcs

Remarks: Caution after rains. OPEN (10/10/69)

18 Sattahip (VTBS)

QP 1299
12°39'N 100°57'E

ND 47-16 K-9-B

RTAF 23' 4100'x125' Asphalt 05/23

Lights: None Fuel: None

Comm.: Tower: 118.1

Remarks: Restricted areas: 10 NM Radius from QQ
0772 and QQ 0228, up to 10,000'. All VFR
aircraft avoid flying over populated area
below 3000'. Construction taxi-way edge
of runway. (21/3/69)

18A Ban U Tapao (VTRU)

QQ 1900
12°41'N 101°01'E

ND 47-16 K-9-B

59' 11,500'x200' Concrete 18/36

Lights: Hi-Intensity Approach lights. R/W lights.

Fuel: 115/145 JP-4

Comm.: Tower: 126.2 227.0 236.6 118.1 110.8 T

APP CON.: 134.1 270.6

DEP. CON.: 238.3

GRND CON.: 275.8

Nav.Aids: NDB UT 414 at field

TACAN BUT CH. 45 at field

VOR BUT 110.8 at field

Radar: 142.02

Remarks: Restricted Areas: 10 NM Radius from QQ
0772 and QQ 0228, up to 10,000'. All VFR
aircraft avoid flying over populated area
below 3000'.
OPEN. (13/9/68)

19 Ubon (VTUU) (Muang Ubol)
(Ratchathani)

VB 8685
15°14'N 104°52'E

ND 48-2 K-10-A

TCAA (USAF) 405' 9000'x125' Concrete 05/23

Lights: Rotating Beacon. Hi-Intensity, R/W and
Approach lights.

Fuel: 115/145 JP-4

Comm.: Tower: 118.1 236.6 126.2

GRND CON.: 275.8

APP. CON.: 119.7 373.8 (V)

CEP. CON.: 270.6

A/G Voice: (TCAA) Call Radio 6765 5680

ALCE: 291.8

Nav.Aids: NDB UP 373 at field

VOR UPL 112.7 at field. Enroute Aid only.

TACAN OEL CHAN 93 at field

Radar: GCI "LION" 135.9 278.4 234.3 (E) 315.9
306.2 (NON TAC)

GCA Call APP. CON.

Remarks: All inbound aircraft call ALCE to pass
cargo and pax. info. As of 12 March 7000'
usable for next 45 days. Construction on
each end. Caution. (12/3/69)

20 Lomsok

QU 4260
16°49'N 101°16'E

NE 47-16 J-10-C

RTAF 500' 3936'x100' Laterite 02/20

Lights: None Fuel: None Comm.: Twr. 118.1

Nav.Aids: NDB 330 khz H24 10 "LOM" at field SR-SS

Remarks: OPEN (1/7/69)

21 Mae Sariang (VTCS)

LA 8710
18°12'N 97°55'E

NE 47-6 J-10-C

TCAA 1030' 3510'x98' Laterite 01/19

Lights: None Fuel: None

Comm.: Tower: 118.1 (SR-SS)

A/G Voice: (TCAA) Call Radio 6672 5491.5
(SR-SS)

Cont'd

21 Mae Sariang (VTCS)

Cont'd

Nav.Aids: NDB MR 360 at field. 1 hr. PNR. Opr.
0130-0930Z
Remarks: Opr. SR-SS. Dry field capacity 37,000 lbs
any wheel config. Construction. Closed
to Beech and larger aircraft. (29/9/69)

22 Nong Khai (VTUM)

TE 6176
17°52'N 102°44'E

NE 48-9 J-11-D
TCAA 550' 4500'x100' Laterite 01/19
Lights: Night lighting available.
Fuel: None
Comm.: TCAA A/G Voice: Call Radio 118.1 6765 5680
Remarks: Opr. SR-SS. Radio Tower to NE.
OPEN. 2000' overrun to SW.
Avoid sharp turns on rwy. (20/8/69)

23 Chumpon (Na Nian)

NM 0960
10°30'N 99°05'E

NC 47-8 K-9-C
35' 2700'x40' Laterite 07/25
Lights: None Fuel: None Comm.: None
Remarks: Trees off NE end. Rough.
CLOSED - strip full of holes and bushes
growing around both runway ends. (21/7/68)

24 Ranong (VTSR)

ML 5894
09°54'N 98°37'E

NC 47-10 K-9-C
TCAA 115' 3500'x98' Gravel/Soil 09/27
Lights: None Fuel: None Comm.: None
Remarks: R/W capacity 37,000 lbs. any wheel config
Watch ruts. OPEN (16/7/68)

25 Surat Thani (VTSE)

NL 4010
09°08'N 99°20'E

NC 47-11 K-9-C
TCAA 15' 2700'x100' Sod 04/22
Lights: None Fuel: None Comm.: None

25 Surat Thani (VTSE) Cont'd

Remarks: Emergency use - landing R/W (Road) 13/31
Nav.Aids: Comm. Broadcast 210 kc in area.
Max. T/O for 10-2, Beech is 9350 lbs.
OPEN. 20' tree 100 yds. N of R/W.
Unusable when wet. No windsock.
R/W rough. (15/6/69)
C47 MTOW 26m MLW 25m

26 Nakorn Sri Thamraj (VTSN)

PK 0535
08°27'N 99°58'E

NC 47-15 K-9-C
RTAF 24' 3537'x162'
Sand/Sod 17/35
Lights: None Fuel: None Comm.: None
Remarks: Ruts in runway. RESTRICTED. (11/9/68)

27 Phuket (VTSP) (Hin Luk)

MJ 2397
08°07'N 98°23'E

NC 47-14 K-9-C
TCAA 6' 4725'x98' Asphalt 09/27
Lights: Rotating beacon. Temporary lighting.
Fuel: 100/130
Comm.: Tower: 118.1

A/G Voice: TCAA Call Radio 6765 5680 (SR-SS)
Nav.Aids: NDB PU 210 360°/2 NM to field.
Remarks: Opr. SR-SS. OPEN. Obst. lights out (7/7/67)

28 Trang (Ton Du) (VTST)

NJ 6930
07°30'N 99°37'E

NB 47-3 K-9-C L-10
TCAA 60' 4900'x98' Asphalt 08/26
Lights: None Fuel: None
Comm.: A/G Voice: (TCAA) Call Radio (SR-SS)
6765 5680

Tower: 118.1
Remarks: Opr. SR-SS. OPEN S. R/W under const.
Land N. Rwy only. (25/8/69)

29 Songkla (VTSS)PH 7894
07°12'N 100°37'E

NB 47-3 K-9-C L-10

TCAA 13' 4960'x148' Asphalt 13/31

Lights: Rotating beacon. Temp. lights.

Fuel: 100/130 (Day) 115/145 JP-4

Comm.: Tower: 118.1 DF Call Tower

A/G Voice Call Radio (SR-SS) 6765 5680

Nav.Aids: NDB SK 390 360°/1 NM to field.

Remarks: Opr. 2300-1300Z OT O/R 3 hrs. PNR.

OPEN (7/7/67)

30 Pattani (VTSK)OJ 8930
06°52'N 101°10'E

NB 47-8 K-9-C

TCAA 20' 4550'x130' Asphalt 08/26

Lights: None Fuel: 100/130

Comm.: A/G Voice (TCAA) Call Radio (SR-SS) 6765 5680

Tower: 118.1

Remarks: Opr. SR-SS. Special briefing required.

OPEN

31 Prachin Buri (COA ETO)OR 5757
14°05'N 101°23'E

NB 47-8 K-9-B

RTAF 20' 3000'x100' Sod 18/36

Lights: None Fuel: None Comm.: None

Nav.Aids: NDB PB 201 135°/1NM at field.

Remarks: OPEN

32 Chanthaburi (VTBC) (Nurn Ploy Waem) SU 7898

12°38'N 102°02'E

NB 48-13 K-9-B

TCAA 120' 3000'x200'

Sod/Laterite 17/35

Lights: None Fuel: None Comm.: None

Nav.Aids: Commercial Radio 875 kcs.

Remarks: Can catch prop. on lip of taxi way.

Special briefing required. Max. T/G

10-2, Beech is 9350 lbs. OPEN (11/9/68)

33 Phet Buri (Petchaburi)NQ 9833
12°58'N 99°55'E

(Ban Yang Yong)

NB 47-15 K-9-B

40' 4700'x145'

Laterite 18/36

Remarks: OPEN (6/6/68)

34 Prachub Khiri Khan (VTPP)NP 8803
11°47'N 99°49'E

NB 47-3 K-9-C

RTAF 8' 5700'x200' Grass 08/26

3000'x150' Asphalt 18/36

Lights: None Fuel: None

Comm.: Tower: 118.1 126.18 (Out most afternoons)

Remarks: Caution if water on runway. OPEN

Land 08 or 26 ends only. Lip at

intersection of runway. (5/8/68)

35 Ban Mae Sot (VTEM) (Mae Sot)MU 5146
16°41'N 98°33'E

NB 47-14 J-10-C

TCAA 810' 3515'x110'

Laterite 05/23

Lights: None Fuel: None

Comm.: Tower: 118.1 (SR-SS)

A/G Voice: (TCAA) Call Radio (SR-SS)

6672 5491.5

Nav.Aids: NDB MD 316 at field

Remarks: Opr. SR-SS. Dry field capacity 37,000 lbs.

any wheel config. 15,000 lbs. single wheel

loading. NDB outside acceptable tolerance.

Small aircraft only. RESTRICTED (24/9/69)

36 Pai (VTPI)MB 4240
19°21'N 98°27'E

NB 47-2 J-10-C

1350' 2300'x125' Sod 18/36

Lights: None Fuel: None Comm.: None

Remarks: R/W capacity 15,000 lbs. any wheel conf.

RESTRICTED.

37 Ban Na Khu

UD 9754
16°46'N 104°02'E

NE 48-14 J-11-D
RTAF 700' 3300'x100' Laterite 15/33
Lights: None Fuel: None Comm.: None
Remarks: Runway capacity 36,000 lbs. Single wheel
load. Both ends slope down 5° last 2008.
RESTRICTED.

38 Sakon Nakhon (VTUS)

VD 0897
17°09'N 104°08'E

NE 48-10 J-11-D
TCAA 560' 2300'x100' Dirt/Clay 13/31
Lights: None Fuel: 115/145
Comm.: A/G Voice (TCAA) Call Radio (SR-SS) 6765
5680 Customer: C/S Rascal II 121.1
Nav.Aids: Commercial Radio 843 kcs.
Remarks: Obstructions SE end. Holes first 200' SE
end. STOL aircraft only. (28/9/69)

38A Ban Nong Hoi

VE 0611
17°17'N 104°07'E

NE 48-10 J-11-D
563' 4600'x130' Asphalt 04/22
Lights: None Fuel: None Comm.: None
Remarks: Opr. SR-SS. OPEN (11/3/69)

39 Yan Hi

NV 0605
17°14'N 99°04'E

NE 47-11 J-10-C
TCAA 490' 4900'x95' Laterite 05/23
Lights: None Fuel: None Comm.: None
Remarks: R/W capacity 26,000 lbs. Single wheel
loading.

40 Khon Kaen (VTUK)

TD 6421
16°28'N 102°47'E

NE 48-13 J-11-D
TCAA 754' 4291'x130' Asphalt 03/21
Lights: None Fuel: None
Comm.: Tower: 118.1 BKK ACC Remote VHF 118.9
A/G Voice: (TCAA) Call Radio (SR-SS) 6765 5680
Nav.Aids: Commercial Radio 810 kcs.
Remarks: Opr. SR-SS. Parallel runway under const.,
50 meters west of strip, caution. Pilot
training 0600-1300L Monday thru Saturday,
no radio. Taxiway 21 being used as a
runway, 3000'x100' available follow tower
instructions closely. (11/2/69)

50 Nakhon Phanom East (VTUP)

VE 7625
17°24'N 104°46'E

NE 48-10 J-11-D
TCAA 459' 3900'x100' Laterite 15/33
Lights: Temporary (2 hr. PNR)
Fuel: None
Comm.: Tower: 118.1 (SR-SS)
Customer - Rascal I 121.1
A/G Voice: (TCAA) Call Radio (SR-SS)
6765 5680
Nav.Aids: NDB NP 369 090°/1.3 NM to field.
Remarks: Opr. SR-SS (1/1/69)

55 Nakhon Phanom West (VTUP)

VE 6320
17°22'N 104°39'E

NE 48-10 J-11-D
USAF 561' 8000'x150' AMZ PSP 15/33
Lights: Portable Electric. Hi-Intensity R/W lights
Fuel: 115/145 JP-4
Comm.: Tower: 236.6 126.2 255.6 PTD 372.2
GND CON.: 275.8
APP CON.: 118.1 291.1
VOR: 116.0
Nav.Aids: NDB NPT 310 at field.
TACAN NPT CH. 89 at field. (Unusable below
3500' from 25-40 NM between 270-320°)

Cont'd

55 Nakhon Phanom West (VTUP) Cont'd

Radar: GCI INVERT 278.4(E) 135.9 265.5
Remarks: Transient aircraft within 100 NM must be under GCI control. Extensive construction. 1000' overruns each end. (21/3/69)

57 Phu Khieo

SD 9611
16°21'N 102°10'E

NE 48-13 J-10-C

TCAA 754' 3400'x130' Laterite 03/21
Lights: None Fuel: None Comm.: None
Remarks: Ditches in 600' overruns. OPEN

58 Chaiyaphum

SC 8149
15°48'N 102°01'E

ND 49-1 K-9-B K-10-A

RTAF 800' 3400'x60' Sod/Laterite 05/23
Lights: None Fuel: None Comm.: None
Remarks: 328' overrun. OK for C-123. OPEN

59 Ban Ko Kha

NA 4412
18°12'N 99°25'E

NE 47-7 J-10-C

582' 5200'x? Sod/Laterite
Remarks: CLOSED. (11/9/68)

61 Ban Ku Khae Don

VC 4299
16°17'N 104°27'E

ND 48-2 K-10-A

500' 4400'x200' 02/20
Lights: None Fuel: None Comm.: None
Remarks: Small holes in runway. (11/9/68)

62 Crossroads (Loeng Nak Tha)

VC 5988
16°10'N 104°37'E

ND 48-2 K-10-A

RTAF 549' 9000'x129' Concrete 03/21
Lights: None Fuel: None Comm.: None
Remarks: OPEN (9/5/69)

63 Wattahana Nakhon

TA 1121
13°46'N 102°19'E

ND 48-9 K-9-B

RTAF 200' 3800'x100' Laterite/Grass 05/23

Lights: None Fuel: None Comm.: None
Remarks: CLOSED High grass (11/9/69)

64 Rat Buri

NR 8200
13°34'N 99°45'E

ND 47-11 K-9-B

TCAA 150' 2625'x180' Laterite 01/19
Lights: Electric wire south of field with orange striped poles. No windsock, caution 500'-800' hills in traffic pattern all quadrants. Hills not shown on map.

C-123K MTOW 55,000 MLW 55,000
B MTOW 48,000 MLW 54,000

C-46 MTOW 43,000 MLW 43,500

65 Satun

QH 5301
06°40'N 100°05'E

PC 859A

18' 2100'x300' Stone/Tar 17/35
Lights: None Fuel: None Comm.: None
Remarks: Overruns make it OK for DC-3. RESTRICTED. (11/9/68)

66 Ya La

QP 0295
06°34'N 101°19'E

RTAF 50' 3200'x150'

Lights: None Fuel: None Asphalt 16/34
Remarks: OPEN Comm.: None

67 Uttaradit

PV 3353
17°40'N 100°15'E

NE 47-11 J-10-C

200' 3500'x100' Asphalt 05/23

Lights: None Fuel: None

Comm.: CW HS 189 6672 5491

Tower: 118.1

Remarks: Opr. SR-SS. OPEN
Commercial Broadcast in town 1530 kcs.
(6/6/68)

68 Pak Chong

QS 8407
14°36'N 101°35'E

ND 47-8 K-9-B

RTAF 1565' 2500'x60' Asphalt 05/23

Lights: None Fuel: JP-4

Comm.: 38.8 (SR-SS)

Remarks: Land 23. CLOSED to C-123, C-46. 300'
overruns at SW and NE end respectively.
RESTRICTED. 10-2: 9,000 lbs. Recommend
T/O SW, land NE. High trees NE end of
strip. (16/11/68)

69 Narathiwat

QP 6778
06°27'N 101°46'E

PC 859A

10' 3750'x120' Asphalt 18/36

Lights: None Fuel: None Comm.: None

Remarks: OPEN. 100' overrun S. end, 300' overrun
N end. (17/7/68)

SECTION

IIB

SITES

201 Ban SangaeTA 7254
14°03'N 102°53'E

ND 48-5 K-9-B

300' 1165'x60' Sod 11/29
Lights: None Fuel: None Comm.: None
Remarks: RESTRICTED.202 Khao NaiTA 3303
12°35'N 102°32'E

ND 48-9 K-9-B

200' 915'x120' Sod 11/29
Lights: None Fuel: None Comm.: None
Remarks: Trees each end. Reduce T/O Load by 1/2.
RESTRICTED.203 Ban Bau RaiTU 3392
12°35'N 102°32'E75' 900'x50' Sod 18/36
Lights: None Fuel: None Comm.: None
Remarks: 200' Hill off S. end with tall trees.
Reduce T/O load. RESTRICTED.204 Ban Non Mak MunTA 5326
13°48'N 102°43'E

ND 48-9 K-9-B

300' 900'x100' Sod 12/30
Lights: None Fuel: None Comm.: None
Remarks: High trees to East. Road through center of
R/W, reduce T/O load. RESTRICTED.205 Ban Pung ChanangTV 2542
13°02'N 102°27'E

ND 48-9 K-9-B

350' 920'x70' Sod 15/33
Lights: None Fuel: None Comm.: None
Remarks: Cart road across center of runway.
RESTRICTED.206 Ban Whan MonTA 3807
13°37'N 102°35'E

ND 48-9 K-9-B

Remarks: Closed.

207 Ban Khlong YaiTU 6902
11°46'N 102°52'E

NC 48-1 K-9-C K-10-D

10' 850'x100' Sand/Grass 15/33
Lights: None Fuel: None Comm.: None
Remarks: BIC "G". Power line SW side of runway.
RESTRICTED.208 Ban Ta PhayaTA 6349
14°00'N 102°49'E

ND 48-9 K-9-B

Remarks: Pending checkout. CLOSED.

209 AranyaprathetTA 3115
13°42'N 102°30'E

ND 48-9 K-9-B

150' 4000'x100' Sod 18/36
3000'x100' Sod 10/28
Lights: None Fuel: None Comm.: None
Remarks: CLOSED (9/5/69)210 Phanom SarakhamQR 5521
13°45'N 101°22'E

ND 47-12 K-9-B

150' 2380'x80' Asphalt 10/28
Lights: None Fuel: None Comm.: None
Remarks: Max. T/O for 10-2: 9350 lbs.
RESTRICTED. (11/9/68)211 Kabin BuriQR 9240
13°55'N 101°42'E

ND 47-12 K-9-B

USA 75' 2000'x? Asphalt
Lights: None Fuel: None Comm.: None
Remarks: Roadway. Max. T/O for 10-2: 9000 lbs.
RESTRICTED. (11/9/68)

212 Sara Buri

QS 0605
14°31'N 100°55'E

ND 47-8 K-9-B

300' 1600'x230' 17/35

Lights: None Fuel: None Comm.: None

Remarks: Ground Recon before landing. 300' antenna adjacent to R/W 35. RESTRICTED. (9/5/69)

213 Banko Khet

QR 5658
14°06'N 101°22'E

NG 47-8 K-9-B

500'x30' Dirt 17/35

Remarks: CLOSED.

(15/5/67)

214 Raynong

QP 6296
12°37'N 101°25'E

ND 47-16 K-9-B

20' 1000'x100' Sand 03/21

Remarks: CLOSED.

(4/6/68)

301 Ban Dan (DPP 318)

WB 5393
15°19'N 105°30'E

ND 48-3 K-10-A

580' 775'x80' Dirt 16/34

Lights: None Fuel: None Comm.: None

Remarks: Trees to South end. RESTRICTED.

302 Ban Don Chik (BPP 375)

WB 2983
15°14'N 105°16'E

ND 48-3 K-10-A

500' 900'x80' Dirt 18/36

Lights: None Fuel: None Comm.: None

Remarks: RESTRICTED.

303 Ban Nong Saeng (BPP 316)

WE 5029
14°44'N 105°28'E

ND 48-7 K-10-A

555' 750'x150' Sod 07/25

Lights: None Fuel: None Comm.: None

Remarks: RESTRICTED. (6/6/68)

304 Ban Song (BPP 320)

WC 4832
15°40'N 105°26'E

ND 48-3 K-10-A

600' 825'x120' Grass 10/28

Lights: None Fuel: None Comm.: None

Remarks: 35' trees off E end of runway. Grass is often high. Closed to D0-28. RESTRICTED. (28/10/68)

305 Chong Paranae

TA 8172
14°13'N 102°58'E

ND 48-5 K-10-B

1000' 550'x55' Dirt 11/29

Nav.Aids: NDB 1650 on request.

Remarks: BIC "B". Runway slopes to east. RESTRICTED.

306 Chong Nek (BPP 317)WB 4873
15°09'N 105°27'E

ND 48-3 K-10-A

570' 805'x75' Sod 04/22
Lights: None Fuel: None Comm.: NoneRemarks: Trees 375' from NE end. Runway slopes down
hill toward NE. RESTRICTED.307 Poom Salom (BPP 373 & 312)VA 7199
14°28'N 104°44'E

ND 48-6 K-10-A

730' 1400'x150' Sod 16/24
Lights: None Fuel: None Comm.: NoneRemarks: Helio, Porter, Apache, DO-28 only.
RESTRICTED.308 SurinUB 3844
14°52'N 103°30'E

ND 48-5 K-9-B K-10-A

640' 1050'x80' Laterite 07/25
Lights: None Fuel: None Comm.: NoneRemarks: RESTRICTED. No markers, no windsock.
(29/8/69)308A Surin (BPP)UB 3946
14°53'N 103°28'E

ND 48-5 K-9-B K-10-A

640' 1200'x50' Sod/Grass 07/25
Lights: None Fuel: None Comm.: NoneRemarks: CLOSED.
(3/9/69)309 Khok Mai (BPP 320)TA 6890
14°23'N 102°51'E

ND 48-5 K-9-B

700' 750'x30' Sod 09/27
Lights: None Fuel: None Comm.: NoneRemarks: Obstructions at NE end. Trees off E end.
Take off W end. RESTRICTED. (3/6/67)310 Ban Pru Yai (BPP 310)VB 1914
14°36'N 104°15'E

ND 48-6 K-10-A

600' 1000'x60' Sod 11/29
Lights: None Fuel: None Comm.: NoneRemarks: Runway rough. Stump E. end. OK for DO-28.
RESTRICTED when wet. (19/10/68)311 Ban Khae Don (BPP 314)WA 1293
14°25'N 105°07'E

ND 48-7 K-10-A

350' 400'x75' Sod 03/21
Lights: None Fuel: None Comm.: NoneRemarks: Caution during rainy season.
RESTRICTED. (21/9/67)312 Ban Si (BPP 311)VB 3916
14°37'N 104°26'E

ND 48-6 K-10-A

300' 960'x60' Sod 03/21
Lights: None Fuel: None Comm.: None

Remarks: OK for DO-28. RESTRICTED. (19/10/68)

313 Ban chanuman (BPP 322)WC 0193
16°14'N 105°00'E

NE 48-14 J-10-D

400' 700'x75' 03/21
Lights: None Fuel: None Comm.: NoneRemarks: Reduce T/O load. Trees at both ends.
No windsock. RESTRICTED. (31/3/68)314 Ban Nong Kheo (BPP 311)VB 4613
14°36'N 104°30'E

ND 48-6 K-10-A

360' 750'x70' Sod 09/27
Lights: None Fuel: None Comm.: NoneRemarks: CLOSED.
(19/7/67)

315 SisaketVB 2770
15°06'N 104°19'E

ND 48-2 K-10-A

400' 1050'x69' Grass 12/30

Lights: None Fuel: None Comm.: None

Remarks: Helio, Porter, Buffalo wallow W end, in rainy season use N half only. 1st 200' SE end still unusable. Marginal in rainy season. RESTRICTED. (13/6/69)

316 Nong ManaoVB 8294
15°19'N 104°50'E

ND 48-2 K-10-A

500' 1000'x200' Sod 02/20

Lights: None Fuel: None Comm.: None

Remarks: RESTRICTED. (11/7/67)

317 Ban Kemmerat (BPP 376)WC 2574
16°03'N 105°15'E

NE 48-15 J-11-D K-10-A

400' 550'x45' Sod 08/26

Remarks: T/O Wt. 4500 lbs. RESTRICTED. (6/6/68)

318 Ban Laharn Sai (BPP 302)TA 6995
14°25'N 102°52'E

ND 48-5 K-9-B

900' 600'x60' Sandy Loam 18/36

Remarks: CLOSED. (9/2/67)

319 PuriramTB 9457
14°58'N 103°05'E

ND 48-5 K-9-B K-10-A

560' 900'x40' Laterite 06/24

Lights: None Fuel: None Comm.: None

Remarks: No windsock. RESTRICTED. OK for DO-28 (1/3/69)

320 Ban Nong Mek (BPP 315)WB 4113
14°34'N 105°23'E

ND 48-7 K-10-A

675' 768'x68' Dirt 11/29

Lights: None Fuel: None Comm.: None

Remarks: Restricted T/O load, 30-50' Overruns each end. RESTRICTED. (26/1/68)

321 Ban Pak LaWC 6830
15°38'N 105°37'E

ND 48-3 K-10-A

650' 600'x65' Sod/Rock 02/20

Lights: None Fuel: None Comm.: None

Remarks: Avoid black rock out cropping at NE end. RESTRICTED. (20/7/67)

322 Ban Nong KhanWC 4937
15°37'N 105°27'E

ND 48-3 K-10-A

450' 700'x50' Grass/Sod 09/27

Lights: None Fuel: None Comm.: None

Remarks: Very marginal. No more than 3 pax. on T/O. RESTRICTED. (31/1/68)

323 Dean's Strip (BPP 313)VA 8499
14°28'N 104°51'E

ND 48-6 K-10-A

750' 1500'x60' Sod/Grass 03/21

Lights: None Fuel: None Comm.: None

Remarks: Caution in rainy season. 200' overruns. Closed to DO-28. RESTRICTED. (19/1/68)

324 Joe's Strip (BPP 304)TA 9691
14°22'N 103°06'E

ND 48-5 K-10-A

625' 800'x30' Dirt

Lights: None Fuel: None Comm.: None

Remarks: Caution during rainy season. RESTRICTED. (3/9/67)

325 Ban Kapchoerg (BPP 372, 307) UB 5000
14°28'N 103°32'E
ND 48-6 K-10-A
650' 750'x45' Dirt 12/30
Lights: None Fuel: None Comm.: None
Remarks: Soft spot at east end. RESTRICTED. (24/8/67)

326 Ran Gamey UB 7153
14°57'N 103°48'E
ND 48-6 K-10-A
480' 1200'x100' 06/24
Lights: None Fuel: None Comm.: None
Remarks: Closed until repaired and 300' antenna removed. (19/11/67)

328 Ban Hin Khon Dong (BPP 301) TA 4295
14°25'N 102°36'E
ND 48-5 K-9-B
650' 1600'x65' Clay 09/27
Lights: None Fuel: None Comm.: None
Remarks: 50' trees 500' off both ends. OK for D0-28 RESTRICTED. (19/10/68)

328A Ban Plackham (Pat's Strip) TA 4998
14°26'N 102°39'E
ND 48-5 K-9-B
1000'x100' Dirt 18/36
Remarks: CLOSED.

331 Ban Ta Miang (BPP 305) UA 1396
14°25'N 103°16'E
ND 48-6 K-10-A
Remarks: Closed. Unsafe. (28/10/67)

333 Ban Dan Yee WB 4398
14°42'N 105°25'E
ND 48-7 K-10-A
Remarks: No other data available.
RESTRICTED.

334 Ban Nang Nu (BPP 306) UA 3398
14°27'N 103°27'E
ND 48-6 K-10-A
900' 925'x50' Sand 05/23
Remarks: Runway 675' usable. PG-6 and Helio only.
Max. T/O load: 4300 lbs. RESTRICTED. (9/5/68)

335 Khon Buri TB 0407
14°30'N 102°16'E
ND 48-5 K-9-B
08/26
Remarks: Data incomplete. Field very marginal.
(11/9/68)

336 Ban Prasat UE 2919
14°38'N 103°25'E
ND 48-5 K-10-B
610' 975'x97' Dirt/Sod 18/36
Lights: None Fuel: None Comm.: None
Remarks: CLOSED. Grown over. (28/10/68)

337 Buntharik WB 4331
14°45'N 103°24'E
ND 48-1 K-10-B
500' 1000'x75' Soft dirt 09/27
Lights: None Fuel: None Comm.: None
Remarks: CLOSED.

401 Ban Tha BoTE 4173
17°51'N 102°23'E

NE 48-9 J-11-D

500' 1160'x50' Sod 06/24

Lights: None Fuel: None Comm.: None

Remarks: 900'x40' usable. RESTRICTED. (3/1/66)

402 Phon PhisaiTE 9898
18°04'N 103°05'E

NE 48-5 J-11-D

700' 2000'x140' Sod 13/31

Lights: None Fuel: None Comm.: None

Remarks: CLOSED. (17/2/69)

403 Ban Dung Kla No.1UF 9324
18°18'N 103°59'E

NE 48-6 J-11-D

600' 800'x100' Sod 15/33

Lights: None Fuel: None Comm.: None

Remarks: CLOSED. (17/2/69)

404 Fung KanUF 5631
18°22'N 103°39'E

NE 48-6 J-11-D

700' 1000'x60' Grass/Laterite 07/25

Remarks: 30' high power line NE end. Park on R/W only. Sides and ends rough and soft.

CLOSED. Pot holes (22/7/69)

405 Kaeng NangVD 2047
16°42'N 104°15'E

NE 48-14 J-11-D

830' 830'x60' Sod 05/23

Lights: None Fuel: None Comm.: None

Remarks: BIC "F". Special briefing by FIC required prior to landing. RESTRICTED. (29/1/66)

406 Sri Chiang MaiTE 4587
17°58'N 102°35'E

NE 48-9 J-11-D

370' 685'x45' Sod 12/30

Lights: None Fuel: None Comm.: None

Remarks: Reduced T/O load. Trees, poles and wires at west end. Banana grove off East end. Down drafts over grove. RESTRICTED.

407 Ban Khok HuaiTF 0112
18°11'N 102°11'E

NE 48-5 J-11-D

300' 660'x45' Sod 09/27

Lights: None Fuel: None Comm.: None

Remarks: Village at West end of Strip. RESTRICTED.

408 B.P.P. Camp #1TE 7123
17°23'N 102°51'E

NE 48-9 J-11-D

640' 2000'x105' Laterite 07/25

Lights: None Fuel: None Comm.: None

Remarks: 1100' usable. 100' trees off East end of runway. Max T/O wt. for PA-23 is 3800 lbs. 200' overrun 25 end. 100' overrun 07 end. Max. Landing Wt. C-123, 55,000 lbs., Max. T/O Wt. C-123K 55,000 lbs., C-123B 46,000 lbs. (1/11/68)

409 Ban Phon PhaengUF 0814
18°12'N 103°11'E

NE 48-5 J-11-D

500' 650'x45' Sod 18/36

Lights: None Fuel: None Comm.: None

Remarks: CLOSED and grown over. (17/2/69)

410 Pak HueiQV 5959
17°43'N 101°27'E

NE 47-12 J-10-C

800' 650'x40' Sod 05/23

Lights: None Fuel: None Comm.: None

Remarks: RESTRICTED.

411 Chiang Khan

QV 8280
17°53'N 101°40'E

NE 47-12 J-10-C
400' 1400'x90'
Lights: None Fuel: None
Remarks: 150' overrun both ends.
RESTRICTED.

Sod/Grass 09/27
Comm.: None
(11/9/68)

412 Ban Chai Buri

VE 4251
17°39'N 104°28'E

NE 48-10 J-11-D
400' 800'x60'
Lights: None Fuel: None
Remarks: CLOSED.

Sod 03/21
Comm.: None
(17/2/69)

413 Ban Bung Kla #2

UF 9320
18°16'N 103°29'E

NE 48-6 J-11-D
600' 850'x78'
Lights: None Fuel: None
Remarks: CLOSED and grown over.

Dirt 03/21
Comm.: None
(17/2/69)

414 Na Khae

VE 1979
17°54'N 104°14'E

NE 48-10 J-11-D
600' 650'x75'
Remarks: CLOSED.

Sod

415 Maha Sarakham

UF 1791
16°12'N 103°17'E

NE 48-13 J-11-D
500'x75'
Remarks: CLOSED and grown over.

(9/5/69)

416 Ban Ngap Phuang

VD 7463
16°51'N 104°45'E

NE 48-14 J-11-D
Remarks: CLOSED and grown over.

(17/2/69)

417 Mukdahan

VD 7028
16°32'N 104°43'E

NE 48-14 J-11-D
500' 2000'x150' Sod/Laterite 03/21
Lights: None Fuel: JP-4 Comm.: None
Radar: GCI Viking 278.4 135.9 314.7 296.7
Remarks: Approach 03. Water off NE end. Radio Tower
600' SE of runway. Power lines South edge
of field. STOL aircraft only. Caution
rainy season. RESTRICTED. (11/9/68)

418 Moung Champa

VD 5247
16°42'N 104°33'E

NE 48-14 J-11-D
Remarks: CLOSED.

419 That Phanom

VD 7174
16°57'N 104°45'E

NE 48-14 J-11-D
550' 900'x50'
Remarks: CLOSED and grown over.

04/22

(17/2/69)

420 Pha Tang

TE 2293
18°01'N 102°23'E

NE 48-5 J-11-D
625' 2000'x35'
Lights: None Fuel: None
Remarks: RESTRICTED.

Dirt 15/33
Comm.: None

422 (No Name)

VD 4673
16°56'N 104°30'E

NE 48-14 J-11-D
825'x66'
Lights: None Fuel: None
Remarks: CLOSED.

Comm.: None
(17/2/69)

423 Ban Sibilai

UF 6711
18°11'N 103°45'E

NE 48-6 J-11-D
630' 850'x100'
Lights: None Fuel: None
Remarks: Helio & Porter only. RESTRICTED. (6/8/68)

Laterite 15/33
Comm.: None

424 Ban Kut Khaen (Phon Pi Sai)
(Ban Nong Chok)

UE 1093
18°01'N 103°12'E

NE 48-5 J-11-D

700' 1100'x125'

Dirt 17/35

Lights: None Fuel: None

Comm.: None

Remarks: Dust is excessive. Reverse for Porter not recommended. Soft sand spots at mid field.
CLOSED. (17/2/69)

425 Sawang Daen

UE 3733
17°29'N 103°27'E

NE 48-9 J-11-D

550' 2500'x475'

Dirt 05/23

Lights: None Fuel: None

Comm.: None

Remarks: CLOSED.

426 Ban Pak Chom

RV 0694
18°01'N 101°53'E

NE 47-8 J-10-C

600' 1000'x75'

Dirt 17/35

Lights: None Fuel: None

Comm.: None

Remarks: RESTRICTED.

427 Ban Na Kham

SE 9881
17°54'N 102°09'E

NE 48-9 J-11-D

700' 900'x90'

Dirt 06/24

Lights: None Fuel: None

Comm.: None

Remarks: Reduce T/O load. Land 06, T/O 24.
RESTRICTED.

428 Ban Chuang

TE 1199
18°04'N 102°16'E

NE 48-5 J-11-D

550' 1100'x75'

Dirt 12/30

Lights: None Fuel: None

Comm.: None

Remarks: RESTRICTED.

429 Nong Sone

TE 6581
17°54'N 102°47'E

NE 48-9 J-11-D

500' 1200'x100'

Dirt 06/24

Lights: None Fuel: None

Comm.: None

Remarks: RESTRICTED.

430 Wanon Niwat

UF 6850
17°38'N 103°45'E

NE 48-10 J-11-D

520' 1000'x66'

Laterite 10/28

Lights: None Fuel: None

Comm.: None

Nav.Aids: TACAN CHAN. 67

Remarks: 25' power lines at W end hard to see.
(17/11/67)

432 Nam Pong Dam North

UD 9177
16°58'N 103°59'E

NE 48-10 J-11-D

900' 2110'x50'

Asphalt 12/30

Lights: Flare pots Fuel: None

Comm.: None

Remarks: OK for G-123. OPEN SR-SS.

433 Ban Si Yaek

UD 6748
16°43'N 103°45'E

NE 48-14 J-11-D

600' 1600'x45'

03/21

Remarks: CLOSED.

435 Kalasin

UD 4215
16°26'N 103°31'E

NE 48-13 J-11-D

500' 1000'x30'

05/23

Lights: None Fuel: None

Comm.: None

Remarks: RESTRICTED. Road Strip.

(15/6/69)

436 CampVD 4470
16°54'N 104°29'END 48-6 K-10-A
550' 900'x80'
Lights: None Fuel: None
Remarks: CLOSED and grown over.Dirt 07/25
Comm.: None
(17/2/69)437 Na KhonVE 0700
17°11'N 104°07'ENE 48-10 J-11-D
RTAF 550' 960'x75'
Lights: None Fuel: None
Remarks: RESTRICTED. Caution RTA choppers in area.
(11/9/68)Laterite 03/21
Comm.: None438 KuchinaraiUD 9928
16°21'N 104°03'ENE 48-14 J-11-D
500' 1050'x100' Sod/Laterite/Grass
05/23
Lights: None Fuel: None Comm.: None
Remarks: Usable portion 60' wide. Ruts and stones on laterite portion (middle 320'). RESTRICTED.
(19/1/68)439 Nam Pong Dam NorthUD 9175
16°57'N 103°59'ENE 48-10 J-11-D
900' 1150'x50' Asphalt 03/21
Lights: Flare pots & battery lights available.
Fuel: None
Comm.: Special Forces FM/HF (Frequency unknown)
Remarks: Soft when wet. Slightly rolling slope.
(3/10/68)501 Muang NgupPB 9955
19°29'N 100°54'ENE 47-14 J-10-C
1300' 600'x50'
Lights: None Fuel: None
Remarks: Off Limits. INSECURE.Clay 18/36
Comm.: None
(16/2/68)502 Ban AiMB 1474
19°40'N 98°08'ENE 47-3 J-10-C
1840' 1050'x60'
Remarks: CLOSED.Grass 15/33
(20/9/66)503 Mae LanaME 1866
19°36'N 98°13'ENE 47-2 J-10-C
2600' 850'x95'
Lights: None Fuel: None
Remarks: CLOSED.Dirt 18/36
Comm.: None
(16/8/68)504 Chiang KlangPB 9634
19°16'N 98°13'END 47-4 J-10-C
1000' 2020'x60'
Lights: None Fuel: 100/130
Comm.: Beacon 250 kcs. "TKL"
Remarks:PSP 01/19
(5/10/69)505 Tha Wang Pha (Ban Muong Lim)PB 9315
19°07'N 100°50'ENE 47-4 J-10-C
800' 1000'x75'
Lights: None Fuel: None
Remarks: CLOSED.Dirt 03/21
Comm.: None
(17/2/69)

506 Ban PuaQB 0123
19°12'N 100°55'E

NE 47-4 J-10-C

1000' 1000'x50'

PSP 08/26

Lights: None Fuel: None

Comm.: None

Remarks: 200' overrun at each end. PPR to land.
RESTRICTED. (13/5/69)507 Chiang SaenPC 1444
20°17'N 100°05'E

NE 47-15 J-10-B

1500' 850'x90'

Sod 01/19

Remarks: Off Limits. INSECURE.

(15/2/68)

508 Ban Yao (Pang Yao)QB 0845
19°24'N 100°59'E

NE 47-4 J-10-C

3859' 900'x54'

Sod 10/28

Lights: None Fuel: None

Comm.: None

Remarks: Runway narrows to 20' in middle.

Off Limits. INSECURE.

(2/2/68)

509 Muang NanPA 8779
18°48'N 100°46'E

NE 47-8 J-10-C

659' 3400'x65'

Asphalt 03/21

Lights: None

Fuel: JP-1 JP-130 Comm.: None

Nav.Aids: NDB 320khz "NAN" at field SR-SS

Remarks: OK for C-47

(10/10/69)

510 Huai KhraiPB 4781
19°44'N 100°24'E

NE 47-3 J-10-C

3300' 770'x35'

Sod 14/32

Lights: None Fuel: None

Comm.: None

Remarks: CLOSED - UNFRIENDLY.

(4/3/68)

511 Ban Mae RaengNC 3214
20°02'N 99°17'E

NF 47-15 J-10-B

1400' 700'x75'

Sod 02/20

Lights: None

Fuel: None

Comm.: None

Remarks: CLOSED.

(17/2/69)

512 Ban SaPA 8553
18°34'N 100°45'E

NE 47-8 J-10-C

1000' 1000'x50'

Dirt 08/26

Lights: None

Fuel: None

Comm.: None

Remarks: No overruns. Clear approach both ends.

Land E to W. RESTRICTED.

513 Ban Na WaiMB 9869
19°37'N 98°59'E

NE 47-2 J-10-C

1000' 750'x50'

Grass 18/36

Lights: None

Fuel: None

Comm.: None

Remarks: Trees 100' off S end. RESTRICTED.

514 Ban Chiang KhamPB 3558
19°31'N 100°17'E

NF 47-3 J-10-C

1275' 1845'x65'

Sod 03/21

Lights: None

Fuel: None

Comm.: None

Remarks: 3000' R/W being built parallel to strip.

RESTRICTED.

(25/7/69)

515 Uttaradit (VTCU)PV 1753
17°40'N 100°06'E

NE 47-11 J-10-C

200' 2900'x65'

Laterite 05/23

Lights: None

Fuel: None

Comm.: None

Remarks: Land 23. T/O 05. OPEN

(14/10/68)

516 Chiang Khong (VTCG)PC 4640
20°15'N 100°25'E

NF 47-15 J-10-B J-10-C

1300' 1500'x100' Dirt 14/32
Lights: None Fuel: None Comm.: None
Remarks: OK for C-7A during dry season. Parking
area N end. RESTRICTED. (13/5/69)517 Ban Mae SuaiNE 5574
19°39'N 99°32'ENE 47-3 J-10-C
Remarks: CLOSED.518 Theong (Chieng Khong)PE 3176
19°41'N 100°15'E

NE 47-3 J-10-C

2000' 1250'x60' Dirt 08/26
Lights: None Fuel: None Comm.: None
Remarks: CLOSED. (11/9/68)519 Ban BoyuakOB 3241
19°21'N 101°13'E

NE 47-4 J-10-C

400' 715'x45' Dirt 15/33
Lights: None Fuel: None
Comm.: BPP 128.8
Remarks: CLOSED - UNFRIENDLY. (8/10/68)520 Mae Chan (Pong Hong)NC 9125
20°07'N 99°52'E

556 CIII J-10-B

1500' 780'x58' Sod 04/22
Lights: None Fuel: None Comm.: None
Remarks: Wires on approach end runway 22.
(31/1/69)521 Ban Tha PhangLV 6297
18°03'N 97°42'E

NE 47-6 J-10-C

390' 850'x70' Sod 17/35
Lights: None Fuel: None Comm.: None
Remarks: BIC "D". Land 35. RESTRICTED.522 Mai SaiNC 9256
20°24'N 99°52'E

NF 47-15 J-10-B

1500' 795'x78' Sod 06/24
Lights: None Fuel: None Comm.: None
Remarks: Reduce T/O load. RESTRICTED. (11/9/68)523 Lao UPB 4788
19°47'N 100°24'E

NE 47-3 J-10-C

2950' 850'x54' Dirt 12/30
Lights: None Fuel: None Comm.: None
Remarks: Off Limits. Insecure. (16/2/68)524 Ban Yao (Seng Heng)PB 4894
19°51'N 100°25'E

NE 47-3 J-10-C

3000' 850'x64' Dirt 16/34
Lights: None Fuel: None Comm.: None
Remarks: Off limits. Insecure. (16/2/68)525 Fi KukPC 5910
19°55'N 100°31'E

NE 47-4 J-10-C

3000' 670'x60' Dirt 06/24
Lights: None Fuel: None Comm.: None
Remarks: UNFRIENDLY. (4/3/68)526 Chiang Khong MilitaryPC 4828
20°09'N 100°25'E

NE 47-15 J-10-C

1250' 1900'x60' PSP/Dirt 18/36
Lights: None Fuel: None Comm.: None
Remarks: OK for C-7A. (23/5/69)

527 Ban Tham (Pang)PB 5657
19°30'N 100°28'E

NE 47-3 J-10-C

1700' 825'x50' Sod 10/28

Lights: None Fuel: None Comm.: None

Remarks: Located in canyon valley. 5000' terrain on all sides. Off limits. INSECURE. (16/2/68)

528 Pai (VTGI)ME 4243
19°23'N 98°26'E

NE 47-3 J-10-C

1700' 900'x40' Sod 09/27

Lights: None Fuel: None Comm.: None

Remarks: RESTRICTED. (25/7/69)

529 Huei SanPC 4812
20°01'N 100°24'E

NE 47-3 J-10-C

2900' 1025'x45' Dirt 01/19

Lights: None Fuel: None Comm.: None

Remarks: CLOSED.

530 Phu Lang KhaPB 5842
19°21'N 100°30'E

NE 47-3 J-10-C

3400' 700'x35' Dirt 15/33

Lights: None Fuel: None Comm.: None

Remarks: Reduce T/O load. Off limits. INSECURE. (16/2/68)

531 Doi LuangPC 3947
20°19'N 100°21'E

NF 47-15 J-10-B

2900' 810'x32' Sod/Gravel 02/20

Lights: None Fuel: None Comm.: None

Remarks: Land to 20. CLOSED. (17/2/69)

532 Khun AoQB 0551
19°27'N 100°57'E

NE 47-4 J-10-C

Remarks: Off limits. INSECURE. (2/2/68)

533 Pang KopQB 2426
19°13'N 101°07'E

NE 47-4 J-10-C

4750' 500'x50' Dirt 13/31

Remarks: CLOSED. (20/9/66)

534 Hung HawQB 1938
19°18'N 101°04'E

NE 47-4 J-10-C

4200' 775'x40' Dirt 18/36

Lights: None Fuel: None Comm.: None

Remarks: Off limits. INSECURE. (2/2/68)

535 Huai HanPB 5799
19°53'N 100°30'E

NE 47-3 J-10-C

4600' 600'x110' Sod 08/26

Lights: None Fuel: None Comm.: None

Remarks: Recce. App. 07. Reduced T/O load. Max. 2 pax. with baggage. Off limits. INSECURE. (16/2/68)

536 Phi SiPC 6113
20°01'N 100°31'E

NE 47-3 J-10-C

3700' 520'x39' Dirt 17/35

Remarks: CLOSED - UNFRIENDLY. (4/3/68)

537 Pang NongQB 1746
19°24'N 101°03'E

NE 47-4 J-10-C

4500' 650'x45' Sod 03/21

Lights: None Fuel: None Comm.: None

Remarks: CLOSED if wind over 10 knots, max weight for landing 4,400 lbs. Off limits. INSECURE. (2/2/68)

538 Ton DuNC 4618
20°04'N 99°27'ENF 47-15 J-10-B
1500' 1890'x100'
Lights: None Fuel: None
Remarks: RESTRICTED.Sod 01/19
Comm.: None
(14/11/67)539 Pu Muen(Muen)NC 1714
20°02'N 99°10'ENF 47-15 J-10-C
3900' 585'x65' Sandy Loam 14/32
Lights: None Fuel: None Comm.: None
Remarks: Land 32. Reduce T/O load. Rutted RH side.
STOL aircraft only. RESTRICTED.
First 150' rwy 32 unusable. (9/10/69)540 ThoengPE 3076
19°41'N 100°15'ENE 47-3 J-10-C
1500' 1300'x100'
Lights: None Fuel: None
Remarks: RESTRICTED.Laterite 07/25
Comm.: None541 Sen ChaiNC 7837
20°14'N 99°43'ENF 47-15 J-10-B
2280' 1175'x50' Clay/Gravel/Sand 05/23
Lights: None Fuel: None Comm.: None
Remarks: Recommended RH pattern to runway 05.
RESTRICTED. (11/9/68)542 Doi ChangNB 5992
19°45'N 99°34'ENE 47-3 J-10-C
4000' 630'x70'
Lights: None Fuel: None
Remarks: Land 12. CLOSED.Dirt 12/30
Comm.: None
(17/2/69)543 Huai Mai KhumNC 5054
20°22'N 99°28'ENF 47-15 J-10-B
3500' 600'x32' Dirt 06/24
Lights: None Fuel: None Comm.: None
Remarks: STOL aircraft only. CLOSED. (17/2/69)544 Ja Ju La BaNC 6937
20°13'N 99°39'ENF 47-15 J-10-B
2800' 600'x40' Sod 04/22
Remarks: CLOSED. (9/9/67)545 Sam MuenMB 5749
19°26'N 98°36'END 47-2 J-10-C
Remarks: CLOSED.545A Sam Muen NewMB 5549
19°34'N 98°26'ENE 47-2 J-10-C
4700' 1052'x42' Sod 18/36
Lights: None Fuel: None Comm.: None
Remarks: STOL only. RESTRICTED. (26/9/69)546 Khun KhongMB 7559
19°32'N 98°47'ENE 47-2 J-10-C
4500' 780'x66' Dirt/Laterite 10/28
Lights: None Fuel: None Comm.: None
Remarks: CLOSED. (25/9/69)547 Pha Yang MaiNC 8047
20°20'N 99°45'ENF 47-15 J-10-B
2700' 740'x30' Dirt 04/22
Remarks: CLOSED. (28/7/67)

548 Pang Nun

NF 47-15 J-10-B
2000' 495'x30'
Remarks: CLOSED.

NC 5550
20°21'N 99°32'E

Dirt 06/24
(9/9/67)

549 Huai Fuang (Camp C)

NF 47-15 J-10-B
2020' 1080'x51'
Lights: None Fuel: None
Remarks: Off limits. INSECURE.

PB 5939
19°20'N 100°31'E

Clay 09/27
Comm.: None
(25/2/68)

550 San Kham Lea

NE 47-2 J-10-C
2900' 840'x34'
Lights: None Fuel: None
Remarks: Too narrow. RESTRICTED.

MB 3164
19°37'N 98°21'E

Dirt 08/26
Comm.: None
(25/7/69)

551 Muang Puk

NE 47-2 J-10-C
2500' 960'x65'
Lights: None Fuel: None
Remarks: RESTRICTED.

MB 6270
19°38'N 98°37'E

Dirt 05/23
Comm.: None

552 Meo Mow

NE 47-3 J-10-C
3000' 700'x?
Remarks: Off limits. INSECURE.

PB 5847
19°25'N 100°30'E

Dirt 10/28
(17/2/69)

553 Muang Ngam

NF 47-15 J-10-C
1500' 1930'x70'
Lights: None Fuel: None
Remarks: OK for Caribou. Max. T/O for PA-23 is 3800 lbs. RESTRICTED.

NC 4817
20°04'N 99°28'E

Sod 14/32
Comm.: None
(11/9/68)

554 Mae Rim

NE 47-6 J-10-C
1080' 820'x78'
Lights: None Fuel: None
Remarks: Trees both sides. Wires N end. 2-500 lbs. reduced T/O, depending on wind. Construction. CLOSED.

MA 9591
18°55'N 98°57'E

Sod 15/33
Comm.: None
(14/10/68)

555 Huai Khu

NE 47-4 J-10-C
4000' 845'x100'
Lights: None Fuel: None
Remarks: Caution. Bad winds. UNFRIENDLY.

PC 5801
19°55'N 100°31'E

Dirt 08/26
Comm.: None
(17/2/68)

556 Hin Taek

NF 47-15 J-10-B J-10-C
1700' 750'x100'
Lights: None Fuel: None
Remarks: Land 04. T/O 22. RESTRICTED.

NC 6839
19°06'N 99°39'E

Grass 04/22
Comm.: None
(17/2/69)

557 Tha Kham

NF 47-15 J-10-B J-10-C
1150' 800'x70'
Lights: None Fuel: None
Remarks: CLOSED-UNFRIENDLY.

PC 5211
20°01'N 100°25'E

Sod 04/22
Comm.: None
(4/3/68)

558 Zang Kai

NE 47-4 J-10-C
3200' 830'x40'
Lights: None Fuel: None
Remarks: CLOSED and grown over.

PB 6605
19°02'N 100°34'E

Sod 18/36
Comm.: None
(4/12/68)

559 Ban No So Phit PB 7859
19°26'N 100°41'E
NE 47-4 J-10-C
1200' 750'x100' Dirt 12/30
Lights: None Fuel: None Comm.: None
Remarks: Off limits. INSECURE. (16/2/68)

560 Huai Khon QB 1867
19°38'N 100°26'E
NE 47-4 J-10-C
1800' 710'x45' Dirt 05/23
Lights: None Fuel: None Comm.: None
Remarks: Off limits. INSECURE. (6/2/68)

562 Steele's Strip QU 1333
16°35'N 101°00'E
NE 47-16 J-10-C
2500' 750'x63' Dirt 17/35
Remarks: UNFRIENDLY.

566 Ngao PB 3175
19°40'N 100°15'E
NE 47-7 J-10-C
2000' 1200'x60' Dirt 08/26
Lights: None Fuel: None Comm.: None
Remarks: RESTRICTED. (6/2/68)

567 Bo Klua Tai QB 2819
19°10'N 101°10'E
NE 47-4 J-10-C
2400' 730'x65' Dirt Comm.: None
Remarks: Off limits. INSECURE. (2/2/68)

569 Nan (Ban Kweng) QA 1275
18°45'N 101°00'E
NE 47-8 J-10-C
1000' 1000'x65' Dirt 12/30
Lights: None Fuel: None Comm.: None
Remarks: Contact T-11 Customer to arrange security.
CLOSED. (4/11/68)

570 Chiang Saen (New) PC 1343
16°05'N 100°05'E
NE 47-15 NF 47-15 J-10-B J-10-C
1500' 800'x85' Dirt 08/26
Lights: None Fuel: None Comm.: None
(17/1/69)

571 Hin Taek (New) NC 6640
20°15'N 99°38'E
NF 47-15 NE-47-15 J-10-B J-10-C
1900' 800'x150' Dirt 09/27
Lights: None Fuel: None Comm.: None
Remarks: Approach only from East. Adjacent and
perpendicular to T-556. Cross winds.
PC-6 and H-395.

572 Ban Yang Mae Chaem MB 2504
19°02'N 98°17'E
NE 47-2 J-10-C
3250' 810'x33' Laterite/Clay/Sand
12/30
Lights: None Fuel: None Comm.: None
Remarks: Land 30 T/O 12 for STOL only.

573 Mae Taeng (New) MB 9820
19°10'N 98°59'E
NE 47-2 J-10-C
1250' 1200'x150' Sod 27/09
Lights: None Fuel: None Comm.: None
Remarks: Land 27. No Runway Markers or Windsock.
OK for C-7A.

601 Ban Poeng KhloengMT 5647
15°48'N 98°35'E

ND 47-2 K-9-B

450' 1000'x80'
Lights: None Fuel: None
Remarks: BIC "A". RESTRICTED.Sod 12/30
Comm.: None
(7/7/67)602 Ban Nam MuapQA 0745
18°29'N 100°58'E

NE 47-8 J-10-C

1000' 760'x45'
Lights: None Fuel: None
Remarks: Overrun South end.Sod 17/35
Comm.: None
(13/5/69)603 Pitts Camp (Ban Nok Aen)
(Suritsena)PU 6461
16°50'N 100°32'E

NE 47-16 J-10-C

350' 2700'x81' Asphalt 02/20
Lights: None Fuel: 100/130 JP-4 115/145 JP-1
Comm.: Tower: 119.1 120.1 127.3 Customer on 119.1
Company Radio: 127.3 5568 8765
Remarks: M & R available. Check fuel before using.There have been instances when drums were
incorrectly labeled. All aircraft arriving/
departing must contact "DORA" giving ETA for
arriving aircraft and destination for de-
parting aircraft. Frequency 236.6 135.9
mcs. Be well briefed before using nearby
pads C-45 Max. T/O Wt. 9,000 lbs., Max.
T/O Wt. 10-2 is 9350 lbs. C-123K MTOW
55,000 MLW 55,000 C-123 MTOW 46,000 MLW
52,000
(17/2/69)604 Mae UsuMV 1416
17°19'N 98°11'E

NE 47-10 J-10-C

650' 1150'x85'
Lights: None Fuel: 100/130
Remarks: BIC "C". Land to East. No R/W markers on
sock. RESTRICTED.
(7/12/68)Sod 06/24
Comm.: None
(7/12/68)605 Ban MaiPV 8363
17°51'N 100°45'E

NE 47-12 J-10-C

350' 1500'x50' Dirt 08/26
Lights: None Fuel: None Comm.: None
Remarks: Land 08. OK for STOL and Caribou. May be
soft when wet. RESTRICTED.
Closed for construction. (24/8/69)606 Mae Kon KenMU 5733
16°36'N 98°36'E

NE 47-14 J-10-C

820' 760'x110' Sod 07/25
Lights: None Fuel: 110/130 Comm.: None
Remarks: BIC "E". Burma border on West end.
RESTRICTED. (26/9/66)607 Tha Song VangLV 8543
17°34'N 97°55'E

NE 47-10 J-10-C

Remarks: CLOSED
(31/10/65)608 Mae RamatMU 4878
16°59'N 98°32'E

NE 47-14 J-10-C

650' 1100'x105' Sod 05/23
Lights: None Fuel: None Comm.: None
Remarks: CLOSED. (17/2/69)609 Pua PaMU 6615
16°25'N 98°41'E

NE 47-14 J-10-C

650' 1400'x55' Dirt 08/26
Remarks: CLOSED. (20/9/67)610 Na BuaOV 0101
17°11'N 100°53'E

NE 47-12 J-10-C

900' 700'x85' Sod 02/20
Lights: None Fuel: None Comm.: None
Remarks: CLOSED. (Helio in emergency) (17/2/69)

611 Ban MougQA 2600
18°05'N 101°08'E

NE 47-8 J-10-C

1600' 2000'x100' Sod 15/33
 Lights: None Fuel: None Comm.: None
 Remarks: CLOSED to fixed wing aircraft.
 Check with Customer T-603 before landing.
 (25/7/69)

612 Pa WaiQU 1681
17°00'N 101°02'E

NE 47-12 J-10-C

3800' 1200'x75' Sod 01/19
 Lights: None Fuel: None Comm.: None
 Remarks: UNFRIENDLY.

613 Sae NongQU 1122
16°28'N 100°59'E

NE 47-16 J-10-C

3500' 700'x70' Dirt 08/26
 Lights: None Fuel: None Comm.: None
 Remarks: UNFRIENDLY. (23/2/68)

614 Lao NaQU 1224
16°29'N 100°59'E

NE 47-16 J-10-C

3300' 750'x75' Sod 05/23
 Lights: None Fuel: None Comm.: None
 Remarks: UNFRIENDLY. (23/2/68)

615 Khi ThaoQU 2183
17°03'N 101°05'E

NE 47-16 J-10-C

4500' 1050'x65' Sod 03/21
 Lights: None Fuel: None Comm.: None
 Remarks: UNFRIENDLY. (23/2/68)

616 Pa Yaab (Ban Mae Konken)QU 2275
16°57'N 101°05'E

NE 47-16 J-10-C

4500' 725'x75' Sod 16/34
 Lights: None Fuel: None Comm.: None
 Remarks: UNFRIENDLY. (23/2/68)

617 Nam PatPV 7961
17°43'N 100°41'E

NE 47-12 J-10-C

350' 1300'x80' Sod 08/26
 Remarks: CLOSED and grown over. (17/2/69)

618 Na Wiang (Don Sai)QV 2913
17°18'N 101°09'E

NE 47-12 J-10-C

1250' 1000'x80' Sod 02/20
 Lights: None Fuel: None Comm.: None
 Remarks: High brush all side. Brief by FIC before
 using. Off limits. INSECURE. (11/12/68)

619 Muang PhraeQV 2235
17°29'N 101°06'E

NE 47-12 J-10-C

1600' 700'x50' 18/36
 Lights: None Fuel: None Comm.: None
 Remarks: Need survey. CLOSED. (21/8/68)

620 Ban Maeo Thap BoekQU 2676
16°56'N 101°08'E

NE 47-16 J-10-C

3200' 1200'x40' Dirt 18/36
 Lights: None Fuel: None Comm.: None
 Remarks: UNFRIENDLY. (23/2/68)

621 Sadieng (Phetchabun)QU 3018
16°26'N 101°09'E

NE 47-16 J-10-C

912' 825'x67' Dirt/Grass 13/31
 Lights: None Fuel: None Comm.: None
 Remarks: Caution when wet. Reduce T/O Load to 4 pax.
 RESTRICTED. (4/8/68)