

AIR FACILITY DATA PAMPHLET  
REVISION RECORD

Revisions to this publication will be distributed by area Flight Information Center on the basis of the current distribution list. It is important that individual pamphlet holders promptly insert each revision and make appropriate entry or entries on the list of revised pages (unless a new listing of revised pages is provided for insertion.)

Check lists of current Air Facility Data Pamphlet pages will be maintained and distributed by the area Flight Information Center concerned.

Page No.	Effective Date	Page No.	Effective Date	Page No.	Effective Date
1	1/11/73	14	1/11/73	29	1/11/73
1(A)	1/11/73	15	1/11/73	30	1/11/73
2	1/11/73	16	1/11/73	31	1/11/73
2(A)	1/11/73	17	1/11/73	32	1/11/73
3	1/11/73	18	1/11/73	33	1/11/73
4	1/11/73	19	1/11/73	34	1/11/73
5	1/11/73	20	1/11/73	35	1/11/73
6	1/11/73	21	1/11/73	36	1/11/73
7	1/11/73	22	1/11/73	37	1/11/73
8	1/11/73	23	1/11/73	38	1/11/73
9	1/11/73	24	1/11/73	39	1/11/73
10	1/11/73	25	1/11/73	40	1/11/73
11	1/11/73	26	1/11/73	41	1/11/73
12	1/11/73	27	1/11/73	42	1/11/73
13	1/11/73	28	1/11/73	43	1/11/73

Page No.	Effective Date	Page No.	Effective Date	Page No.	Effective Date
44	1/11/73	66	1/11/73	88	1/11/73
45	1/11/73	67	1/11/73	89	1/11/73
46	1/11/73	68	1/11/73	90	1/11/73
47	1/11/73	69	1/11/73	91	1/11/73
48	1/11/73	70	1/11/73	92	1/11/73
49	1/11/73	71	1/11/73	93	1/11/73
50	1/11/73	72	1/11/73	94	1/11/73
51	1/11/73	73	1/11/73	95	1/11/73
52	1/11/73	74	1/11/73	96	1/11/73
53	1/11/73	75	1/11/73	97	1/11/73
54	1/11/73	76	1/11/73	98	1/11/73
55	1/11/73	77	1/11/73	99	1/11/73
56	1/11/73	78	1/11/73	100	1/11/73
57	1/11/73	79	1/11/73	101	1/11/73
58	1/11/73	80	1/11/73	102	1/11/73
59	1/11/73	81	1/11/73		
60	1/11/73	82	1/11/73		
61	1/11/73	83	1/11/73		
62	1/11/73	84	1/11/73		
63	1/11/73	85	1/11/73		
64	1/11/73	86	1/11/73		
65	1/11/73	87	1/11/73		

## FOREWORD

### PURPOSE

- A. This publication is to be used as a local supplement to Civil or Military flight information publications. Airfield and site status is subject to change as a result of local operational conditions. The Flight Information Center - Udorn, coordinates with all interested agencies to maintain current information on Thailand facilities. AAM operations staff at Bangkok and Chiang Mai monitor their operating areas and furnish current site information to FIC - UTH. This FIC will be contacted as the primary source and/or final company authority whenever airfield or site status is in doubt.
- B. Adherence to instructions contained in the Air Facility Data Pamphlet, its Addenda and NOTAMS is mandatory for Company flying and ground personnel concerned (See Air America Operators Manual Southeast Asia; Section 4.70).

### REVISIONS

Revised pages will be issued by FIC - UTH when necessary to update coverage. FIC - UTH will publish and distribute local Addenda or NOTAMS to all pamphlet holders for interim pen and ink correction pending publication and distribution of revised pages.

### SUBMISSION OF INFORMATION

Company personnel or customer and allied agencies should submit any pertinent or new information to the FIC at the Air America operating base in their respective area.

TABLE OF CONTENTS

- Section I - Facility Data Legend.
- Section II - Listing of Tango Airfields/Sites by Number.
- Section III - Listing of Sites by UTM coordinates with corresponding numerical and alphabetical designations (e.g. MA 9672 T-11, Chiang Mai.)
- Section IV - Alphabetical listing of Sites with corresponding numerical designations and UTM coordinates (e.g.:Aranyaprathet, T-209, TA 3115.)
- Section V - Air Facilities open to AAM Aircraft.
- Section VI - Company/Customer communications.
- Section VII - Instrument approach procedures charts.
- Section VIII - General information.

## SECTION I

(Revision) FACILITY DATA LEGEND

Minimum usable runway dimensions authorized for regular operation of Company aircraft are listed below. Weather factors and/or other operational considerations may require additional runway length/width for safe operation. Always consult the applicable Aircraft Flight or Operations Manual for accurate performance information. Operation into runways not meeting these basic limitations must have prior approval of the Chief Pilot concerned.

<u>Type</u>	<u>Width</u>	<u>Length</u>
C-130	100'	3,000'
C-46	77'	3,000'
C-47	56'	2,000'
C-123K	75'	1,700' (54,000 lbs.)
	75'	2,600' (60,000 lbs.)
10-2	39'	2,000'
VTB	39'	1,500'
DHC4/C7A	35'	1,000'
DHC6	50'	750'
PC6	30'	500'

Definitions:

- CLOSED - Closed for physical reasons or non-usage.  
 CLOSED UNFRIENDLY - Site is controlled or threatened by hostile forces.  
 OPEN TO - Specifies the most performance limited Company aircraft that facility is open to.  
 R/W - Rotor wing aircraft.  
 TDOA - Thailand Department of Aviation.  
 RTAF - Royal Thai Air Force.  
 RTA - Royal Thai Army.  
 SR-SS - Sunrise to Sunset.  
 BPP - Border Patrol Police.

Map References - example

NE47-7 = JOG, 1:250,000 scale

K-9B = ONC, 1:500,000 scale

UTM Grid - e.g. UD 8142 - Two letters indicate a 100,000 meter square grid. The following two numbers are read to the right and indicate the point to the right and indicate the point to 1,000 meters horizontal. The next two numbers are read up and indicate the point to 1,000 meters vertical.

1 Nov. 1973

2(A)

THAI

**SECTION**

**II**

**AIRFIELDS/SITES**

01 Phitsanulok (VTPP)

PU 3757

NE 47-15, J-10C 16°47'N 100°17'E  
TDOA 166' 5971' x 148' Asphalt 15/33  
Lights:Rwy, Approach sequence flashing lights,  
rotating beacon. 2 hour prior notice re-  
quired.

Fuel:100/130 115/145 A-1

Comm.:Twr.:236.6, 122.3, 6672, 5491.5

BKK ACC remote site 133.1/265.9

Nav.Aids:NDB "PL" 263 at field operated 24  
hours daily. VOR/DME "PSL" 114.1,  
CH 88, Test basis only. At fld.

Commercial Radio:1030

Radar:GCI "DORA" 135.9 278.4

Remarks:Open C46 C130.Operates 2300-1400Z. 200'  
overruns each end. NDB not within ac-  
ceptable tolerance. C130 MGWTO/L 155,  
000. 250' tower 3NM N, of field.

-----  
02 Roi Et (VTUR)

UC 5677

NE 48-14 J-11D 16°04'N 103°39'E  
TDOA 459' 2600'x98' Gravel/Laterite 17/35

Remarks:Overrun on north end unusable. Open to  
C47 C123. Opr. SR-SS. 200' towers 1/2  
mi. S. Do not land short. Approach rwy  
17 over mud holes & sharp 1' upslope  
at rwy threshold. Rwy closed every  
Sunday and Tuesday for repairs. Cattle  
on rwy.

-----  
03 Lampang (VTCL)

NA 5420

NE 47-7 K-9B 18°16'N 99°30'E

TDOA 794' 4890'x98' Asphalt 18/36

Lights:Temporary Rwy lights. 2 hour prior  
notice required.

Fuel:None

Comm.:Tower:122.3, 6672, 5491.5

nav.Aids:NDB'LP' 395 at field. Operates 24 hrs  
daily. NDB reported unreliable.

Commercial Radio:1130

Remarks:Rwy strength SWL 30,000 LBS. 195'  
overrun each end. OPEN C46. Field  
operates SR-SS. Closed to C130.  
250' AGL tower NA545221. 200' AGL

1 Nov. 1973

4

(Cont'd)

THAI

03 Lampang (VTCL)

Cont'd

NA 5420

tower NA482174. Uncontrolled pedestrians, cattle and vehicles near rwy.

04 Tak (VTPT)

NU 1666

NE 47-15 J-10C 16°53'N 99°09'E

TDOA 363' 4429x148' Laterite/SOD 09/27

Lights:None Fuel:None

Comm.:Tower 122.3, 6672, 5491.5

Nav.Aids:Commercial Radio Station:880

Remarks:No overruns. Road crosses rwy. Slick when wet. Ditches and brush off rwy sides. Field operates SR-SS Hazards-approach rwy 09 over 40' power line 1/2 mi., 25' trees 300'-400'  
Rwy strength AUW 37,000. Closed C123.

04B Tak (BPP)

NU 0958

NE 47-15, J-10C 16°48'N 99°05'E

705' 1500x120' Dirt 04/22

Open PC-6, DHC-6.

05 Takhli (VTPI)

PS 4088

ND 47-3 K-9B 15°17'N 100°18'E

RTAF 105' 9840'x150' Concrete 36/18

Lights:Rotating Beacon; rwy lights; high intensity sequence flashing lights; 10 min.prior notice required.

Fuel:115/145 JP-4. Prior notice required.

Comm.:PTD:120.1

Tower:126.18 236.6 118.1 335.8 122.3

APP CON:278.5 121.8

GND CON:275.8

DEP CON:278.5 121.8

RADAR:Call APP CON 363.8 121.8

Nav.Aids:NDB 'TL' 284 at field, unusable

060°-100° beyond 6 NM.Out

0500Z-0600Z mon.

TACAN TKL Chan 95 At Fld MP 0200-

0400Z Tue and Fri VMC only

TACAN unusable 050°-100° below 6000'

100°-130° below 7000'

NDB 690 no I.D., 15 min. prior notice

(Cont'd)

required to "Seahorse 3" 121.1

VOR 113.1 kHz 'CNT' 4NM S.W. of T05.

Commercial Radio:960

Remarks:1000 overrun each end. Customer Call sign "Seahorse 3" 121.1 operating 0100-1000Z daily, other times on request. Rwy, twy and obstruction lights out. Contact tower 10 min. out. C-130 MGWTO/L 155,000. Open C46 C130.

06 Mae Hong Son (VTCH)

LB 9334

NE 47-2 J-10C

19°18'N 97°59'E

TDOA 905' 4314'x98' Asphalt

11/29

Fuel:None

Lights:Flares 2 hr PNR.

Comm.:Tower:122.3,6672, 5491.5

Nav.Aids:NDB 'MH' 420 on request to ACC, 1 hr PNR 0130Z-0930Z. Located at field.

Remarks:SR-SS. Caution in rainy season. 197' overrun on rwy 11. High terrain all quads. Approach to rwy 29 not recommended-over high terrain, steep down slope to rwy. 50' trees 300' prior to threshold. Approach rwy 11 over 1000' hill slightly south 1/2 mile. 30' trees approximately 500' and sharp up-slope 200' prior to threshold.

Traffic Pattern:Land rwy 11, takeoff rwy 29 winds permitting. Open C46.

Status undetermined for C-130.

07 Phrae (VTCP)

PA 2405

NE 47-7 J-10C

18°08'N 100°10'E

515' 4800'x96' Asphalt

01/19

Lights:Temp. (3 hrs. prior notice required)

Fuel:None

Comm.:Tower:122.3, 6672, 5491.5 (SR-SS)

Nav.Aids:NDB 'PR' 224 at field. Test status. Opr. 0001Z-0930Z.

Remarks:Open C46. 500' overruns. Twy and ramp not completed, park on south overrun. Work in progress on rwy, 3,840' available. 30 minute prior notice required.

NE 48-9 J-11D 17°22'N 102°48'E

RTAF(TDOA) 584' 10,000'x125' Concrete 12/30

Lights:Approach, Hi-intensity rwy, SFL,VASI.

Fuel:115/145 JP-4 A-1

Comm.:Tower:122.5 236.6 355.4 267.6T

APP. CON.:389.5 103.3(T),

267.6(T) 123.9

GND CON.:275.8 126.18

METRO:344.6

DEP. CON.:270.6 118.2

PTD:372.2

Customer:Rascal I:121.1

Radar:GCI Brigham 338.3 135.9

278.4 228.4

GCA:GCA Call RAPCON 134.1 261.4 363.8

304.9 266.3 269.0 284.0 329.0 248.8

Company Radio:119.1 8765 5568 123.6

Nav.Aids:VOR UDN 113.9 at field MP 0200-0300Z

Mon and Fri. TACAN UDN chan 86 at fld

MP 1000Z-1200Z Mon and Fri TACAN

unusable

020°-090° beyond 30 NM below 3000'

090°-110° beyond 20 NM below 5000'

110°-150° beyond 20 NM below 7000'

150°-180° beyond 15 NM below 5000'

180°-190° beyond 25 NM below 7000'

190°-280° beyond 25 NM below 5000'

295°-310° beyond 25 NM below 5500'

310°-020° beyond 25 NM below 3500'

NDB UD 236 at field

Radar ~ Call APP CON 363.8x329.0x

304.9x284.0x269.0x261.4x

266.3x248.8x134.1x

Commercial Radio:1230

Remarks:Student pilot training 0100 to 1000Z

daily. Air America Ramp not visible from Tower.

Avoid overflt of populated area of base N. of

rwy below 500'. Maintain min. separation of

2000' between aircraft. USAF controllers avail-

able if instructions not understood. Do not

taxi on yellow striped non-load bearing pave-

ment. R/W operations on infield. Twy 3 de-

signed as a helipad. Restricted areas: Udorn

bombing range 249°/2NM from TACAN CH. 70.

Jettison area, 4NM wide, from 198°/16 NM to 198°/21NM from TACAN. Some portions of airfield not visible from tower. Avoid overflight of Udorn city and military installation at Nong Soeng 8NM S.E. of Udorn below 2,000'.  
Open C46 C130

C-130 MGWTO/L 155,000.

Men and equipment on sides of rwy twy and ramp periodically.

Uncontrolled vehicles on twy and ramps. The DEPCHIEF JUSMAG(South 40) HLZ, is located 1 MILE SSW from the APCH end of rwy 30. Caution 50' light towers near HLZ.

ND 47-13 K-9B 13°55'N 100°37'E  
RTAF(A-AF) 12' 10,525'x197' Concrete 03L/21L  
9,840'x148' Concrete 03R/21L

Lights:Rotating Beacon, Hi-intensity rwy lights. Approach Lights.

Fuel:100/130 115/145 JP-4

Comm.:Tower:118.1 126.18 236.6

Cinc delivery:121.9 257.8

DEPCON 125.5 255.6

GND.CON.:121.9 257.8

APP.CON.:119.1 284.0

Company Radio:127.3 8765 5568

BKK ACC ATS 200NM radius from 'MK'

NDB H24. Sector I (West) 263.8 120.5

Sector II (East) 280.2 128.3

Nav.Aids:NDB 'MK' 345 018°/11.2 NM to field

NDB 'BK' 293 209°/4.2 NM to field

VORTAC 'BKK' 112.1 CH. 58,209

4.8 NM to field.

NDB 'KK' 276 at field

VHF/DF 121.5

Radar: 134.1 142.02 289.4 270.6 266.6(T)

108.3(T) maint period 2300Z-0100Z, Mon-Fri.

Remarks:M&R avail. Conventional aircraft traffic pattern 1000'. Light aircraft 600'.

All pilots must follow parking instruc-

tions given by tower. No radio contact with training acft operating from rwy 21L/03R 800' TFC pattern Mon-Fri 0600Z-0930Z. (VFR reporting points, see page 101.) Night flights in BKK control zone must be IFR unless approved by tower. R/W traffic prohibited on USAF ramp. Antenna site 300 meters approach end of rwy 21L-195 meters from W. side of rwy 21L. Rwy 21L/03R use ext. caution due local small acft traffic. Outbound VFR traffic report 25 NM from AFLD. ACFT on the commercial ramp CTC tower before engine starts.

Caution: Conflicting jet traffic entering VFR pattern in vicinity of the VORTAC. Rwy 21L has non-standard apch lights. Expect refueling delays. 210' radio mast at field. Open C46 C130.

## 10 Hua Hin (VTBH)

PP 0496

ND 47-15 K-9B 12°38'N 99°57'E  
TDOA 10' 2756'x98' 16/34

Lights: Temp. 2 hr. prior notice required.

Fuel: None for AAM.

Comm.: Customer Radio: HH 120.1

TWR 122.7 6672 118.1 Contact 10 minutes out. BKK control: 263.8, 120.5

Nav. Aids: NDB 'HN' 213 at field.

Remarks: Opr. SR-SS. Restricted area R-3 S.W. of fld, active by notam.

C-46 OTOW 46.0. C-130

MGWTO 133,000. MGWL 137,000.

Open C46 C130.

## 11 Chiang Mai (VTCC)

MA 9672

NE 47-6 J-10-C 18°46'N 98°58'E  
TDOA 1063' 7014'x125' Concrete 18/36

Lights: Rotating Beacon; Rwy Lights; Twy Lights

Fuel: 100/130 115/145 A-1

Comm.: Twr: 236.6 118.1

APPCON: 305.4 126.18 122.3

GNDCON: 275.8, 118.1

11 Chiang Mai (VTCC) Cont'd

A/G Voice Radio 6672, 5491.5  
Nav.Aids:NDB 'CM' 255 at field. Opr. H24.  
Opr. 2300Z-1400Z  
NDB compass locator 201 kHz 'CH'  
on test.  
TACAN CHM Can 109 At Field Opr.  
2300-1400Z dly  
TACAN unusable  
020°-030° beyond 25 NM below 7000'  
055°-065° beyond 25 NM below 9500'  
065°-135° beyond 25 NM below 7500'  
230°-260° beyond 25 NM below 10,000'  
260°-350° ALL ALT, ALL DIST  
UHF/DF 305.4  
Commercial Radio:985

Remarks:International airport with customs and  
immigration. Fuel available from ESSO  
0800L-1700L. Prior notice not required  
for landing. Flight plan clearance is  
required. Prior notice is required for  
after hours fuel and rwy lights.  
Open C46 C130. Operates 2300-1100Z,  
ATS available H24.

---

12 Khun Yuam (VTCK) LA 8270

NE 47-6 J-10C 18°50'N 97°56'E  
1312' 1000'x60' Laterite/Grass 02/20  
Remarks:CLOSED.

---

13 Korat (VTUN) (Nakhon Ratchasima) SB 8653

ND 47-6 K-9B K-10A 14°56'N 102°05'E  
RTAF (A-AF) 729' 9845'x150' Concrete 06/24  
Lights:Rotating Beacon:Rwy Lights;  
Hi-Intensity approach lights;  
sequence flashing lights.  
Fuel:115/145 JP-4  
Comm.:Tower:236.6 390.6 122.5  
APP.CON.:134.1 302.3 237.1 126.2  
GND CON 275.8  
PTD: 372.2  
Customer:Rascal V 121.1  
DEP CON 237.1

1 Nov. 1973

10

(Cont'd)  
THAI

13 Korat (VTUN) ( Nakhon Ratchasima ) Cont'd

Nav.Aids:NDB 'KT' 230 MP 0700-0900Z THU.  
180°-1.4 NM to field. TACAN 'KRT'  
Chan. 125 at field. MP 0700-0900Z  
Tue.

Commercial Radio:800

Radar:Call APP. CON.: 126.2x 241.2x 289.4x  
261.4x 291.1x 302.3

Traffic pattern rectangular 1,700 FT MSL.

Remarks:All aircraft use left hand traffic  
pattern landing rwy 24. Use right  
hand pattern when landing rwy 06. Do  
not fly over populated area W of Korat,  
or over Korat below 5,000'.

In event of radio failure, execute  
standard radio failure pattern and  
monitor VOR Freq. 108.3. Requires ICAO  
flight plan for all takeoff and  
landings. PPR, no RON. Rotor wing OPS  
close to APPCH end rwy 06/24.

Transient acft contact USAF base OPS  
on 372.2.

C-130 MGWTO/L 155,000#.

Contact approach control 20NM out and  
contact departure control after take  
off.

Open C46 C130.

Portions of ramp, twy and first 1,000  
FT. of rwy 06 not visible from tower.

Limited parking available. Special taxi  
procedures in aerial port.

---

13A USOM Center SB 9158

ND 48-5 K-9B 14°59'N 102°08'E

729' 1150'x32' Asphalt 05/23

Lights:None Fuel:None

Comm.:Tower:Call Korat tower.

Customer:Rascal V 121.1

Remarks:Traffic West of T-13. Strip is through  
building complex. Ground traffic  
across strip controlled by Customer -  
contact before landing. 150' smokestack  
240°/1/8 NM from rwy. Open to PC-6.

---

13B Korat Royal Thai Army

SB 8655

ND 47-6 K-9B K-10A 14°57'N 102°05'E

RTA 679' 3800'x65' Asphalt 07/25

Lights:None Fuel:None

Comm.:Call Korat tower.

Remarks:Call Korat tower for traffic advisory.  
1329' tower 255°/4.5 NM from field.  
500' unstressed overrun at each end.  
Left hand traffic. On take off from  
rwy 07 no turn allowed until past the  
city or above 2,000'. Open C47, C123K.  
C-130 status undetermined.

14 Nakhon Sawan (VTPN)

PT 2233

ND 47-3 K-9B 15°40'N 100°08'E

TDOA 92' 3937'x148' Laterite 05/23

Lights:None Fuel:None

Comm.:Tower: 122.3, 6672, 5491.5.

OPR SR-SS.

Commercial Radio:1090

Remarks:Opr. SR-SS. May be unusable when wet.  
High antennas at NW end of strip, 100'  
overruns each end. 0-1 Trng. Area.  
Watch for people and cattle near rwy.  
Rwy strength AWW 37,000#.Open to C-46.  
Closed C123.

15 Koke Kathiem (VTBL) (Lop Buri)

PS 7945

ND 47-8 K-9B 14°53'N 100°40'E

RTAF 98' 7250'x140' Asphalt 16/34

4100'x150' Concrete 05/23

Lights:Portable Electric

Fuel: 115/145. JP4, 100/130

Comm.:Tower 236.6 336.6 122.3 126.18 257.8

Nav.Aids:NDB 'LB' 280 at field. 2300-1100Z

Commercial Radio:630 not on air at all times.

Remarks:Opr. 2230-1100Z Monday thru Friday

Rwy 16/34 closed. High mountains all

quadrants. C-130 MGWTO/L 155,000#.

Open C46 C130.

1 Nov. 1973

12

THAI

16 Chiang Rai (VTICR) NB 8798  
NE 47-3 J-10C 19°53'N 99°50'E  
TDOA 1365' 4890'x98' Asphalt 18/36  
Lights:Rwy lights  
Fuel:None  
Comm.:Tower: 6672 5491.5 122.3 SR-SS  
Nav.Aids:NDB 'CR' 277 at field. Opr. 2300-  
1100Z. 400 watts. Unusable 150°-180°  
beyond 50 NM.  
Commercial Radio: 1280  
Remarks:Caution - 200' radio tower  
210°/1NM from field.  
Open C46.

---

17 Loei (VTUL) QV 8939  
NE 47-12 J-10C 17°27'N 101°44'E  
TDOA 853' 3937'x98' Laterite 04/22  
Lights:None Fuel:None  
Comm.:Tower: 118.1, 122.5, 6765, 5491.5  
SR-SS  
Nav.Aids:NDB 325 kHz, "LY", operates 0100-  
0900Z, at field.  
Remarks:Caution after rain. OPEN C46. Status  
undetermined for C-130. Rwy strength  
AUW 42,000#. Closed C123. Cattle have access to Rwy.

---

18 Sattahip (VTBS) (Ban Sattihip) QP 1299  
ND 47-16 K-9B 12°39'N 100°57'E  
RTAF 23' 3935'x130' Asphalt 05/23  
Lights:None Fuel:JP-4  
Comm.:Tower 118.1 126.18 236.6  
Remarks:Restricted areas:10 NM Radius from  
QQ 0772 and QQ 0228, up to 10,000'.  
All VFR aircraft avoid flying over  
populated area below 3000'. Construc-  
tion on edge of rwy and on twy.  
Status undetermined for C130. Light  
aircraft traffic and student  
training. Open C46.

---

ND 47-16, K-9B 12°41'N 101°01'E  
 RTN (AF) 59' 11,500'x200' Concrete 18/36  
 Lights: Approach, Hi-Intensity rwy, SFL, VASI.  
 Fuel: 115/145 JP-4

Comm.: Tower 126.2 227.0  
 RADAR CALL APP CON: 261.4 339.0  
 275.4 322.5 119.9 306.2 289.4  
 279.6 126.0 267.6T  
 PTD: 372.2  
 DEP. CON.: 238.3  
 GND. CON.: 275.8  
 APP. CON.: 327.1 134.1

Nav.Aids: TACAN BUT Chan 105 At Fld. MP 0300-  
 0500Z Fri and Sat.

TACAN unusable  
 020°-050° beyond 7 NM below 9000'  
 210°-250° beyond 25 NM below 4000'  
 250°-345° beyond 15 NM below 7000'  
 VOR 'BUT' 110.8 at field out  
 0300-0500Z Tue.

Radar: Call APP. CON. 261.4x 275.4x 339.0x 322.5x

Remarks: Restricted Areas: 10NM Radius from  
 QQ 0772 and QQ 0228, up to 10,000.  
 Unlghted Hill 896' 2.2 NM NNE of Rwy.  
 All VFR aircraft avoid flying over  
 populated area below 3000'. Prior  
 permission required. Circling west  
 of runway not authorized. Tacan  
 unusable 020-050 beyond 7 NM below  
 9000 ft. 210-345 beyond 25 NM below  
 7000 ft. Expect 1 hr delay for landing  
 and take off. Inbound VFR contact  
 tower 10 NM, out for traffic and land-  
 ing instruction. No flight over parked  
 aircraft or fuel bladders. VASI glide  
 slope does not coincide with PAR & ILS.  
 C-130 MGWTO/L 155,000#. Open C46 C130.  
 Limited parking available.

---

19 Ubon (VTUU) (Muang Ubon)  
(Ratchathani)

VB 8685

ND 48-2 K-10A 15°15'N 104°52'E  
TDOA (AF) 405' 9002'x125' Concrete 05/23  
Lights:Hi-intensity rwy and Approach lights,  
SFL, VASI.

Fuel: 115/145 JP-4

Comm.:Tower: 122.5 236.6 274.5

GND.CON.: 275.8

APP.CON.: 363.8 119.5

DEP.CON.: 270.6

PTD 372.2

Customer:Rascal IV 121.1

Nav.Aids:NDB 'UB' 373 at field

VOR'UBL' 112.7 at field.

TACAN UBL Chan 93 15°15'N 104°53'E

At Fld MP 0800-0900Z Mon-Tue

TACAN unusable

077°-120° beyond 30 NM below 2000'

255°-265° beyond 10 NM below 2500'

265°-315° beyond 25 NM below 3500'

315°-035° beyond 18 NM below 2500'

315°-035° beyond 30 NM below 4000'

Radar:GCI "LION" 135.9 278.4 234.3 316.0 292.3

GCA Call APP.CON. 395.0 335.8

134.1 327.1 306.2 289.2 275.4 261.4

240.5

Remarks:Caution:Opposite direction ATC pro-  
cedures in terminal area. Limit use  
of field per T19 base operations  
officer.

Traffic pattern:Right hand rwy 23, left  
hand rwy 05. Rectangular pattern 1400'  
MSL, rotor wing 900' MSL. Land 23,  
T.O. 05. C-130 MGWTO.L 155,000#.   
Open C46 C130.

---

20 Lom Sak (VTPL)

QU 4161

NE 47-16 J-10C 16°49'N 101°15'E

RTAF 500' 4000'x90' Asphalt 18/36

Lights:Flare pots on request.

Fuel: JP-4, 100/130 from RTA, availability  
not assured.

20 Lom Sak (VTPL) Cont'd

Comm.:Twr 122.3 121.5 243.0 236.6

Nav.Aids:NDB 'LOM' 270 at field.

Operates SR-SS, unusable 170-210  
beyond 20 NM, 210-170 beyond 5 NM.

Remarks: 200' radio towers on east side of  
rwy. Advise against night landings.  
Status undetermined for C-130.  
Opr SR-SS. Open C47.

---

21 Mae Sariang (VTCS) LA 8710

NE 47-6 J-10C 18°11'N 97°56'E

TDOA 1030' 3510'x98' Laterite/Grass 01/19

Lights:None Fuel:None

Comm.:Tower: 122.3, 5491.5, 6672, SSB4565  
and 6995, SR-SS.

Nav.Aids:NDB 'MR' 360 at field.

Opr. 0130-0930Z OT 1 hr prior notice.

Remarks:Open VTB, 10-2  
Rwy strength 37,000 #.

---

22 Nong Khai (VTUM) TE 6176

NE 48-9 J-11D 17°52'N 102°45'E

TDOA 525' 3609'x131' Laterite 01/19

Lights:Night lighting avail. Fuel:None

Comm.:Call Radio 122.5, 6765, 5680

Remarks:Opr. SR-SS Radio Tower to NE.

2000' overrun to SW. Avoid sharp  
turns on rwy. Closed to C123.

People, cattle and vehicles have  
access to rwy. Open C47.

Rwy strength AUW 37,000 #.

---

23 Chumpon (Na Nian) (VTSD) NM 0960

NC 47-8 K-9C 10°30'N 99°05'E

35' 2700'x40' Laterite 07/25

Nav.Aids:VOR/DME 114.9/CH96 H24 located

10°31'N 99°10'E.

Remarks: CLOSED.

- 24 Ranong (VTSR) MM 6000  
 NC 47-10 K-9C 09°51'N 98°37'E  
 TDOA 115' 3545'x98' Laterite 18/36  
 Remarks: CLOSED.
- 
- 25 Surat Thani (VTSB) NL 4010  
 NC 47-11 K-9C 09°08'N 99°22'E  
 TDOA 15' 2360'x100' Sod 04/22  
 Nav.Aids:Commercial Broadcast 210 in area.  
 Remarks: CLOSED.
- 
- 26 Nakhon Si Thammarat (VTSN) PK 0536  
 NC 47-15 K-9C 08°27'N 99°58'E  
 RTAF 44' 3000'x120' Sand/Sod 17/35  
 Fuel:emerg. 115/145 contact JUSMAG.  
 Lights:None Comm:None  
 Remarks:Ruts in runway. OPEN C123K.  
 Status undetermined for C-130.  
 Livestock have access to runway.
- 
- 27 Phuket (VTSP) (Hin Luk) MU 2397  
 NC 47-14 K-9C 08°07'N 98°19'E  
 TDOA 6' 4725'x98' Asphalt 09/27  
 Lights:Rotating beacon. Threshold; Rwy;  
 Twy lights.  
 Fuel: 100/130, JP-1  
 Comm.: Tower: 122.7, 5680, 6765, SR-SS.  
 Nav.Aids:NDB 'PU' 210 at field, unusable  
 beyond 25 NM. VOR/DME "PKT" 112.9/  
 CH. 76 operates 24 hrs.  
 Remarks:Opr. SR-SS obst. lights out. Work in  
 progress. Use extreme caution landing  
 rwy 27, approach lights in place rwy 27  
 not operable. Status undetermined for  
 C-130. Open C46.
- 
- 28 Trang (Ton Du) (VTST) NJ 6930  
 NB 47-3 K-9C 07°30'N 99°37'E  
 TDOA 60' 4921'x98' Asphalt 08/26  
 Lights:None Fuel:None

28 Trang (Ton Du) (VTST) Cont'd

Comm.: Tower: 122.7 5680, 6765 SR-SS.

Nav. Aids: NDB 248 kHz, 25 watt. compass locator operates 0130-0930Z.

Remarks: Use caution, old rwy north of tower (unmarked) closed. Status undetermined for C-130. Pedestrians and vehicles have access to runway. Rwy strength 37,000# AUW. Open C46. Closed C123.

---

29 Songkhla (VTSH) PH 7894

NB 47-3 K-9C 07°11'N 100°37'E

TDOA 13' 4960' x 65' Asphalt 13/31

Lights: None.

Fuel: 100/130 (Day) 115/145 (JP-4 Limited)

Comm.: None.

Nav. Aids: NDB SK, 420 at field. H24.

Remarks: Opr. SR-SS. Other times 3 hr notice. Usable width of asphalt is 65', disregard outline markers. Overrun unusable. 150' radio tower 1/4 mi. SW of airfield. 100' towers N. of airfield. Strong gusty crosswinds prevalent. No touch down markers. Status undetermined for C-130. 125' turn around each end. 40' crushed rock/asphalt shoulders. Closed to all civil aircraft.

---

30 Pattani (VTSK) QJ 8620

NB 47-8 K-9C 06°47'N 101°10'E

TDOA 20' 4593' x 131' Asphalt 08/26

Lights: None Fuel: None

Comm.: Tower: 122.7, 5680, 6765

Nav. Aids: New compass locator facility on test basis. 201 kHz 'PT' operates 0130Z-0930Z.

Remarks: Open C46. Opr. SR-SS. Not recommended for night operation, livestock have access to rwy. Approach hazardous rwy 08 over trees and houses. 6' fences and road 800' prior to threshold.

1 Nov. 1973

18

(Cont'd)  
THAI

30 Pattani (VTSK) Cont'd

Rwy 26 -over 80' trees and 20' houses  
1000'. 6' bushes 180' prior to  
threshold. Status undetermined for C130.  
Closed C123 rwy strength AUW 44,500#.

31 Prachinburi (Coa Eto) (VTBI) QR 5757

ND 47-8 K-9B 14°05'N 101°23'E  
RTAF 80' 3000'x230' Clay 17/35  
Lights:None Fuel:None  
Comm.:Customer 123.6  
Nav.Aids:NDB 'PB' 201 348°/3 NM from field.  
Remarks:Recommend takeoff North, Land South  
due to obstacles South end. Make  
runup prior to taxiing in position to  
avoid blowing dust at South end of rwy.  
Closed if wet. No Tower control. Call  
T-31 on 123.6 and advise inbound.  
OPEN C47/C123K/C130. 100' overrun N.  
end, 135'S end. Livestock have access  
to rwy. 235'x215 asphalt parking area.

32 Chanthaburi (VTBC) (Nurn Ploy Waem) SU 7898

ND 48-13 K-9B 12°38'N 102°02'E  
TDOA 120' 3100'x200' Sod/Laterite 17/35  
Nav.Aids:Commercial Radio 875  
Remarks:CLOSED.

33 Phet Buri (Petchaburi) NQ 9832  
(Ban Yang Yong)

ND 47-15 K-9B 12°57'N 99°54'E  
40' 2445'x60' Laterite/Sod 17/35  
Remarks: CLOSED.

34 Prachub Khiri Khan (VTBP) NP 8802

NC 47-3 K-9C 11°47'N 99°49'E  
RTAF 16' 6570'x130' Asphalt 08/26  
3285'x130' Asphalt 18/36  
Lights:None

34 Prachub Khiri Khan (VTBP) Cont'd

Fuel: 100/130, 115/145  
Comm.: Tower 236.6 122.7  
Nav.Aids:NDB 'PC' 255 at field. Operates  
2300-1100Z.  
Remarks:Runway 08/26 closed for repair.  
Livestock have access to rwy.  
Operates SR-SS.  
Open C46, C130.

---

35 Ban Mae Sot (VTPM)(Mae Sot) MU 5146

NE 47-14 J-10C 16°40'N 98°30'E  
TDOA 672' 4921'x98' Asphalt 09/27  
Lights:Flares, 2 hrs. PNR.  
Fuel:None  
Comm.:Tower:(SR-SS) 122.3, 5491.5, 6672, 6945.  
Nav.Aids:NDB 'MD' 316 at field, unusable  
000°-030° beyond 50 NM.  
Remarks: 30,000 ESWL rwy strength. Opr SR-SS.  
TWY 45' x 405'/park RAMP 180' x 540'/  
SR to SS. 500' overruns,  
Open C47, closed to C46, C123K, C130.

---

36 Pai (VTCI) MB 4240

NE 47-2 J-10C 19°21'N 98°27'E  
889' 2296'x98' Laterite/Grass 18/36  
Comm.: 6672 5491.5 6945 SS-SR.  
Remarks: Open PC-6. Caution - cattle, pedes-  
trians and vehicles use runway. No  
lights, fuel or communications.

---

37 Ban Na Khu (VTUA) UD 9754

NE 48-14 J-11D 16°46'N 104°02'E  
RTAF 845' 3400'x90' Laterite 15/33  
Remarks: CLOSED.

---

38 Sakon Nakhon VD 0897

NE 48-10 J-11D 17°09'N 104°08'E  
TDOA 560' 2300'x100' Laterite 13/31  
Nav.Aids: Commercial Radio 843  
Remarks: CLOSED to all aircraft. Use T437.

---

39 Yan Hi

NV 0605

NE 47-11 J-10C 17°14'N 99°04'E  
TDOA 490' 4200'x95' Asphalt 05/23  
Lights:None  
Fuel:None  
Comm.: TWR 118.1 Radio 6672 5491.5 24 hrs  
prior notice required.  
Remarks:Operates SR-SS. Status undetermined  
for C-130. PPR required from Thai  
ministry of irrigation. Open C46.

---

40 Khon Kaen (VTUK)

TD 6421

NE 48-13 J-11D 16°28'N 102°47'E  
TDOA 613' 4921'x98' Asphalt 03/21  
Lights:None Fuel:None  
Comm.:Tower:122.5 6765 5680.  
BKK ACC remote on test  
basis 118.9 280.2  
Nav.Aids:Commercial Radio 810.  
NDB 393 'KN' OPR. 24 hrs. at field.  
Remarks:Opr. SR-SS. Pilot training 0600-1300L  
Monday thru Saturday, with non radio  
equipped aircraft.  
Livestock on runway. Open C46.

---

50 Nakhon Phanom East (VTUP)

VE 7625

NE 48-10 J-11D 17°25'N 104°47'E  
TDOA 452' 3937'x148' Laterite 15/33  
Lights:Temporary (2 hrs. PNR)  
Fuel:None  
Comm.:Tower 122.5 5680 6765 SR-SS  
Customer - Rascal III 121.1  
Nav.Aids:NDB 'NP' 369 090°/1.3 NM to field.  
Remarks:Operates SR-SS. OPEN C46.  
Status undetermined for C-130.  
Closed to C123.  
Rwy strength 37,000#.

---

55 Nakhon Phanom West (VTUW)

VE 6320

NE 48-10 J-11D 17°23'N 104°39'E  
RTAF 580' 8000'x150' Asphalt 15/33  
Lights:Hi-intensity rwy lights, high intensity  
approach lights, sequence flashing  
lights and VASI.

Fuel: 115/145 JP-4

Comm.:Tower:118.1 236.6 126.2 255.6 116.0T  
PTD 372.2 (All nonsched flts/Non Tac flts  
contact 50 NM out)

GNDCON.: 275.8

DEPCON 130.2 291.1

APPCON.: 130.2 291.1

RADAR:Call APRCON 238.3, 348.4, 335.8,  
248.3, 119.3, 267.6T.

Nav.Aids:NDB 'NPT' 310 at field.

MP 0800-0900Z Fri and Sat.

TACAN 'NPT' CH. 89 at field.

MP 0600-0700Z Mon, Wed, Fri and Sat.

(Unusable below 4400' beyond 20 NM  
between 260-330). VOR 116.0, 'NPT',  
out 0700-0800Z SAT and SUN.

Radar:GCI INVERT 278.4 135.9 265.5 292.3

Remarks:ASR MP 0100-0300Z dly. PAR MP 2300Z-  
0100Z dly. Extensive R/W operations.

Reduced rwy separation. in effect.

Ramp area congested and rough. Parallel

twy may be used as emerg. rwy. Tree

lines, ditches and soft shoulders

closed to rwy and twy.

Open C46 and C130.

---

57 Phu Khieo (VTUG)

SD 9611

NE 48-13 J-10C 16°22'N 102°10'E  
754' 3400'x130' Laterite 03/21

Remarks: CLOSED.

---

58 Chaiyaphum (VTUC)

SC 8149

ND 49-1 K-9B K-10A 15°48'N 102°01'E  
RTAF 610' 3400'x150' Laterite 05/23

Remarks:Open to C-46. 350' Sod overrun E end.

1 Nov. 1973

22

(Cont'd)

THAI

58 Chaiyaphum (VTUC) Cont'd

Approach to rwy 23 over numerous 30'-40' buildings, antennas and smoke stacks 1,500' from threshold. Dry creek 600' from threshold. Status undetermined for C-130. 500'x35' laterite parking area E. end of runway.

---

60 Chieng Khrua (VTUS) VE 0611  
(Sakon Nakhon)

NE 48-10 J-11D 17°17'N 104°06'E  
550' 4593'x98' Asphalt 04/22

Lights:None Fuel:None

Comm.:Tower 118.1 6765

Nav.Aids:NDB 'SN' 340 24 hrs at field

Remarks:Opr. SR-SS. Distance markers in meters. uncontrolled vehicles, pedestrians and animals have access to rwy. Status undetermined for C-130. Open C46. Rwy strength 44,500#. Closed C123.

---

61 Ban Kut Khae Don VC 4299

ND 48-2 K-10A 16°18'N 104°27'E  
500' 3300'x200' Sod 02/20

Remarks: CLOSED.

---

62 Crossroads (Loeng Nak Tha) (VTUT) VC 5988

ND 48-2 K-10A 16°10'N 104°36'E  
RTAF 524' 4800'x120' Concrete 03/21

Remarks:OPEN C46. Caution animals and debris on field. Status undetermined for C-130.

---

63 Wattahana Nakhon (VTBW) TA 1121

ND 48-9 K-9B 13°46'N 102°19'E  
RTAF 200' 4000'x100' Laterite/Sod 05/23  
Remarks: OPEN PC-6.

64 Rat Buri NR 8200

ND 47-11 K-9B 13°34'N 99°45'E  
TDOA 150' 2600'x90' Laterite 01/19  
Remarks: CLOSED.

65 Satun (VTSA) QH 5301

L-10A 06°40'N 100°05'E  
18' 3600'x130' Asphalt 17/35  
Remarks: CLOSED.

66 Ya La (VTSY) QH 4921

L-10A 06°32'N 101°15'E  
RTAF 50' 3200x150' Asphalt 16/34  
Remarks: CLOSED.

67 Uttaradit East (VTCU) PV 3353

NE 47-11 J-10C 17°40'N 100°15'E  
TODA 265' 4987'x98' Asphalt 05/23  
Lights: Flare Pots on request.  
Fuel: None  
Comm.: Tower 6672 5491.5 122.3  
Nav. Aids: Commercial in town 1350.  
NDB 209 'UR', SR-SS, on test.

(Cont'd)

1 Nov. 1973

24

THAI

67 Uttaradit East (VTCU) Cont'd

Remarks: Runway weight restriction 44,495# AUW.  
OPEN C47.

---

68 Pak Chong (VTUH) QS 7814

ND 47-8 K-9B 14°36'N 101°35'E  
RTAF 1505' 2475'x68' Asphalt Laterite 05/23  
Lights: None Fuel: JP-4 115/145  
Comm.: 38.8 (SR-SS)  
Remarks: CLOSED.

---

69 Narathiwat (VTSC) QP 6778

PC 859A L-10A 06°31'N 101°45'E  
10' 3270'x130' Asphalt 02/20  
Nav.Aids: VOR 112.3 VKB 297/39  
Remarks: OPEN to C-46.

Sand blows on to rwy. Avoid small  
Radius turns if possible. Rwy 20  
over 20' trees 1000' prior to threshold.  
Status undetermined for C-130.  
N overrun 320' laterite/S overrun 351'  
laterite. Opr SR-SS, cattle on rwy.

---

70 Hat Yai (VTSS) PH 5668

L-10A 0656N 10025E  
TDOA 27' 10,000x148 Concrete 08/26  
Lights: Runway and approach.  
Nav.Aids: VOR/DME 115.3/CH 100 'HTY', H24.  
located at field. NDB 328 'HY'.  
Fuel: 115/145, JP1  
Comm.: Tower: 122.7, 4575  
APPCON: 236.6, 118.1  
ATS: 5800, 3650, 3800, 9304, 8178.

70 Hat Yai (VTSS) Cont'd

Remarks: No instrument approach, if  
marginal VFR approach is to be  
made, it should be made from East  
across Songkhla Lake. OPEN C46.

---

307 Poom Slom (BPP 373 & 312) VA 7199

ND 48-6 K-10A 14°28'N 104°44'E  
730' 1400'x150' Sod 17/35  
Remarks: OPEN PC-6

---

315 Sisaket VB 2770

ND 48-2 K-10A  
400' 1050'x69' Grass 12/30  
OPEN PC-6.

---

338 Nong Seang WB 5127

ND 48-7 K-10A 14°43'N 105° 28'E  
650' 3977'x80' Laterite 02/20  
Lights: None Fuel: None  
Comm.: Cust 119.1  
Nav.Aids.: NDB 'X' 1710

(Cont'd)

1 Nov. 1973

26

THAI

338 Nong Seang

Cont'd

Remarks: OPEN C123. Caution soft spots.  
Open to C130 if dry. MGWTO 138,000,  
MGWL 155,000. Arty fire to east  
from field hold west until cleared  
by customer on 119.1.

---

339 Phra Viharn

VA 6692

ND 48-6 K-10A 14°24'N 104°41'E  
1300' 730'x25' 02/20  
TAR/Crushed Rock

Remarks: Closed to all aircraft. Except for  
mergency situation only (per  
CP). Rwy slopes to west and has  
two humps in surface. Check with  
FIC for details.

---

404 Bung Kan

UF 5631

NE 48-6 J-11D  
700' 1000'x60' Grass/Laterite 1822N10339E  
OPEN PC-6 07/25

---

408 BPP Camp #1

TE 7123

NE 48-9 J-11D  
640' 2000'x105' Laterite 07/25  
OPEN to DHC-6, PC-6.

---

411 Chiang Khan

QV 8280

NE 47-12 J-10C

17°53'N 101°40'E

400' 1400'x90' Sod/Grass

09/27

Remarks: Open PC-6.

---

417 Mukdahan (VTUB)

VD 7028

NE 48-14 J-11D

16°33'N 104°44'E

500' 1600'x150' Sod/Laterite

03/21

Remarks: CLOSED.

---

432 Nam Phung Dam North (VTUE)

UD 9177

NE 48-10 J-11D

16°58'N 103°59'E

900' 1770'x50' Asphalt

12/30

Remarks: CLOSED.

---

437 Sakon Nakhon Army

VE 0700

NE 48-10 J-11D

17°11'N 104°07'E

RTAF 550' 960'x75' Laterite

03/21

Lights: None Fuel: None

Comm.: Customer: Rascal II 121.1.

(Cont'd)

1 Nov. 1973

28

THAI

437 Sakon Nakhon Army

Cont'd

Remarks: RESTRICTED. Caution R/W traffic in area. Caution, dirt piles on the right side of rwy 03. New 2,000 runway complete, however the local commander restricts field to single engine aircraft. Open PC-6.

---

439 Nam Phung Dam South (VTUF)

UD 9175

NE 48-10 J-11D 16°57'N 103°59'E  
900' 1150'x35' Asphalt 03/21  
Lights: Flare pots & battery lights available.  
Fuel: JP-4 avail in emerg.  
Comm.: Special Forces FM 38.8 C/S  
"Dull-sails."

Remarks: Soft when wet. Slightly rolling slope  
C7A OTOW 26000 lbs.

---

504 Chiang Klang (VTCD)

PB 9634

NE 47-4 J-10C 19°18'N 100°52'E  
1000' 2020'x60' PSP 01/19  
Nav.Aids: NDB 350 'CKL' located PB9553,  
25 watts.

Remarks: OPEN PC-6. No lights, communications or fuel. Normally has military troops on field, otherwise not secure. Landing aircraft check lateral clearance to aircraft in offloading area.

---

506 Ban Pua (VTCE) (BPP)

QB 0122

NE 47-4 J-10C

1910N 10054E

850' 1000'x50' PSP

08/26

Remarks: OPEN PC-6.

Vehicles and livestock on strip.

---

506A Ban Pua New

QB 0418

NE 47-4 J-10C

1908N 10056E

925 2000x50 Laterite

17/35

OPEN PC-6.

---

509 Muang Nan (VTCN)

PA 8779

NE 47-8 J-10C

18°48'N 100°47'E

657' 4593'x98' Asphalt

03/21

Lights: None Fuel: JP-4 115/145 available  
from RTA on emerg. basis only.

Nav.Aids: NDB 330 'NAN' at field, SR-SS.

Comm.: Twr 118.1, 6672, 5491.5.

Remarks: OPEN C47, VTB. Closed to C-130.

Special permission required from  
RTAF for C-123 and C46.

250' tower 1841N 10045E.

The first 1,084 feet of rwy 03  
closed UFN.

Rwy strength 42.0

New runway under construction,  
parallel to present runway on  
the west side.

---

1 Nov. 1973

30

THAI

513 Ban Na Wai

MB 9896

NE 47-2 J-10C

1937N 9859E

1000' 750'x50' Grass

18/36

Remarks: CLOSED.

---

514 Ban Chiang Kham (VTCB)

PB 3558

NE 47-3 J-10C

19°31'N 100°17'E

RTA 1300 4000x125 Asphalt

18/36

Remarks: Runway has 500' overruns, parallel taxiway and Ramp. Fuel available to RTA, RTAF aircraft, availability to other aircraft unknown.  
OPEN C46.

---

514A Ban Chiang Kham (BPP)

PB 3458

NE 47-3 J-10C

19°31'N 100°16'E

1275' 1650'x90' Sod/Laterite

03/21

Remarks: Caution during rainy season. Ditch next to road across north end of runway. Fence across south end. Pedestrians, vehicles and cattle use strip. Traffic pattern overlaps T514. Open PC-6.

---

516 Chiang Khong

PC 4640

NF 47-15 J-10B J-10C

20°15'N 100°25'E

1300' 1500'x100' Dirt

14/32

Nav.Aids: NDB 'RK' 410 at field.

Remarks: CLOSED.

---

520 Pong Hong (Mae Chan) (BPP) NC 9124

NF 47-15 J-10B 2005N 9952E  
1500' 800'x60' Sod 18/36

Remarks: Highway borders runway on east  
side. Electric wires and other  
obstacles on Rwy 18 approach.  
Open PC-6.

---

522 Mai Sai NC 9256

NF 47-15 J-10B 2024N 9952E  
1500' 795'x78' Sod 18/36

Remarks: OPEN PC-6.

---

526 Chiang Khong Military (VTCA) PC 4828

NF 47-15 J-10C 20°09'N 100°25'E  
1250' 1900'x70' PSP/Dirt 18/36

Remarks: Soft and slippery when wet. Open  
C-123K if dry. C123K OLW 52.0/  
OTOW 50.0.

---

528 Pai MB 4143

NE 47-3 J-10C 1923N 9826E  
1700' 900'x40' Sod 09/27

Remarks: CLOSED.

---

538 Ton Du NC 4618

NF 47-15 J-10B 2004N 9927E  
1500' 1890'x100' Sod 01/19

Remarks: CLOSED.

---

539 Pu Muen (Muen)

NC 1714

NF 47-15 J-10C

2002N 9910E

3900' 585'x65' Sandy Loam

14/32

Remarks: Land 32, T.O. 14. Closed.

---

540 Theong

PB 3076

NE 47-3 J-10C

19°41'N 100°15'E

1500' 1300'x100' Laterite

07/25

Remarks: Open C7A.

---

541 Sen Chai

NC 7837

NE 47-15, J-10B

2013N 9946E

2280' 1175'x50' Clay, Gravel, Sand

05/23

Remarks: OPEN PC-6.

---

542 Doi Chang

NB 6193

NE 47-3, J-10C

1950N 9934E

4,000' 700'x65' Dirt

12/30

Remarks: Runway slopes down hill to  
N.W. Open PC-6.

---

545 Sahn Meum (BPP)

MB 5948

NE 47-2 J-10C

1926N 9834E

4700' 1052'x42' Sod

18/36

Remarks: Land runway 18, T.O.

runway 36. Caution livestock have  
access to runway.

Open PC-6.

---

546 Khun Khong

MB 7559

NE 47-2 J-10C

1932N 9847E

4500' 780'x66' Dirt/Laterite

10/28

Remarks: CLOSED.

---

550 San Kham Lea (BPP)

MB 3164

NE 47-2 J-10C

19°37'N 98°21'E

2900' 840'x34' Dirt

08/26

Remarks: Open PC-6. Land 08, T.O. 26.

---

551 Muang Puk (BPP)

MB 6270

NE 47-2 J-10C

19°38'N 98°37'E

2500' 960'x65' Sod

05/23

Remarks: Open PC-6.

---

553 Muang Ngam (Ban Mu Sae Wa) (BPP)

NC 5019

NF 47-15 J-10C

20°04'N 99°28'E

1500' 1930'x70' Sod

14/32

Remarks: Open PC-6.

---

554 Mae Rim (BPP)

MA 9591

NE 47-6, J-10C

18°55'N 98°57'E

1080' 1000'x60' Clay

15/33

Remarks: Open PC-6.

---

1 Nov. 1973

34

THAI

536 Hin Taek NC 6839

NF 47-15, J-10B 2015N 9939E  
1700' 750'x100' Grass 05/23  
Remarks: Open PC-6.

---

570 Chiang Saen (New)(BPP) PC 1343

NF 47-15, J-10B 1605N 10005E  
1500' 800'x85' Grass/Sod 09/27  
Remarks: High trees both ends. Open PC-6.

---

571 Hin Taek (New)(BPP) NC 6839

NF 47-15, J-10B 2015N 9939E  
1900' 800'x150' Sod 09/27  
Remarks: Open PC-6.

---

572 Ban Yang Mae Chaem MB 2504

NE 47-2, J-10C 1902N 9817E  
3250' 810'x varies 33'-75' 12/30  
Remarks: Caution, trees on both sides and  
N.W. end. Land 30, T.O. 12.  
Open PC-6.

---

573 Mae Tang (BPP) MB 9820

NE 47-2, J-10C 1910N 9859E  
1250' 1200'x150' Sod 27/09  
Remarks: Adjacent North South runway  
under construction. Open PC-6.

---

574 Kornpejr Field PC 4838

NF 47-15, J-10C 2014N 10025E  
1250' 1000'x80' Clay/Sod 12/30  
Remarks: Open PC-6.

---

575 Chiang Khong (BPP) PC 4739

NF 47-15, J-10C 2015N 10024E  
1300' 1075'x63' Clay/Laterite 16/34  
Remarks: Open PC-6.

---

603 Pitts Camp (Ban Nok Aen) (VTPA) PU 6461  
(Suritsena)

NE 47-16 J-10C 16°50'N 100133'E  
350' 2700'x81' Asphalt 02/20

Lights: None

Fuel: 100/130 JP-4 115/145 A-1.

Limited quantities available.

Company Radio: 127.3 5568 8765

Remarks: All aircraft arriving/departing must  
contact GCI "DORA" giving ETA for  
arriving aircraft and destination for  
departing aircraft. Frequency 278.4  
135.9. Be well briefed before using  
nearby HLZ's. Open to C-47, C-123K.  
OTOW/OLW 55,000lbs. 10-2 OTOW  
9,000 lbs.

---

605 Ban Mai (BPP) PV 8363

NE 47-12, J-10C 1751N 10045E  
350' 1900'x50' Laterite 07/25

Remarks: Open PC-6.

---

618 Dan Sai QV 2812

NE 47-12, J-10C 1717N 10108E  
1000' 1400'x75' Dirt/Grass 02/20

Remarks: Not secure, make prior  
arrangements for security.  
Open PC-6.

---

621 Phetchabun (Sadieng)

QU 3018

NE 47-16 J-10C

1626N 10109E

912 825x65 Grass

13/31

Remarks: 4 hole golf course crossing rwy.  
Open PC-6.

---

624 Pawai

PS 7934

ND 47-8, K-9B

14°46'N 100°40'E

56' 1600'x100' Asphalt

05/23

Remarks: Open PC-6.

---

706 Kanchanaburi Military

NR 4962

ND 47-7 K-9B

14°07'N 99°27'E

RTAF 105' 3200'x64' Steel planking

05/23

Lights: Rwy except first 400'05

Fuel: None

Comm.: Cust 123.6

Remarks: Livestock on field. Artillery range  
NE. 60' trees and power line app end  
rwy 05. Slippery when wet. Rwy has  
slight upslope S. to N. OPEN to C-46.  
Open to C-130 if dry. MGWTO 136,000,  
MGWL 140,000.

---

712 Nam Phong

TD 8342

NE 48-13 J-11D

16°39'N 102°58'E

800' 10,000'x50' Concrete

01/19

Comm.: Tower:268.0/122.0/46.70 (closed Sun).

Fuel: 115/145 JP-4.

Lights: 1/2 hr PNR for improvised lighting.

Remarks: Caution, livestock near rwy.

High trees on APP Rwy 01.

Hazardous operations SR-SS to

6000' 15 NM radius.

(Cont'd)

Open to C46/C130. Laterite HLZ at  
N.W. corner of field. C-130 MGWTO/L  
155,000#. Flights within 2 NM E  
of fld below 2000' prohibited.  
Rwy closed SS-SR.

713 Kamphaeng Saen (VTBK)

PR 0057

ND 47-11 K-9B 14°06'N 99°55'E

RTAF 30' 9000'x150' Concrete 03/21

Lights: Rwy, VASI

Fuel: 115/145 JP-4

Comm.: Tower 126.18 382.4

GND CON 257.8

BKK APP CON 119.1

Nav.Aids: VOR 'KPS' 114.5, 3.6NM/211° to field.

TACAN 'KPS' CH.32 at field

NDB 'KPS' 305, 3.9 NM/211° to field.

Remarks: Caution, 2-158' lighted masts at field.

Control zone 25 NM radius to 6,000'.

Open to C46. 1 hour PPR at night.

714 Khao Saphan Nak Army

PS 7755

ND 47-8, K-9B 1457N 10039E

RTA 65' 3300' Asphalt 06/24

Fuel: 115/145, JP4

Comm.: Tower: 126.18, 118.1, 38.5

Remarks: Runway under construction.

Parking area 500'x800' S. side

of runway 24. CLOSED.

THE FOLLOWING SITES ARE SELDOM USED AND ARE CLOSED OR CLOSED UNFRIENDLY AS INDICATED. FOR FURTHER REQUIRED INFORMATION, CONTACT F. I. C. UDORN, THAILAND.

201	Ban Sangae	TA 7254	CLOSED
202	Khao Nai	TA 3303	CLOSED
203	Ban Bau Rai	TU 3303	CLOSED
204	Ban Nuon Mak Mun	TA 5326	CLOSED
205	Ban Pung Chanang	TV 2542	CLOSED
206	Ban Whan Mon	TA 3807	CLOSED
207	Ban Chlong Yai	TU 6902	CLOSED
208	Ban Ta Phaya	TA 6349	CLOSED
209	Aranyaprayhet	TA 3115	CLOSED
210	Phaom	QR 6121	CLOSED
211	Kabin Furi	QR 9240	CLOSED
212	Sara Buri	QS 0605	CLOSED
213	Banko Khet	QR 5658	CLOSED
214	Raynong	QP 6296	CLOSED
301	Ban Dan	WB 5393	CLOSED
302	Ban Don Chik	WB 2983	CLOSED
303	Ban Nong Saeng	WB 5029	CLOSED
304	Ban Song	WC 4832	CLOSED
305	Chong Baranae	TA 8172	CLOSED
306	Chong Nek	WB 4873	CLOSED
308	Surin	UB 3844	CLOSED
308A	Surin	UB 3946	CLOSED
309	Khok Mai	TA 6890	CLOSED
310	Ban Pru Yai	VB 1914	CLOSED
311	Ban Khae Don	WA 1293	CLOSED
312	Ban Si	VB 3916	CLOSED
313	Ban Chanuman	WC 0193	CLOSED
314	Ban Nong Kheo	VB 4613	CLOSED
316	Nong Manao	VB 8294	CLOSED
317	Ban Kemmerat	WC 2574	CLOSED
318	Bam Iaharn Sai	TA 6995	CLOSED
319	Buriram	TB 9457	CLOSED
320	Ban Nong Mek	WB 4113	CLOSED
321	Ban Pak La	WC 6830	CLOSED
322	Ban Nong Khan	WC 4937	CLOSED

323	Dean's Strip	VA 8499	CLOSED
324	Joe's Strip	TA 9691	CLOSED
325	Ban Kapchoeng	UB 5000	CLOSED
326	Ran Gamey	UB 7153	CLOSED
328	Ban Hin Khon Dong	TA 4295	CLOSED
328A	Ban Plackham	TA 4998	CLOSED
331	Ban Ta Miang	UA 1396	CLOSED
333	Ban Dan Yee	WB 4398	CLOSED
334	Ban Nang Nu	UA 3398	CLOSED
335	Khon Buri	TB 0407	CLOSED
336	Ban Prasat	UB 2919	CLOSED
337	Buntharik	UB 4331	CLOSED
401	Ban Tha Bo	TE 4173	CLOSED
402	Phon Phisai	TE 9898	CLOSED
403	Ban Bung Kla No. 1	UF 9324	CLOSED
405	Kaeng Nang	VD 2047	CLOSED
406	Sri Chiang Mai	TE 4587	CLOSED
407	Ban Khok Huai	TF 0112	CLOSED
409	Ban Phon Phaeng	UF 0814	CLOSED
410	Pak Huei	QV 5959	CLOSED
412	Ban Chai Buri	VE 4251	CLOSED
413	Ban Bund Kla #2	UF 9320	CLOSED
414	Na Khae	VE 1979	CLOSED
415	Maha Sarahkam	UE 1791	CLOSED
416	Ban Ngap Phang	VD 7463	CLOSED
418	Moung Champa	VD 5247	CLOSED
419	That Phanom	VD 7174	CLOSED
420	Pha Tang	TE 2293	CLOSED
422	(No Name)	VD 4673	CLOSED
423	Ban Sibilai	UE 6711	CLOSED
424	Ban Kut Khaen	UF 1093	CLOSED
425	Sawang Daen	UE 3733	CLOSED
426	Ban Pak Chom	RV 0694	CLOSED
427	Ban Kham	SE 9881	CLOSED
428	Ban Chuang	TE 1199	CLOSED
429	Nong Sone	TE 6581	CLOSED
430	Wanon Niwat	UE 6850	CLOSED
433	Ban Si Yaek	UD 6748	CLOSED
435	Kalasin	UD 4215	CLOSED

436	Camp	VD 4470	CLOSED	
438	Kuchinarai	UD 9928	CLOSED	
440	Khon Kaen East	TD 6919	CLOSED	
501	Muang Ngup	PB 9955	CLOSED	Unfriendly
502	Ban Ai	MB 1474	CLOSED	
503	Mae Lana	MB 1866	CLOSED	
505	Tha Wang Pha	PB 9315	CLOSED	
507	Chiang Saen	PC 1444	CLOSED	
508	Ban Yao	QB 0845	CLOSED	Unfriendly
510	Huai Khrai	PB 4781	CLOSED	Unfriendly
511	Ban Mae Raeng	NC 3214	CLOSED	
512	Ban Sa	PA 8553	CLOSED	
515	Uttaradit	PV 1753	CLOSED	
517	Ban Mae Suai	NB 5574	CLOSED	
518	Theong	PB 3176	CLOSED	
519	Ban Boyuak	QB 3241	CLOSED	Unfriendly
521	Ban Tha Phang	LV 6297	CLOSED	
523	Lao U	PB 4788	CLOSED	Unfriendly
524	Ban Yao	PB 4894	CLOSED	Unfriendly
525	Pi Kuk	PC 5910	CLOSED	Unfriendly
527	Ban Tham	PB 5657	CLOSED	Unfriendly
529	Huei San	PC 4812	CLOSED	
530	Phu Lang Kha	PB 5842	CLOSED	Unfriendly
531	Doi Luang	PC 3947	CLOSED	
532	Khun Ao	QB 0551	CLOSED	Unfriendly
533	Pang Kop	QB 2426	CLOSED	
534	Hung Haw	QB 1938	CLOSED	Unfriendly
535	Huai Han	PB 5799	CLOSED	Unfriendly
536	Phi Si	PC 6113	CLOSED	Unfriendly
537	Pang Nong	QB 1746	CLOSED	Unfriendly
543	Huai Mai Khum	NC 5054	CLOSED	
544	Ja Ju La Ba	NC 6937	CLOSED	

547	Pha Yang Mai	NC 8047	CLOSED	
548	Pang Nun	NC 5550	CLOSED	
549	Hauí Fuang	PB 5939	CLOSED	Unfriendly
552	Meo Mow	PB 5847	CLOSED	Unfriendly
555	Juai Khu	PC 5801	CLOSED	Unfriendly
557	Tha Kham	PC 5211	CLOSED	Unfriendly
558	Zang Kai	PB 6605	CLOSED	
559	Ban No So Phit	PB 7859	CLOSED	Unfriendly
560	Huai Khon	QB 1867	CLOSED	
562	Steele's Strip	QU 1333	CLOSED	Unfriendly
566	Ngao	PB 3175	CLOSED	
567	Bo Klua Tai	QB 2819	CLOSED	Unfriendly
569	Ban Kweng	QA 1275	CLOSED	
601	Ban Poeng Khloeng	MT5647	CLOSED	
602	Ban Nam Muap	QA 0745	CLOSED	
604	Mae Usu	MV 1416	CLOSED	
606	Mae Kon Ken	MU 5733	CLOSED	
607	Tha Song Vang	LV 8543	CLOSED	
608	Mae Ramat	MU 4878	CLOSED	
609	Pua Pa	MU 6615	CLOSED	
610	Na Bua	QV 0101	CLOSED	
611	Ban Moung	QA 2600	CLOSED	
612	Pa Wai	QU 1681	CLOSED	Unfriendly
613	Sae Nong	QU 1122	CLOSED	Unfriendly
614	Lao Na	QU 1224	CLOSED	Unfriendly
615	Khi Thao	QU 2183	CLOSED	Unfriendly
616	Pa Yaab	QU 2275	CLOSED	Unfriendly
617	Nam Pat	PV 7961	CLOSED	
619	Muang Phrae	QV 2235	CLOSED	
620	Ban Maeo Thap Boek	QU 2676	CLOSED	Unfriendly
621	Sadieng	QU 3018	CLOSED	
622	Ban Mae Tan	MV 1905	CLOSED	

701 Satyai  
702 Kanchanaburi  
703 Maruk  
704 Baw  
705 Pattani  
707 J & B Site  
708 Pran Buri  
709 Rangek  
710 Trat

NQ 5405 CLOSED  
NR 5750 CLOSED  
PQ 0403 CLOSED  
NQ 3998 CLOSED  
QJ 9830 CLOSED  
QH 3748 CLOSED  
NP 9572 CLOSED  
QP 5560 CLOSED  
TU 2953 CLOSED

SECTION III  
LISTING BY UTM

	<u>UTM</u>	<u>T-Number</u>	<u>Name</u>
LA	8270	12	Khun Yuam
	8710	21	Mae Sariang
LB	9334	06	Mae Hong Son
LV	6297	521	Ban Tha Phang
	8543	607	Tha Song Vang
MA	9591	554	Mae Rim
	9672	11	Chiang Mai
MB	1474	502	Ban Ai
	1866	503	Mae Lana
	2504	572	Ban Yang Mae Chaem
	3164	550	San Kham Lea
	4240	36	Pai
	4243	528	Pai
	5549	545	Sam Muem New
	6270	551	Muang Puk
	7559	546	Khun Khong
	9820	573	Mae Taeng New
	9869	513	Ban Na Wai
MJ	2397	27	Phuket
MM	6000	24	Ranong
MT	5647	6 01	Ban Poeng Khloeng
MU	4878	608	Mae Ramat
	5146	35	Ban Mae Sot
	5733	606	Mae Kon Ken
	6615	609	Pua Pa
MV	1416	604	Mae Usu
	1905	622	Ban Mae Tan

1 Nov. 1973

THAI

	<u>UTM</u>	<u>T-Number</u>	<u>Name</u>
NA	4412	59	Ban Ko Kha
	5420	03	Muang Lampang
NB	5574	517	Ban Mae Suaï
	5992	542	Doi Chang
	8698	16	Chiang Rai
NC	1714	539	Pu Muen
	4618	538	Ton Du
	3214	511	Ban Mae Raeng
	4817	553	Muang Ngam
	5054	543	Huai Mai Khum
	5550	548	Pang Num
	6640	571	Hin Taek (new)
	6839	556	Hin Taek
	6937	544	Ja Ju La Ba
	7837	541	Sen Chai
	8047	547	Pha Yang Mai
	9125	520	Mae Chan
	9256	522	Mai Sai
NJ	6930	28	Trang
NL	4010	25	Surat Thani
NM	0960	23	Chumpon
NP	8803	34	Prachub Khiri Khan
	9572	708	Pran Buri
NQ	3998	704	Baw
	5405	701	Sat Yai
	9833	33	Phet Buri
NR	4961	706	Kanchanaburi Military
	5750	702	Kanchanaburi
	8200	64	Rat Buri

<u>UTM</u>	<u>T-Number</u>	<u>Name</u>	
NU	0958	04B	Tak
	1666	04	Tak
NV	0605	39	Yan Hi
PA	2405	07	Phrae
	8553	512	Ban Sa
	8779	509	Muang Nan
PB	3076	540	Theong
	3175	566	Ngao
	3176	518	Theong(Chieng Khong)
	3558	514	Ban Chiang Kham
	3558	514A	Ban Chiang Kham
	4781	510	Huai Khrai
	4788	523	Lao U
	4894	524	Ban Yao (Seng Heng)
	5657	527	Ban Tham (Pang)
	5799	535	Huai Han
	5842	530	Phu Lang Kha
	5847	552	Meo Mow
	5939	549	Huai Fuang (Camp C)
	6605	558	Zang Kai
	7859	559	Ban No So Phit
	9315	505	Tha Wang Pha
	9634	504	Chiang Klang
9955	501	Muang Ngup	
PC	1343	570	Chiang Saen (New)
	1444	507	Chiang Saen
	3947	531	Doi Luang
	4640	516	Chiang Khong
	4739	575	BPP 504
	4812	529	Huei San
	4828	526	Chiang Khong (M11)
	4838	574	Kornpejr
	5211	557	Tha Kham
	5801	555	Huai Khu
	5910	525	Fi Kuk
	6113	536	Phi Si