

~~CONFIDENTIAL~~

101ST AIRBORNE DIVISION (AIRMOBILE)



FINAL REPORT

AIRMOBILE OPERATIONS IN SUPPORT OF
OPERATION LAMSON 719
8 February - 6 April 1971

VOLUME II

1 May 1971
Camp Eagle
Republic of Vietnam

~~CONFIDENTIAL~~

DOWN GRADED AT 3 YEAR INTERVALS
DECLASSIFIED AFTER 12 YEARS

TABLE OF CONTENTS

VOLUME II

	<u>Page</u>
TABLE OF CONTENTS	i
INDEX OF FIGURES	iii
SECTION I - INTRODUCTION	
A. Background	I-1
B. Objective	I-1
C. Special Considerations	I-2
D. Intelligence	I-3
E. XXIV Corps and I Corps Concept of Operations	I-4
F. Initial Ground Force Task Organization I Corps (ARVN)	I-8
G. Commitment of Additional Forces	I-9
SECTION II - AVIATION ORGANIZATION	
A. General	II-1
B. Special Considerations	II-1
C. Task Organization	II-2
D. CO, 101st Aviation Group Comments	II-6
SECTION III - CHRONOLOGY OF OPERATIONS IN LAOS	
A. Attack to ALUOI and Consolidation	III-1
B. Attack to Tchepone and Consolidation	III-2
C. Extraction	III-3
SECTION IV - AIRMOBILE OPERATIONS IN LAOS	
A. Concept of Operations	IV-1
B. Command and Control	IV-3
C. Allocation of Resources	IV-6
D. Air Cavalry Operations	IV-9

	<u>Page</u>
E. Combat Assaults	IV-16
F. Combat Extractions	IV-29
G. Heavy Lift Operations	IV-33
H. Fire Support	IV-66
I. Rerarm/Refuel/Rigging	IV-76
J. Medical Evacuation	IV-89
K. Downed Crew Recovery	IV-97
L. Aircraft Recovery	IV-104
M. Aircraft Maintenance	IV-109
N. Personnel Summary	IV-129
O. Aviation Safety	IV-131
P. Aviation Statistical Summary	IV-142
Q. Combat Damage	IV-145

SECTION V - RAIDS

A. Concept	V-1
B. Initial Efforts	V-1
C. First Raid	V-2
D. Second Raid	V-3
E. Conclusions	V-3

SECTION VI - RESULTS

A. General	VI-1
B. Fulfillment of Primary Objectives	VI-1
C. Division G-2 Comments	VI-3

ANNEXES

A - Intelligence	A-1
B - Downed Aircraft Recovery	B-1
C - Aviation Statistical Summary	C-1
D - Summary of Combat Damage	D-1
E - Abbreviations/Acronyms	E-1
F - Definitions	F-1
G - Map, 1:250,000 Northern Military Region I and Southeastern Laos	G-1
H - Map, 1:100,000 LAMSON 719 Area of Operations	H-1

INDEX OF FIGURES

<u>FIGURE</u>		<u>PAGE</u>
II-1	Task Organization, 101st Aviation Group	II-4
II-2	Additional Division Aviation Committed	II-5
II-3	Total Aircraft Assets, LAMSON 719	II-5
III-1	Phase I: Attack to A LUOI and Consolidation	III-5
III-2	Phase II: Attack to Tchepone and Consolidation	III-6
III-3	Phase III: Extraction	III-7
IV-1	Radio Net Diagram for 159th Avn Bn (ASHB)	IV-54
IV-2	Wire Diagram for 159th Avn Bn (ASHB)	IV-56
IV-3	Maintenance Personnel Status, 159th Avn Bn (ASHB)	IV-59
IV-4	Monthly Flying Hours, CH-47 (Organic)	IV-61
IV-5	Monthly Flying Hours, CH-54A	IV-62
IV-6	Monthly Flying Hours, CH-47 (OPCON)	IV-63
IV-7	159th Avn Bn (ASHB) Support of LAMSON 719	IV-65
IV-8	4/77 ARA Hours Flown By Type Mission, LAMSON 719	IV-71
IV-9	Examples of Typical Missions Flown	IV-72
IV-10	Contribution by 4/77 ARA in LAMSON 719	IV-74
IV-11	Rearm/Refuel Points	IV-78
IV-12	Planned Rarm/Refuel Points	IV-79

<u>FIGURE</u>		<u>PAGE</u>
IV-13	Team Organization (Dong Ha)	IV-80
IV-14	Team Organization (Mai Loc/ Lang Con)	IV-81
IV-15	Team Organization (Vandergrift)	IV-82
IV-16	Team Organization (Khe Sanh)	IV-83
IV-17	Equipment List, 10 Point Rapid Refueling System	IV-85
IV-18	Class IIIA, C-130 Receipts, Khe Sanh (17 Feb-8 Mar)	IV-87
IV-19	Request for Air Items	IV-88
IV-20	Recapitulation of Missions by Eagle Dustoff	IV-93
IV-21	Recapitulation of Missions by MEDCOM Dustoff	IV-95
IV-22	Crew Extraction Experience During LAMSON 719	IV-102
IV-23	Aircraft Extracted During LAMSON 719	IV-108
IV-24	Aircraft Maintenance Facilities	IV-111
IV-25	Aircraft Maintenance Activities	IV-112
IV-26	Mission Alignment Structure of 5th Trans Bn	IV-115
IV-27	Aircraft Readiness and Flying Hours by Type Aircraft (Feb - Mar 71)	IV-119
IV-28	Aircraft Readiness and Flying Hours by Unit, Feb 71	IV-120
IV-29	Aircraft Readiness and Fly Hours by Unit, Mar 71	IV-122
IV-30	Recapitulation of Casualties	IV-131

<u>FIGURE</u>		<u>PAGE</u>
IV-31	101st Abn Div (Ambl) Hours Flown and Accident Rate, 3d Quarter, FY 70 and FY 71	IV-133
IV-32	101st Aviation Group Hours Flown and Accident Rate, 3d Quarter, FY 70 and FY 71	IV-133
IV-33	Khe Sanh Air Facility and Flight Routes	IV-134
IV-34	Aircraft Accidents, LAMSON 719	IV-135
IV-35	Aircraft Incidents, LAMSON 719	IV-138
IV-36	Troop Lift, UH-1H	IV-144
IV-37	AH-1G, Hit versus Lost	IV-147
IV-38	UH-1C, Hit versus Lost	IV-148
IV-39	UH-1H, Hit versus Lost	IV-149
IV-40	CH-47, Hit versus Lost	IV-150
A-1	NE Monsoon Flow	A-2
A-2	Light Southeasterly Flow	A-4
A-3	Southwesterly Flow	A-5
A-4	Aviation Weather Minimums	A-6
A-5	Geography LAMSON 719	A-8
A-6	Land Forms	A-10
A-7	Vegetation LAMSON 719	A-11
A-8	Lines of Communication	A-12

<u>FIGURE</u>		<u>PAGE</u>
A-9	Enemy Disposition, 1 February 1971	A-16
A-10	Antiaircraft Defense Deployment	A-18
A-11	Enemy Disposition, Early February 1971	A-19
A-12	Enemy Disposition, Mid-February 1971	A-20
A-13	Enemy Disposition, Mid-February - 1 March 1971	A-22
A-14	Enemy Units Committed Against LAMSON 719, Early March 1971	A-23
A-15	Enemy Disposition, Early March 1971	A-24
A-16	Enemy Disposition, 31 March 1971	A-26
A-17	Characteristics of NVA Antiaircraft Weapons Systems	A-27
C-1	CH-47 Performance Data	C-2
C-2	CH-53 Performance Data	C-4
C-3	CH-54 Performance Data	C-6
C-4	UH-1H Performance Data	C-8
C-5	UH-1C Performance Data	C-10
C-6	AH-1G Performance Data	C-12
C-7	OH-6A Performance Data	C-14
C-8a	Recapitulation of Aircraft Performance, LAMSON 719	C-16
C-8b	Recapitulation of Aircraft Performance, LAMSON 719 plus Operations in Thua Thien and Quang Tri Provinces	C-16

FIGURE

C-9 Sortie Data (Mission, In Country, Out Country)

PAGE

C-17

C-10 AH-1G/UH-1C Statistical Data

C-19

~~CONFIDENTIAL~~

SECTION I

INTRODUCTION

A. (C) BACKGROUND

In the Fall of 1971, joint USARV, RVNAF and GVN intelligence estimates, coupled with current enemy actions, strongly indicated that the enemy had two primarily goals for the approaching dry season in Laos, October 1970 to April 1971. He would conduct an intensified resupply and reinforcement operation in southern Laos and also build up supplies and equipment in northern Military Region I to support large scale operations in that area during the 1971 dry season. December 1970 and January 1971 brought a sharp increase in the amount of supplies moved into the southern Laotian areas known as Base Area 604 (adjacent to Quang Tri). The intelligence community further noted that only a small portion of these supplies had been moved to the south. In previous years the enemy had reached his peak efficiency in February and March in moving supplies to the south. Accordingly, an attack against Base Area 604 and 611 during these months presented the highest probability of inflicting the greatest damage to the enemy. Operation LAMSON 719 was conceived, developed and implemented to react to this intelligence information.

B. (C) OBJECTIVE

Operation LAMSON 719 was designed to interdict the enemy's supply and infiltration routes into southern Laos and northern Military Region I, to destroy his logistic facilities and supplies and to inflict maximum damage to his units. The depth of the operational area was limited to Tchepone in the west, and the width of the area varied from 10-20 kilometers north and south of Route 9 in Laos. I Corps (ARVN) forces, supported and assisted by XXIV Corps, conducted combined air-ground operations to destroy enemy forces and supplies in Base Areas 604 and 611 in Laos. The 101st Airborne Division (Airmobile) mission was to provide support and assistance to US and Vietnamese forces participating in LAMSON 719 operations in western Quang Tri Province and in Laos while continuing the Division's Winter Campaign in Thua Thien Province.

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

C. (C) SPECIAL CONSIDERATIONS

1. A XXIV Corps and I Corps planning group was formed at XXIV Corps Headquarters in Da Nang in early January 1971 to develop the operations order for LAMSON 719. Information of the operation was tightly held with just the Commanding General of the 101st Abn Div (Ambl), the Chief of Staff and the G3 initially being familiar with the plan. The G3 participated in preparing the first drafts of the operations order, but it soon became apparent that specialized knowledge in aviation and logistics support from the 101st Abn Div (Ambl) was required. However, the necessary restriction of information to only those division personnel complicated the preparations for LAMSON 719, especially in those areas where long lead-time for planning was necessary.

2. Planning for LAMSON 719 was a combined effort from the beginning, but integration of US commanders and staff members into the I Corps decision-making process was accelerated as Phase I of the operation began. Three weeks after Vietnamese troops crossed the Laotian border, a US-Vietnamese high level staff in support of I Corps was formed at I Corps Headquarters at Khe Sanh, and at that time a combined tactical command post became a reality.

3. The rules of engagement for operations in Laos restricted US helicopters from landing except where inserting or extracting Vietnamese troops and supplies or equipment. US personnel were not permitted to exit the helicopters while in Laos. Thus, advisors and those providing support to I Corps forces did not have access to Vietnamese commanders at the regiment and battalion levels. Support coordination was appreciably restricted.

4. The support provided to I Corps forces in Laos as well as the US forces operating in Quang Tri and Thua Thien Provinces could not have been maintained at the high level it was throughout LAMSON 719 had not USARV devoted the major portion of its assets in support. Damaged or destroyed aircraft were quickly replaced and maintenance support gave priority to those aviation units assigned to or under the operational control of the 101st Abn Div (Ambl).

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

D. (C) INTELLIGENCE

1. General

Detailed information regarding weather, terrain, lines of communication and changing enemy disposition as they affected LAMSON 719 may be found in ANNEX A (Intelligence) to this introductory section. Information extracted here is to emphasize certain salient points.

2. Weather

The transitional effects of the monsoon weather in both Laos and South Vietnam had a direct bearing on the conduct and timing of all airmobile operations in support of LAMSON 719. Weather often varied from staging area to pickup zone (PZ) to landing zone (LZ). This same weather variance had an even greater effect on the employment of Air Force TAC air due to the more stringent minimum weather standards required for effective employment.

3. Terrain

The higher elevations of the Annamite Mountain chain in the operational area combined with marginal weather in having a decided effect on airmobile operations. The river valleys, such as the east-west oriented XE PON, became natural flight routes due to navigational requirements in marginal weather. The escarpment running generally east-west approximately two kilometers south of the XE PON River furnished natural objective/staging areas for the thrust toward Tchepone.

4. Lines of Communication

The intensive road improvement effort by the NVA during the Laotian dry season was one of the factors governing the decision to conduct LAMSON 719. The increased vehicular traffic afforded by these improvements allowed a corresponding increase in the infiltration and stockpiling effort; hence, the increased threat in northern Military Region 1.

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

5. Enemy Strengths/Disposition

Enemy forces in and near the operational area prior to the initiation of LAMSON 719 on 8 February 1971 were estimated to total 22,000. Of this total, 13,000 were in main line combat units and 9,000 were primarily engaged in supporting, maintaining and defending the extensive infiltration networks. Later, during the peak of enemy activity in early March, it is estimated that the enemy had committed approximately 36,000 troops total to counter LAMSON 719 operations. This figure includes the reversion of the infiltration support troops to their secondary combat role. Of major importance was the increasing density, mobility and sophistication of the antiaircraft defenses used by the NVA to counter the airmobility of LAMSON 719. Particularly effective was the emplacement of these weapons very close to RVNAF forces; this hugging tactic made neutralizing fires difficult if not in some cases impossible. Resupply and extraction missions became extremely hazardous. Detailed discussions of this threat and its effect can be found in Annex A (Intelligence) and throughout this report. In addition LAMSON 719 resulted in the third confirmed appearance of NVA armor against FWMAF and RVNAF. Unlike the first two armor engagements, the NVA used armor in LAMSON 719 in both a fire support role and as part of a coordinated tank/infantry assault, (i.e., the attack on FB 31)

E. (C) XXIV CORPS AND I CORPS CONCEPT OF OPERATIONS

1. I Corps forces conducted all combat operations on the ground in Laos. The maneuver units were provided light and medium artillery support by Vietnamese artillery units. XXIV Corps, assisted by 7th AF, provided support and assistance to I Corps consisting of:

- a. Ground and airmobile operations by infantry, armor and airmobile units to secure Quang Tri Province in Vietnam for the staging and supplying of Vietnamese forces.
- b. All aerial lift, escort, armed reconnaissance and aerial rocket artillery for I Corps operations in Laos.
- c. Heavy artillery at the Vietnamese-Laotian border for I Corps units in range.

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

d. Tactical air and heavy bomber strikes throughout the Laotian area of operations.

2. The XXIV Corps plan for LAMSON 719 had four phases. However, the first phase, the securing of western Quang Tri Province by US forces, was renamed DEWEY CANYON II and the last three phases became Phases I, II, and III of I Corps LAMSON 719. The four phases as planned were:

a. Operation DEWEY CANYON II

On D-day, the 1st Brigade, 5th Infantry Division (Mechanized) would attack into the Khe Sanh Plateau to the Laotian border in order to secure Route 9 and seize and secure staging areas and artillery positions to support future phases. The brigade then was to conduct screening operations to the south of Khe Sanh. The 1st ARVN Armored Brigade, following the 1st Brigade, 5th Infantry Division (Mech), would seize and secure objective HAM NGHI (just south of the Khe Sanh airfield) and then screen the northern flank. Meanwhile the 101st Airborne Division (Airmobile) continued operations in Thua Thien Province and prepared to counterattack in the central and eastern DMZ area on order with one brigade of two infantry battalions and two light artillery batteries.

(1) The 1st Brigade, 5th Infantry Division (Mech) consisted of:

1st Bn, 11th Inf
1st Bn, 77th Armor
3d Sqdn, Cav
5th Bn, 4th Arty
3d Bn, 187th Inf, 101st Abn Div (Ambl) (OPCON)
4th Bn, 3d Inf, 23d Inf Div (OPCON)
1st Bn, 82d Arty, 23d Inf Div (Attached)

(2) In addition to passing the 3d Battalion (Airmobile), 187th Infantry to the operational control of the 1st Brigade, 5th Infantry Division (Mech), the 101st Airborne Division (Airmobile) was tasked to:

(a) Conduct two artillery raids to forward fire bases in western Thua Thien Province from D-day to D+4.

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

(b) Provide up to two aerial rocket artillery batteries in general support, reinforcing 5th Battalion, 4th Artillery, 1st Brigade, 5th Infantry Division (Mech).

(c) Coordinate with the 2d Infantry Regiment, 1st ARVN Infantry Division and prepare counterattack plans for defense of the central and eastern DMZ area.

(d) Provide one air cavalry squadron, less one air cavalry troop, in support of the 1st Brigade, 5th Infantry Division (Mech).

(e) Receive operational control of two air cavalry troops provided by the 1st Aviation Brigade; receive operational control of the HAC BAO (Black Panther) Company of the 1st ARVN Infantry Division.

(f) Provide assault, medium and heavy lift helicopter support to include pathfinders to the 1st Brigade, 5th Infantry Division, (Mech) as required on a mission basis.

(g) Provide supervisory personnel and equipment for rigging helicopter external loads.

(h) Operate forward rearm and refuel points as required.

(i) Prepare to accept operational control of all helicopter lift support by non-divisional units.

(j) Provide a control group for Army aviation and Air Force air lift to Khe Sanh.

(k) Provide Engineer Task Force 326 to open Route 9 from the vicinity of Bridge 33 (XD 9242) to Khe Sanh, construct an assault airfield for C-130 aircraft at Khe Sanh, construct fire bases as required and provide combat engineer support to maneuver elements on request.

b. LAMSON 719 - Phase I

I Corps (ARVN) forces were to conduct airmobile and ground attacks in the southern panhandle area of Laos. The main attack would

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

be conducted along Route 9 to Objective ALUOI by the 1st ARVN Airborne Division and the 1st ARVN Armored Brigade with the 7th, 11th and 17th Armored Cavalry Squadrons. One airborne battalion was to conduct an airmobile assault to Objective ALUOI while one airborne brigade occupied the high ground north of Objective ALUOI to establish fire bases. The 1st and 3d Infantry Regiments, 1st ARVN Infantry Division, by a series of battalion-sized airmobile assaults, were to establish fire bases on the high ground south of Route 9 and secure the left (south) flank. The 1st Ranger Group with the 21st, 37th, and 39th Ranger Battalions would conduct airmobile assaults to establish blocking positions and screen the right (north) flank. On order, the 1st Armored Brigade continued to attack west of Objective ALUOI along Route 9 with a third airborne brigade conducting an airmobile assault to Tchepone. The 147th and 258th VNMC Brigades were I Corps reserve at Khe Sanh.

(1) The 1st Brigade, 5th Infantry Division (Mech) continued operations in western Quang Tri Province.

(2) The 101st Airborne Division (Airmobile) continued operations in Thua Thien Province and remained prepared to defend the central and eastern DMZ area in coordination with the 2d Infantry Regiment, 1st ARVN Infantry Division on order. Additionally, the division was tasked to provide up to two aerial rocket artillery batteries as general support, reinforcing the 108th Artillery Group, a XXIV Corps unit; provide one air cavalry squadron with four air cavalry troops in general support of I Corps and XXIV Corps with priority to I Corps, then to 1st Brigade, 5th Infantry Division (Mech); continue aviation lift support with priority to I Corps, then to 1st Brigade, 5th Infantry Division (Mech); and release engineer equipment, particularly bulldozers, to ARVN engineers on order.

c. LAMSON 719 - Phase II

Upon seizure of Tchepone, all forces were to consolidate throughout the area. The 1st ARVN Airborne Division with three brigades of three airborne battalions each would establish multiple small unit blocking positions north and south of Tchepone along Routes 91 and 9F. Detailed search and attack operations would be conducted to destroy enemy forces and supplies. The 1st and 3d

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

Infantry Regiments, 1st ARVN Infantry Division were tasked to continue searching the left (south) flank while the 1st ARVN Ranger Group continued blocking and screening operations along the right (north) flank. The 1st Brigade, 5th Infantry Division(Mech) and the 101st Airborne Division (Airmobile) continued their LAMSON 719 - Phase I tasks.

d. LAMSON 719 - Phase III

I Corps forces were to withdraw on order with two options. The first option would task the 1st ARVN Airborne Division and 1st ARVN Armored Brigade to withdraw east along Route 9 to Objective ALUOI in order to support and cover the 1st ARVN Infantry Division forces as they moved southeast and attacked into western Base Area 611. The 1st ARVN Airborne Division would then follow the 1st ARVN Infantry Division forces on order. The 1st ARVN Armored Brigade and the 1st ARVN Ranger Group were to withdraw to Khe Sanh and revert to Corps reserve with the 1st ARVN Ranger Group passing to the operational control of the 1st ARVN Armored Brigade. Meanwhile, the 147th and 258th VNMC Brigades were to attack into the Laotian salient and into Base Area 611. The second option was the same except that after attacking into western Base Area 611, the 1st ARVN Infantry Division forces and the 1st ARVN Airborne Division were to turn north and attack through the Laotian salient. The 1st Brigade, 5th Infantry Division (Mech) and the 101st Airborne Division (Airmobile) were to continue LAMSON 719 Phase I tasks with the 101st being prepared to conduct a brigade-size attack west of Hue to the Laotian border in coordination with one regiment, 1st ARVN Infantry Division.

F. (C) INITIAL GROUND FORCE TASK ORGANIZATION

I Corps (ARVN)

HQ I Corps

1st ARVN Inf Div (2 Regts w/ 1 S Inf Bns, Div Arty)

1st ARVN Abu Div (3 Bdes with 9 Inf Bns, Div Arty)

1st VNMC Div (3 Bdes with 8 Mar Bns, Div Arty)

1st ARVN Ranger Group (3 Rngt Bns, 1 Bn Arty)

1st ARVN Armd Bde (3 Sqdns)

10th ARVN Engr Gp (2 Engr Bns)

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

XXIV Corps (US)

HQ XXIV Corps

101st Abn Div (Amlb) (1 Inf Bn, Cav Sqdn (-), ARA, Avn Gp (-), DISCOM (-))

23d Inf Div (1 Inf Bn, 1 Cav Sqdn, 1 Bn Arty)

1st Bde, 5th Inf Div (M) (1 Tk Bn, 1 Cav Sqdn, 1 Inf Bn, 1 Bn Arty)

Reserve: 1 Bde (with 2 Inf Bns) plus supporting DS Arty, 101st Abn Div (Amlb)

G. (C) COMMITMENT OF ADDITIONAL FORCES

DEWEY CANYON II and LAMSON 719 - Phase I went as planned up to the initiation of the 1st ARVN Armored Brigade's attack to Tchepone from Objective ALUOI (last step in Phase I). At this point, CG I Corps determined additional Vietnamese forces would be required to continue the assault to Tchepone. Those forces already deployed in Laos commenced consolidation on 24 February and plans were developed to relieve the 2d Infantry Regiment, 1st ARVN Infantry Division from its area of operation in central and eastern Quang Tri Province in order to commit them in Laos. An additional Vietnamese Marine Brigade (the 369th Marine Brigade) was airlifted from Saigon. In order to release the 2d Infantry Regiment of its responsibilities in Quang Tri Province, additional XXIV Corps forces were deployed to Quang Tri. On 20 February, Headquarters, 3d Brigade, 101st Airborne Division (Airmobile) deployed to central Quang Tri and passed to the operational control of the 1st Brigade, 5th Infantry Division (Mech) until 24 February when they reverted to the operational control of the 101st. Constituting this brigade, the 1st Battalion (Airmobile), 501st Infantry deployed from Thua Thien Province to Quang Tri Province on 24 February, followed a day later by the 2d Battalion (Airmobile), 502d Infantry and the 2d Battalion (Airmobile), 327th Infantry on 28 February. The 101st Airborne Division (Airmobile) then established a tactical command post at Quang Tri Combat Base. It became operational on 1 March. The 23d Infantry Division was tasked to provide a brigade headquarters element, one battalion size infantry unit and necessary support units to include artillery. These elements arrived in Quang Tri Province on 2 March and deployed to the eastern DMZ area on 3 March, passing to the operational control of the 101st. The 1st Brigade, 5th Infantry Division (Mech) also passed to the operational control of the 101st. Thus, as of 3 March, all US ground forces deployed in

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

Quang Tri and Thua Thien Provinces were either organic to or under the operational control of the 101st Airborne Division (Airmobile). During the period 10 to 21 March, the 101st Airborne Division (Airmobile) also deployed the 2d Battalion (Airmobile), 506th Infantry and Hqs A and B Companies 1st Battalion (Airmobile), 506th Infantry to Quang Tri Province, while the 2d Battalion (Airmobile), 327th Infantry returned to Thua Thien Province and to the control of the 1st Brigade of the 101st. XXIV Corps forces continued to conduct combat operations in support of LAMSON 719 and the Winter Campaign in this disposition until 8 April when LAMSON 719 was terminated. From 7 to 10 April, all US ground forces in Quang Tri Province redeployed to their normal areas of operation and reverted to the control of their parent organizations.

~~CONFIDENTIAL~~

SECTION II

AVIATION ORGANIZATION

A. (U) GENERAL

The 101st Airborne Division (Airmobile) was charged with the responsibility of providing for the command and control of all aviation elements employed in support of LAMSON 719. Additionally, the 101st Airborne Division (Airmobile) was to accept operational control of all additional aviation support committed in support of the operation.

B. (U) SPECIAL CONSIDERATIONS

1. General

In arriving at the optimum task organization to support LAMSON 719, several special considerations or factors influenced the structuring of the aviation task organization.

2. Units to be Supported

Three division equivalents were to be supported. It was envisioned that troop movement and resupply would be accomplished primarily by helicopter.

3. Assets Available

Only those assets organic to the 101st Abn Div (Ambl) were so located as to be capable of supporting LAMSON 719 without displacing from their home station. Additional facilities for aviation units in the Quang Tri area were very limited; therefore units not organic to the Division committed in support of the operation would be required to operate under field conditions.

4. 101st Airborne Division (Airmobile) Operations

The Division was expected to commit a maximum number of aviation assets in support of the operation and concurrently perform

assigned missions in current area of operation.

5. Impact of Drawdown on USARV Assets

All aviation units were fully committed in their assigned areas of operation. The diversion of assets to support LAMSON 719 would adversely affect operations elsewhere in the theater.

6. Air Cavalry Assets

The area of operation and environment for LAMSON 719 dictated maximum use of air cavalry assets; however, the area of operation and enemy situation in the area assigned to the 101st Abn Div (Ambl) also dictated maximum use of air cavalry.

7. Heavy Lift Requirements

Projected heavy lift requirements, particularly those requiring CH-54 aircraft, by far exceeded the organic capability of the 101st Abn Div (Ambl).

8. Distance

Troop lift and resupply operations were to be conducted over extended distances. The one-way distance from Khe Sanh to Tchepone is 53 kilometers.

C. (U) TASK ORGANIZATION

1. Assault Helicopter Battalions

Four assault helicopter battalions with 10 assault companies and four aerial weapons companies were included in the task organization. Two additional assault helicopter companies, 116th and 282d, were added to the task organization for the periods 5 - 7 March and 22 - 24 March.

2. Assault Support Helicopter Battalion

One assault support helicopter battalion consisting of five medium (CH-47) lift companies, a heavy (CH-54) lift company and one

heavy (CH-53) lift squadron was to fulfill all heavy requirements.

3. Air Cavalry

Two additional air cavalry troops were placed OPCON to the 2d Squadron, 17th Cavalry.

4. Aerial Rocket Artillery

Aerial Rocket Artillery (ARA) support was to be provided by the 4th Battalion (Aerial Artillery), 77th Artillery (Airmobile).

5. Command

All assault and assault support units were commanded by Commanding Officer, 101st Aviation Group. All air cavalry and ARA units were commanded by Commanding Officer, 2/17 and 4/77 ARA Bn respectively.

6. Unit Designations and Aircraft Authorizations

(See Figure II-1) Units designated with an asterisk were OPCON units. All others are organic to the 101st Abn Div (Ambl).

D. (U) CO, 101ST AVIATION GROUP COMMENTS

1. Adequacy of Task Organization to Support LAMSON 719

a. UH-1C Aircraft

The major shortfall in aviation support was in the gunship category. The UH-1C gunship was not capable of performing satisfactorily in the LAMSON 719 environment. Performance limitations and the hostile antiaircraft environment encountered limited the effectiveness of the 60 UH-1C aircraft assigned in support of the operation. The 235 AWC and D/277 were added to the task organization to compensate for the ineffectiveness of the UH-1C.

b. Gunships for Escort

All cross border aircraft operations required gunship escort. CH-47 and CH-54 resupply missions used the assets of one aerial weapons company daily. Additional gunship requirements emanated from medical evacuation missions. The foregoing requirements were in addition to continuing requirement to provide gunships for the many combat assaults that were conducted.

~~CONFIDENTIAL~~

SECTION III

CHRONOLOGY OF OPERATIONS IN LAOS

A. (C) ATTACK TO ALUOI AND CONSOLIDATION

8-10 February

The attack into Laos was initiated on 8 Feb from bases established on the Khe Sanh Plain. The 1st Armored Brigade Task Force crossed the border at 1000 hours and advanced 9 kilometers westward along Route 9 the first day. Three battalions of the 3d Regt, 1st ARVN Inf Div air assaulted into LZ's south of Route 9 (LZ's HOTEL and BLUE). North of Route 9, two battalions of the 1st ARVN Abn Div air assaulted to objectives 30 and 31, and one ranger battalion landed in the vicinity of RANGER SOUTH LZ. Additionally, 105mm howitzer batteries were air landed on LZ HOTEL and objectives 30 and 31 on 8 Feb. On 9 Feb all air moves were cancelled due to adverse weather. The armored TF moved forward 2 kilometers. On 10 Feb, the 1st ARVN Abn Div air assaulted a battalion into objective ALUOI; the armored TF linked up with the battalion at 1555 hours. Also the 1st ARVN Inf Div landed a battalion on LZ DELTA. The initial objectives had been seized.

11-13 February

During this period the armored TF consolidated its position around objective ALUOI. The 1st Regt, 1st ARVN Inf Div inserted two battalions on LZ DON and one on DELTA. A ranger battalion air assaulted to RANGER NORTH LZ. Additional forces, artillery and supplies were air lifted into objective ALUOI and other established LZ's. An airborne battalion was inserted north of objective 31 on 13 Feb as the forces flanking the armor drive moved abreast of objective ALUOI.

14-18 February

With the armor column making no further progress to the west, the 1st ARVN Inf Div turned south expanding its search for enemy supplies and facilities. Elements of the 3d Regt, 1st ARVN Inf Div and accom-

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

panying artillery moved to fire base HOTEL II and LZ GRASS. Attempts to insert a battalion on LZ GREEN were broken off because of intense enemy fire. Forces in the vicinity of LZ GRASS made increasing contacts with the enemy.

19-22 February

The northern flank of the penetration came under heavy attack with the enemy successively concentrating his forces on the RANGER LZ's and airborne objectives. Resupply to these locations was limited by intense enemy fire on the LZ's. On 20 Feb the 39th Ranger Battalion positions on RANGER NORTH were penetrated by the NVA. Elements of the battalion were able to reach RANGER SOUTH the next day. RANGER SOUTH and objective 31 then came under increasing enemy pressure.

23 February-2 March

During the period, preparations were made to regain the initiative and continue the drive west. 1st ARVN Inf Div elements were repositioned north and west. 3d Regt forces were moved from FB HOTEL II to FB DELTA I and from LZ GREEN to LZ BROWN. On 25 Feb, the ranger battalions were extracted. Objective 31 came under heavy attack which included the use of tanks by the enemy. The 1st Armored TF attacked north to relieve the airborne positions on objective 31. The 1st ARVN Inf Div forces on the extreme southern flank continued to be under heavy pressure until withdrawn on 1 March. An airborne battalion was inserted at FB ALPHA to secure Route 9 and hold open the I Corps penetration into Laos.

B. (C) ATTACK TO TCHEPONE AND CONSOLIDATION

3-6 March

The drive to Tchepone was accomplished in a series of airmobile assaults by the 1st ARVN Inf Div westward along the escarpment which overlooks Route 9. Division forces were released for this operation by inserting two brigades of the 1st Vietnamese Marine Division, one in the vicinity of FB HOTEL and the other around FB DELTA. Additionally, the 2d Regt, 1st ARVN Inf Div, with 5 battalions was made available from

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

eastern Quang Tri Province (relieved by the 3d Bde, 101st Abn Div (Ambl) and the 11th Bde, 23 Inf Div). The 1st ARVN Inf Div units air assaulted successively into LZ's LOLO, LIZ, and FB SOPHIA WEST. By 5 March, the 3d Regt had occupied FB DELTA I and LZ BROWN and the 1st Regt was conducting operations in the vicinity of LZ's LIZ and LOLO. The 2d Regt had landed at FB SOPHIA WEST and was moving westward along the escarpment. On 6 March, 2 battalions air assaulted into LZ HOPE, north of Tchepone. These units then attacked south and west occupying the town. During this period the airborne division and the armored task force operated north and east of objective ALUOI, and FB BRAVO was opened by the airborne division.

7-10 March

During this period the forces which had been operating from LZ HOPE into Tchepone linked up with elements to the south on the escarpment. As enemy pressure began to build in the Tchepone area, all friendly elements withdrew south of Route 9 and began moving toward SOPHIA WEST.

C. (C) EXTRACTION

11-14 March

The withdrawal from forward positions in the vicinity of Tchepone and FB SOPHIA WEST was accomplished overland to the vicinity of LZ LIZ. On 11 March, two battalions and the 2d Regt CP, 1st ARVN Inf Div were extracted to FB SOPHIA EAST and subsequently to FB DELTA I, with two additional battalions moving the next day to the vicinity of LZ BROWN. The 1st Regt continued operations south and west of FB LOLO and the 3d Regt SW of FB DELTA I and LZ BROWN. The 1st VNMC Div conducted operations with two brigades in the areas of LZ DON, FB DELTA, and FB HOTEL. Resupply to all units was curtailed because of indirect and small arms fire on the LZs.

15-18 March

Increased enemy pressure and lack of success in resupplying or conducting medical evacuation at FB LOLO forced the defenders to abandon the base and move overland to the east. By the end of the 16th,

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

the 3d Regt, less 1 battalion, had been extracted by air from Laos. On the 18th, the 1st Regt was extracted from multiple LZ's around FB DELTA I and FB SOPHIA EAST. The battalions had been in continuous contact for several days and were forced to move to new pickup zones on several occasions in order to break contact with the enemy. Extractions were completed only after intensive air, artillery, and aerial rocket artillery preparation and under the protection of air cover.

19-22 March

With the majority of the friendly forces off the escarpment west of Obj ALUOI, the evacuation of Obj ALUOI and elements of the airborne division commenced. By the end of the 21st, the 1st ARVN Inf Div had been completely withdrawn from Laos, with the extraction by air of the 2d Regt. As before, the units were forced to move overland, often at night, in order to break contact and make the extraction feasible. Elements of the airborne division were lifted out of Laos under similar circumstances. Meanwhile, the armor column had run into resistance on its push toward TABAT. It initially moved to FB ALPHA on 19 March with no difficulty but ran into enemy resistance and road blocks east of FB BRAVO.

23 March - 6 Apr

On 23 March the armor column crossed the border and one VNMC brigade was extracted from the vicinity of FB DELTA. The following day the last friendly forces left Laos with the extraction of all elements on FB HOTEL, although two reconnaissance teams were subsequently inserted on FB HOTEL for two additional days. Subsequently, raids into Laos were planned. The first was scheduled for 28 March but was postponed because of submarginal weather and relocated because of enemy ground fire in the objective area. On 31 March, 300 men of the 1st ARVN Inf Div Hac Bao (Black Panther) and division recon companies were inserted deep in Base Area 611. They were extracted the next day with virtually no casualties. A second raid was conducted on 6 April with 150 men successfully inserted and extracted on the same day in the Laotian salient.

~~CONFIDENTIAL~~

SECTION IV

AIRMOBILE OPERATIONS IN LAOS

A. (U) CONCEPT OF OPERATIONS

1. Unit Alignment

An Assault Helicopter Battalion was placed in direct support of each major ARVN unit. This positive orientation was designed to facilitate planning, coordination, and execution of combat operations while simultaneously realizing an increasing degree of confidence and professionalism between the US helicopter battalions and the ARVN units they were supporting. The 223d CAB was placed in direct support of the 1st ARVN Inf Div. All airmobile assaults conducted by the 1st ARVN Inf Div were controlled by the 223d CAB. Additionally, all UH-1H general support aircraft required by the 1st ARVN Inf Div were provided by the 223d CAB. The 158th AHB was placed in direct support of the 1st ARVN Airborne Division and the 1st ARVN Ranger Group. All combat assault and general aviation support requirements for these two units were controlled by the 158th AHB. The 14th CAB was placed in direct support of the VNMC Division and controlled all combat assaults and general support missions for the division.

2. Aircraft Allocation

Based on mission requirements, the assets of the twelve assault helicopter companies and four aerial weapons companies were allocated to the three assault helicopter battalions. Additionally, assets were reallocated during the day as requirements changed. The only constant in aircraft allocation was the direct support battalion headquarters which habitually worked with the designated ARVN units. Aviation companies of the various aviation battalions performed well, regardless of the controlling battalion headquarters.

3. Heavy Lift Support

The Commanding Officer, 159th ASHB was charged with the responsibility for coordinating and performing all heavy lift missions. A liaison officer from the 159th ASHB was assigned to each major ARVN unit. Additionally, a pathfinder team from the 101st Aviation Group was placed at all resupply bases in South Vietnam.

4. Planning Conferences

All combat assaults and resupply missions were to be preceded by detailed planning conferences. As the situation developed, the planned coordination conferences became a tactical necessity. The desire, willingness and professionalism of ARVN planners and commanders greatly enhanced helicopter operations during LAMSON 719. All US aviation unit commanders to company level had served at least one previous tour in Vietnam. The US/ARVN experience level was evident during planning sessions. The success of airmobile operations in Laos can largely be attributed to the detailed planning preceded each operation.

5. Mission Assignment

Liaison officers drawn from the helicopter battalions supporting each major ARVN unit provided a direct line of communication from the supported unit to the 101st Aviation Group. Through this channel all requests for aircraft support for the succeeding day's operation were passed to this controlling headquarters. Mission requests were consolidated at 101st Aviation Group and priorities of support and allocation of resources were referred to I Corps for decision. A detailed discussion pertaining to allocation of resources is presented in Section IV-C.

6. CO, 101st Aviation Group, Capone et al

During the planning and preparatory phase prior to the beginning of LAMSON 719, it was envisioned that multiple combat assaults and resupply operations would occur daily throughout the operation. Therefore, planning, execution and allocation of resources would necessarily remain flexible to insure responsiveness to the many requirements. Changing allocation of resources to meet existing requirements was the responsibility of the Operations Section, 101st Aviation Group. Through multiple means of communication to include the assigned liaison officer, the Operations Section, 101st Aviation Group monitored operations throughout the LAMSON 719 area of operations. Additional requirements for aircraft were frequently anticipated in advance of an actual request. This control center maximized utilization and responsiveness of aviation assets to changing mission requirements. The established concepts for conducting combat assaults were followed throughout LAMSON 719. These concepts proved sound. Particularly rewarding was the confidence and professionalism that developed between the ARVN units and supporting aviation units.

B. - (U) COMMAND AND CONTROL

1. General

Command and control of airmobile operations in Laos generally paralleled the procedures employed in Vietnam; however, there were several significant differences.

a. In-country Command and Control

In Vietnam, immediate control of an airmobile assault is exercised by the Air Mission Command (AMC) and the Airmobile Task Force Commander (AMTFC). The AMC is the senior aviation unit commander and is responsible for command and control of the aviation assets. The AMTFC is the designated ground commander. During the combat assault, the AMC and the AMTFC are located in the Command and Control aircraft and position themselves where both can best control the operation. The AMTFC has the "go" or "no go" power of decision in a United States Army operation, although he gives great weight to the recommendation of the supporting Air Mission Commander.

b. Out-of-country Command and Control

In Laos, during airmobile operations conducted in support of LAMSON 719, the ground forces and the Ground Commander were Vietnamese, while the Air Mission Commander and the supporting aviation crews and assets providing airmobility were American. There was no Airmobile Task Force Commander in the sense used by the United States Army. The Ground Commander and the Air Mission Commander were coordinate and coequal, each responsible for a separate national force. Each national force had a different function. Therefore, "go" or "no go" decisions were arrived at jointly through discussion, cooperation, and coordination.

2. Commander Structure

The AMC and the Ground Commander directly controlled all combat assaults. Usually the aviation battalion commander performed

as AMC and appropriate ARVN regimental commander performed as Ground Commander. In order to comprehend the complete functioning of elements exercising command and control during the combat assaults conducted in Laos the entire chain of command must be examined.

a. CG - I Corps

The CG of I Corps approved all major combat assaults. Additionally, aviation assets to be used during the assault were also subject to his approval. The CG was normally located at I Corps Forward Command Post, Khe Sanh, and was generally available to render decisions on matters as they occurred during the day.

b. Division Commanders

ARVN division commanders normally participated in pre-assault planning and briefings. All combat assaults were subject to approval by the appropriate division commander. During the conduct of combat assaults, division commanders were normally present in their command post and were available to consider matters referred to them for decision.

c. ADC(O), 101st Abn Div (Ambl)

The ADC(O), 101st Abn Div (Ambl) was likewise present in the LAMSON 719 area of operations. The ADC(O) was the senior decision maker and decision expediter regarding US airmobile support in Laos. Major decision points related to US aviation support were referred to the ADC(O). Additionally, the ADC(O) would forward to I Corps these urgent matters requiring consideration and decision by ARVN.

d. Commanding Officer, 101st Aviation Group

As the senior US aviation unit commander in Laos, CO, 101st Aviation Group exercised command and control of all aviation units participating in support of LAMSON 719. The forward command post of the 101st Aviation Group was located at Khe Sanh throughout the period. An augmented operations section with multiple means of

communication enabled CO, 101st Aviation Group to monitor simultaneously all air operations occurring in Laos. During all combat assaults either the ADC(O) or CO, 101st Aviation Group exercised direct supervision of the operations.

e. Air Mission Commander/Ground Commander

The Air Mission Commander and Ground Commander controlled all combat assaults as previously discussed.

C. (U) ALLOCATION OF RESOURCES

1. Request for Aviation Support

As previously discussed, the liaison officers from the 101st Aviation Group to the major RVNAF units compiled and submitted their units' requests for aviation support. These requests were normally reviewed by the supporting aviation battalion commander prior to submission. This initial review greatly expedited consolidation of requests and preparation of a recommended allocation of aircraft for submission to I Corps for approval.

2. Action by 101st Aviation Group

Commanding Officer, 101st Aviation Group, attended the 1730 hours command briefing at Headquarters, I Corps. During this briefing the subsequent day's operations were discussed. CG, I Corps, indicated the relative priority of the following day's operations. Based on the guidance and priorities presented at the 1730 hours briefing, aircraft allocations to support the following day's missions were established and disseminated to all aviation units. Aircraft allocations were reviewed by CG, I Corps, each morning at the 0815 hours command briefing. CO, 101st Aviation Group, briefed the CG, I Corps, each morning on the missions to be accomplished, relative priority and aircraft allocated for each mission. CG, I Corps, approval of aircraft assignment constituted formal approval of allocation of aviation resources by the Corps Commander. It is significant that CG, I Corps, did not at any time during LAMSON 719 change the allocation of aviation resources as recommended by CO, 101st Aviation Group.

3. Factors Influencing Recommended Allocation of Resources

a. Mission Priority

As previously indicated the relative mission priority was established by CG, I Corps, at 1730 hours command briefing.

b. Review of Tasks to be Accomplished

Throughout LAMSON 719 all tasks were carefully reviewed

each night to determine the optimum number of aircraft that should be allocated for each mission. At 2000 hours each night, ADC(O), 101st Abn Div (Ambl), was briefed in detail on that day's operations and the planned operations for the following day. In attendance at the 2000 hours briefing were CO, 101st Aviation Group, and key group staff officers; battalion commanders, or S-3 of all aviation battalions; CO or S-3, 2/17 Air Cavalry Squadron; CO, 4/77 ARA Bn (Fwd); and representatives from supporting units. All aviation battalion commanders presented their plans for the following day's operation and aircraft resources required to perform the missions. This intensive review of daily operations and plans for the next day provided a sound basis for allocation of aviation resources for operations to be conducted the following day.

c. Principles Influencing Aircraft Allocation

(1) Maximum Combat Power to be Landed in Minimum Time

Paramount consideration was given to rapidly landing the maximum in combat power in minimum time. Particularly desirable was to insure that sufficient aircraft were allocated so that the combat assault of a battalion size unit could be completed before the aircraft were required to refuel.

(2) Allocation of Heavy Lift Assets

Heavy lift assets were so programmed as to insure completion of tactical movements in minimum time and in consonance with the desires of the ground commander.

(3) Frequent Re-allocation of Assets

The flexibility inherent in airmobile operation was fully exercised during LAMSON 719. UH-1H lift companies were expeditiously switched from the control of one helicopter battalion to another in order to achieve maximum utilization of assets and to provide desired concentration of aircraft to support designated missions. The ability to shift assets rapidly from support of one RVNAF division to another was particularly noteworthy.

(4) General Support Requirements

Daily gunship requirements for resupply escort, medical evacuation missions, downed aircrrew and aircraft recovery severely taxed available gunship assets. The general support gunship requirements competed with gunship requirements allocated in support of combat assaults.

4. CO, 101st Aviation Group Comments

Allocation of aviation resources was one of the major tasks to be accomplished daily during LAMSON 719. Rarely were there sufficient assets to provide all units with the aircraft in the numbers requested. However, the shortage of assets was offset by rapid and efficient re-allocation during the day to insure mission accomplishment in the priority established by the I Corps Commander. Initially, senior RVNAF commanders did not appear to fully understand how aircraft were allocated and why their unit did not receive all the aircraft they requested each day. The ADC(O), 101st Abn Div (Ambl), through a series of personal visits to senior RVNAF commanders and through explanations and observations presented at the I Corps Commander's briefings eliminated points of misunderstanding.

D. (U) AIR CAVALRY OPERATIONS

1. Missions

The 2d Squadron, 17th Cavalry was tasked to locate and destroy antiaircraft weapons, to locate enemy concentration, to provide reconnaissance and security for allied units participating in LAMSON 719 and to accomplish downed aircREW recovery in Laos. From these tasks the following missions were derived: long range reconnaissance, security missions, and reconnaissance for combat assaults and extractions.

2. Organization for Combat

a. The 2d Squadron, 17th Cavalry was organized with the following air cavalry troops: A/2/17 Cav, C/2/17 Cav, B/7/1 Cav (OPCON), C/7/17 Cav (OPCON). These air cavalry troops were complemented by one dismounted ground cavalry troop (D/2/17 Cav) which was restricted to employment inside RVN. The HAC BAO Company, 1st ARVN Inf Div, was also OPCON to the 2d Squadron, 17th Cavalry for the security and/or extraction of downed aircraft crews in Laos.

b. The 2d Squadron, 17th Cavalry crossed the Laotian border on 8 Feb 71 in direct support of the ARVN Corps in Laos, and general support of XXIV Corps. C/2/17 Cav and C/7/17 Cav supported the Ranger, Airborne and Armored units astride and to the north of Route 9. A/2/17 Cav and B/7/1 Cav supported the 1st ARVN Inf Div and the VNMC units south of Route 9. The HAC BAO Co was used as required in the LAMSON 719 area of operation. The final decisions regarding the allocation of air cavalry resources were made by CG, I Corps.

3. Reconnaissance and Target Acquisition

a. The 2/17 Cav was permitted to cross the border on 8 Feb 71 only after RVNAF ground forces initiated operations in Laos. This constraint precluded early reconnaissance of NVA antiaircraft installations. The Cav preceded the initial airmobile assault into Laos by approximately two hours and had only about one hour to conduct reconnaissance operations and screen landing zones prior to the combat assaults. Once the

initial troop insertions were complete, the Cav moved well in advance of the ground forces and began reconnaissance 8-15 km to their front and flanks. Emphasis was placed on areas where future troop insertions were to be made, and on locating and destroying enemy antiaircraft weapons. Storage areas, personnel, equipment and other targets of opportunity were located and engaged, and the first few days of the operation found the Cav in a reconnaissance role. As the ground operation in Laos continued, the mission of the Cav changed from strictly reconnaissance to security operations. Demand for gunships was heavy, and the Cav began to work closer to friendly units as they made more contact with NVA forces. The Cav emphasis shifted from locating and destroying antiaircraft weapons and storage areas to locating enemy troop concentrations and indirect fire weapons that posed an immediate threat to ARVN forces. Cav gunships began providing close fire support at the expense of deeper reconnaissance.

b. With all Cav troops working in close proximity to ground elements, the overall intelligence gathering capability of the Cav was diminished. Immediate threats to ARVN ground forces and supporting aircraft were being detected, but NVA troop concentrations and antiaircraft coming into the operational area from a distance were experiencing relative freedom of movement. At this time the Cav Squadron Commander recommended to the I Corps Commander that two troops be placed in direct support of ground forces, and that the other two work in general support well in front of and to the flanks of ARVN forces. This recommendation was accepted as a balance to satisfy the competing requirements of security and reconnaissance.

4. Support of Combat Assaults

It became apparent during the early phases of LAMSON 719, that massive fire support in the form of TAC air, ARA and Cav gunships would have to be available in order to run combat assaults without losing excessive numbers of lift ships. Air cav was used in the traditional cavalry role of reconnaissance and security. Upon receiving the mission to support a combat assault or extraction, one to four air cav troops would be tasked to perform the cavalry portion of the operation. The air cavalry would precede the lift to the operational area, looking

for relatively safe routes, a primary landing zone, and alternate landing zones. The routes in and out would be reconnoitered and recommendations would be passed to the Air Mission and Ground Commanders prior to the actual insertion/extraction. The Cav worked in conjunction with the ARA and tube artillery, when available, to prepare the objective area. Normally the Cav command and control aircraft on station would assume control of the fire support assets, employing them against targets detected during the Cav reconnaissance. Immediately prior to an actual insertion/extraction the Cav team on station would make a final check of the landing area, and make recommendations to the Air Mission Commander as to whether the mission should continue or whether additional preparation was required. Once a lift began, the Air Mission Commander assumed control of the ARA and the FAC who was controlling the smoke, and the Cav would move out and screen away from the landing zone. TAC air and Cav gunships would then attack known or suspected antiaircraft weapons in the general area, clearing as wide an area along approach and departure routes as possible. Cav aircraft were also prepared to protect and extract downed aircrews in the vicinity of the landing zone if required.

5. Antiaircraft Engagements

In all cases where antiaircraft weapons were encountered, the 2/17 Cav requested TAC air, since the USAF has the standoff range and the fire power to engage antiaircraft weapons at a more acceptable risk level than does the Cav with organic gunships. When the Air Force had higher priority missions and was not available for such support, organic aircraft on occasion engaged and destroyed antiaircraft weapons as large as 37mm. However, 23mm and larger were usually not engaged but marked for a FAC. Antiaircraft engagement tactics varied from troop to troop, but generally the concept was to use as many gunships as possible, attacking simultaneously from different directions. If, as in the first month, OH-6A's were with the team, they were put in orbit out of effective range until the gun was destroyed. The most difficult aspect of engaging NVA antiaircraft weapons was to pinpoint the exact location of the weapon. The NVA had excellent fire discipline and used mutually supporting positions, firing short bursts as helicopters flew through their kill zones. Once a weapon was pinpointed, the AH-1G had range standoff advantage over the 12.7mm and 14.5mm. Flechettes, HE and WP

rockets and the XM-35 20mm gun if available were all used in engagement. The most significant antiaircraft threat faced by the Cav was the 12.7mm heavy machine gun. The NVA employed large numbers of these weapons, and located them so as to be mutually supporting along likely helicopter approach routes. As far as can be determined the Cav lost no aircraft to weapons larger than 12.7mm, although several hits were recorded from 37mm airbursts. To counter the 12.7mm threat and still not become unacceptably vulnerable to larger caliber fire, most Cav teams operated at 3500 feet AGL to 5000 feet AGL, except for one AH-1G operating low and fast to detect targets.

6. Tank Engagement

a. During LAMSON 719, the 2/17 Cav encountered PT-76 tanks, a target new to the squadron. Initially HEAT Rockets were not available; engagement was made with ordnance on hand. Upon sighting a tank the AH-1G's would initiate contact at maximum range with 2.75 flechette rockets. This served to wipe personnel off the vehicles and their immediate proximity. As the gun run continued, the AH-1G pilots would begin firing a mixture of HE and WP rockets, breaking off the run at approximately 1000 meters.

b. When available, the XM-35 20mm cannon was used. This weapon is extremely accurate, and affords a standoff distance of 2000 to 2500 meters; however, adequate ammunition is not available for this weapon. The USAF armor piercing incendiary is not compatible with the XM-35 system and attempts to locate a compatible API round were not successful. Twenty millimeter HEI was used with unknown results, since 2.75 FFAR were also being fired from the same attack aircraft.

c. When HEAT rockets became available, results were mixed. The rocket is capable of penetrating armor, but direct hits on the target are required. This dictated that engagements be made at ranges of 900 - 1000 meters from the target, thus exposing the gunship to the tank's 12.7mm and to supporting infantry in the area.

d. Normal tank engagement was with TAC air. Upon sighting a tank or group of tanks, the Cav gunships would engage them to maintain contact, then turn the target over to the Air Force and continue recon missions. If TAC air was not available, the gunships would engage

tanks until their ordnance was expended, but rarely had enough ordnance to destroy every tank in a particular sighting. Between 8 Feb 71 and 24 Mar 71, the Cav sighted 66 tanks, destroyed (burned) six, and immobilized eight. The majority of the other tanks not destroyed or damaged by the Cav were turned over to USAF. Three of the destroyed tanks were hit with flechettes, HE and WP; and the other three were destroyed by combinations of flechettes, HE, WP and HEAT.

e. It is necessary to note that the PT-76 cannot correctly be classified as a true tank. It can best be described as a lightly armored personnel carrier; the AH-1G with present weapons systems would have little or no effect against a tank such as the T-54. The following criteria were established by the 2/17 Cav to claim a tank destroyed or damaged. To classify a tank destroyed, the tank had to explode or burn, whereas a damaged tank was immobilized, parts were blown off and the tank was incapable of further movement without repair. While admittedly restrictive, the use of these reporting criteria showed an accurate picture of results obtained with weapons employed.

7. Use of the OH-6A

a. The Cav tailors its reconnaissance teams to cope with the enemy threat in the area of operations. For example, in the pacified lowlands of Quang Tri and Thua Thien provinces, reconnaissance is performed by a "white" team composed of two OH-6A's. These aircraft are lightly armed and vulnerable, but have good visibility and maneuverability. In the piedmont and fringes of the mountains the Cav uses one OH-6A and one AH-1G to form a "pink" team. The OH-6A performs the recon, and the AH-1G provides protection, navigation, and target destruction. In higher threat areas such as the A Shau Valley and Vietnamese salient a heavy pink team with UH-1H Command and Control aircraft is used. This team is composed of an OH-6A for reconnaissance, two AH-1G's for protection of the OH-6A and initial fire support, and the UH-1H whose primary function is to direct the team and to extract downed crews.

b. It became apparent that the OH-6A was too vulnerable to operate in the LAMSON 719 environment as a part of a recon team. It is too lightly armored and will not withstand the number of hits that the AH-1G will. As a result, the Cav troop commanders elected to

operate teams with two to six AH-1G's and a C&C aircraft. Former OH-6A scout pilots were used as AH-1G crew men, and the AH-1G was used as the primary reconnaissance vehicle. Although not designed for reconnaissance, the AH-1G proved a good scout vehicle. It had the ordnance to immediately engage enemy positions that threatened it, and had enough speed to make high speed runs through suspected hostile areas without unacceptable risks.

8. Support Requirements

a. LAMSON 719 reaffirmed that air cavalry squadrons, to be fully effective, must have immediate access to USAF support. The Cav has the ability to locate and record enemy targets, but frequently lacks the firepower to destroy them. Prior to LAMSON 719 the 2/17 Cav used the 101st Abn Div (Abn) Air Liaison Officer and control headquarters as its TACP, and FAC's were borrowed from the infantry brigades to provide USAF support in the Cav area of operations.

b. When LAMSON 719 began the Division ALO remained with Division headquarters and the brigade FAC's remained in support of their respective infantry brigades, and thus were not available for Cav support in Laos. As a result, even though TAC air and "out of country" FAC's were available during LAMSON 719, the Cav was initially unable to employ these assets because of a lack of knowledge of FAC frequencies, assigned areas, and USAF rules of engagement.

c. On 2 Mar 71, a TACP was attached to the 2/17 Cav at Khe Sanh, significantly improving and expediting air cav requests for TAC air support. In addition, one FAC was assigned to work with the air cav troops on the most lucrative targets. The FAC was shifted by the TACP to other troop areas of operations as targets were developed.

9. CO, 2/17 Cavalry Comments

a. The traditional missions of cavalry (reconnaissance, security, and economy of force) were all performed during LAMSON 719. From a cavalry viewpoint, the deep reconnaissance mission was most successful in that it accented the primary advantages enjoyed by US/ARVN forces over NVA, the mobility and firepower differential. The NVA were unable to counter effectively the reconnaissance in depth due to the large and constantly shifting area of coverage. The associated

freedom in use of supporting fires (TAC air, ARA, arty) not in close proximity to friendly troops, made the firepower and mobility advantages more apparent.

b. In a combat environment where the enemy poses an armor threat, air cavalry must have an adequate tank-killer capability. Once armored targets were acquired, the technique of fixing the target until more effective fires could be brought to bear was quite effective in LAMSON 719. This was accomplished, however, against the PT-76 which has very light armor plate. Against a true tank, the capability to fix such targets is very doubtful.

c. The OH-6A is marginally suitable as a scout vehicle in a low intensity environment. In a mid-intensity situation where an area is saturated with well-organized, multicaliber antiaircraft defense systems, the OH-6A is totally inadequate. This inadequacy is reflected in three critical areas. First, the aircraft will not sustain hits from weapons above .30 caliber and still fly home an acceptable percentage of times. Second, inadequate crew protection is provided (i. e., armor plate). Third, this aircraft does not have a weapon system suitable to the scout mission. The weapon system fires only straight ahead. In order to place suppressive fire on a target which has fired on the scout, he must go straight into the target. If he turns away (as he should) the target is left unsuppressed for a vital few seconds until the covering gunships are brought to bear. It is most desirable that future scout vehicles have a weapons system capable of firing to either side and approximately 135 degrees to the rear.

d. The AH-1G and the UH-1H (also organic to the air cavalry squadron) proved to be effective, rugged machines, entirely capable of adequate performance in the LAMSON 719 environment.

E. (U) COMBAT ASSAULTS

1. General

Organizing and conducting successful airmobile assaults is the ultimate objective of all airmobile operations and is the most difficult phase to achieve successfully. During the initial phase of LAMSON 719 ARVN forces assaulted into Laos on a wide front by establishing firebases RANGER, LZ 30, LZ 31, LZ DON, LZ BLUE, and LZ ALUOI. Air Mission Commanders were learning techniques for dealing with enemy antiaircraft weapons, adverse weather, new terrain and selection of LZ's.

2. Command Guidance

As the first month of LAMSON 719 ended, the ARVN campaign was progressing. However, a new battle plan was formulated, and on 1 March CG, I Corps announced his guidance. The 1st ARVN Infantry Division would attack west along the escarpment by establishing a series of fire bases--LOLO, SOPHIA, and would occupy HOPE. Each fire base would support the assault on the subsequent fire base. The CG, I Corps reaffirmed his goals by stating that the principal objective of the Republic of Vietnam was the landing of Vietnamese troops in the Tchepone area. The mission accomplishment of LAMSON 719 depended upon successful combat assaults in a mid-intensity environment.

3. Planning

a. Ground Planning

ARVN commanders conducted briefings daily to keep supporting units abreast of the situation and to generate planning among their staff. The aviation battalion commanders attended each of these briefings and knew at least 24 hours in advance what the supported division planned for the next day. The ground commander designated which area would be assaulted and gave his concept of the operation. The Air Mission Commander worked very closely with the Ground Commander to formulate the plan in reverse planning sequence. The

Ground Commander was especially concerned with fire support once on the ground and the number of aircraft required.

b. Aviation Planning

(1) Flight Routes

Flight routes were planned to avoid enemy antiaircraft weapons and to overfly friendly positions when possible. In the initial phase of LAMSON 719 these were not so important since distances to the fire bases and LZ's were limited; however, routes became very important when flying further west. Those aircraft utilizing fire bases as safe havens were practically all recovered, whereas others were lost in unsecured areas. During times of poor visibility the Xe Pon River was the only visible means of navigation and became a natural flight route. This was especially true during the assault of LIZ.

(2) Flight Altitudes

Previously 1500 feet was considered safe from ground fire. Heavy antiaircraft weapons in Laos drove the aircraft to considerably higher altitudes. Above 6,000 feet AGL the aircraft are subjected to 37mm and larger weapons while below 4000 feet AGL they were engaged by 12.7mm machine guns and smaller caliber. There was no safe altitude, but most flights conducted between 4000 and 6000 feet AGL were not successfully engaged.

(3) Weather

Throughout LAMSON 719 weather had a major effect on the timing of airmobile operations. Rain, early morning fog and limited visibility frequently delayed airmobile operations for the entire day. Weather was considered in the planning of all combat assaults, and as a result H-hour was a flexible time.

(4) Formations

Single ship trail formations showed early promise and were successfully used throughout LAMSON 719; these formations varied but were usually flights of ten. One-ship and two-ship land-

ing zones precluded the use of mass formation flying. The widely dispersed trail formation reduced the possibility of loss of more than one aircraft to a single engagement.

(5) Turn Around Time

Multiple lifts make the turn around time between the PZ and the LZ a critical factor. In the early phase of LAMSON 719 for assaults of RANGER, 30, 31, BLUE, HOTEL, etc., each aviation battalion competed for the use of the Khe Sanh POL facility. Schedules were difficult to follow in that each AMC had a fluid H-hour, and it was not uncommon to see several flights converging on Khe Sanh POL at the same time. When mass lifts were planned and all aircraft were supporting the same AMC (LZ HOPE) staggered refueling was used at FB VANDERGRIFT, Quang Tri and Khe Sanh.

(6) Aircraft Load

A standard ACL of six to seven troops was used by the 101st Aviation Group on previous operations with the ARVN and proved acceptable throughout LAMSON 719.

(7) Reconnaissance

The AMC conducted a joint reconnaissance with the Ground Commander to determine the routes of flight and LZ location. The critical factor was exact LZ and alternate LZ locations. In the initial phase of LAMSON 719, ground commanders were satisfied if the aircraft were landed in the general LZ area. (LZ RANGER was relocated approximately 800 meters just four minutes before arrival of the lift ships). During the assault of LIZ, relocation of the LZ 200 meters north to an alternate location was difficult.

(8) Coordination of Fire Support

The AMC planned the use of all weapons and recommended a fire support plan to the Ground Commander that would best support the operation. (See para 9, Landing Zones)

(9) Downed Crew Extraction and Aircraft Recovery

Two items always included in the planning were downed aircraft recovery and downed crew extraction. The number of aircraft allotted to downed crew extraction would vary with the size of the assault element. A figure of one extraction aircraft per ten lift aircraft was used most frequently. Planning for aircraft recovery was coordinated with the downed aircraft recovery center established by the 101st Aviation Group.

(10) PZ Selection

Throughout LAMSON 719, pickup zones for combat assaults were established by the Ground Commander of the assault forces. When the PZ was located on known friendly terrain, little deviation from established considerations occurred. When the PZ was located on known or suspected hostile terrain, a variety of new considerations developed for determining the best area from which the friendly forces could be extracted. The primary threat to pickups was enemy direct and indirect observed fire. The solution was to locate the PZ in defilade, in terrain that aircraft could hide their approach paths without the risk of small arms fire. PZ's behind the shoulders of nearby ridge lines, and the back slopes of hills held these advantages.

(11) LZ Selection

The initial reconnaissance with the Ground Commander should determine if the LZ meets both the criteria from the aviation view and the tactical plan of the Ground Commander. Alternates were suggested and often approved. (See par 3b(7) Initial Reconnaissance).

(12) Planning Time

The AMC usually had sufficient time for the formulation of his plan and a briefing of all flight commanders prior to the assault. Briefing of flight crews was usually conducted just prior to launch.

4. Command and Control

a. General

The Air Mission, Ground Commander, their deputies and staffs who plan, direct and coordinate, composed the command and control element. Control was usually airborne in a command and control UH-1H aircraft. Alternate leaders were appointed, and a clearly designated succession of command down to the lowest level was established.

b. Command and Control of Aircraft

To control operations during LAMSON 719, the AMC had with him the Ground Commander or his representative, an ARVN artillery liaison officer and an interpreter, when available. Due to the time required to complete the larger operations, alternate AMC's were designated, each with a corresponding Ground Commander's representative. When the PZ was a field location, command and control aircraft were necessary to insure a smooth flow of traffic into the PZ. Command and control aircraft were also designated for aircraft recovery and downed crew extraction operations. These additional command and control elements enabled the AMC to focus his full attention on the assault phase of the operation.

c. Radio Nets

The AMC maintained communications with the Air Force FAC on FM and VHF. VHF was also his primary means of communication with his reconnaissance element, the cavalry, who was given control of all airborne fire support elements prior to the assault. Flight control was maintained on UHF with each flight commander. FM secure was used extensively to communicate secure information and to make recommendations for changes in the basic plan. Only UH-1H aircraft of the 101st Abn Div (Am) were equipped with a secure capability, and this limited considerably the flow of classified information and situation reports. All aircraft monitored the UHF command net.

b. Final Reconnaissance

On the day of the combat assault, the troop no longer concealed the location of the LZ. Along with the AMC and Ground Commander, the cavalry troop directed air strikes and TAC air on the LZ. When the AMC and Ground Commander judged the LZ and approaches to have been adequately prepared for the combat assault, they shifted the supporting fires and directed the air cavalry to conduct low-level reconnaissance of the LZ to determine if it was ready for the combat assault to begin. This final reconnaissance just before launching of the combat assault was the most crucial reconnaissance of all. The AMC and Ground Commander usually approved the cavalry commander's recommendation either to begin the combat assault or to employ additional preparatory fire power. On SOPHIA, the cavalry drew 12.7mm fire on their final reconnaissance of the LZ. The AMC and Ground Commander approved the cavalry commander's recommendation to employ additional preparatory fire power. More than an hour of additional preparation was put on specific targets the cavalry troop had located, concentrating heavily on gun emplacements. The cavalry then conducted another final low-level reconnaissance and advised the AMC and Ground Commander that the LZ was now ready. Once again the AMC and Ground Commander concurred with the cavalry commander's recommendation, and the assault was commenced.

6. Staging

The staging phase of a combat assault enabled the AMC or his representative to assemble all of his assets and conduct his crew briefing. The staging area was always in a secure area and close to the combat area with all aircraft involved using the same staging area. The massing of large numbers of aircraft in one area close to the combat area ran a risk of presenting the enemy with a lucrative target for his long range weapons. The combat assault of LZ HOPE was staged from Khe Sanh on 6 March. 120 lift ships were subjected to incoming 122mm rocket fire prior to launch time. Fortunately all aircraft departed the area without damage. The advantages of this method of staging were an early formation of the flight, insurance that everyone received the same briefing and the erased necessity to refuel the flight prior to completion of the first lift. These factors all aided in reducing confusion in a most difficult phase of airmobile

operations. Possibly the most important advantage of staging close to the combat area was the immediate reaction time of the flight in the commencement of the mission.

7. Pickup Zones

a. Selection

(1) Security

When possible the PZ was located in a secure area to reduce the complexity of the combat assault. On occasions troops to assault were extracted from a hostile environment, as in the case of the assault on LZ LOLO.

(2) Preparation

The PZ's were chosen and prepared to minimize the length of time the aircraft were required in the PZ to make their pickup of troops.

b. Coordination

When the PZ was a field location, coordination and timing became extremely important. If the aircraft arrived and the troops were not ready, the flight had to either hold in orbit or return to the staging area. This resulted in allowing the enemy to guess our intentions and wasted valuable blade time. When the troops were ready and the aircraft were not, the massed troops became inviting targets for indirect fire attacks by the enemy.

c. Control

It was found advantageous to have a PZ control party. These personnel insured that the troops were broken down into aircraft loads to facilitate orderly and rapid loading of the aircraft. PZ control also informed the AMC and Ground Commander of the number of sorties remaining in the PZ and any problems which arose. This was done on the assault of LZ RANGER and resulted in a smooth operation. The technique was continued for all later operations.

8. Flight Routes and Altitudes

a. General

The two major considerations of the enroute phase of the combat assaults during LAMSON 719 were the flight routes and altitudes to be used. Factors to be considered were the deployment of enemy antiaircraft weapons, weather, artillery fires, and the overflying of friendly positions. During LAMSON 719 flight altitude of 4000 feet AGL was found to keep the aircraft out of 12.7mm range. On the major assaults of early March, the late afternoon haze combined with the setting sun made navigation almost impossible for flights to the west. The Xe Pon River was the only navigational aid which proved to be effective. This necessitated all afternoon flight routes to be flown in close proximity to the river. When possible, flight routes passed over fire bases to afford the flights safe havens to be used for precautionary or forced landing areas.

b. Aircraft Control Points

The use of large numbers of lift aircraft broken into multiple flights coupled with the navigational problem and the extremely hostile environment, required extensive use of control points. This permitted the AMC to adjust the flow of aircraft to meet the changing situation.

c. Route Escort

Gunship escort of the flight route was provided by the ARA, cavalry gunships, and escort gunships. These aircraft would follow the lift aircraft's flight route to and from rearm/refuel. Enroute enemy fire was engaged by these aircraft. If their fire support was not sufficient, the flight route was shifted until either airstrikes, TAC air, or artillery or a combination of these had neutralized the enemy fire.

9. Landing Zones

a. Preparation

(1) Airstrikes and TAC air

The preparation of a LZ was not limited to the LZ itself. In the days prior to the assault, airstrikes and TAC air were employed on both preplanned and targets of opportunity detected by the air cavalry reconnaissance. Airstrikes were also used to clear LZ's within the designated areas.

(2) Artillery

On the day of the assault, after fully employing airstrikes and TAC air, tube artillery was fired on the LZ. The artillery preparation was not always used due to range limitations, the rapid execution of the operation, and the requirements for airspace. For example, early in the afternoon of 4 March, the 1st Infantry Division Commander decided to assault LIZ without artillery preparation rather than wait until 5 March when the ARVN artillery on LOLO could have been employed.

(3) ARA

When artillery fires were completed, the ARA began their fires. The ARA, under direction of the cavalry unit commander, placed their fire in and around the LZ on known or suspected enemy targets until the lift aircraft arrived.

(4) Escort Gunships

The escort gunships fired suppressive fires along the approach path and around the touchdown point of the lift aircraft. The transition from one type fire to another must be accomplished rapidly to provide continuous fire support in the LZ area.

b. Control

Due to the intense resistance by the enemy, control in the LZ area during LAMSON 719 was more difficult than previously experienced. As a result, control became a more critical consideration. Indirect fire placed on LZ's required rapid unloading of troops. Pockets of intense small arms and antiaircraft fire required strict adherence to prescribed approach and departure paths. Decreased visibility in the LZ areas necessitated the dropping of a smoke grenade in the LZ to mark the touchdown point for the following aircraft. The small size of most LZ's made necessary the landing of lift aircraft one at a time. Even when the landing zones were quite large, the flights would touch down with extended separation to minimize damage to both aircraft and troops during the frequent indirect fire attacks employed by the enemy.

c. Fire Support

(1) Airstrikes, TAC air, and Artillery

While the lift aircraft were assaulting the LZ, the use of fire support was restricted to greater distances from the LZ. Airstrikes, TAC air and artillery all were employed on targets on surrounding terrain or along the flight route in areas where they would not greatly restrict the flow of the assault. Throughout the assault on OBJ HOPE Air Force fire power was employed on the higher ground to the north. It effectively suppressed all antiaircraft targets detected by the air cavalry teams. TAC air was also used during LAMSON 719 to lay smoke screens near the LZ to shield it from direct observation by the enemy.

(2) Employment of Smoke by US Air Force

High performance aircraft utilizing CBU bomblets were used extensively throughout LAMSON 719 to deny the enemy visual observation of the helicopters during the critical approach to the departure from the LZ/PZ. A one hour lead time was usually necessary to obtain the coverage desired by the AMC. The bomblets were

very effective and usually accurately delivered. Some problems involving troop safety criteria and timing were encountered. In support of the combat assault of LZ SOPHIA, the requested direction of the screen could not be accommodated so an alternate was selected. After the first pass a slight adjustment was made in direction. The second pass exceeded the troop safety criteria and the mission was aborted. The combat assault of LZ HOPE was initiated ten minutes early because of an indirect fire attack on the staging area. When called upon to deliver early, the smoke aircraft were in the process of airborne refueling. As a result the smoke arrived ten minutes late.

(3) ARA, Cavalry Cobras, and Escort Gunships

The close support of the lift element was provided by ARA, Cavalry gunships, and escort gunships. During the assault on OBJ HOPE, these armed helicopters were employed throughout the entire area. One cavalry troop screened to the north and west and also employed TAC air on targets detected. One cavalry troop screened to the south along the approach path. ARA was in a high orbit over the LZ and employed on targets detected by the cavalry. The UH-1C gunships provided coverage of the valley floor south of the LZ. AH-1G escort gunships provided coverage for the lift aircraft from the release point at SOPHIA to the LZ.

10. Gunship Requirements

a. Demand

In the early stages of LAMSON 719, it became quite apparent that the role of the armed helicopter was vital to the successful accomplishment of the airmobile mission, whether combat assault, extraction, medevac escort, re-supply, or aircrew recovery. Due to the amount of enemy antiaircraft fire throughout the area of operation around LZ's and PZ's, the number of gunships required to provide security for the UH-1H lift aircraft increased significantly. Based on this need, the amount of gunships increased from the normal one light fire team (i.e. 2 gunships) covering up to twenty UH-1H's to approximately one light fire team for every five UH-1H's. This increase created a major control and allocation problem.

b. Control

Initially it was necessary to place one escort gun team leader in charge of all escort guns, and he employed his assets upon command of the AMC. A later innovation was to place the escort gunships under control of the cavalry commander for integration into the fire support effort. This tactic was first used in the assault of LZ LIZ. As more gunship assets became available to the ground force commander, distinct areas of responsibility were assigned. Examples of this were gunship coverage along the flight route with the mission of suppressing enemy fire, gunship coverage from RP to the LZ with primary responsibility to the LZ area. By dividing these responsibilities, the AMC had his assets in position to effectively engage enemy antiaircraft positions along the entire flight route without diverting his escort gunships from the lift aircraft.

11. Resupply Requirements

Considerations which were made during combat assaults also held true for resupply missions. These often developed into mini-combat assaults requiring fire support and a command and control element. Besides those problems normally associated with combat assaults, other problems were encountered during resupply missions. Units were not at the grid coordinates where they were scheduled to be. When aviation support elements requested the ground to display smoke to mark their location, the enemy also employed smoke. Later operations were conducted with one ARVN with a radio on board the aircraft to assist in locating the ground units and help unload supplies. One problem arose from the reluctance of the ARVN to talk on the radio unless their correct callsign was heard. Initially the callsigns used were from the ARVN SOI, and if the US pilot failed to pronounce the callsign properly, he received no response. This was solved by assigning the advisor callsigns, consisting of only letter designations (QY, CFW, etc.) to the ARVN battalions themselves.

F. - (U) COMBAT EXTRactions

1. General

Extractions were accomplished of both units on fire bases and units in field locations. It was known that each fire base established would require an extraction. The NVA knew this also and located antiaircraft weapons and mortars in very close proximity to each fire base. These weapons harassed the resupply effort throughout the operation and eventually blocked or impeded attempts at extraction. Friendly forces on the ground were faced with securing the areas surrounding the PZ or fighting their way to another location for pick-up. Fire bases occasionally became impediments to the commander unless he was willing to leave the artillery tubes and move. In an airmobile mid-intensity environment an assessment had to be made of the cost of artillery pieces versus the cost of the extraction aircraft and the risk to the air crews. Extraction of units in heavy contact was difficult to plan and costly to execute.

2. Planning

a. Concept

Extractions had an inherent hazard not experienced in the combat assault. The element of surprise was lost. The NVA knew where the aircraft were going and were usually registered on the PZ prior to arrival. HOTEL II provided a good example. All attempts to extract from the fire base itself failed. A successful extraction was predicated upon neutralizing the enemy direct and indirect fire weapons and limiting his observation of the PZ and the aircraft. Detailed planning for this aspect of the extraction was necessary. The integration of supporting fire with the capabilities of the cavalry and the FAC were essential in neutralizing enemy resistance around the PZ to enable the ground unit to break contact and be extracted.

b. Aircraft Requirements

On several extractions complicated by heavy enemy pressure, an accurate troop count could not be obtained by the ARVN ground commander. This resulted in overcommitment and consequent exposure of aircraft. The correct number of aircraft to perform the

mission should be arrived at jointly by the Ground Commander and the AMC in the early planning phase if possible.

c. Flight Altitudes and Routes

Primary and alternate flight routes and altitudes to avoid antiaircraft fire and afford good visual navigation became particularly important when the 30-second separation trail formation was selected. If any aircraft became lost, those behind that aircraft were also lost. Flight routes were cleared prior to launch to avoid friendly artillery and airstrikes. The visibility during LAMSON 719 was generally poor and deviation from prescribed flight routes was common and sometimes costly. Flight over the escarpment south of the river at 6000 feet was usually considered safe. Additionally, the safe havens of HOTEL and DELTA were available for emergencies.

d. Aircraft Load

The density altitude throughout the area required a standard aircraft cargo load (ACL) of seven troops for extraction. Actually, some aircraft extracted as many as 15 troops. PZ control was difficult throughout the operation.

e. Identification of Friendly Troops

Positive identification of friendly troops around the PZ was seldom achieved and the maximum use of TAC air, ARA and escort guns could not be accomplished. Additionally, the hugging tactic of the enemy around the PZ placed them so close to the ARVN elements that accuracy was more important than volume and enemy antiaircraft weapons and small arms fire were never completely eliminated.

3. Command and Control

The same command and control techniques described in combat assaults were necessary in combat extractions. On one occasion, an extraction from a PZ in contact just west of DELTA preceded the combat assault into LOLO. An additional command and control aircraft was required to conduct the combat assault.

4. Pickup Zones

a. Locations

Pickup zones were usually fire bases or night defensive positions (NDP's) and the ground troops were generally in contact. Touchdown points were identified by a high visibility panel or smoke.

b. Reconnaissance

The reconnaissance conducted by the cavalry located and neutralized enemy antiaircraft positions. However, the distance between the friendly elements and the enemy around the PZ was so limited that a reconnaissance and screening in depth could not be conducted without taking friendly casualties. Upon the recommendation of the cavalry commander, the final flight route was selected. The exit route recommended was usually the same because of the difficulty in neutralizing enemy fire on two routes.

c. Preparation

As the lift ships neared the release point, they were escorted by additional gunships into the PZ. Suppression below and around the flight path was conducted by the escort guns while ARA AH-1G's, after completing their preparation, circled overhead for on-call fire support. During the extraction phase, the supporting fires were violent and continuous, denying the enemy access to his weapons positions.

d. Special Characteristics

Extractions of troops in contact began early in the operation. The extractions of both LZ RANGER and FB HOTEL II were conducted during periods of heavy contact. The aircraft were forced to come directly into a ground combat environment while in the PZ. Combat extractions throughout LAMSON 719 were characterized by similar adversities.

e. Downed Crew Extractions

Downed crew extraction aircraft followed their flight but remained at altitude.

5. Fire Support

The competition for airspace required that a geographical area of responsibility be prescribed for fire support control. It consisted of a 1000 meter zone around the PZ where permission to fire could be granted only by the Ground Commander. Areas were assigned to each fire support system (TAC air, ARA and escort guns) for suppression and destruction. A separate area was designated for screening by the cavalry, and on-call TAC air smoke missions were planned by the AMC to screen the most vulnerable flank. A smoke screen was used during the extraction of the 4th Bn, 1st Regt, 1st ARVN Inf Div. The CBU smoke exceeded troop safety limits and was immediately terminated by the FAC. When hard targets beyond the capability of the gunships were discovered, the gunships would mark the target for the FAC and move to another area. After the extraction was completed, control of all fire support means was transferred to the cavalry commander. This was done to inflict as much damage as possible to the enemy. The lift aircraft returned by the same route unless it was interdicted by antiaircraft fire or weather.

~~CONFIDENTIAL~~

G. (C) HEAVY LIFT OPERATIONS

1. General

a. Purpose

To depict the participation of medium and heavy lift helicopters in Operation LAMSON 719.

b. Scope

This subsection will address all aspects of the operation involving medium and heavy lift helicopter. It will include enumeration, analysis and discussion of the planning, coordination, conduct and control of all support rendered. Support aspects to include intelligence, fire support, maintenance, and communications will also be considered. The final section of the report will summarize support provided and the results of enemy actions.

c. Organization for Combat

(1) Organic Units

The 159th Aviation Assault Support Helicopter Battalion, 101st Aviation Group, with three TO&E assault support helicopter companies and the attached 478th Aviation Heavy Helicopter Company (HHC) formed the nucleus of the medium and heavy lift forces.

(2) Non Organic Units

(a) The 132d and 179th Assault Support Helicopter Companies (ASHC) from 1st Aviation Brigade assets, were placed under OPCON of the Commanding Officer, 159th Aviation Battalion.

(b) The 463d Helicopter Marine Heavy (HMH) Squadron, USMC, was placed in support of the 159th Aviation Battalion, on a mission bases.

(3) Operational Bases

(a) The organic units operated out of their permanent

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

base camp facilities, with the three letter companies located in the vicinity of Phu Bai airfield and the 478th Aviation Company at Red Beach, Da Nang. To improve response times, two to three 478th aircraft were staged at Phu Bai airfield each night.

(b) The 132d Assault Support Helicopter Company was based at North Phu Bai adjacent to and sharing maintenance facilities with Company B, 159th Aviation Battalion.

(c) The 179th Assault Support Helicopter Company occupied a previously abandoned CH-47 revetment area at Camp Eagle.

(d) The 463d HMH Squadron operated out of a permanent base camp at Marble Mountain Airbase, Da Nang.

2. Mission

a. Provide medium and heavy lift capability, in support of combat assault operations, for two ARVN Divisions; one Vietnamese Marine Division; an ARVN Ranger Group; Corps Artillery units; elements of the US 101st Airborne (Airmobile), 23d Infantry, and 5th Infantry (MECH) Divisions; elements of US 7th Air Force; and Da Nang Support Command.

b. Conduct normal and emergency resupply of fire bases and base camps.

c. Perform administrative and tactical troop movement.

d. Accomplish recovery of disabled aircraft.

e. Perform MEDEVAC and special missions on call.

3. Intelligence

a. Collection, Evaluation, and Dissemination

All intelligence from sources outside the 159th Avn Bn and its subordinate units was obtained from either the 101st Avn Group S-2 or the 101st Airborne Division (Airmobile) G-2. Raw information from agent reports, visual reconnaissance, radar, sensors, captured documents, POW's, and other sources was evaluated by either the 525th

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

MI Group, the 517th MI Detachment of the 1st Brigade, 5th Infantry Division (Mech), or, the 101st MI Detachment of the 101st Abn Div (Ambl). From these agencies, the intelligence followed the normal dissemination chain to the 101st Abn Div (Ambl) G-2 and the 101st Avn Gp S-2. There was, of course, an exchange of intelligence with RVN forces at division level. Intelligence was also generated by elements of the 101st Avn Gp. Intelligence mainly concerning antiaircraft fires, was obtained from air crews organic to or supporting the 159th Aviation Battalion. Some intelligence was obtained through liaison meetings and direct contact with personnel from other units.

b. Use

Intelligence was collected by the battalion S-2 section and passed on to the aviation companies, staff sections, and other interested personnel through formal briefings and informal visits. The S-2 and each subordinate unit maintained an intelligence map showing information of interest to the air crews and commanders. All pilots were briefed prior to starting a mission. Fresh intelligence was passed by radio as obtained. Air Mission Commanders received detailed briefings during the planning phases.

c. Impact on Operations

Intelligence on enemy fires was a major factor influencing selection of flight routes and altitudes. It also affected tactics employed and the timing of the operations.

d. Analysis

Although the intelligence used was rather limited in scope, in that it concerned mainly enemy antiaircraft fires, it continued to have a major influence on the mission. The intelligence obtained, and the methods used to obtain it, were adequate for an operation of this type.

4. Operations

The conduct of Operation LAMSON 719 brought into play all of the

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

functional areas usually associated with major airmobile operations. The particular manner by which planning, coordination, command and control, fire support, communications, and maintenance were affected and conducted is outlined below. Additionally, each of the various types of missions performed by the medium and heavy lift elements.

a. Planning

(1) The planning for heavy and medium lift operations during LAMSON 719 was conducted at battalion level by the battalion commander, his staff, and the company commanders.

(2) Pre D-Day planning was initiated on 28 Jan 71. General areas of consideration during planning were the organization for operations, command and control, displacement forward of a battalion operations center, maintenance requirements, and staging for the operation.

(a) A forward battalion operations center was planned to be established at Khe Sanh with the mission of planning, controlling, and coordinating the battalion's operations forward. The BOC (forward) would collocate with the 101st Aviation Group (forward) to facilitate operations.

(b) Consideration was then given to the staging of aircraft out of Khe Sanh, and the concept was evaluated. It was projected that a company would stage out of Khe Sanh on a rotational basis, maintaining operations forward for two weeks at a time. This concept was subsequently discarded because the enemy situation made staging at Khe Sanh overly hazardous; there were no suitable areas available for parking and maintaining the aircraft; and the physical security of the aircraft and equipment would require excessive amounts of manpower. In addition, consideration was given in support of a contingency plan for moving supplies from the rear to the forward area of operations. This plan would best be supported by staging out of rear areas in the vicinity of Phu Bai. Taking all these factors into consideration, the final decision was made to stage out of the Phu Bai area.

(c) Maintenance in the forward area was of interest during planning and the suggestion for using a maintenance team at Khe Sanh was considered. It was resolved that since the aircraft

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

would be staging from base areas at Phu Bai, the additional support forward would not provide the best use of maintenance personnel or their equipment. Further, such a maintenance operation would be so narrow in scope that the assistance provided by such a maintenance team would be negligible.

(3) During the preparation for operations, it was determined that all command and control, coordination, and mission planning would be conducted by the BOC (forward) through use of LNO's, C&C elements, AMC's, and flight leads. It was anticipated that BOC (forward) would plan its missions as received from Group and then pass the requirements through the CP main, located to the rear, to the companies for implementation. Moreover, the control channels would originate from the BOC and then be directed through either the AMC, C&C, and/or flight lead as required to meet the mission. Coordination would be handled by commanders conferences, AMC briefings, and LNO's provided to the BOC.

(4) Analysis of Planning Revealed

(a) Long range planning would be limited at battalion level. This was due primarily to the tactical environment and the very nature of airmobile operations. In order to overcome this disadvantage, a great deal of the inherent flexibility was incorporated into each operational plan.

(b) Logistic planning on a day to day basis must be as accurate as possible when passed to the unit required to execute the tasks. Unless accurate information concerning sorties and tonnage is available in the planning stages, the commander cannot determine the number of aircraft required to perform the assigned tasks, and unnecessary delays in the completion of the tasks may result.

b. Command and Control

(1) The command and control element of the battalion headquarters was subdivided into two elements with the battalion commander in charge of the forward CP and the executive officer in charge of operations at the home station in Phu Bai. The forward CP was manned to

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

perform operations on a 24 hours basis with the following personnel:

- (a) Battalion Commander
- (b) S-3
- (c) Operations Officer
- (d) Duty Officer (SD from CH-47 Company)
- (e) 3 Radio Telephone operators
- (f) 2 Communications personnel
- (g) 1 Generator operator/driver

(2) The shifts divided with the bulk of the personnel present during the operations day (0700-1900) and the remainder on duty during the night, planning and consolidating requirements. The commander and S-3 were present and functioning in their respective areas through portions of both shifts. The command and control was effectively extended to the operational area by use of the C&C aircraft by the battalion commander and S-3.

(3) The rear CP was also manned on a 24-hour basis, using personnel from the letter companies to supplement the remaining staff. The rear CP was used to receive and compile mission aircraft requirements, and to allocate the missions to each of the assigned and attached units.

(4) Command and Control (C&C) Aircraft

The forward command post was furnished a UH-1H to supplement the organic OH-6A helicopters. These aircraft were used to control assault support, resupply, and extraction operations. Personnel from the forward CP conducted liaison visits to supported units, briefed air crews, and monitored flight routes to and from the landing zones and fire support bases. These aircraft were further used to reconnoiter landing zones, make weather checks, and otherwise assist the mission leaders in the successful execution and completion of their tasks.

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

c. Fire Support

(1) Employment

Fire support means employed in support of the heavy lift effort required a closely coordinated plan to give maximum coverage of the area.

(a) The 2d Squadron, 17th Cavalry, performed a recon role and provided recommended routes of flight into and out of landing zones. Additionally, the Cav screened selected area during the mission to discourage indirect and small arms fire. The Cav AMC and the 159th Avn Bn AMC worked in close coordination before, during, and after the mission to take advantage of the valuable information provided by the 2d Squadron, 17th Cavalry.

(b) Gunship escort was provided by both UH-1C and AH-1G aircraft. The AH-1G was preferred because of the large fuel capacity, resulting in longer station time. The gunships escorted the heavy lift aircraft into the LZ and provided coverage in the vicinity of the LZ, putting suppressive fire on active enemy locations. The gunships further developed the flight routes into the LZ by drawing enemy fire, enabling the heavy lift aircraft to avoid the active areas.

(c) AH-1G aircraft from the 4th Battalion (Aerial Artillery), 77th Artillery, delivered suppressive fire on enemy locations prior to and during missions. They were not engaged in direct escort of the aircraft; therefore, they were free to engage suspected targets in their specified area.

(d) TAC air strikes were sometimes used in conjunction with the heavy lift missions; however, a forward air controller was always on station in an area around the LZ with TAC air on call. The concept of having a FAC over suspected enemy artillery position while the resupply mission was in progress seemed to have some effect in reducing attacks by indirect fire. TAC air strikes were coordinated with Cav operations to establish approach routes to the LZ. Air strikes were employed on suspected enemy locations in the flight path. Upon completion of the air strikes, the Cav reconnoitered the area to assess

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

the effectiveness of the air strikes. The use of smoke ships was another type of TAC air employment. The Air Force had smoke available on call. The smoke was used to help conceal the aircraft enroute and on approach to the LZ.

(e) Artillery fires were available from US and RVN-AF units. Preplanned artillery was fired on suspected enemy locations before and during heavy lift efforts. The 159th Avn Bn AMC closely coordinated with the supported unit to insure accurate and timely artillery fire on the desired locations. The artillery was fired into areas not being covered by the ARA or TAC air.

(2) CO, 159th Aviation Battalion Comments

The 159th Avn Bn accomplished its mission of medium and heavy lift support to LAMSON 719. The proper use of all available fire support facilitated this accomplishment. On numerous occasions aircraft were forced to abort the mission because of heavy antiaircraft and indirect fire on the LZ's. After applying artillery and TAC air, renewed attempts were made to accomplish the mission. On very few occasions, the enemy was able to prevent the aircraft from getting their cargo onto the LZ. The rare times the enemy was successful were a result either a, effective long range artillery or exceptionally heavy direct fire, both small arms and antiaircraft fire, all around a fire base. When activity became this intense, even the less vulnerable UH-1H aircraft were unsuccessful in resupply attempts, such as occurred at Fire Base DELTA in the last days of the operation. An adequate number of gunships was not always available because of combat damage, maintenance problems, and combat assault requirements. The large number of fire bases demanded more than one flight of heavy lift aircraft to accomplish all missions. Additionally, to effectively use the cargo aircraft, it was desired to keep gunships on station continually. This was not possible at times and resulted in some missions being delayed while the gunships refueled. A strong recommendation for future operations of this nature would be to attach a gun company to the assault support helicopter battalion. This would facilitate command and control, briefings, and coordination, making that unit directly responsive to the needs of CH-47 and CH-54 aircraft for all types of missions.

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

d. Assault Support Operations

(1) Organization for assault support operations varied, depending upon the nature of the operation, the turn-around time and the number of sorties to be moved or the time available for completion. A mission leader, normally one of the assault support company commanders, was appointed for each operation. The number of aircraft used varied from four to twelve. When the number exceeded eight, two flights were used to facilitate control. Aircraft for each operation were drawn from one or more of the assault support helicopter companies. On several occasions, heavy lift support by the CH-54 or CH-53 was used to insert heavy equipment loads such as bulldozers, backhoes and 155mm howitzers.

(2) Planning for assault support operations was performed by the battalion forward command post, and most often was short range in nature. The mission lead assembled his aircraft at a designated area, and the mission lead and aircraft commanders were briefed by personnel from the forward CP. The briefings entailed flight routes, altitudes, aircraft separation and locations of known antiaircraft weapons and enemy ground units. Detailed planning to include preplanned fires by artillery, close air support, and air cavalry and gunships, was accomplished prior to briefing the air crews.

(3) Sound tactics were an absolute necessity to insure that the battalion aircraft took a minimum of significant hits while operating in a mid-intensity conflict.

(a) Tactical considerations called for selection of flight altitudes, where possible out of range of small arms fire and beyond the effective range of most antiaircraft weapons. It was found that the aircraft took the largest number of hits when operating below 3000' above ground level.

(b) Flight routes were determined after analyzing "shot at" and "hit" reports, as well as intelligence reports of enemy locations. "Hot" areas were bypassed when consistent with the accomplishment of the mission.

~~CONFIDENTIAL~~

~~CONTINUED~~

(c) Approaches and departures from landing zones (LZ's) were determined after reviewing the enemy situation around the LZ. Generally, approaches were steep, spiraling descents in close proximity to the LZ. This was done to minimize flight time at low altitudes and to avoid enemy antiaircraft positions.

(d) A variety of formations was used to optimize the effectiveness of support operations while minimizing vulnerability to enemy actions. Aircraft were frequently separated in both altitude and distance to inhibit the enemy's ability to strike at multi-aircraft formations; however, it was necessary to land the maximum number of loads in the shortest period of time because of the enemy's ability to place mortar fire on the LZ's when they saw aircraft on final approach. Usually, the first two or three aircraft would be able to deliver sorties into the LZ before it came under indirect fire. This situation led to the employment of smaller flights (two to three aircraft) or by separating larger flights into two sections of two or three aircraft each with time/distance separation between the sections.

(e) Another tactic employed to reduce enemy effectiveness was to give a flight the requirement to support several fire bases. This gave the flight leader the flexibility to have his flight alternate between missions by delivering sorties to one base, then to another, and back again to a third base or the first base. This technique permitted efficient operations with a minimum of wasted blade time and tended to confuse the enemy and reduce his responsiveness.

(f) CO, 159th Aviation Battalion Analysis of Tactics

1. It was found that tight formations, straight line formations and low level operations tended to increase vulnerability of aircraft to enemy action. Tight formations have a primary advantage of enabling door gunners to provide suppressive fire; however, because of the positioning of friendly forces near forward fire bases, this advantage was negated. Because of the greater vulnerability of aircraft in tight formations, this tactic was used only when the threat of indirect fire was the primary consideration.

2. Vietnamese (ARVN) pathfinders were often not able

~~CONFIDENTIAL~~

to brief air crews on the current tactical situation around the fire bases. As a result, escort gunships were sometimes unable to get an assessment of friendly locations and could not engage potential targets. Also, lift aircraft could not plan their approach and departures bases on the most current tactical situation.

3. The ARVN pathfinders also were not briefed on the US use of colored smoke and would frequently mark an area for a load with red smoke, which, to the pilot, indicated the LZ was under attack.

4. Pickup Zones (PZ's) were located in South Vietnam and were normally adjacent to major command headquarters. Control and organization of the PZ's was facilitated by having U.S. pathfinders and riggers in the PZ to control the air traffic and to advise in the preparation of loads. Loads were normally well organized in the PZ's to permit multiple aircraft to work in the PZ simultaneously, while working the same mission or multiple missions. Police of the PZ's was adequate to prevent damage to aircraft or injury to personnel. In isolated cases, the PZ's could have been rendered more suitable with the removal of several tall trees. Liaison officers from the assault support helicopter battalion were placed with the major allied headquarters and proved invaluable in coordinating the PZ times, loads and priorities for delivery.

5. Landing Zones (LZ's) were in South Vietnam and Laos. Sites selected were usually on high ground and were basically unimproved when the first medium and heavy lift loads arrived.

a. The first sorties delivered normally were clearing and earth moving equipment for improvement of the landing zone. Seldom was the time lapse between the delivery of clearing equipment and the first loads of combat equipment sufficient to allow substantial improvements. In some instances, the ground units were directing loads into areas with tall trees surrounding the desired delivery point. Maneuvering in these areas at altitudes of 2500-3000 feet above sea level and density altitudes of 5000-6000 feet became critical. Variations in the weights of loads which appeared identical contributed to the difficulty of handling the loads in the landing zones. Very few

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

loads were jettisoned or damaged during delivery; however, improvement of the LZ's progressed concurrently with the insertion and in many cases had produced suitable areas by the time the last sorties were delivered.

b. Communications with the allied LZ's in South Vietnam was adequate because of the use of American advisory personnel as radio operators. Communications with LZ's in Laos was normally inadequate because of the lack of trained English speaking controllers in the LZ's. On one occasion an assault support operation involving six medium lift helicopters was aborted and delayed more than one hour because of a lack of communication between the aircraft and the ground unit. One exception was the 1st ARVN Infantry Division, which had adequately trained English speaking controllers. These personnel greatly enhanced the smoothness of the operation.

c. Fire support for assault support operations was in varying degrees and forms. The most common fire support used was in the gunship CAP of the landing zone and the escort of each medium or heavy lift helicopter into the LZ. On many occasions the preparatory fires ignited large scale grass or range fires that filled the air with smoke, dust and haze and made locating the LZ's extremely difficult. On more than one occasion, a command control ship had to individually escort the medium and heavy lift aircraft through the smoke and haze to the LZ.

(4) Example of Assault Support Operations

The mission in support of the insertion on LZ LOLO was assigned to the 159th Assault Support Helicopter Battalion with the assistance of the 132d Assault Helicopter Company, OPCON to the 159th, and the III MAF Squadron HMH 463. The support requirement included 70 sorties totaling 265 tons.

a. The AMC for the troop lift was the S-3, 223d CAB; and the heavy lift was under the control of the CO, 159th Aslt Hel Bn. The planned sequence of movement included completion of the troop lift prior to the first medium and heavy lift aircraft. This would avoid the mixing of UH-1H aircraft with the medium and heavy lift aircraft.

~~CONFIDENTIAL~~

The flight route was north of Highway 9 and the Xe Pon River, proceeding on a westerly heading until abreast of the LZ, at which time a left modified high overhead approach would be initiated ending in an upwind landing.

b. Gunship cover in the vicinity of the LZ was under the control of the troop lift AMC, giving him as much flexibility as possible with his fire support. Three sets of guns were given the role of direct support to the 159th elements under mission control of the C&C for that element. The 159th mission commander planned on using the three sets of guns by maintaining two sets on station over the LZ throughout the heavy and medium lift portion of the insertion. The remaining set of guns would be used to relieve alternately the other sets of guns on station. The relief set of guns would be on call at the rearm pad at Khe Sanh, and directly responsive to the C&C.

c. It was decided that one flight consisting of ten aircraft would be used for this operation. This flight of ten aircraft was further divided into six CH-47's and four CH-53's. The Marine element was placed under the control of the Army element which facilitated both control and coordination between these units. The use of one flight combining both the heavy and medium lift aircraft further allowed greater flexibility and mission responsiveness than had been experienced by the 159th in previous operations with the Marine aircraft.

d. Two minute separation between aircraft was considered to be the best separation time. This time was arrived at with due consideration for aircraft separation in the LZ and PZ, while still permitting maximum flight control by the C&C. Heavy emphasis was placed on maintaining proper separation by observing the posted enroute flight air speed of eighty knots and a return air speed of one hundred and ten knots.

e. The formation most logically chosen for the flight was trail, again maximizing control and coordination, while allowing maximum maneuverability and flexibility.

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

The tactical extraction of the fire bases by medium and heavy lift helicopters was completed using the same basic organization, planning and tactics employed during assault support and resupply operations. Medium and heavy lift helicopters were employed during the extraction phase of three of the ARVN fire bases located in Laos and two in South Vietnam. All the fire bases came under some form of ground attack and/or indirect fire at the time of the extractions or just prior to the extractions. Because of enemy contact at the extraction sites, start and completion times were adjusted to meet the tactical situation.

(2) Organization

The organization for each extraction varied based on the amount of equipment to be extracted and the enemy activity around the fire base. The number of aircraft used varied from four to six medium lift helicopters (CH-47) and one to two heavy lift helicopters (CH-54/53). One set of AH-1G or UH-1C gunships provided fire support. The aircraft were all under the command of one mission lead until the extraction was completed. A command and control aircraft was used to coordinate the overall extraction from a position over the fire base.

(3) Planning

Detailed planning was accomplished by the personnel of the battalion forward CP and passed to the mission lead on a daily basis, or mission basis. The briefing of flight crews by the S-3 personnel consisted of intelligence, flight routes, fire support (planned and available on call) and the specifics for breaking off the mission in case of heavy enemy activity. The AMC in the command and control aircraft then monitored the operation and was immediately available to coordinate changes and solve problems. The emphasis in extraction planning was on the preparation of the loads and in keeping the exposure time in the PZ to an absolute minimum.

(4) Tactics

Tactics employed were the same during the extraction phase as those employed during the assault support and resupply phase.

~~CONFIDENTIAL~~

l. The LZ was fairly small and had evidently been prepared by an air-delivered bomb with fuse extension (Daisy Cutter) as there were many stumps and some rather large obstacles left within the perimeter of the LZ. The troop lift aircraft were making their approach from the north to the south with a short left turn and landing in the LZ from the west to the east. They were departing to the east and breaking to the left as they climbed out. It was evident that there would be problems, first in getting in and out of the LZ with all the air traffic, and once in the LZ, finding a suitable area to release the loads. In addressing the second problem, the only solution was to try to keep the loads out of the troop lift landing area and to avoid blade strikes. As for the first problem, the aircraft commanders had to adjust their approaches to integrate them with the troop lift traffic. Once in the LZ, the CH-47 with its sixty foot diameter rotor was greatly restricted by obstacles while maneuvering to position its load. The CH-53 was even more restricted.

k. The first aircraft arrived and began its descent into the LZ, which was completed successfully with no major incidents. The first loads to arrive were the 105mm and 155mm howitzers. The last aircraft on the first lift closed out on the LZ at 1400 hours. This procedure was followed until the PZ was clean at 1615 hours. The last sortie was inserted at 1645 hours, completing the mission.

l. Early in the assault phase while enroute on the first lift, a CH-47, tail #820, took two hits at three thousand feet from a 12.7mm antiaircraft weapon. One round entered the cockpit area through the aircraft commander's window, pierced the bulkhead just above and behind the aircraft commander's head and continued on piercing the #2 upper dual boost actuator and eventually lodged in the spar of the green rotor blade. The second round lodged in the aft red rotor blade spar. The aircraft lost its #2 hydraulics which forced the aircraft commander to drop his load and make an emergency descent, landing at ALUOI. The aircraft commander received minor injuries to the left side of his face and left shoulder caused by flying windshield glass. Later in the operation, the aircraft and crew were evacuated to Khe Sanh.

~~CONFIDENTIAL~~

e. Extraction Operations

(1) General

The tactical extraction of the fire bases by medium and heavy lift helicopters was completed using the same basic organization, planning and tactics employed during assault support and resupply operations. Medium and heavy lift helicopters were employed during the extraction phase of three of the ARVN fire bases located in Laos and two in South Vietnam. All the fire bases came under some form of ground attack and/or indirect fire at the time of the extractions or just prior to the extractions. Because of enemy contact at the extraction sites, start and completion times were adjusted to meet the tactical situation.

(2) Organization

The organization for each extraction varied based on the amount of equipment to be extracted and the enemy activity around the fire base. The number of aircraft used varied from four to six medium lift helicopters (CH-47) and one to two heavy lift helicopters (CH-54/53). One set of AH-1G or UH-1C gunships provided fire support. The aircraft were all under the command of one mission lead until the extraction was completed. A command and control aircraft was used to coordinate the overall extraction from a position over the fire base.

(3) Planning

Detailed planning was accomplished by the personnel of the battalion forward CP and passed to the mission lead on a daily basis, or mission basis. The briefing of flight crews by the S-3 personnel consisted of intelligence, flight routes, fire support (planned and available on call) and the specifics for breaking off the mission in case of heavy enemy activity. The AMC in the command and control aircraft then monitored the operation and was immediately available to coordinate changes and solve problems. The emphasis in extraction planning was on the preparation of the loads and in keeping the exposure time in the PZ to an absolute minimum.

CC. INITIAL

(4) Tactics

Tactics employed were the same during the extraction phase as those employed during the assault support and resupply phase. Departures from the PZ's in Laos were all maximum performance to minimize exposure time below 3000 feet AGL.

(5) Pickup Zones (PZ)

Because of the enemy situation and the location of extraction PZ's, on forward fire bases, many of the considerations for electing, organizing and operating a good PZ were abandoned. Those considerations most often disregarded were the normal clear areas around the PZ (75 X 150 meters), police of the PZ and dust control. Dust was the one problem that most often affected the time spent in the PZ during the hook up of loads. Communication with the PZ was generally inadequate from the pilots' viewpoint as a result of the language barrier; however, the preplanning and coordination employed was sufficient to insure that the loads were rigged and ready, and that hook up personnel were on the loads when the aircraft arrived.

(6) Landing Zone (LZ)

The LZ's for extractions were the same as the PZ's for assault support and resupply operations and required no special preparation or consideration.

(7) Fire Support

The fire support requirements and planning for the extraction phase were generally the same as for the assault support and resupply phase. The assets utilized were all available TAC air (pre-planned and/or on call), artillery and helicopter gunships. The emphasis was placed on the preplanned use of TAC air and artillery to hit known and suspected indirect fire sources, and to generally disrupt and disorganize the enemy just prior to commencing the extraction. The on-call TAC air and artillery were used for the same purpose after the operation was interrupted by enemy direct or indirect fire. The coordination of these fires was accomplished by the AMC from the command and control aircraft overhead.

~~CONFIDENTIAL~~

f. Routine Resupply Operations

(1) Once the fire bases were established, resupply operations were tailored to meet the individual needs consistent with the tactical situation. Two to six aircraft were placed under the control of a mission leader, usually an assault support helicopter company commander or platoon commander. The aircraft were employed as described in the tactics portions of assault support operations of this paper. Although the landing zones (LZ's) were repeatedly placed under indirect fire, the bases were resupplied. When antiaircraft fire became intense, especially around forward fire bases near Tchepone, resupply operations had to be suspended until the enemy positions were destroyed or the threat reduced to an acceptable level.

(2) Although resupply missions were planned a day in advance, it became apparent that loads would often not be rigged until mid-day on the day the mission was to be conducted. This required that the loads be airlifted to the fire bases during the period of the day when the density altitude was the highest. Pathfinders at the pickup zones (PZ's) controlled aircraft in high density traffic areas and assisted the logistic personnel. Since most resupply was done through a series of closely knit bases around the perimeter of Khe Sanh airfield, the high density of aircraft was a persistent problem. On sorties delivered to landing zones it was planned that loads would be dispersed throughout the site. This prevented indirect fire from destroying complete ammo dumps. This also reduced the vulnerability of the aircraft had they continually landed at one specific place on each site. As time elapsed the fire support bases and landing zones accumulated debris, which proved to be a hazard to helicopters working the area and endangering the safety of ground personnel.

g. Integration of Medium and Heavy Lift Operations With Troop Lift Operations

(1) In the majority of the moves where UH-1H and CH-47 aircraft were used together, planning was accomplished to make each element a separate and distinct part of the move. Normally, the UH-1H portion of the move was completed prior to the start of any medium and/or heavy lift. This facilitated control of lift and gunships,

CONT.

minimized air traffic and airspace problems, and provided elements on the ground in time to make necessary preparations for receiving supplies and equipment.

(2) On those occasions where time was a critical factor and medium lift had to be initiated prior to the completion of the UH-1H portion, the UH-1H aircraft "gave way" to the larger and more cumbersome aircraft. Although this technique did minimize the problems associated with intermingling two such dissimilar aircraft, control was nevertheless a problem. This was primarily a result of insufficient LZ preparations compounding the difficulty in maneuvering large aircraft with bulky external loads. Time in the LZ was thus increased, and exact timing and integration became difficult. Compounding obstacles, such as trees and stumps, was the heavy dust blown about by the high winds associated with large helicopters, causing almost IFR conditions for both UH-1H and medium lift aircraft. Throughout the operation there were only several minor blade strikes and no accident damage.

h. Weather

(1) Weather was an influencing factor on 24 days or 54% of the possible flying periods. During these times, low ceilings and reduced visibility caused delays in flight schedules. On 17 Feb 71 all missions were cancelled because of weather.

(2) Low ceilings compressed the available flying area vertically and laterally, thus causing higher concentrations of aircraft in the useable airspace and, at the same time, bringing the aircraft closer to enemy gunners. Some channelization of flight routes into river valleys also resulted, but weather prevented mission accomplishment only on rare occasions.

i. Communications

(1) General

Communications for the medium and heavy lift elements supporting LAMSON 719 were provided by FM radio, AM radio-teletype and field wire nets that were established, maintained and operated by signal personnel from the 159th Aviation Battalion and the 101st

COIN [REDACTED]

Aviation Group.

(2) Communications Systems

(a) FM Radio

The primary means of voice communications on this operation was FM radio. Three RT-524 radios were set up at a forward operations tent, providing a battalion secure net, a battalion plain net and a station in the group secure net. The secure capability was achieved by using two KY-8 secure sets. Power for this FM configuration was supplied initially by two 1.5 KW DC generator sets and four 12 volt DC batteries. Later on, because of generator failure and battery problems, a 3 KW DC generator set was used in conjunction with an RA-91C rectifier. A net diagram of the FM radio system is shown at Figure IV-1. The battalion (fwd) plain net was originally designed to communicate with the rear area by means of an FM retrans site. Because of equipment shortages, this retrans site was not installed and bad atmospheric conditions nullified the possibility of communicating to the rear without it. The battalion (fwd) plain net was then used, as was the battalion (fwd) secure net, primarily for contact with aircraft in the area of operations. Aircraft VHF and UHF radios were also employed as required.

(b) AM Radio-Teletype

A long-range radio capability was needed because of the substantial distance separating the forward and rear areas, and because of FM's inherent "line-of-sight" restriction. For this purpose the AN/VSC-2 single-side-band radio was used with a 50 ohm antenna. The equipment was located in a small tent adjacent to the 159th operations tent. It was installed, operated and maintained entirely by personnel of the 101st Group Commo Platoon, and existed for the convenience of the 159th and other units of the 101st Aviation Group. The AN/VSC-2 provided a plain voice capability and a secure teletype means of communicating with the rear areas and with attached battalions (see Figure IV-1). This configuration was generally reliable.

(c) Wire Communications

WD-1 wire and field telephones were used for local land




FIGURE IV-1 (U) Radio Net Diagram for 159 Avn Bn (ASHB) (U).

CON-
[REDACTED]

line commo between group and battalion operations tents, a line to the area switchboard, and a line between battalion operations and the commo tent (see Figure IV-2). Equipment was provided by the battalion commo section and personnel from the section were used to maintain it. Wire communications presented no problems.

(3) Personnel Requirements

In the initial phase of setting up and digging in, seven men from the 159th Avn Bn Commo Section were utilized. This process took the majority of two days, with modifications made during the next ten days. After procedures settled down to normal, two or three people were sufficient to handle the signal requirements, as well as distribute and safeguard SOI material.

(4) CO 159th Aviation Battalion Comments

There were no major problems with signal equipment during this operation. At times, power failures and surges caused minor damage to radios and secure equipment, but enough backup equipment was always on hand to restore communication's promptly. Power problems occurred because the 1.5 KW generator could not supply adequate power to handle the 28 volt load requirement of the radios with secure sets. Later on, a 3 KW generator was substituted and worked well except for occasional fluctuations in the power level. Finally, a rectifier was obtained which provided constant, steady power to the sets. Overheating, especially in the AN/VSC-2 set, became a problem at times. The lack of sufficient ventilation and extremely dusty operating conditions were major causative factors.

(5) Summary

All things considered, the communications system was more than adequate for this operation. Had better sources of power been available, radio equipment problems would probably not have existed. Secure sets held up much better than expected, considering the heat and dust. Initial installation was fast and efficient. The only major improvement required is in the area of power supplies. Larger, more reliable generators are required to meet the heavy demands of an operations of this type.

[REDACTED]




FIGURE IV-2 (U) Wire Diagram for 159th Avn Bn (ASHB) (U)

~~CONFIDENTIAL~~

j. Maintenance

A major maintenance effort was required to assure continued availability of the large numbers of medium and heavy lift helicopters required to support LAMSON 719. Prior planning, additional support, command emphasis and increased effort were all factors contributing to the achievement of the desired result.

(1) Direct Support Maintenance and Supply

Each of the organic medium and heavy lift companies (A, B, C, 478th HHC of the 159th Assault Support Helicopter Battalion [ASHB]) has a direct support maintenance capability. The three letter companies each has a Transportation Corps (TC) Detachment with direct support capability organic to the company. The 478th Aviation Company achieved this capability through its organic maintenance platoon. The two non-organic medium helicopter companies (132d and 179th) which were OPCON to the 159th ASHB, also had a direct support capability. Repair parts supply support was provided to each of the units, except the 478th Avn Co, by either A or B Company, 5th Transportation Battalion. The 478th Aviation Company received its support in repair parts from the 142d TC Company, 58th Transportation Battalion, located at Red Beach, Da Nang.

(2) Impact of Operation LAMSON 719

The greatly increased flying hour program had a pronounced effect on the combined maintenance effort, since it resulted in a corresponding increase in the amount of scheduled and unscheduled maintenance performed. This sharp increase in monthly flying hours was particularly significant since it occurred immediately after the lull of the monsoon season in northern Military Region I. This had both advantages and disadvantages. It was an advantage in that the units were able to devote more concentrated effort in their maintenance operation during the period immediately preceding LAMSON 719. The major disadvantage, however, was that it was difficult to quickly adjust to a sudden, sharp increase in the flying hour program, particularly in scheduling the aircraft into Preventative Maintenance-Periodic (PMP) inspection. This problem was anticipated and a warning given to the units of the 159th ASHB to prepare for a highly concentrated flying hour program during the period February 1971 through April 1971.

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

This was of particular concern to the three Ch-47 companies of the 159th ASHB, since their scheduling program is of vital importance in projecting future scheduled maintenance. The scheduling program is based on a three month projected flying schedule. Using this scheduling program, time change components with required delivery dates (RDD) are requisitioned through close coordination between the quality control sections and tech supply section.

(3) Maintenance Operations

Based on limited information available, each of the letter companies and the 478th Avn Co began preparing for the expected increase in flying hours by adjusting their scheduling program accordingly. In addition, those aircraft which were within 25 hours of their required PMP were flown into the inspection while the high time aircraft were held down, this enabled the units to build a bank of aircraft hours with which to start the operation and sustain themselves without having more aircraft go into scheduled maintenance than they were capable of handling during the initial phase. As the flying hours per company began increasing at the start of the operation, the amount of scheduled maintenance also increased. During the two month period February through March 71, the three letter companies of the 159th ASHB performed 62 PMP inspections, the 132d and 179th ASHB, 28 and the 578th Aviation Company, nine. This was accomplished by using a 24 hour maintenance schedule. This put a severe strain on the manpower available in the maintenance sections of each unit, particularly since assigned strength of the TC Detachments was running at approximately 75 per cent of the companies during this period. This problem was compounded because the shortages were mainly in supervisors, 68 series MOS, and other allied shop personnel. There was a distinct shortage of experienced specialists. The following figure shows shortages against authorized strength by MOS in the 159th ASHB on 27 March 1971 which was characteristic of the manpower situation within the companies throughout the operation:

<u>MOS</u>	<u>AUTH</u>	<u>ASG</u>	<u>SHORT</u>	<u>JOB TITLE</u>
671C	13	6	7	Avn Maint Tech
76T	26	14	12	Tech Supply Spec
67Z50	22	13	9	Maint Supervisor

FIGURE IV-3 (U) Maintenance Personnel Status (U)

~~CONFIDENTIAL~~

<u>MOS</u>	<u>AUTH</u>	<u>ASG</u>	<u>SHORT</u>	<u>JOB TITLE</u>
67W	14	9	5	Tech Inspector
35K	17	14	3	Avionics Mech
35L	6	2	4	Avionics Repairman
35M	6	3	3	Avionics Equip Repairman
35N	5	3	2	Avionics Flt Control Repair
44E	4	2	2	Machinist
45J	4	2	2	Aircraft Armament Repair
68B	14	9	5	Engine Repairman
68D	8	6	2	Power Train Repairman
68E	11	8	3	Propeller Repairman
68F	18	11	7	Electrician
68G	25	17	8	Welder
68H	12	8	4	Hydraulic Repairman

FIGURE IV-3 (U) (Continued) Maintenance Personnel Status (U)


The problems caused by these critical shortages were overcome by aggressive cross-training and on-the-job training programs in effect throughout the battalion. In addition, two civilian PMP teams were provided by the 34th General Support Group to assist the CH-47 units in accomplishing scheduled maintenance. These teams consisted of a total of sixteen personnel, and were available to the units from 7 February 1971 through the completion of LAMSON 719. They accomplished a total of twelve PMP inspections on CH-47 aircraft, and contributed 7,515 man hours to the combined maintenance effort. These teams provided needed assistance during this period, easing the problems caused by the manpower shortage in the units and providing a reservoir of valuable maintenance experience. Another area in which these teams assisted was in coping with the increase in the amount of unscheduled maintenance resulting from the conduct of LAMSON 719. The unscheduled maintenance was of two varieties. One consisted of the normal problems associated with a greatly increased flying hour program. The other consisted of the result of battle damage from enemy ground fire. Almost 1000 man-hours were required to repair skin and structural damage inflicted on the CH-47's and CH-54's. Without the availability of the civilian PMP teams many of these repairs could not have been effected utilizing organic maintenance capabilities.

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

(4) CO, 159th Aviation Battalion Comments

The three primary indicators for determining the efficiency of the maintenance effort during this period were the operational ready rate (OR), and the NORM/NORS rates. At Figures IV-4, 5, and 6 are charts which graphically depict these indicators with relation to the associated flying hour program of the CH-47's and CH-54's. As the flying hour program increased abruptly in February, the NORM rates, and in the case of the CH-47's, the NORS rates, also increased. It is significant to note that the NORS rate, although increasing slightly, remained relatively constant when compared with the previous seven month period. This was due primarily to the amount of command interest and emphasis on the aviation repair parts supply system. A forward liaison element of the 34th General Support Group, operating out of Quang Tri, was in a large measure responsible for insuring that the necessary repair parts were made available to the requesting units in an absolute minimum of time. This element also maintained close liaison with the civilian PMP teams, and determined where their assistance was most urgently required. One of the primary reasons for the light increase in the NORS rates was that some of the repair parts for which there was a sudden demand were items that had acquired little if any demand data in previous operations. Many of the parts damaged by enemy fire were rarely required under normal operating conditions. It must be emphasized at this point, that a major factor in keeping NORS/NORM rates at an acceptable level was the prior planning done by the units of the 159th Assault Support Helicopter Battalion, and the aircraft scheduling program which they used. They were able to adequately forecast, in most cases, the repair parts which would be required based on the increased flying hour program. A major area of concern to the maintenance activities during the operation was the conditions under which the aircraft were operating in the forward areas. The dust in which the CH-47's and CH-54's were forced to operate on a continuous basis was a critical factor in increased wear on engines and rotor blades. As a result of the battalion policy of flushing each CH-47 engine with water after every flying day, the damage to engines remained negligible. The wear on CH-54 engines was also negligible because of their Engine Air Particle Separators (EAPS). Most of the damage done by the dust was to the aircraft rotor blades. The abrasive nature of the dust coupled with the extremely high winds generated by the rotor wash, resulted in abnormally rapid deterioration of the leading




A, B, C, CO., 159th ASHB (AMBL)
48 ASSIGNED CH-47's

DEPICTING COMBINED MONTHLY FLYING HOUR
PROGRAM AVG OPERATIONAL READY RATES & AVG
MONTHLY NORM/NORS RATES FOR MONTHS SHOWN
DURING 1970-1971

* DURING THIS PERIOD, THE 159th ASHB WAS
UNDERGOING SUPER "C" CONVERSION

FIGURE IV-4 (U) Monthly Flying Hours, CH-47 (U)

CONFIDENTIAL




A, B, C, CO., 159th ASHB (AMBL)
48 ASSIGNED CH-47's

DEPICTING COMBINED MONTHLY FLYING HOUR
PROGRAM AVG OPERATIONAL READY RATES & AVG
MONTHLY NORM/NORS RATES FOR MONTHS SHOWN
DURING 1970-1971

* DURING THIS PERIOD, THE 159th ASHB WAS
UNDERGOING SUPER "C" CONVERSION

FIGURE IV-4 (U) Monthly Flying Hours, CH-47 (U)



* DURING THIS PERIOD
 179 ASH CO UNDERWENT
 SUPER "C" CONVERSION

179 ASH CO & 132 ASH CO OPCON TO 159 ASHB
 (AMBL) 32 ASSIGNED CH47 DEPICTING COM-
 BINED MONTHLY FLYING HOUR PROGRAM,
 AVG. OPERATIONAL READY RATES & AVG.
 MONTHLY NORMS/NORS RATES FOR
 MONTHS SHOWN DURING 1970-1971

FIGURE IV-6 (U) Monthly Flying Hours, CH-47 (U)

edge of the aircraft rotor blades. The CH-54's were most affected in this area, in that they were forced to replace seventeen main rotor blades. The impact of this problem on the availability rate, and the NORM/NORS rates was very slight since this problem was expected early in the operation and the necessary parts were prestocked or requisitioned in anticipation.

(5) Summary

Based on performance, operational ready rates, and NORS/NORM rates, the various maintenance activities which provided direct support to the medium and heavy lift helicopter companies continued to operate in an efficient manner during the course of LAMSON 719. Numerous problem areas were encountered but were solved either through prior planning and preparation or by making adjustments to alleviate them as they occurred. It is evident that despite the sharp increase in flying hours, the OR percentage remained fairly constant and in the case of the CH-54's, even increased. The NORS and NORM rates remained well within acceptable limits during the two month period of the operation. This flying hour program could have been continued indefinitely, particularly since the original planning and preparation by the respective maintenance personnel was for a time span which was expected to extend beyond the period covered in this report. One situation which continued to be a significant problem area throughout the operation was the difficulty the various maintenance activities encountered in servicing and maintaining aircraft in the forward operational area. When an aircraft encountered a maintenance problem which precluded it from returning to its home maintenance facility, the units' maintenance teams had to provide repair capabilities in the forward areas. Because of the distance between the operational area and the units' rear bases, coupled with an occasional breakdown in communications, this situation resulted in many lost hours on the part of the maintenance support. There were some instances where the information which the maintenance officers received was faulty or incomplete regarding parts needed or problems encountered with a particular aircraft. The 478th Avn Co was most affected by this situation because of the great distance between their maintenance facility (Da Nang) and the operational area. The difficulty in maintaining adequate land line communications compounded the problem for the 478th Avn Company. The advantages that were gained, however, by staging the CH-47's

~~CONFIDENTIAL~~

from their home base in the Phu Bai area far outweighed the few problems occasioned by the maintenance difficulties encountered by the aircraft in the forward areas. The other situation which had a detrimental effect on the maintenance effort was the manpower shortage within the maintenance activities. Had the companies been up to TO&E strength, with experienced, well qualified personnel in technical and supervisory positions, the efficiency and effectiveness of the maintenance operations could have been considerable improved.

5. Results

Hours flown	5703.6
Sorties carried	13045
Tons of cargo carried	24618.4
Passengers carried	9990
MEDEVACS carried	1110
Aircraft recovered	
(a) From Laos	51
(b) From Khe Sanh area	208

FIGURE IV-7 (C). 159th Avn Bn (ASH) Support of LAMSON 719 (U).

a. Vulnerability

(1) Aircraft Damaged

During Operation LAMSON 719, a total of 49 medium and heavy lift aircraft were hit, resulting in two CH-47's shot down and destroyed, one CH-47 forced down and later destroyed by ground action, one CH-53 shot down, and one CH-53 crashed while enroute to home base. The cause of this crash was suspected combat damage. A total of 14 CH-47's and seven CH-53's sustained minor damage. Incident damage was sustained by 15 CH-47's, five CH-53's, and one CH-54.

(2) Aircraft Destroyed

The one CH-53 shot down was hit by a mortar round and approximately 20 rounds of small-arms fire while hovering over

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

a load in a landing zone. One of the CH-47's shot down was hit going into a landing zone by an unknown number of small arms rounds, which knocked out the hydraulics causing it to crash and burn. The second CH-47 shot down exploded in mid-air, cause undetermined. The CH-53 listed as destroyed sustained suspected combat damage and was enroute home when the main rotor system failed.

b. Casualties

- (1) Nine men killed in action in the crash of a CH-53.
- (2) Six men missing in action in a CH-47 that crashed in Laos and was not recovered.
- (3) Six men wounded in action. One MEDEVAC, five with minor wounds were treated and returned to duty.

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

H. (C) FIRE SUPPORT

1. Coordination

a. ARVN-US Coordination

(1) I Corps Fire Support Element--
XXIV Corps Fire Support Element

Fire support coordination was planned between I Corps Fire Support Element (FSE) and XXIV Corps Fire Support Element through I Corps Artillery, I Corps G-3, and the United States I Corps Artillery Advisor. Additional coordination by XXIV Corps was planned with the ARVN divisions and brigades through the 108th Artillery Group. Fire support coordination during LAMSON 719 was executed as planned.

(2) ARVN Divisions--108th Artillery Group

The majority of US fire support coordination was conducted by the 108th Artillery Group directly with the ARVN division and separate brigade headquarters. The 108th Artillery Group established a liaison team at each ARVN division and separate brigade headquarters. The Vietnamese likewise established liaison from each division and separate brigade headquarters to the 108th Artillery Group. Decentralized control of fire support assets below Corps level was the general rule throughout LAMSON 719.

b. US--US Coordination

(1) XXIV Corps--108th Artillery Group

Coordination between XXIV Corps and 108th Artillery Group was accomplished with the XXIV Corps FSE planning programs of fires such as flak suppression, and the 108th Artillery Group executing the plans.

(2) 4th Battalion (Aerial Artillery), 77th Artillery--
108th Artillery Group

The 4th Battalion (Aerial Artillery), 77th Artillery (4/77 ARA), established liaison with the 108th Artillery Group when

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

the 4/77 ARA assumed the mission of general support, reinforcing the fires of the 108th Artillery Group on 8 February 1971. The concept was that all ARA fire requests would be directed through the 108th Artillery Group and in turn be passed to the ARA fire direction center (FDC) through 4/77 ARA liaison officers.

(3) 101st FSE at Khe Sanh

The primary function of the 101st FSE at Khe Sanh was to collect target information from 101st Airborne Division (AMBL) aviation assets involved in LAMSON 719 (e.g. 101st Aviation Group) and to disseminate this targeting data to the 108th Artillery Group.

2. US Army Fire Support

a. Tube Artillery

(1) Mission

The 108th Artillery Group mission was general support, reinforcing the fires of I Corps Artillery. The 108th Artillery Group consisted of the 8th Battalion, 4th Artillery (4x8" and 8x175mm); the 2nd Battalion, 94th Artillery (4x8" and 8x175mm); and B Battery, 1st Battalion, 39th Artillery (4x175mm), which was under the operational control of the 108th Artillery Group. In addition, fires into Laos could be delivered by the 5th Battalion, 4th Artillery (18x155mm self-propelled), the direct support battalion of the 1st Brigade, 5th Infantry Division (Mechanized) on a supplemental, as requested basis.

(2) Employment

The 108th Artillery Group employed three 175mm batteries and one 8" battery along the Laos-Vietnam border vicinity TABAT, XD715385. The remaining 8" and 175mm batteries were employed in the Khe Sanh area. It was necessary on five occasions to rotate batteries between the Laos-Vietnam border and Khe Sanh area positions for tube changes and hydraulic maintenance. The fires delivered from the four batteries located along the border could be augmented from the Khe Sanh area positions. When necessary

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

additional batteries were moved from the Khe Sanh area to border positions.

(3) Fire Requests

Fire requests from ARVN units located in Laos for US support were processed through one of the two established channels. The first channel was from the ARVN unit in Laos to the ARVN division headquarters or separate brigade headquarters. The 108th Artillery Group liaison officer located at each Vietnamese division and separate brigade headquarters received the mission from the Vietnamese and passed it to the 108th Artillery Group FDC. The second channel for fire requests from units located in Laos was directly from the unit requesting fire to a Vietnamese liaison officer from the respective division or separate brigade, located at the 108th Artillery Group Headquarters. The Vietnamese liaison officer then passed the fire request directly to the 108th Artillery Group FDC.

US requests for fire were sent directly to the 108th Artillery Group FDC or fire unit by Air Force forward air controllers (FACs), reconnaissance elements of the 2/17 Cavalry, and aerial observers from the 108th Artillery Group over Laos.

b. Aerial Rocket Artillery

(1) Mission

The 4/77 ARA Battalion was assigned the tactical mission of general support, reinforcing the fires of the 108th Artillery Group with up to two batteries of aerial rocket artillery effective 8 February 1971. Because of maintenance requirements and battle damage, it was necessary to draw upon the assets of all three firing batteries to accomplish this mission.

(2) Requests for fire

(a) A forward fire direction center was established at Khe Sanh, and a liaison officer was sent to the 108th Artillery Group to be prepared to receive fire missions and relay them to the forward fire direction center. The requests from ARVN unit

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

headquarters for ARA fires were to be sent to an ARVN artillery liaison officer located at the 108th Artillery Group fire direction center. The mission was then to be relayed to the ARA fire direction center through the 4/77 ARA liaison officer.

(b) As the operation progressed, requests for fire support were being received at the 4/77 ARA fire direction center by radio directly from the different ARVN unit headquarters. The 4/77 ARA fire direction center accepted and responded to contact fire missions and urgent medical evacuation cover missions as first priority.

(c) Requests for fire support were also generated by the 101st Aviation Group elements and the 2/17 Cavalry through their reconnaissance efforts. Requests for fire support were answered by the 4/77 for such units requesting fire support using assumed priorities as stated above.

(3) Employment

(a) Aerial rocket artillery is normally employed with a minimum of two AH-1G aircraft, referred to as a section. The nature of the mission dictates how many sections will be used to accomplish the mission. One aircraft is designated the mission lead aircraft. The most experienced aviator is habitually the mission commander; however, all aircraft commanders are qualified to assume the position of mission commander should a problem develop with the lead aircraft.

(b) Aerial rocket artillery aircraft were used in a variety of support missions. Although the primary mission of AH-1G aircraft configured in the aerial rocket artillery role is to provide an immediate heavy volume of direct fire support, they are also capable of conducting landing zone preparation fires and to a lesser extent, of performing aerial escort, medical evacuation cover, and aerial reconnaissance. However, it should be noted that there are other AH-1G aircraft better configured for these specific missions.

(c) The two basic differences between an ARA AH-1G and a gunship AH-1G are the armament configuration and the fuel load on board the aircraft. An ARA Cobra has as its main weapon system four XM159C rocket pods. These are 19 tube 2.75" Folding Fin Aerial Rocket pods for a total of 76 rockets per aircraft. The pods are referred to as wing stores. Although the turret system will accommodate 4,000 rounds of 7.62mm machine gun ammunition and 300 rounds

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

of 40mm grenade ammunition, only 1500 rounds and 150 rounds respectively are loaded aboard the ARA aircraft due to the maximized main armament (2.75" rocket) load. A fuel load allowing the aircraft approximately 1 hour and 45 minutes flight time is likewise dictated by weight limitations.

(d) Conversely a gunship Cobra will usually take on as much fuel as possible because its normal missions (i. e. escort, aerial reconnaissance) require a large amount of fuel and a corresponding loss of rocket armament. The main weapon system for the gunship Cobra is the turret system, and this system will usually be fully loaded. A gunship Cobra will carry a total of 52 rockets in its normal configuration. Based on the reduced ammunition load, an increased fuel load is possible, allowing the gunship Cobra a longer flight time. The fuel load and armament load for both the ARA Cobra and the gunship Cobra are configured in such a way as to enhance the accomplishment of the type mission for which each is best suited.

(e) The total number of hours flown by type mission is shown in Figure IV-8. A record of typical missions received by the 4/77 ARA during the month of February is shown in Figure IV-9.

TYPE MISSION	FEBRUARY		MARCH			
	hours	mins	hours	mins		
LZ Preparations	146	+	50	130	+	10
Medevac/Escort/Extractions	51	+	20	147	+	30
Downed Aircraft Cover	11	+	00	24	+	00
Contact (approximate)	948	+	45	927	+	45
Other	46	+	00	66	+	00

NOTE: Exact data on the number of missions other than contact which developed into contact is not available.

FIGURE IV-8 (U). 4/77 ARA Hours Flown by Type Mission for LAMSON 719 (U).

12 Feb 1971, launched one section in support of friendly units in contact vicinity XD4504, expended 140 rockets resulting in 1 killed by ARA (KBARA) and 2x12.7 MG destroyed.

17 Feb 1971, launched one section on a mortar position vicinity XD650410, expended 216 rockets, 500 7.62mm, 100 40mm grenades and flew 3 hours + 40 mins resulting in 4 KBARA.

18 Feb 1971, launched one section in support of resupply for a unit in heavy contact vicinity XD574250, expended 120 rockets and flew 2 hours + 20 mins resulting in 17 KBARA.

20 Feb 1971, launched one section on a contact mission vicinity XD595515, expended 253 rockets and flew 8 hours + 00 mins resulting in 50 KBARA.

21 Feb 1971, launched one section on a contact mission vicinity XD496358, expended 124 rockets, 500 7.62mm and flew 2 hours + 40 mins resulting in 44 KBARA.

24 Feb 1971, launched two sections on a contact mission vicinity XD665265, expended 414 rockets, 400 7.62mm, 300 40mm grenades and flew 12 hours + 00 mins resulting in 18 KBARA and 1x12.7 MG destroyed.

25 Feb 1971, launched one section on a contact mission vicinity XD615359, expended 118 rockets, 500 7.62mm, 100 40mm grenades and flew 3 hours + 00 mins resulting in 3 KBARA, 7 bunkers destroyed and 2-82mm mortars destroyed.

27 Feb 1971, launched three aircraft as a heavy section on a contact mission vicinity LZ 30, expended 119 rockets and flew 2 hours + 60 mins resulting in 15 KBARA.

27 Feb 1971, launched one section on a contact mission vicinity XD630270, expended 124 rockets, 100 40mm grenades and flew 3 hours + 00 mins resulting in 15 KBARA and one B40 rocket destroyed.

FIGURE IV-9 (U). Examples of Typical Missions Flown (U).

28 Feb 1971, launched two sections on a contact mission vicinity XD680218, expended 346 rockets, 350 40mm grenades and flew 7 hours + 30 mins resulting in 47 KBARA, 17 AK 47's destroyed, and 2x12.7 MG destroyed.

28 Feb 1971, launched two sections on a contact mission vicinity XD683218, expended 532 rockets, 1700 7.62mm, 200 40mm grenades and flew 10 hours + 30 mins resulting in 67 KBARA, 1x12.7MG destroyed.

FIGURE IV-9 (continued) (U). Examples of Typical Missions Flown (U).

~~CONFIDENTIAL~~

HOURS/SORTIES:

Total Hours
2499 hrs + 20 mins

Total Sorties
5132

EXPENDITURES:

2.75 FFAR Expended
49,367

40mm Grenades Expended
34,289

BOMB DAMAGE ASSESSMENT:

KBARA
1187

Structures Destroyed
81

30 Cal. AW Destroyed
89

Mortars Destroyed
14

12.7 MG Destroyed
37

Trucks Destroyed
8

Secondary Explosions
92

POL Points Destroyed
2

Ammo Dumps Destroyed
1

AVERAGE DAILY COMMITMENT:

Average Number Aircraft*
9

Average Number Sorties
114

Average Number KBARA
26

* Aircraft committed on a daily basis ranged from 4 - 14.

FIGURE IV-10 (C). Contribution by 4/77 ARA in LAMSON 719 (U).

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

(4) Availability of Aircraft

(a) The assigned mission of the '4/77 ARA specified that the battalion would be prepared to use up to two batteries in support of LAMSON 719, therefore a total of 24 aircraft could be requested to support the operation. This was later modified to require a total of two thirds of the available mission ready assets within the battalion to be used in support of the operation. There was a continuing requirement to support the three organic brigades daily with two AH-1G aircraft each.

(b) The two factors that most significantly affected the availability of aircraft were the increased number of hours flown in support of the operation, requiring increased maintenance to keep the aircraft flyable, and the heavy volume of antiaircraft and small arms fire, requiring more maintenance time to return damaged aircraft to a flyable status.

3. US Air Force, Navy, and Marine Air Support

a. Tactical Air Support

(1) Mission

The tactical air support mission was to provide responsive support to ARVN operations in Laos by using Vietnamese Air Force, United States Air Force, United States Navy, and United States Marine Corps air assets.

(2) Employment

In support of LAMSON 719 the United States Air Force controlled an average of 200 sorties of air daily through HILLSBORO, the United States Air Force airborne command and control center on station over the operational area in a C-130 aircraft. Airborne FACS were used over each ARVN Division or separate brigade area of operations. To provide responsive TAC air support, TAC air was planned to arrive on station every fifteen minutes. Requests for immediate TAC air were passed from the maneuver commander to the airborne

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

FAC. The FAC would pass the request to HILLSBORO which would allocate sorties of TAC air on station or launch TAC air from strip alert. Preplanned missions were requested through standard air request nets.

(3) Responsiveness

The system used for employment of TAC air during LAMSON 719 was designed to assure responsiveness. No target was more than fifteen minutes away from a tactical airstrike, and frequently times of less than fifteen minutes were achieved. Official statistics on tactical airstrikes in support of LAMSON 719 are not available for this report. These figures are to be released through Air Force channels.

b. ARC LIGHTS

ARC LIGHT strikes were employed during LAMSON 719. Detailed information regarding ARC LIGHT employment is beyond the classification of this document and has been omitted.

~~CONFIDENTIAL~~

1. (U) REARM/REFUEL/RIGGING

1. Mission

The mission of the Division Support Command was to establish five rearm/refuel facilities and to provide supervisory personnel and equipment for rigging helicopter external loads.

2. Plan

In coordination with the Commanding Officer, 101st Aviation Group, the location and number of rearm/refuel points was determined. Figures IV-11 and IV-12 depict the locations, operational dates, and number of points established. To effectively accomplish the mission it was necessary to organize specially tailored teams. Figures IV-13 through IV-16 depict the organization of each team and the equipment required. The entire Division Support Command (DIS-COM) element was to move by vehicle from Camp Eagle to Mai Loc, dropping off the Dong Ha team at that location. The remainder of the DISCOM element would assist in establishing the Mai Loc site, and gain experience for establishing future sites. Since Mai Loc was scheduled to be closed prior to the opening of Lang Con, the same personnel and equipment were to be used in establishing Lang Con.

3. Facilities

Building and opening the rearm/refuel points was accomplished on the dates required. The method of accomplishing the direct tasks follows.

a. Rearm Points

The rearm points were constructed using earth-filled 2.75 rocket ammunition boxes. A double rearm point was constructed consisting of a central barricade with open rockets pointing into each side. Within each point were three side by side compartments, one for 17 pound HE rockets, one for flechette rockets, and one for 10 pound HE rockets. This large storage capacity was deemed necessary since it was anticipated that as many as six gunships




FIGURE IV-11 (U). Rearm/Refuel Points (U)

<u>Date Operational</u>	<u>Location</u>	<u>Number & Type Refuel Points</u>	<u>Number of Rarm Points</u>
21 Jan 71	Dong Ha	10 Utility/Gun	10
28 Jan 71	Mai Loc	10 Utility/Gun 4 CH-47 - 1 CH-54	10
1 Feb 71	Vandergrift	8 Utility/Gun 3 CH-47 - 1 CH-54	10
3 Feb 71	Khe Sanh	30 Utility/Gun 6 CH-47 - 2 CH-54	10
9 Feb 71	Lang Con	10 Utility/Gun	6

IV-79

FIGURE IV-12 (U). Planned Rarm/Refuel Points (U)

Personnel

<u>Title</u>	<u>Rank</u>	<u>Number</u>
NCOIC (POL NCO)	E6	1
Ammo NCO	E5	1
Ammo Hdlr	E4/E3	9
POL Hdlr	E4/E3	2
Forklift Opr (Ammo Hdlr)	E3	1

Equipment

<u>Nomenclature</u>	<u>Quantity</u>
Refuel System - 10 Pt	1
Forklift, R/T 6,000 lb	1

FIGURE IV-13 (U). Team Organization (Dong Ha) (U)

Personnel

<u>Title</u>	<u>Rank</u>	<u>Number</u>
NCOIC (Ammo NCO)	E6	1
POL NCO	E6	1
Ammo Hdrl	E4/E3	9
POL Hdrl	E4/E3	5
Lt Trk Dr (Ammo Hdrl)	E3	4
Forklift Opr (Ammo Hdrl)	E4	1

Equipment

<u>Nomenclature</u>	<u>Quantity</u>
Trk, Cargo, 1/2 T (Mule)	4
*Forklift, R/T 4,000 lb	1
Refuel System - 10 pt	1
Bag, Collapsible, Water 250 Gal	1
Tent, GP Med	2
Radio AN/PRC-25	1

*Forklift Remained at Khe Sanh

FIGURE IV-14 (U). Team Organization (Mai Loc/Lang Con) (U)

Personnel

<u>Title</u>	<u>Rank</u>	<u>Number</u>
OIC	CW2	1
Ammo NCO	E5	1
POL NCO	E5	1
Rigger NCO	E6	1
Ammo Hldr	E4/E3	10
POL Hldr	E4/E3	5
Acft Recovery Sp	E5/E4	2
Rigger	E4	3
Forklift Opr (Ammo Hldr)	E4	1
Lt Trk Dr (Ammo Hldr)	E3	1
Lt Trk Dr (2 1/2 T)	E4	3
Aidman	E4	1

Equipment

<u>Nomenclature</u>	<u>Quantity</u>
Trk, Cargo, 2 1/2 T	3
Trk, Utility, 1/4 T/Radio	1
Forklift, R/T 6000 lb	1
Refuel System - 10 Pt	1
Radio, PRC-25	1
Bag, Collapsible, Water, 250 Gal	1
Tent GP Med	2
Cot, Folding	30
Recovery Kit - OH-6A	1
Recovery Kit - UH-1H/AH-1G	1
Rigging Equipment	*
*Rigging Equipment for 2 Inf Bn's, 2 Arty Bn's, and 50 Tons/day.	

FIGURE IV-15 (U). Team Organization (Vandergrift) (U)

Personnel

<u>Title</u>	<u>Rank</u>	<u>Number</u>
OIC	CW2	1
Ammo NCO	E6	1
Asst Ammo NCO	E5	1
POL NCO	E5	1
Rigger NCO	E5	1
Ammo Hdlr	E4/E3	9
POL Hdlr	E4/E3	5
Acft Recovery Sp	E4	2
Rigger	E5/E4	3
Forklift Opr (Ammo Hdlr)	E4	1
Lt Trk Dr (Ammo Hdlr)	E4	1
Aidman	E4	1
Lt Trk Dr (2 1/2 T)	E4	2
Hvy Trk Dr	E5	1
Mechanic	E5	1

Equipment

<u>Nomenclature</u>	<u>Quantity</u>
Trk, Cargo 2 1/2 T	2
Tractor, 5 T	1
Trailer, Stake & Flat	1
Trk, Utility, 1/4 T/Radio	1
Forklift, R/T 6,000 lb	1
Refuel System - 10 Pt	1
Bag, Collapsible, Water, 250 Gal	1
Tent, GP Med	2
Jug, Water, 5 Gal	2
Cot, Folding	32
Recovery Kit - OH-6A	1
Recovery Kit - UH-1H/AH-1G	1
Rigging Equipment	*

*Rigging Equipment for 2 Inf Bn's, 2 Arty Bn's, and 50 Tons/Day.

FIGURE IV-16 (U). Team Organization (Khe Sanh) (U)

would need to rearm at each point before the ammunition crew would have the opportunity to refill the point. When completed, each point provided some overhead cover and barricading on the three sides of the rocket stacks. Each compartment was divided in half horizontally and the rockets were kept in fiber containers to keep the crushing weight of the rockets off the lower rocket motors. Storage for 20/40mm and 7.62 mini-gun ammunition was provided to the rear of the rearm point. The design and construction of these rearm points resulted from the ingenuity of the assigned ammunition personnel. Specific parking pads had to be conspicuously marked to insure that aircraft did not have blade strikes. Sand bags were found to be satisfactory to mark the pads. A forklift was required to move the vast quantities of palletized ammunition, and engineer work was necessary to dig storage pits and level the area.

b. Refuel Points

The construction of refuel facilities also required engineer support. The 10,000 gallon collapsible bladders were placed inside deep berms. These berms had to be deep enough to hold the bladders in case they burst, and to contain fires if the berm was hit by rockets or mortar fire. Extensive leveling was accomplished to make the refuel pads operational. Collocated with the refuel facility was the rigger hookout and receiving pad. The receiving pad for the receipt of JP4 by heavy lift aircraft carrying 500 gallon blivets also needed to be level and smooth. The refuel systems assembled for this operation were obtained by drawing on the onhand refuel systems located within the normal area of operations of the division. This reduced the number of points which had been established at the various refuel locations. A 10 point rapid refueling system was requested; (see Figure IV-17) however, this equipment did not arrive. The system used was satisfactory and met the needs for aircraft refueling. POL handlers were required to be on site while helicopters were refueling to insure that major items of equipment such as pumps and filter separators were operational.

4. Resupply

There were three methods of resupplying the refuel points: 500 gallon blivets delivered by heavy lift helicopter, JP4 tanker trucks, and USAF C-130 JP4 "Bladder Birds". A combination of all

<u>ITEM</u>	<u>FSN</u>	<u>NO REQ'D</u>
Tank, fabric, collapsible, petroleum products, 10,000 gal cap	5430-292-7212	4
Pumping, assembly, flammable liquid, gasoline engine driven, trailer mounted, 4 in, 350 gpm, 150 psi	4320-691-1071	1
Filter separator, liquid fuel, 300/350 gpm, 150 psi, 4 in inlet, 4 in outlet	4330-017-8790	1
Fitting assembly H (flanged type) c/o one 4 in coupling halves, male, one coupling half, female and one 4 in Y fitting w/dust caps and plugs	4730-075-2407	1
Fitting Assembly B (flanged type) c/o one 4 in gate valve, one 4 in coupling half male, and one 4 in coupling half female	4730-075-2404	2
Reducer, 4 in coupling half female 3 in coupling half male	4730-075-2423	2
Fitting assembly BB, c/o one 3 in coupling half female, one 3 in coupling half male, one 1 1/2 in coupling half male, one 3 in gate valve and one 3 in tee w/ dust caps and plugs	4730-075-2409	10
Nozzle, 1 in with female quick-coupling half and dust cap	4930-360-0611	10
Hose assembly, suction, 4 in ID 12 ft long	4720-083-0044	9
Hose assembly, discharge, 4 in ID 50 ft long	4720-083-0046	2
Hose assembly, discharge, 4 in ID 25 ft long	4720-083-0047	2
Hose assembly, suction, 3 in ID 12 ft long	4720-083-0045	16
Hose assembly, discharge, 3 in ID 12 ft long	4720-083-0048	14
Hose assembly, discharge, 1 1/2 in ID 25 ft long	4720-079-4771	20

* In addition to the items shown above, supplementary ground cables and rods, fire extinguishers for each point and the pump, protective goggles and gloves, explosion-proof flashlights and two airfield emergency runway light sets are required. For further details, pertaining to these components of the Fuel System Supply Point, refer to TM 10-4930-203-13.

FIGURE IV-17 (U). Equipment List, 10 Point Rapid Refueling System (U)

three methods kept the refuel points resupplied effectively during the operation. Dong Ha, Mai Loc, and Vandergrift were effectively resupplied by 5,000 gallon and 1,200 gallon tankers from the Da Nang Support Command-- The road net was suitable for these vehicles and pumping fuel directly from them into the 10,000 gallon bladders caused no problems. Resupplying Khe Sanh was difficult initially because of the requirement to deliver all fuel by blivets. Emptying the 500 gallon blivet proved to be a tedious, time consuming operation since each one is decanted by a 100 gallon per minute pump. This problem was evident based on the average daily issue of 61,620 gallons of fuel at Khe Sanh from 1 March to 24 March. Each CH-47 aircraft was capable of carrying two external blivets, while the CH-53 and CH-54 could double that payload. The blivet is so constructed that in actuality only 400 gallons of JP4 could be loaded. The USAF C-130 JP4 transporter commenced operation on 17 February. Its payload is rated as 4,000 gallons, but actual payload fluctuated between 2,500 gallons and 3,700 gallons. A summary of fuel delivered by this method from 17 February to 8 March is at Figure IV-18. JP4 tankers did arrive at Khe Sanh and did reduce the amount of fuel required to be lifted by helicopter. Resupply of Lang Con was accomplished by 1200 gallon tankers which drew their fuel from Khe Sanh.

5. Air Items

DISCOM was tasked to provide supervisory personnel and equipment for rigging helicopter external loads. Based on the RVNAF units participating in LAMSON 719 and the known requirement for resupplying and moving artillery and heavy equipment by helicopter, a request was submitted for the air items as shown in Figure IV-19. Riggers from DISCOM moved daily to the RVNAF rigging sites and checked all loads to insure that proper procedures had been followed. They assisted and advised as required.

6. CO 101st DISCOM Comments

a. Rerarm/Refuel Points

(1) In order to build and operate these points several items of equipment are required. Engineer bulldozers, graders, and pene-prime spreaders are paramount. The ground must be level and

<u>Date</u>	<u>Number of Aircraft</u>	<u>Number of Gallons</u>
17 Feb	1	2,500
18 Feb	4	14,864
19 Feb	16	58,130
20 Feb	5	18,616
21 Feb	7	24,716
22 Feb	11	40,876
23 Feb	14	51,226
24 Feb	5	18,618
25 Feb	9	33,408
26 Feb	0	0
27 Feb	9	33,208
28 Feb	11	41,156
1 Mar	16	58,054
2 Mar	5	18,618
3 Mar	9	33,450
4 Mar	6	22,275
5 Mar	13	39,088
6 Mar	13	39,124
7 Mar	1	3,716
8 Mar	0	0

FIGURE IV - 18 (U). Class III A, C-130 Receipts
Khe Sanh (17 Feb - 8 Mar) (U).

FSN	Nomenclature	Short	30	4	3	2	3	Loss	Contingency	Total
		Bn	Inf Bn	105 Bn	155 Bn	Engr Bn	Sig Bn	Damage		
1670-753-3788	Sling, 3 loop 3'	990	252	330	48	45		100		1765
1670-753-3630	Sling, 3 loop 8'	0	0	0	12	0		0		12
1670-823-5040	Sling, 3 loop 11'	360	104	252	16	24		75		831
1670-823-5041	Sling, 3 loop 12'	360	190	30	24	12		65		665
1670-823-5042	Sling, 3 loop 16'	180	40	72	40	32		36		400
1670-823-5043	Sling, 3 loop 20'	1260	240	222	40	0		175		1937
1670-090-5354	Clevis, Lg	120	100	398	72	0		65		735
1670-860-0304	Clevis, Sm	240	80	60	24	48		45		497
1670-678-8562	Clevis, Med	180	200	60	24	0		45		509
1670-783-5988	Type IV Link	990	252	330	48	45		165		1830
1670-902-3080	Sling Multi-leg	30	20	75	150	9		25		309
3940-892-4374	Net Rope	0	0	0	0	0		0		0*
3940-892-4374	Net Nylon	240	152	270	44	0		70		776**
3940-298-3985	Net Paulin	0	60	72	24	0		15		171
1670-587-3421	A-22	0	104	15	0	0		10		129
8305-268-2411	80 lb ctn webbing	30	8	6	4	3		5		56
1670-360-0540	15' tie down	300	100	75	50	0		52		577
1670-360-0340	Friction adapter	300	100	75	50	0		52		577
2990-360-0248	Load Binders	300	100	75	50	0		52		577
8305-223-1270	Ctn Duck	30	4	3	4	0		5		46

* Rope net is 10,000 lb cap - Nylon net is 5,000 lb cap

** A-22 (1670-587-3421) may be issued ILO (2 ea for 1 nylon net)

FIGURE IV-19 (U). Request for Air Items (U).

as free of dust and dirt as possible to allow helicopters to land. Berms must be built for bladders and ammunition storage facilities. Penepime is absolutely necessary in all areas where helicopters operate, not only to reduce external dust but also to reduce dirt and dust entering the helicopter-itself.

(2) The 3,600 pound forklift is inadequate in operations of this type. The 6,000 pound rough terrain forklift performed the mission of moving ammunition and blivets in a most outstanding manner. Without it, it would have been impossible to meet the requirements. The 6,000 pound forklift must be reconfigured for the airmobile division so that it can be easily disassembled and moved externally beneath the organic heavy lift helicopter.

(3) The 10 point rapid refuel system (Figure IV-17) should be considered as TOE for the Airmobile Division. It can be put into operation within 12 hours and is compact and deliverable by heavy lift helicopter.

b. Air Items

In planning for an airmobile operation one of the most important considerations is the large requirement for air items. Air items are required for the movement of artillery, infantry, engineer, and signal battalions, logistic resupply to forward tactical units, and air movement of all types of supplies. The requirement for air items is influenced by the tactical situation as it affects air item recovery and backhaul. Experience in Operation LAMSON 719 indicates that more than 50 per cent of all air items used in an airmobile operation are not recovered.

~~CONFIDENTIAL~~

J. (C) MEDICAL EVACUATION

1. Mission

The XXIV Corps plan tasked the Medical Command (MEDCOM) to provide air ambulance (Dustoff) coverage for LAMSON 719 with the 101st Airborne Division (Airmobile) supplementing as required.

2. Plan

The division plan placed two 101st Abn Div (Ambl) air ambulance helicopters (Eagle Dustoff) under the operational control of the 101st Aviation Group. These aircraft were to provide combat assault coverage and combat medical evacuation of downed US crews in Laos. These aircraft were to be stationed at Khe Sanh. The MEDCOM aircraft from the 571st and 237th Helicopter Ambulance Detachments were also to be stationed at Khe Sanh, but operating under XXIV Corps Control with the mission of combat medical evacuation of ARVN forces.

3. Operations

On 8 March 1971 the 571st and 237th Helicopter Ambulance Detachments (MEDCOM) were placed under the operational control of the 101st Abn Div (Ambl). Since all of the helicopter evacuation assets in Military Region I had been placed under its control, the 101st Abn Div (Ambl) responsibility was expanded to include combat evacuation, combat assault coverage, some patient transfer, and some administrative missions for all of Thua Thien and Quang Tri provinces and for Laos. At this time the two Eagle Dustoff helicopters reverted from the operational control of the 101st Aviation Group to their parent unit. The 237th was further placed OPCON to the 571st Detachment with the CO, 571st Detachment in control of all MEDCOM assets. The medical evacuation mission was stated so that the MEDCOM units continued to have primary responsibility for support of ARVN personnel. Eagle Dustoff was given primary responsibility for support of US personnel to include combat assault coverage. Helicopters from both the 101st Abn Div (Ambl) and MEDCOM units were field sited at Khe Sanh and Quang Tri. (A minimum of five helicopters was established at Khe Sanh, and six at Quang Tri). The concept of the rearward echelon evacuating from the forward echelon was implemented in order that the

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

assets at Khe Sanh would be maintained at the prescribed minimum level. Because of this policy, there was generally an additional helicopter at Khe Sanh from Quang Tri assets for backhaul of patients from B Medical Company, 1st Bde, 5th Inf Div (Mech) to 18th Surgical Hospital at Quang Tri. An operations officer was designated for each of the two field sites, responsible to the CO, DISCOM through the CO, 326th Medical Battalion. These officers controlled the operations of both 101st Abn Div (Abn) and MEDCOM helicopters at each of the field sites. They also coordinated the backhaul of patients out of Khe Sanh.

4. Coverage of Combat Assaults (CA's)

Combat assault coverage throughout the operation was the exclusive responsibility of the air ambulance platoon, 326th Medical Battalion. Combat assault missions were passed to the Dustoff aircraft at Khe Sanh in one of two ways:

a. When notified by the 101st Avn Gp of a combat assault briefing, the Dustoff operations officer would attend the briefing and receive the mission.

b. When Dustoff was not notified of the CA briefing, the Air Mission Commander would, by radio, request Dustoff aircraft and brief the Dustoff aircraft commanders in the air. Various methods of CA coverage were employed by Dustoff aircraft commanders. These methods involved the placement of the aircraft in relation to the PZ's and LZ's to give the best reaction time to downed aircraft. The following factors affected the Dustoff aircraft location over the lift:

- (1) Size of the PZ and LZ
- (2) Security of the PZ and LZ
- (3) Distance between the PZ and LZ
- (4) The number of lift aircraft taking part in the CA

c. The aircraft committed to cover the combat assaults were tasked with the mission of picking up downed aircraft crews. These

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

Dustoff aircraft did, however, make pickups for ground elements in the area of the assault whenever the urgency of the patient involved so dictated. Figure IV-20 depicts the missions flown by the Eagle Dustoff. It should be noted that the number of patients picked up is much lower than the number of sorties. This can be accounted for by the fact that on a number of combat assaults there was no requirement for patient evacuation although the Dustoff aircraft was airborne. Additionally, on a number of occasions, lift aircraft in a formation followed a downed aircraft into the LZ and picked up wounded or injured crew members. At Figure IV-21 are the missions performed by the MEDCOM Dustoff, accounting for over 3900 patients evacuated.

5. Gunship Support

Gunship coverage of Dustoff aircraft picking up downed crews was provided by one of the fire teams escorting the combat assault. Gunship coverage for medical evacuation missions launched from Khe Sanh was requested by the 101st Avn Gp. Two teams were available during daylight and one at night. These missions were flown principally in support of ARVN forces. Gunship coverage for medical evacuation missions launched from Quang Tri to pickup sites west of the 02 NS grid were provided by the unit requesting the medical evacuation. These missions were flown principally in support of US forces. In addition, one fire team was dedicated exclusively to Dustoff operations at Dong Ha by the 101st Avn Gp. During LAMSON 719, a much greater percentage of missions required gunship coverage than had been required in previous operations. This was particularly true of missions into Laos where virtually every mission was flown into an insecure LZ.

6. Backhaul of Patients

The evacuation of ARVN patients from their forward hospital at Bach Son to the ARVN hospital at Dong Ha was accomplished with CH-47 aircraft. This mission requirement, originated with the XXIV Corps Surgeon and through command channels, was given to the 101st Avn Gp. The backhaul missions were scheduled 24 hours in advance. They originated with the US advisors at the ARVN hospital in Bach Son and were transmitted directly to the 101st Avn Gp, which tasked the aircraft involved. The evacuation of US patients located in the clearing company at Khe Sanh to the 18th Surgical Hospital at Quang Tri was accomplished

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

<u>Date</u>	<u>No of CA's</u>	<u>No of MEDEVACS</u>	<u>No of Patients</u>	<u>Sorties</u>
28 Jan	--	--	--	
THRU	0	0	0	0
4 Feb				
5 Feb	1	0	0	6
6 Feb	0	0	0	0
7 Feb	0	0	0	0
8 Feb	1	2	18	37
9 Feb	0	0	0	2
10 Feb	3	2	3	29
11 Feb	3	0	0	17
12 Feb	4	1	1	21
13 Feb	3	4	4	37
14 Feb	0	9	31	45
15 Feb	2	1	6	18
16 Feb	1	4	21	41
17 Feb	0	1	1	14
18 Feb	1	6	10	35
19 Feb	1	5	13	40
20 Feb	1	3	2	45
21 Feb	2	6	11	25
22 Feb	1	1	9	9
23 Feb	0	3	1	13
24 Feb	2	2	10	29
25 Feb	3	2	7	22
26 Feb	2	0	0	16
27 Feb	1	2	2	12
28 Feb	2	0	6	21

FIGURE IV-20 (C). Recapitulation of Missions by Eagle Dustoff (U).

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

<u>Date</u>	<u>No of CA's</u>	<u>No of MEDEVACS</u>	<u>No of Patients</u>	<u>Sorties</u>
1 Mar	2	0	0	26
2 Mar	2	0	0	31
3 Mar	2	0	15	20
4 Mar	2	0	5	21
5 Mar	1	2	10	31
6 Mar	1	2	2	19
7 Mar	0	0	0	0
8 Mar	0	0	0	0
9 Mar	0	4	13	29
10 Mar	0	4	11	20
11 Mar	1	6	7	38
12 Mar	0	6	7	27
13 Mar	0	4	5	32
14 Mar	0	1	7	17
15 Mar	0	8	26	68
16 Mar	0	8	4	65
17 Mar	2	8	12	35
18 Mar	2	10	25	64
19 Mar	5	9	20	65
20 Mar	2	6	27	44
21 Mar	0	7	22	104
22 Mar	0	7	21	23
23 Mar	0	11	30	53
24 Mar	0	2	16	10

FIGURE IV-20 (C). (Continued) Recapitulation of Missions by Eagle Dustoff (U).

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

<u>Date</u>	<u>No of MEDEVACS</u>	<u>No of Patients</u>	<u>Sorties</u>
8 Feb	10	66	20
9 Feb	16	32	32
10 Feb	18	61	36
11 Feb	24	131	48
12 Feb	14	76	148
13 Feb	50	116	100
14 Feb	21	52	42
15 Feb	14	86	28
16 Feb	23	35	46
17 Feb	7	23	14
18 Feb	16	71	32
19 Feb	21	50	42
20 Feb	12	27	24
21 Feb	21	45	62
22 Feb	17	15	34
23 Feb	19	45	38
24 Feb	21	142	62
25 Feb	15	34	30
26 Feb	26	35	52
27 Feb	25	38	50
28 Feb	25	93	50
1 Mar	41	78	82
2 Mar	34	121	108
3 Mar	33	112	86
4 Mar	32	79	104
5 Mar	24	63	45
6 Mar	17	62	34
7 Mar	25	55	70
8 Mar	26	159	72
9 Mar	19	145	58
10 Mar	18	135	56
11 Mar	21	110	42
12 Mar	20	76	60

FIGURE IV-21 (C). Recapitulation of Missions by MEDCOM Dustoff (U).

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

<u>Date</u>	<u>No of MEDEVACS</u>	<u>No of Patients</u>	<u>Sorties</u>
13 Mar	27	77	54
14 Mar	21	82	42
15 Mar	19	119	38
16 Mar	17	116	72
17 Mar	19	103	58
18 Mar	22	72	44
19 Mar	32	100	64
20 Mar	27	176	54
21 Mar	20	181	60
22 Mar	31	195	82
23 Mar	26	131	72
24 Mar	23	82	66

FIGURE IV-21 (C). (Continued) Recapitulation of Missions by MEDCOM Dustoff (U).

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

using UH-1H Dustoff aircraft. Prior to 8 March 1971, the aircraft used were launched from Khe Sanh. After this date one Dustoff aircraft, specifically designated for this mission, was launched from Quang Tri to stand by at the clearing company in Khe Sanh during daylight hours.

IV-97

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

K. (C) DOWNED CREW RECOVERY

1. General

Previously, the recovery of a downed crew had been the responsibility of the Air Mission Commander (AMC). With the massive air power and assets involved in a mid-intensity warfare airmobile operation, the AMC can no longer divert his attention to the recovery effort due to the number of other responsibilities he has. This situation requires that a formal plan for crew recovery be developed prior to initiating an operation. Subordinate commanders, capable of directing large operations, must be designated, and assets in the form of recovery gear and crews must be preplanned, on station, and available to the individual designated as responsible for downed crew recovery.

2. Timeliness

Initially, timely recovery of a downed crew was an accepted function of the initiative and responsiveness of individual aviators, directed by the AMC. As the operation progressed it was necessary to designate specific aircraft and crews for the purpose of accompanying each flight and providing the immediate reaction capability of descending and extracting the downed crews. It was found that the difficulty of extracting a downed crew was almost directly proportional to the period of time the personnel were on the ground. Previous policy required the downed crew to secure their aircraft until an attempt to recover them could be initiated. With the enemy's ability to react and maneuver forces into and around downed aircraft sites, it became imperative that the crew be picked up by a rescue helicopter almost as soon as they could exit their aircraft. In many cases the crews came under direct enemy fire shortly after exiting their aircraft.

3. Designated Aircraft

It was apparent that the AMC could not respond to downed air crew rescue utilizing the aircraft at his disposal. Using assets out of the lifting force has a detrimental effect on mission accomplishment. It became necessary to designate aircraft for the sole purpose of aircrew recovery. These recovery or chase aircraft were placed

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

under the control of an Air Mission Commander for crew recovery operations. A crew recovery aircraft normally flew above and behind those aircraft he was assigned to monitor and was thus able to effect an immediate recovery attempt. The AMC for recovery operations must be experienced and capable of running a large scale operation since what often started as a single ship extraction of a downed crew sometimes became a large scale operation using artillery, TAC air and cav assets. Company commanders and battalion commanders not involved in the tactical operation proved to be the best qualified individuals to perform the duties of AMC for crew recovery operations. The number of aircraft used for chase was determined by an evaluation of the enemy situation along the flight route and in the area of intended landing. The number of chase aircraft varied from one per ten aircraft to a maximum of one per five lift aircraft.

4. Gunship Requirements

No single ship or larger missions could be run without gunship escort due to the extremely hostile environment encountered during the operation. This being the case, the escort gunships were available to cover the downed crews. At times it became necessary to provide additional armed helicopter assets when the intensity of enemy fire, refueling requirements, or damaged escort gunships warranted. In such cases AH-1G's which were on standby fulfilling a general support role were dispatched. Sometimes these guns would already be committed and guns from lower priority missions had to be diverted. During the large scale operations, light fire teams would be designated specifically to the downed crew recovery role. They remained with the crew recovery team and were controlled by the AMC of the downed crew recovery effort. The number of light fire teams allotted varied according to the enemy situation and expected intensity of contact, varying from 1 LFT per five recovery aircraft to 3 LFT's per 10 recovery aircraft.

5. Air Cavalry

The 2d Squadron, 17th Cavalry, had an attached company of ARVN troops available specifically for downed crew recovery. These troops were on five minute standby at Khe Sanh to be launched as a

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

executing the primary mission. Should an aircraft be downed the gun escort must immediately revert to the recovery effort. At this point the flight lead, or the commander of the chase ship, must take control of the operation. It is then the responsibility of the chase aircraft, supported by the fires of the escort guns, to recover the downed personnel.

c. Major Airmobile Operation

For a major airmobile operation a formal plan is required with an experienced AMC and assets, to include gunships, assigned to the recovery mission. The recovery plan must be thoroughly coordinated with the tactical air movement plan in order to provide good coverage of all portions of the operation. Areas should be designated as divert areas where crippled aircraft will be able to make a safe landing if further flight is not possible or advisable. Selection of divert areas should be based upon enemy situation, suitability of the landing site, and acceptability of the area for security forces. Aviators must be thoroughly briefed on the location of these divert areas and all recovery procedures. MEDEVAC aircraft must be on station in case their hoist capability is required to extract a downed and injured crew. Crew recovery experience during LAMSON 719 is shown at Figure IV-22.

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

security force for downed crews when all other attempts at rescue failed. 2/17 Cav provided all the aircraft necessary to support such insertions once they were given the mission. Upon receipt of a mission they were given an area of operations and the responsibility of extracting the crews utilizing means required. Additional assets from the Air Force and Army were made available to the 2/17 Cav as necessary.

6. CO, 101st Aviation Group Comments

Normal procedures followed in low intensity warfare were found to be inadequate in the environment encountered during LAMSON 719. Command and control of recovery efforts is so complicated that it requires experience on a par with that necessary for the command and control of the tactical mission. Formal planning and designation of assets for the specific mission of air crew recovery is required. There are basically three categories of missions encountered in mid-intensity warfare that require air recovery plans:

a. Low Risk Missions

(1) Gunship escort must be provided for all missions required to make approaches and landings.

(2) Aircraft not on specific missions of landing or executing flight at levels lower than optimum should be employed in pairs. In areas of no security, search and rescue operations are prohibitive. The availability of an observer, if only to pinpoint a downed aircraft's location, is essential. In addition to this capability, the companion aircraft may be able to extract the downed crew.

b. High Risk Missions

On missions where enemy activity is pronounced and the intensity of hostile fire increases the possibility of downed aircraft, a rescue plan is required. In addition to the gunship escort provided for such missions, provisions must be made for downed crew recovery in the form of a chase aircraft. In this situation the chase ship's sole purpose is to monitor the progress and position of the aircraft

~~CONFIDENTIAL~~

L. (U) AIRCRAFT RECOVERY

1. General

Initially, the Downed Aircraft Recovery Plan of the 101st Abn Div (AMBL) was distributed to all units attached and assigned for LAMSON 719. A copy of this plan is included as Annex B. This plan proved to be quite effective with minor modifications and was used throughout the operation. Basically, each major unit involved in operations supporting LAMSON 719 provided an aircraft recovery ship and crew on a daily basis. These maintenance recovery aircraft reported to the maintenance recovery officer and were under his direct control. This officer was the overall coordinator and responsible individual for the physical recovery of any aircraft downed in the operation, for any reason, at any location. Each maintenance recovery crew consisted of an aircraft maintenance officer, a technical inspector, and trained aircraft riggers. Medium and heavy lift assets were on call to extract aircraft expeditiously once they had been rigged. In addition to the recovery aircraft the maintenance recovery officer also had access to gunships on a mission basis.

2. Notification

The notification channels for downed aircraft followed normal reporting channels. The first unit aware of a downed aircraft reported the following information, through higher headquarters, to the S-3, 101st Avn Gp.

- a. Type of aircraft
- b. Location
- c. Area secure or non-secure
- d. Owning unit
- e. Condition of aircraft, passengers and crew

3. Decision to Recover an Aircraft

- a. The most important factor considered in deciding whether or not an attempt to extract a downed aircraft should be made was the tactical situation. No set formula could be established; instead each recovery effort had to be considered in light of its own possibilities

of success. Where hostile fire and enemy contact were in the proximity of the downed aircraft, the extraction was delayed until a more opportune time, based on the ground commander's recommendations. If extraction appeared feasible, a maintenance recovery aircraft and gun escort were launched immediately. The recovery crew was deposited at the downed aircraft site while the recovery aircraft departed and orbited at altitude to deprive the enemy of a more lucrative target. The recovery crew evaluated the downed ship with regard to first, whether it was flyable or non-flyable; second, if it was not flyable, whether it could be rigged and extracted; third, whether or not the aircraft was worth recovering. In cases where the tactical situation or extent of battle damage to the aircraft precluded extraction, the crew recommended destruction in place. If the downed aircraft was recoverable, the crew radioed their orbiting aircraft and requested medium lift aircraft to be sent out while they rigged the downed aircraft.

b. Timeliness of aircraft recovery became a critical factor as it was in downed crew recovery. On several occasions when the maintenance evaluation and recovery were delayed, the enemy had time to set up around the downed aircraft site, booby trap it, register indirect or direct fires on it, and in effect use it as bait for an ambush. Five recovery aircraft were damaged or destroyed when they attempted to retrieve downed ships. The North Vietnamese would often remain clear of a downed aircraft and crew waiting to bring accurate and devastating fire on all recovery attempts. This development generated the requirement for a chase ship to follow all maintenance recovery aircraft when they went on missions.

4. Gunship Requirements

Gunship escort was required and used for all recovery efforts from nonsecure areas. The mission of the gunships was to escort the maintenance aircraft into and out of the recovery area. The gun team remained on station over the recovery site to give fire support to the recovery team when required. When the downed aircraft was rigged, gunships escorted the medium/heavy lift aircraft during the extraction and finally escorted the maintenance aircraft during the pickup of the recovery team. Normally only one light fire team was required since the elapsed time of the entire recovery operation was rarely in excess of the fuel range of the gunships.

5. Rigging

Rigging was accomplished by the aircraft recovery teams. Members of these teams were trained to properly rig aircraft. They carried on the recovery aircraft sufficient rigging equipment for one of each type aircraft involved in the operation. Additional rigging equipment was immediately available for use on multiple extractions of the same type aircraft. Riggers supplied by the Division Support Command were used to rig aircraft for units not having an organic capability, e.g., ARA, Air Cav and MEDEVAC units. During the operation it was noted that an experienced rigging crew could completely rig an aircraft in five to ten minutes.

6. Disposition

Whenever possible, downed ships were taken directly to their ultimate destinations by the recovering aircraft. However, in many cases, because of the massive requirement for medium/heavy lift support, the recovered aircraft were taken from the field and dropped off either at Khe Sanh or some intermediate secure area. As assets became available, the maintenance recovery officer dispatched recovery aircraft to pick up the downed aircraft from these intermediate locations. He then had them transported to their ultimate destinations as designated by the owning unit. Every effort was made to advise the facilities at the destination that a sling loaded aircraft was enroute to their location.

7. CO, 101st Aviation Group Comments

a. As in crew recovery, it was discovered that timeliness of aircraft recovery is essential. Where the rigging and extraction were delayed for some reason, the enemy was able to place himself in advantageous positions hindering or precluding feasible recovery operations. The North Vietnamese often used downed aircraft as bait with which to draw more equipment and personnel into an ambush. In some cases the downed aircraft had to be destroyed because the tactical situation precluded recovery. A total of ten aircraft were not recovered because of the tactical situation. Recovery attempts of these ten aircraft resulted in the loss of three additional

M. (U) AIRCRAFT MAINTENANCE

1. Introduction

The magnitude of the aircraft maintenance and aircraft repair parts supply effort in support of LAMSON 719 is readily apparent from the aircraft density supported. All of the assets of the 101st Abn Div (Ambl) plus those from designated units of the 1st Avn Bde and 23d Inf Div were used. In addition to the organic division aircraft there were three air cavalry troops, an aerial weapons company, four assault helicopter companies, and one medium assault helicopter company. Total aircraft density both in and out of country was 127 OH-6A; 60 UH-1C; 379 UH-1H; 5 OH-58; 147 AG-1G; 80 CH-47; and 10 CH-54 aircraft. Backup direct support maintenance required to assist unit organic direct support maintenance elements was provided by the 101st Abn Div (Ambl) aircraft maintenance battalion augmented with a direct support company and additional civilian and military personnel. Aircraft maintenance facilities were in operation throughout the area of operations. (Figure IV-24). Divisional aircraft maintenance units continued operation at assigned stations while the attached direct support company set up operations at a more forward location. The magnitude of the total effort is depicted at Figure IV-25, which portrays the spectrum of the aircraft processed.

2. Planning

a. Organization

It was planned that the 335th Direct Support Company (-) of the 23d Inf Div would be attached to the 101st Abn Div (Ambl). It was felt that this addition would provide a capability adequate to support the operation. The units of the 5th Transportation Battalion (AM&S) were scheduled to remain at pre-operation locations at Camp Fagle and Phu Bai. The 335th, augmented as necessary would operate at Quang Tri for about 90 days. Mission alignment




FIGURE IV-24 (U). Aircraft Maintenance Facilities (U).

	<u>A Co</u>	<u>B Co</u>	<u>335th</u>	<u>Total</u>
Work Orders (Includes complete aircraft only)	352	491	209	1133
Repaired and returned to units	750	472	250	1072
Turned in/Evacuated*	86	88	78	252

IV-112

*Includes aircraft beyond repair as determined by quality control teams. Work orders were not prepared on obviously salvage aircraft.

FIGURE IV-25 (U) Aircraft Maintenance Activities (U).

3. Organization for Support

- a. The 5th Transportation Battalion is organized under MTOE based on TOE's 55-405T, and 55-407T, with the mission for providing direct support and backup direct support maintenance and supply to organic division aircraft. The battalion has a battalion headquarters, a headquarters company, and two identical lettered companies. Each letter company normally supports about 210 aircraft.
- b. The 335th Direct Support Company (-) of the 23d Inf Div with about 113 officers and enlisted personnel was attached.
- c. An aircraft supply assistance team, as on site advisors, provided technical knowledge and assistance.
- d. Members of the Aircraft Classification Control Point in Saigon were attached to provide retrograde expertise in technical inspection, documentation, and movement of retrograde material generated by the operation.

4. Maintenance Management

a. General

5th Transportation was faced with the task of expanding from two direct support companies to three. The aircraft density to be supported virtually doubled in the first few days of the operation. At the same time the work load was increasing, the 335th was moving into place. To assist the 335th in establishing its maintenance and supply operations, the battalion formed a 26 man maintenance and supply advance party and located it at Quang Tri. Key personnel with a broad spectrum of skills to cope with any and all maintenance and supply requests were placed on the team.

structure for DS maintenance is shown at Figure IV-26. Backup direct support and general support was to be provided by the 58th Transportation Battalion at Da Nang.

b. Maintenance Management

The concept for maintenance support was maintenance effort which could be accomplished in one day and would be performed by the operational aviation unit direct support element. Work requiring three to five days would be performed at the direct support companies, and work estimated to require in excess of ten days would be retrograded to the 58th Maintenance Battalion at Da Nang. This would permit rapid replacement of long term maintenance losses while maintaining a high ratio of authorized to assigned and operational assets. To further expedite retrograde and disposition of unserviceable assets, maintenance shop loads were controlled by the 5th Transportation Battalion.

c. Supply

It was planned that both A and B companies of the 5th Transportation Battalion would operate direct support supply activities in support of the divisional aircraft. Since B company was located on the Phu Bai Airfield near Aerial Port facilities, it would be tasked to provide the aircraft parts support for the 335th Direct Support Company. The 335th Direct Support Company would deploy from the 23d Inf Div minus its aviation technical supply and NGR 500 processing and accounting system. It was further planned that the supply point at Quang Tri would perform as a major customer of B Company, 5th Transportation Battalion. Partial stockage for the Quang Tri supply point was to be provided by a push package supplied by the 34th General Support Group. The push package consisted of repair parts needed to support CH-47B or UH-1C aircraft for 90 days since B Company did not normally support that type aircraft. The push package was to be air transported to Quang Tri and broken down at the forward supply point.

A Co 5th Trans BnOrganic 101st Units

HQ 101 Bn

A 101 Bn

B 101 Bn

C 101 Bn

163 GS Co

A 377 Arty

HQ 4/77 ARA

B 4/77 ARA

C 4/77 ARA

HQ 2/17th Cav

B 2/17th Cav

1st Bde

3d Bde

326 Med Bn

Others

179th ASHC (CH-47)

B Co 5th Trans BnOrganic 101st Units

C 101 Bn

D 101 Bn

HQ 158 Bn

A 158 Bn

B 158 Bn

C 158 Bn

D 158 Bn

HQ 159 Bn

A 159 Bn

B 159 Bn

A 4/77 ARA

B 2/17 Cav

C 2/17 Cav

2d Bde

Others

132 ASHC (CH-47)

235 AWC (AH-1G)

227 AWC (AH-1G)

571 Med

335th Trans CoOrganic 101st Units

None

Others

HQ 14th Trans Bn

71st AHC

174th AHC

HQ 223d Bn

238th AHC

48th AHC

173d AHC

C 7/17 Cav

B 7/1 Cav

F 8th Cav

FIGURE IV-26 (U) Mission alignment Structure of 5th Transportation Battalion (U)

b. Control and Coordination

Maintenance operations for the 5th Transportation Battalion was controlled by the battalion S-3 (maintenance operations). Control was effected using data from status reports received from subordinate units. Workloads were then distributed and managed by the S-3 section. The S-3 was also responsible for coordinating with the 58th Transportation Battalion for general support and back-up direct support maintenance.

c. Maintenance Concept

(1) Quick Repair Service (QRS)

Locations were established where aircraft could obtain immediate repair and/or inspections. Qualified maintenance teams were available to evaluate damage or discrepancies and effect repairs. Only those discrepancies which placed the aircraft in a non-mission ready status were handled. Serial number components that were changed without benefit of historical records were recorded on the DA Form 2408-16. Procedures were established with customer units to follow up these actions and obtain all historical forms belonging to the component which was removed.

(2) Aircraft Work Ordered Through Normal Channels

Work performed on these aircraft was directed toward returning safe aircraft to service as soon as possible. Time did not permit 100 per cent technical inspections of all aircraft or the accomplishment of all deferred maintenance.

(3) Reports

Status reports of all aircraft work ordered to the direct support unit were provided to the S-3 by 2200 hours daily. In addition, information on aircraft released since 2400 hours the previous day and aircraft work ordered to general support maintenance was provided.

(4) Aircraft Turn-in

Units turned in aircraft through their respective direct support unit. The direct support unit inspected aircraft for cleanliness (removal of ammunition and foreign matter) made a complete inventory of all equipment and a serial number check of the aircraft. Once the aircraft and all equipment were complete, the 5th Transportation Battalion S-3 would be contacted for riggers and a lift aircraft.

(5) Nonoperational Ready Supply (NORS) Management

All valid NORS and possible NORS items were intensively managed and received special handling for expeditious delivery to the using unit. The number of items that could be handled in such a manner was limited. Therefore, all units were required to carefully scrutinize all NORS and possible NORS to insure they were absolutely valid.

5. Supply Procedures

a. General

The 5th Transportation Battalion continued its normal repair parts supply function with the added mission of supplying the 335th at Quang Tri. The 335th provided aircraft repair parts support to the new units in the Quang Tri area. The supply point was fully set up and functioning within the first few days of the operation.

b. Push Package

Partial stockage for the supply point was to be provided by a push package supplied by 34th General Support Group. The push package consisted of repair parts needed to support CH-47B or UH-1C Aircraft for 90 days. AT87NZ did not support any CH-47B or UH-1C aircraft prior to LAMSON 719. The concept was that the push package would be air transported to Quang Tri and broken down at the forward supply point. The first major problem occurred when it was decided

to station the CH-47B aircraft at Phu Bai and the UH-1C aircraft in the Quang Tri area. The push package then had to be flown into Phu Bai and broken down at AT87NZ for stockage of CH-47B parts and shipment to Quang Tri of UH-1C parts. A deck of receipt cards was provided prior to receiving the push package.

c. Authorized Stockage List (ASL) and Documentation

To provide the forward supply point at Quang Tri with a complete stockage of Authorized Stockage List (ASL) items for the UH-1H, OH-6A and AH-1G an ASL "cut" was devised based on a demand history of six within the prior 180 days. For those lines meeting this criterion, 25 per cent of the on hand stock was pulled and shipped to the forward supply point. A total of 700 lines were constituted using this criterion. Units in the Quang Tri area placed demands on the forward supply point at Quang Tri. Requisitions not filled at Quang Tri were passed to Phu Bai for fill. Items zero balance at Phu Bai were subjected to lateral search actions within the division and simultaneously passed to the Aviation Material Management Center (AMMC) at Saigon for fill. Upon receipt at B Co of items previously requested from AMMC, records were checked to determine if lateral search action had previously satisfied the demand. Items on open requisition were passed to the customer through the supply point at Quang Tri. Control of Aircraft Intensively Managed Items (AIMI) was accomplished through application of standard control measures. A NORS rate of four per cent was experienced using this system (Figures IV-27, IV-28 and IV-29). The ASL of B Co contained about 3700 lines at the beginning of LAMSON 719 on 25 January 1971. On 26 January, 614 OFP 02 requisitions previously submitted were resubmitted to AMMC to fill existing zero balances. Of 614 requisitions submitted 328 were filled. Shipping 25 per cent of the on hand lines accelerated the creation of additional zero balances by further reducing ASL stock on hand. On 19 February 1971, an additional 563 OFP 02 requisitions were submitted to replenish zero balance lines; 398 were ultimately received. The quick buildup of units created additional problems in handling and managing large volumes of requests in all priorities and categories. The large increase in all types of documents received

February 1971

<u>Aircraft</u>	<u>Auth</u>	<u>ASGD</u>	<u>% OR</u>	<u>% NORS</u>	<u>% NORFM</u>	<u>% NOROM</u>	<u>Avg Hrs</u>	<u>Ttl Hrs Fln</u>
OH-6A	93	89	91.2	1.7	5.7	1.4	57.6	5,230
UH-1H	198	193	87.2	1.3	6.7	4.8	79.6	15,367
AH-1G	87	81	80.0	3.6	11.5	4.9	59.7	4,837
CH-47	48	49	78.9	1.9	10.6	8.6	61.4	3,011
CH-54	<u>0</u>	<u>10</u>	<u>82.4</u>	<u>1.9</u>	<u>15.7</u>	<u>0</u>	<u>39.1</u>	<u>391</u>
TOTALS	426	422	85.8	1.8	8.0	4.4	68.3	28,836

March 1971

<u>Aircraft</u>	<u>Auth</u>	<u>ASGD</u>	<u>% OR</u>	<u>% NORS</u>	<u>% NORFM</u>	<u>% NOROM</u>	<u>Avg Hrs</u>	<u>Ttl Hrs Fln</u>
OH-6A	93	92	84.2	5.2	9.0	1.6	66.0	6,076
UH-1H	198	189	83.1	1.1	9.0	6.8	81.0	16,446
AH-1G	87	81	72.0	2.7	19.5	5.8	62.1	5,032
CH-47	48	46	75.7	5.9	10.9	7.5	65.1	2,996
CH-54	<u>0</u>	<u>10</u>	<u>84.9</u>	<u>8.8</u>	<u>6.3</u>	<u>0</u>	<u>51.7</u>	<u>517</u>
TOTALS	426	418	81.4	3.1	11.2	5.3	74.3	31,067

FIGURE IV-27 (U) Aircraft Readiness and Flying Hours by Type Aircraft Feb-Mar 71 (U)

February 1971

<u>Unit</u>	<u>Type A/C</u>	<u>Auth</u>	<u>O/H</u>	<u>% OR</u>	<u>%NORS</u>	<u>%NORM</u>	<u>%NORM</u>	<u>Avg Hrs Per A/C</u>
101st Avn Gp								
101st Avn Bn								
HHC/101	OH-6A	3	2	84.8	2.6	12.6	0	33.0
A/101	UH-1H	20	20	82.0	2.0	7.7	8.3	78.2
B/101	UH-1H	20	20	89.6	1.4	2.7	6.3	87.9
C/101	UH-1H	20	19	79.5	1.3	18.7	.5	100.8
D/101	AH-1G	12	8	81.9	8.5	9.2	.4	53.6
158 Avn Bn								
HHC/158	OH-6A	3	2	71.9	0	26.0	2.1	61.5
A/158	UH-1H	20	19	85.6	3.1	7.7	3.6	80.9
B/158	UH-1H	20	20	91.4	.5	3.6	4.5	83.1
C/158	UH-1H	20	18	83.1	.2	6.2	10.5	80.6
D/158	AH-1G	12	11	73.3	2.7	7.1	16.9	73.3
159 Avn Bn								
HHC/159	OH-6A	3	3	91.0	5.6	1.3	2.1	52.3
A/159	CH-47	16	16	74.6	2.9	13.4	9.1	54.2
B/159	CH-47	16	16	80.0	1.9	8.4	9.7	62.1
C/159	CH-47	16	17	80.8	.9	8.9	9.4	61.8
163 Avn Co	UH-1H	10	10	95.6	.4	1.4	2.6	96.5
	OH-6A	10	12	89.9	1.9	8.2	0	83.3
TOTALS		221	213	83.8	2.0	7.9	6.3	76.7
2/17 Cav								
HHT	UH-1H	7	7	89.2	1.0	4.2	5.6	66.9
A/2/17	UH-1H	8	8	85.8	2.2	9.1	2.9	68.0
	AH-1G	9	8	84.1	1.4	14.1	.4	59.0
	OH-6A	10	11	94.6	.3	4.8	.3	33.5
B/2/17	UH-1H	8	8	90.3	0	6.3	2.4	56.1
	AH-1G	9	9	89.2	0	10.0	.8	46.7
	OH-6A	10	10	85.3	1.9	12.7	.1	46.4
C/2/17	UH-1H	8	8	87.6	0	10.6	1.8	55.4
	AH-1G	9	9	86.3	0	11.3	2.4	55.6
	OH-6A	10	8	91.6	0	7.1	1.3	23.8
TOTALS		88	87	88.6	.7	9.1	1.6	49.8

Figure IV-28 (U) Aircraft Readiness and Flying Hours by Unit (U)

February 1971

<u>Unit</u>	<u>Type A/C</u>	<u>Auth</u>	<u>O/H</u>	<u>% OR</u>	<u>%NORS</u>	<u>%NORFM</u>	<u>%NOROM</u>	<u>Avg Hrs Per A/C</u>
DIVARTY								
HHSB/4/77	UH-1H	3	3	85.8	2.1	3.3	8.8	87.7
A/4/77	AH-1G	12	12	78.3	9.2	6.4	6.1	52.8
B/4/77	AH-1G	12	12	74.8	2.5	22.3	.4	66.5
C/4/77	AH-1G	12	12	76.9	3.3	18.1	.9	54.8
A/377	UH-1H	4	4	87.5	4.1	0	8.4	58.3
	OH-6A	18	16	89.7	5.5	1.6	3.2	43.1
TOTALS								
		61	58	81.5	5.1	9.9	3.5	63.3
1st Bde	UH-1H	5	5	87.9	0	5.7	6.4	99.0
	OH-6A	8	8	95.1	0	3.1	1.8	82.9
TOTALS								
		13	13	92.3	0	4.1	3.6	89.1
2d Bde	UH-1H	5	5	94.3	0	2.5	3.2	90.8
	OH-6A	8	8	96.4	0	2.7	.9	71.9
TOTALS								
		13	13	95.6	0	2.6	1.8	79.1
3d Bde	UH-1H	5	5	91.4	0	4.3	4.3	74.2
	OH-6A	8	8	94.7	0	2.6	2.7	75.4
TOTALS								
		13	13	93.5	0	3.2	3.3	74.9
326 Med	UH-1H	12	11	88.6	.6	6.3	4.5	51.2
5th Trans								
HHC/5th TC	UH-1H	1	1	88.0	0	12.0	0	77.0
A/5th TC	UH-1H	1	1	100.0	0	0	0	69.0
	OH-6A	1	--	--	-	-	-	-
B/5th TC	UH-1H	1	1	100.0	0	0	0	68.0
	OH-6A	1	1	100.0	0	0	0	57.0
TOTALS								
		5	4	97.1	0	2.9	0	67.0
478th Avn	CH-54	0	10	82.4	1.9	15.7	0	39.1

FIGURE IV-28 (U). Aircraft Readiness and Flying Hours by Unit (U).
(continued)

March 1971

Unit	Type A/C	Auth	O/H	% OR	% HORS	% NORFM	% NOROM	Avg Hrs Per A/C
101 Avn Gp								
101 Avn Bn								
HHC/101	OH-6A	3	2	89.5	0	10.5	0	63.5
A/101	UH-1H	20	20	75.4	2.1	15.7	6.8	94.3
B/101	UH-1H	20	18	85.3	0	4.8	9.9	94.0
C/101	UH-1H	20	18	80.0	0.4	7.2	12.4	104.6
D/101	AH-1G	12	11	75.0	3.2	8.2	13.6	61.8
158 Avn Bn								
HHC/158	OH-6A	3	2	46.4	0	53.6	0	10.0
A/158	UH-1H	20	17	85.4	0.8	9.3	4.5	98.2
B/158	UH-1H	20	19	89.5	0.2	4.6	5.7	97.5
C/158	UH-1H	20	18	81.7	4.6	6.8	6.9	94.4
D/158	AH-1G	12	12	69.2	2.1	12.3	16.7	78.6
159 Avn Bn								
HHC/159	OH-6A	3	3	72.8	9.3	13.3	4.6	67.0
A/159	CH-47	16	16	76.7	2.5	15.1	5.7	64.3
B/159	CH-47	16	16	72.1	5.9	10.8	11.2	66.6
C/159	CH-47	16	14	78.5	10.1	6.2	5.2	64.4
163 Avn Co	UH-1H	10	14	86.4	0.9	9.7	3.0	57.1
	OH-6A	12	11	79.8	7.6	12.6	0	109.6
TOTALS		223	221	79.7	3.2	9.8	7.3	82.2
2/17 Cav								
HHT	UH-1H	7	7	87.4	0	8.4	4.2	77.8
A/2/17	UH-1H	8	7	87.5	0	8.8	3.7	64.7
	AH-1G	9	8	79.5	0	14.9	5.6	70.8
	OH-6A	10	10	86.1	8.1	5.8	0	28.4
B/2/17	UH-1H	8	8	84.2	2.8	12.2	0.8	55.4
	AH-1G	9	9	74.4	1.4	23.7	0.5	44.2
	OH-6A	10	10	84.3	4.9	10.1	0.7	36.9
C/2/17	UH-1H	8	7	69.2	0	29.0	1.8	80.1
	AH-1G	9	9	68.4	3.6	25.8	2.2	68.1
	OH-6A	10	9	82.5	8.2	6.9	0.4	39.7
TOTALS		88	84	80.7	3.2	14.5	1.6	54.6

FIGURE IV-29 (U) Aircraft Readiness and Flying Hours by Unit (U)

March 1971

<u>Unit</u>	<u>Type A/C</u>	<u>Auth</u>	<u>O/H</u>	<u>% OR</u>	<u>NORS</u>	<u>% NORFM</u>	<u>% NOROM</u>	<u>Avg Hrs Per A/C</u>	
DIVARTY									
HHSB/4/77	UH-1H	3	3	90.0	0	7.6	2.4	78.3	
A/4/77	AH-1G	12	9	91.9	1.8	2.4	4.9	57.9	
B/4/77	AH-1G	12	12	76.8	6.3	26.6	0.3	46.1	
C/4/77	AH-1G	12	11	60.3	2.1	36.6	1.0	68.8	
A/377	UH-1H	4	4	84.9	4.1	0	11.0	87.0	
	OH-6A	18	19	82.4	7.0	8.6	2.0	67.2	
TOTALS			61	58	76.5	4.4	16.5	2.6	63.7
1st Bde	UH-1H	5	5	89.7	0	4.5	5.8	117.6	
	OH-6A	8	8	91.6	3.2	2.4	2.8	88.3	
TOTALS			13	13	90.8	2.0	3.2	4.0	99.5
2d Bde	UH-1H	5	5	89.7	0	9.0	1.3	83.2	
	OH-6A	8	8	97.3	0.9	1.8	0.9	80.8	
TOTALS			13	13	93.9	0.5	4.6	1.0	81.7
3d Bde	UH-1H	5	5	81.4	0	5.5	13.1	94.8	
	OH-6A	8	8	84.6	0	8.9	6.5	98.6	
TOTALS			13	13	83.4	0	7.6	9.0	97.2
326th Med	UH-1H	12	11	74.9	1.0	10.4	13.7	63.7	
5th Trans									
HHC /5th TC	UH-1H	1	1	94.1	0	5.9	0	48.0	
A /5th TC	UH-1H	1	1	95.5	0	3.2	1.3	93.0	
	OH-6A	1	1	76.9	0	23.1	0	16.0	
B /5th TC	UH-1H	1	1	83.5	0	6.5	0	62.0	
	OH-6A	1	1	100.0	0	0	0	76.0	
TOTALS			5	5	94.4	0	5.3	.3	59.5
478th Avn	CH-54	0	10	84.9	8.8	6.3	0	51.7	

FIGURE IV-29 (U) (continued) Aircraft Readiness and Flying Hour by Unit (U)

required a change from a two to three day cycle to a daily supply cycle. Four document registers were established to process the requests received at Quang Tri: 0Z-OFP, and 12 OFP document registers. Initially only EDP and OFP 02 requests were searched for assets on hand at the forward supply point. Other lower priority requests were entered in the document register and passed directly to B Co. The purpose of the forward supply point was to initially provide support for deadlined equipment rather than the wholesale replenishment of unit PLL's. However, units supported by the forward supply point submitted EDP requests because they had deployed on short notice and either had not brought sufficient PLL supplies with them or had previously depleted their PLL's as part of a standdown for deactivation action. The initial reorder point for the forward supply point was 50 per cent of the original amount received from the push package. The original stockage level was the requisitioning objective (RO). The reorder point was later moved to 75 per cent of the original amount received, and 05's and 12's could then be processed and released to 50 per cent of the RO. This action insured a safety level and sufficient stockage on hand to cover any NORS requests.

d. Transportation/Movement of Repair Parts

Ground vehicle transportation assets within a transportation aircraft maintenance company operating under the airmobile concept are very limited. The majority of aircraft parts needed had to be moved by truck. All aircraft repair parts for the Quang Tri area passed through B Co and then were shipped to Quang Tri by truck. All unserviceable parts were retrograded to Phu Bai by truck. The 335th Direct Support Company had three stake and platform tractors and trailers which were used extensively.

6. 5th Transportation Battalion Commander's Observations

a. General

The initial delay in designating the units to implement the operation slowed structuring of the maintenance and supply support

plan. The maintenance and supply support capability of the 5th Transportation Battalion was limited at the outset to the four types of aircraft organic to the 101st Abn Div (Ambl).

b. Organization

(1) Mission

The aviation maintenance battalion in an airmobile division should have an organic capability to move critical items of supply for aircraft support to include repair parts, components and subassemblies. This mission should be added to the battalion. The 5th Transportation Battalion processed large quantities of high dollar value retrograde parts, even though there is no provision for this in the mission of the unit or manning authorized in the TOE. Provisions for this type of activity should be incorporated in subsequent TOE changes.

(2) TOE

The aviation maintenance company should be revised to provide the following capabilities:

(a) Increase of Direct Support Capability

With only one direct support platoon per letter company the unit was forced to overcentralize its operation, with a delay in performance of maintenance and related functions. With three direct support platoons a direct support capability could be operated in three different locations. Considering the broad nature of the type of conflict and the high degree of mobility desired in airmobile operations, this would be highly advantageous. This structure would permit greater specialization of functions, e.g., use of two platoons for periodic inspections and the third for unscheduled maintenance requirements. This would improve the quality of maintenance performed and the speed with which it can be accomplished.

(b) Increase in Service and Equipment Capability

There are not enough personnel in the service and

equipment platoon to provide for onsite servicing of equipment. This situation represents only a minor inconvenience under normal conditions, but becomes a great obstacle in intensified operations such as LAMSON 719. The addition of one or more mobile service sections is required.

(c) Addition of a Recovery/Retrograde Section

The aviation maintenance companies under present TOE can only recover light aircraft such as the OH-6A and then only when riggers are provided from an outside source. In addition, when aircraft are being retrograded by air there is no organic capability for rigging these aircraft prior to sling loading to another area. Eight to ten trained riggers would be required at unit level to create this section, and would be used in conjunction with a battalion level flight platoon, consisting of three to five CH-47 helicopters. These aircraft could be utilized for both recovery and retrograde operations as necessary and eliminate the need to request aircraft within competitive operational priorities.

(d) Increase in Support Type Equipment

There is a definite and pronounced need for an increase in support equipment, such as compressors, generators, and fork lifts, especially in higher-intensity situations such as LAMSON 719. Aviation maintenance companies operated on a 24 hour basis, putting a strain on present resources making scheduled maintenance difficult.

c. Transportation of Aviation Repair Parts and Equipment

The shortage in general support trucking assets was a major problem in movement of critical aircraft parts and components. It was offset by use of five ton stake and platform assets acquired by attachment of the 335th Direct Support Maintenance Company. Problems of major proportions would have existed had these trucks not been available. Air movement within Military Region I was satisfactory

only after CH-47 aircraft were dedicated on a daily basis to moving high priority parts and retrograde aircraft. Additional organic trucks are required.

d. Supply Operations

(1) Urgency

High priority air shipments of aircraft repair parts were often delayed or in some cases cancelled completely. The same held true on highly critical major components that needed to be retrograded within a specific period of time after receipt. Movement of routine priorities was difficult to obtain and sometimes impossible. Lack of routine replenishment resulted in an increasing number of high priority requisitions which in turn caused an added burden on the already strained transportation system.

(2) Augmentation

The skill level of the civilian augmentation team was based on operations at depot level. A period of adjustment was required for the team to adjust to the DSSA methods of operation. The personnel provided were well suited for warehouse work and filled a void existing within the warehouse. No augmentation was provided for the NCR system at Phu Bai.

(3) NCR 500 Support

Problem areas identified were not in all cases reconciled as rapidly as desired. Support personnel were notified of a machine problem requiring parts and technical representative prior to the operation reaching its peak momentum. Midway through the operation, the problem still existed. A microfilm reader was requested but not received. Without these tools to perform the mission, much time and effort were lost.

(4) Transportation

(a) Coordination

The services provided by the 15th Aerial Port at Phu Bai were limited. The activity had no transportation assets available and its service was restricted to coordinating shipments. B Co provided equipment to load and move repair parts from the Aerial Port. This added transportation requirement caused delays and setbacks in execution of the basic supply mission.

(b) Communications

Problems in communication were experienced in contacting either Saigon or Quang Tri. This was solved by installation of a high frequency radio network.

(5) Supply

(a) In future operations, an advance supply point capable of handling basic supply problems should be developed essentially as organized for LAMSON 719. This supply point should later be dissolved as the basic DSSA becomes operational. The supply operation in such events would have its own capability to reconstitute a jump or forward supply point. With an activity code of the basic supply point parts could be shipped directly to their location. Time is important and cutting down delays in shipment is imperative. The advance supply activity would also laterally search other DSSA's or have a DSSA that supports them, prepare requisitions for their address code in the event of a zero balance. A series of document numbers could be set aside and status provided in the event the supporting DSSA initiates requests.

(b) Use of a push package, when carefully constructed, is quite helpful; however, it should be documented and annotated with end item applicability. Parts could then be identified and shipped to different locations in the event of aircraft dispersal.

(c) AIMI stockage levels should be changed prior to the commencement of operations to insure sufficient quantities on hand to support the aircraft densities required by the mission. If levels cannot be readily computed, push packages should be provided pending determination of adequate stockage levels.

(d) A system with some automated capability should be obtained and used to process requests. Requests processed through such a system would cut down time spent in manual processing and ordering. As stated earlier the supply activity with its own activity address code could use such a system and provide improved supply support for its customers.

(e) In planning for other operations of the same scope and magnitude, a dedicated aircraft for the purpose of moving aircraft repair parts is necessary. Major assemblies and high priority parts are essential in sustaining support of aviation assets; therefore priority access to air transport is essential.

(f) Every effort should be made to obtain required support equipment for the technical supply activity prior to the operation, e.g., NCR 500 support and microfilm reader support. The DSSA selected to support the operation should be given a series of technical inspections and assistance to include repair of all essential support equipment. An NCR 500 technical representative should be immediately available to assist with any technical difficulties that might arise with the machine functions.

~~CONFIDENTIAL~~

N. (C) PERSONNEL SUMMARY

1. Flying Hours

In mid-February it became apparent that the 101st Airborne Division (Airmobile) aviation units and units OPCON to the 101st Aviation Group could not maintain the level of flight hours required to support LAMSON 719 and at the same time adhere to the USARV flight time regulation. This regulation requires both aviators and enlisted crew members to be grounded after flying 140 hours in a 30 day period. A request to waive this regulation was forwarded from the 101st Airborne Division (Airmobile) to USARV. A waiver of the regulation was granted to units directly supporting LAMSON 719 (USARV msg DTG 040939Z Mar 71). Although the mandatory grounding at the 140 hour level was waived, the flight surgeon continued to evaluate individuals and recommended grounding when fatigue was evident. Fatigue was present in individual aviators and crew members but was not a significant problem at any time during the operation. Although all air crews experienced increased hours during the operation the only significant increase in flight time above the 140 hour level was among the key personnel, particularly at the section and platoon level.

2. Casualties

In 45 days of combat flying over Laos a total of 210 casualties were incurred by US Army and USMC helicopter crews; of this total 152 were WIA, 26 KIA and 32 MIA. The average casualties per day were 3.4 WIA, .58 KIA and .71 MIA. During the entire operation a daily average of 161 aircraft and 575 air crew personnel were exposed to combat flight. An average of 4.7 crew members were injured or killed per day, which is eight tenths of one per cent of the total personnel exposed each day. Further examination of casualty figures indicates that for each 1000 hours flown during the 45 days, slightly over five aviators or crew members became casualties. Sorties flown in Laos were recorded separately from the sorties flown in Vietnam. The casualty rate for the total sorties (both in Laos and Vietnam) flown during the operation was less than two casualties per 1000 sorties flown as compared to nearly five casualties for each 1000 sorties flown in Laos.

~~CONFIDENTIAL~~

	KIA	WIA	MIA
Combat flight	26	152*	32*
Other combat**	14	41	0
Total	40	193	32

* Includes 2 WIA and 2 MIA 1st Brigade, 5th Infantry Division (Mechanized) personnel that were aboard an OH-58 aircraft which was shot down in Laos.

** Other combat includes combat casualties which were incurred in support of LAMSON 719 but were not in Laos. These casualties were primarily as a result of indirect fire and sapper attacks against Khe Sanh combat base but also include nine US Marine personnel which were killed when a CH-53 aircraft crashed in South Vietnam. The aircraft was enroute to its home base after completing a combat mission over Laos where it is believed to have incurred combat damage.

FIGURE IV-30 (C) Recapitulation of Casualties (U)

~~CONFIDENTIAL~~

O. (U) AVIATION SAFETY

1. Accidents

During LAMSON 719, eleven accidents occurred as a result of the operation. Aircraft under the control of the 101st Aviation Group flew a total of 37,992 hours in support of the operation as determined from Section 16 of the OPREP 5 report. This represents a rate of 29.0 accidents per 100,000 flying hours. Aircraft continually encountered intense hostile fire during combat assaults and logistic missions. The tactical situation also involved maximum loads, evasive maneuvers, and quick tactical decisions involving the evaluation of risk. When an aircraft went down, it was quickly surrounded by enemy making it difficult for the recovery crews to evacuate the crew members. As aircraft were recovered, they were examined and the circumstances investigated as the tactical situation permitted.

2. Comparison of Accident Rates

a. Yearly Comparison

To portray how LAMSON 719 influenced operational results in comparison with those of the year before, the statistics of the 101st Airborne Division (Airmobile) were selected. This was the largest integral unit in LAMSON 719 which had been operating as such for the period compared.

b. The division flew 7,548 hours more during the month of February and March 1971 than during the same time period in 1970. See Figure IV-31 below:




FIGURE IV-31 (U). 101st Abn Div (Ambl) Hours Flown and Accident Rate, 3rd Qtr FY 70 and 71 (U).

c. An examination of hours and rates in the 101st Aviation Group shows that the Group flew 8,188 hours more during the month of February and March 1971 than during the same period in 1970, experiencing an average rate reduction of 13.8 accidents per 100,000 flying hours. See Figure IV-32 below:




FIGURE IV-32 (U) 101st Avn Gp Hours Flown and Accident Rate, 3rd Qtr FY 70 and 71 (U).

d. The increase in flying hours is a result of the operational requirements of LAMSON 719 and also the requirement to support troops in the Division area of operations. When flying hours are increased, the rate will drop if the number of accidents remains relatively stable or decreases.

IV-134

HAM NGHI AAF
ELEV 1575'
TOWER: 272.0
120.4
61.40
GCA: 291.9 304.0
131.1 46.70
NDB: 465
VF




FIGURE IV-33 (U). Khe Sanh Air Facility and Flight Routes (U).

8 February - 24 March

DATE	TYPE ACFT	LOCATION	UNIT	CIRCUMSTANCES
<u>101st Airborne Division (Airmobile) Organic Aircraft</u>				
15 Feb	CH-47C	Phu Bai	A/159	While on testflight, aircraft crashed inverted
2 Mar	OH-6A	Quang Tri	C/2/17	Hovered between two parked aircraft
16 Mar	AH-1G	Quang Tri	B/4/77	Pilot tried to return south, went IFR and crashed
22 Mar	OH-6A	FB SARGE	A/377	Went IFR crossing ridgeline and crashed into trees
<u>223d Aviation Battalion</u>				
14 Feb	AH-1G	Khe Sanh rear	C/7/17	Main rotor strike, hovered too close to another aircraft
18 Feb	UH-1C	Khe Sanh rear	173d	Aircraft took off at maximum gross weight passing another aircraft which was pulling pitch
23 Feb	UH-1H	DELTA 1	173d	Midair collision
5 Mar	AH-1G	Between Vandergrift and Khe Sanh	B/7/1	Aircraft grazed hill while low level
6 Mar	AH-1G	Khe Sanh	B/7/1	Aircraft went IFR while on GCA, aircraft mission

IV-135

FIGURE IV-34 (U). Aircraft Accidents, LAMSON 719 (U).

<u>DATE</u>	<u>TYPE ACFT</u>	<u>LOCATION</u>	<u>UNIT</u>	<u>CIRCUMSTANCES</u>
<u>14th Aviation Battalion</u>				
11 Feb	UH-1H	7 km west of Rockpile	174th	Hard landing
7 Mar	UH-1H	ALUOI	174th	Tail rotor strike - Tail boom buckled

IV-136

FIGURE IV-34 (U). (Continued) Aircraft Accidents, LAMSON 719 (U).

3. Analysis of Accidents and Incidents

a. General

The majority of aircraft mishaps occurred in Vietnam and at the facilities listed in paragraph 4. The majority involved blade strikes of some type.

b. Rerarm/Refuel

One of the most important aspects of LAMSON 719 was the preparation for and establishment of rerarm/refuel points to support tactical operations. Certain areas were designated as forward refueling and rearming facilities. In some cases, such as at Khe Sanh, the area was not large enough to accommodate that number of refuel points required. This resulted in points which were too close together. The number of points had to be reduced in order to enable the dispersion of the remainder to the required distances set forth in Division Regulation 358-1. The manner in which the refuel points and rerarm points at Khe Sanh and Vandergrift were of necessity laid out made it difficult to land and depart the areas when congested. Eight aircraft were involved in blade strikes at refuel and rerarm points set up for the operation. Fatigue may have contributed to three incidents in that having returned from Laos to rerarm or refuel, the aviators became less alert as they came back to familiar territory.

c. Dust in Landing Zones

Although only one incident directly involved going Instrument Flight Rules (IFR) in dust, the problem was common. When the landing zones were constructed and helicopters began using them, it became evident that some dust suppressant would be needed. As soon as available, penaprime was applied to heavily trafficked areas. This helped reduce the dust, although it was difficult to keep a good layer of penaprime on the surface because of the extreme dryness of the ground and the requirement to keep the pads operational while applying the penaprime.

d. Mishaps resulting from the Tactical Situation

The overtorques and blade strikes occurring in tactical landing zones are listed in Figure IV-35. Because of the tactical

8 February - 24 March

<u>DATE</u>	<u>TYPE ACFT</u>	<u>LOCATION</u>	<u>UNIT</u>	<u>CIRCUMSTANCES</u>
13 Feb	UH-1H	Khe Sanh refuel	C/158	101st Airborne Division (Airmobile) <u>Organic Aircraft</u> Blade mesh with VNAF aircraft
23 Feb	AH-1G	Vandergrift refuel	C/4/77	Flash fire at POL
23 Feb	2UH-1H	Vandergrift refuel	C/158	Meshed blades
25 Feb	UH-1H	Khe Sanh	A/158	Blade strike in landing zone, hit tree
5 Mar	UH-1H	Rockpile	C/101	Blade strike in landing zone
6 Mar	2AH-1G	Lang Con	D/101	Aircraft meshed rotor blade
15 Mar	OH-6A	Khe Sanh	163rd	To avoid midair collision, pilot dived and grazed tree

IV-138

FIGURE IV-35 (U). Aircraft Incidents, LAMSON 719 (U).

IV-139

<u>DATE</u>	<u>TYPE ACFT</u>	<u>LOCATION</u>	<u>UNIT</u>	<u>CIRCUMSTAN<u>CE</u></u>
<u>223rd Combat Aviation Battalion</u>				
23 Feb	UH-1C	KILO	48th	On takeoff, aircraft went IFR in dust, right skid hit fence
6 Mar	UH-1H	Dong Ha	173rd	As aircraft was settling into revetment, maintenance operational check was being conducted nearby; meshed rotor blades
<u>14th Combat Aviation Battalion</u>				
11 Feb	UH-1H	7km SW of Rockpile	173rd	Hard Landing
25 Feb	UH-1H	8km NW of Khe Sanh	173rd	Main rotor blade strike
26 Feb	UH-1C	Vicinity of Vandergrift	173rd	Main rotor blade strike
27 Feb	UH-1H	DELTA	173rd	Overtorque
8 Mar	UH-1H	5km NE of Khe Sanh	173rd	Overtorque
21 Mar	UH-1H	Lang Con	173rd	Unknown
24 Mar	UH-1H	Lang Con	173rd	Overtorque

FIGURE IV-35 (U). (Continued) Aircraft Incidents, LAMSON 719 (U).

situation, heavy loads and marginal size landing zones were necessary when extracting troops.

e. Fatigue

(1) General

Fatigue was not a limiting factor in the LAMSON 719 operation. This may be attributed to the high morale of aviators and commanders that was present throughout the operation. Discussion of the operation with numerous aviators involved in LAMSON 719 did not surface any mention of fatigue. Since the aviators were flying in an extremely hostile environment, any existing fatigue was probably negated by forced alertness while over Laos. When the aviators returned to Vietnam they relaxed this alertness and experienced accidents and incidents such as inadvertent IFR when returning home or meshing rotor blades in areas which, though marginal, were adequate for safe operation.

(2) Maintenance Personnel

Monitoring fatigue was not limited to flight crews. Maintenance personnel at the battalion level and higher were monitored. There were no reported trends in fatigue among this group of individuals. However, there is no definitive system for monitoring this group.

(3) Enlisted Aircrrews

Enlisted crews did not appear to be fatiguing more than aviators even though this group generally is required to work more hours per day than the aviator. Equal effort was exerted to monitor the enlisted crew members.

4. Facilities

a. Refuel Points

(1) General

In addition to the permanent refuel facilities at Quang

Tri AAF, additional POL areas were set up at Dong Ha, Mai Loc, Vandergrift, Khe Sanh, and Lang Con.

(Z) Inspections

Quang Tri, Dong Ha, Mai Loc, and Vandergrift were inspected by the Division and Group aviation safety officers before the operation began and deficiencies were reported to the unit responsible. As a result, several refuel points at Quang Tri were moved further apart for proper separation and penetrime was applied to the refuel area at Vandergrift. Khe Sanh and Lang Con were inspected shortly after they were completed. Constant maintenance was required to keep grounding cables on the nozzles at POL areas and to keep fire extinguishers charged and sealed.

b. Rearm Points

(1) General

In addition to the rearm points at Quang Tri AAF, additional rearm points were established at Dong Ha, Mai Loc, Vandergrift, Khe Sanh, and Lang Con.

(2) Inspections

Quang Tri, Dong Ha, Mai Loc, and Vandergrift were inspected by the Division and Group aviation safety officers before the operation began and all had adequate fire extinguishers. These areas were kept in a good state of police. Khe Sanh and Lang Con were inspected shortly after the rearm points were completed.

(3) Deficiencies

The takeoff lane at Khe Sanh was partially blocked by a low berm making it difficult for heavily loaded gunships to depart. This obstacle was removed as soon as the assets became available.

c. Airfields and Heliports

(1) General

The majority of the airfields were able to handle the traffic despite the heavy requirements placed on them by the operation. As the attached units became accustomed to the area of operations, traffic flow became relatively smooth in and around airfields.

(2) Khe Sanh

It became evident that as the operation progressed there was a traffic control problem developing at Khe Sanh. The airfield commander published a diagram (see Figure IV-33) of the airfield which included all pads, approach and departure routes, and sector altitudes. This diagram was distributed to all aviators.

5. Comments-CO, 101st Aviation Group

In terms of the volume of aircraft and conditions encountered in LAMSON 719, the operation fared well from the aviation safety standpoint. Factors affecting aviation safety centered on the rearm and refuel facilities. Although all available support was devoted to establishing and preparing the facilities, there was not sufficient lead time between occupation of Khe Sanh and initiation of full-scale airmobile operations. Adequate lead time to permit full development of supporting facilities prior to initiation of combat operations should be provided. Experience indicated that the refuel/rearm points must be off to the side of an unobstructed lane to ensure that all points are accessible. POL points were established with 75 feet between points for UH-1 type aircraft; however, the optimum distance under operating conditions proved to be 100 feet.

P. (U) AVIATION STATISTICAL SUMMARY

1. The information contained in this summary is representative of support rendered by the aviation assets as committed to support RVNAF within the LAMSON 719 area of operations. This data does not reflect support of operations by the 101st Abn Div (Ambl) plus OPCON units in Thua Thien and Quang Tri Provinces during the period in question.

2. The time frame of 8 February - 24 March is not inclusive of LAMSON 719 in its entirety, but is representative of operations starting with the initial assaults into Laos and terminating with the final extractions from Laos excepting raids.

3. This information consists of statistical data contained in reports compiled during and upon completion of the operation. A significant representative factor in this operation was the extensive use of the UH-1H as a troop carrier (see FIGURE IV-3b). Data contained in Annex C (Aviation Statistical Summary) to this report is as follows:

a. Cargo Transport Helicopter, Medium/Heavy Lift (CH-47, CH-53 and CH-54) data which includes the number of aircraft utilized, movement of supplies, movement of passengers, sorties, and flying hours.

b. Utility/Tactical Transport Helicopter (UH-1H) data which includes the number of aircraft utilized, movement of passengers, sorties, and flying hours.

c. Attack/Observation Helicopter (UH-1C, AH-1G, and OH-6A) data which includes the number of aircraft utilized, sorties, and flying hours.

d. Recapitulation which includes
(1) A recapitulation of performance/utilization data for items 6a, 6b, and 6c.

~~CONFIDENTIAL~~

Q. (C) COMBAT DAMAGE

1. General

Combat damage information was collected for helicopter assets of the 101st Airborne Division (Airmobile) which operated in the LAMSON 719 environment. There were 644 aircraft damage incidents to 451 different aircraft and a total of 90 aircraft lost. Annex D contains the chronological summary of this data further organized by series helicopter. Reviewing this data, preliminary conclusions were reached regarding the damage helicopters received from the enemy.

2. Light Observation Helicopters

Commanders occasionally limited the role of the OH-6A in the hostile antiaircraft environment of LAMSON 719. There were 22 of these aircraft which received battle damage on 34 different occasions. Two-thirds of the incidents of damage occurred as these aircraft were flying within 100 feet of the ground. Six of these aircraft were reported lost; one to RPG, one to small arms fire, one to antiaircraft fire, three to 12.7mm fire.

3. Attack, Utility, and Medium Lift Helicopters

The AH-1G, UH-1C, UH-1H, and CH-47 aircraft were studied. Graphs at Figures IV-37 through IV-40 show the number of these aircraft hit versus lost, by Julian Date.

a. The data base shows that 101 different AH-1G aircraft were damaged on 152 occasions. Eighteen were lost; seven to small arms fire, six to 12.7mm fire, three to mortar fire, and two to enemy rockets at Khe Sanh. Eighty-one hit occasions involved AH-1G aircraft in the target attack phase of flight. This durable aircraft was hit by 12.7mm fire on 71 occasions and survived 92 per cent of these.

b. Forty-eight different UH-1C aircraft were damaged on 66 different occasions. There were twelve lost; four to small arms fire, four to 12.7mm fire, one to RPG, two to sachet charges, and one by unknown enemy fire received in the target attack phase of

~~CONFIDENTIAL~~

25 —

CONFIDENTIAL

IV-147




FIGURE IV-147 (a) HIT VS LOST (U).

CONFIDENTIAL

CONFIDENTIAL

25

20

15

10

IV-148




FIGURE IV-38 (C). VII-1C, Hit versus Lost (U)

CONFIDENTIAL

~~CONFIDENTIAL~~

25

3.5

LZ LOLO

PZ

45
BROWN

IV-149




FIGURE IV-39 (C). UH-1H, Hit versus Lost (U).

~~CONFIDENTIAL~~

25 -

-

-

-

-

CONFIDENTIAL

IV-150

20 -

-

-

-

-

10 -

-

-

-

-

5 -

(8 Feb)

1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083

Julian Dates

(24 Mar)

FIGURE IV-40 (C). CH-47, Hit versus Lost (U).

CONFIDENTIAL

~~CONFIDENTIAL~~

flight. - Forty-two hit occasions involved aircraft in the target attack phase of flight. - This aircraft was hit by 12.7mm fire on 27 different occasions, surviving 85 per cent of these. These aircraft lacked the performance characteristics of the AH-1G.

c. Two hundred and thirty-seven UH-1H aircraft were damaged on 344 different occasions. Forty-nine aircraft were lost; sixteen to small arms fire, fifteen to 12.7mm fire, ten to mortar fire, two to rocket fire, two to antiaircraft artillery fire, two to RPG, and two to enemy artillery fire. Thirty-nine losses occurred in conjunction with operations in and around the landing or pickup zone. One hundred and seventy-four hit occasions involved 12.7mm fire. Sixty-one per cent of the aircraft damaged were hit within 100 feet of the ground; of these, 77 per cent were landing, landed, or departing an LZ or PZ. Nearly twenty-nine per cent of all the UH-1H losses occurred on 3 March and 20 March 1971, with respective operations to assault LOLO and to extract forces near BROWN. Altogether there were 84 incidents of damage to UH-1H helicopters on these two days.

d. Thirty CH-47 aircraft were damaged on 33 different occasions. Three were lost; one when hit by mortars, one after receiving battle damage involving an engine, the third after the hydraulic system was hit by small arms fire while the aircraft was enroute.

4. Heavy Lift Helicopters

Fourteen CH-53 aircraft were hit by enemy fire. Two were lost; one when hit by mortar fire while hovering, the other enroute to its home station after having apparently received damage to the main rotor system. Only one CH-54 aircraft was damaged. It was struck by mortar fragments while at Khe Sanh.

5. Combat Exposure

Using sortie information from the Aviation Statistical Summary, combat damage rates were established and then compared for aircraft operations over Laos and the Republic of Vietnam, during LAMSON 719. This comparison showed that the threat of damage was thirteen times greater when flying in Laos. One incident of damage occurred

~~CONFIDENTIAL~~

(2) Comparative totals for all aviation support rendered by the 101st Airborne Division (Airmobile) units during 8 February-24 March 71.


e. LAMSON 719 sortie data which reflects in country and out country sorties by type mission (i. e., troop lift, helicopter gunship, MEDEVAC, air cavalry, and logistic) for each day and totals for the period.

f. AH-1G/UH-1C gunship statistical data which is presented as a basis for further comparison of AH-1G/UH-1C gunship utilization and effectiveness.

CONFIDENTIAL

Number
of troops

IV-144



(8 Feb)

Julian Dates

(24 Mar)

FIGURE IV-36 (C). Troop Lift UH-1H (U)

CONFIDENTIAL

~~CONFIDENTIAL~~

per 1000 sorties outside Laos whereas thirteen incidents occurred per 1000 Laotian sorties. An average of nearly two aircraft were lost for every 1000 Laotian sorties.

IV-152

~~CONFIDENTIAL~~

SECTION V

RAIDS

A. (U) CONCEPT

1. Purpose

Raids were planned following RVNAF withdrawal from Laos to destroy enemy logistic installations, disrupt NVA command and control facilities, and continue to demonstrate RVNAF capability to strike the enemy in his base areas in Laos.

2. Mission

The 2d Squadron, 17th Cavalry, with the HAC BAO Company (OPCON), supported by 101st Abn Div (Ambl) and USAF aircraft, was given the mission of conducting a raid on enemy logistic and headquarters elements in Laos. The planned location was approximately 45 km SSW of Khe Sanh. This initial raid was scheduled for 29 March 1971.

3. Guidance

- a. Good weather for at least three days had to be forecast.
- b. The raid had to offer a very high probability of mission accomplishment with minimum aircraft and personnel losses.
- c. The operation was to be of short duration with decisions to insert and extract to be mutually agreed upon by the US and Vietnamese commanders involved.

B. (U) INITIAL EFFORTS

1. Based on aerial photos, visual reconnaissance, and information obtained from ARVN, the target area landing zones were selected on 28 March 1971. Concentrated B-52 strikes were conducted on the area during the night of 28 March and early morning of 29 March. Continuous FAC coverage was programmed for the 29th, with sufficient tactical air sorties to neutralize antiaircraft weapons along the approach routes, departure routes, and objective areas.

2. The Cav team assigned to work the area on the 29th encountered two significant problems: the area was well protected with large caliber antiaircraft weapons, and the visibility in the area was too poor for effective employment of FAC controlled air strikes.

3. US and Vietnamese commanders involved made the decision to postpone the raid, and to consider instead other raids on different targets at a later date. It was no longer feasible to strike the original target area, since the extensive air activity in the area had in all probability revealed friendly intentions to the NVA.

C. (U) FIRST RAID

1. A second attempt was scheduled for 31 March 1971. Again the HAC BAO Company was to be employed, with the target area this time approximately 45 km SE of Khe Sanh, approximately 8 km into Laos. Essentially the same guidance was given for this raid as for the earlier attempt.

2. Extensive B-52 strikes and tactical air were employed in the area prior to insertion of the HAC BAO. In addition, three air cav troops worked the immediate objective area, with an additional troop screening to the west. Upon insertion, the ground elements encountered light resistance, and killed one NVA while taking one casualty. The HAC BAO also discovered the bodies of 84 NVA killed by Air Force, and numerous bunkers and fighting positions destroyed. Cav troops working the area killed six NVA during the mission, and employed air strikes resulting in one secondary explosion.

3. During the night radio contact was maintained with the ground unit through an airborne automatic retrans station; the ground unit reported hearing and seeing approximately 70-80 trucks moving to their south, and this sighting was verified by an Air Force FAC. TAC air was employed on the convoy, resulting in numerous large secondary explosions. The morning of 1 April the HAC BAO Company was extracted with only light ground fire reported by the extraction aircraft.

D. (U) SECOND RAID

1. A second raid was scheduled for 6 April 1971 with the objective area located in the Laotian salient approximately 21 km south of Khe Sanh. The guidance for previous raids remained in effect, and essentially the same USAF preparation was used. The HAC BAO Company was inserted into an inactive landing zone at 060955 April and extracted at 061717.

2. Results of this operation were 15 NVA killed, 13 tons of rice destroyed by HAC BAO, 17 enemy weapons (AK-47) destroyed, along with numerous bunkers, huts, and fighting positions destroyed. During the operation the Air Force destroyed two 12.7 mm antiaircraft weapons, one 37 mm antiaircraft gun, both confirmed by the HAC BAO, and observed three secondary explosions.

E. (U) CONCLUSIONS

The results of these raids are as yet not fully assessed. The observed enemy casualties and damage were in themselves significant. More significant and still largely undetermined is the impact on the NVA of the realization that RVNAF has the capability to strike deep into his base areas, thereby denying him the protection of these formerly safe havens.

~~CONFIDENTIAL~~

SECTION VI

INITIAL RESULTS

A. (U) GENERAL

This section is not intended to be used as an analysis of the success or failure of LAMSON 719 but to describe briefly the more significant initially observed results of the entire combined air-ground operation. Total enemy casualties and supplies destroyed or damaged as they relate to the three primary objectives of the operation are discussed. Data was collected from XXIV Corps and I Corps sources and will in all probability differ from later reports from headquarters with wider access to operational data. Direct assessment by 101st Airborne Division (Airmobile) units of destruction and damage was limited to aerial observation. Most of the significant results were assessed by RVNAF ground reconnaissance and reported to I Corps.

B. (C) FULFILLMENT OF PRIMARY OBJECTIVES

1. Destruction of Enemy Stockpiles

a. Prior to the operation, intelligence reports indicated that during December and January there was a sharp increase of supplies being moved by the NVA into Base Area 604, and that only a small portion of these supplies had been moved on to the south. A detailed target analysis of the area resulted in the identification of five depot areas. Within these five depots, a total of 325 targets were identified and targeted. These consisted of caches, structure complexes, truck parks, and supply points.

b. In response to this targeting intelligence, US combined firepower was used to complement and support the RVNAF ground effort. B-52 strikes were conducted in support of the operation. It is estimated that a minimum of 50 per cent of the 325 targets identified in Base Area 604 were destroyed or received major damage. Available reports to date indicate that there were 5,379 sorties flown by tactical air support from 8 February to 24 March. Additionally, over 22,000 helicopter gunship sorties were flown in support of troops engaged in detailed search and destroy operations in the objective areas. There were also over 27,000 rounds of 8 inch, 175mm artillery fired by US artillery in support of LAMSON 719 in Laos and western Quang Tri province of South Vietnam.

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

c. Thousands of tons of ammunition, POL and other supplies and equipment were destroyed by LAMSON 719 forces including US air assets. In addition to the destruction of these stockpiles, supplies from the caches of BA 604 were at least partially consumed by the NVA forces opposing LAMSON 719. Initial reports of supplies and equipment destroyed or captured include over 4,000 individual weapons; more than 1,500 crew served weapons; 20,000 tons of ammunition; 1,200 tons of rice; 106 tanks; 76 artillery pieces; and 405 trucks. The effectiveness of B-52 strikes, TAC air, helicopter gunships and artillery is further indicated by over 9,700 secondary explosions obtained. A significant supply facility destroyed during the operation was a fuel pipeline. This pipeline was severed in numerous places by both ground and air elements to include the destruction of three pumping stations.

2. Destruction of Enemy Forces

Enemy personnel losses were very heavy. While these losses can eventually be replaced, the requirement to replace losses in such regiments as the 1st VC, 29th, 36th, 64th, 102d, and 803d will in all probability draw off replacement personnel programmed for other units. Combined air-ground operations in Base Area 604 resulted in a reported total of 13,914 enemy killed in action. Air and ground attacks inside the five depot areas reportedly accounted for 5,357 of these casualties. An additional 69 enemy soldiers were captured.

3. Interdiction of Lines of Communication

As a minimum, it can accurately be stated that the lines of communication in Base Area 604 were severed, and that supplies and equipment ceased to move south through this area during the inclusive dates of the operation. This is a significant point, in that in past years the enemy has reached his peak efficiency in moving resources south during the months of February and March. Additionally, the detailed knowledge obtained concerning the locations of depots, trail networks, truck parks and the fuel pipeline facility will permit more precise targeting in the future.

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

C. (C) DIVISION G-2 COMMENTS

The time required to restore the severed lines of communication and supply and transportation facilities, and to refit and retrain the combat and service and support units destroyed during Operation LAMSON 719 could be significant. In addition to the enemy's losses in manpower and material, the loss of highly skilled and experienced supply, transportation, communication, maintenance and security personnel could further delay the rebuilding by the enemy of this portion of his complex, strategic logistic network. The accuracy of this prognosis will only be known in the summer and fall of 1971 when the enemy will rely on supplies which should have been moved through Laos this spring to support his operations.

~~CONFIDENTIAL~~